







Excellence in Value

Once again, Halo Floors takes luxury vinyl tile to a new dimension. The Asento collection of tiles and planks has achieved the coveted balance between form and function. Inspired by the need for moderately priced durable flooring, Asento is a perfect solution for military and multi-family housing, school dormitories and other high traffic areas.

When the need for affordable, dependable flooring arises, choose Asento, the wise choice for low maintenance classic floors.



5521 Stained Concrete



Design Solutions Inspired by Nature

The carefully selected Asento stone and wood patterns create a timeless collection of planks and tiles inspired by nature. Whether you prefer the rustic look of a 6" plank like Weathered Pine or the classic appeal of a 4" English Oak the rich beauty of natural woods come together in this attractive offering.

The subtle tone-on-tone shades of Mother Nature are captured with Asento tiles. Verona, Tuscany, River Rock and other enduring patterns offer the luxurious appearance of time-honored stones and pavers with the practical features of luxury vinyl tile.

18" x 18" Stone Tiles

















Beautiful, Practical, Affordable

When you asked for classic wood and stone patterns, we listened. Then you asked for ease of maintenance. Again, we listened. And, finally, you asked for affordability. We listened.

Asento by Halo Floors has been created for commercial applications such as multi-family and military housing, university dormitories and anywhere that low maintenance and highly durable moderately priced flooring is desired. It is backed by Halo floors, a well-respected flooring brand with a history of outstanding performance in the most demanding of environments such as healthcare and retail.

We don't just want to create floors that mimic nature. Our value is in creating timeless, beautiful products that are both practical and affordable.

4" Planks



5505 Maple



5503 Select Oak



5509 Natural Bamboo



5501 Country Oak



5502 English Oak



5504 Cherry



5508 Chestnut



5506 Mahogany



5507 Ebony

Timeless Design

Asento by Halo offers a street-smart collection of timeless design solutions for busy spaces.

6" Planks



5511 Eastern Pine



5512 Heart Pine



5514 Weathered Pine



5513 Log Cabin



5510 Old Barn



Asento Features

- ◆ 22 colorways in traditional and classic wood species and stone patterns
- ◆ PU wearlayer for durability and low maintenance options
- ♦ ISO 9001 and 14001 certified
- ♦ 10 year commercial warranty
- ◆ CA 01350 Certified

Recommended Product Applications

The following Halo application chart is provided to aid in understanding where Halo Asento is recommended for use. This application chart is a subjective recommendation and is predicated upon the adherence to proper installation techniques; specific location of installation; level of foot traffic; and the type and professional level of maintenance practiced on-site.

Healthcare	Asento	Free	Woods	Stones & More	Something Different	Education	Asento	Free	Woods	Stones & More	Something Different	Hospitality	Asento	Free	Woods	Stones & More	Something Different
Cafeterias	•	*	*	*	*	Auditorium		•	•	•	•	Conference Rooms	•	*	*	*	*
Corridors	•	*	*	*	*	Cafeterias	•	*	*	*	*	Corridors	•	*	*	*	*
Dialysis		*	•	•		Classrooms	•	*	*	*	*	Dance Floor		•	•	•	
Elevators		•				Computer Rooms	•					Dining Areas	•	*	*	*	*
Emergency Department		*	•	•		Corridors	•	*	*	*	*	Elevators		•	•	•	
Exam/Prep Room		*	•	•		Dormitories	•	*	*	*	*	Exercise Rooms					
Hydrotherapy Room						Entryways	•	*	*	*	*	Guest Bathrooms		•			•
Intensive Care		*	•	•		Food Service Area			•		•	Guest Rooms		*	*	*	*
Laboratories		•		•		Gymnasium						Lobbies	•	*	*	*	*
Lobbies	•	*	*	*	*	Laboratories		•	•	•	•	Lounges	•	*	*	*	*
Neonatal Intensive Care		*	•	•		Lavatories						Stairways/Landings					
Nurses Station		*	*	*	*	Libraries	•	*	*	*	*	Vending Areas	•	•	•	•	
Offices	•	*	*	*	*	Locker Rooms						0.00					
Operating Room						Multipurpose			•			Office					
Patient Room		*	*	*	*	Offices	•	*	*	*	*	Computer Rooms		•			
Pharmacy		*	*	*	*	Ramps (indoor)						Conference Rooms	•	*	*	*	*
Physical Therapy Room		•	•	•		Ramps (outdoor)						Corridors	•	*	*	*	*
Ramps (indoor/outdoor)						Showers						Dining Areas	•	*	*	*	*
Stairways/Landings						Stairways/Landings						Elevators		•	•	•	•
(indoor/outdoor)	_					Teachers Lounge	•	*	*	*	*	Lavatories			•	•	•
Staff Lounge	•	*	*	*	*	Utility/Storage Area	•	*	•	•		Lobbies	•	*	*	*	*
Storage/Utility Room	•	*	•	•	•							Offices	•	*	*	*	*
Waiting Room		*	*	*	*	Institutional						Stairways/Landings					
Retail						Churches	•	*	*	*	*	Storage Rooms	•	*	•	•	•
		4		4	4	Courthouses	•	*	*	*	*						
Drug Store Indoor Mall Common Areas		*	*	*	*	Funeral Houses	•	*	*	*	*						
		*	4	1	1	Libraries	•	*	*	*	*						
Sales Floor - Dept Store	•	_	*	×	*	Museums	•	*	*	*	*	★ Highly Recommended					
Sales Floor – Mass Merchandiser		•		_		Prisons		4				Recommended					

USGBC-LEED® Credits									
(✔) Based on the 2009 LEED rating system and the overall scope of your project, product may contribute to your LEED scorecard.									
		Indoor Environmental Quality							
Product	MR Credit 1.2: Building Reuse	MR Credit 2: Construction Waste Management	MR Credit 3.1: Materials Reuse	Recycled Content Pre- Consumer	Recycled Content Post- Consumer	MR Credit 4: Recycled Content Contribution (Sum of post-consumer + 1/2 pre-consumer)	IEQ Credit 4.1: Low Emitting Materials - Adhesives	IEQ Credit 4.3: Low Emitting Materials - Flooring Systems	California Section 01350 Compliant
Asento	✓	✓	✓	15%	50%	58%	~	✓	~

Product Characteristics

Standard Spec	ASTM F 1700
Classification	Class III Type A & B
Overall Thickness	2.5 mm (0.10")
Wear Layer Thickness	0.5 mm (0.020")
WOOD	
Nominal Dimensions / Packaging	4" x 36" (102 mm x 914 mm) 36 pc/ctn (36 sf/ctn)
	6" x 36" (152 mm x 914 mm) 24 pc/ctn (36 sf/ctn)
STONE	
Nominal Dimensions / Packaging	18" x 18" (457 mm x 457 mm) 16 pc/ctn (36 sf/ctn)
Fire	
ASTM E 648	Class 1
Critical Radiant Flux	Passes
ASTM E 662 Smoke Generation	< 450

Test Performance

ASTM F 1700 Standard Specification for Solid Vinyl Floor Tile	Meets or Exceeds Requirements
ASTM C 1028 Static Coefficient of Friction	≥ 0.5 ADA Compliant
ASTM F 970 Static Load Limit	500 PSI
ASTM F 925 Chemical Resistance	Passes
ASTM F 137 Flexibility	Passes
ASTM F 1514 Resistance to Heat	Passes
ASTM F 1515 Resistance to Light	Passes
CA 01350 VOC Emissions	Passes

Warranty

Halo Asento is covered by a limited 10-year warranty. Visit our web site, www.cbcflooring.com for complete details.







