



Stones & More

LUXURY VINYL TILE



Stones & More



DP01 - Cream Diamante Palacio

Natural Inspirations.

Halo floors is proud to introduce our newest collection. Durable and distinctive this timeless offering of resilient tiles has been engineered to stand up the most demanding interior applications.

Inspired by nature and developed by man, the Halo Stones & More collection has been created to meet the needs of architects and designers who long for creative freedom. Offering outstanding performance and beauty our tiles are the ideal choice in retail, hospitality and any high traffic interior when a superior flooring surface is preferred.

Halo Stones & More lays the world at your feet with one of the most innovative groups of luxury vinyl tiles in the industry.

Diamante Palacio (18" x 18")



DP01 Cream



DP04 Sand



DP06 Gold



DP07 Brown

Santa Fe (18" x 18")



DP05 Grey



SF02 Sand Dune



SF03 Mesa



SF01 Canyon Pass

Enduring Beauty, Inspired by Nature

Boasting 50 unique colors and patterns, designed for the most discriminating taste, Stones & More is the outstanding choice for designers and end-users alike.

Seashore (18" x 18")



SS05 Coral Sand



SS02 Sandy Shore



SS01 Wind Swept



SS03 Black Sand

Granite (18" x 18")



SS04 Sea Grass



GR183 Castle



GR184 Gold Dust



GR182 Charcoal

Strings (18" x 18")




ST03 Ivory



ST04 Grey




ST05 Tan



ST02 Blackened

Opalescent (18" x 18")



ST01 Guitar



OP02 Oyster Shell



OP01 Bronze Age



OP03 Silver Mine

Concrete (18" x 18")



TA197 Beige



TA196 Pale




TA198 Grey



TA192 Teal

Café (18" x 18")



CF02 Toast



CF04 Mocha



CF05 Cocoa



CF01 Spice



CF03 Espresso



RS811G - Rose Rustic Stone

Rustic Stone (18" x 18" with grout pattern on two sides)



RS814G Beige



RS811G Rose

Divider Strips

(36" X 3/16" X 1/8")



STR60 Copper



STR20 Gold



STR14 Silver



STR13 Gun Metal



STR04 Medium Grey



STR03 Taupe



STR01 Dark Taupe



STR25 Black




STR07 Dark Cream



STR06 Grey

Custom widths are available upon request

Slate (12" x 24")



SL231 Gold



SL148 Ivory



SL239 Cappuccino



SL817 Brown



SL238 Grey



SL814 Purple



SL431 Dark Grey

The subtle color patterns of natural slate offer a creative design solution to bringing the outdoors in.



SL817 - Brown Slate

Piazza (24" x 24")



PZ05 Mist



PZ04 Dove




PZ03 Smokey



PZ07 Deep Taupe



PZ06 Parchment



PZ02 Cornerstone



PZ01 Terra



PZ08 Truffle

Recommended Product Applications

The following Halo application chart is provided to aid in understanding where Halo Flooring products are recommended for use. This application chart is a subjective recommendation and is predicated upon the adherence to proper installation techniques; specific location of installation; level of foot traffic; and the type and professional level of maintenance practiced on-site.

	Woods	Stones & More	Something Different	Free	Asento
Healthcare					
Cafeterias	★	★	★	★	●
Corridors	★	★	★	★	●
Dialysis	●	●	●	★	
Elevators	●	●	●	●	
Emergency Department	●	●	●	★	
Exam/Prep Room	●	●	●	★	
Hydrotherapy Room	●	●	●		
Intensive Care	●	●	●	★	
Laboratories	●	●	●	●	
Lobbies	★	★	★	★	●
Neonatal Intensive Care	●	●	●	★	
Nurses Station	★	★	★	★	●
Offices	★	★	★	★	●
Operating Room					
Patient Room	★	★	★	★	●
Pharmacy	★	★	★	★	●
Physical Therapy Room	●	●	●	●	
Ramps (indoor/outdoor)					
Stairways/Landings (indoor/outdoor)					
Staff Lounge	★	★	★	★	●
Storage/Utility Room	●	●	●	★	●
Waiting Room	★	★	★	★	●
Retail					
Drug Store	★	★	★	★	●
Indoor Mall Common Areas	●	●	●	★	●
Sales Floor – Dept Store	★	★	★	★	●
Sales Floor – Mass Merchandiser	●	●	●	●	
Specialty Shops	★	★	★	★	●
Education					
Auditorium	●	●	●	●	
Cafeterias	★	★	★	★	●
Classrooms	★	★	★	★	●
Computer Rooms	●	●	●	●	●
Corridors	★	★	★	★	●
Dormitories	★	★	★	★	●
Entryways	★	★	★	★	●
Food Service Area	●	●	●		
Gymnasium					
Laboratories	●	●	●	●	
Lavatories					
Libraries	★	★	★	★	●
Locker Rooms					
Multipurpose	●	●	●		
Offices	★	★	★	★	●
Ramps (indoor)					
Ramps (outdoor)					
Showers					
Stairways/Landings					
Teachers Lounge	★	★	★	★	●
Utility/Storage Area	●	●	●	★	●
Institutional					
Churches	★	★	★	★	●
Courthouses	★	★	★	★	●
Funeral Houses	★	★	★	★	●
Libraries	★	★	★	★	●
Museums	★	★	★	★	●
Prisons	●	●	●	★	●
Hospitality					
Conference Rooms	★	★	★	★	●
Corridors	★	★	★	★	●
Dance Floor	●	●	●	●	
Dining Areas	★	★	★	★	●
Elevators	●	●	●	●	
Exercise Rooms					
Guest Bathrooms	●	●	●	●	
Guest Rooms	★	★	★	★	
Lobbies	★	★	★	★	●
Lounges	★	★	★	★	●
Stairways/Landings					
Vending Areas	●	●	●	●	●
Office					
Computer Rooms				●	
Conference Rooms	★	★	★	★	●
Corridors	★	★	★	★	●
Dining Areas	★	★	★	★	●
Elevators	●	●	●	●	
Lavatories	●	●	●		
Lobbies	★	★	★	★	●
Offices	★	★	★	★	●
Stairways/Landings					
Storage Rooms	●	●	●	★	●

★ Highly Recommended
● Recommended

USGBC-LEED® Credits

(✓) Based on the 2009 LEED rating system and the overall scope of your project, product may contribute to your LEED scorecard.

Materials & Resources						Indoor Environmental Quality			
Product	MR Credit 1.2: Building Reuse	MR Credit 2: Construction Waste Management	MR Credit 3.1: Materials Reuse	Recycled Content Pre-Consumer	Recycled Content Post-Consumer	MR Credit 4: Recycled Content Contribution (Sum of post-consumer + 1/2 pre-consumer)	IEQ Credit 4.1: Low Emitting Materials - Adhesives	IEQ Credit 4.3: Low Emitting Materials - Flooring Systems	California Section 01350 Compliant FloorScore Certified SCS-FS-01648
Stones & More	✓	✓	✓	13%	0%	6.5%	✓	✓	✓

Resistance to Staining & Chemicals per ASTM F 925

Chemicals	1 Hour	24 Hours
Acetic Acid – 28%	0	0
Hydrochloric Acid – 38%	0	0
Ammonium Hydroxide – 10%	0	0
Ammonium Hydroxide – 30%	0	0
Potassium Hydroxide – 15%	0	0
Sodium Hydroxide – 15%	0	0
Sodium Hydroxide – 50%	0	0
Sulfuric Acid – 40%	0	0
Sulfuric Acid – 10%	0	0

Hospital Stains & Chemicals	1 Hour	24 Hours
Aniline Blue – 2.5	0	0
Basic Fuchsin	0	2
Carbol Fuchsin	3	3
Dialysis Solution	0	0
Eosin – 1%	1	0
Giesma Blood Stain	0	1
Hema 3 Solution	0	0
Hematoxylin – 5%	0	0
Hydrogen Peroxide – 30%	0	0
Iodine Tincture	2	1
Methylene Blue	0	0
Potassium Permanganate – .5%	1	3
Provine-Iodine	2	3
Rhondamine B. Base	0	1
Urea Solution	0	0
Wright's Blood Stain	1	1

Solvents	1 Hour	24 Hours
Ethyl (Denatured) Alcohol	0	0
Formaldehyde – 37%	0	0
Isopropyl Alcohol	0	0
Mineral Spirits	0	0
Turpentine	0	0

Miscellaneous Stains & Chemicals	1 Hour	24 Hours
Betadine Skin Cleanser	0	0
Hand Sanitizer (Alcohol Based)	0	0
Phenolic Disinfectant Cleaner	0	0
Quaternary Disinfectant Cleaner	0	0
Bleach	0	0

Changes 0: None 1: Slight 2: Moderate 3: Severe

Halo Floors pass ASTM Test Method F 925, Resistance to Chemicals. F 925 calls for exposure to chemicals for one hour. The chart above shows results for the required 1 hour and even more severe testing protocol over a 24 hour period. Halo Floors are tested without any applied sealers or floor finishes and are cleaned with a cotton cloth after exposure. For the most accurate results, CBC Flooring recommends using the customer's chemicals on actual product samples that have been treated with the maintenance products to be used on the finished floor. Halo Floors are readily available for testing from CBC Flooring.

Environmentally-responsible, Floor Score Certified and backed by the Halo history of outstanding performance our Stones & More is the perfect choice for high traffic areas.

Product Characteristics

Standard Spec	ASTM F 1700
Classification	Class III Type A & B
Overall Thickness	3.0 mm (0.12")
Wear Layer Thickness	0.7 mm (0.028")
Nominal Dimensions / Packaging	18" x 18" (457 mm x 457 mm) 20 pc/ctn (45 sf/ctn)
	12" x 24" (305 mm x 610 mm) 20 pc/ctn (40 sf/ctn)
	24" x 24" (610 mm x 610 mm) 8 pc/ctn (32 sf/ctn)

Fire

ASTM E 648 Critical Radiant Flux	Class 1 (> 0.45/sq cm)
ASTM E 662 Smoke Generation	< 450

Test Performance

ASTM F 1700 Standard Specification for Solid Vinyl Floor Tile	Meets or Exceeds Requirements
ASTM C 1028 Static Coefficient of Friction	≥ 0.5 ADA Compliant
ASTM F 970 (Modified) Static Load Limit	2,500 PSI
ASTM F 925 Chemical Resistance	Passes
ASTM F 137 Flexibility	Passes
ASTM F 1514 Resistance to Heat	Passes
ASTM F 1515 Resistance to Light	Passes
CA 01350 VOC Emissions	Passes FloorScore Certified SCS-FS-01648

Warranty

Halo products are covered by a limited 15-year warranty. Visit our web site, www.cbccflooring.com for complete details.





Stones & More
LUXURY VINYL TILE

Halo Floors

55 Mall Drive, Commack, NY 11725 • 800-446-5476 • www.cbcflooring.com

CBC Flooring



by **SCS** Certified

0812.7500

Certified paper, contains post-consumer fiber.
 Acid-free recycled material. Printed with organic-based inks.