

M100 Wiring Options




Standard Wiring (2 lamp fixtures)




Standard Wiring (1 lamp fixtures)



Standard Wiring (8' Staggered Lamps - single lamp fixtures)



Standard Wiring (12' Staggered Lamps - single lamp fixtures)



SELUX Corp. © 2006

PO Box 1060, 5 Lumen Lane / Highland, NY 12528 TEL: (845) 691-7723 / FAX: (845) 691-6749

E-mail: seluxus@selux.com / Web Site: www.selux.com/usa

M6_CONX-01 (02/06)


In a continuing effort to offer the best product possible, we reserve the right to change, without notice, specifications or materials that in our opinion will not alter the function of the product. Specification sheets found at www.selux.com/usa are the most recent versions and supercede all other printed or electronic versions.

M100 Wiring Options




Tandem Wiring (Parallel Circuits / 2 lamp fixtures)

Ordering Code: **TC**




Tandem Wiring (Staggered Circuits / 2 lamp fixtures)

Ordering Code: TA




Tandem Wiring (Staggered Circuits / 1 lamp fixtures)

Ordering Code: TA



Tandem Wiring (Job Specific Circuitry / 1 or 2 lamp fixtures)

Ordering Code: **TM** Note: Specify circuits for each lamp.




M-Series Flex Whips




M60 Flex Whip (Standard Wiring) available for Recessed fixtures

Ordering Code: FW




M60 Flex Whip (Dimming Wiring) available for Recessed fixtures

Ordering Code: FW1



M100 Flex Whip (Standard Wiring) available for Tannenbaum, Super-Recessed, Recessed and Semi-Recessed fixtures Ordering Code: FW



M100 Flex Whip (Dimming Wiring) available for Tannenbaum, Super Recessed, Recessed and Semi-Recessed fixtures

Ordering Code: FW1

