


MIDWAY PUBLIC SEATING - Layouts





Description

- Spec's high durability public seating in a lighter scale allows specifiers to maximize space requirements.
- Your layout possibilities are unlimited with spacer, radius and corner tables – for both standard and bariatric seating in virtually any combination.
- Bariatric seating is a 30" wide seat and is load tested to 750 lbs. Cannot be connected to other bariatric seats.
- 20.5" seat width is standard.
- Choice of polyurethane or wood arms which are replaceable in the field.
- All models offer a choice of no center arms, half arms or full arms to the floor.
- 1.25" diameter wall-saving frame is standard to protect both wall and fabric.
- Separate seat and back provide exceptional comfort and ease of maintenance.
- Please send a drawing of the configuration you require with your order.
- · Optional floor mounting glides available.
- For fabrics you wish railroaded or repeats larger than 5" x 5", please contact the factory with repeat information and yardage requirement will be provided.


LAYOUTS AND DIMENSIONS













Single Seater with arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- · Use in connected layouts at no upcharge
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 17 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are avialable in any of 7 standard stains or stain-to-match at no upcharge
- For Flex back add suffix FB and \$163 List.

 Note: Wall-saving frame is not available when Flex back is specified.
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Single Seater with arms

COM 1.5 yds 0.5 yd COM per single seat 1.0 yd COM per single back

3201U	878	978	1012	1077	1178	1255	1355
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 20.5 arm H 26.0 total H 36.0 total W 23.75 depth 26.0

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$108 List per chair



3201U 37 lbs



Two and Three Seaters with outside arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- · Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- · Use in connected layouts at no upcharge
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5"x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are avialable in any of 7 standard stains or stain-to-match at no up charge
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Two Seater with outside arms

COM 3.0 yds 0.5 yd COM per single seat 1.0 yd COM per single back

3202U	1405	1603	1670	1803	2003	2157	2356
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

 seat H
 18.0
 seat W
 20.5
 arm H
 26.0

 total H
 36.0
 total W
 44.25
 depth
 26.0

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$216 List per two seater



3202U 66 lbs

Three Seater with outside arms

COM 4.5 yds 0.5 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
3203U	1876	2177	2277	2477	2775	3005	3305

Dimensions (inches)

seat H 18.0 seat W 20.5 arm H 26.0 total H 36.0 total W 64.75 depth 26.0

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$324 List per three seater



3203U 94 lbs



Two and Three Seaters with half arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- · Use in connected layouts at no upcharge
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5"x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 7 standard stains or stain-to-match at no up charge
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Two Seater with half arms

COM 3.0 yds 0.5 yd COM per single seat 1.0 yd COM per single back

3212U	1576	1776	1842	1978	2177	2330	2529
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

 seat H
 18.0
 seat W
 20.5
 arm H
 26.0

 total H
 36.0
 total W
 45.5
 depth
 26.0

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$216 List per two seater



3212U 68 lbs

Three Seater with half arms

COM 4.5 yds 0.5 yd COM per single seat 1.0 yd COM per single back

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
3213U	2191	2490	2592	2791	3092	3320	3619

Dimensions (inches)

seat H 18.0 seat W 20.5 arm H 26.0 total H 36.0 total W 67.25 depth 26.0

Exceeds BIFMA Seating Durability Test to 1000 lbs per two seater CAL 133, add \$324 List per three seater



3213U 94 lbs



Two and Three Seaters with full arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- · Use in connected layouts at no upcharge
- · Arms replaceable in the field
- Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 28 cu ft (2 seater), 1/carton 42 cu ft (3 seater)

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5"x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 7 standard stains or stain-to-match at no up charge
- · Connected and freestanding tables
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Two Seater with full arms

COM 3.0 yds 0.5 yd COM per single seat 1.0 yd COM per single back

3222U	1626	1826	1893	2028	2228	2380	2580
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

 seat H
 18.0
 seat W
 20.5
 arm H
 26.0

 total H
 36.0
 total W
 45.5
 depth
 26.0

Exceeds BIFMA Seating Durability Test to 750 lbs per two seater CAL 133, add \$216 List per two seater



3222U 70 lbs

Three Seater with full arms

COM 4.5 yds 0.5 yd COM per single seat 1.0 yd COM per single back

3223U	2298	2597	2698	2898	3197	3426	3727
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6


Dimensions (inches)

seat H 18.0 seat W 20.5 arm H 26.0 total H 36.0 total W 67.25 depth 26.0

Exceeds BIFMA Seating Durability Test to 1000 lbs per three seater CAL 133, add \$324 List per three seater



3223U 96 lbs





Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- Use in connected layouts at no upcharge
- · Arms replaceable in the field
- · Bariatric seating cannot connect to bariatric seating
- Ships assembled as 1, 2 or 3 seaters
- Baratric ships 1/carton 22 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5"x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 7 standard stains or stain-to-match at no up charge
- · Connected and freestanding tables
- · Antibacterial and antimicrobial fabrics available
- Different fabric on seat and back at no upcharge
- CAL 133



Bariatric Single Seater with arms

COM 2.55 yds 0.8 yd COM per single seat 1.75 yd COM per single back

3201G	1070	1208	1255	1345	1483	1589	1727
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 18.0 seat W 30.0 arm H 26.0 total H 36.0 total W 32.0 depth 26.0

Exceeds BIFMA Seating Durability Test to 750 lbs per chair CAL 133, add \$183 List per chair



3201G 39 lbs



Highback Single Seater with arms Ottoman and Headrest

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- · Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- Velcro strap for Headrest is upholstered in the same fabric as the chair back
- · Use in connected layouts at no upcharge
- Arms replaceable in the field
- · Ships assembled as 1, 2 or 3 seaters
- Ships 1/carton 19 cu ft
- · Ottoman ships 1/carton 5 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5" x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 7 standard stains or stain-to-match at no up charge
- For Flex back add suffix FB and \$163 List.
 Note: Wall-saving frame is not available when Flex back is specified.
- · Connected and freestanding tables
- · Removable headrest with Velcro strap
- · Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Highback Single Seater with arms

COM 1.6 yds 0.5 yd COM per single seat 1.1 yds COM per single back

3201H	985	1081	1112	1175	1272	1343	1467
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

 seat H
 18.0
 seat W
 20.5
 arm H
 26.0

 total H
 46.0
 total W
 23.75
 depth
 25.0

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$134 List per chair



39 lbs

Ottoman and Headrest

0.5 yd COM per ottoman 0.5 yd COM per headrest

MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6
3230F	353	384	396	416	448	472	514
3200HR	75	102	111	129	156	175	206

Ottoman Dimensions (inches)


H 11.5 W 19.25 depth 12.25

CAL 133, add \$37 List per ottoman / \$37 per headrest





3230F 12 lbs 3200HR 1 lbs





Highback Bariatric Single Seater with arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- Frame in any Spectone color
- · Velcro removable back covers
- · Replaceable seats
- · Use in connected layouts at no upcharge
- · Arms replaceable in the field
- · Bariatric seating cannot connect to bariatric seating
- Ships assembled as 1, 2 or 3 seaters
- Baratric Highback ships 1/carton 26 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5"x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 7 standard stains or stain-to-match at no up charge
- · Connected and freestanding tables
- Removable headrest with Velcro strap
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Highback Bariatric Single Seater with arms

COM 3.0 yds 0.8 yd COM per single seat 2.2 yds COM per single back

3201GH	1176	1335	1389	1494	1654	1776	1971
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)


 seat H
 18.0
 seat W
 30.0
 arm H
 26.0

 total H
 46.0
 total W
 32.0
 depth
 26.0

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$195 List per chair



3201GH 41 lbs





Easy Access Hip Single Seater with arms

Standard Features

- · Separate seat and back
- · Polyurethane arms or wood arms
- Fully welded 1.25" frame with glides
- · Frame in any Spectone color
- 24" seat height, no seat pitch (level)
- Footrest which assists entering/exiting chair
- · Velcro removable back covers
- · Replaceable seats
- · Arms replaceable in the field
- Ships assembled
- Ships 1/carton 19 cu ft

Contact Spec Customer Service to railroad fabrics (specify repeat info and yardage requirement will be provided) and for repeats greater than 5"x 5"

Options

- Polyurethane arms available in Black, Sterling Grey or Taupe (RAL 7006)
- Wood arms in Natural Maple are available in any of 7 standard stains or stain-to-match at no up charge
- Antibacterial and antimicrobial fabrics available
- · Different fabric on seat and back at no upcharge
- CAL 133



Easy Access Hip Single Seater with arms

COM 1.5 yds 0.5 yd COM per single seat 1.0 yd COM per single back

		1076					
MODEL	COM	GR 1	GR 2	GR 3	GR 4	GR 5	GR 6

Dimensions (inches)

seat H 24.0 seat W 20.5 arm H 32.0 total H 42.0 total W 23.75 depth 26.0

Exceeds BIFMA Seating Durability Test to 500 lbs per chair CAL 133, add \$108 List per chair



3231 40 lbs



Freestanding Lounge Tables
Corner and Spacer Connecting Tables

Standard Features

- Tops in laminate or veneer
- Laminate tops in any standard Arborite, Formica, Nevamar, Pionite or Wilsonart matte finish
- Freestanding lounge tables available with PVC, 2mm Bio or Hardwood(HB) Edge
- Connecting table tops with PVC or hardwood(HB) edge
- Veneers in Cherry, Mahogany, Maple, Oak, Chocolate, Pecan and Walnut
- Select from 7 standard stains or stain-to-match at no upcharge
- Fully welded frame with 1.25" steel legs
- Frame in any Spectone color
- · Tops utilize Nu Green earth friendly core
- Glides
- 18" height

Options

- Non-standard laminates, contact Spec for pricing
- · Custom size spacer tables for restricted spaces
- · Other sizes may be available

Radius Corner Tables are recommended for open areas



Freestanding Lounge Tables

Model	Laminate PVC/Self/2mm	Laminate HB Edge	Veneer HB Edge	Weight	Cu.Ft.
32 - 24 x 24 SQ	612	788	926	28	7.2
32 - 24 x 48 RE	757	949	1145	48	18
32 - 30 x 30 SQ	708	836	985	43	13.5
32 - 24 DIA	585	907	1091	26	7.2
32 - 30 DIA	678	996	1184	40	13.5



Corner and Spacer Connecting Tables

Model	Laminate PVC/Self Edge	Weight	Cu.Ft.
32RC - 26 x 26 Radius Corner Table	631	26	2
32SC - 26 x 26 Square Corner Table	631	26	2
32TC45 - 19 x 23 45 degree Corner Tab	631 <i>ole</i>	19	2
32ST - 19 x 21 Spacer or End Table	486	19	2