

# MATERIAL SAFETY DATA SHEET

## PROSOCO, Inc.



### I PRODUCT IDENTIFICATION

|   |   |  |                              |
|---|---|--|------------------------------|
| <b>MANUFACTURER'S NAME AND ADDRESS:</b> | PROSOCO, Inc.<br>3741 Greenway Circle<br>Lawrence, KS 66046 | <b>EMERGENCY TELEPHONE NUMBERS:</b>  |                              |
|   |   | <b>8:00 AM – 5:00 PM CST Monday-Friday:</b><br><b>NON-BUSINESS HOURS (INFOTRAC):</b> | 785/865-4200<br>800/535-5053 |
| <b>PRODUCT TRADE NAME:</b>              | <b>Consolideck® LS Klean ULTRA 30</b>                       |  |                              |

### II HAZARDOUS INGREDIENTS

| CHEMICAL NAME                      | Common Name              | CAS NO.    | NFPA CODE | ACGIH TLV/TWA   | OSHA PEL/TWA    |
|------------------------------------|--------------------------|------------|-----------|-----------------|-----------------|
| Octyldimethylamine Oxide           | Octyldimethylamine Oxide | 2605-78-9  | 2,1,0,-   | Not established | Not established |
| 2-Ethyl Hexanol EO-PO              | Ethoxylated alcohol      | 64366-70-7 | 1,1,0,-   | Not established | Not established |
| C9-C11 Ethoxylated Alcohol         | Ethoxylated alcohol      | 68439-46-3 | 1,2,0     | Not established | Not established |
| 1-Decanamine, N-dimethyl-, N-oxide | Decyldimethylamine Oxide | 2605-79-0  | 1,1,0,-   | Not established | Not established |
| Lithium polysilicate               | Lithium polysilicate     | 12627-14-4 | 2,0,0,-   | Not established | Not established |

### III TYPICAL PHYSICAL DATA

|                                | BOILING POINT<br>(°F)       | VAPOR PRESSURE<br>(mm Hg) | VAPOR DENSITY<br>(Air = 1) | EVAPORATION RATE<br>(Butyl Acetate = 1) |
|--------------------------------|-----------------------------|---------------------------|----------------------------|---|
| Octyldimethylamine Oxide       | 212 °F(100°C)               | N/A                       | N/A                        | N/A                                     |
| 2-Ethyl Hexanol EO-PO          | Decomposes prior to boiling | < 0.01 estimated          | >1 estimated               | N/A                                     |
| C9-C11 Ethoxylated Alcohol     | >450 °F (>232 °C)           | <0.10 @ 100°C             | N/A                        | N/A                                     |
| Decyldimethylamine Oxide       | 212 °F(100°C)               | N/A                       | N/A                        | N/A                                     |
| Lithium polysilicate           | > 212 °F(>100°C)            | N/A                       | N/A                        | N/A                                     |
|                                | <b>SPECIFIC GRAVITY</b>     | <b>pH</b>                 | <b>SOLUBILITY IN WATER</b> | <b>APPEARANCE AND ODOR</b>              |
| Consolideck® LS Klean ULTRA 30 | 1.014                       | 11.0                      | 100%                       | Clear blue liquid, fresh, clean odor    |

### IV FIRE AND EXPLOSION HAZARD DATA

#### EMERGENCY OVERVIEW

Consolideck® LS Klean ULTRA 30 is a clear blue liquid. Concentrate contact with eyes may cause moderate irritation. Skin contact may result in irritation. Always wear appropriate personal protective equipment when using this product.

**FLASH POINT (METHOD):** >212°F (ASTM D 3278)

**FLAMMABLE LIMITS:** Not applicable.

**EXTINGUISHING MEDIA:** Use water fog, foam, dry chemical, or CO<sub>2</sub>

**SPECIAL FIRE FIGHTING PROCEDURES:** Fire fighters should be equipped with self-contained breathing apparatus and turn-out gear.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** There are no known unusual fire or explosion hazards.

---

## V HEALTH HAZARD DATA

---

**PRIMARY ROUTES OF EXPOSURE:** Eye and skin contact.

**CARCINOGEN INFORMATION:** Contains no listed carcinogens.

**MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:** Pre-existing skin and eye disorders may be aggravated by exposure to this product.

**EFFECTS OF OVEREXPOSURE:** **Acute:** Concentrate eye contact may cause moderate eye irritation. Ready-to-use solution contact with eyes and skin may result in irritation. Ingestion may result in gastric disturbances. **Chronic:** None anticipated.

**EYE CONTACT:** Concentrate contact may cause moderate eye irritation. Ready-to-use dilution contact may irritate eyes, producing redness and swelling of the conjunctiva.

**SKIN CONTACT:** This product may cause skin irritation and drying of skin with prolonged contact.

**INHALATION:** Mists or vapors may be irritating to upper respiratory tract, although this is not expected to be a relevant route of exposure.

**INGESTION:** May cause nausea and vomiting, as well as other gastric disturbances. Not expected to be a relevant route of exposure.

### **EMERGENCY AND FIRST AID PROCEDURES:**

**EYE CONTACT:** Immediately flush exposed area with clean water for at least 15 minutes. Seek medical attention.

**SKIN CONTACT:** Immediately flush exposed area with clean water to remove all residues. If irritation persists, get medical attention. Remove contaminated clothing. Launder contaminated clothing before reuse.

**INHALATION:** Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

**INGESTION:** Do not give liquids if victim is unconscious or very drowsy. Otherwise, give no more than 2 glasses of water and induce vomiting by giving 30 cc (2 Tablespoons) syrup of Ipecac.\* If Ipecac is unavailable, give two glasses of water and induce vomiting by touching finger to the back of the victim's throat. Keep victim's head below hips while vomiting. Get medical attention.

\* If victim is a child, give no more than one glass of water and 15 cc (1 Tablespoon) syrup of Ipecac. If symptoms such as loss of gag reflex, convulsions or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.

---

## VI REACTIVITY DATA

---

**STABILITY:** Stable.

**CONDITIONS TO AVOID:** Extreme heat.

**INCOMPATIBILITY (MATERIALS TO AVOID):** Strong acids and strong oxidizing agents.

**HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS:** Carbon monoxide and other unidentified organic compounds may be formed during combustion.

---

## VII SPILL OR LEAK PROCEDURES

---

**SPILL, LEAK, WASTE DISPOSAL PROCEDURES: CAUTION:** Wear appropriate protective safety equipment to prevent skin and eye contact. Dike area to contain spilled material and use inert absorbent or a wet-vac to pick up material for disposal.

**WASTE DISPOSAL METHODS:** This product is readily biodegradable in sewage treatment processes. Based on Federal EPA solid waste definitions and waste water pretreatment guidelines, rinse water generated during the use of this material can be disposed of to sanitary sewer. The product as supplied is not classified as a hazardous waste under federal regulations. Consult appropriate federal, state, and local regulatory agencies to ascertain proper disposal procedures.

---

## VIII SPECIAL PROTECTION INFORMATION

---

**RESPIRATORY PROTECTION:** None necessary using common application methods.

**VENTILATION:** No special ventilation required.

**PROTECTIVE CLOTHING:** Wear protective clothing as necessary to minimize contact.

**PROTECTIVE GLOVES:** Wear impermeable gloves when handling concentrate and as needed to avoid prolonged contact to ready-to-use solution.

**EYE PROTECTION:** Wear eye protection appropriate to eliminate splash hazards to eyes and suitable for jobsite dilution and application methods.

**OTHER PROTECTIVE EQUIPMENT:** Eyewash should be accessible from work area. Provide fresh water for body rinsing.

---

## IX SPECIAL PRECAUTIONS

---

**WORK PRACTICES:** Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-target surfaces. Do not atomize during application. See the Product Data sheet and label for precautions to be taken during use.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Wear appropriate safety equipment and clothing. Do not get in eyes, on skin, or on clothing. Do not take internally. Store in a cool, dry, well-ventilated place.

Never touch eyes or face with hands or gloves that may be contaminated with this product.

Keep containers closed when not dispensing product. Use care around spilled material because it will be slippery.

**OTHER PRECAUTIONS:** Wash thoroughly after handling. Do not eat, drink, or smoke in work areas.

---

## X REGULATORY INFORMATION

---

**SHIPPING:** This product is not regulated in domestic or international shipment.

**SARA 313:** Contains no listed ingredients.

**California Proposition 65:** This product contains chemicals known to the State of California to cause cancer.

1,4-Dioxane, CAS# 123-91-1, <= 0.3 PPM

Propylene oxide, CAS# 75-56-9, <= 0.3 PPM

**HMIS Ratings:** Concentrate = 2,0,0,X Ready-to-use solution = 1,0,0,X

---

## XI OTHER

---

**MSDS Status:**

**Date of Revision:** April 1, 2013

**For Product Manufactured After:** June 10, 2011

**Changes:** None – Regulatory Review for Product Announcement

**Item #:** 46048

**Approved By:** Regulatory Department

---

**DISCLAIMER:**

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. **PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described.** This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**DATE OF PREPARATION:** April 1, 2013