# SAFETY DATA SHEET PROSOCO, Inc.



Issue Date 17-Oct-2014 Revision Date 17-Oct-2014 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name PROSOCO R-Guard® Cat 5® Rain Screen

Other means of identification

Product Code 70435

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

**8:00 AM – 5:00 PM CST Monday-Friday** 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

# 2. HAZARDS IDENTIFICATION

Classification

Reproductive toxicity Category 1B

Label elements

**Emergency Overview** 

Danger

Hazard statements

May damage fertility or the unborn child



Appearance viscous Physical state Liquid Odor Mild

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

## **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other Information

1.8395% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                            | CAS No      | Weight-% | Trade Secret |
|--|-------------|----------|--------------|
| Limestone                                | 1317-65-3   | 30 - 60  | *            |
| Proprietary - Silyl Terminated Polyether | Undisclosed | 10 - 30  | *            |
| Polypropylene glycol                     | 25322-69-4  | 10 - 30  | *            |
| Aminoethyl aminopropyl trimethoxy silane | 1760-24-3   | 1 - 5    | *            |
| Dibutyltin Dilaurate                     | 77-58-7     | 0.1 - 1  | *            |

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### First aid measures

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin Contact**Consult a physician if necessary. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Immediate medical attention is not required.

If skin irritation persists, call a physician.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call

a physician. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Immediate medical attention is not required. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. If symptoms persist, call a

physician.

**Self-protection of the first aider** Use personal protective equipment as required.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** May cause irritation.

#### Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

## **Suitable Extinguishing Media**

Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

spill/leak.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Pick up and

transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated

place. Keep in properly labeled containers.

Incompatible materials Acids. OXIDIZERS.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

| Chemical Name        | ACGIH TLV                      | OSHA PEL                                | NIOSH IDLH                               |
|----------------------|--------------------------------|---|--|
| Limestone            | -                              | TWA: 15 mg/m³ total dust                | TWA: 10 mg/m³ total dust                 |
| 1317-65-3            |                                | TWA: 5 mg/m³ respirable fraction        | TWA: 5 mg/m <sup>3</sup> respirable dust |
|                      |                                | (vacated) TWA: 15 mg/m³ total           |  |
|                      |                                | dust                                    |  |
|                      |                                | (vacated) TWA: 5 mg/m <sup>3</sup>      |  |
|                      |                                | respirable fraction                     |  |
| Dibutyltin Dilaurate | STEL: 0.2 mg/m <sup>3</sup> Sn | TWA: 0.1 mg/m³ Sn                       | IDLH: 25 mg/m <sup>3</sup> Sn            |
| 77-58-7              | TWA: 0.1 mg/m³ Sn              | (vacated) TWA: 0.1 mg/m <sup>3</sup> Sn | TWA: 0.1 mg/m³ except                    |
|                      | S*                             | (vacated) S*                            | Cyhexatin Sn                             |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Not Applicable

provided in accordance with current local regulations.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work

area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid Appearance viscous

Appearance viscous Odor Mild

ColorDark bronzeOdor thresholdNo information available

PropertyValuesRemarks • MethodpHNot ApplicableNot Applicable

Melting point/freezing pointNo information availableBoiling point/boiling rangeNo information availableFlash point> 93 °C / > 200 °F

Evaporation rate
Flammability (solid, gas)
Flammability Limits in Air

No information available
No information available

Upper flammability limits
Lower flammability limit
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.4 - 1.55

Water solubility

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

**Explosive properties**Not Applicable **Oxidizing properties**Not Applicable

# 10. STABILITY AND REACTIVITY

## Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Heat. Heat, flames and sparks.

# **Incompatible materials**

Acids. OXIDIZERS.

## **Hazardous Decomposition Products**

Carbon oxides. Unidentified organic compounds.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information May cause irritation

**Inhalation** Avoid breathing vapors or mists.

**Eye contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Ingestion** Do not taste or swallow.

| Chemical Name  | Oral LD50         | Dermal LD50 | Inhalation LC50 |
|--|-------------------|-------------|-----------------|
| Polypropylene glycol<br>25322-69-4                       | > 2 g/kg (Rat)    | -           | -               |
| Aminoethyl aminopropyl trimethoxy<br>silane<br>1760-24-3 | = 7460 μL/kg(Rat) | -           | -               |
| Dibutyltin Dilaurate<br>77-58-7                          | = 175 mg/kg (Rat) | -           | -               |

#### Information on toxicological effects

**Symptoms** May cause irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Not classifiable as a human carcinogen NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
Aspiration hazard
No information available.
No information available.
Eyes, Respiratory system, Skin.
No information available.

#### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 1.8395% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 5609 mg/kg ATEmix (dermal) 12962 mg/kg mg/l

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

| Chemical Name        | Algae/aquatic plants | Fish                         | Toxicity to microorganisms | Crustacea |
|----------------------|----------------------|------------------------------|----------------------------|-----------|
| Dibutyltin Dilaurate | -                    | 2: 48 h Oryzias latipes mg/L | -                          | -         |
| 77-58-7              |                      | LC50                         |                            |           |

# Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

\_\_\_\_\_

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies
DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name                 | California Proposition 65 |  |
|-------------------------------|---------------------------|--|
| Quartz - 14808-60-7           | Carcinogen                |  |
| Titanium dioxide - 13463-67-7 | Carcinogen                |  |

# U.S. State Right-to-Know Regulations

| Chemical Name                          | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Limestone<br>1317-65-3                 | X          | X             | X            |
| Quartz<br>14808-60-7                   | X          | X             | X            |
| Bis (2-ethylhexyl) adipate<br>103-23-1 | X          | X             | X            |

# **16. OTHER INFORMATION**

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

 Issue Date
 17-Oct-2014

 Revision Date
 17-Oct-2014

**Revision Note** 

No information available

**Disclaimer** 

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**