

STANDOFF®

Rinseless Cleaner

neutral daily cleaner for stone & tile

OVERVIEW

Stand Off® Rinseless Cleaner is a concentrated formula designed for general cleaning of masonry, ceramic tile, grout, natural stone and many other hard surfaces. Rinseless Cleaner can also be used for maintaining surfaces protected with Stand Off® Limestone & Marble Protector and SLX100® Water and Oil Repellent. This neutral cleaner is ideal for interior or exterior applications for removing stains and soiling.

SPECIFICATIONS

For all PROSOCO product specifications visit www.prosoco.com and click on "SpecBuilder" or "Solution Finder."

ADVANTAGES

- Allows effective maintenance cleaning without messy water rinse.
- Removes normal stains and soiling from masonry surfaces and most other hard surfaces.
- Non-acidic.
- Safe for interior and exterior cleaning.
- Compatible with Stand Off® protective treatments.
- Pleasant fragrance.

Limitations

- Repeated use may dull polished carbonate surfaces, including but not limited to limestone, marble and travertine.

REGULATORY COMPLIANCE

VOC Compliance

Stand Off® Rinseless Cleaner is compliant with all national, state and district VOC regulations.

TYPICAL TECHNICAL DATA

FORM	Deep blue liquid
SPECIFIC GRAVITY	1.005
pH	6.7
WT/GAL	8.36 lbs
ACTIVE CONTENT	Not applicable
TOTAL SOLIDS	Not applicable
VOC CONTENT	4% maximum at dilution
FLASH POINT	>200°F (>93°C)
FREEZE POINT	30°F (-1°C)
SHELF LIFE	3 years in tightly sealed, unopened container

STANDOFF®

Rinseless Cleaner

PRODUCT DATA SHEET
PROSOCO
SINCE 1939

PREPARATION

Protect people, vehicles, nearby property, plants and non masonry surfaces from product. Test all surfaces that may come in contact for compatibility. Though Rinseless Cleaner has no offensive odor, use only with good cross-ventilation.

Surface and Air Temperatures

Cleaning effectiveness is reduced when surface and air temperatures fall below 50°F (10°C). Do not apply at temperatures below 40°F (4°C). If freezing conditions exist prior to application, let masonry thaw.

Equipment

Apply using low-pressure spray, sponge, soft brush, broom or mop.

Storage and Handling

Keep from freezing. Store in a cool, dry place. Always seal container when not dispensing. Do not alter or mix with other chemicals. Published shelf life assumes upright storage of factory-sealed containers in a dry place. Maintain temperatures of 45–100°F (7–38°C). Do not double stack pallets. Dispose of unused product and container in accordance with local, state and federal regulations.

APPLICATION

Before use, read "Preparation" and "Safety Information."

ALWAYS TEST each type of surface for suitability and results before overall application. Test using the following application instructions.

Dilution

Dilute Rinseless Cleaner with fresh water. Always pour cold water into empty bucket first, then carefully add product.

Coverage Rates

Coverage estimates depend on surface texture and porosity. Always test for desired results.

Daily Cleaning

- 2–6 oz. concentrate : 1 gallon water
- coverage: 2700–8000 sq. ft./gal.

Severe Soiling

- 8–16 oz. concentrate : 1 gallon water
- coverage: 1000–2000 sq. ft./gal.
- water rinsing required

ALWAYS TEST

ALWAYS TEST a small area of each surface to confirm suitability and desired results before starting overall application. Test with the same equipment, recommended surface preparation and application procedures planned for general application.

Application Instructions

Daily Cleaning

1. Apply diluted Rinseless Cleaner.
2. Leave Rinseless Cleaner on the surface 1–5 minutes.
3. Gently scrub the surface until soiling is removed.
4. Vacuum or mop up residual liquid and soiling.

Severe Soiling

Follow steps 1–3 for daily cleaning, then rinse thoroughly with fresh water.

Cleanup

Clean tools and equipment using fresh water.

STANDOFF®

Rinseless Cleaner

PRODUCT DATA SHEET
PROSOCO
SINCE 1939

SAFETY INFORMATION

Stand Off® Rinseless Cleaner is a mild, concentrated cleaner. Use appropriate safety equipment and job site controls during application and handling. Read the full label and MSDS for precautionary instructions before use.

First Aid

Ingestion: If conscious, give large amounts of water and call a physician, emergency room or poison control center immediately.

Eye Contact: Rinse thoroughly for 15 minutes. Get medical assistance if irritation persists.

Skin Contact: Rinse thoroughly. Get medical attention if irritation persists.

Inhalation: Remove to fresh air. Get medical attention as necessary.

24 Hour Emergency Information:
INFOTRAC at 800-535-5053

WARRANTY

The information and recommendations made are based on our own research and the research of others, and are believed to be accurate. However, no guarantee of their accuracy is made because we cannot cover every possible application of our products, nor anticipate every variation encountered in masonry surfaces, job conditions and methods used. The purchasers shall make their own tests to determine the suitability of such products for a particular purpose.

PROSOCO, Inc. warrants this product to be free from defects. **Where permitted by law, PROSOCO makes no other warranties with respect to this product, express or implied, including without limitation the implied warranties of merchantability or fitness for particular purpose.** The purchaser shall be responsible to make his own tests to determine the suitability of this product for his particular purpose. PROSOCO's liability shall be limited in all events to supplying sufficient product to re-treat the specific areas to which defective product has been applied. Acceptance and use of this product absolves PROSOCO from any other liability, from whatever source, including liability for incidental, consequential or resultant damages whether due to breach of warranty, negligence or strict liability. This warranty may not be modified or extended by representatives of PROSOCO, its distributors or dealers.

CUSTOMER CARE

Factory personnel are available for product, environment and job-safety assistance with no obligation. Call 800-255-4255 and ask for Customer Care - technical support.

Factory-trained representatives are established in principal cities throughout the continental United States. Call Customer Care at 800-255-4255, or visit our web site at www.prosoco.com, for the name of the Stand Off® representative in your area.

BEST PRACTICES

Repeated use may dull polished carbonate surfaces, including but not limited to limestone, marble and travertine.

Dilute Rinseless Cleaner with fresh water. Always pour cold water into empty bucket first, then carefully add product.

ALWAYS TEST for best coverage rates and to confirm results before overall application. Test using the application instructions included herein. Let the test area dry thoroughly before inspection.

Never go it alone. If you have problems or questions, contact your local PROSOCO distributor or field representative. Or call PROSOCO technical Customer Care, toll-free at 800-255-4255.

STANDOFF®

Rinseless Cleaner

PRODUCT DATA SHEET
PROSOCO
SINCE 1939

This Page Intentionally Blank