

# MATERIAL SAFETY DATA SHEET

## PROSOCO, Inc.



### I PRODUCT IDENTIFICATION

<b>MANUFACTURER'S NAME AND ADDRESS:</b>	PROSOCO, Inc. 3741 Greenway Circle Lawrence, KS 66046	<b>EMERGENCY TELEPHONE NUMBERS:</b> <b>8:00 AM – 5:00 PM CST Monday-Friday:</b> <b>NON-BUSINESS HOURS (INFOTRAC):</b>	785-865-4200 800/535-5053
<b>PRODUCT TRADE NAME:</b>	Stand Off <sup>®</sup> Stone, Tile and Masonry Protector (STMP)		

### II HAZARDOUS INGREDIENTS

CHEMICAL NAME	(COMMON NAME)	CAS NO.	NFPA CODE	ACGIH TLV/TWA	OSHA PEL/TWA
Aqueous fluorochemical dispersion *		*	1,0,0,-	NA	NA

\* Specific chemical identity withheld pursuant to OSHA regulations.

### III TYPICAL PHYSICAL DATA

	BOILING POINT (°F)	VAPOR PRESSURE (mm Hg)	VAPOR DENSITY (Air = 1)	EVAPORATION RATE (Butyl Acetate = 1)
Fluorochemicals	ND	ND	ND	ND
	SPECIFIC GRAVITY		SOLUBILITY IN WATER	APPEARANCE AND ODOR
Stone, Tile & Masonry Protector (STMP)	1.01		Complete	Straw-colored liquid, mild ammonia odor

### IV FIRE AND EXPLOSION HAZARD DATA

#### EMERGENCY OVERVIEW

Stand Off<sup>®</sup> Stone, Tile and Masonry Protector (STMP) is a straw-colored liquid with a mild ammonia odor. May cause skin and eye irritation on contact. Inhalation of mist may cause nasal, throat, or lung irritation. Inhalation of respirable particles may cause serious lung damage or impairment if inhaled as an aerosol or fine mist. **Do not aerosolize or atomize product.**

**FLASH POINT (METHOD):** None

**FLAMMABLE LIMITS:** Not determined.

**EXTINGUISHING MEDIA:** Water, carbon dioxide, dry chemical, dry powder.

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head. Evacuate personnel to a safe area. Avoid breathing decomposition products.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Emits toxic and corrosive flames when burned. See hazardous decomposition section for products of combustion in Section VI.

### V HEALTH HAZARD DATA

**PRIMARY ROUTES OF EXPOSURE:** Skin, eyes, inhalation.

**CARCINOGEN INFORMATION:** None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

**MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:** No applicable information found.

**EFFECTS OF OVER EXPOSURE:**

**EYE CONTACT:** May cause irritation with tearing, discomfort or blurring of vision.

**SKIN CONTACT:** Extended contact may cause irritation with discomfort or rash.

**INHALATION:** Inhalation of mists or vapors may cause serious lung damage or impairment if inhaled. May be absorbed following inhalation and cause target organ effects.

**INGESTION:** May cause irritation of the digestive tract with stomach pain, heartburn, nausea, vomiting, or diarrhea; however, there may be no symptoms at all.

**EMERGENCY AND FIRST AID PROCEDURES:**

**EYE CONTACT:** Immediately flush exposed areas with water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire eye surface. Get immediate medical attention. If physician is not immediately available continue flushing with water.

**SKIN CONTACT:** Immediately flush exposed area with large amounts of soap and water. If irritation persists, get medical attention.

**INHALATION:** Remove affected person to fresh air; if breathing difficulties persist seek medical attention.

**INGESTION:** Call a physician immediately. Immediately give two glasses of water, only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

---

**VI REACTIVITY DATA**

**STABILITY:** Stable at normal temperatures and storage conditions.

**CONDITIONS TO AVOID:** Store in a well ventilated place. Keep container tightly closed. Do not freeze. Thaw and mix before using. Keep away from open flames and heated surfaces.

**INCOMPATIBILITY (MATERIALS TO AVOID):** Avoid contact with strong oxidizers.

**HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS:** May produce oxides of carbon and nitrogen, and toxic fluorinated products upon decomposition.

---

**VII SPILL OR LEAK PROCEDURES**

**SPILL, LEAK, WASTE DISPOSAL PROCEDURES:** Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. Cover with absorbent material. Collect spilled material. Place in closed container and seal.

**WASTE DISPOSAL METHODS:** This product is not classified as a hazardous waste according to current USEPA standards, however, federal regulation does prohibit any liquid materials from being disposed of in a sanitary landfill. Product may be stabilized and disposed of in a sanitary landfill with permission of the operator. Alternatively, this material may be disposed as a 'special' waste in a regulated waste management facility. Consult appropriate federal, state, and local regulatory agencies to ascertain proper disposal procedures.

---

**VIII SPECIAL PROTECTION INFORMATION**

**RESPIRATORY PROTECTION:** Avoid breathing of vapors, mists or spray. Do not breathe thermal decomposition products. If respiratory protection is needed wear an air-purifying respirator suitable for organic vapors and particulates.

**VENTILATION:** Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below Occupational Exposure Limits. If ventilation is not adequate, use respiratory protection equipment.

**PROTECTIVE CLOTHING:** Wear protective clothing as required to prevent prolonged skin contact depending on application methods and job-site conditions.

**PROTECTIVE GLOVES:** Nitrile rubber, neoprene rubber, natural rubber, or PVC should be worn as needed to prevent skin contact depending on application methods.

**EYE PROTECTION:** Avoid eye contact. Wear eye protection as appropriate, to prevent eye contact. Do not wear contact lenses because they may contribute to the severity of an eye injury.

**OTHER PROTECTIVE EQUIPMENT:** Access to an eyewash and appropriate skin-drenching device is recommended. Personal protective clothing and use of equipment must be in accordance with 29 CFR 1910.133 and 29 CFR 1910.132.

---

## IX SPECIAL PRECAUTIONS

---

**WORK PRACTICES:** Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces. **Do not atomize or create aerosols during application.** Pressure applications must be done at minimum effective pressure. Beware of wind drift. Always follow published application rates. See the Product Data sheet and label for specific precautions to be taken during use. Smoking, eating and drinking should be discouraged during the use of this product. Wash hands before breaks and at the end of a shift.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Wear appropriate safety equipment and clothing. Do not get in eyes, on skin, or on clothing

Do not store containers on their sides. Store at room temperature. Keep containers tightly closed when not dispensing product.

**OTHER PRECAUTIONS:** Do not get in eyes, on skin or on clothing. Do not take internally. Wash thoroughly after handling. **Avoid atomizing, generating mists or vapors during application.**

---

## X REGULATORY INFORMATION

---

**SHIPPING:** Ships as a non-hazardous commodity by all transportation modes.

### SARA 313 REPORTABLE:

CHEMICAL NAME	CAS	UPPERBOUND CONCENTRATION % BY WEIGHT
None listed.		

**CALIFORNIA PROPOSITION 65:** This product contains no chemicals listed under California's Proposition 65.

---

## XI OTHER

---

**MSDS Status:**      **Date of Revision:** May 8, 2013  
**For Product Manufactured After:** N/A – no formulary adjustment  
**Changes:** Updated for strengthened precautionary regarding precautionary for inhalation of mists or aerosols.  
**Item #:** 55103  
**Approved By:** Regulatory Department

---

### DISCLAIMER:

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. **PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described.** This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**DATE OF PREPARATION:** May8, 2013