

The image shows five rolls of textured leather stacked diagonally from the top right to the bottom left. The colors of the leather rolls, from top to bottom, are white, blue, green, orange, and yellow. Each roll has a distinct pebbled texture. The text 'Spinneybeck' and 'Acqua' is printed in the top right corner.

Spinneybeck
Acqua



AU 667



AU 601



AU 602



AU 603



AU 604



AU 611



AU 610



AU 606




AU 609



AU 605



AU 613




AU 612




AU 639



AU 614



AU 637




AU 660




AU 629



AU 640




AU 638



AU 630




AU 616




AU 623



AU 617




AU 642




AU 643




AU 631



AU 622




AU 659



AU 628



AU 607



AU 627



AU 641




AU 648



AU 620



AU 608




AU 633



AU 621




AU 647



AU 619




AU 649



AU 618




AU 661



AU 662




AU 663




AU 624




AU 650




AU 665



AU 664



AU 615



AU 626



AU 625

Acqua is a durable, water-resistant leather suitable for a wide range of applications. The combination of a special retannage and technically-advanced finishing process results in a leather that is not only water-resistant and easily cleaned, but also practical for applications that require a durable finish.

Specifications

Average hide size: 50–55 sq. ft.

Average thickness: 1.0–1.1 mm


Weight: 2.50–2.75 oz. per sq. ft.

Features

- Corrected grain
- Slightly raised grain texture
- Heavy finish
- Chrome tannage
- Breathable protective water-resistant finish
- Mildew resistant
- 66 colors

Typical Applications

Marine, healthcare, hospitality, bar/restaurant, motorcycle and automotive seats



AU 632




AU 653




AU 654




AU 657




AU 658



AU 651




AU 656




AU 634



AU 652



AU 655



AU 635



AU 636



AU 646



AU 645



AU 644

Acqua (AU) Product Information

Technical Information

Satisfies the Following Test Methods

Test	Method		
Abrasion <ul style="list-style-type: none">• Taber CS-10, 1,000 cycles	ASTM D7225	Newark Flex <ul style="list-style-type: none">• 70,000 cycles	ASTM D2097
Antibacterial <ul style="list-style-type: none">• Staphylococcus Aureus• Klebsiella Pneumoniae	AATCC, Method 100 AATCC, Method 100	pH Levels <ul style="list-style-type: none">• Greater than 3.5	ASTM D2810
Breaking Force Elongation	ASTM D2208 ASTM D2211	Stain Release <ul style="list-style-type: none">• Blood, Urine, Bleach• Betadine (bleach cleaning)	AATCC, Method 130
Cigarette Ignition <ul style="list-style-type: none">• Class I	UFAC, Method 1990	Tearing Strength, Double hole, lbs.	ASTM D4705
Color Fastness to Crocking <ul style="list-style-type: none">• Dry rub and wet rub	ASTM D5053	Water Absorption <ul style="list-style-type: none">• Static• Dynamic (surface)• Dynamic (submersion)	ASTM D1815 ASTM D6014 FTMS 311-811211
Color Fastness to Light <ul style="list-style-type: none">• 72 hours	AATCC Method 16 Option E	Water Repellency	AATCC, Method 22
		Water Resistance	AATCC, Method 127

Custom Color Program

In addition to our 66 standard Acqua colors, we offer a custom color program to match any color you supply. Just send us your sample— tile, fabric, paper, wood, laminate, or whatever you have at hand and we will match it. We will ship a strike-off in 48 hours. Your custom Acqua order will be ready 6 to 8 weeks from approval of strike-off and receipt of order. The minimum order quantity for an Acqua custom color is 2,000 square feet.

Maintenance

Spinneybeck Acqua is easy to maintain with regular dusting and spot cleaning with cool water and a soft cloth. Occasional use of Spinneybeck leather maintenance products is recommended. A diluted bleach solution with a 1 to 5 ratio of bleach to water can be used. Other leather cleaners such as saddle soap or household cleaners that may contain harsh chemicals, alcohol or ink removers should never be used on Acqua.

All Spinneybeck Leather is tanned, dyed, and finished in Italy, according to the most stringent environmental requirements. Spinneybeck Leathers are GREENGUARD™ certified.

Contact Spinneybeck for leather samples and additional information.

General Information

For sampling, pricing or additional information, please contact Customer Sales Service or your local sales representative.

Spinneybeck Central
425 CrossPoint Parkway
Suite 100
Getzville, New York 14068

1•800•482•7777
716•446•2380
716•446•2396 Fax

Spinneybeck Ireland
Suite 2, Morrison Chambers
32 Nassau Street
Dublin 2, Ireland

+353 1 6729192
+353 1 6336506 Fax

www.spinneybeck.com