

CASEGOODS
Price and Specification Guide
CANADA



Effective June 1, 2015

krug

TABLE OF CONTENTS

2	General Information
4	Krug Textiles
5	Graded-in Upholstery Program
5	Express Program
6	Tackboard Fabric
7	Laminates
8	Adesso
122	Vestrada
261	Virtu
366	Millennium
452	Contour
509	Artemis
638	Artemis Laminate
708	Nexus
778	Stratford

GENERAL INFORMATION

TERMS AND CONDITIONS

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Prices include shipping to territorial warehouse. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

CUSTOMER SERVICE HOURS

Please note customer service hours are:

8:30 am to 5:00 pm est

1.888.578.KRUG

1.519.748.5177 fax

ORDER ACKNOWLEDGEMENTS

Each order will be acknowledged via email or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy and advise Krug of any discrepancies with a purchase order.

CANCELLATION

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

DIMENSIONS

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

STORAGE CHARGES

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

CONTACT INFORMATION

Phone: 1.888.578.KRUG

Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 or email: orders@krug.ca

Web: www.krug.ca

Email: solutions@krug.ca

INSTALLATION SUPPORT

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

PRICING

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug's website will always have the current list price. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants its products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by Krug: these are subject to the specific warranties of their manufacturers (if any). Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect

- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

EXPORT PACKAGING

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. Export packaging is provided at an upcharge of 5% of the net selling price per item. Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

FREIGHT TERMS AND CONDITIONS

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If dock is inadequate for delivery by Krug, Krug will re-deliver to another location and any additional costs will be charged to the customer.

3. When a Krug territorial warehouse (where available) is selected as the default delivery location, Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, are required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour.

If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for net orders are possible, must exceed \$60,000 net, and accommodate 48-53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

CUSTOMER SATISFACTION

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance.

If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

GENERAL INFORMATION

DAMAGED SHIPMENTS

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Products must be opened and inspected on receipt, and any products not inspected when received, or held in storage, cannot be subjected to damage claims.

TESTING

All Krug Casegoods products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2008 and/or X5.9 - 2012.



FIELD PRODUCT REPORT AUTHORIZATION

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

RETURNS

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

CARE AND MAINTENANCE WOOD FINISH

Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

LAMINATES

Clean plastic laminate surfaces with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

PAINTED GLASS

To clean simply wipe with an ammonia based cleaner using a microfibre cloth. Do not use a coarse cloth or an abrasive cleaning products on painted surfaces to avoid scratching.

FABRIC UPHOLSTERY

Professional upholstery cleaning is recommended.

CUSTOM CAPABILITIES

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products.
- 2) Custom finishes
- 3) For larger orders, completely custom designed products, as well as non-standard wood species can be specified.

Custom orders will require additional production lead times. Contact Customer Service for more information.

Krug Textiles - Fabric Program

Krug Grade 1, 2 and 3 fabrics are also available on a cut yardage basis.

Grade 1

Perk	Vox	Fuse	Expo
Auburn	Bark	Azurean	Festive
Cabana	Black	Carmine	Fog
Cedar	Cocoa	Cress	Latte
Crimson	Downpour	Ginger	Leaf
Dijon	Eco	Iris	Lemon
Ebony	Frothe	Lunar	Oasis
Flint	Goldenrod	Malted	Raspberry
Patriot	Honest	Morel	Sky
Pewter	Hot	Pepper	Spirit
Regal	Limelight	Pimento	Sprout
Sesame	Morel	Pristine	Tuxedo
Walnut	Mystic	Saffron	Viola
	Navy	Walnut	Zest
	Oat		
	Par		
	Ruby		
	Snap		
	Turquoise		

Grade 2

Epic	Bangle	Lineup
Azure	Baltic	Baltic
Capri	Cork	Fern
Espresso	Granite	Pewter
Flare	Orchid	Sandstone
Granite	Sable	Shadow
Jute	Suede	Spice
Kiwi	Teak	Tranquil
Limestone		
Pearl		
Porcini		
Regal		
Slice		
Steel		

Grade 3

Solace	Current	Clang	Kinney
Almond	Birch	Amber	Coffee
Azul	Cadet	Claret	Frappe
Blaze	Eclipse	Clove	Glacier
Carmine	Espresso	Cress	Mineral
Celadon	Moss	Flint	Nectar
Cinder	Pecan	Malt	Steel
Earth	Plum	Raven	Valentine
Ebony			
Fossil			
Gilded			
Indigo			
Ivory			
Mineral			
Pear			
Peony			

Krug Textiles - Leather Program

Grade 8

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

Krug Textiles - Faux Leather Program

Grade 2

White	Bisque	Sprig
Cream	Chocolate	Chinchilla
Parchment	Black	Steel
Sandstone	Earth	Grey
Vanilla	Brick	Lagoon
Taupe	Wine	Pacific Blue
Mocha	Garnet	Navy
Tan	Rust	Plum
Chestnut	Citron	

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.



KRUGEXPRESS

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. *KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

***Some conditions apply. Please note PALETTE finishes are not available on *KrugExpress*.**

CASEGOODS PROGRAM

Orders for casegood products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions. For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the *KrugExpress* program. Only standard wood finishes are available for *KrugExpress* orders. Grommets can be specified in standard positions only. *KrugExpress* also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering.

TACKBOARD FABRICS

KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website.
www.krug.ca PRODUCTS / FABRICS / PANEL

The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.
If memo samples are required please call Momentum at 1-800-366-6839.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM)

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order.

When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have been provided.

COM fabrics for tackboards may be specified in either Maharam or Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application. Please contact Maharam at 1-800-645-3943 or Momentum at 1-800-366-6839 directly for more information about a specific fabric.

COM Shipping Procedures

For tackboard COM fabrics, please send fabrics to:

Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2

Attention: RECEIVER

All packages must be clearly marked "For Customs Clearance by Russell A. Farrow Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

In-Stock Laminate

Krug's in-stock Laminates are available in 16 different laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular solid shades and 4 Exotic laminates offering a distinguished appearance. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Adesso is available in **Solid Laminate colors only**.

In-Stock Laminates

Wood Grain Laminate		Wood Grain HPL (Worksurface Option Only)		Polymer Edge Names
Name & Number	Supplier	Name & Number	Supplier	
Corretto Cherry W288	-	Corretto Cherry HP-288-N	Pionite	Corretto Cherry
Mocha Cherry W341	Panolam	Mocha Cherry HP-341-N	Pionite	Mocha Cherry
Monticello Maple L308	Tafisa	Monticello Maple 7925	Wilsonart	Monticello Maple
Nightfall W292	Panolam	Nightfall WX421-N	Pionite	Nightfall
Samba Cherry L460	Tafisa	Samba Cherry T460	Arborite	Samba Cherry
Shiraz Cherry L472	Tafisa	Shiraz Cherry T472	Arborite	Shiraz Cherry
Sugarloaf Maple L630	Tafisa	Sugarloaf Maple T630	Arborite	Sugarloaf Maple

Solid Laminate		Solid Laminate HPL (Worksurface Option Only)		Polymer Edge Names
Name & Number	Supplier	Name & Number	Supplier	
Almond S445	Tafisa	Almond T445	Pionite	Almond
Black L203	Tafisa	Black T203	Arborite	Black
Shadows L201	Tafisa	Shadows T201	Arborite	Shadow
White L175	Tafisa	White D354-60	Wilsonart	White

Exotic Laminate		Exotic Laminate HPL (Worksurface Option Only)		Polymer Edge Names
Name & Number	Supplier	Name & Number	Supplier	
Backwoods Sycamore W689	Panolam	Backwoods Sycamore HP689-N	Pionite	Backwoods Sycamore
Edgewood Sycamore W690	Panolam	Edgewood Sycamore HP690-N	Pionite	Edgewood Sycamore
Gunstock Walnut W190	Panolam	Gunstock Walnut WW971-N	Pionite	Gunstock Walnut
Thunderstorm W359	Panolam	Thunderstorm HP359-N	Pionite	Thunderstorm

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges can be specified for use with non-stocked laminates.

The following plastic laminates are acceptable for application on Krug products as they feature a matte finish:

Nevamar	All plastic laminates with "T" in the suffix (i.e., MR2002T)
Wilsonart	All plastic laminates with "60" in the suffix (i.e., 4779-60)
Arborite	All plastic laminates with "CA" in the suffix (i.e., 1531-CA)
Pionite	All plastic laminates with "Suede" in the name (i.e., WW561 Suede)
Formica	All plastic laminates with "58" in the suffix (i.e., 756-58)

Arborite Laminates 1.800.996.0366	Wilsonart Laminates 1.800.433.3222
Pionite Laminates 1.800.746.6483	Formica Laminates 1.800.367.6422
Nevamar Laminates 1.800.638.4380	

Additional plastic laminate codes may be acceptable for use on Krug furniture, however, they could be subject to an additional upcharge or extended lead time due to material complexity. High sheen plastic laminates are not acceptable for application on Krug furniture due to their inherent nature of scratching and marring during the production process.

Dual Laminates

Two laminate colors can be combined on the same unit, with one laminate color on the worksurface and another laminate on the rest of the unit, at no upcharge. Combinations of more than one laminate in the body of the unit are not available.

VESTRADA | TABLE OF CONTENTS

123	LEED CI Credit Summary	197	Modular Component Guidelines
123	level® Certification, Air Emissions and FSC® Certification	200	Modular Tops
124	Finishes	201	Modular Pedestals
125	Edge Detail Profiles	209	Modesty Panels
126	Drawer Pulls & Locks	212	Work Tables
127	Power Management & Grommets	215	PowerPorts & Grommets
128	Wire Management & Laminate Worksurfaces	217	Tackboard Accessories
130	Modesty Panel & Pedestal Specifications	218	Wall Hung Overheads
131	Desk & Return Specifications	220	Storage
132	Credenzas & Accessories	235	Bookcases
133	Features	236	Wardrobes
134	Custom Sizing	240	WorkWall Components Guidelines
135	Filing Instructions		
136	V-Ped		
137	Sample Configurations		
138	Single Pedestal Desks		
139	Double Pedestal Desks		
141	Face-Mounted Modesty Panel Desks		
143	Shaped Desks		
148	Table Desks		
149	Table Desk Pedestals		
150	Link Units		
152	Returns		
162	Shaped Returns		
168	TracDesks		
170	Credenzas		
184	Full Face Credenzas		
186	Corner Credenzas		


VESTRADA | SUSTAINABILITY & ENVIRONMENTAL /LEED CI CREDIT SUMMARY

LEED CI - Credit Summary

VESTRADA CASEGOODS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 76%

POST-CONSUMER
RECYCLED CONTENT = 2.5%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (MUST BE REQUESTED) Systems Furniture & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® Certification

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Vestrada products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



FSC
www.fsc.org
FSC® C021699

The mark of responsible forestry



Air Emissions

All Vestrada products can be supplied with air-emissions certification. Contact customer service for information and upcharges.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Vestrada and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
 - (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification)
- Both FSC® certification types may require upcharges, and often require additional lead time. Contact customer service for further information, pricing and leadtimes.

In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

VESTRADA | FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES	FINISH
Cherry	Light Cherry Natural Cherry American Cherry Medium Cherry Standard Cherry Imperial Cherry Appalachian Cherry Sable Cherry
Maple	Clear Maple Honey Maple Wheat Maple
Oak*	Light Oak Harvest Oak Mahogany Oak Medium Cherry on Oak Mellow Oak Walnut on Oak Espresso on Oak
Walnut	Natural Walnut Regular Walnut Mahogany on Walnut Dark Walnut Cordovan Walnut
Anigre	Clear Anigre Medium Anigre

*VESTRADA Oak veneers are rift cut.

PALETTE FINISHES

Standard solid color finishes are:

Black
White
Sand
Soft green
Steel blue
Slate
Please refer to VESTRADA brochure for color reference.

V-Beam

Standard finishes are:

Satin Aluminum
Matte Black

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list per item for special finishes; minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Birdseye Maple

Bookmatched Birdseye Maple veneer is available on VESTRADA at an upcharge of \$50 list per square foot. Specify clearly on order. Birdseye Maple is recommended in clear finish only. Birdseye Maple only applies to tops.

Dual Finishes

Add 10% list per item if specifying dual finish.

Custom Palette Finishes

Custom palette finishes are available at an upcharge of 10% list and an additional 2 weeks lead time after final color approval.

WORKSURFACE EDGE PROFILE

All work surfaces are 1 1/8" thick, veneered Medium Density Fiberboard. Worksurface height tops have a chemically impregnated backer for additional strength. Profiled edges of worksurfaces have a .12" (3mm) wood banding with an undercut detail leaving a visible edge of 3/4".

Vestrada comes standard with a tapered edge.


Desk work surfaces have an edge profile on front and rear sides. Ends are flat with no profile shape.

Run-off work surfaces such as Bullet and "P" shapes have an edge profile that extends around the curved section.


The remaining blunt end is flush with no profile shape.

Credenza, Returns and Linking tops have profile on the front side while all remaining edges, are flush with no profile


KEY:




Desks




Angled & Curvilinear Desks




Angled & Curvilinear Returns




Credenzas




Linking Units & Returns



Credenza



Credenza



GRAIN DIRECTION

Vestrada grain direction runs left to right on all cases.

Providing a consistent wood grain direction is important in maintaining consistent color on adjacent work surfaces.

Such is the case with "L" or "U" configurations.

The above illustrations explain the grain direction on typical worksurfaces that run at right angles to one another.

V-BEAMS

Raised worksurfaces are supported by 2" high accent V-Beams. Each V-Beam is available in either silver or black finish and is fixed to the underside of the worksurface. The V-Beam is undersized to the worksurface and is inset by 4" on all sides.

VESTRADA | DRAWER PULLS & LOCKS

DRAWER PULLS


Two drawer pull options are available. Each metal pull is available in a Satin Aluminum or Matte Black finish. Both style and finish must be specified on order.

The Mazara pull is located asymmetrically on each face. Combinations of long and short pulls and their bias mounting locations add to the visual dynamic of Vestrada.

Mazara pulls are designed to be placed to the right of the center line regardless of the drawer width. Therefore, pulls on a 16" pedestal will extend to the outer edge while on a 24" pedestal, the pulls fall short of the edge.

Mazara pulls when specified on factory assembled desks are located toward the kneespace rather than the typical right bias position as described above. Factory assembled desks include double pedestal desks with 16" or 24" wide pedestals.

Mazara



Factory assembled Desk Mazara pull locations.

Modularly shipped Mazara pull locations.

An alternative to the asymmetrically located pull, is the Fimosa pull, with a centered mounting location.

Fimosa




Figure A

LOCKS

Locks are provided as standard features on all pedestals, including those in desks, credenzas and lateral file storage units. Lock plugs for pedestals are located on the upper right hand corner of the top drawer. See Figure A, 1 above. Lock color will match pull color selection.

Locks are not available on glass doors or wood/glass door combinations. See Figure A, 2 above. Optional locks are available on wood doors for closed bookcases, hutches and overheads at an upcharge of \$105 list per set of (2) doors. See Figure A, 3&4 above. If a hutch or overhead has an uneven amount of doors the single lock required is also \$105.

Lock plugs for bookcase wood doors are located on the top right hand corner of the door front. Lock plugs for wood door overheads are located on the lower inside corners.

Suites can be keyed alike at no upcharge; please specify on your purchase order.

POWER MANAGEMENT

All worksurfaces may be specified with one rectangular plastic grommet in a standard location at no upcharge. A \$114 list upcharge will apply to additional grommets and \$ 263 for all grommets requested in non-standard positions.

The grommet position must be indicated for each worksurface on order.

Rectangular Grommet

Standard plastic rectangular grommet is available in black or gray and has a dimension of: 4 1/8" x 2 11/16" at a list price of \$114. The grommet can also be field installed with power drill, 2 1/4" hole saw and rasp or saber saw. Template for drilling is available.


PowerPort

PowerPort is a unique, specially designed power and communications port. PowerPort is constructed of anodized aluminum and does double duty by providing a means of having wires pass through the worksurface while additionally providing a portal for power and communication connections. The PowerPort is available with or without a power bar and is not available for field installation.

Rectangular grommet and PowerPort positions

Worksurfaces

Locations apply to both Rectangular and Bow Top Desks.



Position code:

AL – left corner

BL – left end beside pedestal gable


C – center

BR – right end beside pedestal gable

AR – right corner

Please note pedestals have access wiring cut-outs for wire management. Applicable to factory assembled cases only.

Only Rectangular grommets are available on Elliptical Tops




Position code:

AL - Left Corner

AR - Right Corner

Please note pedestals have access wiring cut-outs for wire management. Applicable to factory assembled cases only.

This key applies to all Run-off Desk shapes.



Position code:

AR - Right Corner on left hand Return / Desks

AL - Left Corner on right hand Return / Desks

PowerPort



Power Bar



VESTRADA | WIRE MANAGEMENT

WORKSURFACE ELLIPTICAL BASE SUPPORTS

The Vestrada Elliptical base is a refreshing change from the standard supports offered in most casework lines. End caps are made from aluminum and the body of the base is covered in either wood veneer or grade 3 palette panel fabric, and has Satin Aluminum end caps. Its design allows for not only a stylish look but provides for unseen wire management. By removing the veneer panels, access is gained to the interior where wiring can be routed from the worksurface to floor or wall receptacles.

Small cut-outs at the top and bottom of the base along the inside center allow wires to be channeled down through the length of the base and into floor mounted power/data monuments.

POWERPORT

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. It includes a UL approved electrical, voice and data power bar, containing two 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes. 3 data versions are available, please see page 212 for options.

PORT


A service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices.

A plastic rectangular grommet in black or grey is also available. It has no optional electrical service, but serves to provide cable passage for areas not requiring a large opening. One rectangular grommet in a standard location accompanies any worksurface. For additional grommets see page 213 for pricing. Grommets can be field installed with a power drill, 2 1/4" hole saw and rasp or saber saw. Template for drilling is available.

Beneath the worksurface is a series of wire management troughs that can be field installed. Every trough is divided into four separate channels, each with a flexible cover that permits easy insertion of wire cables. The supporting worksurface frame will be encountered at intersections of interconnecting tops. It will be necessary to "loop" any cabling below the frame and return it to the next series of wire management troughs. A velcro wire management strip is provided to assist in containing the cables as near the area where the cables are looped around the frame. (Only comes with PowerPorts).


Double pedestal desks feature a wire management passage in the back of the pedestal for use when PowerPorts or rectangular grommets are located above pedestals.

Connecting to wall located outlets, requires passage through modesty panels. Hinged modesty panels feature a crescent shape cut-out. The wire management cut-out is also available on fixed modesty panels.



VESTRADA | WIRE MANAGEMENT

- (A) The PowerPort worksurface module provides immediate plug-in capability for voice, data, and electrical connections, as well as cable storage .
- (B) Hinged modesty panels with wiring cut-outs provide quick access for wiring to wall and floor monuments.
- (C) Elliptical bases feature a removable veneer panel for wire management on both sides of the base.
- (D) Rectangular plastic grommets in black or grey provide cable passage for black areas not requiring a large opening.



The underside of VESTRADA tops feature a concealed wire management cavity created by the V-Beam. The V-Beam also gives VESTRADA its unique floating top appearance. The V-Beam is available in Satin Aluminum or Matte Black.

LAMINATE WORKSURFACES

Laminate worksurfaces are available for the VESTRADA product line at an upcharge of 10% (a higher upcharge may apply to specially priced plastic laminates). See page 7 for a list of Krug standard laminates.

Where there are wood profile edges on worksurface tops, they will remain as wood profiles on laminate tops. Where there are flush edges, as in the backs of credenzas or link units, they will be self edged with laminate.

Krug will order and procure laminates. Purchase orders with a plastic laminate option must include:

Manufacturer's Name
Laminate Name
Laminate Number


Laminate sheen level should not exceed 60° for maximum durability of work surfaces.

Please contact Krug Customer Service if ordering wood grain patterned laminate for VESTRADA product to ensure proper ordering procedure for grain direction.

Krug reserves the right to decline a laminate that may not be suitable for the application. Krug assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Laminates will extend the normal lead-time, check with Customer Service for current scheduling information.

VESTRADA | MODESTY PANELS & PEDESTALS



MODESTY PANELS

VESTRADA modesty panels are available in a variety of styles and sizes with many unique features..

Floating modesty panels are available on all free standing and transitional Run-Off Desks and Table Desks.


Tempered glass face-mounted modesty panels are available on all double pedestal desks.

Wood face-mounted modesty panels are available on rectangular and bow-top double pedestal desks only.

Recessed modesty panels, available on desks, returns and credenzas are available in both 3/4 and full height versions. Recessed modesty panels are inset by 4.75" inches.

Hinged modesty panels are optional on all credenzas, returns and link units and feature a wire management cut-out in a top centered position to allow access to wall mounted power and data outlets.

The wire management cut-out option is available on returns and link units, and is standard on hinged modesty panels and credenzas with fixed modesty panels.




Floating Modesty Panel



Glass Face Mounted Modesty Panel



Wire Management Cut-out Standard on hinged modesty panels. Optional on fixed modesty panels.



PEDESTAL OFFSETTING




VESTRADA offers the unique and functional feature of offsetting pedestals when ordering modular product. This feature is available on VESTRADA desks, returns and credenzas. (please see modular pricing section for options).

Pedestal offsetting provides the flexibility for more or less kneespace depending on the space constraints involved. Using either anti-skid tape (comes standard with all modular VESTRADA product to provide infinite off setting amount) or VESTRADA's unique metal-to-metal fitments (provided for preset positions only. 2 per case regardless of width), tops can be placed over pedestals in a variety of locations at any time.

This feature not only provides solutions where space and comfort is required, but also gives each VESTRADA setting the unique style and design. Whether it is a dramatic 32" offset left and right pedestal credenza, or a classic 16" inset left and right pedestal credenza, VESTRADA gives every user the option to change as the workplace evolves.

Because tops must be under supported by at least 12" of pedestal, offsetting is only available when used in conjunction with 24, 32 and 36" wide pedestals (please see modular pricing section for options).





DESKS

Single and double pedestal desks are available with rectangular, bow or elliptical top shapes.









Vestrada desk compositions have numerous features that allow each user the ability to customize their workspace.

8 different top shapes, a huge selection of pedestal styles and sizes, and a unique modesty panel offering combine to make the Vestrada desk incredibly functional and stylish.

Additional features include a bow top option on rectangular desks as well as leather inserts, which are available on Rectangular or Bow-top desks. Please see Desk section for more information.



VESTRADA run-off desks are available in 8 unique shapes as shown below.



RETURNS & RUN OFFS

In terms of options and versatility, the Vestrada Return offering is second to none.

Basic pedestal returns, curvilinear returns with elliptical bases and sliding returns allow the user to move the return to various positions. Please see pages 152-167 for options and pricing.

The TracDesk is a unique worksurface that moves along a track facilitated by a mobile elliptical base. Please see pages 168-169 for pricing and options.




TABLE DESKS

Table desks are available in rectangular and elliptical tops, which can accommodate pedestals on either side of its bases for storage.

Turn to page 149 for compatible pedestals.

Floating modesty panels are available on both size options. A bow top option is also available for the rectangular top.

VESTRADA | CREDENZAS & ACCESSORIES



CREDENZAS

VESTRADA credenzas offer a broad selection of storage solutions for any office.

Credenzas are available as full-face units, and units with fixed pedestals that are offset from the worksurface. Additionally, a select number of credenzas offer an added feature, pedestals that are movable. These pedestals can be moved laterally in relation to the worksurface. Moving a pedestal outward provides for more knee-space, while moving the pedestal inward will allow for more space around the unit.

Credenzas in this line are available with inset pedestals, with inset and offset pedestal combinations, or as full face units. Credenzas can be specified using modular components (see pages 197-207) or as a factory assembled cases. Modular versions offer the option to move pedestals in toward the kneespace or away from the kneespace depending on space constraints.



ACCESSORIES

All upper storage configurations having a tackboard will provide an area for the support of convenience accessories.

An optional extruded aluminum rail is attached to the tackboard in a manner that leaves no visible screws. With the rail attached, suspension of each accessory is a simple manner of hooking onto the rail's edge. Each accessory can be removed or repositioned along the entire length of the rail at any time.

Accessories include a binder bin, flip sorter, paper tray, CD tray and file hanger. Each item is construction of eighteen-gauge sheet metal and finished in a powder coated silver, to compliment all other metal finishes.



GLASS SCREENS

Glass screen dividers can be mounted to credenzas, returns or linking units to form a stylish visual barrier. The material selection for the screen is a 14" high, 6mm thick etched glass.


As a means of securing each panel to the work surface, metal screen holders are attached to the worksurface. Quantity varies by length, 2-4 brackets.

WORK / MOBILE WORK TABLES

Mobile tables are available in two heights in wood or paint. The lower height tables are designed to fit beneath standard worksurface heights. All mobile tables feature 3" locking casters to facilitate easy movement on any floor surface. Alternatively, stationary work tables are available with adjustable glides.

Glass tops are available for the Delta shape only. The 10mm thick tempered glass top is supported on three legs connected to a triangular metal frame.

Each leg is powder coated silver to complement all other metal components.



HUTCHES

VESTRADA hutches provide a traditional solution to overhead storage. See pages 243-245 for more information.

WORKWALL COMPONENTS

Workwall components provide custom overhead storage solutions. See pages 237-242 for Workwall component guidelines.



MODULE

An intrinsic design theme establishes the use of an 8" module throughout the product range. This horizontal dimensional grid establishes a harmonious alignment of cabinet faces when cabinets are combined as a group. Horizontal alignment of drawer and door faces is maintained between cabinets. These properties ensure that the overall appearance of cabinets will be aligned with one another when combined into different settings.

To further reinforce a consistent appearance of this module, an 8" wide end support is used for supporting worksurfaces.



MODULARITY

VESTRADA has been designed for change with an enormous standard product offering and the ability to reconfigure and change-out components effortlessly. Pedestals are designed to be offset when space becomes constrained or increased. Metal-to-metal fitments and precise tolerances allow changes to be made quickly and easily without the need for an installer or confusing instructions. With features like TracDesk, mobile pedestals, and mobile work tables, the office can now adjust to the user rather than the user adjusting to the office. VESTRADA is flexible and ready for the changes and demands associated with the workplace – the way it should be.

LATCHES

Hinged door overheads and 8" piers feature touch latches. All other hinged doors are self-closing with pulls.

GLIDES


Adjustable glides are installed at factory and are 1 1/4" long and allow for a range of adjustment of 3/4".

HINGES

Hinged doors are European style with a 95 degree opening angle. Hinges on 8" pier cabinets providing end support have 83 degree hinges to prevent contact with adjacent cabinets or walls. All hinges are fully adjustable.

CODE DESCRIPTION

Left and right designations within model numbers are allocated as sitting at the case. e.g; The below image is a left handed pedestal.



TESTING INFORMATION

VESTRADA meets or exceeds the testing requirements of ANSI/BIFMA X5.5-1998.

VESTRADA | CUSTOM SIZING

VESTRADA CUSTOM SIZING

As you can see, the standard range of sizes and options in VESTRADA is huge. But it doesn't end there. Using the instructions below, you can customize the sizing of most components and price yourself. Custom-sized products may require an extended lead time if they have not been previously engineered.

Products that can be custom sized:

Desks	(excluding elliptical top desks and face-mounted modesty panels)
Table Desks	(excluding elliptical top desks)
Run-Off Desks	(excluding curvilinear shaped units with a non-standard radius)
Link Units	
Returns	
Run-Off Worksurfaces	
Kneehole Credenzas	
Shells	
Modular Tops	
Modesty Panels	
Run-Off Worksurfaces	(excluding curvilinear shaped units with a non-standard radius)
Kneehole Credenzas	
Shells	
Modular Tops	
Modesty Panels	(excluding face-mounted glass modesty panel)
Wood Door Overheads	
Wood Door WorkWalls	
Bookcases	
Wood Door Storage Units	

Custom widths: Apply the price of the same unit in the price list that is one standard size larger than the desired case size (same depth). For example: The required custom dimension is 74"x24". The first standard size above this is 80"x24", so in this case, you would apply the price of the 80"x24" unit.

Custom depths: Apply the price of the same unit one size deeper.
For example: The required custom dimension is 72"x26". The first standard size above this is 72"x30", so in this case, you would apply the price of the 72"x30" unit.

Custom width & depth: Apply the price of the same unit both one size wider and one size deeper.
For example: The required custom dimension is 74"x26". The first standard size above this is 80"x30", so in this case you would apply the price of the 80"x30" unit.

Products that cannot be custom sized:

Pedestals and Lateral Files	Paper Management Shelves	Non-standard radius tops
Glass door units	Glass Modesty Panels	Elliptical Desk tops

Note: When the widths and depths are customized, all pedestal and file dimensions remain standard.

For custom widths or depths greater than the maximum standard widths or depths, or for any other custom inquiry, please contact Customer Service.

NON-STANDARD PRODUCT GUIDELINES FOR PRICING

OTHER PRICING METHODS

Custom height of desk height cases: Add 18% (31-32" hi)

Grommets in non-standard positions, add: \$263 list

To remove hutch or overhead doors, deduct: 4% list

Bookcase with optional vent in back (includes 2 vents and 1 grommet), add: \$210 list

2 lateral files and 3 or 4 closed shelves - convert to half open, half closed shelves, add: 15% list

2 lateral files and 3 or 4 closed shelves - convert to half open, half wardrobe, add: 15% list

To remove storage doors for open shelves, deduct: 4% list

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than largest shown in Price List.

Glass door - any style.

Cases with curvilinear tops where the radius becomes non-standard.

Please contact Krug Customer Service at 1.888.578.KRUG if you require assistance.

PLEASE NOTE: Cases with non-standard features do not apply to the rules above.

Contact Krug Customer Service if you require assistance.


FILING INSTRUCTIONS

All file drawers will accept both letter and legal size filing.
All units are equipped with file bars to accommodate filing in either direction.

Desk filing capacity:

- 16" wide file drawers
- 21" of letter filing front to back
- 12" of letter filing side to side and 8" of letter filing front to back
- 12" of legal filing side to side and 5" of letter filing front to back


Weight capacity of the pedestal file drawers is 100 pounds.



Credenza and Return Pedestal File Drawers

- 16" wide file drawers
- 15" of letter filing front to back
- 12" of legal filing side to side
- 24" wide file drawers
- 20" of letter filing side to side
- 20" of legal filing side to side


Weight capacity of the pedestal file drawers is 100 pounds



Lateral File : 32" wide drawers:

- 2 rows 15" of letter filing front to back
- 28" of legal filing side to side
- 15" of legal filing front to back and 12" of legal filing side to side
- 15" of letter filing front to back and 14" of legal filing side to side



Weight capacity of the pedestal file drawers is 150 pounds



Lateral File : 36" wide drawers:


- 2 rows 15" of legal filing front to back
- 2 rows 15" of letter filing front to back
- 1 row 15" of legal filing front to back and 1 row of 15" letter filing front to back
- 1 row of 15" legal filing front to back and 1 row 17" of letter filing side to side
- 2 rows of 15" letter filing side to side

Weight capacity of lateral file drawers is 150 lbs.



DRAWER REMOVAL


To remove pedestal drawers, open to the extended position, press down on the right side nylon release lever and pull the drawers up on left side lever at the same time. Continue pulling the drawer out of the case.



GLIDE ADJUSTMENT

Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide. Make sure unit is level after adjusting the glides. Please note that the maximum adjustment range of the glides is 3/4".

When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage to the case.




BOOKCASE OR HUTCH DOOR ADJUSTMENT

Hinges on all hutch and bookcase doors are designed to be adjusted for depth, horizontal and vertical adjustment by means of screws into the hinge mounting plates. To remove a door, squeeze the release clip and pull out the door, disconnecting the hinges.


VESTRADA | V-PED




The VESTRADA V-Ped is a unique storage drawer consisting of components not normally found in casegoods pedestals. The unique vertical storage drawer is 8" wide and is available in conjunction with 16", 24", 32" pedestals. The interior is accessed by pulling the full vertical drawer face away from the pedestal body. The V-Ped cannot be used as a stand-alone pedestal, or ordered to be installed in the field. Please see below for a full breakdown of all components that come standard in V-Peds:




The top of the interior consists of a tray, into which a silver plastic pencil tray is fitted. This pencil tray is partitioned into four separate storage areas suitable for a variety of stationery needs.



The V-Ped comes equipped with 2 different sized translucent boxes, which can clip onto one of the 3 bars on the interior of the pedestal. The brackets clip onto the bars on the interior panel of the pedestal. The organizer boxes are an easy way to reduce clutter for stationery.




A translucent CD box holds several CD's and clips onto the interior bars.





Translucent universal brackets are provided for holding any size of hanging files. Simply snap the brackets in place anywhere on the horizontal hanging bars inside the pedestal.



VESTRADA | SAMPLE CONFIGURATIONS




Model	Cherry	
	Oak	Anigre
	Maple	
	Walnut	
81D-8036-L16F-R16D-X41	4845	5573
81C-8024-4-L16D-R16D	4806	5529
PowerPort	428	428
81ST-242470-83LE	3571	4107
81ST-242470-82RE	3571	4107
81OH-801628LERE	2616	3008
81TBHL-802415U	798	798
TOTAL LIST	20,635	23,550





Model	Cherry	
	Oak	Anigre
	Maple	
	Walnut	
81TPD-8036	1114	1280
81P-16D-36	2031	2337
81PPZ-16036-L	1630	1874
81MPZ-72-X37	1029	1029
81LU-4020-H-X41	1396	1607
81TPC-8024	1021	1174
81P-24FQ-L-24	3481	4001
81MPY-48-X41	779	897
81WR-242470-83G	3764	4329
81HT-801653G	6282	7224
TOTAL LIST	22,527	25,752



Model	Cherry	
	Oak	Anigre
	Maple	
	Walnut	
81DEZ-7236-L24FW-R16F-X37	6678	7656
81SC-9614G	616	616
81TCP-9624-J	1509	1736
81P-16F-24	2020	2324
81P-16F-24	2020	2324
81P-32BC-24	2157	2481
81P-32BC-24	2157	2481
81ST-322470-04G	4984	5730
81ST-322470-04G	4984	5730
TOTAL LIST	27,125	31,078



VESTRADA | DESKS

DESCRIPTION	MODEL	Cherry Rift Oak		W	D	H	KW	Shipping	
		Walnut Maple	Anigre					Weight	Cubes
Desk Shell, 3/4 Height Recessed Modesty Panel 	81D6430L0R0X31	2220	2553	64	30	29.25	48	230	39
	81D7230L0R0X31*	2333	2683	72	30	29.25	56	245	44
	81D7236L0R0X31	2446	2813	72	36	29.25	56	288	52
	81D8036L0R0X31	2563	2947	80	36	29.25	64	313	58
	81D8836L0R0X31	2739	3150	88	36	29.25	72	336	64
	81D9636L0R0X31	3037	3492	96	36	29.25	80	356	69
Single Pedestal Desk, 3/4 Recessed Modesty Panel 	81D6430L16DR0X31	3701	4256	64	30	29.25	40	272	39
	81D6430L16FR0X31	3701	4256	64	30	29.25	40	272	39
	81D6430L0R16DX31	3701	4256	64	30	29.25	40	272	39
	81D6430L0R16FX31	3701	4256	64	30	29.25	40	272	39
	81D7230L16DR0X31	3740	4301	72	30	29.25	48	287	44
	81D7230L16FR0X31	3740	4301	72	30	29.25	48	287	44
	81D7230L0R16DX31	3740	4301	72	30	29.25	48	287	44
	81D7230L0R16FX31*	3740	4301	72	30	29.25	48	287	44
	81D7236L16DR0X31	3795	4364	72	36	29.25	48	330	52
	81D7236L16FR0X31	3795	4364	72	36	29.25	48	330	52
	81D7236L0R16DX31	3795	4364	72	36	29.25	48	330	52
	81D7236L0R16FX31	3795	4364	72	36	29.25	48	330	52
	81D8036L16DR0X31	3864	4444	80	36	29.25	56	355	58
	81D8036L16FR0X31	3864	4444	80	36	29.25	56	355	58
	81D8036L0R16DX31	3864	4444	80	36	29.25	56	355	58
	81D8036L0R16FX31	3864	4444	80	36	29.25	56	355	58
	81D8836L16DR0X31	3907	4493	88	36	29.25	64	378	64
	81D8836L16FR0X31	3907	4493	88	36	29.25	64	378	64
	81D8836L0R16DX31	3907	4493	88	36	29.25	64	378	64
	81D8836L0R16FX31	3907	4493	88	36	29.25	64	378	64
	81D9636L16DR0X31	3969	4564	96	36	29.25	72	398	69
	81D9636L16FR0X31	3969	4564	96	36	29.25	72	398	69
	81D9636L0R16DX31	3969	4564	96	36	29.25	72	398	69
	81D9636L0R16FX31	3969	4564	96	36	29.25	72	398	69

ORDERING NOTES:
Replace the 3 after the 'X' in the model number to 4 for a full height modesty panel. i.e. 81D6430L0R0X41.

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION L - left hand pedestal position R - right hand pedestal position 0 - no pedestal D - 2 file drawers F - 2 box, 1 file drawer W - extended pedestal X31 - 3/4 height recessed modesty panel X41 - full height recessed modesty panel	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. GROMMETS One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.
--	---	--

VESTRADA | DESKS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Desk, 3/4 Height Recessed Modesty Panel with 24" Extended Single Pedestal * **	81D6430L24DWR0X31	3815	4386	64	30	29.25	40	314	39
	81D6430L24FWR0X31	3815	4386	64	30	29.25	40	314	39
	81D6430L0R24FWX31	3815	4386	64	30	29.25	40	314	39
	81D6430L0R24DWX31	3815	4386	64	30	29.25	40	314	39
	81D7236L24DWR0X31	3910	4496	72	36	29.25	48	372	52
	81D7236L24FWR0X31	3910	4496	72	36	29.25	48	372	52
	81D7236L0R24FWX31**	3910	4496	72	36	29.25	48	372	52
	81D7236L0R24DWX31*	3910	4496	72	36	29.25	48	372	52
	81D8036L24DWR0X31	3979	4576	80	36	29.25	56	387	58
	81D8036L24FWR0X31	3979	4576	80	36	29.25	56	387	58
	81D8036L0R24FWX31	3979	4576	80	36	29.25	56	387	58
	81D8036L0R24DWX31	3979	4576	80	36	29.25	56	387	58
	81D8836L24DWR0X31	4023	4626	88	36	29.25	64	420	64
	81D8836L24FWR0X31	4023	4626	88	36	29.25	64	420	64
	81D8836L0R24FWX31	4023	4626	88	36	29.25	64	420	64
	81D8836L0R24DWX31	4023	4626	88	36	29.25	64	420	64
Double Pedestal Desk, 3/4 Height Recessed Modesty Panel, 16" Pedestals	81D6430L16DR16DX31	4694	5398	64	30	29.25	32	314	39
	81D6430L16DR16FX31	4694	5398	64	30	29.25	32	314	39
	81D6430L16FR16DX31	4694	5398	64	30	29.25	32	314	39
	81D6430L16FR16FX31	4694	5398	64	30	29.25	32	314	39
	81D7230L16DR16DX31	4721	5429	72	30	29.25	40	329	44
	81D7230L16DR16FX31	4721	5429	72	30	29.25	40	329	44
	81D7230L16FR16DX31*	4721	5429	72	30	29.25	40	329	44
	81D7230L16FR16FX31	4721	5429	72	30	29.25	40	329	44
	81D7236L16DR16DX31	4783	5501	72	36	29.25	40	372	52
	81D7236L16DR16FX31	4783	5501	72	36	29.25	40	372	52
	81D7236L16FR16DX31	4783	5501	72	36	29.25	40	372	52
	81D7236L16FR16FX31	4783	5501	72	36	29.25	40	372	52
	81D8036L16DR16DX31	4845	5572	80	36	29.25	48	387	58
	81D8036L16DR16FX31	4845	5572	80	36	29.25	48	387	58
	81D8036L16FR16DX31	4845	5572	80	36	29.25	48	387	58
	81D8036L16FR16FX31	4845	5572	80	36	29.25	48	387	58
	81D8836L16DR16DX31	4863	5592	88	36	29.25	56	420	64
	81D8836L16DR16FX31	4863	5592	88	36	29.25	56	420	64
	81D8836L16FR16DX31	4863	5592	88	36	29.25	56	420	64
	81D8836L16FR16FX31	4863	5592	88	36	29.25	56	420	64
	81D9636L16DR16DX31	4916	5653	96	36	29.25	64	440	69
	81D9636L16DR16FX31	4916	5653	96	36	29.25	64	440	69
	81D9636L16FR16DX31	4916	5653	96	36	29.25	64	440	69
	81D9636L16FR16FX31	4916	5653	96	36	29.25	64	440	69

ORDERING NOTES:

Replace the 3 after the 'X' in the model number to 4 for a full height modesty panel. i.e. 81D6430L0R0X41.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
0 - no pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
W - extended pedestal
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel



STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.


GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

VESTRADA | DESKS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Double Pedestal Desk, 3/4 Height Recessed Modesty Panel, 16" & 24" Pedestals 	81D6430L24FWR16FX31	4833	5557	64	30	29.25	32	330	39
	81D6430L24FWR16DX31	4833	5557	64	30	29.25	32	330	39
	81D6430L16FR24FWX31	4833	5557	64	30	29.25	32	330	39
	81D6430L16DR24FWX31	4833	5557	64	30	29.25	32	330	39
	81D7236L24FWR16FX31	4924	5662	72	36	29.25	40	387	52
	81D7236L24FWR16DX31	4924	5662	72	36	29.25	40	387	52
	81D7236L16FR24FWX31	4924	5662	72	36	29.25	40	387	52
	81D7236L16DR24FWX31*	4924	5662	72	36	29.25	40	387	52
	81D8036L24FWR16FX31	4992	5740	80	36	29.25	48	402	58
	81D8036L24FWR16DX31	4992	5740	80	36	29.25	48	402	58
	81D8036L16FR24FWX31	4992	5740	80	36	29.25	48	402	58
	81D8036L16DR24FWX31	4992	5740	80	36	29.25	48	402	58
	81D8836L24FWR16FX31	5010	5761	88	36	29.25	56	435	64
	81D8836L24FWR16DX31	5010	5761	88	36	29.25	56	435	64
	81D8836L16FR24FWX31	5010	5761	88	36	29.25	56	435	64
	81D8836L16DR24FWX31	5010	5761	88	36	29.25	56	435	64
Double Pedestal Desk, 3/4 Height Recessed Modesty Panel, 24" Pedestals 	81D6430L24FWR24FWX31*	4979	5726	64	30	29.25	32	371	32
	81D6430L24FWR24DWX31	4979	5726	64	30	29.25	64	371	32
	81D7236L24FWR24FWX31	5072	5833	72	36	29.25	40	429	40
	81D7236L24FWR24DWX31	5072	5833	72	36	29.25	72	429	40
	81D8036L24FWR24FWX31	5141	5911	80	36	29.25	48	444	48
	81D8036L24FWR24DWX31	5141	5911	80	36	29.25	80	444	48





ORDERING NOTES:
Replace the 3 after the 'X' in the model number to 4 for a full height modesty panel. i.e. 81D6430L0R0X41.

Bow Top Option 	BT81D6430	409	467	64	30	-	-	-
	BT81D7236	467	539	72	36	-	-	-
	BT81D8036	500	572	80	36	-	-	-
	BT81D8836*	559	645	88	36	-	-	-
	BT81D9636	625	716	96	36	-	-	-

ORDERING NOTES:
Bow tops add 15lbs. to the shipping weight of the desk. Add 'BT' before any standard desk model number and apply upcharge

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION L - left hand pedestal position R - right hand pedestal position 0 - no pedestal D - 2 file drawers F - 2 box, 1 file drawer W - extended pedestal X31 - 3/4 height recessed modesty panel X41 - full height recessed modesty panel	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. GROMMETS One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.
--	---	--

VESTRADA | FACE-MOUNTED MODESTY PANEL DESKS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Double Pedestal Desk, Face Mounted Modesty Panel, 16" Pedestals 	81DZ7236L16FR16FX3*	5500	5697	72	36	29.25	40	387	52
	81DZ7236L16DR16FX3	5500	5697	72	36	29.25	40	387	52
	81DZ7236L16FR16DX3	5500	5697	72	36	29.25	40	387	52
	81DZ8036L16FR16FX3	5571	5886	80	36	29.25	48	414	58
	81DZ8036L16FR16DX3	5571	5886	80	36	29.25	48	414	58
	81DZ8036L16DR16FX3	5571	5886	80	36	29.25	48	414	58
Double Pedestal Desk, Face Mounted Modesty Panel, 24" & 16" Pedestals  	81DZ7236L24FWR16FX3*	5665	6514	72	36	29.25	40	410	52
	81DZ7236L24FWR16DX3	5665	6514	72	36	29.25	40	410	52
	81DZ7236L16FR24FWX3	5665	6514	72	36	29.25	40	410	52
	81DZ7236L16DR24FWX3	5665	6514	72	36	29.25	40	410	52
	81DZ8036L24FWR16FX3	5739	6600	80	36	29.25	48	440	58
	81DZ8036L24FWR16DX3	5739	6600	80	36	29.25	48	440	58
	81DZ8036L16FR24FWX3	5739	6600	80	36	29.25	48	440	58
	81DZ8036L16DR24FWX3	5739	6600	80	36	29.25	48	440	58
	81DZ8836L24FWR16FX3	5761	6624	88	36	29.25	56	463	64
	81DZ8836L24FWR16DX3	5761	6624	88	36	29.25	56	463	64
	81DZ8836L16FR24FWX3	5761	6624	88	36	29.25	56	463	64
	81DZ8836L16DR24FWX3	5761	6624	88	36	29.25	56	463	64
Double Pedestal Desk, Face Mounted Modesty Panel, 24" Pedestals 	81DZ7236L24FWR24FWX3*	5725	6583	72	36	29.25	40	421	52
	81DZ8036L24FWR24FWX3	5834	6709	80	36	29.25	48	446	58
	81DZ8836L24FWR24FWX3	5913	6799	88	36	29.25	56	469	64

Glass Modesty Panel Upcharges

72" Desks= \$209 list | 80" Desks= \$334 list

ORDERING NOTES:

Face mounted modesty panel desk pedestals are 6" shallower than top depth.

Add (1) after model number for a wood modesty panel. Add (7) after model number for glass modesty panel.

Listed pricing applies to wood modesty panel desks only. Add corresponding size upcharge for glass modesty panel. Desks with glass modesty panels are NOT available on KrugExpress.

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position

R - right hand pedestal position

D - 2 file drawers

F - 2 box, 1 file drawer

W - extended pedestal

X31 - 3/4 height recessed modesty panel

X41 - full height recessed modesty panel

DZ - face mounted modesty panel desk





STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

VESTRADA | FACE-MOUNTED MODESTY PANEL DESKS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Double Pedestal Elliptical Desk, Face Mounted Glass Modesty Panel, 16" Pedestals 	81DEZ7236L16FR16DX37	6490	7463	72	36	29.25	40	387	52
	81DEZ7236L16DR16FX37	6490	7463	72	36	29.25	40	387	52
	81DEZ7236L16FR16FX37	6490	7463	72	36	29.25	40	387	52
	81DEZ8036L16FR16DX37	6635	7630	80	36	29.25	48	402	58
	81DEZ8036L16DR16FX37	6635	7630	80	36	29.25	48	402	58
	81DEZ8036L16FR16FX37	6635	7630	80	36	29.25	48	402	58
 Double Pedestal Elliptical Desk, Face Mounted Glass Modesty Panel, 24" & 16" Pedestals	81DEZ7236L24FWR16FX37*	6678	7681	72	36	29.25	40	410	52
	81DEZ7236L24FWR16DX37	6678	7681	72	36	29.25	40	410	52
	81DEZ7236L16FR24FWX37	6678	7681	72	36	29.25	40	410	52
	81DEZ7236L16DR24FWX37	6678	7681	72	36	29.25	40	410	52
	81DEZ8036L24FWR16FX37	6863	7892	80	36	29.25	48	440	58
	81DEZ8036L24FWR16DX37	6863	7892	80	36	29.25	48	440	58
	81DEZ8036L16FR24FWX37	6863	7892	80	36	29.25	48	440	58
	81DEZ8036L16DR24FWX37	6863	7892	80	36	29.25	48	440	58
Double Pedestal Elliptical Desk, Face Mounted Glass Modesty Panel, 24" Pedestals  	81DEZ7236L24FWR24FWX37*	6745	7757	72	36	29.25	40	428	52
	81DEZ8036L24FWR24FWX37			80	36	29.25	48	443	58

ORDERING NOTES:

Only glass face mounted modesty panels are available on elliptical desks.
Power ports are not available on elliptical tops.
Elliptical desks are NOT available on KrugExpress.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
W - extended pedestal
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel
DZ - face mounted modesty panel desk


STANDARD FINISHES


For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

VESTRADA | ANGLED SHAPED DESKS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
 Canted Inverted Desk with Pedestal and no Modesty Panel	81DCI6430-38L16F	4087	4700	64	30	29.25	24	246	39
	81DCI6430-38L16D	4087	4700	64	30	29.25	24	246	39
	81DCI6430-38R16F	4087	4700	65	30	29.25	24	246	39
	81DCI6430-38R16D	4087	4700	66	30	29.25	24	246	39
	81DCI7230-38L16F	4198	4827	72	30	29.25	32	261	44
	81DCI7230-38L16D	4198	4827	72	30	29.25	32	261	44
	81DCI7236-44L16F*	4308	4954	72	36	29.25	32	304	52
	81DCI7236-44L16D	4308	4954	72	36	29.25	32	304	52
	81DCI7230-38R16F	4198	4827	72	30	29.25	32	261	44
	81DCI7230-38R16D	4198	4827	72	30	29.25	32	261	44
	81DCI7236-44R16F	4308	4954	72	36	29.25	32	304	52
	81DCI7236-44R16D	4308	4954	72	36	29.25	32	304	52
	81DCI8036-44L16F	4534	5213	80	36	29.25	40	329	58
	81DCI8036-44L16D	4534	5213	80	36	29.25	40	329	58
	81DCI8036-44R16F	4534	5213	80	36	29.25	40	329	58
	81DCI8036-44R16D	4534	5213	80	36	29.25	40	329	58

 Canted Inverted Desk with Pedestal and 3/4 Floating Wood Modesty Panel	81DCIV6430-38L16FX31	4555	5238	64	30	29.25	24	272	39
	81DCIV6430-38L16DX31	4555	5238	64	30	29.25	24	272	39
	81DCIV6430-38R16FX31	4555	5238	65	30	29.25	24	272	39
	81DCIV6430-38R16DX31	4555	5238	66	30	29.25	24	272	39
	81DCIV7230-38L16FX31	4677	5378	72	30	29.25	32	287	44
	81DCIV7230-38L16DX31	4677	5378	72	30	29.25	32	287	44
	81DCIV7236-44L16FX31*	4800	5520	72	36	29.25	32	330	52
	81DCIV7236-44L16DX31	4800	5520	72	36	29.25	32	330	52
	81DCIV7230-38R16FX31	4677	5378	72	30	29.25	32	287	44
	81DCIV7230-38R16DX31	4677	5378	72	30	29.25	32	287	44
	81DCIV7236-44R16FX31	4800	5520	72	36	29.25	32	330	52
	81DCIV7236-44R16DX31	4800	5520	72	36	29.25	32	330	52
	81DCIV8036-44L16FX31	5053	5812	80	36	29.25	40	355	58
	81DCIV8036-44L16DX31	5053	5812	80	36	29.25	40	355	58
	81DCIV8036-44R16FX31	5053	5812	80	36	29.25	40	355	58
	81DCIV8036-44R16DX31	5053	5812	80	36	29.25	40	355	58

ORDERING NOTES:

Canted inverted desks are to be used as stand alone desks. They are not to be used in 'U' configurations due to kneespace limitations. Laminate worksurfaces are available at a 10% upcharge, see page 129 for more information.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
V - floating modesty panel
W - extended pedestal
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are sating aluminum




GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception of bookcases.

VESTRADA | ANGLED SHAPED DESKS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Canted Arc Inverted Desk with Pedestal and no Modesty Panel 	81DCAI6430-38L16F	4087	4700	64	30	29.25	24	246	39
	81DCAI6430-38L16D	4087	4700	64	30	29.25	24	246	39
	81DCAI6430-38R16F	4087	4700	65	30	29.25	24	246	39
	81DCAI6430-38R16D	4087	4700	66	30	29.25	24	246	39
	81DCAI7230-38L16F	4198	4827	72	30	29.25	32	261	44
	81DCAI7230-38L16D	4198	4827	72	30	29.25	32	261	44
	81DCAI7236-44L16F	4308	4954	72	36	29.25	32	304	52
	81DCAI7236-44L16D	4308	4954	72	36	29.25	32	304	52
	81DCAI7230-38R16F	4198	4827	72	30	29.25	32	261	44
	81DCAI7230-38R16D	4198	4827	72	30	29.25	32	261	44
	81DCAI7236-44R16F	4308	4954	72	36	29.25	32	304	52
	81DCAI7236-44R16D	4308	4954	72	36	29.25	32	304	52
	81DCAI8036-44L16F	4534	5213	80	36	29.25	40	329	58
	81DCAI8036-44L16D	4534	5213	80	36	29.25	40	329	58
	81DCAI8036-44R16F	4534	5213	80	36	29.25	40	329	58
	81DCAI8036-44R16D	4534	5213	80	36	29.25	40	329	58
Canted Arc Inverted Desk with Pedestal and 3/4 Floating Wood Modesty Panel 	81DCAIV6430-38L16FX31	4555	5238	64	30	29.25	24	272	39
	81DCAIV6430-38L16DX31	4555	5238	64	30	29.25	24	272	39
	81DCAIV6430-38R16FX31	4555	5238	65	30	29.25	24	272	39
	81DCAIV6430-38R16DX31	4555	5238	66	30	29.25	24	272	39
	81DCAIV7230-38L16FX31	4677	5378	72	30	29.25	32	287	44
	81DCAIV7230-38L16DX31	4677	5378	72	30	29.25	32	287	44
	81DCAIV7236-44L16FX31	4800	5520	72	36	29.25	32	330	52
	81DCAIV7236-44L16DX31	4800	5520	72	36	29.25	32	330	52
	81DCAIV7230-38R16FX31	4677	5378	72	30	29.25	32	287	44
	81DCAIV7230-38R16DX31	4677	5378	72	30	29.25	32	287	44
	81DCAIV7236-44R16FX31	4800	5520	72	36	29.25	32	330	52
	81DCAIV7236-44R16DX31	4800	5520	72	36	29.25	32	330	52
	81DCAIV8036-44L16FX31	5053	5812	80	36	29.25	40	355	58
	81DCAIV8036-44L16DX31	5053	5812	80	36	29.25	40	355	58
	81DCAIV8036-44R16FX31	5053	5812	80	36	29.25	40	355	58
	81DCAIV8036-44R16DX31	5053	5812	80	36	29.25	40	355	58
Canted Arc Inverted Desk with Elliptical Base and no Modesty Panel 	81DCAI6430-38LE2	3256	3745	64	30	29.25	34	209	39
	81DCAI6430-38RE2	3256	3745	64	36	29.25	34	209	39
	81DCAI7230-38LE2	3304	3799	72	30	29.25	42	224	44
	81DCAI7236-44LE2	3351	3853	72	30	29.25	42	267	52
	81DCAI7230-38RE2	3304	3799	72	36	29.25	42	224	44
	81DCAI7236-44RE2	3351	3853	72	36	29.25	42	267	52
	81DCAI8036-44LE2	3398	3908	80	30	29.25	50	282	58
	81DCAI8036-44RE2	3398	3908	80	36	29.25	50	282	58

ORDERING NOTES:

Canted inverted desks are to be used as stand alone desks. They are not to be used in 'U' configurations due to kneespace limitations. Laminate worksurfaces are available at a 10% upcharge, see page 129 for more information.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 V - floating modesty panel
 W - extended pedestal
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are sating aluminum





GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception of bookcases.

VESTRADA | ANGLED SHAPED DESKS

DESCRIPTION	MODEL	Cherry Rift Oak		W	D	H	KW	Shipping	
		Walnut Maple	Anigre					Weight	Cubes
	81DO6430-36LE2	3256	3745	64	30	29.25	40	209	39
	81DO6430-36RE2	3256	3745	64	30	29.25	40	209	39
	81DO7230-36LE2	3304	3799	72	30	29.25	48	224	44
	81DO7230-36RE2	3304	3799	72	30	29.25	48	224	44
	81DO7236-42LE2*	3351	3853	72	36	29.25	48	267	52
	81DO7236-42RE2	3351	3853	72	36	29.25	48	267	52
	81DO8036-42LE2	3398	3908	80	36	29.25	56	282	58
	81DO8036-42RE2	3398	3908	80	36	29.25	56	282	58
	81DOV6430-36LE2X31	3811	4382	64	30	29.25	40	235	39
	81DOV6430-36RE2X31	3811	4382	64	30	29.25	40	235	39
	81DOV7230-36LE2X31	3865	4445	72	30	29.25	48	224	44
	81DOV7230-36RE2X31	3865	4445	72	30	29.25	48	224	44
	81DOV7236-42LE2X31*	3922	4510	72	36	29.25	48	267	52
	81DOV7236-42RE2X31	3922	4510	72	36	29.25	48	267	52
	81DOV8036-42LE2X31	3976	4573	80	36	29.25	56	282	58
	81DOV8036-42RE2X31	3976	4573	80	36	29.25	56	282	58
	81DOI6430-36LE2	3256	3745	64	30	29.25	40	235	39
	81DOI6430-36RE2	3256	3745	64	30	29.25	40	235	39
	81DOI7230-36LE2	3304	3799	72	30	29.25	48	224	44
	81DOI7230-36RE2	3304	3799	72	30	29.25	48	224	44
	81DOI7236-42LE2*	3351	3853	72	36	29.25	48	267	52
	81DOI7236-42RE2	3351	3853	72	36	29.25	48	267	52
	81DOI8036-42LE2	3398	3908	80	36	29.25	56	282	58
	81DOI8036-42RE2	3398	3908	80	36	29.25	56	282	58
	81DOIV6430-36LE2X31	3811	4382	64	30	29.25	40	235	39
	81DOIV6430-36RE2X31	3811	4382	64	30	29.25	40	235	39
	81DOIV7230-36LE2X31*	3865	4445	72	30	29.25	48	224	44
	81DOIV7230-36RE2X31	3865	4445	72	30	29.25	48	224	44
	81DOIV7236-42LE2X31	3922	4510	72	36	29.25	48	267	52
	81DOIV7236-42RE2X31	3922	4510	72	36	29.25	48	267	52
	81DOIV8036-42LE2X31	3976	4573	80	36	29.25	56	282	58
	81DOIV8036-42RE2X31	3976	4573	80	36	29.25	56	282	58

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
V - floating modesty panel
W - extended pedestal
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are sating aluminum






GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception of bookcases.

VESTRADA | CURVILINEAR SHAPED DESKS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Bullet Desk with no Modesty Panel 	81DB6430LE2	2647	3044	64	30	29.25	40	184	52
	81DB6430RE2	2647	3044	64	30	29.25	40	184	52
	81DB7230LE2	2694	3098	72	30	29.25	48	199	44
	81DB7236LE2*	2742	3153	72	36	29.25	48	242	58
	81DB7230RE2	2694	3098	72	30	29.25	48	199	44
	81DB7236RE2	2742	3153	72	36	29.25	48	242	58
	81DB8036LE2	2799	3220	80	36	29.25	56	257	57
	81DB8036RE2	2799	3220	80	36	29.25	56	257	57
Bullet Desk with 3/4 Floating Wood Modesty Panel 	81DBV6430LE2X31	2948	3391	64	30	29.25	40	235	40
	81DBV6430RE2X31	2948	3391	64	30	29.25	40	235	40
	81DBV7230LE2X31	3003	3453	72	30	29.25	48	250	48
	81DBV7236LE2X31*	3056	3514	72	36	29.25	48	293	48
	81DBV7230RE2X31	3003	3453	72	30	29.25	48	250	48
	81DBV7236RE2X31	3056	3514	72	36	29.25	48	293	48
	81DBV8036LE2X31	3119	3587	80	36	29.25	56	308	56
	81DBV8036RE2X31	3119	3587	80	36	29.25	56	308	56
Arc Ended Desk with no Modesty Panel 	81DA6430LE2	2520	2898	64	30	29.25	40	184	52
	81DA6430RE2	2520	2898	64	30	29.25	40	184	52
	81DA7230LE2	2566	2951	72	30	29.25	48	199	44
	81DA7236LE2*	2612	3004	72	36	29.25	48	242	58
	81DA7230RE2	2566	2951	72	30	29.25	48	199	44
	81DA7236RE2	2612	3004	72	36	29.25	48	242	58
	81DA8036LE2	2665	3065	80	36	29.25	56	257	57
	81DA8036RE2	2665	3065	80	36	29.25	56	257	57
Arc Ended Desk with 3/4 Floating Wood Modesty Panel 	81DAV6430LE2X31	2947	3389	64	30	29.25	40	235	52
	81DAV6430RE2X31	2947	3389	64	30	29.25	40	235	52
	81DAV7230LE2X31	3003	3453	72	30	29.25	48	250	44
	81DAV7236LE2X31*	3056	3514	72	36	29.25	48	293	58
	81DAV7230RE2X31	3003	3453	72	30	29.25	48	250	44
	81DAV7236RE2X31	3056	3514	72	36	29.25	48	293	58
	81DAV8036LE2X31	3119	3587	80	36	29.25	56	308	57
	81DAV8036RE2X31	3119	3587	80	36	29.25	56	308	57
P Desk with Elliptical Base and no Modesty Panel 	81DP6430-36LE2	3101	3566	64	30	29.25	40	209	39
	81DP6430-36RE2	3101	3566	64	30	29.25	40	209	39
	81DP7230-36LE2	3147	3619	72	30	29.25	48	250	44
	81DP7236-42LE2*	3192	3670	72	36	29.25	48	299	52
	81DP7230-36RE2	3147	3619	72	30	29.25	48	250	44
	81DP7236-42RE2	3192	3670	72	36	29.25	48	299	52
	81DP8036-42LE2	3237	3723	80	36	29.25	56	308	58
	81DP8036-42RE2	3237	3723	80	36	29.25	56	308	58

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 V - floating modesty panel
 W - extended pedestal
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are sating aluminum




GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception of bookcases.

VESTRADA | CURVILINEAR SHAPED DESKS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
P Desk with Elliptical Base and 3/4 Floating Modesty Panel 	81DPV6430-36LE2X31	3629	4173	64	30	29.25	40	235	39
	81DPV6430-36RE2X31	3629	4173	64	30	29.25	40	235	39
	81DPV7230-36LE2X31	3681	4233	72	30	29.25	48	250	44
	81DPV7236-42LE2X31*	3734	4295	72	36	29.25	48	299	52
	81DPV7230-36RE2X31	3681	4233	72	30	29.25	48	250	44
	81DPV7236-42RE2X31	3734	4295	72	36	29.25	48	299	52
	81DPV8036-42LE2X31	3787	4355	80	36	29.25	56	308	58
	81DPV8036-42RE2X31	3787	4355	80	36	29.25	56	308	58
Fin Desk with Elliptical Base and no Modesty Panel 	81DF6430LE2	2647	3044	64	30	29.25	36	209	39
	81DF6430RE2	2647	3044	64	30	29.25	36	209	39
	81DF7230LE2*	2694	3098	72	30	29.25	44	224	44
	81DF7230RE2	2694	3098	72	30	29.25	44	224	44
	81DF7236LE2	2742	3153	72	36	29.25	44	267	52
	81DF7236RE2	2742	3153	72	36	29.25	44	267	52
	81DF8036LE2	2799	3220	80	36	29.25	52	282	58
	81DF8036RE2	2799	3220	80	36	29.25	52	282	58
Fin Desk with Elliptical Base and 3/4 Floating Modesty Panel 	81DFV6430LE2X31	2948	3391	64	30	29.25	36	235	39
	81DFV6430RE2X31	2948	3391	64	30	29.25	36	235	39
	81DFV7230LE2X31*	3003	3453	72	30	29.25	44	250	44
	81DFV7230RE2X31	3003	3453	72	30	29.25	44	250	44
	81DFV7236LE2X31	3056	3514	72	36	29.25	44	299	52
	81DFV7236RE2X31	3056	3514	72	36	29.25	44	299	52
	81DFV8036LE2X31	3119	3587	80	36	29.25	52	308	58
	81DFV8036RE2X31	3119	3587	80	36	29.25	52	308	58

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
V - floating modesty panel
W - extended pedestal
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are sating aluminum





GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception of bookcases.

VESTRADA | TABLE DESKS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes	
	Rectangular Table Desk with Elliptical Base and no Modesty Panel	81DT7230E2	2016	2318	72	30	29.25	32	219	44
		81DT7236E2	2222	2556	72	36	29.25	32	262	52
		81DT8030E2*	2329	2679	80	30	29.25	40	240	49
		81DT8036E2	2563	2947	80	36	29.25	40	277	58
		81DT8830E2	2609	3000	88	30	29.25	48	259	54
		81DT8836E2	2892	3325	88	36	29.25	48	310	64
	Rectangular Table Desk with Elliptical Base and 3/4 Floating Modesty Panel	81DTV7230E2X31	2359	2713	72	30	29.25	32	245	44
		81DTV7236E2X31	2599	2988	72	36	29.25	32	288	52
		81DTV8030E2X31*	2725	3134	80	30	29.25	40	266	49
		81DTV8036E2X31	2856	3284	80	36	29.25	40	303	58
		81DTV8830E2X31	3052	3509	88	30	29.25	48	236	54
		81DTV8836E2X31	3383	3891	88	36	29.25	48	336	64
	Elliptical Table Desk with no Modesty Panel	81DTE7230E2	2434	2799	72	30	29.25	32	219	44
		81DTE7236E2	2681	3083	72	36	29.25	32	262	52
		81DTE8030E2*	2813	3236	80	30	29.25	40	240	49
		81DTE8036E2	2947	3389	80	36	29.25	40	270	58
		81DTE8830E2	3149	3621	88	30	29.25	48	236	54
		81DTE8836E2	3491	4014	88	36	29.25	48	310	64
	Elliptical Table Desk with 3/4 Floating Modesty Panel	81DTEV7230E2X31	2848	3275	72	30	29.25	32	219	44
		81DTEV7236E2X31	3139	3610	72	36	29.25	32	262	52
		81DTEV8030E2X31*	3290	3783	80	30	29.25	40	240	49
		81DTEV8036E2X31	3448	3965	80	36	29.25	40	270	58
		81DTEV8830E2X31	3685	4238	88	30	29.25	48	236	54
		81DTEV8836E2X31	4086	4699	88	36	29.25	48	310	64

ORDERING NOTES:

Table desks come standard with 2 elliptical bases.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 V - floating modesty panel
 W - extended pedestal
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

WIRING GROMMETS


One rectangular grommet in a standard position (AL, C, AR) is optional at no charge on table desks. Additional rectangular grommets are available at an upcharge of \$114 list.

BOW TOP UPCHARGE

For Bow top upcharge, please see page 140.

VESTRADA | TABLE DESK PEDESTALS

DESCRIPTION	MODEL	Cherry Rift	Oak Walnut	Anigre	Palette	W	D	H	KW	Shipping	
		Maple								Weight	Cubes
Modular Pedestal, File/ File-16"	81P16D30*	1953	2246	1757	16	30	26			116	10
	81P16D36	2030	2335	1827	16	36	26			120	10



Modular Pedestal, Box/ Box/File-16"	81P16F30*	2101	2416	1891	16	30	26			118	10
	81P16F36	2186	2514	1967	16	36	26			122	12



Modular Pedestal, Box/ Box/File-24"	81P24F30	2164	2488	1947	24	30	26			120	17
	81P24F36*	2228	2562	2005	24	36	26			124	12



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
V - floating modesty panel
W - extended pedestal
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel


STANDARD FINISHES



For a complete list of standard wood finishes please see page 124.

LOCKS

Locks are standard on all pedestals and all lateral file drawers, with the exception of bookcases.



VESTRADA | LINKING UNITS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
 Linking Top, no Modesty Panel	81LU3620H	657	755	36	20	29.25	34	14	
	81LU3624H	664	764	36	24	29.25	48	17	
	81LU4020H	683	786	40	20	29.25	42	17	
	81LU4024H	703	809	40	24	29.25	60	21	
	81LU4820H	719	827	48	20	29.25	58	21	
	81LU4824H	735	845	48	24	29.25	77	24	
	81LU5620H	739	850	56	20	29.25	70	24	
	81LU5624H	748	860	56	24	29.25	85	28	
	81LU6420H	785	903	64	20	29.25	93	27	
	81LU6424H*	808	929	64	24	29.25	118	32	
	81LU7220H	810	931	72	20	29.25	128	30	
	81LU7224H	822	946	72	24	29.25	140	36	

  Linking Unit, Fixed Modesty Panel	81LU3620HX41	1326	1525	36	20	29.25	54	14	
	81LU3624HX41	1367	1572	36	24	29.25	68	17	
	81LU4020HX41	1396	1605	40	20	29.25	60	17	
	81LU4024HX41	1433	1648	40	24	29.25	80	21	
	81LU4820HX41	1462	1681	48	20	29.25	78	21	
	81LU4824HX41	1488	1712	48	24	29.25	97	24	
	81LU5620HX41	1508	1734	56	20	29.25	95	24	
	81LU5624HX41*	1526	1755	56	24	29.25	116	28	
	81LU6420HX41	1590	1829	64	20	29.25	105	27	
	81LU6424HX41	1669	1919	64	24	29.25	128	32	
	81LU7220HX41	1708	1964	72	20	29.25	140	30	
	81LU7224HX41	1772	2038	72	24	29.25	148	36	

ORDERING NOTES:

For cut-out option on modesty panel, note clearly on Purchase Order and add \$170 list. Modesty panels are inset from the underside of the V-Beam, as illustrated.

  Linking Unit, Hinged Modesty Panel	81LUY3620HX41	1459	1678	36	20	29.25	54	14	
	81LUY3624HX41	1504	1730	36	24	29.25	68	17	
	81LUY4020HX41	1537	1767	40	20	29.25	60	17	
	81LUY4024HX41	1576	1811	40	24	29.25	80	21	
	81LUY4820HX41	1608	1850	48	20	29.25	78	21	
	81LUY4824HX41	1637	1883	48	24	29.25	97	24	
	81LUY5620HX41	1659	1907	56	20	29.25	95	24	
	81LUY5624HX41*	1679	1930	56	24	29.25	116	28	
	81LUY6420HX41	1748	2010	64	20	29.25	105	27	
	81LUY6424HX41	1836	2111	64	24	29.25	128	32	
	81LUY7220HX41	1878	2160	72	20	29.25	140	30	
	81LUY7224HX41	1950	2242	72	24	29.25	148	36	

ORDERING NOTES:

Wire management cut out is standard on hinged modesty panels. Modesty panels are inset from the underside of the V-Beam, as illustrated.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 H - desk height worksurface
 V - floating modesty panel
 Y - hinged modesty panel
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.


LINKING UNITS

Linking units are to be used in open plans. They are to be installed against a wall

LAMINATE WORKSURFACES

Laminate worksurfaces are available at a 10% upcharge, see page 129 for more information.

VESTRADA | LINKING UNITS

DESCRIPTION	MODEL	Cherry Rift Oak	Walnut Maple	Anigre	W	D	H	KW	Shipping	Weight	Cubes
Linking Top, 3/4 Floating Wood Modesty Panel 	81LUV3620HX31	1459	1678	36	20	29.25	54	14			
	81LUV3624HX31	1504	1730	36	24	29.25	68	17			
	81LUV4020HX31	1537	1767	40	20	29.25	66	17			
	81LUV4024HX31	1576	1811	40	24	29.25	82	21			
	81LUV4820HX31	1608	1850	48	20	29.25	78	21			
	81LUV4824HX31	1637	1883	48	24	29.25	97	24			
	81LUV5620HX31	1659	1907	56	20	29.25	92	24			
	81LUV5624HX31	1679	1930	56	24	29.25	113	28			
	81LUV6420HX31	1748	2010	64	20	29.25	100	27			
	81LUV6424HX31	1836	2111	64	24	29.25	123	32			
	81LUV7220HX31*	1878	2160	72	20	29.25	137	30			
	81LUV7224HX31	1950	2242	72	24	29.25	148	36			

ORDERING NOTES:

Modesty panels are inset from the underside of the V-Beam, as illustrated.

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position

R - right hand pedestal position

D - 2 file drawers

F - 2 box, 1 file drawer

H - desk height worksurface

V - floating modesty panel

Y - hinged modesty panel

X31 - 3/4 height recessed modesty panel

X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.



LINKING UNITS

Linking units are to be used in open plans. They are to be installed against a wall





LAMINATE WORKSURFACES

Laminate worksurfaces are available at a 10% upcharge, see page 129 for more information.

VESTRADA | RETURNS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Open Return  	81RH3620L	1465	1685	36	20	29.25	28	88	16
	81RH3620R	1465	1685	36	20	29.25	28	88	16
	81RH3624L	1495	1720	36	24	29.25	28	103	19
	81RH3624R	1495	1720	36	24	29.25	28	103	19
	81RH4020L	1542	1773	40	20	29.25	32	101	17
	81RH4020R	1542	1773	40	20	29.25	32	101	17
	81RH4024L	1579	1817	40	24	29.25	32	118	21
	81RH4024R	1579	1817	40	24	29.25	32	118	21
	81RH4820L	1617	1860	48	20	29.25	40	113	21
	81RH4820R	1617	1860	48	20	29.25	40	113	21
	81RH4824L	1653	1901	48	24	29.25	40	133	24
	81RH4824R	1653	1901	48	24	29.25	40	133	24
	81RH5620L	1675	1926	56	20	29.25	48	127	24
	81RH5620R	1675	1926	56	20	29.25	48	127	24
	81RH5624L	1703	1958	56	24	29.25	48	147	28
	81RH5624R	1703	1958	56	24	29.25	48	147	28
	81RH6020L	1724	1983	60	20	29.25	52	138	25
	81RH6020R	1724	1983	60	20	29.25	52	138	25
	81RH6024L	1747	2009	60	24	29.25	52	163	30
	81RH6024R	1747	2009	60	24	29.25	52	163	30
	81RH6420L	1791	2060	64	20	29.25	56	143	27
	81RH6420R	1791	2060	64	20	29.25	56	143	27
	81RH6424L	1824	2098	64	24	29.25	56	168	32
	81RH6424R	1824	2098	64	24	29.25	56	168	32
	81RH6430L	1840	2116	64	20	29.25	56	206	39
	81RH6430R	1840	2116	64	20	29.25	56	206	39
	81RH6436L*	1885	2169	64	24	29.25	56	210	47
	81RH6436R	1885	2169	64	24	29.25	56	210	47
	81RH7220L	1859	2137	72	20	29.25	64	158	30
	81RH7220R	1859	2137	72	20	29.25	64	158	30
	81RH7224L	1892	2177	72	24	29.25	64	187	36
	81RH7224R	1892	2177	72	24	29.25	64	187	36
	81RH7230L	1906	2192	72	20	29.25	64	230	44
	81RH7230R	1906	2192	72	20	29.25	64	230	44
	81RH7236L	1940	2231	72	24	29.25	64	273	52
	81RH7236R	1940	2231	72	24	29.25	64	273	52
	81RH8020L	1925	2214	80	20	29.25	72	156	34
	81RH8020R	1925	2214	80	20	29.25	72	156	34
	81RH8024L	1944	2236	80	24	29.25	72	204	40
	81RH8024R	1944	2236	80	24	29.25	72	204	40
	81RH8030L	1962	2256	80	20	29.25	72	251	49
	81RH8030R	1962	2256	80	20	29.25	72	251	49
	81RH8036L	1977	2273	80	24	29.25	72	288	58
	81RH8036R	1977	2273	80	24	29.25	72	288	58

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION L - left hand pedestal position R - right hand pedestal position D - 2 file drawers F - 2 box, 1 file drawer H - desk height worksurface 01 - lateral file drawers 05 - 4 box/ 1 lateral file X31 - 3/4 height recessed modesty panel X41 - full height recessed modesty panel	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. WIRING GROMMETS One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options. SUPPORT Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.
--	--	---

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
	81RH8820L	1965	2259	88	20	29.25	80	185	37
	81RH8820R	1965	2259	88	20	29.25	80	185	37
	81RH8824L	1980	2276	88	24	29.25	80	219	43
	81RH8824R	1980	2276	88	24	29.25	80	219	43
	81RH8830L	2013	2315	88	20	29.25	80	270	54
	81RH8830R	2013	2315	88	20	29.25	80	270	54
	81RH8836L	2043	2350	88	24	29.25	80	321	64
	81RH8836R	2043	2350	88	24	29.25	80	321	64
  	81RH3620L16D	2577	2963	36	20	29.25	20	105	16
	81RH3620L16F	2577	2963	36	20	29.25	20	105	16
	81RH3620R16D	2577	2963	36	20	29.25	20	105	16
	81RH3620R16F	2577	2963	36	20	29.25	20	105	16
	81RH3624L16D	2588	2976	36	24	29.25	20	120	19
	81RH3624L16F	2588	2976	36	24	29.25	20	120	19
	81RH3624R16D	2588	2976	36	24	29.25	20	120	19
	81RH3624R16F	2588	2976	36	24	29.25	20	120	19
	81RH4020L16D	2613	3005	40	20	29.25	24	118	17
	81RH4020L16F	2613	3005	40	20	29.25	24	118	17
	81RH4020R16D	2613	3005	40	20	29.25	24	118	17
	81RH4020R16F	2613	3005	40	20	29.25	24	118	17
	81RH4024L16D	2651	3049	40	24	29.25	24	135	21
	81RH4024L16F	2651	3049	40	24	29.25	24	135	21
	81RH4024R16D	2651	3049	40	24	29.25	24	135	21
	81RH4024R16F	2651	3049	40	24	29.25	24	135	21
	81RH4820L16D	2674	3075	48	20	29.25	32	130	21
	81RH4820L16F	2674	3075	48	20	29.25	32	130	21
	81RH4820R16D	2674	3075	48	20	29.25	32	130	21
	81RH4820R16F	2674	3075	48	20	29.25	32	130	21
	81RH4824L16D*	2686	3088	48	24	29.25	32	150	24
	81RH4824L16F**	2686	3088	48	24	29.25	32	150	24
	81RH4824R16D	2686	3088	48	24	29.25	32	150	24
	81RH4824R16F	2686	3088	48	24	29.25	32	150	24
	81RH5620L16D	2709	3116	56	20	29.25	40	155	24
	81RH5620L16F	2709	3116	56	20	29.25	40	155	24
	81RH5620R16D	2709	3116	56	20	29.25	40	155	24
	81RH5620R16F	2709	3116	56	20	29.25	40	155	24

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number. Add 7% list for a full 3/4 or full height modesty panel. Add \$170 list upcharge for wire management cut-out option and state clearly on Purchase Order.

For details on pull locations please see page 126.

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position

R - right hand pedestal position

D - 2 file drawers

F - 2 box, 1 file drawer

H - desk height worksurface

01 - lateral file drawers

05 - 4 box/ 1 lateral file

X31 - 3/4 height recessed modesty panel

X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.




WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

VESTRADA | RETURNS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Desk Height Return, 16"	81RH5624L16D	2740	3151	56	24	29.25	40	180	28
Pedestal, Continued	81RH5624L16F	2740	3151	56	24	29.25	40	180	28
 *	81RH5624R16D	2740	3151	56	24	29.25	40	180	28
	81RH5624R16F	2740	3151	56	24	29.25	40	180	28
	81RH6420L16D	2760	3173	64	20	29.25	48	162	27
	81RH6420L16F	2760	3173	64	20	29.25	48	162	27
 **	81RH6420R16D	2760	3173	64	20	29.25	48	162	27
	81RH6420R16F	2760	3173	64	20	29.25	48	162	27
	81RH6424L16D*	2839	3265	64	24	29.25	48	182	32
	81RH6424L16F**	2839	3265	64	24	29.25	48	182	32
	81RH6424R16D	2839	3265	64	24	29.25	48	182	32
	81RH6424R16F	2839	3265	64	24	29.25	48	182	32
	81RH6430L16D	2931	3371	64	30	29.25	48	243	39
	81RH6430L16F	2931	3371	64	30	29.25	48	243	39
	81RH6430R16D	2931	3371	64	30	29.25	48	243	39
	81RH6430R16F	2931	3371	64	30	29.25	48	243	39
	81RH6436L16D	3029	3483	64	36	29.25	48	257	47
	81RH6436L16F	3029	3483	64	36	29.25	48	257	47
	81RH6436R16D	3029	3483	64	36	29.25	48	257	47
	81RH6436R16F	3029	3483	64	36	29.25	48	257	47
	81RH7220L16D	2994	3443	72	20	29.25	56	176	30
	81RH7220L16F	2994	3443	72	20	29.25	56	176	30
	81RH7220R16D	2994	3443	72	20	29.25	56	176	30
	81RH7220R16F	2994	3443	72	20	29.25	56	176	30
	81RH7224L16D	3086	3549	72	24	29.25	56	205	36
	81RH7224L16F	3086	3549	72	24	29.25	56	205	36
	81RH7224R16D	3086	3549	72	24	29.25	56	205	36
	81RH7224R16F	3086	3549	72	24	29.25	56	205	36
	81RH7230L16D	3149	3621	72	30	29.25	56	273	44
	81RH7230L16F	3149	3621	72	30	29.25	56	273	44
	81RH7230R16D	3149	3621	72	30	29.25	56	273	44
	81RH7230R16F	3149	3621	72	30	29.25	56	273	44
	81RH7236L16D	3193	3671	72	36	29.25	56	316	52
	81RH7236L16F	3193	3671	72	36	29.25	56	316	52
	81RH7236R16D	3193	3671	72	36	29.25	56	316	52
	81RH7236R16F	3193	3671	72	36	29.25	56	316	52

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number. Add 7% list for a full 3/4 or full height modesty panel. Add \$170 list upcharge for wire management cut-out option and state clearly on Purchase Order.

For details on pull locations please see page 126.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 H - desk height worksurface
 01 - lateral file drawers
 05 - 4 box/ 1 lateral file
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES









For a complete list of standard wood finishes please see page 124.

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

DESCRIPTION	MODEL	Cherry Rift Oak		Anigre	W	D	H	KW	Shipping	
		Walnut	Maple						Weight	Cubes
Desk Height Return, 16"	81RH8020L16D	3166		3641	80	20	29.25	64	175	34
Pedestal, Continued	81RH8020L16F	3166		3641	80	20	29.25	64	175	34
	81RH8020R16D	3166		3641	80	20	29.25	64	175	34
	81RH8020R16F	3166		3641	80	20	29.25	64	175	34
	81RH8024L16D*	3216		3698	80	24	29.25	64	223	40
	81RH8024L16F**	3216		3698	80	24	29.25	64	223	40
	81RH8024R16D	3216		3698	80	24	29.25	64	223	40
	81RH8024R16F	3216		3698	80	24	29.25	64	223	40
	81RH8030L16D	3247		3735	80	30	29.25	64	295	49
	81RH8030L16F	3247		3735	80	30	29.25	64	295	49
	81RH8030R16D	3247		3735	80	30	29.25	64	295	49
	81RH8030R16F	3247		3735	80	36	29.25	64	295	49
	81RH8036L16D	3299		3793	80	30	29.25	64	342	58
	81RH8036L16F	3299		3793	80	36	29.25	64	342	58
	81RH8036R16D	3299		3793	80	36	29.25	64	342	58
	81RH8036R16F	3299		3793	80	36	29.25	64	342	58
	81RH8820L16D	3259		3748	88	20	29.25	72	200	37
	81RH8820L16F	3259		3748	88	20	29.25	72	200	37
	81RH8820R16D	3259		3734	88	20	29.25	72	200	37
	81RH8820R16F	3259		3748	88	20	29.25	72	200	37
	81RH8824L16D	3313		3809	88	24	29.25	72	234	43
	81RH8824L16F	3313		3809	88	24	29.25	72	234	43
	81RH8824R16D	3313		3809	88	24	29.25	72	234	43
	81RH8824R16F	3313		3809	88	24	29.25	72	234	43
	81RH8830L16D	3343		3844	88	30	29.25	72	310	54
	81RH8830L16F	3343		3844	88	30	29.25	72	310	54
	81RH8830R16D	3343		3844	88	30	29.25	72	310	54
	81RH8830R16F	3343		3844	88	30	29.25	72	310	54
	81RH8836L16D	3390		3899	88	36	29.25	72	361	64
	81RH8836L16F	3390		3899	88	36	29.25	72	361	64
	81RH8836R16D	3390		3899	88	36	29.25	72	361	64
	81RH8836R16F	3390		3899	88	36	29.25	72	361	64

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number. Add 7% list for a full 3/4 or full height modesty panel. Add \$170 list upcharge for wire management cut-out option and state clearly on Purchase Order.

For details on pull locations please see page 126.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawers
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.


WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

VESTRADA | RETURNS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Desk Height Return, 24" Pedestal 	81RH4820L24D	2755	3168	48	20	29.25	24	155	21
	81RH4820L24F	2755	3168	48	20	29.25	24	155	21
	81RH4820R24D	2755	3168	48	20	29.25	24	155	21
	81RH4820R24F	2755	3168	48	20	29.25	24	155	21
	81RH4824L24D	2765	3179	48	24	29.25	24	175	24
	81RH4824L24F	2765	3179	48	24	29.25	24	175	24
	81RH4824R24D	2765	3179	48	24	29.25	24	175	24
	81RH4824R24F	2765	3179	48	24	29.25	24	175	24
	81RH5620L24D	2788	3206	56	20	29.25	32	165	24
	81RH5620L24F	2788	3206	56	20	29.25	32	165	24
	81RH5620R24D	2788	3201	56	20	29.25	32	165	24
	81RH5620R24F*	2788	3206	56	20	29.25	32	165	24
	81RH5624L24D	2823	3247	56	24	29.25	32	185	28
	81RH5624L24F	2823	3247	56	24	29.25	32	185	28
	81RH5624R24D	2823	3247	56	24	29.25	32	185	28
	81RH5624R24F	2823	3247	56	24	29.25	32	185	28
	81RH6420L24D	2843	3270	64	20	29.25	40	186	27
	81RH6420L24F	2843	3270	64	20	29.25	40	186	27
	81RH6420R24D	2843	3256	64	20	29.25	40	186	27
	81RH6420R24F	2843	3270	64	20	29.25	40	186	27
	81RH6424L24D	2923	3362	64	24	29.25	40	211	32
	81RH6424L24F	2923	3362	64	24	29.25	40	211	32
	81RH6424R24D	2923	3362	64	24	29.25	40	211	32
	81RH6424R24F	2923	3362	64	24	29.25	40	211	32
	81RH6430L24D	3017	3470	64	30	29.25	40	274	39
	81RH6430L24F	3017	3470	64	30	29.25	40	274	39
	81RH6430R24D	3017	3470	64	30	29.25	40	274	39
	81RH6430R24F	3017	3470	64	30	29.25	40	274	39
	81RH6436L24D	3119	3587	64	36	29.25	40	280	47
	81RH6436L24F	3119	3587	64	36	29.25	40	280	47
	81RH6436R24D	3119	3587	64	36	29.25	40	280	47
	81RH6436R24F	3119	3587	64	36	29.25	40	280	47
	81RH7220L24D	3083	3546	72	20	29.25	48	201	30
	81RH7220L24F	3083	3546	72	20	29.25	48	201	30
	81RH7220R24D	3083	3496	72	20	29.25	48	201	30
	81RH7220R24F	3083	3546	72	20	29.25	48	201	30

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number. Add 7% list for a full 3/4 or full height modesty panel. Add \$170 list upcharge for wire management cut-out option and state clearly on Purchase Order.
For details on pull locations please see page 126.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawers
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES



For a complete list of standard wood finishes please see page 124.

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Desk Height Return, 24" Pedestal, Continued	81RH7224L24D	3154	3627	72	24	29.25	48	230	36
	81RH7224L24F	3154	3627	72	24	29.25	48	230	36
	81RH7224R24D	3154	3627	72	24	29.25	48	230	36
	81RH7224R24F	3154	3627	72	24	29.25	48	230	36
	81RH7230L24D	3244	3731	72	30	29.25	48	298	44
	81RH7230L24F*	3244	3731	72	30	29.25	48	298	44
	81RH7230R24D	3244	3731	72	30	29.25	48	298	44
	81RH7230R24F	3244	3731	72	30	29.25	48	298	44
	81RH7236L24D	3289	3782	72	36	29.25	48	341	52
	81RH7236L24F	3289	3782	72	36	29.25	48	341	52
	81RH7236R24D	3289	3782	72	36	29.25	48	341	52
	81RH7236R24F	3289	3782	72	36	29.25	56	341	52
	81RH8020L24D	3261	3750	80	20	29.25	56	200	34
	81RH8020L24F	3261	3750	80	20	29.25	56	200	34
	81RH8020R24D	3261	3734	80	20	29.25	56	200	34
	81RH8020R24F	3261	3750	80	20	29.25	56	200	34
	81RH8024L24D	3313	3809	80	24	29.25	56	248	40
	81RH8024L24F	3313	3809	80	24	29.25	56	248	40
	81RH8024R24D	3313	3809	80	24	29.25	56	248	40
	81RH8024R24F	3313	3809	80	24	29.25	56	248	40
	81RH8030L24D	3344	3845	80	30	29.25	56	320	49
	81RH8030L24F	3344	3845	80	30	29.25	56	320	49
	81RH8030R24D	3344	3845	80	30	29.25	56	320	49
	81RH8030R24F	3344	3845	80	30	29.25	56	320	49
	81RH8036L24D	3397	3907	80	36	29.25	56	367	58
	81RH8036L24F	3397	3907	80	36	29.25	56	367	58
	81RH8036R24D	3397	3907	80	36	29.25	56	367	58
	81RH8036R24F	3397	3907	80	36	29.25	48	367	58
	81RH8820L24D	3356	3859	88	20	29.25	64	367	37
	81RH8820L24F	3356	3859	88	20	29.25	64	367	37
	81RH8820R24D	3356	3829	88	20	29.25	64	367	37
	81RH8820R24F	3356	3859	88	20	29.25	64	367	37
	81RH8824L24D	3413	3926	88	24	29.25	64	251	43
	81RH8824L24F	3413	3926	88	24	29.25	64	251	43
	81RH8824R24D	3413	3926	88	24	29.25	64	251	43
	81RH8824R24F	3413	3926	88	24	29.25	64	251	43

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number. Add 7% list for a full 3/4 or full height modesty panel. Add \$170 list upcharge for wire management cut-out option and state clearly on Purchase Order.

For details on pull locations please see page 126.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
H - desk height worksurface
01 - lateral file drawers
05 - 4 box/ 1 lateral file
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.


WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

VESTRADA | RETURNS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
	81RH5620L3201	3326	3825	56	20	29.25	24	172	24
	81RH5620R3201	3326	3825	56	20	29.25	24	172	24
	81RH5624L3201	3342	3843	56	24	29.25	24	192	28
	81RH5624R3201	3342	3843	56	24	29.25	24	192	28
	81RH6420L3201	3345	3847	64	20	29.25	32	193	27
	81RH6420R3201	3345	3847	64	20	29.25	32	193	27
	81RH6424L3201*	3365	3869	64	24	29.25	32	218	32
	81RH6424R3201	3365	3869	64	24	29.25	32	218	32
	81RH6430L3201	3380	3887	64	30	29.25	32	306	39
	81RH6430R3201	3380	3887	64	30	29.25	32	306	39
	81RH6436L3201	3410	3921	64	36	29.25	32	312	47
	81RH6436R3201	3410	3921	64	36	29.25	32	312	47
	81RH7220L3201	3387	3895	72	20	29.25	40	208	30
	81RH7220R3201	3387	3895	72	20	29.25	40	208	30
	81RH7224L3201	3414	3927	72	24	29.25	40	237	36
	81RH7224R3201	3414	3927	72	24	29.25	40	237	36
	81RH7230L3201	3439	3955	72	30	29.25	40	330	44
	81RH7230R3201	3439	3955	72	30	29.25	40	330	44
	81RH7236L3201	3470	3990	72	36	29.25	40	373	52
	81RH7236R3201	3470	3990	72	36	29.25	40	373	52
	81RH8020L3201	3441	3957	80	20	29.25	48	207	34
	81RH8020R3201	3441	3957	80	20	29.25	48	207	34
	81RH8024L3201	3464	3983	80	24	29.25	48	255	40
	81RH8024R3201	3464	3983	80	24	29.25	48	255	40
	81RH8030L3201	3498	4022	80	30	29.25	48	352	49
	81RH8030R3201	3498	4022	80	30	29.25	48	352	49
	81RH8036L3201	3531	4061	80	36	29.25	48	389	58
	81RH8036R3201	3531	4061	80	36	29.25	48	389	58
	81RH8820L3201	3470	3990	88	20	29.25	56	227	37
	81RH8820R3201	3470	3990	88	20	29.25	56	227	37
	81RH8824L3201	3505	4030	88	24	29.25	56	258	43
	81RH8824R3201	3505	4030	88	24	29.25	56	258	43
	81RH8830L3201	3546	4078	88	30	29.25	56	356	54
	81RH8830R3201	3546	4078	88	30	29.25	56	356	54
	81RH8836L3201	3591	4129	88	36	29.25	56	403	64
	81RH8836R3201	3591	4129	88	36	29.25	56	403	64

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number. Add 7% list for a full 3/4 or full height modesty panel. Add \$170 list upcharge for wire management cut-out option and state clearly on Purchase Order.

For details on pull locations please see page 126.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 H - desk height worksurface
 01 - lateral file drawers
 05 - 4 box/ 1 lateral file
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES



For a complete list of standard wood finishes please see page 124.

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

DESCRIPTION	MODEL	Cherry Rift Oak		Anigre	W	D	H	KW	Shipping	
		Walnut	Maple						Weight	Cubes
Desk Height Return, 32" 4 Box/1 Lateral File Pedestal  	81RH5620L3205	3792		4360	56	20	29.25	24	172	24
	81RH5620R3205	3792		4360	56	20	29.25	24	172	24
	81RH5624L3205	3811		4382	56	24	29.25	24	192	28
	81RH5624R3205	3811		4382	56	24	29.25	24	192	28
	81RH6420L3205	3815		4386	64	20	29.25	32	193	27
	81RH6420R3205	3815		4386	64	20	29.25	32	193	27
	81RH6424L3205	3835		4411	64	24	29.25	32	218	32
	81RH6424R3205	3835		4411	64	24	29.25	32	218	32
	81RH6430L3205	3852		4430	64	30	29.25	32	306	39
	81RH6430R3205	3852		4430	64	30	29.25	32	306	39
	81RH6436L3205	3887		4470	64	36	29.25	32	312	47
	81RH6436R3205	3887		4470	64	36	29.25	32	312	47
	81RH7220L3205	3861		4440	72	20	29.25	40	208	30
	81RH7220R3205	3861		4440	72	20	29.25	40	208	30
	81RH7224L3205*	3892		4476	72	24	29.25	40	237	36
	81RH7224R3205	3892		4476	72	24	29.25	40	237	36
	81RH7230L3205	3919		4506	72	30	29.25	40	330	44
	81RH7230R3205	3919		4506	72	30	29.25	40	330	44
	81RH7236L3205	3956		4549	72	36	29.25	40	373	52
	81RH7236R3205	3956		4549	72	36	29.25	40	373	52
	81RH8020L3205	3924		4512	80	20	29.25	48	207	34
	81RH8020R3205	3924		4512	80	20	29.25	48	207	34
	81RH8024L3205	3949		4541	80	24	29.25	48	255	40
	81RH8024R3205	3949		4541	80	24	29.25	48	255	40
	81RH8030L3205	3986		4584	80	30	29.25	48	352	49
	81RH8030R3205	3986		4584	80	30	29.25	48	352	49
	81RH8036L3205	4025		4628	80	36	29.25	48	389	58
	81RH8036R3205	4025		4628	80	36	29.25	48	389	58
	81RH8820L3205	3956		4549	88	20	29.25	56	227	37
	81RH8820R3205	3956		4549	88	20	29.25	56	227	37
	81RH8824L3205	3998		4598	88	24	29.25	56	258	43
	81RH8824R3205	3998		4598	88	24	29.25	56	258	43
	81RH8830L3205	4042		4649	88	30	29.25	56	356	54
	81RH8830R3205	4042		4649	88	30	29.25	56	356	54
	81RH8836L3205	4092		4705	88	36	29.25	56	403	64
	81RH8836R3205	4092		4705	88	36	29.25	56	403	64

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number. Add 7% list for a full 3/4 or full height modesty panel. Add \$170 list upcharge for wire management cut-out option and state clearly on Purchase Order.

For details on pull locations please see page 126.

DIMENSION KEY

W - width
 D - depth
 H - height of worksurface
 KW - kneehole width
 Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 H - desk height worksurface
 01 - lateral file drawers
 05 - 4 box/ 1 lateral file
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.



WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

VESTRADA | RETURNS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Desk Height Return, 24" Extended Pedestal	81RH3620L24FW	3331	3831	36	20	29.25	20	135	16
	81RH3620R24FW	3331	3831	36	20	29.25	20	135	16
	81RH3624L24FW	3354	3857	36	24	29.25	20	145	19
	81RH3624R24FW	3354	3857	36	24	29.25	20	145	19
	81RH4820L24FW	3389	3897	48	20	29.25	32	155	21
	81RH4820R24FW	3389	3897	48	20	29.25	32	155	21
	81RH4824L24FW	3402	3912	48	24	29.25	32	175	25
	81RH4824R24FW	3402	3912	48	24	29.25	32	175	25
	81RH5620L24FW	3431	3946	56	20	29.25	40	165	24
	81RH5620R24FW	3431	3946	56	20	29.25	40	165	24
	81RH5624L24FW	3473	3994	56	24	29.25	40	185	28
	81RH5624R24FW	3473	3994	56	24	29.25	40	185	28
	81RH6420L24FW	3499	4023	64	20	29.25	48	211	27
	81RH6420R24FW	3499	4023	64	20	29.25	48	211	27
	81RH6424L24FW	3597	4136	64	24	29.25	48	274	32
	81RH6424R24FW	3597	4136	64	24	29.25	48	274	32
	81RH6430L24FW	3666	4215	64	30	29.25	48	280	40
	81RH6430R24FW	3666	4215	64	30	29.25	48	280	40
	81RH6436L24FW*	3823	4397	64	36	29.25	48	201	47
	81RH6436R24FW	3823	4397	64	36	29.25	48	201	47
	81RH7220L24FW	3793	4361	72	20	29.25	56	230	31
	81RH7220R24FW	3793	4361	72	20	29.25	56	230	31
	81RH7224L24FW	3923	4511	72	24	29.25	56	298	36
	81RH7224R24FW	3923	4511	72	24	29.25	56	298	36
	81RH7230L24FW	3975	4572	72	30	29.25	56	308	47
	81RH7230R24FW	3975	4572	72	30	29.25	56	308	47
	81RH7236L24FW	4044	4651	72	36	29.25	56	341	52
	81RH7236R24FW	4044	4651	72	36	29.25	56	341	52
	81RH8020L24FW	4014	4616	80	20	29.25	64	200	34
	81RH8020R24FW	4014	4616	80	20	29.25	64	200	34
	81RH8024L24FW	4076	4687	80	24	29.25	64	248	40
	81RH8024R24FW	4076	4687	80	24	29.25	64	248	40
	81RH8030L24FW	4113	4729	80	30	29.25	64	320	49
	81RH8030R24FW	4113	4729	80	30	29.25	64	320	49
	81RH8036L24FW	4170	4796	80	36	29.25	64	367	58
	81RH8036R24FW	4170	4796	80	36	29.25	64	367	58
	81RH8820L24FW	4130	4750	88	20	29.25	72	367	37
	81RH8820R24FW	4130	4750	88	20	29.25	72	367	37
	81RH8824L24FW	4200	4830	88	24	29.25	72	251	44
	81RH8824R24FW	4200	4830	88	24	29.25	72	251	44
	81RH8830L24FW	4247	4884	88	30	29.25	72	324	54
	81RH8830R24FW	4247	4884	88	30	29.25	72	324	54
	81RH8836L24FW	4285	4928	88	36	29.25	72	371	64
	81RH8836R24FW	4285	4928	88	36	29.25	72	371	64

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 H - desk height worksurface
 01 - lateral file drawers
 05 - 4 box/ 1 lateral file
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes please see page 124.

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

DESCRIPTION	MODEL	Cherry Rift Oak	Walnut Maple	Anigre	W	D	H	KW	Shipping	
									Weight	Cubes
Desk Height Return, 32" 2 Box/ 1 File/ V-Ped Pedestal 	81RH3624L32FQW	4260	4899		36	24	29.25	12	136	19
	81RH3624R32FQW	4260	4899		36	24	29.25	12	136	19
	81RH4824L32FQW	4307	4953		48	24	29.25	24	166	24
	81RH4824R32FQW	4307	4953		48	24	29.25	24	166	24
	81RH5624L32FQW	4375	5031		56	24	29.25	32	182	28
	81RH5624R32FQW	4375	5031		56	24	29.25	32	182	28
	81RH6424L32FQW	4466	5136		64	24	29.25	40	203	32
	81RH6424R32FQW	4466	5136		64	24	29.25	40	203	32
	81RH7224L32FQW*	4616	5308		72	24	29.25	48	222	36
	81RH7224R32FQW	4616	5308		72	24	29.25	48	222	36
	81RH8024L32FQW	4715	5423		80	24	29.25	56	241	40
	81RH8024R32FQW	4715	5423		80	24	29.25	56	241	40
	81RH8824L32FQW	4832	5556		88	24	29.25	64	250	43
	81RH8824R32FQW	4832	5556		88	24	29.25	64	250	43

ORDERING NOTES:

Listed pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81RH7220LX41. To add 3/4 wood modesty panel add (X31) to the end of the model number. Add 7% list for a full 3/4 or full height modesty panel.

Add \$170 list upcharge for wire management cut-out option and state clearly on Purchase Order.

The 32" BBF and V-Ped is one component. The V-Ped is always located towards the kneespace and is not available for field installation.

A 32" pedestal under an extended return is inset by 24". A 24" pedestal under an extended return is inset by 16"

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position

R - right hand pedestal position

D - 2 file drawers

F - 2 box, 1 file drawer

H - desk height worksurface

01 - lateral file drawers

05 - 4 box/ 1 lateral file

X31 - 3/4 height recessed modesty panel

X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.




WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

VESTRADA | ANGLED SHAPED RETURNS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Canted Inverted Desk Height Return, no Modesty Panel, 16" Pedestal 	81RHCI7230-38L16F	3649	4196	72	30	29.25	46	189	44
	81RHCI7230-38R16F	3649	4196	72	30	29.25	46	189	44
	81RHCI7230-38L16D	3649	4196	72	30	29.25	46	189	44
	81RHCI7230-38R16D	3649	4196	72	30	29.25	46	189	44
	81RHCI7236-44R16F	3747	4309	72	36	29.25	43	232	52
	81RHCI7236-44L16F	3747	4309	72	36	29.25	43	232	52
	81RHCI7236-44R16D	3747	4309	72	36	29.25	43	232	52
	81RHCI7236-44L16D	3747	4309	72	36	29.25	43	232	52
	81RHCI8030-38L16F	3832	4408	80	30	29.25	52	210	49
	81RHCI8030-38R16F	3832	4408	80	30	29.25	52	210	49
	81RHCI8030-38L16D	3832	4408	80	30	29.25	52	210	49
	81RHCI8030-38R16D	3832	4408	80	30	29.25	52	210	49
	81RHCI8036-44L16F	3906	4491	80	36	29.25	48	247	58
	81RHCI8036-44R16F	3906	4491	80	36	29.25	48	247	58
	81RHCI8036-44L16D	3906	4491	80	36	29.25	48	247	58
	81RHCI8036-44R16D	3906	4491	80	36	29.25	48	247	58
Canted Inverted Desk Height Return, 3/4 Height Floating Modesty Panel, 16" Pedestal 	81RHCIV7230-38L16FX31	4294	4938	72	30	29.25	44	215	44
	81RHCIV7230-38R16FX31	4294	4938	72	30	29.25	44	215	44
	81RHCIV7230-38L16DX31	4294	4938	72	30	29.25	44	215	44
	81RHCIV7230-38R16DX31	4294	4938	72	30	29.25	44	215	44
	81RHCIV7236-44L16FX31	4411	5072	72	36	29.25	40	258	52
	81RHCIV7236-44R16FX31	4411	5072	72	36	29.25	40	258	52
	81RHCIV7236-44L16DX31	4411	5072	72	36	29.25	40	258	52
	81RHCIV7236-44R16DX31	4411	5072	72	36	29.25	40	258	52
	81RHCIV8030-38L16FX31	4509	5185	80	30	29.25	52	236	49
	81RHCIV8030-38R16FX31	4509	5185	80	30	29.25	52	236	49
	81RHCIV8030-38L16DX31	4509	5185	80	30	29.25	52	236	49
	81RHCIV8030-38R16DX31	4509	5185	80	30	29.25	52	236	49
	81RHCIV8036-44L16FX31	4597	5287	80	36	29.25	48	273	58
	81RHCIV8036-44R16FX31	4597	5287	80	36	29.25	48	273	58
	81RHCIV8036-44L16DX31	4597	5287	80	36	29.25	48	273	58
	81RHCIV8036-44R16DX31	4597	5287	80	36	29.25	48	273	58
Canted Arc Inverted Desk Height Return, no Modesty Panel, 16" Pedestal 	81RHCAI7230-38L16F	3649	4196	72	30	29.25	44	189	44
	81RHCAI7230-38R16F	3649	4196	72	30	29.25	44	189	44
	81RHCAI7230-38L16D	3649	4196	72	30	29.25	44	189	44
	81RHCAI7230-38R16D	3649	4196	72	30	29.25	44	189	44
	81RHCAI7236-44L16F	3747	4309	72	36	29.25	40	232	52
	81RHCAI7236-44R16F	3747	4309	72	36	29.25	40	232	52
	81RHCAI7236-44L16D	3747	4309	72	36	29.25	40	232	52
	81RHCAI7236-44R16D	3747	4309	72	36	29.25	40	232	52
	81RHCAI8030-38L16F	3832	4408	80	30	29.25	52	210	49
	81RHCAI8030-38R16F	3832	4408						

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 H - desk height worksurface
 M - machine height
 V - floating modesty panel
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are satin aluminum




WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

VESTRADA | ANGLED SHAPED RETURNS

DESCRIPTION	MODEL	Cherry Rift Oak		Anigre	W	D	H	KW	Shipping	
		Walnut	Maple						Weight	Cubes
Canted Arc Inverted Desk Height Return, no Modesty Panel, 16" Pedestal cont.	81RHCAI8030-38L16D	3832		4408	80	30	29.25	52	210	49
	81RHCAI8030-38R16D	3832		4408	80	30	29.25	52	210	49
	81RHCAI8036-44L16F	3906		4491	80	36	29.25	48	249	58
	81RHCAI8036-44R16F	3906		4491	80	36	29.25	48	249	58
	81RHCAI8036-44L16D	3906		4491	80	36	29.25	48	249	58
	81RHCAI8036-44R16D	3906		4491	80	36	29.25	48	249	58
	81RHCAI8036-44R16D	3906		4491	80	36	29.25	48	249	58
Canted Arc Inverted Desk Height Return, 3/4 Height Floating Modesty Panel, 16" Pedestal 	81RHCAIV7230-38L16FX31	4294		4938	72	30	29.25	44	215	44
	81RHCAIV7230-38L16DX31	4294		4938	72	30	29.25	44	215	44
	81RHCAIV7230-38R16FX31	4294		4938	72	30	29.25	44	215	44
	81RHCAIV7230-38R16DX31	429		493	72	30	29.25	44	215	44
	81RHCAIV7236-44L16FX31	4411		5072	72	36	29.25	40	258	52
	81RHCAIV7236-44L16DX31	4411		5072	72	36	29.25	40	258	52
	81RHCAIV7236-44R16FX31	4411		5072	72	36	29.25	40	258	52
	81RHCAIV7236-44R16DX31	4411		5072	72	36	29.25	40	258	52
	81RHCAIV8030-38L16FX31	4509		5185	80	30	29.25	52	236	49
	81RHCAIV8030-38L16DX31	4509		5185	80	30	29.25	52	236	49
	81RHCAIV8030-38R16FX31	4509		5185	80	30	29.25	52	236	49
	81RHCAIV8030-38R16DX31	4509		5185	80	30	29.25	52	236	49
	81RHCAIV8036-44L16FX31	4597		5287	80	36	29.25	48	273	58
	81RHCAIV8036-44L16DX31	4597		5287	80	36	29.25	48	273	58
	81RHCAIV8036-44R16FX31	4597		5287	80	36	29.25	48	273	58
	81RHCAIV8036-44R16DX31	4597		5287	80	36	29.25	48	273	58
	81RHCAIV8036-44R16DX31	4597		5287	80	36	29.25	48	273	58
Canted Arc Inverted Desk Height Return, Elliptical Base 	81RHCAI7230-38LE2	2531		2911	72	30	29.25	44	163	44
	81RHCAI7230-38RE2	2531		2911	72	30	29.25	44	163	44
	81RHCAI7236-44LE2	2641		3037	72	36	29.25	40	206	52
	81RHCAI7236-44RE2	2641		3037	72	36	29.25	40	206	52
	81RHCAI8030-38LE2*	2723		3132	80	30	29.25	52	184	49
	81RHCAI8030-38RE2	2723		3132	80	30	29.25	52	184	49
	81RHCAI8036-44LE2	2845		3272	80	36	29.25	48	221	58
	81RHCAI8036-44RE2	2845		3272	80	36	29.25	48	221	58
Oblique Desk Height Return, Elliptical Base 	81RHO7230-36LE2	2531		2911	72	30	29.25	56	163	11
	81RHO7230-36RE2	2531		2911	72	30	29.25	56	163	11
	81RHO7236-42LE2	2641		3037	72	36	29.25	56	206	12
	81RHO7236-42RE2	2641		3037	72	36	29.25	56	206	12
	81RHO8030-36LE2*	2723		3132	80	30	29.25	64	184	13
	81RHO8030-36RE2	2723		3132	80	30	29.25	64	184	13
	81RHO8036-42LE2	2845		3272	80	36	29.25	64	221	14
	81RHO8036-42RE2	2845		3272	80	36	29.25	64	221	14

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
H - desk height worksurface
M - machine height
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are satin aluminum


WIRING GROMMETS


One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT


Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.


VESTRADA | ANGLED SHAPED RETURNS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping		
		Walnut Maple						Weight	Cubes	
	Oblique Desk Height Return, Elliptical Base, Fixed Modesty Panel	81RHO7230-36LE2X41	3398	3908	72	30	29.25	56	189	12
		81RHO7230-36RE2X41	3398	3908	72	30	29.25	56	189	12
		81RHO7236-42LE2X41	3428	3943	72	36	29.25	56	232	13
		81RHO7236-42RE2X41	3428	3943	72	36	29.25	56	232	13
		81RHO8030-36LE2X41*	3501	4025	80	30	29.25	64	210	14
		81RHO8030-36RE2X41	3501	4025	80	30	29.25	64	210	14
		81RHO8036-42LE2X41	3588	4126	80	36	29.25	64	247	15
		81RHO8036-42RE2X41	3588	4126	80	36	29.25	64	247	15

	Oblique Desk Height Return, Elliptical Base, Floating Modesty Panel	81RHOV7230-36LE2X31	3739	4300	72	30	29.25	56	189	12
		81RHOV7230-36RE2X31	3739	4300	72	30	29.25	56	189	12
		81RHOV7236-42LE2X31	3771	4336	72	36	29.25	56	232	13
		81RHOV7236-42RE2X31	3771	4336	72	36	29.25	56	232	13
		81RHOV8030-36LE2X31*	3850	4428	80	30	29.25	64	210	14
		81RHOV8030-36RE2X31	3850	4428	80	30	29.25	64	210	14
		81RHOV8036-42LE2X31	3947	4539	80	36	29.25	64	247	15
		81RHOV8036-42RE2X31	3947	4539	80	36	29.25	64	247	15


ORDERING NOTES:
Replace 'H' in the model number prefix with 'M' to specify machine height at no upcharge.

	Oblique Inverted Desk Height Return, Elliptical Base	81RHOI7230-36LE2	2531	2911	72	30	29.25	56	163	11
		81RHOI7230-36RE2	2531	2911	72	30	29.25	56	163	11
		81RHOI7236-42LE2	2641	3037	72	36	29.25	56	206	12
		81RHOI7236-42RE2	2641	3037	72	36	29.25	56	206	12
		81RHOI8030-36LE2*	2723	3132	80	30	29.25	64	184	13
		81RHOI8030-36RE2	2723	3132	80	30	29.25	64	184	13
		81RHOI8036-42LE2	2845	3272	80	36	29.25	64	221	14
		81RHOI8036-42RE2	2845	3272	80	36	29.25	64	221	14

	Oblique Inverted Desk Height Return, Elliptical Base, Fixed Modesty Panel	81RHOI7230-36LE2X41	3398	3908	72	30	29.25	56	163	11
		81RHOI7230-36RE2X41	3398	3908	72	30	29.25	56	163	11
		81RHOI7236-42LE2X41	3428	3943	72	36	29.25	56	189	12
		81RHOI7236-42RE2X41	3428	3943	72	36	29.25	56	189	12
		81RHOI8030-36LE2X41*	3501	4025	80	30	29.25	64	184	13
		81RHOI8030-36RE2X41	3501	4025	80	30	29.25	64	184	13
		81RHOI8036-42LE2X41	3588	4126	80	36	29.25	64	210	14
		81RHOI8036-42RE2X41	3588	4126	80	36	29.25	64	210	14


ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION L - left hand pedestal position R - right hand pedestal position D - 2 file drawers F - 2 box, 1 file drawer H - desk height worksurface M - machine height V - floating modesty panel E2 - wood elliptical base X31 - 3/4 height recessed modesty panel X41 - full height recessed modesty panel	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are satin aluminum WIRING GROMMETS One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options. SUPPORT Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.
--	--	--


VESTRADA | CURVILINEAR RETURNS


DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
 Oblique Inverted Desk Height Return, Elliptical Base, Floating Modesty Panel	81RHOIV7230-36LE2X31	3739	4300	72	30	29.25	56	189	12
	81RHOIV7230-36RE2X31	3739	4300	72	30	29.25	56	189	12
	81RHOIV7236-42LE2X31	3771	4336	72	36	29.25	56	232	13
	81RHOIV7236-42RE2X31	3771	4336	72	36	29.25	56	232	13
	81RHOIV8030-36LE2X31*	3850	4428	80	30	29.25	64	210	14
	81RHOIV8030-36RE2X31	3850	4428	80	30	29.25	64	210	14
	81RHOIV8036-42LE2X31	3947	4539	80	36	29.25	64	247	15
	81RHOIV8036-42RE2X31	3947	4539	80	36	29.25	64	247	15

ORDERING NOTES:

Replace 'H' in the model number prefix with 'M' to specify machine height at no upcharge.

 Arc End Desk Height Return, Elliptical Base	81RHA7230LE2	1607	1848	72	30	29.25	56	164	12
	81RHA7230RE2	1607	1848	72	30	29.25	56	164	12
	81RHA7236LE2	1656	1904	72	36	29.25	56	207	13
	81RHA7236RE2	1656	1904	72	36	29.25	56	207	13
	81RHA8030LE2*	1679	1930	80	30	29.25	64	185	14
	81RHA8030RE2	1679	1930	80	30	29.25	64	185	14
	81RHA8036LE2	1742	2003	80	36	29.25	64	222	15
	81RHA8036RE2	1742	2003	80	36	29.25	64	222	15

 Arc End Desk Height Return, Elliptical Base, Fixed Modesty Panel	81RHA7230LE2X41	2000	2300	72	30	29.25	56	190	12
	81RHA7230RE2X41	2000	2300	72	30	29.25	56	190	12
	81RHA7236LE2X41	2182	2509	72	36	29.25	56	233	13
	81RHA7236RE2X41	2182	2509	72	36	29.25	56	233	13
	81RHA8030LE2X41*	2204	2535	80	30	29.25	64	211	14
	81RHA8030RE2X41	2204	2535	80	30	29.25	64	211	14
	81RHA8036LE2X41	2399	2759	80	36	29.25	64	248	15
	81RHA8036RE2X41	2399	2759	80	36	29.25	64	248	15

 Arc End Desk Height Return, Elliptical Base, Floating Modesty Panel	81RHAV7230LE2X31	2200	2531	72	30	29.25	56	190	12
	81RHAV7230RE2X31	2200	2531	72	30	29.25	56	190	12
	81RHAV7236LE2X31*	2400	2760	72	36	29.25	56	233	13
	81RHAV7236RE2X31	2400	2760	72	36	29.25	56	233	13
	81RHAV8030LE2X31	2426	2790	80	30	29.25	64	211	14
	81RHAV8030RE2X31	2426	2790	80	30	29.25	64	211	14
	81RHAV8036LE2X31	2639	3035	80	36	29.25	64	248	15
	81RHAV8036RE2X31	2639	3035	80	36	29.25	64	248	15

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
H - desk height worksurface
M - machine height
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are satin aluminum


WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT


Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.


VESTRADA | CURVILINEAR RETURNS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
 Bullet Desk Height Return, Elliptical Base	81RHB7230LE2	1655	1903	72	30	29.25	56	164	10
	81RHB7230RE2	1655	1903	72	30	29.25	56	164	10
	81RHB7236LE2	1706	1962	72	36	29.25	56	207	11
	81RHB7236RE2	1706	1962	72	36	29.25	56	207	11
	81RHB8030LE2*	1728	1988	80	30	29.25	64	185	12
	81RHB8030RE2	1728	1988	80	30	29.25	64	185	12
	81RHB8036LE2	1793	2062	80	36	29.25	64	222	13
	81RHB8036RE2	1793	2062	80	36	29.25	64	222	13

ORDERING NOTES:

Replace 'H' in the model number prefix with 'M' to specify machine height at no upcharge.

 Bullet Desk Height Return, Elliptical Base, Fixed Modesty Panel	81RHB7230LE2X41	1855	2133	72	30	29.25	56	190	11
	81RHB7230RE2X41	1855	2133	72	30	29.25	56	190	11
	81RHB7236LE2X41	1913	2200	72	36	29.25	56	233	12
	81RHB7236RE2X41	1913	2200	72	36	29.25	56	233	12
	81RHB8030LE2X41*	1939	2230	80	30	29.25	64	211	13
	81RHB8030RE2X41	1939	2230	80	30	29.25	64	211	13
	81RHB8036LE2X41	2013	2315	80	36	29.25	64	248	14
	81RHB8036RE2X41	2013	2315	80	36	29.25	64	248	14

 Bullet Desk Height Return, Elliptical Base, Floating Modesty Panel	81RHBV7230LE2X31	2043	2350	72	30	29.25	56	190	11
	81RHBV7230RE2X31	2043	2350	80	30	29.25	56	190	11
	81RHBV7236LE2X31	2106	2422	72	30	29.25	56	233	12
	81RHBV7236RE2X31	2106	2422	80	30	29.25	56	233	12
	81RHBV8030LE2X31*	2133	2453	72	36	29.25	64	211	13
	81RHBV8030RE2X31	2133	2453	80	36	29.25	64	211	13
	81RHBV8036LE2X31	2214	2547	72	36	29.25	64	248	14
	81RHBV8036RE2X31	2214	2547	80	36	29.25	64	248	14

 P- Desk Height Return, Elliptical Base	81RHP7230-36LE2	2531	2911	72	30	29.25	56	163	10
	81RHP7230-36RE2	2531	2911	80	30	29.25	56	163	10
	81RHP7236-42LE2	2641	3037	72	36	29.25	56	206	11
	81RHP7236-42RE2	2641	3037	80	36	29.25	56	206	11
	81RHP8030-36LE2*	2723	3132	72	30	29.25	64	184	12
	81RHP8030-36RE2	2723	3132	80	30	29.25	64	184	12
	81RHP8036-42LE2	2845	3272	72	36	29.25	64	221	13
	81RHP8036-42RE2	2845	3272	80	36	29.25	64	221	13

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
H - desk height worksurface
M - machine height
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are satin aluminum


WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 198.

VESTRADA | CURVILINEAR RETURNS


DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
 P- Desk Height Return, Elliptical Base, Fixed Modesty Panel	81RHP7230-36LE2X41	3035	3490	72	30	29.25	56	189	12
	81RHP7230-36RE2X41	3398	3908	80	30	29.25	56	189	12
	81RHP7236-42LE2X41	3428	3943	72	36	29.25	56	232	13
	81RHP7236-42RE2X41	3428	3943	80	36	29.25	56	232	13
	81RHP8030-36LE2X41	3501	4025	72	30	29.25	64	210	14
	81RHP8030-36RE2X41	3501	4025	80	30	29.25	64	210	14
	81RHP8036-42LE2X41*	3588	4126	72	36	29.25	64	247	15
	81RHP8036-42RE2X41	3588	4126	80	36	29.25	64	247	15

ORDERING NOTES:

Replace 'H' in the model number prefix with 'M' to specify machine height at no upcharge.

 P- Desk Height Return, Elliptical Base, Floating Modesty Panel	81RHPV7230-36LE2X31	3739	4300	72	30	29.25	56	188	12
	81RHPV7230-36RE2X31	3739	4300	80	30	29.25	56	188	12
	81RHPV7236-42LE2X31	3771	4336	72	36	29.25	56	231	13
	81RHPV7236-42RE2X31	3771	4336	80	36	29.25	56	231	13
	81RHPV8030-36LE2X31	3850	4428	72	30	29.25	64	209	14
	81RHPV8030-36RE2X31	3850	4428	80	30	29.25	64	209	14
	81RHPV8036-42LE2X31*	3947	4539	72	36	29.25	64	249	15
	81RHPV8036-42RE2X31	3947	4539	80	36	29.25	64	249	15

 Fin Desk Height Return, Elliptical Base	81RHF7230LE2	1655	1903	72	30	29.25	56	163	10
	81RHF7230RE2	1655	1903	80	30	29.25	56	163	10
	81RHF7236LE2	1706	1962	72	30	29.25	56	206	11
	81RHF7236RE2	1706	1962	80	30	29.25	56	206	11
	81RHF8030LE2*	1728	1988	72	36	29.25	60	184	12
	81RHF8030RE2	1728	1988	80	36	29.25	60	184	12
	81RHF8036LE2	1793	2062	72	36	29.25	60	221	13
	81RHF8036RE2	1793	2062	80	36	29.25	60	221	13

 Fin Desk Height Return, Elliptical Base, Floating Modesty Panel	81RHFV7230LE2X31	1855	2133	72	30	29.25	56	189	11
	81RHFV7230RE2X31	1855	2133	80	30	29.25	56	189	11
	81RHFV7236LE2X31	1913	2200	72	30	29.25	56	232	12
	81RHFV7236RE2X31	1913	2200	80	30	29.25	56	232	12
	81RHFV8030LE2X31*	1939	2230	72	36	29.25	60	210	13
	81RHFV8030RE2X31	1939	2230	80	36	29.25	60	210	13
	81RHFV8036LE2X31	2014	2316	72	36	29.25	60	247	14
	81RHFV8036RE2X31	2014	2316	80	36	29.25	60	247	14

ORDERING NOTES:

Replace 'H' in the model number prefix with 'M' to specify machine height at no upcharge.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
H - desk height worksurface
M - machine height
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are satin aluminum





WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 201.

VESTRADA | TRACDESKS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Desk Height, Oblique TrackDesk 	81RHJO6436LE2	2791	3210	72	36	29.25	48	139	14.5
	81RHJO6436RE2	2791	3210	72	36	29.25	48	139	14.5
	81RHJO7236LE2	2890	3323	72	36	29.25	56	164	15.5
	81RHJO7236RE2	2890	3323	72	36	29.25	56	164	15.5
	81RHJO7242LE2*	2941	3383	80	42	29.25	56	207	17
	81RHJO7242RE2	2941	3383	80	42	29.25	56	207	17
	81RHJO8042LE2	2998	3447	80	42	29.25	64	222	18.5
	81RHJO8042RE2	2998	3447	80	42	29.25	64	222	18.5
Desk Height, Oblique Inverted TrackDesk 	81RHJOI6436LE2	2791	3210	72	36	29.25	48	139	14.5
	81RHJOI6436RE2	2791	3210	72	36	29.25	48	139	14.5
	81RHJOI7236LE2	2890	3323	72	36	29.25	56	164	15.5
	81RHJOI7236RE2	2890	3323	72	36	29.25	56	164	15.5
	81RHJOI7242LE2*	2941	3383	80	42	29.25	56	207	17
	81RHJOI7242RE2	2941	3383	80	42	29.25	56	207	17
	81RHJOI8042LE2	2998	3447	80	42	29.25	64	222	18.5
	81RHJOI8042RE2	2998	3447	80	42	29.25	64	222	18.5
Desk Height, Arc End TracDesk 	81RHJA6430LE2	1931	2221	64	30	29.25	48	139	12.5
	81RHJA6430RE2	1931	2221	64	30	29.25	48	139	12.5
	81RHJA7230LE2	1997	2297	72	30	29.25	56	164	14.5
	81RHJA7230RE2	1997	2297	72	30	29.25	56	164	14.5
	81RHJA7236LE2*	2032	2337	72	36	29.25	56	207	15.5
	81RHJA7236RE2	2032	2337	72	36	29.25	56	207	15.5
	81RHJA8030LE2	2022	2326	80	30	29.25		215	17
	81RHJA8030RE2	2022	2326	80	30	29.25		215	17
	81RHJA8036LE2	2068	2378	80	36	29.25	64	222	18.5
	81RHJA8036RE2	2068	2378	80	36	29.25	64	222	18.5
Desk Height, Bullet TracDesk 	81RHJB6430LE2	1968	2263	64	30	29.25	48	134	12.5
	81RHJB6430RE2	1968	2263	64	30	29.25	48	134	12.5
	81RHJB7230LE2	2036	2342	72	30	29.25	56	159	14.5
	81RHJB7230RE2	2036	2342	72	30	29.25	56	159	14.5
	81RHJB7236LE2*	2073	2384	72	36	29.25	56	202	15.5
	81RHJB7236RE2	2073	2384	72	36	29.25	56	202	15.5
	81RHJB8030LE2	2084	2396	80	30	29.25	64	208	17
	81RHJB8030RE2	2084	2396	80	30	29.25	64	208	17
	81RHJB8036LE2	2113	2430	80	36	29.25	64	217	18.5
	81RHJB8036RE2	2113	2430	80	36	29.25	64	217	18.5

ORDERING NOTES:

Find compatible credenzas on pages 170-183. TrackDesks are NOT available on KrugExpress.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 H - desk height worksurface
 M - machine height
 V - floating modesty panel
 E2 - wood elliptical base
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES



For a complete list of standard wood finishes please see page 124. End caps on elliptical bases are satin aluminum

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 201.

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
 Desk Height, P- TracDesk	81RHJP6436LE2	2791	3210	64	36	29.25	48	139	14.5
	81RHJP6436RE2	2791	3210	64	36	29.25	48	139	14.5
	81RHJP7236LE2	2889	3322	72	36	29.25	56	164	15.5
	81RHJP7236RE2	2889	3322	72	36	29.25	56	164	15.5
	81RHJP7242LE2*	2940	3382	72	42	29.25	56	207	17
	81RHJP7242RE2	2940	3382	72	42	29.25	56	207	17
	81RHJP8042LE2	2998	3447	80	42	29.25	64	222	18.5
	81RHJP8042RE2	2998	3447	80	42	29.25	64	222	18.5
 Desk Height, Fin TracDesk	81RHJF6430LE2	1968	2263	64	30	29.25	44	139	12.5
	81RHJF6430RE2	1968	2263	64	30	29.25	44	139	14.5
	81RHJF7230LE2	2037	2343	72	30	29.25	52	164	14
	81RHJF7230RE2	2037	2343	72	30	29.25	52	164	14
	81RHJF7236LE2*	2072	2383	72	36	29.25	52	207	15
	81RHJF7236RE2	2072	2383	72	36	29.25	52	207	15
	81RHJF8030LE2	2084	2396	80	30	29.25	60	215	15.5
	81RHJF8030RE2	2084	2396	80	30	29.25	60	215	15.5
	81RHJF8036LE2	2114	2431	80	36	29.25	60	222	16.5
	81RHJF8036RE2	2114	2431	80	36	29.25	60	222	16.5

ORDERING NOTES:

Find compatible credenzas on pages 170-183. TrackDesks are NOT available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
H - desk height worksurface
M - machine height
V - floating modesty panel
E2 - wood elliptical base
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 6. End caps on elliptical bases are satin aluminum


WIRING GROMMETS


One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 135 for PowerPort options.

SUPPORT

Any top with a V-Beam and a kneespace greater than 64" requires a half gable. Please see page 201.

VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
 Credenza Shell, no Modesty Panel	81C64204L0R0	1981	2277	64	20	29.25	48	120	27
	81C64244L0R0	2030	2335	64	24	29.25	48	145	32
	81C72204L0R0	2060	2369	72	20	29.25	56	135	30
	81C72244L0R0	2140	2461	72	24	29.25	56	164	36
	81C80204L0R0	2196	2526	80	20	29.25	64	133	34
	81C80244L0R0	2279	2620	80	24	29.25	64	181	40
	81C88204L0R0	2340	2691	88	20	29.25	72	162	37
	81C88244L0R0	2417	2780	88	24	29.25	72	196	43
	81C96204L0R0	2642	3039	96	20	29.25	80	173	40
	81C96244L0R0*	2725	3134	96	24	29.25	80	209	47

 Single Pedestal Credenza, no Modesty Panel, 16" Pedestal	81C64204L16FR0	3468	3988	64	20	29.25	40	128	27
	81C64204L0R16F	3468	3988	64	20	29.25	40	128	27
	81C64204L16DR0	3468	3988	64	20	29.25	40	128	27
	81C64204L0R16D	3468	3988	64	20	29.25	40	128	27
	81C64244L16FR0	3496	4020	64	24	29.25	40	153	32
	81C64244L0R16F	3720	4279	64	24	29.25	40	153	32
	81C64244L16DR0	3496	4020	64	24	29.25	40	153	32
	81C64244L0R16D	3496	4020	64	24	29.25	40	153	32
	81C72204L16FR0	3500	4024	72	20	29.25	48	143	30
	81C72204L0R16F	3500	4024	72	20	29.25	48	143	30
	81C72204L16DR0	3500	4024	72	20	29.25	48	143	30
	81C72204L0R16D	3500	4024	72	20	29.25	48	143	30
	81C72244L16FR0	3521	4050	72	24	29.25	48	172	36
	81C72244L0R16F	3521	4050	72	24	29.25	48	172	36
	81C72244L16DR0	3521	4050	72	24	29.25	48	172	36
	81C72244L0R16D	3521	4050	72	24	29.25	48	172	36
	81C80204L16FR0	3530	4060	80	20	29.25	56	160	34
	81C80204L0R16F	3530	4060	80	20	29.25	56	160	34
	81C80204L16DR0	3530	4060	80	20	29.25	56	160	34
	81C80204L0R16D	3530	4060	80	20	29.25	56	160	34
	81C80244L16FR0	3545	4077	80	24	29.25	56	189	40
	81C80244L0R16F	3545	4077	80	24	29.25	56	189	40
	81C80244L16DR0	3545	4077	80	24	29.25	56	189	40
	81C80244L0R16D	3545	4077	80	24	29.25	56	189	40
	81C88204L16FR0	3552	4085	88	20	29.25	64	170	37
	81C88204L0R16F*	3552	4085	88	20	29.25	64	170	37
	81C88204L16DR0	3552	4085	88	20	29.25	64	170	37
	81C88204L0R16D	3552	4085	88	20	29.25	64	170	37

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.

Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 O - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN


Please see page 214 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
 Single Pedestal Credenza, no Modesty Panel, 16" Pedestal, Continued	81C88244L16FR0	3567	4102	88	24	29.25	64	204	43
	81C88244L0R16F*	3567	4102	88	24	29.25	64	204	43
	81C88244L16DR0	3567	4102	88	24	29.25	64	204	43
	81C88244L0R16D	3567	4102	88	24	29.25	64	204	43
	81C96204L16FR0	3577	4114	96	20	29.25	72	181	40
	81C96204L0R16F	3577	4114	96	20	29.25	72	181	40
	81C96204L16DR0	3577	4114	96	20	29.25	72	181	40
	81C96204L0R16D	3577	4114	96	20	29.25	72	181	40
	81C96244L16FR0	3585	4122	96	24	29.25	72	217	47
	81C96244L0R16F	3585	4122	96	24	29.25	72	217	47
	81C96244L16DR0	3585	4122	96	24	29.25	72	217	47
	81C96244L0R16D	3585	4122	96	24	29.25	72	217	47

 Single Pedestal Credenza, no Modesty Panel, 24" Pedestal	81C64204L24FR0	3576	4112	64	20	29.25	32	176	27
	81C64204L0R24F	3576	4112	64	20	29.25	32	176	27
	81C64244L24FR0	3603	4143	64	24	29.25	32	201	32
	81C64244L0R24F	3603	4143	64	24	29.25	32	201	32
	81C72204L24FR0	3608	4149	72	20	29.25	40	191	30
	81C72204L0R24F	3608	4149	72	20	29.25	40	191	30
	81C72244L24FR0	3632	4177	72	24	29.25	40	220	36
	81C72244L0R24F*	3632	4177	72	24	29.25	40	220	36
	81C80204L24FR0	3639	4185	80	20	29.25	48	189	34
	81C80204L0R24F	3639	4185	80	20	29.25	48	189	34
	81C80244L24FR0	3654	4202	80	24	29.25	48	237	40
	81C80244L0R24F	3654	4202	80	24	29.25	48	237	40
	81C88204L24FR0	3664	4213	88	20	29.25	56	218	37
	81C88204L0R24F	3664	4213	88	20	29.25	56	218	37
	81C88244L24FR0	3679	4231	88	24	29.25	56	252	43
	81C88244L0R24F	3679	4231	88	24	29.25	56	252	43
	81C96204L24FR0	3687	4240	96	20	29.25	64	229	40
	81C96204L0R24F	3687	4240	96	20	29.25	64	229	40
	81C96244L24FR0	3695	4249	96	24	29.25	64	265	47
	81C96244L0R24F	3695	4249	96	24	29.25	64	265	47

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.

Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN


Please see page 214 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Single Pedestal Credenza, no Modesty Panel, 32" 4 Box/ 1 Lateral File Pedestal 	81C72204L3205R0	4736	5446	72	20	29.25	32	207	30
	81C72204L0R3205	4736	5446	72	20	29.25	32	207	30
	81C72244L3205R0	4757	5471	72	24	29.25	32	236	36
	81C72244L0R3205	4757	5471	72	24	29.25	32	236	36
	81C80204L3205R0	4767	5482	80	20	29.25	40	215	34
	81C80204L0R3205	4767	5482	80	20	29.25	40	215	34
	81C80244L3205R0	4781	5498	80	24	29.25	40	253	40
	81C80244L0R3205*	4781	5498	80	24	29.25	40	253	40
	81C88204L3205R0	4789	5507	88	20	29.25	48	234	37
	81C88204L0R3205	4789	5507	88	20	29.25	48	234	37
	81C88244L3205R0	4804	5524	88	24	29.25	48	268	43
	81C88244L0R3205	4804	5524	88	24	29.25	48	268	43
	81C96204L3205R0	4814	5536	96	20	29.25	56	245	40
	81C96204L0R3205	4814	5536	96	20	29.25	56	245	40
	81C96244L3205R0	4821	5544	96	24	29.25	56	281	47
	81C96244L0R3205	4821	5544	96	24	29.25	56	281	47

Single Pedestal Credenza, no Modesty Panel, 32" Combination Pedestal 	81C72204L3202R0	4692	5395	72	20	29.25	32	207	30
	81C72204L0R3204	4692	5395	72	20	29.25	32	207	30
	81C72244L3202R0	4712	5418	72	24	29.25	32	236	36
	81C72244L0R3204	4712	5418	72	24	29.25	32	236	36
	81C80204L3202R0	4722	5430	80	20	29.25	40	215	34
	81C80204L0R3204	4722	5430	80	20	29.25	40	215	34
	81C80244L3202R0	4737	5447	80	24	29.25	40	253	40
	81C80244L0R3204*	4737	5447	80	24	29.25	40	253	40
	81C88204L3202R0	4744	5456	88	20	29.25	48	234	37
	81C88204L0R3204	4744	5456	88	20	29.25	48	234	37
	81C88244L3202R0	4759	5473	88	24	29.25	48	268	43
	81C88244L0R3204	4759	5473	96	20	29.25	48	268	43
	81C96204L3202R0	4769	5485	96	20	29.25	56	245	40
	81C96204L0R3204	4769	5485	88	24	29.25	56	245	40
	81C96244L3202R0	4775	5492	96	24	29.25	56	281	47
	81C96244L0R3204	4775	5492	96	24	29.25	56	281	47

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.

Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 O - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

DESCRIPTION	MODEL	Cherry Rift Oak		Anigre	W	D	H	KW	Shipping	
		Walnut	Maple						Weight	Cubes
Single Pedestal Credenza, no Modesty Panel, 32" Lateral File Pedestal 	81C72204L3201R0	4501		5176	72	20	29.25	32	207	30
	81C72204L0R3201	4501		5176	72	20	29.25	32	207	30
	81C72244L3201R0	4526		5204	72	24	29.25	32	236	36
	81C72244L0R3201	4526		5204	72	24	29.25	32	236	36
	81C80204L3201R0	4534		5213	80	20	29.25	40	215	34
	81C80204L0R3201	4534		5213	80	20	29.25	40	215	34
	81C80244L3201R0	4548		5230	80	24	29.25	40	253	40
	81C80244L0R3201*	4548		5230	80	24	29.25	40	253	40
	81C88204L3201R0	4558		5242	88	20	29.25	48	234	37
	81C88204L0R3201	4558		5242	88	20	29.25	48	234	37
	81C88244L3201R0	4573		5258	88	24	29.25	48	268	43
	81C88244L0R3201	4573		5258	88	24	29.25	48	268	43
	81C96204L3201R0	4582		5270	96	20	29.25	56	245	40
	81C96204L0R3201	4582		5270	96	20	29.25	56	245	40
	81C96244L3201R0	4589		5278	96	24	29.25	56	281	47
	81C96244L0R3201	4589		5278	96	24	29.25	56	281	47

Single Pedestal Credenza, no Modesty Panel, 32" Bookcase Pedestal 	81C72204L32BCR0	3858		4437	72	20	29.25	32	202	30
	81C72204L0R32BC	3858		4437	72	20	29.25	32	202	30
	81C72244L32BCR0	3881		4463	72	24	29.25	32	231	36
	81C72244L0R32BC	3881		4463	72	24	29.25	32	231	36
	81C80204L32BCR0	3889		4472	80	20	29.25	40	210	34
	81C80204L0R32BC	3889		4472	80	20	29.25	40	210	34
	81C80244L32BCR0	3904		4489	80	24	29.25	40	248	40
	81C80244L0R32BC*	3904		4489	80	24	29.25	40	248	40
	81C88204L32BCR0	3914		4501	88	20	29.25	48	229	37
	81C88204L0R32BC	3914		4501	88	20	29.25	48	229	37
	81C88244L32BCR0	3928		4516	88	24	29.25	48	263	43
	81C88244L0R32BC	3928		4516	88	24	29.25	48	263	43
	81C96204L32BCR0	3937		4528	96	20	29.25	56	240	40
	81C96204L0R32BC	3937		4528	96	20	29.25	56	240	40
	81C96244L32BCR0	3946		4538	96	24	29.25	56	276	47
	81C96244L0R32BC	3946		4538	96	24	29.25	56	276	47

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.

Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.



GLASS PRIVACY SCREEN

Please see page 214 for glass privacy screen options

PULL LOCATIONS


For details please see page 126.

VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Credenza, no Modesty Panel, 36" Lateral File Pedestal 	81C72204L3601R0	4557	5240	72	20	29.25	28	223	30
	81C72204L0R3601	4557	5240	72	20	29.25	28	223	30
	81C72244L3601R0	4579	5266	72	24	29.25	28	252	36
	81C72244L0R3601	4579	5266	72	24	29.25	28	252	36
	81C80204L3601R0	4586	5274	80	20	29.25	36	231	34
	81C80204L0R3601	4586	5274	80	20	29.25	36	231	34
	81C80244L3601R0*	4602	5292	80	24	29.25	36	269	40
	81C80244L0R3601	4602	5292	80	24	29.25	36	269	40
	81C88204L3601R0	4611	5303	88	20	29.25	44	218	37
	81C88204L0R3601	4611	5303	88	20	29.25	44	218	37
	81C88244L3601R0	4626	5320	88	24	29.25	44	284	43
	81C88244L0R3601	4626	5320	88	24	29.25	44	284	43
	81C96204L3601R0	4634	5330	96	20	29.25	52	261	40
	81C96204L0R3601	4634	5330	96	20	29.25	52	261	40
	81C96244L3601R0	4643	5340	96	24	29.25	52	297	47
	81C96244L0R3601	4643	5340	96	24	29.25	52	297	47
Single Pedestal Credenza, no Modesty Panel, 36" Bookcase Pedestal 	81C72204L36BCR0	3897	4481	72	20	29.25	28	207	30
	81C72204L0R36BC	3897	4481	72	20	29.25	28	207	30
	81C72244L36BCR0	3922	4510	72	24	29.25	28	236	36
	81C72244L0R36BC	3922	4510	72	24	29.25	28	236	36
	81C80204L36BCR0	3930	4520	80	20	29.25	36	215	34
	81C80204L0R36BC	3930	4520	80	20	29.25	36	215	34
	81C80244L36BCR0	3945	4537	80	24	29.25	36	253	40
	81C80244L0R36BC*	3945	4537	80	24	29.25	36	253	40
	81C88204L36BCR0	3953	4546	88	20	29.25	44	234	37
	81C88204L0R36BC	3953	4546	88	20	29.25	44	234	37
	81C88244L36BCR0	3968	4563	88	24	29.25	44	268	43
	81C88244L0R36BC	3968	4563	88	24	29.25	44	268	43
	81C96204L36BCR0	3978	4575	96	20	29.25	52	245	40
	81C96204L0R36BC	3978	4575	96	20	29.25	52	245	40
	81C96244L36BCR0	3984	4582	96	24	29.25	52	281	47
	81C96244L0R36BC	3984	4582	96	24	29.25	52	281	47

ORDERING NOTES:
Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.
Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.


ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION L - left hand pedestal position R - right hand pedestal position D - 2 file drawers F - 2 box, 1 file drawer 0 - no pedestal J - TracDesk option W - extended pedestal option X31 - 3/4 height recessed modesty panel X41 - full height recessed modesty panel	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. GROMMETS One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information. GLASS PRIVACY SCREEN Please see page 217 for glass privacy screen options PULL LOCATIONS For details please see page 126.
--	---	---

DESCRIPTION	MODEL	Cherry Rift Oak						Shipping	
		Walnut Maple	Anigre	W	D	H	KW	Weight	Cubes
Single Pedestal Credenza, no Modesty Panel, 24" 2 Box/ 1 File Pedestal 	81C64204L24FWR0	3887	4470	64	20	29.25	40	176	27
	81C64204L0R24FW	3887	4470	64	20	29.25	40	176	27
	81C64244L24FWR0	3916	4503	64	24	29.25	40	201	32
	81C64244L0R24FW	3916	4503	64	24	29.25	40	201	32
	81C72204L24FWR0	3922	4510	72	20	29.25	48	191	30
	81C72204L0R24FW	3922	4510	72	20	29.25	48	191	30
	81C72244L24FWR0	3947	4539	72	24	29.25	48	220	36
	81C72244L0R24FW*	3947	4539	72	24	29.25	48	220	36
	81C80204L24FWR0	3955	4548	80	20	29.25	56	189	34
	81C80204L0R24FW	3955	4548	80	20	29.25	56	189	34
	81C80244L24FWR0	3971	4566	80	24	29.25	56	237	40
	81C80244L0R24FW	3971	4566	80	24	29.25	56	237	40
	81C88204L24FWR0	3981	4579	88	20	29.25	64	218	37
	81C88204L0R24FW	3981	4579	88	20	29.25	64	218	37
	81C88244L24FWR0	3998	4598	88	24	29.25	64	252	43
	81C88244L0R24FW	3998	4598	88	24	29.25	64	252	43
	81C96204L24FWR0	4008	4609	96	20	29.25	72	229	40
	81C96204L0R24FW	4008	4609	96	20	29.25	72	229	40
	81C96244L24FWR0	4016	4618	96	24	29.25	72	265	47
	81C96244L0R24FW	4016	4618	96	24	29.25	72	265	47

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.

Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

Double Pedestal Credenza, no Modesty Panel, 16" Pedestals 	81C64204L16FR16F	4650	5348	64	20	29.25	32	192	27
	81C64204L16FR16D	4650	5348	64	20	29.25	32	192	27
	81C64204L16DR16F	4650	5348	64	20	29.25	32	192	27
	81C64204L16DR16D	4650	5348	64	20	29.25	32	192	27
	81C64244L16FR16F	4679	5381	64	24	29.25	32	217	32
	81C64244L16FR16D	4679	5381	64	24	29.25	32	217	32
	81C64244L16DR16F*	4679	5381	64	24	29.25	32	217	32
	81C64244L16DR16D	4679	5381	64	24	29.25	32	217	32
	81C72204L16FR16F	4703	5408	72	20	29.25	40	207	30
	81C72204L16FR16D	4703	5408	72	20	29.25	40	207	30
	81C72204L16DR16F	4703	5408	72	20	29.25	40	207	30
	81C72204L16DR16D	4703	5408	72	20	29.25	40	207	30
	81C72244L16FR16F	4747	5460	72	24	29.25	40	236	36
	81C72244L16FR16D	4747	5460	72	24	29.25	40	236	36
	81C72244L16DR16F	4747	5460	72	24	29.25	40	236	36
	81C72244L16DR16D	4747	5460	72	24	29.25	40	236	36
	81C80204L16FR16F	4770	5486	80	20	29.25	48	215	34
	81C80204L16FR16D	4770	5486	80	20	29.25	48	215	34

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.


VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak		W	D	H	KW	Shipping	
		Walnut Maple	Anigre					Weight	Cubes
Double Pedestal	81C80204L16DR16F*	4770	5486	80	20	29.25	48	215	34
Credenza, no Modesty	81C80204L16DR16D	4770	5486	80	20	29.25	48	215	34
Panel, 16" Pedestals, Continued	81C80244L16FR16F	4806	5527	80	24	29.25	48	253	40
	81C80244L16FR16D	4806	5527	80	24	29.25	48	253	40
	81C80244L16DR16F	4806	5527	80	24	29.25	48	253	40
	81C80244L16DR16D	4806	5527	80	24	29.25	48	253	40
	81C88204L16FR16F	4826	5549	88	20	29.25	56	234	37
	81C88204L16FR16D	4826	5549	88	20	29.25	56	234	37
	81C88204L16DR16F	4826	5549	88	20	29.25	56	234	37
	81C88204L16DR16D	4826	5549	88	20	29.25	56	234	37
	81C88244L16FR16F	4878	5610	88	24	29.25	56	268	43
	81C88244L16FR16D	4878	5610	88	24	29.25	56	268	43
	81C88244L16DR16F	4878	5610	88	24	29.25	56	268	43
	81C88244L16DR16D	4878	5610	88	24	29.25	56	268	43
	81C96204L16FR16F	4895	5630	96	20	29.25	64	245	40
	81C96204L16FR16D	4895	5630	96	20	29.25	64	245	40
	81C96204L16DR16F	4895	5630	96	20	29.25	64	245	40
	81C96204L16DR16D	4895	5630	96	20	29.25	64	245	40
	81C96244L16FR16F	4931	5670	96	24	29.25	64	281	47
	81C96244L16FR16D	4931	5670	96	24	29.25	64	281	47
	81C96244L16DR16F	4931	5670	96	24	29.25	64	281	47
	81C96244L16DR16D	4931	5670	96	24	29.25	64	281	47

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.

Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

Double Pedestal Credenza, no Modesty Panel, 16" & 24" Pedestals 	81C64204L16FR24FW	4789	5507	64	20	29.25	32	208	27
	81C64204L16DR24FW	4789	5507	64	20	29.25	32	208	27
	81C64204L24FWR16F	4789	5507	64	20	29.25	32	208	27
	81C64204L24FWR16D	4789	5507	64	20	29.25	32	208	27
	81C64244L16FR24FW	4820	5543	64	24	29.25	32	233	32
	81C64244L16DR24FW	4820	5543	64	24	29.25	32	233	32
	81C64244L24FWR16F	4820	5543	64	24	29.25	32	233	32
	81C64244L24FWR16D	4820	5543	64	24	29.25	32	233	32
	81C72204L16FR24FW	4844	5571	72	20	29.25	40	223	30
	81C72204L16DR24FW*	4844	5571	72	20	29.25	40	223	30
	81C72204L24FWR16F	4844	5571	72	20	29.25	40	223	30
	81C72204L24FWR16D	4844	5571	72	20	29.25	40	223	30
	81C72244L16FR24FW	4890	5624	72	24	29.25	40	252	36
	81C72244L16DR24FW	4890	5624	72	24	29.25	40	252	36
	81C72244L24FWR16F	4890	5624	72	24	29.25	40	252	36
	81C72244L24FWR16D	4890	5624	72	24	29.25	40	252	36

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
O - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.


DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
 Double Pedestal Credenza, no Modesty Panel, 16" & 24" Pedestals, Continued	81C80204L16FR24FW	4915	5652	80	20	29.25	48	231	34
	81C80204L16DR24FW*	4915	5652	80	20	29.25	48	231	34
	81C80204L24FWR16F	4915	5652	80	20	29.25	48	231	34
	81C80204L24FWR16D	4915	5652	80	20	29.25	48	231	34
	81C80244L16FR24FW	4951	5694	80	24	29.25	48	269	40
	81C80244L16DR24FW	4951	5694	80	24	29.25	48	269	40
	81C80244L24FWR16F	4951	5694	80	24	29.25	48	269	40
	81C80244L24FWR16D	4951	5694	80	24	29.25	48	269	40

 Double Pedestal Credenza, no Modesty Panel, 24" Pedestals	81C64204L24FWR24FW	4934	5674	64	20	29.25	32	198	27
	81C64244L24FWR24FW	4965	5710	64	24	29.25	32	223	32
	81C72204L24FWR24FW	4989	5737	72	20	29.25	40	213	30
	81C72244L24FWR24FW*	5036	5791	72	24	29.25	40	233	36
	81C80204L24FWR24FW	5060	5820	80	20	29.25	48	221	34
	81C80244L24FWR24FW	5100	5865	80	24	29.25	48	259	40

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.

Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

 Credenza Shell, Hinged Modesty Panel	81CY64204L0R0X41	2341	2693	64	20	29.25	48	150	27
	81CY64244L0R0X41	2401	2762	64	24	29.25	48	176	32
	81CY72204L0R0X41	2435	2800	72	20	29.25	56	165	30
	81CY72244L0R0X41	2532	2912	72	24	29.25	56	194	36
	81CY80204L0R0X41	2598	2987	80	20	29.25	64	181	34
	81CY80244L0R0X41*	2697	3101	80	24	29.25	64	211	40
	81CY88204L0R0X41	2769	3184	88	20	29.25	72	191	37
	81CY88244L0R0X41	2858	3287	88	24	29.25	72	226	43
	81CY96204L0R0X41	3124	3593	96	20	29.25	80	203	40
	81CY96244L0R0X41	3223	3707	96	24	29.25	80	239	47

ORDERING NOTES:

Wire management cut-out is standard on all credenza hinged modesty panels.

Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Single Pedestal Credenza, Hinged Modesty Panel, 16" Pedestal 	81CY64204L16FR0X41	4082	4694	64	20	29.25	40	154	27
	81CY64204L0R16FX41	4082	4694	64	20	29.25	40	154	27
	81CY64204L16DR0X41	4082	4694	64	20	29.25	40	154	27
	81CY64204L0R16DX41	4082	4694	64	20	29.25	40	154	27
	81CY64244L16FR0X41	4114	4730	64	24	29.25	40	179	32
	81CY64244L0R16FX41	4114	4730	64	24	29.25	40	179	32
	81CY64244L16DR0X41	4114	4730	64	24	29.25	40	179	32
	81CY64244L0R16DX41	4114	4730	64	24	29.25	40	179	32
	81CY72204L16FR0X41	4117	4735	72	20	29.25	48	169	30
	81CY72204L0R16FX41*	4117	4735	72	20	29.25	48	169	30
	81CY72204L16DR0X41	4117	4735	72	20	29.25	48	169	30
	81CY72204L0R16DX41	4117	4735	72	20	29.25	48	169	30
	81CY72244L16FR0X41	4146	4769	72	24	29.25	48	198	36
	81CY72244L0R16FX41	4146	4769	72	24	29.25	48	198	36
	81CY72244L16DR0X41	4146	4769	72	24	29.25	48	198	36
	81CY72244L0R16DX41	4146	4769	72	24	29.25	48	198	36
	81CY80204L16FR0X41	4155	4779	80	20	29.25	56	167	34
	81CY80204L0R16FX41	4155	4779	80	20	29.25	56	167	34
	81CY80204L16DR0X41	4155	4779	80	20	29.25	56	167	34
	81CY80204L0R16DX41	4155	4779	80	20	29.25	56	167	34
	81CY80244L16FR0X41	4173	4799	80	24	29.25	56	215	40
	81CY80244L0R16FX41	4173	4799	80	24	29.25	56	215	40
	81CY80244L16DR0X41	4173	4799	80	24	29.25	56	215	40
	81CY80244L0R16DX41	4173	4799	80	24	29.25	56	215	40
	81CY88204L16FR0X41	4180	4807	88	20	29.25	64	196	37
	81CY88204L0R16FX41	4180	4807	88	20	29.25	64	196	37
	81CY88204L16DR0X41	4180	4807	88	20	29.25	64	196	37
	81CY88204L0R16DX41	4180	4807	88	20	29.25	64	196	37
	81CY88244L16FR0X41	4200	4830	88	24	29.25	64	230	43
	81CY88244L0R16FX41	4200	4830	88	24	29.25	64	230	43
	81CY88244L16DR0X41	4200	4830	88	24	29.25	64	230	43
	81CY88244L0R16DX41	4200	4830	88	24	29.25	64	230	43
	81CY96204L16FR0X41	4209	4840	96	20	29.25	72	207	40
	81CY96204L0R16FX41	4209	4840	96	20	29.25	72	207	40
	81CY96204L16DR0X41	4209	4840	96	20	29.25	72	207	40
	81CY96204L0R16DX41	4209	4840	96	20	29.25	72	207	40
	81CY96244L16FR0X41	4220	4852	96	24	29.25	72	243	47
	81CY96244L0R16FX41	4220	4852	96	24	29.25	72	243	47
	81CY96244L16DR0X41	4220	4852	96	24	29.25	72	243	47
	81CY96244L0R16DX41	4220	4852	96	24	29.25	72	243	47

ORDERING NOTES:

Wire management cut-out is standard on all credenza hinged modesty panels.

Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 O - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.



GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal	81CY64204L24FR0X41	4207	4838	64	20	29.25	32	202	27
Credenza, Hinged	81CY64204L0R24FX41	4207	4838	64	20	29.25	32	202	27
Modesty Panel, 24"	81CY64244L24FR0X41	4240	4876	64	24	29.25	32	227	32
Pedestal	81CY64244L0R24FX41	4240	4876	64	24	29.25	32	227	32
	81CY72204L24FR0X41	4246	4883	72	20	29.25	40	217	30
	81CY72204L0R24FX41	4246	4883	72	20	29.25	40	217	30
	81CY72244L24FR0X41	4274	4916	72	24	29.25	40	246	36
	81CY72244L0R24FX41*	4274	4916	72	24	29.25	40	246	36
	81CY80204L24FR0X41	4283	4926	80	20	29.25	48	215	34
	81CY80204L0R24FX41	4283	4926	80	20	29.25	48	215	34
	81CY80244L24FR0X41	4301	4946	80	24	29.25	48	263	40
	81CY80244L0R24FX41	4301	4946	80	24	29.25	48	263	40
	81CY88204L24FR0X41	4311	4958	88	20	29.25	56	244	37
	81CY88204L0R24FX41	4311	4958	88	20	29.25	56	244	37
	81CY88244L24FR0X41	4330	4979	88	24	29.25	56	278	43
	81CY88244L0R24FX41	4330	4979	88	24	29.25	56	278	43
	81CY96204L24FR0X41	4339	4990	96	20	29.25	64	255	40
	81CY96204L0R24FX41	4339	4990	96	20	29.25	64	255	40
	81CY96244L24FR0X41	4351	5004	96	24	29.25	64	291	47
	81CY96244L0R24FX41	4351	5004	96	24	29.25	64	291	47
Single Pedestal	81CY72204L3205R0X41	5574	6410	72	20	29.25	32	233	30
Credenza, Hinged	81CY72204L0R3205X41	5574	6410	72	20	29.25	32	233	30
Modesty Panel, 32" 4 Box/ 1 Lateral File Pedestal	81CY72244L3205R0X41	5597	6436	72	24	29.25	32	260	36
	81CY72244L0R3205X41	5597	6436	72	24	29.25	32	260	36
	81CY80204L3205R0X41	5610	6451	80	20	29.25	40	241	34
	81CY80204L0R3205X41	5610	6451	80	20	29.25	40	241	34
	81CY80244L3205R0X41	5626	6470	80	24	29.25	40	279	40
	81CY80244L0R3205X41*	5626	6470	80	24	29.25	40	279	40
	81CY88204L3205R0X41	5638	6484	88	20	29.25	48	260	37
	81CY88204L0R3205X41	5638	6484	88	20	29.25	48	260	37
	81CY88244L3205R0X41	5655	6504	88	24	29.25	48	294	43
	81CY88244L0R3205X41	5655	6504	88	24	29.25	48	294	43
	81CY96204L3205R0X41	5665	6515	96	20	29.25	56	271	40
	81CY96204L0R3205X41	5665	6515	96	20	29.25	56	271	40
	81CY96244L3205R0X41	5676	6528	96	24	29.25	56	307	47
	81CY96244L0R3205X41	5676	6528	96	24	29.25	56	307	47

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.

Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.


VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Single Pedestal Credenza, Hinged Modesty Panel, 32" Combination Pedestal 	81CY72204L3202R0X41	5521	6349	72	20	29.25	32	233	30
	81CY72204L0R3204X41	5521	6349	72	20	29.25	32	233	30
	81CY72244L3202R0X41	5547	6379	72	24	29.25	32	262	36
	81CY72244L0R3204X41	5547	6379	72	24	29.25	32	260	36
	81CY80204L3202R0X41	5559	6393	80	20	29.25	40	241	34
	81CY80204L0R3204X41	5559	6393	80	20	29.25	40	241	34
	81CY80244L3202R0X41	5575	6411	80	24	29.25	40	279	40
	81CY80244L0R3204X41*	5575	6411	80	24	29.25	40	279	40
	81CY88204L3202R0X41	5585	6423	88	20	29.25	48	260	37
	81CY88204L0R3204X41	5585	6423	88	20	29.25	48	260	37
	81CY88244L3202R0X41	5604	6444	88	24	29.25	48	294	43
	81CY88244L0R3204X41	5604	6444	88	24	29.25	48	294	43
	81CY96204L3202R0X41	5612	6453	96	20	29.25	56	271	40
	81CY96204L0R3204X41	5612	6453	96	20	29.25	56	271	40
	81CY96244L3202R0X41	5621	6464	96	24	29.25	56	307	47
	81CY96244L0R3204X41	5621	6464	96	24	29.25	56	307	47

ORDERING NOTES:

Wire management cur-out is standard on all credenza hinged modesty panels.

Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

Single Pedestal Credenza, Hinged Modesty Panel, 32" Lateral File Pedestal 	81CY72204L3201R0X41	5301	6096	72	20	29.25	32	233	30
	81CY72204L0R3201X41	5301	6096	72	20	29.25	32	233	30
	81CY72244L3201R0X41	5326	6125	72	24	29.25	32	262	36
	81CY72244L0R3201X41	5326	6125	72	24	29.25	32	262	36
	81CY80204L3201R0X41	5337	6137	80	20	29.25	40	241	34
	81CY80204L0R3201X41	5337	6137	80	20	29.25	40	241	34
	81CY80244L3201R0X41	5352	6156	80	24	29.25	40	279	40
	81CY80244L0R3201X41*	5352	6156	80	24	29.25	40	279	40
	81CY88204L3201R0X41	5365	6170	88	20	29.25	48	260	37
	81CY88204L0R3201X41	5365	6170	88	20	29.25	48	260	37
	81CY88244L3201R0X41	5382	6189	88	24	29.25	48	294	43
	81CY88244L0R3201X41	5382	6189	88	24	29.25	48	294	43
	81CY96204L3201R0X41	5393	6202	96	20	29.25	56	271	40
	81CY96204L0R3201X41	5393	6202	96	20	29.25	56	271	40
	81CY96244L3201R0X41	5400	6210	96	24	29.25	56	307	47
	81CY96244L0R3201X41	5400	6210	96	24	29.25	56	307	47

ORDERING NOTES:

Wire management cur-out is standard on all credenza hinged modesty panels.

Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 O - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Credenza, Hinged Modesty Panel, 32" Bookcase Pedestal 	81CY72204L32BCR0X41	4542	5223	72	20	29.25	32	228	30
	81CY72204L0R32BCX41	4542	5223	72	20	29.25	32	228	30
	81CY72244L32BCR0X41	4567	5252	72	24	29.25	32	262	36
	81CY72244L0R32BCX41	4567	5252	72	24	29.25	32	262	36
	81CY80204L32BCR0X41	4579	5266	80	20	29.25	40	241	34
	81CY80204L0R32BCX41	4579	5266	80	20	29.25	40	241	34
	81CY80244L32BCR0X41	4596	5286	80	24	29.25	40	279	40
	81CY80244L0R32BCX41	4596	5286	80	24	29.25	40	279	40
	81CY88204L32BCR0X41	4606	5297	88	20	29.25	48	260	37
	81CY88204L0R32BCX41*	4606	5297	88	20	29.25	48	260	37
	81CY88244L32BCR0X41	4623	5316	88	24	29.25	48	294	43
	81CY88244L0R32BCX41	4623	5316	88	24	29.25	48	294	43
	81CY96204L32BCR0X41	4634	5330	96	20	29.25	56	271	40
	81CY96204L0R32BCX41	4634	5330	96	20	29.25	56	271	40
	81CY96244L32BCR0X41	4643	5340	96	24	29.25	56	307	47
	81CY96244L0R32BCX41	4643	5340	96	24	29.25	56	307	47

Single Pedestal Credenza, Hinged Modesty Panel, 36" Lateral File Pedestal 	81CY72204L3601R0X41	5827	6701	72	20	29.25	28	249	30
	81CY72204L0R3601X41	5827	6701	72	20	29.25	28	249	30
	81CY72244L3601R0X41	5857	6735	72	24	29.25	28	278	36
	81CY72244L0R3601X41	5857	6735	72	24	29.25	28	278	36
	81CY80204L3601R0X41	5869	6750	80	20	29.25	36	257	34
	81CY80204L0R3601X41	6206	7137	80	20	29.25	36	257	34
	81CY80244L3601R0X41	5886	6769	80	24	29.25	36	295	40
	81CY80244L0R3601X41	5886	6769	80	24	29.25	36	295	40
	81CY88204L3601R0X41	5900	6785	88	20	29.25	44	244	37
	81CY88204L0R3601X41*	5900	6785	88	20	29.25	44	244	37
	81CY88244L3601R0X41	5917	6805	88	24	29.25	44	310	43
	81CY88244L0R3601X41	5917	6805	88	24	29.25	44	310	43
	81CY96204L3601R0X41	5930	6820	96	20	29.25	52	287	40
	81CY96204L0R3601X41	5930	6820	96	20	29.25	52	287	40
	81CY96244L3601R0X41	5939	6830	96	24	29.25	52	323	47
	81CY96244L0R3601X41	5939	6830	96	24	29.25	52	323	47

ORDERING NOTES:

Wire management cut-out is standard on all credenza hinged modesty panels.

Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.


VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Single Pedestal Credenza, Hinged Modesty Panel, 36" Bookcase Pedestal 	81CY72204L36BCR0X41	4986	5734	72	20	29.25	28	244	30
	81CY72204L0R36BCX41	4986	5734	72	20	29.25	28	244	30
	81CY72244L36BCR0X41	5015	5768	72	24	29.25	28	273	36
	81CY72244L0R36BCX41	5015	5768	72	24	29.25	28	273	36
	81CY80204L36BCR0X41	5028	5782	80	20	29.25	36	252	34
	81CY80204L0R36BCX41	5028	5782	80	20	29.25	36	252	34
	81CY80244L36BCR0X41	5045	5803	80	24	29.25	36	290	40
	81CY80244L0R36BCX41	5045	5803	80	24	29.25	36	290	40
	81CY88204L36BCR0X41	5058	5817	88	20	29.25	44	239	37
	81CY88204L0R36BCX41	5058	5817	88	20	29.25	44	239	37
	81CY88244L36BCR0X41	5077	5839	88	24	29.25	44	305	43
	81CY88244L0R36BCX41*	5077	5839	88	24	29.25	44	305	43
	81CY96204L36BCR0X41	5088	5851	96	20	29.25	52	282	40
	81CY96204L0R36BCX41	5088	5851	96	20	29.25	52	282	40
	81CY96244L36BCR0X41	5099	5864	96	24	29.25	52	318	47
	81CY96244L0R36BCX41	5099	5864	96	24	29.25	52	318	47

ORDERING NOTES:

Pricing does not include a modesty panel. To add a full height wood modesty panel add (X41) to the end of the model number, e.g. 81C88244L0R0X41. Add 7% to list price.

Credenzas above 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

Double Pedestal Credenza, Hinged Modesty Panel, 16" Pedestals 	81CY64204L16DR16DX41	4475	5146	64	20	29.25	32	192	27
	81CY64204L16DR16FX41	4475	5146	64	20	29.25	32	192	27
	81CY64204L16FR16DX41	4475	5146	64	20	29.25	32	192	27
	81CY64204L16FR16FX41	4475	5146	64	20	29.25	32	192	27
	81CY64244L16DR16DX41	4565	5249	64	24	29.25	48	217	32
	81CY64244L16DR16FX41	4565	5249	64	24	29.25	48	217	32
	81CY64244L16FR16DX41	4565	5249	64	24	29.25	48	217	32
	81CY64244L16FR16FX41	4565	5249	64	24	29.25	48	217	32
	81CY72204L16DR16DX41	4651	5349	72	20	29.25	32	207	30
	81CY72204L16DR16FX41	4651	5349	72	20	29.25	32	207	30
	81CY72204L16FR16DX41	4651	5349	72	20	29.25	32	207	30
	81CY72204L16FR16FX41	4651	5349	72	20	29.25	32	207	30
	81CY72244L16DR16DX41	4768	5484	72	24	29.25	56	236	36
	81CY72244L16DR16FX41	4768	5484	72	24	29.25	56	236	36
	81CY72244L16FR16DX41	4768	5484	72	24	29.25	56	236	36
	81CY72244L16FR16FX41	4768	5484	72	24	29.25	56	236	36
	81CY80204L16DR16DX41	4876	5608	80	20	29.25	40	215	34
	81CY80204L16DR16FX41	4876	5608	80	20	29.25	40	215	34
	81CY80204L16FR16DX41	4876	5608	80	20	29.25	40	215	34
	81CY80204L16FR16FX41	4876	5608	80	20	29.25	40	215	34
	81CY80244L16DR16DX41	4920	5658	80	24	29.25	56	253	40
	81CY80244L16DR16FX41	4920	5658	80	24	29.25	56	253	40

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 O - no pedestal
 J - TracDesk option
 W - extended pedestal option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.



GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Double Pedestal Credenza, Hinged Modesty Panel, 16" Pedestals, Continued 	81CY80244L16FR16DX41	4920	5658	80	24	29.25	56	253	40
	81CY80244L16FR16FX41	4920	5658	80	24	29.25	56	253	40
	81CY88204L16DR16DX41	4972	5718	88	20	29.25	40	234	37
	81CY88204L16DR16FX41	4972	5718	88	20	29.25	40	234	37
	81CY88204L16FR16DX41	4972	5718	88	20	29.25	40	234	37
	81CY88204L16FR16FX41	4972	5718	88	20	29.25	40	234	37
	81CY88244L16DR16DX41	4997	5746	88	24	29.25	64	268	43
	81CY88244L16DR16FX41	4997	5746	88	24	29.25	64	268	43
	81CY88244L16FR16DX41	4997	5746	88	24	29.25	64	268	43
	81CY88244L16FR16FX41	4997	5746	88	24	29.25	64	268	43
	81CY96204L16DR16DX41	5018	5771	96	20	29.25	48	245	40
	81CY96204L16DR16FX41	5018	5771	96	20	29.25	48	245	40
	81CY96204L16FR16DX41	5018	5771	96	20	29.25	48	245	40
	81CY96204L16FR16FX41	5018	5771	96	20	29.25	48	245	40
	81CY96244L16DR16DX41	5055	5814	96	24	29.25	64	281	47
	81CY96244L16DR16FX41	5055	5814	96	24	29.25	64	281	47
	81CY96244L16FR16DX41	5055	5814	96	24	29.25	64	281	47
	81CY96244L16FR16FX41	5055	5814	96	24	29.25	64	281	47
Double Pedestal Credenza, Hinged Modesty Panel, 24" Pedestals 	81CY64204L24FWR24FWX41	5787	6655	64	20	29.25	32	198	27
	81CY64244L24FWR24FWX41	5817	6690	64	24	29.25	48	223	32
	81CY72204L24FWR24FWX41*	5821	6694	72	20	29.25	32	213	30
	81CY72244L24FWR24FWX41	5848	6725	72	24	29.25	48	233	36
	81CY80204L24FWR24FWX41	5856	6734	80	20	29.25	40	221	34
	81CY80244L24FWR24FWX41	5871	6752	80	24	29.25	56	259	40
	81CY88204L24FWR24FWX41	5884	6767	88	20	29.25	40	240	37
	81CY88244L24FWR24FWX41	5900	6785	88	24	29.25	56	274	43

ORDERING NOTES:

Wire management cut-out is standard on all credenza hinged modesty panels.

Credenzas above in 80", 88" and 96" lengths are compatible with TracDesk (see pages 168-169). For TracDesk option please add \$227 list to your order and add a 'J' at the end of the model number, e.g. 81C88244L0R0J.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
W - extended pedestal option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.




GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | FULL FACE CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	Cubes
		Walnut Maple						Weight	
2 Segment Full Face Credenza, Lateral File & Bookcase Pedestals 	81C642040101	5091	5855	64	20	29.25		238	27
	81C6420401BC	4648	5346	64	20	29.25		218	27
	81C64204BCBC	3933	4523	64	20	29.25		198	27
	81C64204BC01	4648	5346	64	20	29.25		218	27
	81C642440101	5322	6121	64	24	29.25		246	32
	81C6424401BC	4848	5575	64	24	29.25		226	32
	81C64244BCBC	4092	4705	64	24	29.25		214	32
	81C64244BC01	4848	5575	64	24	29.25		226	32
	81C722040101	5398	6208	72	20	29.25		248	30
	81C7220401BC*	4923	5661	72	20	29.25		228	30
	81C72204BCBC	4192	4821	72	20	29.25		208	30
	81C72204BC01	4923	5661	72	20	29.25		228	30
	81C722440101	5468	6288	72	24	29.25		256	36
	81C7224401BC	5017	5770	72	24	29.25		236	36
	81C72244BCBC	4252	4890	72	24	29.25		224	36
	81C72244BC01	5017	5770	72	24	29.25		236	36
3 Segment Full Face Credenza, 2 Box/ 1 File, Lateral File, 2 File Pedestals 	81C64204F01D	4982	5729	64	20	29.25		264	27
	81C64204F01F	4982	5729	64	20	29.25		264	27
	81C64204D01D	4982	5729	64	20	29.25		264	27
	81C64204D01F	4982	5729	64	20	29.25		264	27
	81C64244F01D	5078	5840	64	24	29.25		291	32
	81C64244F01F*	5078	5840	64	24	29.25		291	32
	81C64244D01D	5078	5840	64	24	29.25		291	32
	81C64244D01F	5078	5840	64	24	29.25		291	32
3 Segment Full Face Credenza, 2 Box/ 1 File, Bookcase, 2 File Pedestals 	81C64204FBCD	4612	5304	64	20	29.25		264	27
	81C64204FBCF	4612	5304	64	20	29.25		264	27
	81C64204DBCF	4612	5304	64	20	29.25		264	27
	81C64204DBCD	4612	5304	64	20	29.25		264	27
	81C64244FBCD	4702	5407	64	24	29.25		291	32
	81C64244FBCF	4702	5407	64	24	29.25		291	32
	81C64244DBCF*	4702	5407	64	24	29.25		291	32
	81C64244DBCD	4702	5407	64	24	29.25		291	32
	81C72204FBCD	4737	5447	72	20	29.25		271	30
	81C72204FBCF	4737	5447	72	20	29.25		271	30
	81C72204DBCF	4737	5447	72	20	29.25		271	30
	81C72204DBCD	4737	5447	72	20	29.25		271	30
	81C72244FBCD	4872	5602	72	24	29.25		303	36
	81C72244FBCF	4872	5602	72	24	29.25		303	36
	81C72244DBCF	4872	5602	72	24	29.25		303	36
	81C72244DBCD	4872	5602	72	24	29.25		303	36

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 01 - lateral file drawers
 05 - 4 box, 1 lateral file
 BC - bookcase pedestal

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 135 for more wiring grommet information.





GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | FULL FACE CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
2 Segment Full Face Credenza, Lateral File & 4 Box/ 1 Lateral File Pedestals 	81C642040501	5392	6201	64	20	29.25	204	27	
	81C642040105	5392	6201	64	20	29.25	204	27	
	81C642040505	5392	6201	64	20	29.25	204	27	
	81C642440501*	5624	6468	64	24	29.25	271	32	
	81C642440105	5624	6468	64	24	29.25	271	32	
	81C642440505	5624	6468	64	24	29.25	214	32	
3 Segment Full Face Credenza, Lateral File & Bookcase Pedestals 	81C8020401BCBC	5962	6857	80	20	29.25	278	34	
	81C80204BCBC01*	5962	6857	80	20	29.25	278	34	
	81C8024401BCBC	6238	7174	80	24	29.25	315	40	
	81C80244BCBC01	6238	7174	80	24	29.25	315	40	
3 Segment Full Face Credenza, Bookcase Pedestal 	81C80204BCBCBC	5247	6033	80	20	29.25	208	30	
	81C80244BCBCBC*	5408	6219	80	24	29.25	208	30	
3 Segment Full Face Credenza, Lateral File & Bookcase Pedestals 	81C96204010101	7627	8771	96	20	29.25	357	40	
	81C96204BC01BC	6638	7633	96	20	29.25	357	40	
	81C9620401BC01*	7062	8121	96	20	29.25	357	40	
	81C96244010101	7877	9059	96	24	29.25	369	47	
	81C96244BC01BC	6855	7883	96	24	29.25	369	47	
	81C9624401BC01	7293	8388	96	24	29.25	369	47	

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
01 - lateral file drawers
05 - 4 box, 1 lateral file
BC - bookcase pedestal

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.



GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak		Anigre	W	D	H	KW	Shipping	
		Walnut	Maple						Weight	Cubes
Corner Credenza Shell, no Modesty Panel 	81CC6432-20-R20L0	2211		2543	64	32	29.25	48	128	42
	81CC6432-20-L20R0	2211		2543	64	32	29.25	48	128	42
	81CC6432-20-R24L0	2211		2543	64	32	29.25	48	128	42
	81CC6432-20-L24R0	2211		2543	64	32	29.25	48	128	42
	81CC6436-24-R20L0	2240		2576	64	36	29.25	48	153	47
	81CC6436-24-L20R0	2240		2576	64	36	29.25	32	153	47
	81CC6436-24-R24L0	2240		2576	64	36	29.25	48	153	47
	81CC6436-24-L24R0	2240		2576	64	36	29.25	48	153	47
	81CC7232-20-R20L0	2248		2585	64	32	29.25	56	143	48
	81CC7232-20-L20R0*	2248		2585	72	32	29.25	56	143	48
	81CC7232-20-R24L0	2248		2585	72	32	29.25	56	143	48
	81CC7232-20-L24R0	2248		2585	72	32	29.25	56	143	48
	81CC7236-24-R20L0	2266		2606	72	36	29.25	56	172	52
	81CC7236-24-L20R0	2266		2606	72	36	29.25	56	172	52
	81CC7236-24-R24L0	2266		2606	72	36	29.25	56	172	52
	81CC7236-24-L24R0	2266		2606	72	36	29.25	56	172	52
	81CC8032-20-R20L0	2273		2613	80	32	29.25	64	141	52
	81CC8032-20-L20R0	2273		2613	80	32	29.25	64	141	52
	81CC8032-20-R24L0	2273		2613	80	32	29.25	64	141	52
	81CC8032-20-L24R0	2273		2613	80	32	29.25	64	141	52
	81CC8036-24-R20L0	2319		2668	80	36	29.25	64	189	58
	81CC8036-24-L20R0	2319		2668	80	36	29.25	64	189	58
	81CC8036-24-R24L0	2319		2668	80	36	29.25	64	189	58
	81CC8036-24-L24R0	2319		2668	80	36	29.25	64	189	58
Corner Credenza, no Modesty Panel, 16" Pedestal 	81CC6432-20-R20L16F	2884		3316	64	32	29.25	40	160	27
	81CC6432-20-L20R16F*	2884		3316	64	32	29.25	40	160	27
	81CC6432-20-R20L16D	2884		3316	64	32	29.25	40	160	27
	81CC6432-20-L20R16D	2884		3316	64	32	29.25	40	160	27
	81CC6432-20-R24L16F	2884		3316	64	32	29.25	40	160	27
	81CC6432-20-L24R16F	2884		3316	64	32	29.25	40	160	27
	81CC6432-20-R24L16D	2884		3316	64	32	29.25	40	160	27
	81CC6432-20-L24R16D	2884		3316	64	32	29.25	40	160	27
	81CC6436-24-R20L16F	2926		3366	64	36	29.25	40	185	32
	81CC6436-24-L20R16F	2926		3366	64	36	29.25	40	185	32
	81CC6436-24-R20L16D	2926		3366	64	36	29.25	40	185	32
	81CC6436-24-L20R16D	2926		3366	64	36	29.25	40	185	32
	81CC6436-24-R24L16F	2926		3366	64	36	29.25	40	185	32
	81CC6436-24-L24R16F	2926		3366	64	36	29.25	40	185	32
	81CC6436-24-R24L16D	2926		3366	64	36	29.25	40	185	32
	81CC6436-24-L24R16D	2926		3366	64	36	29.25	40	185	32

ORDERING NOTES:

The first dimension after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 O - no pedestal
 Q - V-Ped
 X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes9 please see page 127.

GROMMETS

One wiring grommet in standard position is9 optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen9 options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Corner Credenza, no Modesty Panel, 16" Pedestal, Continued 	81CC7232-20-R20L16F	2934	3375	72	32	29.25	48	175	30
	81CC7232-20-L20R16F*	2934	3375	72	32	29.25	48	175	30
	81CC7232-20-R20L16D	2934	3375	72	32	29.25	48	175	30
	81CC7232-20-L20R16D	2934	3375	72	32	29.25	48	175	30
	81CC7232-20-R24L16F	2934	3375	72	32	29.25	48	175	30
	81CC7232-20-L24R16F	2934	3375	72	32	29.25	48	175	30
	81CC7232-20-R24L16D	2934	3375	72	32	29.25	48	175	30
	81CC7232-20-L24R16D	2934	3375	72	32	29.25	48	175	30
	81CC7236-24-R20L16F	3000	3449	72	36	29.25	48	204	36
	81CC7236-24-L20R16F	3000	3449	72	36	29.25	48	204	36
	81CC7236-24-R20L16D	3000	3449	72	36	29.25	48	204	36
	81CC7236-24-L20R16D	3000	3449	72	36	29.25	48	204	36
	81CC7236-24-R24L16F	3000	3449	72	36	29.25	48	204	36
	81CC7236-24-L24R16F	3000	3449	72	36	29.25	48	204	36
	81CC7236-24-R24L16D	3000	3449	72	36	29.25	48	204	36
	81CC7236-24-L24R16D	3000	3449	72	36	29.25	48	204	36
	81CC8032-20-R20L16F	3152	3625	80	32	29.25	56	173	34
	81CC8032-20-L20R16F	3152	3625	80	32	29.25	56	173	34
	81CC8032-20-R20L16D	3152	3625	80	32	29.25	56	173	34
	81CC8032-20-L20R16D	3152	3625	80	32	29.25	56	173	34
	81CC8032-20-R24L16F	3152	3625	80	32	29.25	56	173	34
	81CC8032-20-L24R16F	3152	3625	80	32	29.25	56	173	34
	81CC8032-20-R24L16D	3152	3625	80	32	29.25	56	173	34
	81CC8032-20-L24R16D	3152	3625	80	32	29.25	56	173	34
	81CC8036-24-R20L16F	3178	3654	80	36	29.25	56	221	40
	81CC8036-24-L20R16F	3178	3654	80	36	29.25	56	221	40
	81CC8036-24-R20L16D	3178	3654	80	36	29.25	56	221	40
	81CC8036-24-L20R16D	3178	3654	80	36	29.25	56	221	40
	81CC8036-24-R24L16F	3178	3654	80	36	29.25	56	221	40
	81CC8036-24-L24R16F	3178	3654	80	36	29.25	56	221	40
	81CC8036-24-R24L16D	3178	3654	80	36	29.25	56	221	40
	81CC8036-24-L24R16D	3178	3654	80	36	29.25	56	221	40

ORDERING NOTES:

The first dimension after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
Q - V-Ped
X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.



GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Corner Credenza, no Modesty Panel, 24" 2 Box/ 1 File or 2 File with V-Ped Pedestal 	81CC8032-20-R20L24FQ	4375		5031	80	32	29.25	48	189	34
	81CC8032-20-R20L24DQ	4375		5031	80	32	29.25	48	189	34
	81CC8032-20-L20R24FQ*	4375		5031	80	32	29.25	48	189	34
	81CC8032-20-L20R24DQ	4375		5031	80	32	29.25	48	189	34
	81CC8032-20-R24L24FQ	4375		5031	80	32	29.25	48	189	34
	81CC8032-20-R24L24DQ	4375		5031	80	32	29.25	48	189	34
	81CC8032-20-L24R24FQ	4375		5031	80	32	29.25	48	189	34
	81CC8032-20-L24R24DQ	4375		5031	80	32	29.25	48	189	34
	81CC8036-24-R20L24FQ	4402		5062	80	36	29.25	48	237	40
	81CC8036-24-R20L24DQ	4402		5062	80	36	29.25	48	237	40
	81CC8036-24-L20R24FQ	4402		5062	80	36	29.25	48	237	40
	81CC8036-24-L20R24DQ	4402		5062	80	36	29.25	48	237	40
	81CC8036-24-R24L24FQ	4402		5062	80	36	29.25	48	237	40
	81CC8036-24-R24L24DQ	4402		5062	80	36	29.25	48	237	40
	81CC8036-24-L24R24FQ	4402		5062	80	36	29.25	48	237	40
	81CC8036-24-L24R24DQ	4402		5062	80	36	29.25	48	237	40
Corner Credenza, no Modesty Panel, 24" 2 Box/ 1 File Pedestal 	81CC7232-20-R20L24F	3167		3642	72	32	29.25	40	191	30
	81CC7232-20-L20R24F*	3167		3642	72	32	29.25	40	191	30
	81CC7232-20-R24L24F	3167		3642	72	32	29.25	40	191	30
	81CC7232-20-L24R24F	3167		3642	72	32	29.25	40	191	30
	81CC7236-24-R20L24F	3240		3727	72	36	29.25	40	220	36
	81CC7236-24-L20R24F	3240		3727	72	36	29.25	40	220	36
	81CC7236-24-R24L24F	3240		3727	72	36	29.25	40	220	36
	81CC7236-24-L24R24F	3240		3727	72	36	29.25	40	220	36
	81CC8032-20-R20L24F	3249		3737	80	32	29.25	48	189	34
	81CC8032-20-L20R24F	3249		3737	80	32	29.25	48	189	34
	81CC8032-20-R24L24F	3249		3737	80	32	29.25	48	189	34
	81CC8032-20-L24R24F	3249		3737	80	32	29.25	48	189	34
	81CC8036-24-R20L24F	3274		3765	80	36	29.25	48	237	40
	81CC8036-24-L20R24F	3274		3765	80	36	29.25	48	237	40
	81CC8036-24-R24L24F	3274		3765	80	36	29.25	48	237	40
	81CC8036-24-L24R24F	3274		3765	80	36	29.25	48	237	40

ORDERING NOTES:

Wire management cut-outs are standard on all corner credenza modesty panels.

The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side.

Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation.

Corner Credenzas with V-Peds are NOT available on KrugExpress.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 Q - V-Ped
 X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.





GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Corner Credenza, no Modesty Panel, 32" 2 Box/ 1 File, V-Ped Pedestal 	81CC8032-20-R20L32FQ	4472	5143	80	32	29.25	40	215	34
	81CC8032-20-L20R32FQ*	4472	5143	80	32	29.25	40	215	34
	81CC8032-20-R24L32FQ	4472	5143	80	32	29.25	40	215	34
	81CC8032-20-L24R32FQ	4472	5143	80	32	29.25	40	215	34
	81CC8036-24-R20L32FQ	4497	5171	80	36	29.25	40	253	40
	81CC8036-24-L20R32FQ	4497	5171	80	36	29.25	40	253	40
	81CC8036-24-R24L32FQ	4497	5171	80	36	29.25	40	253	40
	81CC8036-24-L24R32FQ	4497	5171	80	36	29.25	40	253	40
Corner Credenza, no Modesty Panel, 32" Lateral File Pedestal 	81CC8032-20-R20L3201	4295	4939	80	32	29.25	40	210	34
	81CC8032-20-L20R3201*	4295	4939	80	32	29.25	40	210	34
	81CC8032-20-R24L3201	4295	4939	80	32	29.25	40	210	34
	81CC8032-20-L24R3201	4295	4939	80	32	29.25	40	210	34
	81CC8036-24-R20L3201	4357	5011	80	36	29.25	40	248	40
	81CC8036-24-L20R3201	4357	5011	80	36	29.25	40	248	40
	81CC8036-24-R24L3201	4357	5011	80	36	29.25	40	248	40
	81CC8036-24-L24R3201	4357	5011	80	36	29.25	40	248	40
Corner Credenza, no Modesty Panel, 32" Bookcase Pedestal 	81CC8032-20-R20L32BC	3911	4497	80	32	29.25	40	210	34
	81CC8032-20-L20R32BC*	3911	4497	80	32	29.25	40	210	34
	81CC8032-20-R24L32BC	3911	4497	80	32	29.25	40	210	34
	81CC8032-20-L24R32BC	3911	4497	80	32	29.25	40	210	34
	81CC8036-24-R20L32BC	3911	4497	80	36	29.25	40	248	40
	81CC8036-24-L20R32BC	3911	4497	80	36	29.25	40	248	40
	81CC8036-24-R24L32BC	3911	4497	80	36	29.25	40	248	40
	81CC8036-24-L24R32BC	3911	4497	80	36	29.25	40	248	40
Corner Credenza, no Modesty Panel, 32" 2 File, V-Ped Pedestal 	81CC8032-20-R20L32DQ	4472	5143	80	32	29.25	40	215	34
	81CC8032-20-L20R32DQ*	4472	5143	80	32	29.25	40	215	34
	81CC8032-20-R24L32DQ	4472	5143	80	32	29.25	40	215	34
	81CC8032-20-L24R32DQ	4472	5143	80	32	29.25	40	215	34
	81CC8036-24-R20L32DQ	4497	5171	80	36	29.25	40	253	40
	81CC8036-24-L20R32DQ	4497	5171	80	36	29.25	40	253	40
	81CC8036-24-R24L32DQ	4497	5171	80	36	29.25	40	253	40
	81CC8036-24-L24R32DQ	4497	5171	80	36	29.25	40	253	40

ORDERING NOTES:

Wire management cut-outs are standard on all corner credenza modesty panels.

The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side.

Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation.

Corner Credenzas with V-Peds are NOT available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
Q - V-Ped
X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.



GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Corner Credenza Shell, Fixed Modesty Panel 	81CC6432-20-R20L0X41	2380	2737	64	32	29.25	48	154	27
	81CC6432-20-L20R0X41	2380	2737	64	32	29.25	48	154	27
	81CC6432-20-R24L0X41	2380	2737	64	32	29.25	48	154	27
	81CC6432-20-L24R0X41	2380	2737	64	32	29.25	48	154	27
	81CC6436-24-R20L0X41	2406	2767	64	36	29.25	48	179	32
	81CC6436-24-L20R0X41	2406	2767	64	36	29.25	48	179	32
	81CC6436-24-R24L0X41	2406	2767	64	36	29.25	48	179	32
	81CC6436-24-L24R0X41	2406	2767	64	36	29.25	48	179	32
	81CC7232-20-R20L0X41	2418	2781	72	32	29.25	56	169	30
	81CC7232-20-L20R0X41*	2418	2781	72	32	29.25	56	169	30
	81CC7232-20-R24L0X41	2418	2781	72	32	29.25	56	169	30
	81CC7232-20-L24R0X41	2418	2781	72	32	29.25	56	169	30
	81CC7236-24-L20R0X41	2435	2800	72	36	29.25	56	198	36
	81CC7236-24-R20L0X41	2435	2800	72	36	29.25	56	198	36
	81CC7236-24-R24L0X41	2435	2800	72	36	29.25	56	198	36
	81CC7236-24-L24R0X41	2435	2800	72	36	29.25	56	198	36
	81CC8032-20-R20L0X41	2445	2811	80	32	29.25	64	167	34
	81CC8032-20-L20R0X41	2445	2811	80	32	29.25	64	167	34
	81CC8032-20-R24L0X41	2445	2811	80	32	29.25	64	167	34
	81CC8032-20-L24R0X41	2445	2811	80	32	29.25	64	167	34
Corner Credenza, Fixed Modesty Panel, 16" Pedestal 	81CC6432-20-R20L16FX41	3101	3566	64	32	29.25	40	186	27
	81CC6432-20-R20L16DX41	3101	3566	64	32	29.25	40	186	27
	81CC6432-20-L20R16FX41*	3101	3566	64	32	29.25	40	186	27
	81CC6432-20-L20R16DX41	3101	3566	64	32	29.25	40	186	27
	81CC6432-20-R24L16FX41	3101	3566	64	32	29.25	40	186	27
	81CC6432-20-R24L16DX41	3101	3566	64	32	29.25	40	186	27
	81CC6432-20-L24R16FX41	3101	3566	64	32	29.25	40	186	27
	81CC6432-20-L24R16DX41	3101	3566	64	32	29.25	40	186	27
	81CC6436-24-R20L16FX41	3147	3619	64	36	29.25	40	201	32
	81CC6436-20-R20L16DX41	3147	3619	64	36	29.25	40	201	32
	81CC6436-24-L20R16FX41	3147	3619	64	36	29.25	40	201	32
	81CC6436-24-L20R16DX41	3147	3619	64	36	29.25	40	201	32
	81CC6436-24-R24L16FX41	3147	3619	64	36	29.25	40	201	32
	81CC6436-24-R24L16DX41	3147	3619	64	36	29.25	40	201	32
	81CC6436-24-L24R16FX41	3147	3619	64	36	29.25	40	201	32
	81CC6436-24-L24R16DX41	3147	3619	64	36	29.25	40	201	32

ORDERING NOTES:

The first dimension after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 Q - V-Ped
 X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.




GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Corner Credenza, Fixed Modesty Panel, 16" Pedestal, Continued 	81CC7232-20-R20L16FX41	3154	3627	72	32	29.25	48	191	30
	81CC7232-20-R20L16DX41	3154	3627	72	32	29.25	48	191	30
	81CC7232-20-L20R16FX41*	3154	3627	72	32	29.25	48	191	30
	81CC7232-20-L20R16DX41	3154	3627	72	32	29.25	48	191	30
	81CC7232-20-R24L16FX41	3154	3627	72	32	29.25	48	191	30
	81CC7232-20-L24R16FX41	3154	3627	72	32	29.25	48	191	30
	81CC7232-20-R24L16DX41	3154	3627	72	32	29.25	48	191	30
	81CC7232-20-L24R16DX41	3154	3627	72	32	29.25	48	191	30
	81CC7236-24-R24L16FX41	3226	3711	72	36	29.25	48	220	36
	81CC7236-24-R20L16FX41	3226	3711	72	36	29.25	48	220	36
	81CC7236-24-R20L16DX41	3226	3711	72	36	29.25	48	220	36
	81CC7236-24-L20R16DX41	3226	3711	72	36	29.25	48	220	36
	81CC7236-24-L20R16FX41	3226	3711	72	36	29.25	48	220	36
	81CC7236-24-L24R16FX41	3226	3711	72	36	29.25	48	220	36
	81CC7236-24-R24L16DX41	3226	3711	72	36	29.25	48	220	36
	81CC7236-24-L24R16DX41	3226	3711	72	36	29.25	48	220	36
	81CC8032-20-R20L16FX41	3390	3899	80	32	29.25	56	189	34
	81CC8032-20-R20L16DX41	3390	3899	80	32	29.25	56	189	34
	81CC8032-20-L20R16FX41	3390	3899	80	32	29.25	56	189	34
	81CC8032-20-L20R16DX41	3390	3899	80	32	29.25	56	189	34
	81CC8032-20-R24L16FX41	3390	3899	80	32	29.25	56	189	34
	81CC8032-20-R24L16DX41	3390	3899	80	32	29.25	56	189	34
	81CC8032-20-L24R16FX41	3390	3899	80	32	29.25	56	189	34
	81CC8032-20-L24R16DX41	3390	3899	80	32	29.25	56	189	34
	81CC8036-24-R20L16FX41	3418	3931	80	36	29.25	56	237	40
	81CC8036-24-R20L16DX41	3418	3931	80	36	29.25	56	237	40
	81CC8036-24-L20R16FX41	3418	3931	80	36	29.25	56	237	40
	81CC8036-24-L20R16DX41	3418	3931	80	36	29.25	56	237	40
	81CC8036-24-R24L16FX41	3418	3931	80	36	29.25	56	237	40
	81CC8036-24-L24R16FX41	3418	3931	80	36	29.25	56	237	40
	81CC8036-24-R24L16DX41	3418	3931	80	36	29.25	56	237	40
	81CC8036-24-L24R16DX41	3418	3931	80	36	29.25	56	237	40
Corner Credenza, Fixed Modesty Panel, 24" 2 Box/ 1 File or 2 File with V-Ped Pedestal  	81CC8032-20-R20L24FQX41	4613	5305	80	32	29.25	48	205	34
	81CC8032-20-R24L24FQX41	4613	5305	80	32	29.25	48	205	34
	81CC8032-20-R20L24DQX41	4613	5305	80	32	29.25	48	205	34
	81CC8032-20-R24L24DQX41*	4613	5305	80	32	29.25	48	205	34
	81CC8032-20-L20R24FQX41	4613	5305	80	32	29.25	48	205	34
	81CC8032-20-L24R24FQX41	4613	5305	80	32	29.25	48	205	34
	81CC8032-20-L20R24DQX41	4613	5305	80	32	29.25	48	205	34
	81CC8032-20-L24R24DQX41	4613	5305	80	32	29.25	48	205	34
	81CC8036-24-R20L24FQX41	4642	5339	80	36	29.25	48	253	40
	81CC8036-24-R24L24FQX41	4642	5339	80	36	29.25	48	253	40
	81CC8036-24-R20L24DQX41	4642	5339	80	36	29.25	48	253	40

DIMENSION KEY

W - width
 D - depth
 H - height of worksurface
 KW - kneehole width
 Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 Q - V-Ped
 X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.



GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak		Anigre	W	D	H	KW	Shipping	
		Walnut	Maple						Weight	Cubes
Corner Credenza, Fixed Modesty Panel, 24" 2 Box/ 1 File or 2 File with V-Ped Pedestal, Continued	81CC8036-24-R24L24DQX41	4642		5339	80	36	29.25	48	253	40
	81CC8036-24-L20R24FQX41	4642		5339	80	36	29.25	48	253	40
	81CC8036-24-L24R24FQX41	4642		5339	80	36	29.25	48	253	40
	81CC8036-24-L20R24DQX41	4642		5339	80	36	29.25	48	253	40
	81CC8036-24-L24R24DQX41	4642		5339	80	36	29.25	48	253	40
	81CC7232-20-R20L24FX41	3406		3917	72	32	29.25	40	207	30
	81CC7232-20-R24L24FX41	3406		3917	72	32	29.25	40	207	30
	81CC7232-20-L20R24FX41*	3406		3917	72	32	29.25	40	207	30
	81CC7232-20-L24R24FX41	3406		3917	72	32	29.25	40	207	30
	81CC7236-24-R20L24FX41	3485		4007	72	36	29.25	40	236	36
	81CC7236-24-R24L24FX41	3485		4007	72	36	29.25	40	236	36
	81CC7236-24-L20R24FX41	3485		4007	72	36	29.25	40	236	36
	81CC7236-24-L24R24FX41	3485		4007	72	36	29.25	40	236	36
	81CC8032-20-R20L24FX41	3491		4014	80	32	29.25	48	205	34
	81CC8032-20-R24L24FX41	3491		4014	80	32	29.25	48	205	34
	81CC8032-20-L20R24FX41	3491		4014	80	32	29.25	48	205	34
	81CC8032-20-L24R24FX41	3491		4014	80	32	29.25	48	205	34
	81CC8036-24-R20L24FX41	3520		4049	80	36	29.25	48	253	40
	81CC8036-24-R24L24FX41	3520		4049	80	36	29.25	48	253	40
	81CC8036-24-L20R24FX41	3520		4049	80	36	29.25	48	253	40
	81CC8036-24-L24R24FX41	3520		4049	80	36	29.25	48	253	40
	81CC8032-20-R20L32FQX41	4715		5423	80	32	29.25	40	231	34
	81CC8032-20-R20L32DQX41	4715		5423	80	32	29.25	40	231	34
	81CC8032-20-R24L32FQX41	4715		5423	80	32	29.25	40	231	34
	81CC8032-20-R24L32DQX41	4715		5423	80	32	29.25	40	231	34
	81CC8032-20-L20R32FQX41*	4715		5423	80	32	29.25	40	231	34
	81CC8032-20-L24R32FQX41	4715		5423	80	32	29.25	40	231	34
	81CC8032-20-L20R32DQX41	4715		5423	80	32	29.25	40	231	34
	81CC8032-20-L24R32DQX41	4715		5423	80	32	29.25	40	231	34
	81CC8036-24-R20L32FQX41	4743		5455	80	36	29.25	40	269	40
	81CC8036-24-R24L32FQX41	4743		5455	80	36	29.25	40	269	40
	81CC8036-24-R20L32DQX41	4743		5455	80	36	29.25	40	269	40
	81CC8036-24-R24L32DQX41	4743		5455	80	36	29.25	40	269	40
	81CC8036-24-L20R32FQX41	4743		5455	80	36	29.25	40	269	40
	81CC8036-24-L24R32FQX41	4743		5455	80	36	29.25	40	269	40
	81CC8036-24-L20R32DQX41	4743		5455	80	36	29.25	40	269	40
	81CC8036-24-L24R32DQX41	4743		5455	80	36	29.25	40	269	40

ORDERING NOTES:

Wire management cut-outs are standard on all corner credenza modesty panels.

The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side.

Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation.

Corner Credenzas with V-Peds are NOT available on KrugExpress.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 Q - V-Ped
 X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.




GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Corner Credenza, Fixed Modesty Panel, 32" Lateral File Pedestal 	81CC8032-20-R20L3201X41*	4619	5312	80	32	29.25	40	231	34
	81CC8032-20-R24L3201X41	4619	5312	80	32	29.25	40	231	34
	81CC8032-20-L20R3201X41	4619	5312	80	32	29.25	40	231	34
	81CC8032-20-L24R3201X41	4619	5312	80	32	29.25	40	231	34
	81CC8036-24-R20L3201X41	4686	5389	80	36	29.25	40	269	40
	81CC8036-24-R24L3201X41	4686	5389	80	36	29.25	40	269	40
	81CC8036-24-L20R3201X41	4686	5389	80	36	29.25	40	269	40
	81CC8036-24-L24R3201X41	4686	5389	80	36	29.25	40	269	40
Corner Credenza, Fixed Modesty Panel, 32" Bookcase Pedestal 	81CC8032-20-R20L32BCX41	4206	4837	80	32	29.25	40	226	34
	81CC8032-20-R24L32BCX41	4206	4837	80	32	29.25	40	226	34
	81CC8032-20-L20R32BCX41*	4206	4837	80	32	29.25	40	226	34
	81CC8032-20-L24R32BCX41	4206	4837	80	32	29.25	40	226	34
	81CC8036-24-R20L32BCX41	4268	4908	80	36	29.25	40	259	40
	81CC8036-24-R24L32BCX41	4268	4908	80	36	29.25	40	259	40
	81CC8036-24-L20R32BCX41	4268	4908	80	36	29.25	40	259	40
	81CC8036-24-L24R32BCX41	4268	4908	80	36	29.25	40	259	40
Corner Credenza Shell, Hinged Modesty Panel 	81CCY6432-20-R20L0X41	2615	3007	64	32	29.25	48	154	27
	81CCY6432-20-L20R0X41	2615	3007	64	32	29.25	48	154	27
	81CCY6432-20-R24L0X41	2615	3007	64	32	29.25	48	154	27
	81CCY6432-20-L24R0X41	2615	3007	64	32	29.25	48	154	27
	81CCY6436-24-R20L0X41	2648	3046	64	36	29.25	48	179	32
	81CCY6436-24-L20R0X41	2648	3046	64	36	29.25	48	179	32
	81CCY6436-24-R24L0X41	2648	3046	64	36	29.25	48	179	32
	81CCY6436-24-L24R0X41	2648	3046	64	36	29.25	48	179	32
	81CCY7232-20-R20L0X41	2659	3058	72	32	29.25	56	169	30
	81CCY7232-20-L20R0X41*	2659	3058	72	32	29.25	56	169	30
	81CCY7232-20-R24L0X41	2659	3058	72	32	29.25	56	169	30
	81CCY7232-20-L24R0X41	2659	3058	72	32	29.25	56	169	30
	81CCY7236-24-R20L0X41	2679	3081	72	36	29.25	56	198	36
	81CCY7236-24-L20R0X41	2679	3081	72	36	29.25	56	198	36
	81CCY7236-24-R24L0X41	2679	3081	72	36	29.25	56	198	36
	81CCY7236-24-L24R0X41	2679	3081	72	36	29.25	56	198	36
	81CCY8032-20-R20L0X41	2689	3092	80	32	29.25	64	167	34
	81CCY8032-20-L20R0X41	2689	3092	80	32	29.25	64	167	34
	81CCY8032-20-R24L0X41	2689	3092	80	32	29.25	64	167	34
	81CCY8032-20-L24R0X41	2689	3092	80	32	29.25	64	167	34
	81CCY8036-24-R20L0X41	2742	3153	80	36	29.25	64	215	40
	81CCY8036-24-R24L0X41	2742	3153	80	36	29.25	64	215	40
	81CCY8036-24-L20R0X41	2742	3153	80	36	29.25	64	215	40
	81CCY8036-24-L24R0X41	2742	3153	80	36	29.25	64	215	40

ORDERING NOTES:

The first dimension after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
Q - V-Ped
X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.


GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Corner Credenza, Hinged Modesty Panel, 16" Pedestal	81CCY6432-20-R20L16FX41	3412	3925	64	32	29.25	40	186	27
	81CCY6432-20-R20L16DX41	3412	3925	64	32	29.25	40	186	27
	81CCY6432-20-L20R16FX41*	3412	3925	64	32	29.25	40	186	27
	81CCY6432-20-L20R16DX41	3412	3925	64	32	29.25	40	186	27
	81CCY6432-20-R24L16FX41	3412	3925	64	32	29.25	40	186	27
	81CCY6432-20-R24L16DX41	3412	3925	64	32	29.25	40	186	27
	81CCY6432-20-L24R16FX41	3412	3925	64	32	29.25	40	186	27
	81CCY6432-20-L24R16DX41	3412	3925	64	32	29.25	40	186	27
	81CCY6436-24-R20L16FX41	3463	3982	64	36	29.25	40	201	32
	81CCY6436-24-R20L16DX41	3463	3982	64	36	29.25	40	201	32
	81CCY6436-24-L20R16FX41	3463	3982	64	36	29.25	40	201	32
	81CCY6436-24-L20R16DX41	3463	3982	64	36	29.25	40	201	32
	81CCY6436-24-R24L16FX41	3463	3982	64	36	29.25	40	201	32
	81CCY6436-24-R24L16DX41	3463	3982	64	36	29.25	40	201	32
	81CCY6436-24-L24R16FX41	3463	3982	64	36	29.25	40	201	32
	81CCY6436-24-L24R16DX41	3463	3982	64	36	29.25	40	201	32
	81CCY7232-20-R20L16FX41	3469	3989	72	32	29.25	48	191	30
	81CCY7232-20-R24L16FX41	3469	3989	72	32	29.25	48	191	30
	81CCY7232-20-L20R16FX41*	3469	3989	72	32	29.25	48	191	30
	81CCY7232-20-L24R16FX41	3469	3989	72	32	29.25	48	191	30
	81CCY7232-20-R20L16DX41	3469	3989	72	32	29.25	48	191	30
	81CCY7232-20-R24L16DX41	3469	3989	72	32	29.25	48	191	30
	81CCY7232-20-L20R16DX41	3469	3989	72	32	29.25	48	191	30
	81CCY7232-20-L24R16DX41	3469	3989	72	32	29.25	48	191	30
	81CCY7236-24-R20L16FX41	3549	4082	72	36	29.25	48	220	36
	81CCY7236-24-R24L16FX41	3549	4082	72	36	29.25	48	220	36
	81CCY7236-24-L20R16FX41	3549	4082	72	36	29.25	48	220	36
	81CCY7236-24-L24R16FX41	3549	4082	72	36	29.25	48	220	36
	81CCY7236-24-R20L16DX41	3549	4082	72	36	29.25	48	220	36
	81CCY7236-24-R24L16DX41	3549	4082	72	36	29.25	48	220	36
	81CCY7236-24-L20R16DX41	3549	4082	72	36	29.25	48	220	36
	81CCY7236-24-L24R16DX41	3549	4082	72	36	29.25	48	220	36
	81CCY8032-20-R20L16FX41	3729	4289	80	32	29.25	56	189	34
	81CCY8032-20-R24L16FX41	3729	4289	80	32	29.25	56	189	34
	81CCY8032-20-L20R16FX41	3729	4289	80	32	29.25	56	189	34
	81CCY8032-20-L24R16FX41	3729	4289	80	32	29.25	56	189	34
	81CCY8032-20-R20L16DX41	3729	4289	80	32	29.25	56	189	34
	81CCY8032-20-R24L16DX41	3729	4289	80	32	29.25	56	189	34
	81CCY8032-20-L20R16DX41	3729	4289	80	32	29.25	56	189	34
	81CCY8032-20-L24R16DX41	3729	4289	80	32	29.25	56	189	34
	81CCY8036-24-R20L16FX41	3760	4324	80	36	29.25	56	237	40
	81CCY8036-24-R24L16FX41	3760	4324	80	36	29.25	56	237	40
	81CCY8036-24-L20R16FX41	3760	4324	80	36	29.25	56	237	40
	81CCY8036-24-L24R16FX41	3760	4324	80	36	29.25	56	237	40
	81CCY8036-24-R20L16DX41	3760	4324	80	36	29.25	56	237	40
	81CCY8036-24-R24L16DX41	3760	4324	80	36	29.25	56	237	40
	81CCY8036-24-L20R16DX41	3760	4324	80	36	29.25	56	237	40
	81CCY8036-24-L24R16DX41	3760	4324	80	36	29.25	56	237	40

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
Q - V-Ped
X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.



GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak		W	D	H	KW	Shipping	
		Walnut Maple	Anigre					Weight	Cubes
Corner Credenza, Hinged Modesty Panel, 24" 2 Box/ 1 File or 2 File with V-Ped Pedestal 	81CCY8032-20-R20L24FQX41	5075	5837	80	32	29.25	48	205	34
	81CCY8032-20-L20R24FQX41	5075	5837	80	32	29.25	48	205	34
	81CCY8032-20-R20L24DQX41	5075	5837	80	32	29.25	48	205	34
	81CCY8032-20-L20R24DQX41*	5075	5837	80	32	29.25	48	205	34
	81CCY8032-20-R24L24FQX41	5075	5837	80	32	29.25	48	205	34
	81CCY8032-20-L24R24FQX41	5075	5837	80	32	29.25	48	205	34
	81CCY8032-20-L24R24DQX41	5075	5837	80	32	29.25	48	205	34
	81CCY8036-24-R20L24FQX41	5107	5873	80	36	29.25	48	237	40
	81CCY8036-24-R20L24DQX41	5107	5873	80	36	29.25	48	205	34
	81CCY8036-24-L20R24FQX41	5107	5873	80	36	29.25	48	205	34
	81CCY8036-24-L20R24DQX41	5107	5873	80	36	29.25	48	205	34
	81CCY8036-24-R24L24FQX41	5107	5873	80	36	29.25	48	237	40
	81CCY8036-24-R24L24DQX41	5107	5873	80	36	29.25	48	205	34
	81CCY8036-24-L24R24FQX41	5107	5873	80	36	29.25	48	205	34
	81CCY8036-24-L24R24DQX41	5107	5873	80	36	29.25	48	205	34
Corner Credenza, Hinged Modesty Panel, 24" 2 Box/ 1 File Pedestal 	81CCY7232-20-R20L24FX41	3746	4308	72	32	29.25	40	207	30
	81CCY7232-20-R24L24FX41	3746	4308	72	32	29.25	40	207	30
	81CCY7232-20-L20R24FX41*	3746	4308	72	32	29.25	40	207	30
	81CCY7232-20-L24R24FX41	3746	4308	72	32	29.25	40	207	30
	81CCY7236-24-R20L24FX41	3833	4409	72	36	29.25	40	236	36
	81CCY7236-24-R24L24FX41	3833	4409	72	36	29.25	40	236	36
	81CCY7236-24-L20R24FX41	3833	4409	72	36	29.25	40	236	36
	81CCY7236-24-L24R24FX41	3833	4409	72	36	29.25	40	236	36
	81CCY8032-20-R20L24FX41	3840	4417	80	32	29.25	48	205	34
	81CCY8032-20-R24L24FX41	3840	4417	80	32	29.25	48	205	34
	81CCY8032-20-L20R24FX41	3840	4417	80	32	29.25	48	205	34
	81CCY8032-20-L24R24FX41	3840	4417	80	32	29.25	48	205	34
	81CCY8036-24-R20L24FX41	3873	4454	80	36	29.25	48	253	40
	81CCY8036-24-R24L24FX41	3873	4454	80	36	29.25	48	253	40
	81CCY8036-24-L20R24FX41	3873	4454	80	36	29.25	48	253	40
	81CCY8036-24-L24R24FX41	3873	4454	80	36	29.25	48	253	40

ORDERING NOTES:

Wire management cut-outs are standard on all corner credenza modesty panels.

The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side. Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation. Corner Credenzas with V-Peds are NOT available on KrugExpress.

DIMENSION KEY

W - width
 D - depth
 H - height of worksurface
 KW - kneehole width
 Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 Q - V-Ped
 X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.




GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

VESTRADA | CORNER CREDENZAS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Corner Credenza, Hinged Modesty Panel, 32" 2 Box/ 1 File with V-Ped 	81CCY8032-20-R20L32FQX41	5186	5964	80	32	29.25	40	231	34
	81CCY8032-20-R24L32FQX41	5186	5964	80	32	29.25	40	231	34
	81CCY8032-20-L20R32FQX41*	5186	5964	80	32	29.25	40	231	34
	81CCY8032-20-L24R32FQX41	5186	5964	80	32	29.25	40	231	34
	81CCY8036-24-R20L32FQX41	5217	6000	80	36	29.25	40	269	40
	81CCY8036-24-R24L32FQX41	5217	6000	80	36	29.25	40	269	40
	81CCY8036-24-L20R32FQX41	5217	6000	80	36	29.25	40	269	40
	81CCY8036-24-L24R32FQX41	5217	6000	80	36	29.25	40	269	40
Corner Credenza, Hinged Modesty Panel, 32" Lateral File Pedestal 	81CCY8032-20-R20L3201X41	5080	5842	80	32	29.25	40	231	34
	81CCY8032-20-R24L3201X41	5080	5842	80	32	29.25	40	231	34
	81CCY8032-20-L20R3201X41*	5080	5842	80	32	29.25	40	231	34
	81CCY8032-20-L24R3201X41	5080	5842	80	32	29.25	40	231	34
	81CCY8036-24-R20L3201X41	5153	5926	80	36	29.25	40	269	40
	81CCY8036-24-R24L3201X41	5153	5926	80	36	29.25	40	269	40
	81CCY8036-24-L20R3201X41	5153	5926	80	36	29.25	40	269	40
	81CCY8036-24-L24R3201X41	5153	5926	80	36	29.25	40	269	40
Corner Credenza, Hinged Modesty Panel, 32" Bookcase Pedestal 	81CCY8032-20-R20L32BCX41	4626	5320	80	32	29.25	40	226	34
	81CCY8032-20-R24L32BCX41	4626	5320	80	32	29.25	40	226	34
	81CCY8032-20-L20R32BCX41*	4626	5320	80	32	29.25	40	226	34
	81CCY8032-20-L24R32BCX41	4696	5400	80	32	29.25	40	226	34
	81CCY8036-24-L20R32BCX41	4696	5400	80	36	29.25	40	259	40
	81CCY8036-24-R20L32BCX41	4626	5400	80	36	29.25	40	259	40
	81CCY8036-24-R24L32BCX41	4696	5400	80	36	29.25	40	259	40
	81CCY8036-24-L24R32BCX41	4696	5400	80	36	29.25	40	259	40

ORDERING NOTES:

Wire management cut-outs are standard on all corner credenza modesty panels.

The first dimension listed after the second "-" indicates connecting side dimensions, e.g. 81CC8036-24-L20R0 has a 20" connecting side. Please note 24" BBF or FF/V-Ped is one component. V-Ped is always towards kneespace and is not available for field installation. Corner Credenzas with V-Peds are NOT available on KrugExpress.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 Q - V-Ped
 X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 127 for more wiring grommet information.

GLASS PRIVACY SCREEN

Please see page 217 for glass privacy screen options

PULL LOCATIONS

For details please see page 126.

MODULAR | GUIDELINES


ORDERING VESTRADA MODULAR COMPONENTS

STEP 1

TOPS

Determine the size and shape of worksurface you require and find the corresponding model number (see pages 200).

Example: A 7' 2" x 3' 6" rectangular desk top is listed as 81TPD-7236.



Installation Note

Case tops feature factory installed inserts while pedestals have blind holes which can be drilled out, and the top bolted in place as per the installation instructions. This provides 16" of pedestal under the top unless the pedestal features a V-Ped, in which case 24" of pedestal lies beneath the top.

For situations where tops are not bolted into place, anti-skid tape is provided to be applied to the under side of the V-Beam. In this scenario a minimum of 12" of pedestal must support the top on both sides.

NOTE:

If you plan to order pedestals that extend out from the top, please take into consideration the overall floor space you have to work with when ordering your top size.

STEP 2



PEDESTALS

Determine the pedestal type, width and depth required, and find the corresponding model number (see pages 201-208). The pedestal(s) selected should be the same depth as the top that is ordered. If ordering a face mounted glass modesty panel, the pedestal(s) selected should be 6" less in depth than the top depth.

Pedestals may be positioned entirely under the worksurface or can extend out left or right from beneath the worksurface. A minimum of 16" of pedestal width must be located directly under the worksurface if the top is to be bolted in place. If the need to fill floor space exists, a minimum of 12" of pedestal must support the worksurface. However, in this situation, the top cannot be bolted into place, but rather placed on top of the pedestals with anti-skid tape to hold the top in place. These rules must be taken into consideration when determining what top, pedestal(s) and modesty panels to order.

Example: An 88" top with a 24" left pedestal and a 32" right pedestal can be extended to give an overall unit width of 112".

NOTE: An 18" deep pedestal is required if positioning a pedestal in front of a modesty panel due to the inset of the V-Beam. Only the pedestals listed in 18" depths are available.



STEP 3

MODESTY PANELS

Modesty panels are available in a variety of sizes and materials. Please refer to the following chart to find applicable modesty panels for specific tops.


Top Type	Modesty Type Available	Top Size
Rectangular Top Desk	3/4 & Full Height Wood	64" - 96"
	Face mounted Wood/Glass	72" - 88"
Elliptical Top Desk	Face mounted Glass	72" - 88"
Credenza	Full Height Wood*	64" - 96"
	Hinged Wood**	64" - 96"
Return	Full Height Wood***	36" - 88"
	Hinged Wood**	36" - 88"

- * Wire management cut-out option available at \$150 list
- ** Features wire management cut-out as standard
- *** Wire management cut-out option available on wood modesty panel at \$150 list

Recessed Modesty Panels


Determine the modesty panel style and size, and find the corresponding model number (see pages 209-210). Modesty panel sizes are determined by subtracting the widths of the pedestals or supports that are located directly underneath the worksurface from your top width.

Example: A 72" top with a 24" pedestal on the right and an 8" support on the left would require a 40" wide modesty panel (72 minus 24 minus 8 = 40).



If specifying extended pedestals, at least 16" of each extended pedestal must be located underneath the worksurface if the top is to be bolted in place. Likewise, 12" of pedestal must support the top if only using the anti-skid tape method of installing. To determine the size of modesty panel required when using extended pedestals, subtract only the amount of each pedestal that is located directly underneath the worksurface from the overall worksurface width to determine the modesty panel width required.

Example: An 80" top with a 32" pedestal on the right and a 24" pedestal on the left, both having 16" of pedestal located underneath the worksurface, will require a 48" modesty panel. In other words, 16" of each pedestal is underneath the worksurface for a total of 32". Subtract 32" from 80" to determine that a 48" modesty panel is required.




MODULAR | GUIDELINES

Face Mounted Modesty Panels

Face mounted glass or wood modesty panel widths are determined by subtracting 16" of width from the top size you are ordering. The reasoning behind this formula is simple. Face mounted modesty panels must attach to 8" of pedestal left and right. For this to work, the pedestals must be 16" wide minimum and must always be 6" shallower than the top depth. Please note that 8" modular support pedestals will not support a face mounted modesty panel.

Example: If ordering an 80" top, the face mounted glass modesty panel required is 64" wide, regardless of pedestal widths (starting with 16" pedestals).




Modesty panels are available in a limited number of widths. This must be taken into consideration when planning out exactly how pedestals are to be situated. For example, you cannot have 51" of space between the pedestals because there is not a 67" modesty panel available. If a 51" kneespace is required, simply do not order a modesty panel. All available modesty panel widths are listed in the modular components section on pages 209-210.

If planning on extending or retracting your pedestal(s) into different positions in the future, a modesty panel should not be specified, as this will limit future space planning.

VESTRADA modular components are shipped with very durable anti-skid tape. The tape is designed to facilitate the need to move pedestals inward and outward as required, but prevents the top from moving when placed over the pedestals. Remember, a minimum of 12" of pedestal must be below the top for VESTRADA casegoods to be structurally supportive with the anti-skid tape method of installing, and 16" of pedestal below the worksurface to bolt the top in place.

VESTRADA | MODULAR TOPS

		Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
	Desk Top, Rectangular	81TPD6430	956	1099	64	30	3.13	82	4
		81TPD7236	1046	1203	72	36	3.13	118	6
		81TPD8036*	1115	1282	80	36	3.13	132	7
		81TPD8836	1151	1324	88	36	3.13	132	7
		81TPD9636	1204	1385	96	36	3.13	153	8
	Desk Top, Elliptical	81TPDEZ7236	1749	2012	72	36	3.13	78	6
		81TPDEZ8036*	1854	2132	80	36	3.13	108	7
	Credenza Top	81TPC6420	934	1074	64	20	3.13	53	4
		81TPC6424	964	1108	64	24	3.13	61	3
		81TPC7220	968	1112	72	20	3.13	63	4
		81TPC7224	995	1145	72	24	3.13	65	4
		81TPC8020	1005	1156	80	20	3.13	71	5
		81TPC8024	1020	1173	80	24	3.13	73	4
		81TPC8820	1031	1186	88	20	3.13	82	5
		81TPC8824*	1049	1206	88	24	3.13	84	4
		81TPC9620	1059	1217	96	20	3.13	87	5
		81TPC9624	1069	1229	96	24	3.13	89	5
	Credenza Top for TracDesks	81TPC8020J	1398	1608	80	20	3.13	71	5
		81TPC8024J	1448	1665	80	24	3.13	73	4
		81TPC8820J	1446	1663	88	20	3.13	82	5
		81TPC8824J*	1484	1707	88	24	3.13	84	5
		81TPC9620J	1464	1683	96	20	3.13	87	5
		81TPC9624J	1509	1735	96	24	3.13	89	5
	Return Top	81TPR3620L	689	793	36	20	3.13	34	15
		81TPR3620R	689	793	36	20	3.13	34	15
		81TPR3624L	697	802	36	24	3.13	48	17
		81TPR3624R	697	802	36	24	3.13	48	17
		81TPR4020L	716	824	40	20	3.13	40	19
		81TPR4020R	716	824	40	20	3.13	40	19
		81TPR4024L	737	847	40	24	3.13	62	21
		81TPR4024R	737	847	40	24	3.13	62	21
		81TPR4820L	754	867	48	20	3.13	58	29
		81TPR4820R	754	867	48	20	3.13	58	29
		81TPR4824L	770	886	48	24	3.13	77	36
		81TPR4824R	770	886	48	24	3.13	77	36
		81TPR5620L	776	893	56	20	3.13	70	39
		81TPR5620R	776	893	56	20	3.13	70	39
		81TPR5624L*	785	903	56	24	3.13	91	41

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
Q - V-Ped
01 - lateral file drawer
02 - 2 box, 1 file, lateral file pedestal
04 - 1 file, 2 box, lateral file pedestal
05 - 4 box, 1 lateral file drawer
BC - bookcase
HG - half gable

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.


GROMMETS

One wiring grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$114 list. See page 127 for more wiring grommet information.

MODULAR RETURN TOPS

Grain direction runs front to back on return tops.

VESTRADA | MODULAR PEDESTALS

DESCRIPTION	MODEL	Cherry Rift		Anigre	Palette	W	D	H	KW	Shipping	
		Maple	Oak Walnut							Weight	Cubes
Return Top, Continued 	81TPR5624R	785		903		56	24	3.13		91	41
	81TPR6020L	823		947		60	20	3.13		80	45
	81TPR6020R	823		947		60	20	3.13		80	45
	81TPR6024L	847		974		60	24	3.13		93	52
	81TPR6024R	847		974		60	24	3.13		93	52
	81TPR6420L	934		1074		64	20	3.13		82	53
	81TPR6420R	934		1074		64	20	3.13		82	53
	81TPR6424L	964		1108		64	24	3.13		107	61
	81TPR6424R	964		1108		64	24	3.13		107	61
	81TPR6430L	1002		1153		64	30	3.13		118	58
	81TPR6430R	1002		1153		64	30	3.13		118	58
	81TPR6436L	1049		1206		64	36	3.13		130	60
	81TPR6436R	1049		1206		64	36	3.13		130	60
	81TPR7220L	968		1112		72	20	3.13		107	63
	81TPR7220R	968		1112		72	20	3.13		107	63
	81TPR7224L	995		1145		72	24	3.13		118	65
	81TPR7224R	995		1145		72	24	3.13		118	65
	81TPR7230L	1050		1207		72	30	3.13		130	68
	81TPR7230R	1050		1207		72	30	3.13		130	68
	81TPR7236L	1098		1263		72	36	3.13		142	70
	81TPR7236R	1098		1263		72	36	3.13		142	70
	81TPR8020L	1005		1156		80	20	3.13		118	74
	81TPR8020R	1005		1156		80	20	3.13		118	74
	81TPR8024L	1020		1173		80	24	3.13		130	76
	81TPR8024R	1020		1173		80	24	3.13		130	76
	81TPR8030L	1101		1266		80	30	3.13		142	79
	81TPR8030R	1101		1266		80	30	3.13		142	79
	81TPR8036L	1166		1341		80	36	3.13		159	81
	81TPR8036R	1166		1341		80	36	3.13		159	81
	81TPR8820L	1031		1186		88	20	3.13		130	84
	81TPR8820R	1031		1186		88	20	3.13		130	84
	81TPR8824L	1049		1206		88	24	3.13		142	86
	81TPR8824R	1049		1206		88	24	3.13		142	86
	81TPR8830L	1137		1308		88	30	3.13		159	89
	81TPR8830R	1137		1308		88	30	3.13		159	89
	81TPR8836L	1209		1390		88	36	3.13		174	91
	81TPR8836R	1209		1390		88	36	3.13		174	91
Half Gable 	81HG2909	278		320		1.25	27	27		11	1
	81HG2912	330		379		1.25	27	27		18	1

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 J - TracDesk option
 X31 - 3/4 height recessed modesty panel
 X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820.

LOCKS/PULLS

Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126.

V-PED


Please see page 136 for details on V-Ped.

VESTRADA | MODULAR PEDESTALS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	Palette	W	D	H	KW	Shipping Weight	Cubes
8" Modular Pedestal for Hinged or no Modesty Panel	81P0820	1234	1419	1110	8	20	26		16	4
	81P0824*	1282	1475	1154	8	24	26		20	5
	81P0830	1332	1532	1198	8	30	26		24	6
	81P0836	1386	1594	1248	8	36	26		28	7



16" Modular Pedestal, File/File	81P16D18	2021	2325	1819	16	18	26		104	6
	81P16D20	1800	2070	1620	16	20	26		108	7
	81P16D24	1869	2149	1683	16	24	26		112	8
	81P16D30*	1953	2246	1757	16	30	26		116	10
	81P16D36	2030	2335	1827	16	36	26		120	10



ORDERING NOTES:

**For use when adding to 24" cases where modesty panels exist. For elliptical top please specify 'EZ' after P in the model number.


16" Modular Pedestal, Box/Box/File	81P16F18	2021	2325	1819	16	18	26		108	6
	81P16F20	1942	2233	1747	16	20	26		110	7
	81P16F24	2021	2325	1819	16	24	26		114	8
	81P16F30*	2101	2416	1891	16	30	26		118	10
	81P16F36	2186	2514	1967	16	36	26		122	12



ORDERING NOTES:

**For use when adding to 24" cases where modesty panels exist. For elliptical top please specify 'EZ' after P in the model number.

16" Bookcase Pedestal	81P16BC18L	1600	1841	1441	16	18	26		95	7
	81P16BC18R	1600	1841	1441	16	18	26		95	7
	81P16BC20L	1540	1771	1386	16	20	26		99	8
	81P16BC20R	1540	1771	1386	16	20	26		99	8
	81P16BC24L*	1615	1858	1453	16	24	26		93	6
	81P16BC24R	1615	1858	1453	16	24	26		93	6



ORDERING NOTES:

**For use when adding to 24" cases where modesty panels exist. For elliptical top please specify 'EZ' after P in the model number.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820.

LOCKS/PULLS


Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126.

V-PED

Please see page 136 for details on V-Ped.

VESTRADA | MODULAR PEDESTALS

DESCRIPTION	MODEL	Cherry Rift	Oak Walnut	Anigre	Palette	W	D	H	KW	Shipping	
		Maple								Weight	Cubes
CPU with Side Storage	81P24CPUQL24*	2204	2535	1984	24	24	26		75	14	
	81P24CPUQR24	2204	2535	1984	24	24	26		75	14	



ORDERING NOTES:
This pedestal cannot be used with a case that has a modesty panel. The interior of the CPU is 22-1/4" deep, 14.3" wide and 21-3/4" high. The V-Ped is to be placed towards the kneespace for appropriate access. This item is NOT available on KrugExpress. Please note that the vented side is to be facing the knee space.

24" Modular Pedestal, Box/Box/File	81P24F18	2083	2395	1875	24	18	26		108	10	
	81P24F20*	2001	2301	1801	24	20	26		112	12	
	81P24F24	2082	2394	1874	24	24	26		116	14	
	81P24F30	2164	2488	1947	24	30	26		120	17	
	81P24F36	2228	2562	2005	24	36	26		124	12	



ORDERING NOTES:
**For use when adding to 24" cases where modesty panels exist. For elliptical top please specify 'EZ' after P in the model number.

24" Modular Pedestal, File/File	81P24D18	2083	2395	1875	24	18	26		108	10	
	81P24D20	2001	2301	1801	24	20	26		112	12	
	81P24D24*	2082	2394	1874	24	24	26		116	14	
	81P24D30	2164	2488	1947	24	30	26		120	17	
	81P24D36	2228	2562	2005	24	36	26		124	12	



ORDERING NOTES:
V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

24" Modular Pedestal, Box/Box/File with V-Ped	81P24FQL24*	3482	4004	3133	24	24	26		112	12	
	81P24FQR24	3482	4004	3133	24	24	26		112	12	



ORDERING NOTES:
V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

24" Modular Pedestal, File/File with V-Ped	81P24DQL24*	3330	3830	2997	24	24	26		112	13	
	81P24DQR24	3330	3830	2997	24	24	26		112	13	



ORDERING NOTES:
V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - left hand pedestal position
- R - right hand pedestal position
- D - 2 file drawers
- F - 2 box, 1 file drawer
- 0 - no pedestal
- J - TracDesk option
- X31 - 3/4 height recessed modesty panel
- X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820.

LOCKS/PULLS

Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126.

V-PED

Please see page 136 for details on V-Ped.

VESTRADA | MODULAR PEDESTALS

DESCRIPTION	MODEL	Cherry Rift	Oak Walnut	Anigre	Palette	W	D	H	KW	Shipping	
		Maple								Weight	Cubes
32" Modular Pedestal, Lateral File	81P320120	2476		2848	2229	32	20	26		114	15
	81P320124	2575		2961	2318	32	24	26		118	18
	81P320130*	2678		3080	2410	32	30	26		122	22
	81P320136	2785		3203	2507	32	36	26		126	13



ORDERING NOTES:
For elliptical top please specify 'EZ' after P in the model number.

32" Modular Pedestal, Box/Box/File, Lateral File	81P320420*	2933		3374	2640	32	20	26		114	13
	81P320424	3048		3505	2743	32	24	26		118	15




ORDERING NOTES:
For elliptical top please specify 'EZ' after P in the model number.

32" Modular Pedestal, File/Box/Box, Lateral File	81P320220*	2933		3374	2640	32	20	26		114	13
	81P320224	3048		3505	2743	32	24	26		118	15



ORDERING NOTES:
For elliptical top please specify 'EZ' after P in the model number.

32" Modular Pedestal, 4 Box/Lateral File	81P320518	3476		3997	3129	32	18	26		110	11
	81P320520	2991		3439	2692	32	20	26		114	13
	81P320524	3113		3581	2802	32	24	26		118	15
	81P320530*	3237		3723	2914	32	30	26		122	18
	81P320536	3366		3870	3029	32	36	26		126	22



ORDERING NOTES:
**For use when adding to 24" deep cases where modesty panels exist.

DIMENSION KEY
W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION
L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES
For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820.

LOCKS/PULLS
Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126.

V-PED
Please see page 136 for details on V-Ped.

VESTRADA | MODULAR PEDESTALS

DESCRIPTION	MODEL	Cherry Rift	Oak Walnut	Anigre	Palette	W	D	H	KW	Shipping	
		Maple								Weight	Cubes
32" Modular Pedestal, Bookcase	81P32BC18	2390	2748		2150	32	18	26		110	11
	81P32BC20*	2070	2380		1863	32	20	26		114	13
	81P32BC24	2157	2480		1941	32	24	26		118	15



ORDERING NOTES:
**For use when adding to 24" deep cases where modesty panels exist.

32" Modular Pedestal, V-Ped with Box/Box/File	81P32FQL24*	3460	3979	3114	32	24	26		114	15
	81P32FQR24	3460	3979	3114	32	24	26		114	15




ORDERING NOTES:
**For use when adding to 24" deep cases where modesty panels exist.

36" Modular Pedestal, Lateral File	81P360120	2614	3006	2352	36	20	26		116	14
	81P360124*	2719	3127	2447	36	24	26		120	17
	81P360130	2829	3254	2545	36	30	26		124	21
	81P360136	2941	3383	2647	36	36	26		128	24



36" Modular Pedestal, Box/Box/File, Lateral File	81P360418	3612	4153	3250	36	18	26		112	11
	81P360420*	3021	3474	2719	36	20	26		116	14
	81P360424	3142	3613	2827	36	24	26		120	17




ORDERING NOTES:
**For use when adding to 24" deep cases where modesty panels exist.

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION L - left hand pedestal position R - right hand pedestal position D - 2 file drawers F - 2 box, 1 file drawer 0 - no pedestal J - TracDesk option X31 - 3/4 height recessed modesty panel X41 - full height recessed modesty panel	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820. LOCKS/PULLS Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126. V-PED Please see page 136 for details on V-Ped.
--	--	--

VESTRADA | MODULAR PEDESTALS


DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	Palette	W	D	H	KW	Shipping Weight	Cubes
36" Modular Pedestal, File/Box/Box, Lateral File	81P360218	3612	4153	3250	36	18	26		112	11
	81P360220*	3021	3474	2719	36	20	26		116	14
	81P360224	3142	3613	2827	36	24	26		120	17




ORDERING NOTES:

**For use when adding to 24" deep cases where modesty panels exist.

36" Modular Pedestal, 4 Box/Lateral File	81P360520	3081	3543	2773	36	20	26		116	14
	81P360524	3205	3685	2885	36	24	26		120	17
	81P360530*	3331	3831	2998	36	30	26		124	21
	81P360536	3468	3988	3121	36	36	26		128	24




36" Modular Pedestal, Bookcase	81P36BC18	2442	2808	2198	36	18	26		112	11
	81P36BC20	2208	2540	1987	36	20	26		116	14
	81P36BC24*	2296	2641	2067	36	24	26		120	17



ORDERING NOTES:

**For use when adding to 24" deep cases where modesty panels exist.

40" Modular Pedestal, V- Ped, Lateral File	81P4001QL24*	3934	4524	3540	40	24	26		118	18
	81P4001QR24	3934	4524	3540	40	24	26		118	18



ORDERING NOTES:

V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820.

LOCKS/PULLS


Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126.

V-PED

Please see page 136 for details on V-Ped.


VESTRADA | MODULAR PEDESTALS

DESCRIPTION	MODEL	Cherry Rift	Anigre	Palette	W	D	H	KW	Shipping	
		Oak Walnut Maple							Weight	Cubes
40" Modular Pedestal, V-Ped, 2 Box/ 1 File, Lateral File	81P4004QR24	4479	5151	4031	40	24	26		118	18




ORDERING NOTES:
V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

40" Modular Pedestal, V-Ped, 1 File/2 Box, Lateral File	81P4002QL24	4479	5151	4031	40	24	26		118	18
---	-------------	------	------	------	----	----	----	--	-----	----




ORDERING NOTES:
V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

40" Modular Pedestal, V-Ped, 4 Box/Lateral File	81P4005QL24	4539	5220	4085	40	24	26		118	18
	81P4005QR24*	4539	5220	4085	40	24	26		118	18



ORDERING NOTES:
V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

40" Modular Pedestal, Bookcase, V-Ped	81P40BCQL24*	3532	4063	3179	40	24	26		118	18
	81P40BCQR24	3532	4063	3179	40	24	26		118	18



ORDERING NOTES:
V-Ped is to be placed towards kneespace for appropriate access. This item is NOT available on KrugExpress.

ORDERING PROCEDURES
To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing


CODE DESCRIPTION
L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel


STANDARD FINISHES
For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820.

LOCKS/PULLS
Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126.

V-PED
Please see page 136 for details on V-Ped.


VESTRADA | MODULAR PEDESTALS

DESCRIPTION	MODEL	Cherry Rift	Anigre	Palette	W	D	H	KW	Shipping	
		Oak Walnut Maple							Weight	Cubes
16" Support Pedestal 	81PDZ16024L	1576	1811	1419	16	24	26	-	-	-
	81PDZ16024R*	1576	1811	1419	16	24	26	-	-	-
	81PDZ16030L	1630	1875	1467	16	30	26	.	-	-
	81PDZ16030R	1630	1875	1467	16	30	26	-	-	-
	81PD16030L	1576	1811	1419	16	30	26	-	-	-
	81PD16030R	1576	1811	1419	16	30	26	-	-	-
	81PD16036L	1630	1875	1467	16	36	26	-	-	-
	81PD16036R	1630	1875	1467	16	36	26	-	-	-

Mobile Pedestal, no Cushion 	81MPS16F	1637	1883	1473	16	30	26	-	-	-
---	----------	------	------	------	----	----	----	---	---	---

ORDERING NOTES:

This item is NOT available on KrugExpress.

Mobile Pedestal, Cushion 	81MPSU16F	1954	2247	1758	16	30	26	-	-	-
---	-----------	------	------	------	----	----	----	---	---	---

DIMENSION KEY

W - width
D - depth
H - height of work surface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
J - TracDesk option
X31 - 3/4 height recessed modesty panel
X41 - full height recessed modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820.


LOCKS/PULLS

Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126.

V-PED

Please see page 136 for details on V-Ped.


VESTRADA | MODESTY PANELS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
3/4 Height Recessed Wood Modesty Panel for Desks 	81MPD32X31*	676	777	32	0.75	21.5		35	3
	81MPD40X31	715	822	40	0.75	21.5		42	3
	81MPD48X31	743	854	48	0.75	21.5		50	3
	81MPD56X31	768	884	56	0.75	21.5		60	3
	81MPD64X31	806	927	64	0.75	21.5		70	3
	81MPD72X31	897	1032	72	0.75	21.5		80	3
	81MPD80X31	973	1119	80	0.75	21.5		85	3

ORDERING NOTES:

For wire management cut-out option on modesty panel, note clearly on purchase order and add \$170 list.


Full Height Recessed Wood Modesty Panel for Desks 	81MPD32X41	676	777	32	0.75	28.5		35	3
	81MPD40X41	715	822	40	0.75	28.5		42	3
	81MPD48X41	743	854	48	0.75	28.5		50	3
	81MPD56X41	768	884	56	0.75	28.5		60	3
	81MPD64X41*	806	927	64	0.75	28.5		70	3
	81MPD72X41	897	1032	72	0.75	28.5		80	3
	81MPD80X41	973	1119	80	0.75	28.5		85	3

Wood Face Mounted Modesty Panel for Desks 	81MPZ48X31*	615	707	48	0.5	19		50	3
	81MPZ56X31	714	821	56	0.5	21.5		60	3
	81MPZ64X31	754	867	64	0.5	21.5		70	3
	81MPZ72X31	1280	1473	72	0.5	21.5		80	3

Glass Face Mounted Modesty Panel for Desks 	81MPZ48X37*	799		48	0.5	19		50	3
	81MPZ56X37	885		56	0.75	21.5		60	3
	81MPZ64X37	1029		64	0.75	21.5		70	3
	81MPZ72X37	1728		72	0.75	21.5		80	3

ORDERING NOTES:

Glass modesty panels are NOT available on KrugExpress.

3/4 Height Modesty Panel for Credenzas 	81MPC32X31*	676	777	32	0.75	21.5		35	3
	81MPC40X31	715	822	40	0.75	21.5		42	3
	81MPC48X31	743	854	48	0.75	21.5		50	3
	81MPC56X31	768	884	56	0.75	21.5		60	3
	81MPC64X31	806	927	64	0.75	21.5		70	3
	81MPC72X31	897	1032	72	0.75	21.5		80	3

ORDERING NOTES:

For wire management cut-out option on modesty panel, note clearly on purchase order and add \$170 list.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

D - modesty panels for desks
Z - face mount modesty panel
Y - hinged modesty panel
C - fixed modesty panel for credenzas
R - fixed modesty panel for returns
X31 - 3/4 height modesty panel
X37 - 3/4 height glass modesty panel
X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820.

LOCKS/PULLS

Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126.

V-PED

Please see page 136 for details on V-Ped.

VESTRADA | MODESTY PANELS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Full Height Modesty Panel for Credenzas 	81MPC32X41*	676	777	32	0.75	28.5		35	3
	81MPC40X41	715	822	40	0.75	28.5		42	3
	81MPC48X41	743	854	48	0.75	28.5		50	3
	81MPC56X41	768	884	56	0.75	28.5		60	3
	81MPC64X41	806	927	64	0.75	28.5		70	3
	81MPC72X41	897	1032	72	0.75	28.5		80	3


ORDERING NOTES:

For wire management cut-out option on modesty panel, note clearly on purchase order and add \$170 list.

Hinged Modesty Panel for Credenzas 	81MPY32X41*	712	819	32	0.75	28.5		35	3
	81MPY40X41	750	862	40	0.75	28.5		42	3
	81MPY48X41	779	896	48	0.75	28.5		50	3
	81MPY56X41	806	927	56	0.75	28.5		60	3
	81MPY64X41	846	973	64	0.75	28.5		70	3
	81MPY72X41	941	1082	72	0.75	28.5		80	3

ORDERING NOTES:

Hinged modesty panels come standard with a wire management cut-out.

Full Height Modesty Panel for Returns 	81MPR24X41	638	733	24	0.75	29.5		28	3
	81MPR32X41	676	777	32	0.75	28.5		35	3
	81MPR36X41*	697	802	36	0.75	28.5		40	3
	81MPR40X41	715	822	40	0.75	28.5		42	3
	81MPR44X41	729	838	44	0.75	28.5		52	3
	81MPR48X41	743	854	48	0.75	28.5		55	3
	81MPR52X41	756	869	52	0.75	28.5		58	3
	81MPR56X41	768	884	56	0.75	28.5		60	3
	81MPR64X41	806	927	64	0.75	28.5		70	3
	81MPR72X41	897	1032	72	0.75	28.5		80	3
	81MPR80X41	973	1119	80	0.75	28.5		90	3

ORDERING NOTES:

For hinged modesty panel option, replace 'R' with 'Y' (81MPY40X41) and add a 10% upcharge. For wire management cut-out option on modesty panel, note clearly on purchase order and add \$170 list.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

D - modesty panels for desks
Z - face mount modesty panel
Y - hinged modesty panel
C - fixed modesty panel for credenzas
R - fixed modesty panel for returns
X31 - 3/4 height modesty panel
X37 - 3/4 height glass modesty panel
X41 - full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying palette finish, change model number prefix to 83, e.g., 83P0820.


LOCKS/PULLS

Locks are standard on all pedestals and all lateral file drawers. For details on pull locations please see page 126.

V-PED

Please see page 136 for details on V-Ped.

VESTRADA | WORK TABLES

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Delta Table, no Casters, Desk Height	81TH0336	1504	1730	36	36	29.25		57	27
	81TH0342*	1525	1754	42	42	29.25		71	36
									
Delta Table, with Casters, Desk Height	81TH0336M	1534	1764	36	36	29.25		57	27
	81TH0342M*	1555	1788	42	42	29.25		71	36
									
Delta Table, no Casters, Machine Height	81TM0336	1504	1730	36	36	28.25		58	27
	81TM0342*	1525	1754	42	42	28.25		72	36
									
Delta Table, with Casters, Machine Height	81TM0336M	1534	1764	36	36	28.25		58	27
	81TM0342M*	1555	1788	42	42	28.25		72	36
									

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- M - with casters
- TH - desk height table
- TM - machine height table
- 01 - arc square
- 03 - delta
- 05 - round

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. Refer to page 124 for Palette solid colour finish options.




CASTERS

All casters on mobile tables are locking.

KRUG EXPRESS

Mobile & work tables are NOT available on KrugExpress

VESTRADA | WORK TABLES

DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
Glass Delta Table, no Casters, Machine Height	81TMG0336	2871	36	36	28.25		91	36
								
Glass Delta Table, with Casters, Machine Height	81TMG0336M	2926	36	36	28.25		91	36
								
		Cherry Rift Oak Walnut Maple	Anigre					
Arc Square Table, no Casters, Desk Height	81TH013636	1479	36	36	29.25		75	27
	81TH014242*	1498	42	42	29.25		90	36
								
Arc Square Table, with Casters, Desk Height	81TH013636M	1509	36	36	29.25		75	27
	81TH014242M*	1529	42	42	29.25		90	36
								

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

M - with casters
TH - desk height table
TM - machine height table
01 - arc square
03 - delta
05 - round

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. Refer to page 124 for Palette solid colour finish options.





CASTERS

All casters on mobile tables are locking.

KRUG EXPRESS

Mobile & work tables are NOT available on KrugExpress


VESTRADA | WORK TABLES

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Arc Square Table, no Casters, Machine Height	81TM013636M	1509	1735	36	36	28.25	75	27	
	81TM014242M*	1529	1758	42	42	28.25	91	36	
									
Arc Square Table, with Casters, Machine Height	81TM013636	1479	1700	36	36	28.25	75	27	
	81TM014242*	1498	1723	42	42	28.25	91	36	
									
Round Table, no Casters, Desk Height	81TH0536	1425	1639	36	36	29.25	69	27	
	81TH0542*	1459	1678	42	42	29.25	75	36	
									
Round Table, with Casters, Desk Height	81TH0536M	1455	1673	36	36	29.25	69	27	
	81TH0542M*	1488	1712	42	42	29.25	75	36	
									

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION M - with casters TH - desk height table TM - machine height table 01 - arc square 03 - delta 05 - round	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. Refer to page 124 for Palette solid colour finish options. CASTERS All casters on mobile tables are locking. KRUG EXPRESS Mobile & work tables are NOT available on KrugExpress
--	---	--

VESTRADA | WORK TABLES

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Round Table, no Casters, Machine Height	81TM0536	1425	1639	36	36	28.25		69	27
	81TM0542*	1459	1678	42	42	28.25		75	36



Round Table, with Casters, Machine Height	81TM0536M	1455	1673	36	36	28.25		69	27
	81TM0542M*	1488	1712	42	42	28.25		75	36



Rectangular Mobile Table with Casters, Floating Wood Modesty Panel, Desk Height	81CTHV4224MX31	1642	1888	42	24	28.25		98	14
	81CTHV4824MX31*	1682	1935	48	24	28.25		112	16



Rectangular Mobile Table with Casters, Floating Wood Modesty Panel, Machine Height	81CTMV4224MX31	1642	1888	42	24	28.25		96	14
	81CTMV4824MX31*	1682	1935	48	24	28.25		110	16



DIMENSION KEY

W - width
D - depth
H - height of work surface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

M - with casters
TH - desk height table
TM - machine height table
01 - arc square
03 - delta
05 - round

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. Refer to page 124 for Palette solid colour finish options.

CASTERS

All casters on mobile tables are locking.

KRUG EXPRESS

Mobile & work tables are NOT available on KrugExpress

VESTRADA | POWER PORTS/ GROMMETS

DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
-------------	-------	-------	---	---	---	----	-----------------	-------

Power Port, 2-RJ45's, Catagory 5/6

81POWERPORT1

276


-

4

2

-

-



Port Includes: 2 simplex, 1 utility, 2 RJ45's, catagory 5/6, horizontal cable management.

ORDERING NOTES:
PowerPorts are shipped installed into worksurfaces. Please note the required location for each worksurface on your order, e.g. 1 PowerPort, location C. Please see page 127 for locations.
Powerbar electrical cord is 9.5' long.

Power Port , RJ11/RJ45

81POWERPORT3

276


-

4

2

-

-



Port Includes: 2 simplex receptacles, 1 utility outlet, 1 RJ11, 1 RJ45, horizontal cable management.

ORDERING NOTES:
PowerPorts are shipped installed into worksurfaces. Please note the required location for each worksurface on your order, e.g. 1 PowerPort, location C. Please see page 127 for locations.
Powerbar electrical cord is 9.5' long.

PowerPort4

81POWERPORT4

288


-

4

2

-

-



Port Includes: 2 simplex, 1 utility, 2 USB charging ports, horizontal cable management.

ORDERING NOTES:
PowerPorts are shipped installed into worksurfaces. Please note the required location for each worksurface on your order, e.g. 1 PowerPort, location C. Please see page 127 for locations.
Powerbar electrical cord is 9.5' long.

Port

81POWERPORT

97


8

4

-

-

-



ORDERING NOTES:
Wiring standard Catagory (T 5/6 8A). Please see pages 127 for information on PowerPort and it's locations. PowerPorts are shipped installed into worksurface. Plese note clearly under each pertaining worksurface on Purchase Order, e.g., (1 PowerPort, location C)

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- G - glass
- OB - organizer bar
- ABB - binder bin
- ACT - cd tray
- AFB - file bars
- AFO - file organizer
- APT - paper tray

GROMMETS

Please see page 127 for more information on wire management solutions and wire management grommet locations.

POWERPORT

PowerPort powerbar is UL approved.

WIRING MANAGEMENT

All VESTRADA products specified with wire management grommets come with the wire management trough.

VESTRADA | POWERPORTS/ GROMMETS

DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping	
							Weight	Cubes
Rectangular Grommet	GROMMET	114	4.13	2.69	-	-	-	-



ORDERING NOTES:

Please see page 372 for information on rectangular grommet and it's locations. One rectangular grommet in standard position is optional at no upcharge. Please specify colour.


Wire Management	81WM72	104	72	2.5	1	-	3	7
-----------------	--------	-----	----	-----	---	---	---	---




ORDERING NOTES:

VESTRADA produc specified with PowerPort grommet(s) come with one 72" length of wire management trough. Additional wire management trough is available at the price shown here.


Velcro Wire Management	81WM4	29	25	3.5	1.75	-	1	1
------------------------	-------	----	----	-----	------	---	---	---



Binder Bin	81ABB	104	4	10	10	-	3	1
------------	-------	-----	---	----	----	---	---	---



CD Tray	81ACT	48	3.5	6.25	1.25	-	0.5	1
---------	-------	----	-----	------	------	---	-----	---



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - glass
OB - organizer bar
ABB - binder bin
ACT - cd tray
AFB - file bars
AFO - file organizer
APT - paper tray

GROMMETS

Please see page 127 for more information on wire management solutions and wire management grommet locations.






POWERPORT

PowerPort powerbar is UL approved.

WIRING MANAGEMENT

All VESTRADA products specified with wire management grommets come with the wire management trough.

VESTRADA | ACCESSORIES

DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
Hanging File Bars 	81AFB	83	1.75	9.75	2.5		0.5	1
File Organizer 	81AFO	83	6	9.75	2.5		1.75	2
Paper Tray 	81APT	75	12	10.75	2		1.75	4
Organizer Rails 	81AOB64 81AOB72 81AOB80 81AOB88 81AOB96	83 91 95 95 104	64 72 - 88 96	- - - - -	2.5 2.5 - 2.5 2.5	- - - - -	- - - - -	- - - - -
Privacy Screens 	81SC3614G 81SC4014G 81SC4814G 81SC5614G 81SC6414G 81SC7214G 81SC8014G 81SC8814G 81SC9614G	284 322 363 413 457 500 524 551 616	32 38 46 54 62 70 78 86 94	0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25	14 14 14 14 14 14 14 14 14		30 40 50 60 70 80 80 85 90	8 10 12 14 16 18 18 20 22
ORDERING NOTES: The model number sizing reflects appropriate worksurface size. Glass screens are inset on appropriate top size. Glass screens are NOT available on KrugExpress.								
Articulating Keyboard Tray 	81KBAMT1912	517	-	-	-		20	2

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - glass
 0B - organizer bar
 ABB - binder bin
 ACT - cd tray
 AFB - file bars
 AFO - file organizer
 APT - paper tray

GROMMETS

Please see page 127 for more information on wire management solutions and wire management grommet locations.






POWERPORT

PowerPort powerbar is UL approved.

WIRING MANAGEMENT

All VESTRADA products specified with wire management grommets come with the wire management trough.

VESTRADA | WALL HUNG OVERHEADS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Single Height Wall Hung Overhead with Wood Doors 	81OHW321614HL	1906	2192	32	16	13.5		118	6
	81OHW361614HL	1989	2288	36	16	13.5		122	7
	81OHW441614HL	2192	2522	44	16	13.5		129	8
	81OHW481614HL	2260	2599	48	16	13.5		140	9
	81OHW641614HL*	2665	3065	64	16	13.5		158	11
Single Height Wall Hung Overhead with Glass Doors 	81OHW321614HLG	2135	2455	32	16	13.5		128	6
	81OHW361614HLG	2228	2562	36	16	13.5		132	7
	81OHW441614HLG	2455	2823	44	16	13.5		139	8
	81OHW481614HLG	2531	2911	48	16	13.5		150	9
	81OHW641614HLG*	2985	3433	64	16	13.5		168	11
Single Height Wall Hung Overhead, Open 	81OOW321614HL	1209	1390	32	16	13.5		108	6
	81OOW361614HL	1267	1456	36	16	13.5		112	7
	81OOW441614HL	1342	1543	44	16	13.5		119	8
	81OOW481614HL	1401	1611	48	16	13.5		130	9
	81OOW641614HL*	1754	2017	64	16	13.5		148	11
Double Height Wall Hung Overhead with Wood Doors 	81OHW321628HL	2275	2616	32	16	27		230	11
	81OHW361628HL	2375	2731	36	16	27		240	12
	81OHW441628HL	2603	2994	44	16	27		250	14
	81OHW481628HL*	2687	3090	48	16	27		275	16
Double Height Wall Hung Overhead with Glass Doors 	81OHW321628HLG	2548	2930	32	16	27		240	11
	81OHW361628HLG	2660	3059	36	16	27		250	12
	81OHW441628HLG	2916	3353	44	16	27		260	14
	81OHW481628HLG*	3009	3461	48	16	27		285	16

ORDERING NOTES:

Wall hung overheads come standard with halogen lights. Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving. Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4". Glass door overheads are NOT available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte silver framed glass doors
ST - storage unit
OHW - overhead with wood doors
OOW - open overhead

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

STORAGE DOORS

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | WALL HUNG OVERHEADS

		Fabric Grades													
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	W	H	COM	WT	
Tackboards for Overheads 	81TBOHW3224U	249	277	306	350	456	557	660	767	902	33	24	1	8	
	81TBOHW3624U	250	278	307	351	457	559	661	768	903	38	24	1.5	10	
	81TBOHW4424U	285	383	406	503	606	698	801	922	1088	46	24	1.5	11	
	81TBOHW4824U	310	385	403	507	608	698	805	924	1114	50	24	1.75	12	
	81TBOHW6424U	385	524	515	685	822	976	1111	1268	1510	67	24	2	15	

ORDERING NOTES:
Krug panel fabrics are available at grade 1 pricing. See page 6 for more information. Only Krug panel fabrics are available on KrugExpress. Please contact Customer Service for information on yardage required when ordering two or more tackboards.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - door hinged left
- R - door hinged right
- G - matte silver framed glass doors
- ST - storage unit
- 0HW - overhead with wood doors
- 00W - open overhead

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

STORAGE DOORS

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
2 Hi, Lateral File 	81ST32202901	2737	3147	32	20	29.3		129	14
	81ST32242901*	2776	3191	32	24	29.3		155	17
	81ST36202901	2821	3244	36	20	29.3		151	16
	81ST36242901	2861	3290	36	24	29.3		181	19


ORDERING NOTES:

This unit features a V-Beam and therefore cannot accommodate 2 rows of binders.

2 Hi, Closed Bookcase 	81ST32202911	2082	2394	32	20	29.3		94	14
	81ST32242911*	2118	2436	32	24	29.3		120	17
	81ST36202911	2146	2467	36	20	29.3		116	16
	81ST36242911	2185	2513	36	24	29.3		146	19

ORDERING NOTES:

This unit features a V-Beam and therefore cannot accommodate 2 rows of binders.

3 Hi, Lateral File 	81ST32204201	3445	3962	32	20	41.8		164	20
	81ST32244201*	3517	4046	32	24	41.8		183	23
	81ST36204201	3551	4084	36	20	41.8		196	22
	81ST36244201	3625	4169	36	24	41.8		218	26

4 Hi, Single Width, Closed Shelves with Wood Door 	81ST16205611L	2207	2539	16	20	55.5		125	14
	81ST16205611R	2207	2539	16	20	55.5		125	14
	81ST16245611L*	2232	2567	16	24	55.5		148	17
	81ST16245611R	2232	2567	16	24	55.5		148	17

ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of \$105 list per set of 2 doors. Locks are standard on all lateral files and file drawers.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.





ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | STORAGE


DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
4 Hi, Lateral File 	81ST32205601	3999	4599	32	20	55.5		220	26
	81ST32245601*	4085	4697	32	24	55.5		245	31
	81ST36205601	4121	4739	36	20	55.5		245	29
	81ST36245601	4209	4840	36	24	55.5		270	34
4 Hi, Open Shelves 	81ST32205617	3038	3494	32	20	55.5		175	26
	81ST32245617*	3038	3494	32	24	55.5		195	28
	81ST36205617	3010	3462	36	20	55.5		195	29
	81ST36245617	3130	3600	36	24	55.5		205	35
4 Hi, Closed Shelves with Wood Doors 	81ST32205611*	3276	3767	32	20	55.5		185	26
	81ST32245611	3418	3931	32	24	55.5		205	31
	81ST36205611	3374	3879	36	20	55.5		205	29
	81ST36245611	3520	4049	36	24	55.5		235	34
4 Hi, 2 Lateral Files, 2 Open Shelves 	81ST32205603	3307	3803	32	20	55.5		195	26
	81ST32245603*	3364	3868	32	24	55.5		220	31
	81ST36205603	3414	3927	36	20	55.5		220	29
	81ST36245603	3469	3989	36	24	55.5		245	34

ORDERING NOTES:
Locks are optional on all wood doors for an upcharge of \$105 list per set of 2 doors. Locks are standard on all lateral files and file drawers.


ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION L - door hinged left R - door hinged right G - matte silver framed glass doors ST - storage unit BC - bookcase WR - wardrobe	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE. ADJUSTABLE SHELIVING Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4". 24" WIDE COMBINATION Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition. CASEGOODS CANADA 221
---	---	--

VESTRADA | STORAGE

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
4 Hi, 2 Lateral Files, 2 Closed Shelves with Wood Doors	81ST32205604	3335	3835	32	20	55.5		210	26
	81ST32245604*	3398	3908	32	24	55.5		235	31
	81ST36205604	3439	3955	36	20	55.5		235	29
	81ST36245604	3503	4028	36	24	55.5		260	34




4 Hi, 2 Closed Shelves, 2 Open Shelves	81ST32205613	3217	3701	32	20	55.5		165	26
	81ST32245613*	3358	3861	32	24	55.5		190	31
	81ST36205613	3312	3808	36	20	55.5		190	29
	81ST36245613	3460	3979	36	24	55.5		245	34



5 Hi, Single Width, Closed Shelves with Wood Door	81ST16207011L	2292	2635	16	20	69		143	17
	81ST16207011R	2292	2635	16	20	69		143	17
	81ST16247011L*	2333	2683	16	24	69		172	20
	81ST16247011R	2333	2683	16	24	69		172	20



5 Hi, Single Width, 2 Closed Shelves, 3 Open Shelves	81ST16207013L	2395	2755	16	20	69		111	17
	81ST16207013R	2395	2755	16	20	69		111	17
	81ST16247013L*	2430	2794	16	24	69		115	20
	81ST16247013R	2430	2794	16	24	69		115	20



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of \$105 list per set of 2 doors. Locks are standard on all lateral files and file drawers.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - knee-hole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.


VESTRADA | STORAGE

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
5 Hi, Single Width, 2 Closed Shelves, 3 Closed Shelves with Matte Silver Framed Glass Door	81ST16207014LG	2678	3080	16	20	69		150	17
	81ST16207014RG	2678	3080	16	20	69		150	17
	81ST16247014LG*	2741	3152	16	24	69		180	20
	81ST16247014RG	2741	3152	16	24	69		180	20




ORDERING NOTES:
Locks are not available on glass doors.

5 Hi, Open Shelves	81ST32207017*	3086	3549	32	20	69		200	32
	81ST32247017	3328	3827	32	24	69		210	38
	81ST36207017	3178	3654	36	20	69		210	34
	81ST36247017	3431	3946	36	24	69		220	42




5 Hi, Closed Shelves with Wood Doors	81ST32207011	3406	3917	32	20	69		220	32
	81ST32247011*	3478	3999	32	24	69		230	38
	81ST36207011	3509	4034	36	20	69		230	36
	81ST36247011	3580	4117	36	24	69		240	42



ORDERING NOTES:
Locks are optional on all wood doors for an upcharge of \$105 list per set of 2 doors. Locks are standard on all lateral files and file drawers.

5 Hi, 2 Closed Shelves, 3 Open Shelves	81ST32207013*	3371	3876	32	20	69		210	32
	81ST32247013	3441	3957	32	24	69		220	38
	81ST36207013	3472	3993	36	20	69		220	36
	81ST36247013	3546	4078	36	24	69		230	42



ORDERING NOTES:
Locks are optional on all wood doors for an upcharge of \$105 list per set of 2 doors. Locks are standard on all lateral files and file drawers.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - door hinged left
- R - door hinged right
- G - matte silver framed glass doors
- ST - storage unit
- BC - bookcase
- WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | STORAGE


DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
5 Hi, 2 Closed Shelves, 3	81ST32207014G	3950	4542	32	20	69		171	32
Closed Shelves with	81ST32247014G*	4057	4666	32	24	69		178	38
Matte Silver Framed	81ST36207014G	4068	4678	36	20	69		192	36
Glass Doors	81ST36247014G	4178	4805	36	24	69		200	42




ORDERING NOTES:

Locks are not available on glass doors.

5 Hi, 2 Lateral Files, 3	81ST32207003	4098	4712	32	20	69		160	32
Open Shelves	81ST32247003*	4149	4772	32	24	69		167	38
	81ST36207003	4224	4857	36	20	69		180	36
	81ST36247003	4278	4920	36	24	69		188	42



5 Hi, 2 Lateral Files, 3	81ST32207004	4577	5264	32	20	69		171	32
Closed Shelves with	81ST32247004*	4630	5324	32	24	69		178	38
Wood Doors	81ST36207004	4720	5428	36	20	69		192	36
	81ST36247004	4772	5488	36	24	69		200	42



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of \$105 list per set of 2 doors. Locks are standard on all lateral files and file drawers.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | STORAGE


DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
5 Hi, 2 Lateral Files, 3 Closed Shelves with Matte Silver Framed Glass Doors	81ST32207004G	4933	5672	32	20	69		191	32
	81ST32247004G*	4984	5731	32	24	69		198	38
	81ST36207004G	5074	5835	36	20	69		212	36
	81ST36247004G	5127	5896	36	24	69		220	42




ORDERING NOTES:

Locks are not available on glass doors.

5 Hi, 4 Lateral Files, 1 Open Shelf	81ST32207005	5031	5786	32	20	69		240	32
	81ST32247005*	5096	5860	32	24	69		290	38
	81ST36207005	5187	5966	36	20	69		290	36
	81ST36247005	5254	6042	36	24	69		350	42



5 Hi, 2 Files/3 Wood Closed Shelves, 5 Open Shelves	81ST24207080	3293	3787	24	20	69		220	25
	81ST24207081	3293	3787	24	20	69		220	25
	81ST24247080*	3361	3865	24	24	69		260	29
	81ST24247081	3361	3865	24	24	69		260	29



ORDERING NOTES:

(80) Indicates left 3 closed wood doors and 2 file drawers, right 5 open

(81) Indicates left open, right 3 closed wood doors and 2 file drawers.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
 R - door hinged right
 G - matte silver framed glass doors
 ST - storage unit
 BC - bookcase
 WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
5 Hi, 2 Files/3 Closed Shelves with Matte Silver	81ST24207080G	3587	4125	24	20	69		220	25
Framed Glass Door, 5 Open	81ST24207081G	3587	4125	24	20	69		220	25
	81ST24247080G*	3658	4206	24	24	69		260	29
	81ST24247081G	3658	4206	24	24	69		260	29




ORDERING NOTES:

(80G) Indicates left 3 closed glass doors and 2 file drawers, right 5 open

(81G) Indicates left open, right 3 glass wood doors and 2 file drawers.

Locks are not available on glass doors.

5 Hi, 2 Files/3 Wood Closed Shelves, 5 Closed Shelves with Wood Doors	81ST24207082	3500	4024	24	20	69		225	25
	81ST24207083	3500	4024	24	20	69		225	25
	81ST24247082*	3572	4108	24	24	69		265	29
	81ST24247083	3572	4108	24	24	69		265	29




ORDERING NOTES:

(82) Indicates left 3 closed wood doors and 2 file drawers, right 5 closed with wood doors.

(83) Indicates left closed with wood doors, right 3 closed wood doors and 2 file drawers.

5 Hi, 2 Files/3 Closed Shelves with Matte Silver	81ST24207082G	3804	4374	24	20	69		225	25
Framed Glass Door, 5 Closed	81ST24207083G	3804	4374	24	20	69		225	25
	81ST24247082G*	3881	4463	24	24	69		265	29
	81ST24247083G	3881	4463	24	24	69		265	29



ORDERING NOTES:

(82G) Indicates left 3 closed glass doors and 2 file drawers, right 5 closed with wood doors.

(83G) Indicates left closed with wood doors, right 3 closed glass doors and 2 file drawers.

Locks are not available on glass doors.

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left

R - door hinged right

G - matte silver framed glass doors

ST - storage unit

BC - bookcase

WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | STORAGE

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
	5 Hi, 2 Closed Shelves, 3	81ST24207084	3208	3688	24	20	69	200	25
	Closed Shelves with	81ST24207085	3208	3688	24	20	69	200	25
	Wood Doors, 5 Open	81ST24247084*	3274	3765	24	24	69	240	29
		81ST24247085	3027	3481	24	24	69	240	29

ORDERING NOTES:
(84) Indicates left 3 closed wood doors and 2 closed doors, right 5 open.
(85) Indicates left 5 open, right 3 closed wood doors and 2 closed doors.

	5 Hi, 2 Closed Shelves, 3	81ST24207084G	3513	4039	24	20	69	190	25
	Closed Shelves with	81ST24207085G	3513	4039	24	20	69	190	25
	Matte Silver Framed	81ST24247084G*	3585	4122	24	24	69	230	29
	Glass Door, 5 Open	81ST24247085G	3585	4122	24	24	69	230	29

ORDERING NOTES:
(84G) Indicates left 3 closed glass and 2 closed doors, right 5 open.
(85G) Indicates left 5 open, right 3 closed glass doors and 2 closed doors.
Locks are not available on glass doors.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - door hinged left
- R - door hinged right
- G - matte silver framed glass doors
- ST - storage unit
- BC - bookcase
- WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | STORAGE


DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
5 Hi, 2 Closed Shelves, 3 Closed Shelves with Wood Doors, 5 Closed	81ST24207086	3343	3844	24	20	69		205	25
	81ST24207087	3343	3844	24	24	69		205	25
	81ST24247086*	3411	3922	24	20	69		245	29
	81ST24247087	3411	3922	24	24	69		245	29



ORDERING NOTES:

(84) Indicates left 3 closed wood doors and 2 closed doors, right 5 closed.
(85) Indicates left 5 closed, right 3 closed wood doors and 2 closed doors.


5 Hi, 2 Closed Shelves, 3 Closed Shelves with Matte Silver Framed Glass Door, 5 Closed	81ST24207086G	3634	4179	24	20	69		195	25
	81ST24207087G	3634	4179	24	20	69		195	25
	81ST24247086G*	3983	4581	24	24	69		235	29
	81ST24247087G	3983	4581	24	24	69		235	29



ORDERING NOTES:

(86G) Indicates left 3 closed glass and 2 closed doors, right 5 closed.
(87G) Indicates left 5 closed, right 3 closed glass doors and 2 closed doors.
Locks are not available on glass doors.

6 Hi, Single Width, Closed Shelves with Wood Door	81ST16208311L	2456	2824	16	20	83		165	21
	81ST16208311R	2456	2824	16	20	83		165	21
	81ST16248311L*	2496	2870	16	24	83		195	24
	81ST16248311R	2496	2870	16	24	83		195	24



ORDERING NOTES:

Locks are optional on all wood doors for an upcharge of \$105 list per set of 2 doors. Locks are standard on all lateral files and file drawers.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | STORAGE

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
6 Hi, Single Width, 2 Closed Shelves, 4 Open Shelves	81ST16208313L	2506	2882	16	20	83		155	21
	81ST16208313R	2506	2882	16	20	83		155	21
	81ST16248313L*	2549	2931	16	24	83		185	24
	81ST16248313R	2549	2931	16	24	83		185	24




6 Hi, Single Width, 2 Closed Shelves, 4 Closed Shelves with Matte Silver Glass Door	81ST16208314LG	2789	3207	16	20	83		170	21
	81ST16208314RG	2789	3207	16	20	83		170	21
	81ST16248314LG*	2877	3308	16	24	83		200	24
	81ST16248314RG	2877	3308	16	24	83		200	24



ORDERING NOTES:
This item is NOT available on KrugExpress.
Locks are not available on glass doors.

6 Hi, Open Shelves	81ST32208317*	3423	3937	32	20	83		220	38
	81ST32248317	3640	4186	32	24	83		230	44
	81ST36208317	3527	4057	36	20	83		230	42
	81ST36248317	3668	4218	36	24	83		240	50



6 Hi, Closed Shelves	81ST32208311	3745	4307	32	20	83		235	38
	81ST32248311*	3833	4409	32	24	83		245	45
	81ST36208311	3858	4437	36	20	83		245	42
	81ST36248311	3947	4539	36	24	83		245	50



ORDERING NOTES:
Locks are optional on all wood doors for an upcharge of \$105 list per set of 2 doors. Locks are standard on all lateral files and file drawers.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - door hinged left
- R - door hinged right
- G - matte silver framed glass doors
- ST - storage unit
- BC - bookcase
- WR - wardrobe

STANDARD FINISHES



For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".


24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
6 Hi, 2 Closed Shelves with Wood Doors, 4 Open Shelves 	81ST32208313	3695	4249	32	20	83		240	38
	81ST32248313*	3782	4349	32	24	83		250	45
	81ST36208313	3805	4375	36	20	83		250	42
	81ST36248313	3895	4479	36	24	83		270	50
6 Hi, 2 Closed Shelves with Wood Doors, 4 Closed Shelves with Matte Silver Framed Glass Doors 	81ST32208314G	4266	4906	32	20	83		240	38
	81ST32248314G*	4414	5075	32	24	83		250	45
	81ST36208314G	4407	5067	36	20	83		250	42
	81ST36248314G	4546	5228	36	24	83		260	50

ORDERING NOTES:

This item is NOT available on KrugExpress.
Locks are not available on glass doors.

6 Hi, 2 Lateral Files, 4 Open Shelves 	81ST32208303	4621	5314	32	20	83		240	38
	81ST32248303*	4692	5395	32	24	83		250	45
	81ST36208303	4763	5478	36	20	83		250	42
	81ST36248303	4835	5560	36	24	83		260	50

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION


Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | STORAGE

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
6 Hi, 2 Lateral Files, 4 Closed Shelves	81ST32208304	4791	5510	32	20	83		250	38
	81ST32248304*	4867	5597	32	24	83		260	45
	81ST36208304	4940	5682	36	20	83		260	42
	81ST36248304	5018	5771	36	24	83		270	50



6 Hi, 2 Latearl Files, 4 Closed Shelves wtih Matte Silver Framed Glass Doors	81ST32208304G	5207	5988	32	20	83		250	38
	81ST32248304G*	5282	6074	32	24	83		260	45
	81ST36208304G	5354	6158	36	20	83		260	42
	81ST36248304G	5432	6246	36	24	83		270	50



ORDERING NOTES:
Locks are not available on glass doors.

6 Hi, 2 Files/4 Closed Wood Doors, 6 Open Shelves	81ST24208380	3458	3977	24	20	83		240	29
	81ST24208381	3458	3977	24	20	83		240	29
	81ST24248380*	3529	4059	24	24	83		280	35
	81ST24248381	3529	4059	24	24	83		280	35



ORDERING NOTES:
(80) Indicates left 4 closed wood doors and 2 file drawers, right 6 open
(81) Indicates left 6 open, right 4 closed wood doors and 2 file drawers.
Locks are optional on all wood doors for an upcharge of \$105 list per set of 2 doors. Locks are standard on all lateral fies and file drawers.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - door hinged left
- R - door hinged right
- G - matte silver framed glass doors
- ST - storage unit
- BC - bookcase
- WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | STORAGE

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
6 Hi, 2 Files/4 Closed Shelves with Matte Silver	81ST24208380G	3764	4328	24	20	83		240	29
Framed Glass Doors, 6	81ST24208381G	3764	4328	24	20	83		240	29
Open Shelves	81ST24248380G*	3842	4419	24	24	83		280	35
	81ST24248381G	3842	4419	24	24	83		280	35




ORDERING NOTES:

(80G) Indicates left 4 closed glass doors and 2 file drawers, right 6 open

(81G) Indicates left 6 open, right 4 closed glass doors and 2 file drawers.

Locks are not available on glass doors.

6 Hi, 2 Files/4 Closed Wood Doors, 6 Closed Shelves	81ST24208382	3674	4224	24	20	83		245	29
	81ST24208383	3674	4224	24	20	83		245	29
	81ST24248382*	3751	4314	24	24	83		285	35
	81ST24248383	3751	4314	24	24	83		285	35




ORDERING NOTES:

(82) Indicates left 4 closed wood doors and 2 file drawers, right 6 closed with wood doors.

(83) Indicates left 6 closed with wood doors, right 4 closed wood doors and 2 file drawers.

6 Hi, 2 Files/4 Closed Shelves with Matte Silver Framed Glass Doors, 6 Closed	81ST24208382G	3994	4593	24	20	83		245	29
	81ST24208383G	3994	4593	24	20	83		245	29
	81ST24248382G*	4075	4686	24	24	83		285	35
	81ST24248383G	4075	4686	24	24	83		285	35



ORDERING NOTES:

(82G) Indicates left 4 closed glass doors and 2 file drawers, right 6 closed with wood doors.

(83G) Indicates left 6 closed with wood doors, right 4 closed glass doors and 2 file drawers.

Locks are not available on glass doors.

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left

R - door hinged right

G - matte silver framed glass doors

ST - storage unit

BC - bookcase

WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVEING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.


VESTRADA | STORAGE

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
6 Hi, 2 Closed Shelves with Wood Doors, 4 Closed Shelves with Wood Doors, 6 Open	81ST24208384	3367	3872	24	20	83		220	29
	81ST24208385	3367	3872	24	20	83		220	29
	81ST24248384*	3438	3954	24	24	83		260	35
	81ST24248385	3438	3954	24	24	83		260	35



ORDERING NOTES:
(84) Indicates left 3 closed wood doors and 2 closed doors, right 5 open.
(85) Indicates left 5 open, right 3 closed wood doors and 2 closed doors.

6 Hi, 2 Closed Shelves with Wood Doors, 4 Closed Shelves with Matte Silver Framed Glass Doors, 6 Open	81ST24208384G	3687	4240	24	20	83		210	29
	81ST24208385G	3687	4240	24	20	83		210	29
	81ST24248384G*	3762	4326	24	24	83		250	35
	81ST24248385G	3762	4326	24	24	83		250	35



ORDERING NOTES:
(84G) Indicates left 4 closed glass doors and 2 closed doors, right 6 open.
(85G) Indicates left 6 open, right 4 closed glass doors and 2 closed doors.
Locks are not available on glass doors.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - door hinged left
- R - door hinged right
- G - matte silver framed glass doors
- ST - storage unit
- BC - bookcase
- WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


ADJUSTABLE SHELIVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
6 Hi, 2 Closed Shelves with Wood Doors, 4 Closed Shelves with Wood Doors, 6 Closed	81ST24208386	3509	4034	24	20	83		225	29
	81ST24208387	3509	4034	24	20	83		225	29
	81ST24248386*	3580	4117	24	24	83		265	35
	81ST24248387	3580	4117	24	24	83		265	35




ORDERING NOTES:

(84) Indicates left 4 closed wood doors and 2 closed doors, right 6 closed.

(85) Indicates left 6 closed, right 4 closed wood doors and 2 closed doors.

6 Hi, 2 Closed Shelves with Wood Doors, 4 Closed Shelves with Matte Silver Framed Glass Doors, 6 Closed	81ST24208386G	3816	4387	24	20	83		215	29
	81ST24208387G	3816	4387	24	24	83		215	29
	81ST24248386G*	3894	4478	24	20	83		255	35
	81ST24248387G	3894	4478	24	24	83		255	35



ORDERING NOTES:

(86G) Indicates left 3 closed glass and 2 closed doors, right 5 closed.

(87G) Indicates left 5 closed, right 3 closed glass doors and 2 closed doors.

Locks are not available on glass doors.

Worksurface Bookcase	81BCVB32162917*	1848	2125	32	16	29		85	10
	81BCVB36162917	2061	2370	36	16	29		105	11



ORDERING NOTES:

This unit features a V-Beam and therefore cannot accommodate 2 rows of binders.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".


24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.


VESTRADA | BOOKCASES

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
	81BC32162917	1590	1829	32	16	29		75	10
	81BC36162917	1590	1829	36	16	55.5		180	24
	81BC32165617	1923	2212	36	16	29		95	11
	81BC36165617	1962	2256	32	16	69		190	26
	81BC32167017*	2187	2515	32	16	55.5		180	21
	81BC36167017	2232	2567	36	16	69		200	29

ORDERING NOTES:
Bookcases are intended to be secured to a wall for safety, they also feature unfinished backs. These units accommodate standard binder storage, therefore they do not align with other case heights.

	6 Hi, Bookcase	81BC32168317*	2294	2637	36	16	83	220	36
		81BC36168317	2340	2691	32	16	83	210	31

	5 Hi, Single Width Wardrobe	81WR16247002L*	2269	2609	16	24	69	170	20
		81WR16247002R	2269	2609	16	24	69	170	20

	5 Hi, Wardrobe	81WR32247001*	3025	3479	32	24	69	217	38
		81WR36247001	3117	3585	36	24	69	230	42

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - door hinged left
- R - door hinged right
- G - matte silver framed glass doors
- ST - storage unit
- BC - bookcase
- WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


ADJUSTABLE SHELVING

Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION


Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
5 Hi, 2 Files/3 Closed Shelves with Wood Door, Wardrobe	81WR24247014*	3464	3983	24	24	69		260	29
	81WR24247015	3464	3983	24	24	69		260	29



ORDERING NOTES:
(14) Indicates left 4 closed wood door shelves centre-hinged and 2 file drawers, right 6 closed wood door wardrobe.
(15) Indicates right 4 closed wood door shelves centre-hinged and 2 file drawers, left 6 closed wood door wardrobe.

5 Hi, 2 Files/3 Closed Shelves with Matte Silver Framed Glass Door, Wardrobe	81WR24247014G*	3764	4328	24	24	69		260	29
	81WR24247015G	3764	4328	24	24	69		260	29



ORDERING NOTES:
(14G) Indicates left 4 closed glass door shelves centre-hinged and 2 file drawers, right 6 closed wood door wardrobe.
(15G) Indicated right 4 closed glass door shelves centre-hinged and 2 file drawers, left 6 closed wood door wardrobe.
Locks are not available on glass doors. This item is NOT available on KrugExpress.

5 Hi, 2 Closed Shelves with Wood Doors/3 Closed Shelves with Wood Door, Wardrobe	81WR24247016*	3308	3804	24	24	69		240	29
	81WR24247017	3308	3804	24	24	69		240	29




ORDERING NOTES:
(16) Indicates left 4 closed wood door shelves and 2 closed wood door shelves centre-hinged, right 6 closed wood door wardrobe.
(17) Indicated right 4 closed wood door shelves and 2 closed wood door shelves centre-hinged, left 6 closed wood door wardrobe.

DIMENSION KEY W - width D - depth H - height of worksurface KW - kneehole width Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical. * Indicates model illustrated by line drawing	CODE DESCRIPTION L - door hinged left R - door hinged right G - matte silver framed glass doors ST - storage unit BC - bookcase WR - wardrobe	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE. ADJUSTABLE SHELIVING Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4". 24" WIDE COMBINATION Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.
---	---	--

VESTRADA | WARDROBES


DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
5 Hi, 2 Closed Shelves with Wood Doors/3 Closed Shelves with Matte Silver Framed Glass Door, Wardrobe	81WR24247016G*	3596	4135	24	24	69		230	29
	81WR24247017G	3596	4135	24	24	69		230	29



ORDERING NOTES:

(16G) Indicates left 4 closed glass door shelves and 2 closed wood door shelves centre-hinged, right 6 closed wood door wardrobe.
(17G) Indicated right 4 closed glass door shelves and 2 closed wood door shelves centre-hinged, left 6 closed wood door wardrobe.
Locks are not available on glass doors. This item is NOT available on KrugExpress.

6 Hi, Wardrobe	81WR32248301*	3333	3833	32	24	83		232	45
	81WR36248301	3434	3949	36	24	83		245	50




6 Hi, Single Width Wardrobe	81WR16248302L*	2419	2782	16	24	69		190	24
	81WR16248302R	2419	2782	16	24	83		190	24



ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION L - door hinged left R - door hinged right G - matte silver framed glass doors ST - storage unit BC - bookcase WR - wardrobe	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE. ADJUSTABLE SHELIVING Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4". 24" WIDE COMBINATION Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.
---	---	--

VESTRADA | WARDROBES

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
6 Hi, 2 Files/4 Closed Shelves with Wood Door, Wardrobe	81WR24248314*	3638	4184	24	24	83		280	35
	81WR24248315	3638	4184	24	24	83		280	35




ORDERING NOTES:

(16G) Indicates left 4 closed glass door shelves and 2 closed wood door shelves centre-hinged, right 6 closed wood door wardrobe.

(17G) Indicated right 4 closed glass door shelves and 2 closed wood door shelves centre-hinged, left 6 closed wood door wardrobe.

Locks are not available on glass doors. This item is NOT available on KrugExpress.

6 Hi, 2 Files/4 Closed Shelves with Matte Silver Framed Glass Door, Wardrobe	81WR24248314G*	3953	4546	24	24	83		280	35
	81WR24248315G	3953	4546	24	24	83		280	35




ORDERING NOTES:

(16) Indicates left 4 closed wood door shelves and 2 closed wood door shelves centre-hinged, right 6 closed wood door wardrobe.

(17) Indicated right 4 closed wood door shelves and 2 closed wood door shelves centre-hinged, left 6 closed wood door wardrobe.

6 Hi, 2 Closed Wood Door/ 4 Closed Wood Doors, Wardrobe	81WR24248316*	3474	3995	24	24	83		260	35
	81WR24248317	3474	3995	24	24	83		260	35



ORDERING NOTES:

(14G) Indicates left 4 closed glass door shelves centre-hinged and 2 file drawers, right 6 closed wood door wardrobe.

(15G) Indicated right 4 closed glass door shelves centre-hinged and 2 file drawers, left 6 closed wood door wardrobe.

Locks are not available on glass doors. This item is NOT available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door hinged left
R - door hinged right
G - matte silver framed glass doors
ST - storage unit
BC - bookcase
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

ADJUSTABLE SHELVING


Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4".

24" WIDE COMBINATION

Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.

VESTRADA | WARDROBES

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
6 Hi, 2 Closed Wood Door/ 4 Closed Matte Silver Framed Glass Door, Wardrobe	81WR24248316G*	3776	4342	24	24	83		250	35
	81WR24248317G	3776	4342	24	24	83		250	35



ORDERING NOTES:
(14) Indicates left 4 closed wood door shelves centre-hinged and 2 file drawers, right 6 closed wood door wardrobe.
(15) Indicates right 4 closed wood door shelves centre-hinged and 2 file drawers, left 6 closed wood door wardrobe.

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 124 3) Pull style and finish, see page 126 4) V-Beam color, see page 125 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION L - door hinged left R - door hinged right G - matte silver framed glass doors ST - storage unit BC - bookcase WR - wardrobe	STANDARD FINISHES For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE. ADJUSTABLE SHELVING Storage units feature adjustable shelves that are adjustable in increments of approximately 1-1/4". 24" WIDE COMBINATION Narrow doors hinge off the edge of the case, whereas wider doors hinge off center partition.
--	---	---

VESTRADA | WORKWALL COMPONENTS | GUIDELINES

VESTRADA HUTCHES

Hutches include Halogen Lights that are factory installed and require no field adjustment. Halogen Lights are mounted beneath the cabinet and hidden from view.

A tackboard in Grade 1 fabric is included with all Hutches.

Upcharges for higher graded fabrics are listed on page 248.

Tackboard fabric selections should be supplied with the order information. Palette options are listed on page 124.

Tackboards for Hutches are installed at the factory and require no additional set up on site.

Hutches over 84" in length are made in two pieces and require special installation.

Hutches are available with a finished inside back panel at standard list price, but must be clearly specified on order.

This option is available on Hutches up to 84" in length only. This option does not include a tackboard.

Locks are optional on wood hutch doors and can be specified at time of order for an upcharge of \$105 list per set of (2) doors.

WORKWALL COMPONENTS | GUIDELINES

Unlike other Krug product lines, VESTRADA features the WorkWall as well as the traditional hutch.

WorkWalls are comprised of combination of overheads, worksurface piers and/or full height piers.

VESTRADA WorkWalls are available with an exceptional number of options and accommodate all standard credenza lengths.

THE BASICS


A WorkWall consists of 3 components: One Overhead and two storage Piers.

The Piers can either sit on the worksurface or extend to the floor.

There are 3 types of WorkWalls. These types are determined by the way the Overhead Unit is supported.


NOTE: Shaded horizontal tops in the drawings above represent Credenza tops.

1. End supported WorkWalls*: Overhead is supported on both ends.




* WorkWalls that are End-Supported (as shown above) accommodate Paper Management Shelving.

2. Under supported WorkWalls: Overhead is supported from underneath on both ends.



3. Under and end supported WorkWalls: Overhead is under-supported on one side and end-supported on the other side.




VESTRADA | WORKWALL COMPONENTS | GUIDELINES

The following are guidelines to bear in mind when building a WorkWall from components.

PIERS

When supporting an Overhead in a WorkWall, there are some basic guidelines to follow:

- Unless the Overhead is a Sliding Glass Door Overhead with open ends, any Overhead can be under-supported by 8" wide Piers as shown below/left.
- If the Overhead has open ends as shown below/center, it must be under-supported by a minimum of 16" wide Piers in order to sufficiently support the Overhead. Overheads with open ends can not be end-supported.
- 5 hi and 6 hi Storage Units can only be used as end-supporting Piers.
4 hi Storage Units can only be under-supporting. Please see VESTRADA Price Guide for Storage options.




As mentioned in THE BASICS section, the Pier can either end or under-support the Overhead in a WorkWall.

In pages 257 to 259, you will have a selection of Piers to choose from. Once you have selected the style and options for your Piers, you will need to specify the designation for each Pier in order to indicate how you would like to support your WorkWall.

For example, in the diagram shown below, we are showing a WorkWall that is both under and end-supported. The codes for these designations are:

SUFFIXES FOR PIERS

LU – Left Pier / Under support
RU – Right Pier / Under support
LE – Left Pier / End support
RE – Right Pier / End support




In the example shown left the suffixes would be as follows:

(A) : (Worksurface Pier) - LU Left Pier under support
: (Storage Unit) - RE Right Pier end support
(C)

OVERHEADS

Overheads in this Addendum are only to be used in WorkWalls with supporting Piers. For Wall Hung Overheads see page xx of the VESTRADA Price Guide.


There are two different heights of Overheads in VESTRADA, single and double height. Single height Overheads are available with the following options in wood or paint as shown on pages 249-252:



- Hinged Doors
- Open
- Combination Open / Closed Hinged Doors
- Sliding Glass Door / Closed Ends
- Sliding Glass Door / Open Ends
- Aluminum Framed Glass Doors
- Combination Wood / Aluminum Framed Glass Doors

* Combination Sliding Glass / Open not available.

Double height Overheads are available with the following options in wood or paint as shown on pages 253-256.



- Hinged Doors
- Aluminum Framed Glass Doors
- Combination Wood / Aluminum Framed Glass Doors

Therefore, Sliding Glass Doors are only available on single height Overheads, whereas Aluminum Framed Glass is available on single and double height Overheads.

As illustrated in the [PIERS](#) section, the user must indicate a suffix when ordering an Overhead for a WorkWall configuration. There is one exception to this: open ended Sliding Glass Door Overheads can only be under-supported by 16" or larger Piers.

For example, in the diagram shown below, we are showing a WorkWall with an Overhead that is both under and end-supported. The codes for all Overhead designations are:


SUFFIXES FOR OVERHEADS

LURU – Left Under and Right Under supported

LERE – Left End and Right End supported

LURE – Left Under and Right End supported

LERU – Left End and Right Under supported




In the example shown left the suffixes would be as follows:

(B) : (Overhead) - LURE Left Under supported / Right End supported

VESTRADA | WORKWALL COMPONENTS | GUIDELINES

Piers and Overheads Summary

In conclusion, the suffixes for each component of the WorkWall line drawing are as follows:



A - Desk Top Pier	- LU	Left Under Support
B - Overhead	- LURE	Left Under supported/Right End supported
C - Full Height Pier - Storage Unit	- RE	Right End support

OVERHEAD PAPER MANAGEMENT




Paper management in VESTRADA can be specified in 1 or 2 tier versions. The general guideline for paper management is that the overhead, for which the paper management is being specified, must be end-supported on both ends. To specify paper management for your WorkWall, the overhead for which the paper management is to be added must be designated. A "PM" in the model number denotes that the overhead will be machined to accept paper management.

For example, if the model number for the overhead being specified is 81OH-641628 and the user requires paper management (either 1 or 2 tier), the model number would change to: 81OH-641628PMLERE

It is not necessary to designate on the overhead model number whether a 1 or 2 tier paper management unit is required. The type of paper management used is to be specified in the tackboard, halogen light model number (please see page 178). Depending on the size of WorkWall and location of piers and overheads, the paper management price will vary. For pricing on paper management options, please refer to the paper management upcharge/sizing chart on page xx.

****The machining for paper management cannot be done in the field.**



VESTRADA | WORKWALL COMPONENTS | GUIDELINES

TACKBOARDS, HALOGEN LIGHTS AND PAPER MANAGEMENT SHELVING



Tackboards and halogen lights (TBHL) need to be specified as a separate line item and are acknowledged separately on an order for WorkWall. A TBHL must be ordered to complete a WorkWall. The model number prefix for the tackboard, halogen light is TBHL.

When paper management is to be added, it must also appear in the tackboard, halogen light model number as they are all built as one part. The model number prefix for tackboard, halogen light and paper management tiers are:

- (a) 81TBHLP1—(for one tier paper management)
- (b) 81TBHLP2—(for two tier paper management)

Depending on the size of WorkWall and location of piers and overheads, the 81TBHL price will vary. For pricing and model numbers, please refer to the TBHL pricing chart .

LINKWALLS



LinkWalls are WorkWall components that meet at a corner.

LinkWalls are comprised of two overheads that are end supported by a corner pier creating a corner solution.

Please follow these steps to specify your LinkWall from WorkWall components:

STEP 1: Choose your left pier.

- Designate under or end-supporting.

STEP 2: Choose your left overhead*

- Designate left end or under-supported.
- The right designation can only be end-supported.
- If specifying paper management add PM to overhead model number.

With paper management both sides must be end-supported.

*Sliding glass door overheads with open ends are not available in LinkWall configurations.

STEP 3: Specify corner pier - model number 81PRC-161640

- If paper management** is required specify 1 or 2 tier by adding PM1 or PM2 to the end of the pier model number.

**The 1 or 2 tier paper management can only be ordered if used on both sides of the LinkWall.

STEP 4: Choose your right overhead*

- Designate end or under-supported.
- The left designation can only be end-supported.
- If specifying paper management add PM to overhead model number.

With paper management both sides must be end-supported.

*Sliding glass door overheads with open ends are not available in LinkWall configurations.

STEP 5: Choose your right pier

- Designate under or end-supporting.


STEP 6: Specify tackboard - TBHL for both overheads

- Determine TBHL size.


If the overhead and piers are both end-supporting simply use the size of the overhead.

If a pier is under-supporting subtract the amount of the pier which sits underneath the overhead from the size of the overhead.



- If specifying paper management add PM1 or PM2 to TBHL model number and apply applicable upcharge to the price of the TBHL.





VESTRADA | LINKWALL SUGGESTED CONFIGURATIONS




Model	Cherry	Oak
	Maple	Anigre
81PR-161640-11LE	1651	1899
81OO-641640PMLERE	2203	2486
81TBHLP1-642415U	1075	1075
81PRC-161640PM1	1577	1814
81OH-641614PMLERE	2412	2727
81TBHLP1-642415U	1075	1075
81PR-161640-11RE	1651	1899
	11,644	12,975



Model	Cherry	Oak
	Maple	Anigre
81PR-081426-11LU	1431	1407
81OS-641614LURE	2624	2579
81TBHL-562415U	738	738
81PRC-161640	1577	1814
81OH-641614LERE	2098	2414
81TBHL-642415U	762	762
81PR-081640-11RE	1604	1844







Model	Cherry	Oak
	Maple	Anigre
81PR-161653-11LE	1953	2247
81OH-801628LEREG	2876	3307
81TBHL-802415U	798	798
81PRC-161640	1577	1814
81OH-801628LERE	2616	3008
81TBHL-802415U	798	798
81ST162483-11RE	2497	2871
	13,115	14,843



NOTE: If specifying palette finish change model number prefix to 83.
NOTE: All Tackboard pricing reflect a Grade 1 palette fabric.

VESTRADA | HUTCHES

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
 5 Hi, Wood Door Hutches	81HT641640	3266	3756	64	16	40	25.5	192	27
	81HT721640*	3836	4412	72	16	40	25.5	201	30
	81HT801640	4292	4936	80	16	40	25.5	215	35
	81HT881640	5527	6356	88	16	40	25.5	274	44
	81HT961640	6227	7161	96	16	40	25.5	293	47
 5 Hi, Matte Silver Framed Glass Door Hutches	81HT641640G	3854	4432	64	16	40	25.5	192	27
	81HT721640G*	4526	5204	72	16	40	25.5	201	30
	81HT801640G	5064	5824	80	16	40	25.5	215	35
	81HT881640G	6522	7501	88	16	40	25.5	274	44
	81HT961640G	7349	8451	96	16	40	25.5	293	47
 5 Hi, Open Hutches	81HTO641640	2930	3370	64	16	40	25.5	190	27
	81HTO721640*	3249	3737	72	16	40	25.5	199	30
	81HTO801640	3501	4025	80	16	40	25.5	213	35
	81HTO881640	4567	5252	88	16	40	25.5	272	44
	81HTO961640	5160	5934	96	16	40	25.5	291	47
 5 Hi, 64" & 72" Combination Hutches	81HTHO64164002	3098	3563	64	16	40	25.5	192	27
	81HTHO72164002*	3542	4074	72	16	40	25.5	201	30

ORDERING NOTES:

Paper management shelving is not available on 88" and 96" wide hutches. 88" and 96" hutches come in two pieces.

For paper management, please add PM1 or PM2 after the model number, e.g., 81HT801640PM1. Please see page 248 for upcharges.

Specify a Voice/Power/Data module with any hutch by adding "W" at the end of the model number and a \$136 list upcharge.

Hutches come standard with a Krug panel grade 1 fabric tackboard and halogen lights. See page 248 for fabric upcharges.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers.

Glass door hutches are NOT available on KrugExpress. Locks are not available on glass door hutches.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - matte silver framed frosted glass doors
W - voice/power/data module
02 - two closed left, remainder open
04 - three closed left, remainder open
06 - four closed left, remainder open
PM - paper management (optional)
HT - closed hinged door hutch
HT0 - open hutch
HTH0 - combination open and closed hinged hutch
HTCH - double height hinged closed/open hutch

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.





PAPER MANAGEMENT

For paper management, add PM1 or PM2 after hutch model number. Apply appropriate upcharge from page 245 to hutch.

TACKBOARDS

Hutches come standard with a Krug panel grade 1 fabric tackboard and halogen lights. See page 245 for fabric upcharges.

VESTRADA | HUTCHES

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
5 Hi, 80" Combination Hutches 	81HTHO80164004	3895	4479	80	16	40	25.5	215	35
6 Hi, Wood Door Hutches 	81HT641653	4035	4641	64	16	53	25.5	273	27
	81HT721653*	4619	5312	72	16	53	25.5	281	30
	81HT801653	5355	6159	80	16	53	25.5	299	35
	81HT881653	6867	7897	88	16	53	25.5	358	44
	81HT961653	7758	8922	96	16	53	25.5	377	47
6 Hi, Matte Silver Framed Glass Door Hutches 	81HT641653G	4760	5475	64	16	53	25.5	273	27
	81HT721653G*	5447	6263	72	16	53	25.5	281	30
	81HT801653G	6282	7225	80	16	53	25.5	299	35
	81HT881653G	8102	9318	88	16	53	25.5	358	44
	81HT961653G	9155	10528	96	16	53	25.5	377	47
6 Hi, Wood Door/Open Combination Hutches 	81HTCH641653	3834	4410	64	16	53	25.5	273	27
	81HTCH721653*	4387	5045	72	16	53	25.5	281	30
	81HTCH801653	5056	5815	80	16	53	25.5	299	35

ORDERING NOTES:

Paper management shelving is not available on 88" and 96" wide hutches. 88" and 96" hutches come in two pieces.

For paper management, please add PM1 or PM2 after the model number, e.g., 81HT801640PM1. Please see page 248 for upcharges.

Specify a Voice/Power/Data module with any hutch by adding 'W' at the end of the model number and a \$136 list upcharge.

Hutches come standard with a Krug panel grade 1 fabric tackboard and halogen lights. See page 248 for fabric upcharges.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers.

Glass door hutches are NOT available on KrugExpress. Locks are not available on glass door hutches.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - matte silver framed frosted glass doors

W - voice/power/data module

02 - two closed left, remainder open

04 - three closed left, remainder open

06 - four closed left, remainder open

PM - paper management (optional)

HT - closed hinged door hutch

HT0 - open hutch

HTH0- combination open and closed hinged hutch

HTCH- double height hinged closed/open hutch

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124.

PAPER MANAGEMENT

For paper management, add PM1 or PM2 after hutch model number. Apply appropriate upcharge from page 248 to hutch.

TACKBOARDS

Hutches come standard with a Krug panel grade 1 fabric tackboard and halogen lights. See page 172 for fabric upcharges.

VESTRADA | HUTCH, TACKBOARDS, PAPER MANAGEMENT PRICING

Tackboard upcharges for hutches.
Use this chart to find the upcharge for tackboard fabrics graded 2–9 and add it to the cost of the hutch.

	FABRIC GRADES								
	2	3	4	5	6	7	8	9	com
64" hutch tackboard	131	280	413	685	815	947	885	1176	2
72" hutch tackboard	156	335	491	819	977	1135	1061	1364	2.25
80" hutch tackboard	218	457	678	1117	1335	1554	1452	1838	2.5
88" hutch tackboard	247	513	761	1254	1499	1744	1630	2024	2.75
96" hutch tackboard	271	564	837	1378	1650	1542	1917	2225	3.00

On single piece hutches, the yardage requirement for two tackboards is the same as for one tackboard. Please keep this in mind when ordering more than one tackboard. For example, if the number of tackboards required is 7 and the COM requirement for 1 tackboard is 1.5 yards, the calculation for COM yardage is as follows: 4.5 yards are required for 6 tackboards + 1.5 yards for the 7th tackboard for a total of 6 yards. In the case of an even number of tackboards, divide the number of tackboards required by 2 and multiply that number by COM requirement on the chart. The fabric must be at least 54" wide in order to qualify for this procedure. If the fabric is less than 54" wide, the COM yardage listed on the chart is the amount required for each tackboard.

* Palette Panel fabrics are Grade 3 fabrics.

A tackboard in grade 1 fabric is included in the price of the hutch.







Paper Management upcharges to be added to the price of the hutch.

	TACKBOARD SIZE		
	64"	72"	80"
1 Tier	308	338	356
2 Tier	622	674	734



VESTRADA | WORKWALL COMPONENTS / OVERHEADS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Wood Door Overheads *  ** 	81OH481614LERE	1880	2162	48	16	13.75		120	9
	81OH481614LERU	1880	2162	48	16	13.75		120	9
	81OH481614LURU	1880	2162	48	16	13.75		120	9
	81OH481614LURE	1880	2162	48	16	13.75		120	9
	81OH641614LERE*	2098	2413	64	16	13.75		150	11
	81OH641614LERU	2098	2413	64	16	13.75		150	11
	81OH641614LURU	2098	2413	64	16	13.75		150	11
	81OH641614LURE	2098	2413	64	16	13.75		150	11
	81OH801614LERE	2414	2776	80	16	13.75		180	14
	81OH801614LERU	2414	2776	80	16	13.75		180	14
	81OH801614LURU	2414	2776	80	16	13.75		180	14
	81OH801614LURE	2414	2776	80	16	13.75		180	14
	81OH961614LERE	2778	3195	96	16	13.75		210	17
	81OH961614LERU	2778	3195	96	16	13.75		210	17
	81OH961614LURU	2778	3195	96	16	13.75		210	17
	81OH961614LURE	2778	3195	96	16	13.75		210	17

Open Overheads *  ** 	81OO481614LERE*	1787	2055	48	16	13.75		110	9
	81OO481614LERU	1787	2055	48	16	13.75		110	9
	81OO481614LURU	1787	2055	48	16	13.75		110	9
	81OO481614LURE	1787	2055	48	16	13.75		110	9
	81OO641614LERE**	1890	2174	64	16	13.75		140	11
	81OO641614LERU	1890	2174	64	16	13.75		140	11
	81OO641614LURU	1890	2174	64	16	13.75		140	11
	81OO641614LURE	1890	2174	64	16	13.75		140	11
	81OO801614LERE	2293	2636	80	16	13.75		170	14
	81OO801614LERU	2293	2636	80	16	13.75		170	14
	81OO801614LURU	2293	2636	80	16	13.75		170	14
	81OO801614LURE	2293	2636	80	16	13.75		170	14
	81OO961614LERE	2638	3034	96	16	13.75		200	17
	81OO961614LERU	2638	3034	96	16	13.75		200	17
	81OO961614LURU	2638	3034	96	16	13.75		200	17
	81OO961614LURE	2638	3034	96	16	13.75		200	17

ORDERING NOTES:

Please see page 242 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under- supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page page 242 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and halogen ligths are an intergral part of each WorkWall and MUST BE ordered to complete a WorkWall. Please see page 240 for more information.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
R - right hand position
E - end-supported
U - under-supported
OH - hinged door overheads
OO - open overheads
OS - sliding glass overhead, closed ends
PM - paper management

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.





SLIDING GLASS DOOR OVERHEADS

Sliding glass door overheads with OPEN ENDS can only be specified if under-supported by two 16" wide piers and are NOT available with paper management.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS / OVERHEADS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
Sliding Glass Door Overheads, Closed Ends *  ** 	81OS481614LERE*	2350	2703	48	16	13.75	115	9	
	81OS481614LERU	2350	2703	48	16	13.75	115	9	
	81OS481614LURU	2350	2703	48	16	13.75	115	9	
	81OS481614LURE	2350	2703	48	16	13.75	115	9	
	81OS641614LERE**	2624	3018	64	16	13.75	145	11	
	81OS641614LERU	2624	3018	64	16	13.75	145	11	
	81OS641614LURU	2624	3018	64	16	13.75	145	11	
	81OS641614LURE	2624	3018	64	16	13.75	145	11	
	81OS801614LERE	3017	3470	80	16	13.75	175	14	
	81OS801614LERU	3017	3470	80	16	13.75	175	14	
	81OS801614LURU	3017	3470	80	16	13.75	175	14	
	81OS801614LURE	3017	3470	80	16	13.75	175	14	
	81OS961614LERE	3470	3990	96	16	13.75	205	17	
	81OS961614LERU	3470	3990	96	16	13.75	205	17	
	81OS961614LURU	3470	3990	96	16	13.75	205	17	
	81OS961614LURE	3470	3990	96	16	13.75	205	17	
Sliding Glass Door Overheads, Open Ends *  ** 	81OIS481614LURU*	2350	2703	48	16	13.75	120	9	
	81OIS641614LURU**	2624	3018	64	16	13.75	150	11	
	81OIS801614LURU	3017	3470	80	16	13.75	180	14	
	81OIS961614LURU	3470	3990	96	16	13.75	210	17	

ORDERING NOTES:

Please see page 242 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under- supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page page 242 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and halogen ligths are an intergral part of each WorkWall and MUST BE ordered to complete a WorkWall. Please see page 240 for more information.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
R - right hand position
E - end-supported
U - under-supported
OH - hinged door overheads
OO - open overheads
OS - sliding glass overhead, closed ends
PM - paper management

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.




SLIDING GLASS DOOR OVERHEADS

Sliding glass door overheads with OPEN ENDS can only be specified if under-supported by two 16" wide piers and are NOT available with paper management.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS / OVERHEADS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
48" Wood Door/Open Combination Overheads  *	81OHO48161401LERE*	1834	2109	48	16	14		120	9
	81OHO48161402LERE**	1834	2109	48	16	14		120	9
	81OHO48161401LERU	1834	2109	48	16	14		120	9
	81OHO48161402LERU	1834	2109	48	16	14		120	9
	81OHO48161401LURE	1834	2109	48	16	14		120	9
	81OHO48161402LURE	1834	2109	48	16	14		120	9
	81OHO48161401LURU	1834	2109	48	16	14		120	9
	81OHO48161402LURU	1834	2109	48	16	14		120	9
64" Wood Door/Open Combination Overheads  *	81OHO64161402LERE*	1993	2292	64	16	14		150	11
	81OHO64161403LERE**	1993	2292	64	16	14		150	11
	81OHO64161402LERU	1993	2292	64	16	14		150	11
	81OHO64161403LERU	1993	2292	64	16	14		150	11
	81OHO64161402LURE	1993	2292	64	16	14		150	11
	81OHO64161403LURE	1993	2292	64	16	14		150	11
	81OHO64161402LURU	1993	2292	64	16	14		150	11
	81OHO64161403LURU	1993	2292	64	16	14		150	11
80" Wood Door/Open Combination Overheads 	81OHO80161402LERE	2354	2707	80	16	14		180	14
	81OHO80161403LERE*	2354	2707	80	16	14		180	14
	81OHO80161404LERE	2354	2707	80	16	14		180	14
	81OHO80161402LERU	2354	2707	80	16	14		180	14
	81OHO80161403LERU	2354	2707	80	16	14		180	14
	81OHO80161404LERU	2354	2707	80	16	14		180	14
	81OHO80161402LURE	2354	2707	80	16	14		180	14
	81OHO80161403LURE	2354	2707	80	16	14		180	14
	81OHO80161404LURE	2354	2707	80	16	14		180	14
	81OHO80161402LURU	2354	2707	80	16	14		180	14
	81OHO80161403LURU	2354	2707	80	16	14		180	14
	81OHO80161404LURU	2354	2707	80	16	14		180	14

ORDERING NOTES:

Please see page 242 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under- supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page page 242 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and halogen ligths are an intergral part of each WorkWall and MUST BE ordered to complete a WorkWall. Please see page 240 for more information.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
R - right hand position
E - end-supported
U - under-supported
03 - two glass left, remainder wood
04 - two wood left, remainder glass
07 - four glass left, remainder glass
08 - four wood left, remainder glass
09 - one glass, wood, one glass
10 - one wood, glass, one wood
11 - two glass, wood, two glass
12 - two wood, glass, two wood

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


SLIDING GLASS DOOR OVERHEADS

Sliding glass door overheads with OPEN ENDS can only be specified if under-supported by two 16" wide piers and are NOT available with paper management.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS / OVERHEADS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
96" Wood Door/Open Combination Overheads 	81OHO96161402LERE*	2747	3159	96	16	14		210	17
	81OHO96161407LERE	2747	3159	96	16	14		210	17
	81OHO96161402LERU	2747	3159	96	16	14		210	17
	81OHO96161407LERU	2747	3159	96	16	14		210	17
	81OHO96161402LURE	2747	3159	96	16	14		210	17
	81OHO96161407LURE	2747	3159	96	16	14		210	17
	81OHO96161402LURU	2747	3159	96	16	14		210	17
	81OHO96161407LURU	2747	3159	96	16	14		210	17

ORDERING NOTES:

Please see page 242 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under- supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page page 242 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and halogen lights are an intergral part of each WorkWall and MUST BE ordered to complete a WorkWall. Please see page 240 for more information.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
 R - right hand position
 E - end-supported
 U - under-supported
 03 - two glass left, remainder wood
 04 - two wood left, remainder glass
 07 - four glass left, remainder glass
 08 - four wood left, remainder glass
 09 - one glass, wood, one glass
 10 - one wood, glass, one wood
 11 - two glass, wood, two glass
 12 - two wood, glass, two wood

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.



SLIDING GLASS DOOR OVERHEADS

Sliding glass door overheads with OPEN ENDS can only be specified if under-supported by two 16" wide piers and are NOT available with paper management.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS / OVERHEADS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	W	D	H	KW	Shipping Weight	Cubes
Double Height Wood Door Overheads 	81OH481628LERE*	2221	2555	48	16	28		150	15
	81OH641628LERE	2464	2833	64	16	28		200	21
	81OH801628LERE	2615	3007	80	16	28		250	26
	81OH961628LERE	2885	3317	96	16	28		300	30
	81OH481628LERU	2221	2555	48	16	28		150	15
	81OH641628LERU	2464	2833	64	16	28		200	21
	81OH801628LERU	2615	3007	80	16	28		250	26
	81OH961628LERU	2885	3317	96	16	28		300	30
	81OH481628LURE	2221	2555	48	16	28		150	15
	81OH641628LURE**	2464	2833	64	16	28		200	21
	81OH801628LURE	2615	3007	80	16	28		250	26
	81OH961628LURE	2885	3317	96	16	28		300	30
	81OH481628LURU	2221	2555	48	16	28		150	15
	81OH641628LURU	2464	2833	64	16	28		200	21
	81OH801628LURU	2615	3007	80	16	28		250	26
	81OH961628LURU	2885	3317	96	16	28		300	30
Double Height Matte Silver Framed Glass Door Overheads 	81OH481628LEREG	2443	2809	48	16	28		150	15
	81OH641628LEREG	2711	3118	64	16	28		200	21
	81OH801628LEREG	2876	3307	80	16	28		250	26
	81OH961628LEREG	3174	3650	96	16	28		300	30
	81OH481628LERUG	2443	2809	48	16	28		150	15
	81OH641628LERUG	2711	3118	64	16	28		200	21
	81OH801628LERUG	2876	3307	80	16	28		250	26
	81OH961628LERUG	3174	3650	96	16	28		300	30
	81OH481628LUREG	2443	2809	48	16	28		150	15
	81OH641628LUREG*	2711	3118	64	16	28		200	21
	81OH801628LUREG	2876	3307	80	16	28		250	26
	81OH961628LUREG	3174	3650	96	16	28		300	30
	81OH481628LURUG	2443	2809	48	16	28		150	15
	81OH641628LURUG	2711	3118	64	16	28		200	21
	81OH801628LURUG	2876	3307	80	16	28		250	26
	81OH961628LURUG	3174	3650	96	16	28		300	30

ORDERING NOTES:

Please see page 242 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under- supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page page 242 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and halogen lights are an intergral part of each WorkWall and MUST BE ordered to complete a WorkWall. Please see page 240 for more information.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
R - right hand position
E - end-supported
U - under-supported
OH - hinged door overheads
OO - open overheads
OS - sliding glass overhead, closed ends
PM - paper management

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


SLIDING GLASS DOOR OVERHEADS


Sliding glass door overheads with OPEN ENDS can only be specified if under-supported by two 16" wide piers and are NOT available with paper management.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS / OVERHEADS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
48" Double Height Matte Silver Framed Glass/Wood Door Combination Overheads 	81OH48162802LERE	2368	2723	48	16	28		150	11
	81OH48162803LERE	2368	2723	48	16	28		150	11
	81OH48162802LERU	2368	2723	48	16	28		150	11
	81OH48162803LERU	2368	2723	48	16	28		150	11
	81OH48162802LURU	2368	2723	48	16	28		150	11
	81OH48162803LURU	2368	2723	48	16	28		150	11
	81OH48162802LURE	2368	2723	48	16	28		150	11
	81OH48162803LURE	2368	2723	48	16	28		150	11
	81OH48162809LERE*	2368	2723	48	16	28		150	11
	81OH48162810LERE	2294	2637	48	16	28		150	11
	81OH48162809LERU	2368	2723	48	16	28		150	11
	81OH48162810LERU	2294	2637	48	16	28		150	11
	81OH48162809LURU	2368	2723	48	16	28		150	11
	81OH48162810LURU	2294	2637	48	16	28		150	11
	81OH48162809LURE	2368	2723	48	16	28		150	11
	81OH48162810LURE	2294	2637	48	16	28		150	11

64" Double Height, Matte Silver Framed Glass/Wood Door Combination Overheads 	81OH64162803LERE*	2587	2974	64	16	28		200	21
	81OH64162806LERE	2507	2884	64	16	28		200	21
	81OH64162803LERU	2587	2974	64	16	28		200	21
	81OH64162806LERU	2507	2884	64	16	28		200	21
	81OH64162803LURE	2587	2974	64	16	28		200	21
	81OH64162806LURE	2507	2884	64	16	28		200	21
	81OH64162803LURU	2587	2974	64	16	28		200	21
	81OH64162806LURU	2507	2884	64	16	28		200	21
	81OH64162809LERE	2587	2974	64	16	28		200	21
	81OH64162810LERE	2587	2974	64	16	28		200	21
	81OH64162809LERU	2587	2974	64	16	28		200	21
	81OH64162810LERU	2587	2974	64	16	28		200	21
	81OH64162809LURE	2587	2974	64	16	28		200	21
	81OH64162810LURE	2587	2974	64	16	28		200	21
	81OH64162809LURU	2587	2974	64	16	28		200	21
	81OH64162810LURU	2587	2974	64	16	28		200	21

ORDERING NOTES:

Please see page 242 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under- supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page page 242 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and halogen lights are an integral part of each WorkWall and MUST BE ordered to complete a WorkWall. Please see page 240 for more information.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
 R - right hand position
 E - end-supported
 U - under-supported
 03 - two glass left, remainder wood
 04 - two wood left, remainder glass
 07 - four glass left, remainder glass
 08 - four wood left, remainder glass
 09 - one glass, wood, one glass
 10 - one wood, glass, one wood
 11 - two glass, wood, two glass
 12 - two wood, glass, two wood

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


SLIDING GLASS DOOR OVERHEADS

Sliding glass door overheads with OPEN ENDS can only be specified if under-supported by two 16" wide piers and are NOT available with paper management.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS / OVERHEADS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
80" Double Height, Matte Silver Framed Glass/ Wood Door Combination Overheads 	81OH80162803LERE	2702	3108	80	16	28		250	26
	81OH80162806LERE	2702	3108	80	16	28		250	26
	81OH80162803LERU	2702	3108	80	16	28		250	26
	81OH80162806LERU	2702	3108	80	16	28		250	26
	81OH80162803LURE	2702	3108	80	16	28		250	26
	81OH80162806LURE	2702	3108	80	16	28		250	26
	81OH80162803LURU	2702	3108	80	16	28		250	26
	81OH80162806LURU	2702	3108	80	16	28		250	26
	81OH80162809LERE	2702	3108	80	16	28		250	26
	81OH80162810LERE*	2789	3207	80	16	28		250	26
	81OH80162809LERU	2702	3108	80	16	28		250	26
	81OH80162810LERU	2789	3207	80	16	28		250	26
	81OH80162809LURE	2702	3108	80	16	28		250	26
	81OH80162810LURE	2789	3207	80	16	28		250	26
	81OH80162809LURU	2702	3108	80	16	28		250	26
	81OH80162810LURU	2789	3207	80	16	28		250	26

96" Double Height, Matte Silver Framed Glass/ Wood Door Combination Overheads 	81OH96162803LERE	2957	3401	96	16	28		300	30
	81OH96162804LERE	3101	3566	96	16	28		300	30
	81OH96162807LERE*	3101	3566	96	16	28		300	30
	81OH96162808LERE	2957	3401	96	16	28		300	30
	81OH96162803LERU	2957	3401	96	16	28		300	30
	81OH96162804LERU	3101	3566	96	16	28		300	30
	81OH96162807LERU	3101	3566	96	16	28		300	30
	81OH96162808LERU	2957	3401	96	16	28		300	30
	81OH96162803LURU	2957	3401	96	16	28		300	30
	81OH96162807LURU	3101	3566	96	16	28		300	30
	81OH96162804LURU	3101	3566	96	16	28		300	30
	81OH96162808LURU	2957	3401	96	16	28		300	30
	81OH96162804LURE	3101	3566	96	16	28		300	30
	81OH96162803LURE	2957	3401	96	16	28		300	30
	81OH96162807LURE	3101	3566	96	16	28		300	30
	81OH96162808LURE	2957	3401	96	16	28		300	30

ORDERING NOTES:

Please see page 242 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under- supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page page 242 for ordering instructions and pricing. Paper management cases can only be end supported.

Tackboard and halogen lights are an integral part of each WorkWall and MUST BE ordered to complete a WorkWall. Please see page 240 for more information.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
R - right hand position
E - end-supported
U - under-supported
03 - two glass left, remainder wood
04 - two wood left, remainder glass
07 - four glass left, remainder glass
08 - four wood left, remainder glass
09 - one glass, wood, one glass
10 - one wood, glass, one wood
11 - two glass, wood, two glass
12 - two wood, glass, two wood

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.


SLIDING GLASS DOOR OVERHEADS

Sliding glass door overheads with OPEN ENDS can only be specified if under-supported by two 16" wide piers and are NOT available with paper management.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS / OVERHEADS

DESCRIPTION	MODEL	Cherry Rift Oak	Anigre	W	D	H	KW	Shipping	
		Walnut Maple						Weight	Cubes
96" Double Height, Matte Silver Framed Glass/Wood Door Combination Overheads, Continued 	81OH96162809LERE	2957	3401	96	16	28		300	30
	81OH96162810LERE	3101	3566	96	16	28		300	30
	81OH96162811LERE	3101	3566	96	16	28		300	30
	81OH96162812LERE	2957	3401	96	16	28		300	30
	81OH96162809LERU	2957	3401	96	16	28		300	30
	81OH96162810LERU	3101	3566	96	16	28		300	30
	81OH96162812LERU	2957	3401	96	16	28		300	30
	81OH96162811LERU	3101	3566	96	16	28		300	30
	81OH96162809LURU	2957	3401	96	16	28		300	30
	81OH96162810LURU	3101	3566	96	16	28		300	30
	81OH96162811LURU	3101	3566	96	16	28		300	30
	81OH96162812LURU	2957	3401	96	16	28		300	30
	81OH96162809LURE	2957	3401	96	16	28		300	30
	81OH96162810LURE	3101	3566	96	16	28		300	30
	81OH96162811LURE	3101	3566	96	16	28		300	30
	81OH96162812LURE	2957	3401	96	16	28		300	30

ORDERING NOTES:

Please see page 242 for instructions on overhead suffix designations. For example, LURE means that the overhead is Left Under- supported/Right End supported.

For paper management, please add PM before the 'L' in the model number, see page page 242 for ordering instructions and pricing. Paper management cases can only be end supported.

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers. Double height overheads feature adjustable shelving.

Glass door overheads are NOT available on KrugExpress. Locks are not available on glass doors.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
 R - right hand position
 E - end-supported
 U - under-supported
 03 - two glass left, remainder wood
 04 - two wood left, remainder glass
 07 - four glass left, remainder wood
 08 - four wood left, remainder glass
 09 - one glass, wood, one glass
 10 - one wood, glass, one wood
 11 - two glass, wood, two glass
 12 - two wood, glass, two wood

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

COMBINATION OVERHEADS

Combination styles are designated by a numerical reference as listed in the code description. Combinations are only available as listed.

VESTRADA | WORKWALL COMPONENTS / OVERHEADS

TBHL - TACKBOARD HALOGEN LIGHT PRICING CHART A TBHL must be ordered in order to complete a WorkWall.

	FABRIC GRADES											
Model	1	2	3	4	5	6	7	8		W	H	COM
81TBHL-402415U	638	649	674	757	907	1049	1191	1339	1535	40	23.5	1.25
81TBHL-482415U	690	705	732	826	992	1152	1313	1478	1697	48	23.5	1.50
81TBHL-562415U	739	752	779	876	1048	1212	1376	1548	1772	56	23.5	1.74
81TBHL-642415U	762	776	797	904	1084	1254	1425	1603	1836	64	23.5	2.00
81TBHL-722415U	780	793	812	928	1110	1284	1458	1641	1863	72	23.5	2.25
81TBHL-802415U	799	814	830	952	1138	1319	1499	1687	1926	80	23.5	2.50
81TBHL-882415U	813	827	844	966	1158	1342	1523	1715	1964	88	23.5	2.75
81TBHL-962415U	826	842	860	982	1178	1364	1549	1744	1997	96	23.5	3.0


Krug Momentum Panel Fabrics are available at grade 1 pricing. See PAGE for more information. Only Krug Momentum Panel fabrics are available on *IpseCvnpccq*.

PAPER MANAGEMENT

The following paper management upcharges are to be added to the price of the TBHL. Specify 1 tier or 2 tier paper management with a PM1 or PM2 before size in TBHL model number, e.g., 81TBHLP1-482415U.

TACKBOARD SIZE	64"	80"	96"
1 Tier	289	293	317
2 Tier	582	584	635

VESTRADA | WORKWALL COMPONENTS / WORKSURFACE STORAGE PIERS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut			W	D	H	KW	Shipping	
		Maple	Anigre	Palette					Weight	Cubes
8" Piers, 26" High 	81PR08142617LU*	1302	1498	1171	8	14	26		16	3
	81PR08142617RU	1302	1498	1171	8	14	26		16	3
	81PR08142611LU	1431	1646	1289	8	14	26		20	3
	81PR08142611RU	1431	1646	1289	8	14	26		20	3
	81PR08142661LU	1366	1570	1229	8	14	26		18	3
	81PR08142661RU	1366	1570	1229	8	14	26		18	3
16" Piers, 26" High 	81PR16142617LU	1361	1565	1225	16	14	26		20	5
	81PR16142617RU	1361	1565	1225	16	14	26		20	5
	81PR16142611LU*	1479	1700	1330	16	14	26		28	5
	81PR16142611RU	1479	1700	1330	16	14	26		28	5
	81PR16142661LU	1419	1631	1278	16	14	26		23	5
	81PR16142661RU	1419	1631	1278	16	14	26		23	5
32" Piers, 26" High 	81PR32142617LU	1594	1834	1435	32	14	26		36	9
	81PR32142617RU	1594	1834	1435	32	14	26		36	9
	81PR32142611LU*	1733	1993	1560	32	14	26		46	9
	81PR32142611RU	1733	1993	1560	32	14	26		46	9
	81PR32142661LU	1662	1911	1496	32	14	26		43	9
	81PR32142661RU	1662	1911	1496	32	14	26		43	9
8" Piers, 40" High 	81PR08164017LE*	1538	1768	1384	8	16	40		40	5
	81PR08164017RE	1538	1768	1384	8	16	40		40	5
	81PR08164011LE	1604	1845	1444	8	16	40		46	5
	81PR08164011RE	1604	1845	1444	8	16	40		46	5
	81PR08164061LE	1581	1819	1423	8	16	40		44	5
	81PR08164061RE	1581	1819	1423	8	16	40		44	5
16" Piers, 40" High 	81PR16164017LE	1586	1825	1428	16	16	40		3	8
	81PR16164017RE	1586	1825	1428	16	16	40		55	8
	81PR16164011LE*	1652	1899	1487	16	16	40		70	8
	81PR16164011RE	1652	1899	1487	16	16	40		70	8
	81PR16164011LEG	1858	2136	1673	16	16	40		73	8
	81PR16164011REG	1858	2136	1673	16	16	40		73	8
	81PR16164061LE	1637	1883	1473	16	16	40		64	8
	81PR16164061RE	1637	1883	1473	16	16	40		64	8

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door, hinged left
R - door, hinged right
E - end support
U - under support
G - glass doors
17 - open
11 - closed
61 - one open/closed wood
PRC- linkwall corner pier



STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

LOCKS

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers.

VESTRADA | WORKWALL COMPONENTS / WORKSURFACE STORAGE PIERS

DESCRIPTION	MODEL	Cherry Rift	Oak Walnut	Anigre	Palette	W	D	H	KW	Shipping	
		Maple								Weight	Cubes
	32" Piers, 40" High	81PR32164017LE	1708	1964	1537	32	16	40		95	13
		81PR32164017RE	1708	1964	1537	32	16	40		95	13
		81PR32164011LE*	1896	2181	1707	32	16	40		110	13
		81PR32164011RE	1896	2181	1707	32	16	40		110	13
		81PR32164011LEG	2134	2454	1920	32	16	40		120	13
		81PR32164011REG	2134	2454	1920	32	16	40		120	13
		81PR32164061LE	1780	2048	1602	32	16	40		115	13
		81PR32164061RE	1780	2048	1602	32	16	40		115	13
	36" Piers, 40" High	81PR36164017LE	1793	2062	1613	36	16	40		100	15
		81PR36164017RE	1793	2062	1613	36	16	40		100	15
		81PR36164011LE*	1937	2228	1743	36	16	40		120	15
		81PR36164011RE	1937	2228	1743	36	16	40		120	15
		81PR36164011LEG	2180	2507	1962	36	16	40		130	15
		81PR36164011REG	2180	2507	1962	36	16	40		130	15
		81PR36164061LE	1871	2151	1684	36	16	40		120	15
		81PR36164061RE	1871	2151	1684	36	16	40		120	15
	8" Piers, 53" High	81PR08165317LE*	1650	1897	1485	8	16	53		45	6
		81PR08165317RE	1650	1897	1485	8	16	53		45	6
		81PR08165311LE	1834	2109	1669	8	16	53		45	6
		81PR08165311RE	1834	2109	1669	8	16	53		45	6
	16" Piers, 53" High	81PR16165317LE	1795	2065	1615	16	16	53		70	11
		81PR16165317RE	1795	2065	1615	16	16	53		70	11
		81PR16165311LE*	1953	2246	1757	16	16	53		86	11
		81PR16165311RE	1953	2246	1757	16	16	53		86	11
		81PR16165311LEG	2226	2560	2003	16	16	53		90	11
		81PR16165311REG	2226	2560	2003	16	16	53		90	11
		81PR16165361LE	1874	2154	1687	16	16	53		82	11
		81PR16165361RE	1874	2154	1687	16	16	53		82	11

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 124
- 3) Pull style and finish, see page 126
- 4) V-Beam color, see page 125
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door, hinged left
R - door, hinged right
E - end support
U - under support
G - glass doors
17 - open
11 - closed
61 - one open/closed wood
PRC- linkwall corner pier

STANDARD FINISHES


For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

LOCKS

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers.

VESTRADA | WORKWALL COMPONENTS / WORKSURFACE STORAGE PIERS

DESCRIPTION	MODEL	Cherry Rift Oak Walnut Maple	Anigre	Palette	W	D	H	KW	Shipping Weight	Cubes
 32" Piers, 53" High	81PR32165317LE	2107	2423	1896	32	16	53		125	18
	81PR32165317RE	2107	2423	1896	32	16	53		125	18
	81PR32165311LE	2309	2655	2078	32	16	53		140	18
	81PR32165311RE	2309	2655	2078	32	16	53		140	18
	81PR32165311LEG	2597	2986	2337	32	16	53		150	18
	81PR32165311REG	2597	2986	2337	32	16	53		150	18
	81PR32165361LE*	2198	2528	1978	32	16	53		150	18
	81PR32165361RE	2198	2528	1978	32	16	53		150	18

 36" Piers, 53" High	81PR36165317LE	2152	2474	1936	36	16	53		135	20
	81PR36165317RE	2152	2474	1936	36	16	53		135	20
	81PR36165311LE	2357	2711	2122	36	16	53		155	20
	81PR36165311RE	2357	2711	2122	36	16	53		155	20
	81PR36165311LEG*	2653	3051	2388	36	16	53		165	20
	81PR36165311REG	2653	3051	2388	36	16	53		165	20
	81PR36165361LE	2245	2582	2020	36	16	53		165	20
	81PR36165361RE	2245	2582	2020	36	16	53		165	20

16" Corner Pier- for use in Link Wall	81PRC161640	1577	1815	1420	16	16	40		70	8
--	-------------	------	------	------	----	----	----	--	----	---



ORDERING NOTES:

If used on overheads with 1 tier paper manager add suffix PM1 to the end of the model number.

If used on overheads with 2 tier paper manager add suffix PM2 to the end of the model number.

This pier can only be end supporting. Please see page 256 for ordering information. Please see pages 240-244 for suggested configurations.

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - door, hinged left

R - door, hinged right

E - end support

U - under support

G - glass doors

17 - open

11 - closed

61 - one open/closed wood



PRC- linkwall corner pier

STANDARD FINISHES

For a complete list of standard wood finishes please see page 124. If specifying a palette finish, change model number prefix to 83, e.g. 83OH0814LURE.

LOCKS

Locks are optional at an upcharge of \$105 list per set of 2 doors. Locks are standard on all file and lateral file drawers.



The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

krug