

CASEGOODS
Price and Specification Guide
USA



Effective June 1, 2015

krug

TABLE OF CONTENTS

2	General Information
4	Krug Textiles
5	Graded-in Upholstery Program
5	Express Program
6	Tackboard Fabric
7	Laminates
8	Adesso
122	Vestrada
257	Virtu
362	Millennium
448	Contour
505	Artemis
634	Artemis Laminate
704	Nexus
774	Stratford

GENERAL INFORMATION

TERMS AND CONDITIONS

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Prices include shipping to territorial warehouse. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

CUSTOMER SERVICE HOURS

Please note customer service hours are:

8:30 am to 5:00 pm est

1.888.578.KRUG

1.519.748.5177 fax

ORDER ACKNOWLEDGEMENTS

Each order will be acknowledged via email or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy and advise Krug of any discrepancies with a purchase order.

CANCELLATION

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

DIMENSIONS

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

STORAGE CHARGES

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

CONTACT INFORMATION

Phone: 1.888.578.KRUG

Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 or email: orders@krug.ca

Web: www.krug.ca

Email: solutions@krug.ca

INSTALLATION SUPPORT

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

PRICING

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug's website will always have the current list price. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants its products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by Krug: these are subject to the specific warranties of their manufacturers (if any). Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect

- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

EXPORT PACKAGING

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. Export packaging is provided at an upcharge of 5% of the net selling price per item. Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

FREIGHT TERMS AND CONDITIONS

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If dock is inadequate for delivery by Krug, Krug will re-deliver to another location and any additional costs will be charged to the customer.

3. When a Krug territorial warehouse (where available) is selected as the default delivery location, Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, are required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour.

If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for net orders are possible, must exceed \$60,000 net, and accommodate 48-53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

CUSTOMER SATISFACTION

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance.

If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

DAMAGED SHIPMENTS

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Products must be opened and inspected on receipt, and any products not inspected when received, or held in storage, cannot be subjected to damage claims.

TESTING

All Krug Casegoods products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2008 and/or X5.9 - 2012.



FIELD PRODUCT REPORT AUTHORIZATION

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

RETURNS

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

CARE AND MAINTENANCE WOOD FINISH

Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

LAMINATES

Clean plastic laminate surfaces with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

PAINTED GLASS

To clean simply wipe with an ammonia based cleaner using a microfibre cloth. Do not use a coarse cloth or an abrasive cleaning products on painted surfaces to avoid scratching.

FABRIC UPHOLSTERY

Professional upholstery cleaning is recommended.

CUSTOM CAPABILITIES

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products.
- 2) Custom finishes
- 3) For larger orders, completely custom designed products, as well as non-standard wood species can be specified.

Custom orders will require additional production lead times. Contact Customer Service for more information.

Krug Textiles - Fabric Program

Krug Grade 1, 2 and 3 fabrics are also available on a cut yardage basis.

Grade 1

Perk	Vox	Fuse	Expo
Auburn	Bark	Azurean	Festive
Cabana	Black	Carmine	Fog
Cedar	Cocoa	Cress	Latte
Crimson	Downpour	Ginger	Leaf
Dijon	Eco	Iris	Lemon
Ebony	Frothe	Lunar	Oasis
Flint	Goldenrod	Malted	Raspberry
Patriot	Honest	Morel	Sky
Pewter	Hot	Pepper	Spirit
Regal	Limelight	Pimento	Sprout
Sesame	Morel	Pristine	Tuxedo
Walnut	Mystic	Saffron	Viola
	Navy	Walnut	Zest
	Oat		
	Par		
	Ruby		
	Snap		
	Turquoise		

Grade 2

Epic	Bangle	Lineup
Azure	Baltic	Baltic
Capri	Cork	Fern
Espresso	Granite	Pewter
Flare	Orchid	Sandstone
Granite	Sable	Shadow
Jute	Suede	Spice
Kiwi	Teak	Tranquil
Limestone		
Pearl		
Porcini		
Regal		
Slice		
Steel		

Grade 3

Solace	Current	Clang	Kinney
Almond	Birch	Amber	Coffee
Azul	Cadet	Claret	Frappe
Blaze	Eclipse	Clove	Glacier
Carmine	Espresso	Cress	Mineral
Celadon	Moss	Flint	Nectar
Cinder	Pecan	Malt	Steel
Earth	Plum	Raven	Valentine
Ebony			
Fossil			
Gilded			
Indigo			
Ivory			
Mineral			
Pear			
Peony			

Krug Textiles - Leather Program

Grade 8

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

Krug Textiles - Faux Leather Program

Grade 2

White	Bisque	Sprig
Cream	Chocolate	Chinchilla
Parchment	Black	Steel
Sandstone	Earth	Grey
Vanilla	Brick	Lagoon
Taupe	Wine	Pacific Blue
Mocha	Garnet	Navy
Tan	Rust	Plum
Chestnut	Citron	

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.



KRUGEXPRESS

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. *KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

***Some conditions apply. Please note PALETTE finishes are not available on *KrugExpress*.**

CASEGOODS PROGRAM

Orders for casegood products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions. For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the *KrugExpress* program. Only standard wood finishes are available for *KrugExpress* orders. Grommets can be specified in standard positions only. *KrugExpress* also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering.

TACKBOARD FABRICS

KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website.
www.krug.ca PRODUCTS / FABRICS / PANEL

The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.
If memo samples are required please call Momentum at 1-800-366-6839.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM)

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order.

When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have been provided.

COM fabrics for tackboards may be specified in either Maharam or Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application. Please contact Maharam at 1-800-645-3943 or Momentum at 1-800-366-6839 directly for more information about a specific fabric.

COM Shipping Procedures

For tackboard COM fabrics, please send fabrics to:

Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2

Attention: RECEIVER

All packages must be clearly marked "For Customs Clearance by Russell A. Farrow Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

In-Stock Laminate

Krug's in-stock Laminates are available in 16 different laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular solid shades and 4 Exotic laminates offering a distinguished appearance. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Adesso is available in **Solid Laminate colors only**.

In-Stock Laminates

Wood Grain Laminate		Wood Grain HPL (Worksurface Option Only)		
Name & Number	Supplier	Name & Number	Supplier	Polymer Edge Names
Corretto Cherry W288	-	Corretto Cherry HP-288-N	Pionite	Corretto Cherry
Mocha Cherry W341	Panolam	Mocha Cherry HP-341-N	Pionite	Mocha Cherry
Monticello Maple L308	Tafisa	Monticello Maple 7925	Wilsonart	Monticello Maple
Nightfall W292	Panolam	Nightfall WX421-N	Pionite	Nightfall
Samba Cherry L460	Tafisa	Samba Cherry T460	Arborite	Samba Cherry
Shiraz Cherry L472	Tafisa	Shiraz Cherry T472	Arborite	Shiraz Cherry
Sugarloaf Maple L630	Tafisa	Sugarloaf Maple T630	Arborite	Sugarloaf Maple

Solid Laminate

Solid Laminate		Solid Laminate HPL (Worksurface Option Only)		
Name & Number	Supplier	Name & Number	Supplier	Polymer Edge Names
Almond S445	Tafisa	Almond T445	Pionite	Almond
Black L203	Tafisa	Black T203	Arborite	Black
Shadows L201	Tafisa	Shadows T201	Arborite	Shadow
White L175	Tafisa	White D354-60	Wilsonart	White

Exotic Laminate

Exotic Laminate		Exotic Laminate HPL (Worksurface Option Only)		
Name & Number	Supplier	Name & Number	Supplier	Polymer Edge Names
Backwoods Sycamore W689	Panolam	Backwoods Sycamore HP689-N	Pionite	Backwoods Sycamore
Edgewood Sycamore W690	Panolam	Edgewood Sycamore HP690-N	Pionite	Edgewood Sycamore
Gunstock Walnut W190	Panolam	Gunstock Walnut WW971-N	Pionite	Gunstock Walnut
Thunderstorm W359	Panolam	Thunderstorm HP359-N	Pionite	Thunderstorm

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges can be specified for use with non-stocked laminates.

The following plastic laminates are acceptable for application on Krug products as they feature a matte finish:

Nevamar	All plastic laminates with "T" in the suffix (i.e., MR2002T)
Wilsonart	All plastic laminates with "60" in the suffix (i.e., 4779-60)
Arborite	All plastic laminates with "CA" in the suffix (i.e., 1531-CA)
Pionite	All plastic laminates with "Suede" in the name (i.e., WW561 Suede)
Formica	All plastic laminates with "58" in the suffix (i.e., 756-58)

Arborite Laminates 1.800.996.0366	Wilsonart Laminates 1.800.433.3222
Pionite Laminates 1.800.746.6483	Formica Laminates 1.800.367.6422
Nevamar Laminates 1.800.638.4380	

Additional plastic laminate codes may be acceptable for use on Krug furniture, however, they could be subject to an additional upcharge or extended lead time due to material complexity. High sheen plastic laminates are not acceptable for application on Krug furniture due to their inherent nature of scratching and marring during the production process.

Dual Laminates

Two laminate colors can be combined on the same unit, with one laminate color on the worksurface and another laminate on the rest of the unit, at no upcharge. Combinations of more than one laminate in the body of the unit are not available.


NEXUS | TABLE OF CONTENTS

705	LEED CI Credit Summary	758	Tackboards for Hutches
705	level® Certification, Emissions and FSC® Air Certification	759	Modular Tops & Support
706	General Product Specifications	760	Pedestals
707	Edge Detail Profiles	762	Keyboard Tray & Cable Management
708	Finishes	764	Bookcases
709	Drawer Pulls & Locks	766	Storage
712	Non-Standard Product Guidelines for Pricing	773	Wardrobes
710	Connectivity		
711	Laminate Worksurfaces		
712	Non-Standard Product Guidelines for Pricing		
713	Desks		
714	Credenzas		
715	Hutches, Overheads Tasklights & Filing Instructions		
716	Reconfigurability		
717	Installation		
719	Sample Configurations		
721	Product Enhancements		
723	Desk Shapes		
724	Desks		
726	Curvilinear Tops		
730	Returns		
735	Linking Units		
736	Corner Units		
767	Credenzas		
746	Overheads		
747	Overhead Tackboards		
748	Hutches		
755	Paper Managers & Accessories		

NEXUS | SUSTAINABILITY & ENVIRONMENTAL /LEED CI CREDIT SUMMARY

LEED CI - Credit Summary

NEXUS CASEGOODS



CONTRIBUTES TO		
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Systems Furniture & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® Certification

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Nexus products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

Air Emissions

All Nexus products can be supplied with air-emissions certification. Contact customer service for information and upcharges.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Nexus and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
 - (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification)
- Both FSC® certification types may require upcharges, and often require additional lead time. Contact customer service for further information, pricing and leadtimes.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

NEXUS | GENERAL INFORMATION

WORKSURFACES

Tops are 1 1/4" thick veneered particle board core. Desks have profiled edges front and back and flush side panels. All worksurface height tops also have a chemically impregnated polycell backer for additional strength. Credenzas, returns, and link units have profiled front edges only, side and back edges are flush.

MODESTY PANELS

Modesty panels are standard on all desks, and optional on shaped tops, returns, link units and credenzas. Desk, credenza, and shaped top modesty panels are 3/4" thick, and link unit modesty panels are 1 1/8" thick.

veneer

External face veneers are rift cut Red Oak, flat sliced Cherry, Walnut or Maple bookmatched veneer.

FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all finished cases.

LOCKS

Locks are standard on all pedestals and storage unit lateral file drawers.
Locks are optional on door fronts and must be specified at time of order.

LATCHES

All hutch, overhead and bookcase door are equipped with touch latches mounted inside that top edge of the door.

DRAWERS

Desk box and file drawers have fully progressive full extension slides and are load rated at 100 lbs. per drawer.
All drawer interiors are clear finished Birch on particle board constructed with dowels.
All file drawers are equipped for letter and legal filing.
All box/box/file pedestals in desks only are supplied with one molded black pencil tray.

GLIDES

Adjustable glides are 1" long and allow for a range of adjustment of 1/2". Glide inserts are installed at factory, glides need to be field installed.

HINGES

Hinged on all hutch, overhead and bookcase doors are European with a 110° opening. All hinges are fully adjustable.

PULLS

All pulls are stamped and formed solid steel with a choice of Matte Black epoxy powder coat, Brushed Brass plating, Satin Nickel plating, and Polished Chrome plating finish options.
Pulls are supplied on all drawers.

TESTING INFORMATION

Nexus meets or exceeds the testing requirements of ANSI/BIFMA X5.5-1998.



NEXUS | EDGE DETAIL PROFILES & GRAIN DIRECTION



'C' - Concave



'D' - Radius



'E' - Fluted




'F' - Convex

Profiles do not appear on all edges of all products, please refer to this summary for locations:

KEY

==== Profile Edge

— Flush Edge




DESKS

Desks have profiles on front and back edges, sides are flush.
Plan view of a desk with a bow curve top option shown left.



CURVILINEAR TOPS AND CURVILINEAR RETURNS

Curvilinear tops and curvilinear returns have profile around the curved section, the blunt end above the end panel (or connecting end on returns) is flush. Plan view of a 69KD-7230R shown left.




RETURNS, LINK UNITS, AND CREDENZAS


All returns, link units and credenzas have profile on the front edge and are flush on sides and back edges.

Plan view of a 69LU-3624-HC linking unit shown left.

Plan view of a 69RH-4224-CR return shown immediately left.




Plan view of a 69CC-7224-CXR4D corner credenza shown left.



CORNER UNITS

Corner Units have profile on the diagonal length only.
All other sides are flush.


Plan view of a 69CU-4242-24 corner unit shown left.



BOOKCASE AND STORAGE UNITS

Only bookcase and storage units 29" high have profile on the front edge. All other units have flush edges on all sides.

Detail drawing of the top of 29" high bookcase shown left.



Detail drawing of the top of 29" high bookcase shown left.




MOBILE UNITS, DELTA AND CONFERENCE TABLES

Conference, Delta and mobile tables have profile on all sides.

The mobile computer table (shown left) has profile on the front concave curved section only.
All other mobile units do not have profile edges.

Pedestals and drum bases do not have profile.



GRAIN DIRECTION

Nexus products are designed such that the grain direction is consistent throughout an entire suite.

NEXUS | WOOD FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES	FINISH
Cherry	Light Cherry
	Natural Cherry
	American Cherry
	Medium Cherry
	Standard Cherry
	Imperial Cherry
	Appalachian Cherry
Maple	Sable Cherry
	Clear Maple
	Honey Maple
	Wheat Maple
Oak*	Light Oak
	Harvest Oak
	Mahogany Oak
	Medium Cherry on Oak
	Mellow Oak
	Walnut on Oak
Walnut	Espresso on Oak
	Natural Walnut
	Regular Walnut
	Mahogany on Walnut
	Dark Walnut
Anigre	Cordovan Walnut
	Clear Anigre
	Medium Anigre

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% net to your order for special finishes, minimum charge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% net to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

Since wood is a natural product, some variations in grain, color, and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

BIRDSEYE MAPLE

Bookmatched Birdseye Maple veneer is available on Millennium and Nexus at an upcharge of \$50 list per square foot. Specify clearly on order. Birdseye Maple is recommended in clear finish only. Birdseye Maple only applies to tops.

DUAL FINISH

Add 10% net per item if specifying dual finish.

VENEER

Nexus veneer is Rift cut..


NEXUS | DRAWER PULLS & LOCKS

DRAWER PULLS

Two drawer pull styles are available: Sentra and Axis.


Sentra is available in the following finish options:

- Matte Black
- Satin Nickel
- Polished Chrome
- Brushed Brass



Axis is available in the following finish options:

- Matte Black
- Matte Silver



Pulls are located on all drawer fronts. Bookcase doors do not have pulls.

Orders will not be entered until a pull and pull finish is specified.

LOCKS

Locks are provided as standard features on all pedestals, including those in desks, credenzas and lateral file storage units. Lock plugs for pedestals are located on the upper right hand corner of the top drawer. Doors on bookcases, hutches and overheads are provided with touch latches. Optional locks are available for closed bookcases, hutches and overheads at an upcharge of \$105 list per set of (2) doors. Lock plugs for bookcase doors are located on the top inside corner of door front. Lock plugs for hutch and overhead doors are located on the lower inside corners. Suites can be keyed alike at no upcharge, please specify on your purchase order.


GROMMETS

All cases may be specified with one grommet in a standard position at no upcharge. A \$114 list upcharge will apply to additional grommets in standard positions and for grommets requested in non-standard positions a \$275 list upcharge will apply. The grommet position must be indicated for each case on the order.

Standard Grommet



Black or Grey, rectangular, 4 1/8" x 2 11/16" Please specify grommet color on purchase order when ordering. Grommets can be field installed with power drill, 2 1/4 hole saw and rasp or saber saw. Template for drilling is available.

Please keep in mind the location of grommets when specifying paper managers for use with worksurfaces. For example, a paper manager on the left hand side may be used with a 'C', 'BR' or 'AR' grommet.



STANDARD GROMMET POSITIONS

Desks, Credenzas, Link Units & Returns



30" Deep Desks:

Position Code:

- AL - left corner
- BL - left end beside pedestal gable
- C - center
- BR - right end beside pedestal gable
- AR - right corner

36" Deep Desks:

Position Code:

- AL - left corner
- BL - left end beside pedestal gable
- C - center
- BR - right end beside pedestal gable
- AR - right corner


NOTE

'BL' and 'BR' are only available on tops 42" or longer.


CURVILINEAR TOPS

Position Code:

- C - center




This key applies to all B, P, Q, and K shaped tops.
The support panel is notched out to accommodate wire management.




POWERPORT

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. It includes a UL approved electrical, voice and data power bar, containing two 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes. 3 data versions are available, please see pagee) (\$ ~) (%for options.



PORT

A service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices.



UNDER MOUNT POWER DATA MODULE

The Power Data Module is mounted under the worksurface to provide connectivity to the user. The unit contains 2 simplex receptacles, 1 RJ11, 1 RJ45 and 1 USB Type A/B port. This power data module can be used for charging with a USB patch cord connected to a transformer. This provides the user a simple and convenient way to charge their electronic devices. Patch cords and transformer are conveniently available at most local electronic stores.

GROMMETS - Optional (Top Only)

All cases may be specified with one grommet in a standard position at no upcharge. A \$105 list upcharge will apply to additional grommets in standard positions and for grommets requested in non-standard positions a \$275 list upcharge will apply.


The grommet position must be indicated for each case on the order. Please specify location of grommet when ordering.



GROMMETS - Round

A round grommet in an aluminum finish with an open and shut mouse hole serves to provide cable passage for areas not requiring a large opening. The grommet position must be indicated for each case on the order. Please specify location of grommet when ordering.

Grommets can be field installed with a power drill, 60 mm hole saw. Please keep in mind the location of the grommets when specifying pier hutches for use with worksurfaces. For example, a paper manager on the left-hand side may be used with a "C", "BR" or "AR" grommet.



WIRE MANAGEMENT CUT-OUT AND HINGED MODESTY PANELS

Returns, link units and credenzas with fixed modesty panels can be specified with an 8" x 1 1/2" wire management cut-out. All hinged modesty panels feature a cut-out as a standard.

The discreet cut-out allows for clean and easy access to power, data and communication sources.





POWER / DATA / VOICE MODULE (SUPPLIED WITH WIRED HUTCHES)

rectangular with flip down cover. Includes two power outlets, one voice port, and one data port.

3 DETAILS:
nplex outlets
, 10 ft. cord

COMMUNICATION DETAILS:
one 6-pin and one 8-pin connector



LAMINATE WORKSURFACES

Laminate worksurfaces are available for the Nexus line at an upcharge of 10% (a higher upcharge may apply to specially priced plastic laminates).

Where there are wood profile edges on worksurface tops, they will remain as wood profiles on laminate tops.

Where there are flush edges, as in the backs of link units, there will be laminate self edges. Please reference the illustration at the bottom of this page.

Krug will order and procure laminates. Purchase orders with a plastic laminate option must include:

Manufacturer's Name
Laminate Name
Laminate Number

When specifying laminate worksurfaces, the grain direction is such that the grain pattern runs the length of each surface, as shown in the diagram on the left.

Please contact Krug Customer Service for questions pertaining to laminate grain direction.

The diagram on the left illustrates the placement on Krug worksurfaces. The shaded areas represent laminate, while the non-shaded area indicates the profiled wood edge.

DESK TOP SHAPES

RECTANGULAR

Available on all desk sizes



RECTANGULAR CURVE

Available on all desk sizes



BOW

Available on desk sizes:

66" x 36"	78" x 36"
72" x 36"	84" x 36"



BOW CURVE

Available on desk sizes:

66" x 36"	78" x 36"
72" x 36"	84" x 36"



ASYMMETRICAL LEFT

Available on desk sizes:

66" x 36"	78" x 36"
72" x 36"	84" x 36"



ASYMMETRICAL RIGHT

Available on desk sizes:

66" x 36"	78" x 36"
72" x 36"	84" x 36"



ASYMMETRICAL CURVE LEFT

Available on desk sizes:

66" x 36"	78" x 36"
72" x 36"	84" x 36"



ASYMMETRICAL CURVE RIGHT

Available on desk sizes:

66" x 36"	78" x 36"
72" x 36"	84" x 36"



Regardless of top shape specified, a 36" deep desk measures 36" at the widest point.

NEXUS | NON-STANDARD PRODUCT GUIDELINES FOR PRICING

PRICING METHOD

Custom widths: Apply the price of the same unit in the price list that is one standard size larger than the desired case size (but same depth).
For example: The required custom dimension is 74" x 24". The first standard size above this is 78" x 24", so in this case, you would apply the price of the 78" x 24" unit.

Custom depths: Apply the price for the same unit one size deeper (but same width).
For example: The required custom dimension is 72" x 26". The first standard size above this is 72" x 30", so in this case, you would apply the price of the 72" x 30" unit.

Custom width & depths: Apply the price for the same unit both one size wider and one size deeper.
For example: The required custom dimension is 74" x 26". The first standard size above this is 84" x 30", so in this case, you would apply the price of the 84" x 30" unit.

Custom height of desk height cases: Add 18%. (31-32" HI)

OTHER PRICING METHODS


Grommets in non-standard positions, add:	\$275 list
To remove hutch or overhead doors, deduct:	4% list
Bookcases with optional pull out printer shelf at standard shelf height, add:	\$165 list
Bookcases with optional vent in back (includes 2 vents and 1 grommet), add:	\$210 list
9800 storage units flush, add:	\$138 list
2 lateral file and 3 or 4 closed shelves - convert to half open, half closed shelves, add:	15% list
2 lateral file and 3 or 4 closed shelves - convert to half open, half wardrobe, add:	15% list
To remove storage doors for open shelves, deduct:	4% list
Angire, add:	20% list on Maple pricing

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than the largest shown Price List.
Non-standard extension on drawer slides.
Non-standard drawer depths in standard depth pedestals.
Glass door - any style.
Glass - face mounted modesty panels.
Perforated modesty panels.
Cases with curvilinear tops where the radius becomes non-standard.
A/V cabinets.
Any case with flipper doors.

Please contact Specials Coordinator or Krug Customer Service at 1.888.578.KRUG if you require assistance.


PLEASE NOTE: Cases with non-standard features do not apply to the rules above.
Contact Krug Customer Service if you require assistance.



CURVE OPTION ON DESKS


Please note that the curve option on desk tops will only accommodate 20" deep run-off options.

Nexus has a selection of 20" returns and transitional link units compatible with this desk shape.



CURVED MODESTY PANEL OPTION

A curved modesty panel can be specified on any desk in any size at no additional upcharge. The arc of the curve is 2 1/4" at its highest point.




WIRE MANAGEMENT CAVITY

Nexus desks can also be specified with a hidden wire management cavity. Please contact customer service for more information.

This finished cavity is accessed from the front of the desk by a hinged door and is completely concealed in the closed position. The wire management cavity includes a four receptacle power bar mounted on the inside pedestal gable.

This feature allows the use of several powered items on the desk surface and greatly reduces the number of cables routed to the primary power source. The hinged cavity also effectively conceals all excess cables from view.

The wire management cavity can only be specified behind a desk pedestal, not on the open side of a single pedestal desk.




PEDESTAL ACCESS WIRING GROMMET

All Nexus desks allow for wire management behind the pedestal drawers. Pedestal gables feature a standard cable management opening allowing access to the rear of the pedestal cavity. By specifying a wiring grommet in a standard AL or AR position (see grommet locations on page 709), cable can be conveniently threaded behind the pedestal drawers and through the wire management access grommet.


Combined with our standards wire management cover (see page 763), all cables are neatly tucked out of view.

NEXUS | CREDENZAS




Nexus offers a wide variety of credenzas for use as stand alone storage pieces, part of a connected worksurface configuration, or behind a desk.

Choose from single, double and ganged options, with modesty panels or without.




MODESTY PANELS

Credenzas without modesty panels provide easy access to wall mounted electrical sources without wiring difficulties, and are also a satisfying solution for the cost-minded customer.




Credenzas with modesty panels have an added finished look, and all cases are available with a wiring grommet in standard position for added cable management, please specify on your order.

Wiring grommets are not available on 20" x 24" cases above a pedestal.



PEDESTALS


Nexus credenzas are available with single, ganged, lateral file or bookcase pedestals.



BOW FRONT CREDENZAS

Bow front credenzas are meant to be used as stand alone units and cannot be used in a U-shaped configuration to another unit. The bow front overhang on the front edge is 1.5" at its largest point.

NEXUS | HUTCHES, OVERHEADS & TASKLIGHTS



TASKLIGHTS

Tasklights are included with hutches and overheads and are installed before shipment. On hutches, the tasklight cord is threaded behind the hutch through a standard access grommet on the upper right hand side of the back panel. This access grommet is hidden from view behind the installation tackboard.


Tasklights are installed on the underside of the overhead units. Cords run down the right hand side of the tasklight to the worksurface where they can be routed behind the worksurface top. The use of a wall mounted overhead tackboard conceals the cord from view.

INSTALLATION

Hutch and overhead installation instructions are included with every case or can be found in this guide on pages 717-718. All mounting hardware required is included with the product.

NEXUS | FILING INSTRUCTIONS

All file drawers will accept both letter and legal size filing. All units are equipped with file bars to accommodate either direction. File bars are shipped taped to the inside of the drawer for safety.



DESK PEDESTAL FILE DRAWERS

Filing Capacity:


21" of letter filing from front to back, or

12" of legal filing side to side

Pedestal drawer depths allow only one row of side to side files.

Legal files can be positioned in the side to side direction only.

Weight capacity of pedestal file drawers is 100 lbs.



CREDENZA AND RETURN PEDESTAL FILE DRAWERS

Filing Capacity:


15" of letter filing from front to back, or

12" of legal filing side to side

Pedestal drawer depths allow only one row of side to side files.

Legal files can be positioned in the side to side direction only.

Weight capacity of pedestal file drawers is 100 lbs.



CREDENZA, RETURN OR STORAGE LATERAL FILE DRAWERS


Filing Capacity for 30" wide drawers:

30" of letter filing front to back, or

25" of legal filing side to side, or

15" of legal filing front to back

When filing front to back, 30" lateral file drawer widths allow two rows of letter filing, but only one row of legal file width.



Filing Capacity for 36" wide drawers:

30" of letter filing front to back, or

36" of legal filing side to side, or

30" of legal filing front to back

Weight capacity of lateral file drawers is 150 lbs.


NEXUS | RECONFIGURABILITY

Several Nexus products have been designed to afford the customer flexibility for reconfiguration in the future.

All cases are provided with standard connecting inserts and covers installed inside the end panels. These connectors are used to configure workstations without having to permanently modify the units with wood screws, and can be easily taken apart as needs of the work space change.

Returns and credenzas ordered without modesty panels are manufactured with metal to metal fitments to be non-handed and reconfigurable.

A selection of modular tops, end panel supports, and pedestals are available on pages 759-761 to create modular configured workstations.



CREATING MODULAR PRODUCTS

Modular pedestals are the same depth as modular tops and have finished sides and backs. They are a complete end support, and cannot be combined with an L-based support at the same end.

An L-base support is used at an open end only.


Nexus modular products are not available with modesty panels.

LINKING UNITS, TOPS & RETURNS

It is important that the main units (desk, credenza) to which the linking unit or return is being attached be in their final position and leveled.


Locate the linking brackets under the main unit tops, 6" and 18" from the main unit gables, with 1 1/2" protruding beyond the edge of the top. Using two screws per bracket (provided), attach the brackets to the main unit top. Please note that the screws are inserted with a hex key (not included).

Rest the linking unit/top or return on the brackets, ensuring that the piece is square to the main unit(s). Level the piece if necessary by adjusting the glides to achieve flush and uniform joints. Using the remaining screws, attach the bracket to the linking unit/top or return.



DRAWER REMOVAL

To remove pedestal drawers, open to the extended position, press down on the right side nylon release lever and pull the drawers up on left side lever at the same time. Continue pulling the drawer out of the case.




GLIDE ADJUSTMENTS

Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide in the hole. Make sure unit is level after adjusting the glides.

Please note that the maximum adjustment range of the glides is 1/2".

When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage.




HUTCH INSTALLATION

Before installing hutch, ensure that the worksurface has been placed in the final position and leveled. The worksurface should then be moved out a sufficient distance to allow access to the back. It is recommended that the minimum amount of movement be used with the levelling glides extended to prevent damage to the glides.

The hutch comes with self-adhesive foam strips that must be applied to the bottom edge prior to placing the hutch on the credenza. The foam is best applied with the hutch lying on its back. Do not leave any gaps in the foam strip. This will prevent scratches to the credenza top while placing the hutch.


Place the hutch on the worksurface making sure the hutch back panel is flush with the back panel of the case below. Try to minimize any movement of the hutch to prevent scratching. Use of a blanket on the front of the credenza is recommended.



FINISH INSTALLATION (CONTINUED)

Using the supplied hardware, screw the flat bracket to the credenza back panel at each end, using 4" screws provided. Swing the bracket up to approximately 60° and screw through the bracket into the hutch back with the 1/2" screws. Tighten all screws. Move combined hutch and credenza to final location. Check for level again and adjust as required.

Be aware that hutches are shipped with tackboards and tasklights already installed.




ADJUSTMENTS

All bookcase, overhead and hutch doors are designed to be adjusted for depth, horizontal and vertical alignment. This is easily done by adjusting the appropriate screw, see drawing.

To remove a door, squeeze the release clip and pull out the door, disconnecting the hinges.

As with hutches, overheads and storage units all use magnetic touch latches.



OVERHEAD UNITS


The wall mount overhead storage units must be installed on wall studs. The first step for installation is to locate the studs in the wall where the overhead is to be mounted.

Position the overhead hanger rail on the wall to ensure studs line up with pre-drilled holes in the hanger rail and mark the location on the wall. When mounting an overhead with 2 hanging rails, leave 1 1/2" between rails as clearance for the center gable.


Drill holes at the marked hole locations. Fasteners are to be provided by the installer, so hole size will be determined by size of fastener chosen. If studs cannot be accessed, then appropriate drywall plugs or butterfly bolts should be used. Fasten the mounting rail to the wall ensuring that it is level.

Remove the back plugs located on the inside face of the back panel to gain access to adjusting screws on the hanging brackets. Hang the overhead on the mounting rail. The hanging brackets provide vertical and plumb adjusting screws. Level the cabinet by using the screws. All brackets must be adjusted so that they all support the cabinet.

When leveling of the overhead is complete, insert the black plugs in the holes to cover the adjusting screws.




NEXUS | SAMPLE CONFIGURATIONS




This compact workstation is a practical solution for a small workspace area. It could be enhanced by a number of the mobile work units to increase the storage space or worksurface area in the future.

Model	Rift Oak	Cherry Maple Walnut
69C-7224-4-XLORD	2590	2964
69RH-4824-XL4F	2056	2293
69HT-7215-40	2502	2850
GRADE 1 FABRIC		
Total List	7,148	8,108



This basic desk and return configuration can be used in a variety of situations and applications where space is limited.



Model	Rift Oak	Cherry Maple Walnut
69D-7236-4-LORF	2573	3015
ASYMMETRICAL RIGHT TOP	469	469
69RH-4824-XL4F	2056	2293
Total List	5,098	5,777



This large executive workstation has visual impact with the asymmetrical shaped desk top, curved modesty panel and the curved corner credenza. The corner credenza is ideal for a computer, and storage abounds with the large hutch and ganged pedestals.



Model	Rift Oak	Cherry Maple Walnut
69D-8436-4-LFR0	2654	3105
ASYMMETRICAL LEFT TOP	469	469
CURVED MODESTY PANEL	N/C	N/C
69LU-4224-HX	1037	1137
69CC-8424-CXR4FD	3148	3525
69HT-8415-40A	3026	3451
GRADE 1 FABRIC		
Total List	10,334	11,687

NEXUS | SAMPLE CONFIGURATIONS





This multi-functional workspace has a large work surface suitable for computer applications, and a high level of filing and storage space. An articulating keyboard could be added to the corner unit to maximize work surface space. The overhead unit is wall mounted, but any of the hutch options could also be used in its place.

Model	Rift Oak	Cherry Maple Walnut
69RH-6024-XLLF36	2577	2946
69CU-3636-24C	1829	2104
69RH-3624-XR4F	1943	2209
690H-7215 WALLMOUNTED	1570	1787
69TBOH-72 GRADE 1 FABRIC	396	396
Total List	8,315	9,442



This workspace combines considerable work surface space, storage and filing options, and an attractively shaped configuration to compliment and office environment. The hutch features a built in power and data grommet for use of a computer and other powered items on the work surface. The wire management cavity could be added to the desk modesty panel for increased function and flexibility.

Model	Rift Oak	Cherry Maple Walnut
69D-7236-4-LORF	2573	3015
ASYMMETRICAL RIGHT TOP	469	469
69RH-4824-XL4F	2056	2293
Total List	5,098	5,777




This large functional workspace is made more affordable by using a curvilinear desk and a linking unit and credenza without modesty panels. It is an excellent space for impromptu meetings, and the paper management hutch adds additional storage space.

Model	Rift Oak	Cherry Maple Walnut
69PD-7230L	2484	2826
69LU-4224-HC	569	639
69C-7224-4-LORF	2403	2715
69HTPM-7215-40A	2879	3281
Total List	8,335	9,461

NEXUS PRODUCT ENHANCEMENTS


Please follow the instructions below to enhance Millennium with Krug's newest product features.

INSTRUCTIONS




CURVILINEAR DESKS WITH PERFORATED METAL MODESTY PANEL
Only available on 72" & 84" units and only available in conjunction with Half Drum Base
Add 'P' to model number prefix
Example: 69DP-7230-DB

20% list upcharge




DOUBLE ARC TABLE DESK WITH PERFORATED METAL MODESTY PANEL
This option is only available on Desks with Half Drum Bases
Add 'P' to model number prefix
Example: 69DADP-7230-DBM

20% list upcharge




CURVILINEAR DESKS WITH TAPERED BRUSHED ALUMINUM POST LEG
Only available on Desks without Modesty Panels
Add 'T' to model number suffix
Example: 69BD-6030-T

No upcharge




RETURNS WITH WIRE MANAGEMENT CUT-OUT ON MODESTY PANEL
Available in standard center position on modesty panel
Note clearly on purchase order

\$165 list upcharge




RETURNS WITH HINGED WOOD MODESTY PANEL
Add 'Y' to model number prefix
Example: 68RHY-7220-XL4D

10% list upcharge




CURVILINEAR RETURNS WITH TAPERED BRUSHED ALUMINUM POST LEG
Only available on Returns without Modesty Panels
Add 'T' to model number suffix
Example: 69BR-6030-T

No upcharge




LINK UNIT WITH WIRE MANAGEMENT CUT-OUT ON MODESTY PANEL
Available in standard center position
Note clearly on purchase order

\$165 list upcharge



LINK UNIT WITH HINGED WOOD MODESTY PANEL
Add 'Y' to model number prefix
Example: 69LUY-4824

10% list upcharge



CREDENZAS WITH WIRE MANAGEMENT CUT-OUT OPTION ON MODESTY PANEL
Not available on Ganged Pedestal, or Lateral File/Bookcase Credenzas
Available in standard center position
Note clearly on purchase order

\$165 list upcharge

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Wood edge detail - C, D, E or F, see page 109
- 4) Pull style and finish, see page 709

CODE DESCRIPTION

P — perforated metal modesty panel
T — tapered brushed aluminum panel
Y — hinged wood modesty panel

The metal finish on perforated metal modesty panels, tapered brushed aluminum post legs, tackboard organizer rail, accessories and matte silver framed glass doors match the Nexus stain nickel or matte silver pull finish.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

PERFORATED METAL MODESTY

Perforated metal modesty panels are 18 gage thick steel panels with a brushed metal finish.


HINGED WOOD MODESTY PANEL

Hinged wood modesty panels come standard with a center positioned wire management cut-out.

NEXUS PRODUCT ENHANCEMENTS


Please follow the instructions below to enhance Nexus with Krug's newest product features.

INSTRUCTIONS




CREDENZAS WITH HINGED WOOD MODESTY PANEL
Not available on Ganged Pedestal, or Lateral File/Bookcase Credenzas
Add 'Y' to model number prefix
Example: 69CY-6624-XLDR0

10% list upcharge




WOOD FRAMED CLEAR GLASS DOOR HUTCHES - 6 HI
Available on 72" & 84" versions
Add 'G' to model number suffix
Example: 69HT-7215-40G

See page 748 for details




WOOD FRAMED CLEAR GLASS DOOR OVERHEADS
Available on 36", 42" & 48" Overheads

See page 746-747 for details




MATTE SILVER FRAMED FROSTED GLASS DOOR HUTCHES - 5 HI
Available on 72" & 84" versions
Add 'X' to model number suffix
Example: 69HT-7215-40X

See page 748 for details




MATTE SILVER FRAMED FROSTED GLASS DOOR OVERHEADS
Available on 36", 42" & 48" Overheads

See page 746-747 for details




MATTE SILVER FRAMED FROSTED GLASS DOOR HUTCHES - 6 HI
Available on 72" & 84" versions
Add 'X' to model number suffix
Example: 69HT-7215-53X

See page 749 for details




WOOD FRAMED CLEAR GLASS DOOR HUTCHES - 5 HI
Available on 72" & 84" versions
Add 'G' to model number suffix
Example: 69HT-7215-04G

See page 748 for details



36" 5 HI LATERAL / 3 FILE CLOSED SHELVES - STORAGE UNIT WITH WOOD FRAMED CLEAR GLASS DOORS
Add 'G' to base model
Example: 69ST-362069-04G

See page 769 for details



36" 5 HI LATERAL FILE / 3 CLOSED SHELVES WITH MATTE SILVER FRAMED FROSTED GLASS DOORS
Add 'X' to base model
Example: 69ST-362069-04X

See page 770 for details

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Wood edge detail - C, D, E or F, see page 109
- 4) Pull style and finish, see page 709

CODE DESCRIPTION

G — wood framed glass doors
X — matte silver framed frosted glass doors
Y — hinged wood modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

HINGED WOOD MODESTY PANEL


Hinged wood modesty panels come standard with a center positioned wire management cut-out.

NEXUS | DESK SHAPES

All desk orders require the following information: model number, edge profile and top shape.


IF NO TOP SHAPE IS SPECIFIED ON AN ORDER IT WILL BE ENTERED AS A RECTANGULAR SHAPED DESK.

RECTANGULAR



No upcharge
Available on all desk sizes

RECTANGULAR CURVE




\$425 upcharge
Available on all desk sizes
Accepts 20" deep run-off units

BOW



\$425 upcharge
Available on desk sizes:
66"x36"
72"x36"
78"x36"
84"x36"

BOW CURVE




\$425 upcharge
Available on desk sizes:
66"x36"
72"x36"
78"x36"
84"x36"
Accepts 20" deep run-off units

ASYMMETRICAL LEFT




\$425 upcharge
Available on desk sizes:
66"x36"
72"x36"
78"x36"
84"x36"
36" deep at left-hand end
30" deep at right-hand end

ASYMMETRICAL RIGHT




\$425 upcharge
Available on desk sizes:
66"x36"
72"x36"
78"x36"
84"x36"
36" deep at left-hand end
30" deep at right-hand end

ASYMMETRICAL CURVE LEFT



\$425 upcharge
Available on desk sizes:
66"x36"
72"x36"
78"x36"
84"x36"
36" deep at left-hand end
30" deep at right-hand end
Accepts 20" deep run-off units

ASYMMETRICAL CURVE RIGHT




\$425 upcharge
Available on desk sizes:
66"x36"
72"x36"
78"x36"
84"x36"
36" deep at left-hand end
30" deep at right-hand end
Accepts 20" deep run-off units

CURVED MODESTY PANEL



Available on all desk sizes at no upcharge, please specify on your order


NEXUS | DESKS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
	69D60304LDRD	3260	3717	59.5	29.75	29.25	28.5	218	34
	69D60304LDRF	3260	3717	59.5	29.75	29.25	28.5	218	34
	69D60304LFRD	3260	3717	59.5	29.75	29.25	28.5	218	34
	69D60304LFRF	3260	3717	59.5	29.75	29.25	28.5	218	34
	69D66304LDRD	3276	3735	65.75	29.75	29.25	34.75	224	37
	69D66304LDRF	3276	3735	65.75	29.75	29.25	34.75	224	37
	69D66304LFRD	3276	3735	65.75	29.75	29.25	34.75	224	37
	69D66304LFRF	3276	3735	65.75	29.75	29.25	34.75	224	37
	69D66364LDRD	3289	3749	65.75	35.75	29.25	34.75	236	44
	69D66364LDRF	3289	3749	65.75	35.75	29.25	34.75	236	44
	69D66364LFRD*	3289	3749	65.75	35.75	29.25	34.75	236	44
	69D66364LFRF	3289	3749	65.75	35.75	29.25	34.75	236	44
	69D72304LDRD	3295	3756	71.5	29.75	29.25	40.5	236	40
	69D72304LDRF	3295	3756	71.5	29.75	29.25	40.5	236	40
	69D72304LFRD	3295	3756	71.5	29.75	29.25	40.5	236	40
	69D72304LFRF	3295	3756	71.5	29.75	29.25	40.5	236	40
	69D72364LDRD	3313	3810	71.5	35.75	29.25	40.5	248	48
	69D72364LDRF	3313	3810	71.5	35.75	29.25	40.5	248	48
	69D72364LFRD	3313	3810	71.5	35.75	29.25	40.5	248	48
	69D72364LFRF	3313	3810	71.5	35.75	29.25	40.5	248	48
	69D78304LDRD	3334	3837	77.75	35.75	29.25	46.75	260	52
	69D78304LDRF	3334	3837	77.75	35.75	29.25	46.75	260	52
	69D78304LFRD	3334	3837	77.75	35.75	29.25	46.75	260	52
	69D78304LFRF	3334	3837	77.75	35.75	29.25	46.75	260	52
	69D78364LDRD	3356	3859	77.75	35.75	29.25	46.75	260	52
	69D78364LDRF	3356	3859	77.75	35.75	29.25	46.75	260	52
	69D78364LFRD	3356	3859	77.75	35.75	29.25	46.75	260	52
	69D78364LFRF	3356	3859	77.75	35.75	29.25	46.75	260	52
	69D84304LDRD	3366	3838	83.5	35.75	29.25	52.5	272	56
	69D84304LDRF	3366	3838	83.5	35.75	29.25	52.5	272	56
	69D84304LFRD	3366	3838	83.5	35.75	29.25	52.5	272	56
	69D84304LFRF	3366	3838	83.5	35.75	29.25	52.5	272	56
	69D84364LDRD	3377	3849	83.5	35.75	29.25	52.5	272	56
	69D84364LDRF	3377	3849	83.5	35.75	29.25	52.5	272	56
	69D84364LFRD	3377	3849	83.5	35.75	29.25	52.5	272	56
	69D84364LFRF	3377	3849	83.5	35.75	29.25	52.5	272	56

ORDERING NOTES:
Laminate worksurfaces are available at a 10% upcharge.

<p>ORDERING PROCEDURES To order, please specify the following:</p> <p>1) Krug product model number 2) Wood species and finish, see page 708 3) Wood edge detail- C, D, E or F, see page 707 4) Pull style and finish, see page 709 5) Grommet location and style if applicable</p> <p>* Indicates model illustrated by line drawing</p>	<p>CODE DESCRIPTION 0 - no pedestal 4 - full height pedestal D - file/file pedestal F - box/box/file pedestal L - left-hand pedestal position R - right-hand pedestal position</p>	<p>STANDARD FINISHES For a complete list of standard wood finishes please see page 708.</p> <p>WIRING GROMMETS One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.</p> <p>METAL LEGS Please specify black leg or chrome leg on your order.</p> <p>POST LEGS All curvilinear desk post legs, wood and metal are 6" in diameter.</p>
--	---	--

NEXUS | DESKS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
 Single Pedestal Desk	69D60304LDR0	2501	2901	59.5	29.75	29.25	43.5	206	34
	69D60304LORD	2501	2901	59.5	29.75	29.25	43.5	206	34
	69D60304LFR0	2501	2901	59.5	29.75	29.25	43.5	206	34
	69D60304LORF	2501	2901	59.5	29.75	29.25	43.5	206	34
	69D66304LDR0	2521	2949	65.75	29.75	29.25	49.75	212	37
	69D66304LORD	2521	2949	65.75	29.75	29.25	49.75	212	37
	69D66304LFR0	2521	2949	65.75	29.75	29.25	49.75	212	37
	69D66304LORF	2521	2949	65.75	29.75	29.25	49.75	212	37
	69D66364LDR0	2535	2965	65.75	35.75	29.25	49.75	224	44
	69D66364LORD	2535	2965	65.75	35.75	29.25	49.75	224	44
	69D66364LFR0*	2535	2965	65.75	35.75	29.25	49.75	224	44
	69D66364LORF	2535	2965	65.75	35.75	29.25	49.75	224	44
	69D72304LDR0	2542	2975	71.5	29.75	29.25	55.5	224	40
	69D72304LORD	2542	2975	71.5	29.75	29.25	55.5	224	40
	69D72304LFR0	2542	2975	71.5	29.75	29.25	55.5	224	40
	69D72304LORF	2542	2975	71.5	29.75	29.25	55.5	224	40
	69D72364LDR0	2574	3012	71.5	35.75	29.25	55.5	236	48
	69D72364LORD	2574	3012	71.5	35.75	29.25	55.5	236	48
	69D72364LFR0	2574	3012	71.5	35.75	29.25	55.5	236	48
	69D72364LORF	2574	3012	71.5	35.75	29.25	55.5	236	48
	69D78304LDR0	2606	3053	83.5	35.75	29.25	46.75	272	56
	69D78304LORD	2606	3053	83.5	35.75	29.25	46.75	272	56
	69D78304LFR0	2606	3053	83.5	35.75	29.25	46.75	272	56
	69D78304LORF	2606	3053	83.5	35.75	29.25	46.75	272	56
	69D78364LDR0	2628	3075	77.75	35.75	29.25	61.75	248	52
	69D78364LORD	2628	3075	77.75	35.75	29.25	61.75	248	52
	69D78364LFR0	2628	3075	77.75	35.75	29.25	61.75	248	52
	69D78364LORF	2628	3075	77.75	35.75	29.25	61.75	248	52
	69D84304LDR0	2642	3094	83.5	35.75	29.25	52.5	272	56
	69D84304LORD	2642	3094	83.5	35.75	29.25	52.5	272	56
	69D84304LFR0	2642	3094	83.5	35.75	29.25	52.5	272	56
	69D84304LORF	2642	3094	83.5	35.75	29.25	52.5	272	56
	69D84364LDR0	2653	3105	83.5	35.75	29.25	67.5	260	56
	69D84364LORD	2653	3105	83.5	35.75	29.25	67.5	260	56
	69D84364LFR0	2653	3105	83.5	35.75	29.25	67.5	260	56
	69D84364LORF	2653	3105	83.5	35.75	29.25	67.5	260	56

ORDERING NOTES:

Laminate worksurfaces are available at a 10% upcharge.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - knee-hole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

0 - no pedestal
4 - full height pedestal
D - file/file pedestal
F - box/box/file pedestal
L - left-hand pedestal position
R - right-hand pedestal position

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.


METAL LEGS

Please specify black leg or chrome leg on your order.


POST LEGS

All curvilinear desk post legs, wood and metal are 6" in diameter.


NEXUS | CURVILINEAR TOPS


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
	69D60304L0R0	1735	2065	59.75	29.75	29.25	57.25	187	34
	69D66304L0R0	1755	2088	65.75	29.75	29.25	63.25	198	37
	69D66364L0R0*	1767	2112	65.75	35.75	29.25	63.25	215	44
	69D72304L0R0	1772	2137	71.75	29.75	29.25	69	210	40
	69D72364L0R0	1803	2161	71.75	35.75	29.25	69	228	48
	69D78364L0R0	1855	2208	77.75	35.75	29.25	75.25	241	52
	69D84364L0R0	1882	2248	83.75	35.75	29.25	81	254	56

ORDERING NOTES:
Laminate worksurfaces are available at a 10% upcharge.

	Bullet Desk with Wood Leg	69BD6030	1852	2169	59.5	29.75	29.25	40.5	104	34
		69BD6630	1889	2210	65.75	29.75	29.25	46.5	115	37
		69BD6636	1904	2227	65.75	35.75	29.25	43.5	128	44
		69BD7230*	1926	2254	71.5	29.75	29.25	52.5	128	40
		69BD7236	1960	2293	71.5	35.75	29.25	49.5	136	48

ORDERING NOTES:
Please see page 130 for ordering information on the brushed aluminum tapered leg option. For chrome or black metal post leg, please add "-ML" to the end of the model number.

	Bullet Desk with Wood Leg and 3/4 Modesty Panel	69BD60303LGM	2090	2383	59.5	29.75	29.25	40.5	116	34
		69BD66303LGM	2132	2409	65.75	29.75	29.25	46.5	127	37
		69BD66363LGM	2147	2426	65.75	35.75	29.25	43.5	140	44
		69BD72303LGM	2163	2444	71.5	29.75	29.25	52.5	140	40
		69BD72363LGM*	2203	2446	71.5	35.75	29.25	49.5	148	48
		69BD84303LGM	2301	2485	83.5	29.75	29.25	64.5	160	47
		69BD84363LGM	2342	2506	83.5	35.75	29.25	61.5	168	56

	Bullet Desk with Wood Leg and Full Modesty Panel	69BD66364LGM	2210	2498	65.75	35.75	29.25	43.5	145	44
		69BD72364LGM*	2269	2519	71.5	35.75	29.25	49.5	153	48
		69BD78364LGM	2316	2548	77.75	35.75	29.25	55.5	165	52
		69BD84364LGM	2408	2553	83.5	35.75	29.25	61.5	172	56

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 0 - no pedestal
- 4 - full height pedestal
- D - file/file pedestal
- F - box/box/file pedestal
- L - left-hand pedestal position
- R - right-hand pedestal position

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.


METAL LEGS


Please specify black leg or chrome leg on your order.

POST LEGS

All curvilinear desk post legs, wood and metal are 6" in diameter.

NEXUS | CURVILINERAR TOPS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
	Bullet Desk with 1/2 Drum Base								
	69BD6030DB	2104	2504	59.5	29.75	29.25	43.5	108	34
	69BD6630DB	2147	2426	65.75	29.75	29.25	49.5	120	37
	69BD6636DB	2163	2444	65.75	35.75	29.25	46.5	132	44
	69BD7230DB*	2183	2444	71.5	29.75	29.25	55.5	132	40
	69BD7236DB	2220	2509	71.5	35.75	29.25	52.5	140	48
	69BD8430DB	2276	2549	83.5	29.75	29.25	67.5	140	47
	69BD8436DB	2317	2641	83.5	35.75	29.25	64.5	164	56

	Bullet Desk with 1/2 Drum Base and Full Modesty Panel								
	69BD6030LDBM	2351	2704	59.5	29.75	29.25	43.5	120	34
	69BD6030RDBM	2351	2704	59.5	29.75	29.25	43.5	120	34
	69BD6630LDBM	2389	2723	65.75	29.75	29.25	49.5	132	37
	69BD6630RDBM	2389	2723	65.75	29.75	29.25	49.5	132	37
	69BD6636LDBM	2405	2742	65.75	35.75	29.25	46.5	144	44
	69BD6636RDBM	2405	2742	65.75	35.75	29.25	46.5	144	44
	69BD7230LDBM	2424	2763	71.5	29.75	29.25	55.5	144	40
	69BD7230RDBM*	2424	2763	71.5	29.75	29.25	55.5	144	40
	69BD7236LDBM	2443	2784	71.5	35.75	29.25	52.5	152	48
	69BD7236RDBM	2443	2784	71.5	35.75	29.25	52.5	152	48
	69BD8430LDBM	2508	2809	83.5	29.75	29.25	67.5	152	47
	69BD8430RDBM	2508	2809	83.5	29.75	29.25	67.5	152	47
	69BD8436LDBM	2589	2874	83.5	35.75	29.25	64.5	176	56
	69BD8436RDBM	2589	2874	83.5	35.75	29.25	64.5	176	56

ORDERING NOTES:

Please see page 130 for ordering information on perforated metal modesty panel option. Available on 72" and 84" models only.

	"P" Desk with Wood Leg								
	69PD7230L	2484	2832	71.5	35.75	29.25	49.5	160	48
	69PD7230R*	2484	2825	71.5	35.75	29.25	46.75	160	48
	69PD7236L	2544	2900	71.5	41.75	29.25	49.5	176	56
	69PD7236R	2544	2900	71.5	41.75	29.25	46.75	176	56

ORDERING NOTES:

Please see page 130 for ordering information on the brushed aluminum tapered leg option. For chrome or black metal post leg, please add "-ML" to the end of the model number.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

0 - no pedestal
4 - full height pedestal
D - file/file pedestal
F - box/box/file pedestal
L - left-hand pedestal position
R - right-hand pedestal position

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.





METAL LEGS

Please specify black leg or chrome leg on your order.

POST LEGS

All curvilinear desk post legs, wood and metal are 6" in diameter.

NEXUS | CURVILINEAR TOPS


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes	
	"P" Desk with 3/4 Modesty Panel and Wood Leg	69PD7230L3LGM	2686	3008	71.5	35.75	29.25	49.5	236	48
		69PD7230R3LGM	2686	3008	71.5	35.75	29.25	49.5	236	48
		69PD7236L3LGM	2755	3086	71.5	41.75	29.25	46.75	250	56
		69PD7236R3LGM	2755	3086	71.5	41.75	29.25	46.75	250	56
		69PD7830L3LGM	2785	3119	77.75	35.75	29.25	56.75	250	52
		69PD7830R3LGM*	2785	3119	77.75	35.75	29.25	56.75	250	52
		69PD8430L3LGM	2847	3160	83.5	35.75	29.25	61.75	258	56
		69PD8430R3LGM	2847	3160	83.5	35.75	29.25	61.75	258	56
		69PD8436L3LGM	2871	3187	83.5	41.75	29.25	58.75	264	65
		69PD8436R3LGM	2871	3187	83.5	41.75	29.25	58.75	264	65
	"P" Desk with Full Modesty Panel and Wood Leg	69PD7236L4LGM	2823	3134	71.5	41.75	29.25	46.75	255	56
		69PD7236R4LGM*	2823	3134	71.5	41.75	29.25	46.75	255	56
		69PD7836L4LGM	2889	3207	77.75	41.75	29.25	54	263	61
		69PD7836R4LGM	2889	3207	77.75	41.75	29.25	54	263	61
		69PD8436L4LGM	2940	3263	83.5	41.75	29.25	58.75	269	65
		69PD8436R4LGM	2940	3263	83.5	41.75	29.25	58.75	269	65
	"P" Desk with Half Drum Base	69PD7230LDB	2823	3191	71.5	35.75	29.25	60	232	52
		69PD7230RDB*	2823	3191	71.5	35.75	29.25	60	232	52
		69PD7236LDB	2843	3213	71.5	41.75	29.25	57.75	238	61
		69PD7236RDB	2843	3213	71.5	41.75	29.25	57.75	238	61
		69PD8430LDB	2862	3234	83.5	35.75	29.25	63.75	238	56
		69PD8430RDB	2862	3234	83.5	35.75	29.25	63.75	238	56
		69PD8436LDB	2881	3256	83.5	41.75	29.25	60.75	246	65
		69PD8436RDB	2881	3256	83.5	41.75	29.25	60.75	246	65
	"P" Desk with Half Drum Base and Full Modesty Panel	69PD7230LDBM	3045	3441	71.5	35.75	29.25	60	252	52
		69PD7230RDBM*	3045	3441	71.5	41.75	29.25	60	252	52
		69PD7236LDBM	3070	3622	71.5	41.75	29.25	57.75	258	61
		69PD7236RDBM	3070	3622	71.5	35.75	29.25	57.75	258	61
		69PD8430LDBM	3409	3852	83.5	35.75	29.25	63.75	258	56
		69PD8430RDBM	3409	3852	83.5	41.75	29.25	63.75	258	56
		69PD8436LDBM	3626	3953	83.5	35.75	29.25	60.75	266	65
		69PD8436RDBM	3626	3953	83.5	35.75	29.25	60.75	266	65

ORDERING NOTES:

Please see page 721 for ordering information on perforated metal modesty panel option.


<p>ORDERING PROCEDURES</p> <p>To order, please specify the following:</p> <p>1) Krug product model number</p> <p>2) Wood species and finish, see page 708</p> <p>3) Wood edge detail- C, D, E or F, see page 707</p> <p>4) Pull style and finish, see page 709</p> <p>5) Grommet location and style if applicable</p> <p>* Indicates model illustrated by line drawing</p>	<p>CODE DESCRIPTION</p> <p>3 - 3/4 height modesty panel</p> <p>4 - full height modesty panel</p> <p>L - leg in left hand position</p> <p>R - leg in right hand position</p> <p>DB - 1/2 drum base</p> <p>DBM- 1/2 drum base with modesty panel</p> <p>ML - metal leg</p> <p>TB - "T" bases</p> <p>LGM- wood leg and modesty panel</p>	<p>STANDARD FINISHES</p> <p>For a complete list of standard wood finishes please see page 708.</p> <p>WIRING GROMMETS</p> <p>One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.</p> <p>METAL LEGS</p> <p>Please specify black leg or chrome leg on your order.</p> <p>POST LEGS</p> <p>All curvilinear desk post legs, wood and metal are 6" in diameter.</p>
---	--	--


NEXUS | CURVILINEAR TOPS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
 "K" Desk with Wood Leg	69KD7230L	2484	2832	71.5	39	29.25	49.5	180	48
	69KD7230R*	2484	2832	71.5	39	29.25	49.5	180	48

ORDERING NOTES:

Please see page 721 for ordering information on the brushed aluminum tapered post leg option. One wiring grommet in a standard position is optional at no charge. Additional wiring grommets are available at an upcharge of \$105. Laminate worksurfaces are available at a 10% upcharge. For chrome or black metal post leg, please add "-ML" to the end of the model number.

 "K" Desk with Half Drum Base	69KD7230LDB	2709	3035	71.5	39	29.25	51.5	272	48
	69KD7230RDB*	2709	3035	71.5	39	29.25	51.5	272	48
	69KD8436LDB	2881	3256	83.5	46.5	29.25	60.5	284	65
	69KD8436RDB	2881	3256	83.5	46.5	29.25	60.5	284	65

 "K" Desk with Half Drum Base and Full Modesty Panel	69KD7230LDBM	2953	3307	71.5	39	29.25	51.5	276	48
	69KD7230RDBM*	2953	3307	71.5	39	29.25	51.5	276	48
	69KD8436LDBM	3127	3533	83.5	46.5	29.25	60.5	289	65
	69KD8436RDBM	3127	3533	83.5	46.5	29.25	60.5	289	65

ORDERING NOTES:

Please see page 721 for ordering information on perforated metal modesty panel option.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

3 - 3/4 height modesty panel
4 - full height modesty panel
L - leg in left hand position
R - leg in right hand position
DB - 1/2 drum base
DBM- 1/2 drum base with modesty panel
ML - metal leg
TB - "T" bases
LGM- wood leg and modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.


METAL LEGS


Please specify black leg or chrome leg on your order.

POST LEGS

All curvilinear desk post legs, wood and metal are 6" in diameter.

NEXUS | RETURNS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
 Open Return no Modesty Panel	69RH3624L*	961	1105	35.75	23.75	29.25	34.5	72	18
	69RH3624R	961	1105	35.75	23.75	29.25	34.5	72	18
	69RH4224L	1024	1177	41.75	23.75	29.25	40.5	80	21
	69RH4224R	1024	1177	41.75	23.75	29.25	40.5	80	21
	69RH4824L	1079	1243	47.75	23.75	29.25	46.5	88	24
	69RH4824R	1079	1243	47.75	23.75	29.25	46.5	88	24
	69RH5424L	1108	1285	53.75	23.75	29.25	52.5	96	27
	69RH5424R	1108	1285	53.75	23.75	29.25	52.5	96	27
	69RH6024L	1143	1326	59.5	23.75	29.25	58.25	94	30
	69RH6024R	1143	1326	59.5	23.75	29.25	58.25	94	30
	69RH6624L	1176	1364	65.75	23.75	29.25	63.25	112	28
	69RH6624R	1176	1364	65.75	23.75	29.25	63.25	112	28
	69RH7224L	1212	1406	71.5	23.75	29.25	69	120	30
	69RH7224R	1212	1406	71.5	23.75	29.25	69	120	30
	69RH7824L	1247	1447	77.75	23.75	29.25	72.25	128	33
	69RH7824R	1247	1447	77.75	23.75	29.25	72.25	128	33
	69RH8424L	1282	1474	83.5	23.75	29.25	81	136	35
	69RH8424R	1282	1474	83.5	23.75	29.25	81	136	35

 Single Pedestal Return with no Modesty Panel	69RH3624L4D*	1803	2036	35.75	23.75	29.25	20.25	100	18
	69RH3624R4D	1803	2036	35.75	23.75	29.25	20.25	100	18
	69RH3624L4F	1803	2036	35.75	23.75	29.25	20.25	100	18
	69RH3624R4F	1803	2036	35.75	23.75	29.25	20.25	100	18
	69RH4224L4D	1857	2101	41.75	23.75	29.25	26.25	104	21
	69RH4224R4D	1857	2101	41.75	23.75	29.25	26.25	104	21
	69RH4224L4F	1857	2101	41.75	23.75	29.25	26.25	104	21
	69RH4224R4F	1857	2101	41.75	23.75	29.25	26.25	104	21
	69RH4824L4D	1931	2182	47.75	23.75	29.25	32.25	108	24
	69RH4824R4D	1931	2182	47.75	23.75	29.25	32.25	108	24
	69RH4824L4F	1931	2182	47.75	23.75	29.25	32.25	108	24
	69RH4824R4F	1931	2182	47.75	23.75	29.25	32.25	108	24
	69RH5424L4D	1983	2241	53.75	23.75	29.25	38.25	120	27
	69RH5424R4D	1983	2241	53.75	23.75	29.25	38.25	120	27
	69RH5424L4F	1983	2241	53.75	23.75	29.25	38.25	120	27
	69RH5424R4F	1983	2241	53.75	23.75	29.25	38.25	120	27
	69RH6024L4D	2051	2318	59.5	23.75	29.25	44	128	30
	69RH6024R4D	2051	2318	59.5	23.75	29.25	44	128	30
	69RH6024L4F	2051	2318	59.5	23.75	29.25	44	128	30
	69RH6024R4F	2051	2318	59.5	23.75	29.25	44	128	30
	69RH6624L4D	2114	2389	65.75	23.75	29.25	50.25	136	33
	69RH6624R4D	2114	2389	65.75	23.75	29.25	50.25	136	33
	69RH6624L4F	2114	2389	65.75	23.75	29.25	50.25	136	33
	69RH6624R4F	2114	2389	65.75	23.75	29.25	50.25	136	33

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

4 - full height pedestal
 D - file/file pedestal
 F - box/box/file pedestal
 L - left-hand pedestal position
 R - right-hand pedestal position
 X - includes a modesty panel
 BC- bookcase pedestal
 LF- lateral file pedestal

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.




WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTAL RETURNS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | RETURNS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
 Single Pedestal Return with no Modesty Panel, Continued	69RH7224L4D*	2191	2476	71.5	23.75	29.25	56	144	35
	69RH7224R4D	2191	2476	71.75	23.75	29.25	56	144	35
	69RH7224L4F	2191	2476	71.5	23.75	29.25	56	144	35
	69RH7224R4F	2191	2476	71.75	23.75	29.25	56	144	35
	69RH7824L4D	2258	2552	77.75	23.75	29.25	62.25	152	38
	69RH7824R4D	2258	2552	77.75	23.75	29.25	62.25	152	38
	69RH7824L4F	2258	2552	77.75	23.75	29.25	62.25	152	38
	69RH7824R4F	2258	2552	77.75	23.75	29.25	62.25	152	38
	69RH8424L4D	2344	2648	83.75	23.75	29.25	68	160	41
	69RH8424R4D	2344	2648	83.75	23.75	29.25	68	160	41
	69RH8424L4F	2344	2648	83.75	23.75	29.25	68	160	41
	69RH8424R4F	2344	2648	83.75	23.75	29.25	68	160	41
 Single Pedestal Return with Lateral File and no Modesty Panel	69RH6024LLF36*	2417	2731	59.5	23.75	29.25	23.75	162	30
	69RH6024RLF36	2417	2731	59.5	23.75	29.25	23.75	162	30
	69RH6624LLF36	2447	2765	65.75	23.75	29.25	30	166	33
	69RH6624RLF36	2447	2765	65.75	23.75	29.25	30	166	33
	69RH7224LLF36	2475	2796	71.5	23.75	29.25	35.75	171	35
	69RH7224RLF36	2475	2796	71.5	23.75	29.25	35.75	171	35
	69RH7824LLF36	2507	2833	77.75	23.75	29.25	42	178	38
	69RH7824RLF36	2507	2833	77.75	23.75	29.25	42	178	38
	69RH8424LLF36	2544	2925	83.75	23.75	29.25	47.75	185	41
	69RH8424RLF36	2544	2925	83.75	23.75	29.25	47.75	185	41
 Single Bookcase Pedestal Return with no Modesty Panel	69RH6024LBC36*	2056	2324	59.5	23.75	29.25	23.75	154	30
	69RH6024RBC36	2056	2324	59.5	23.75	29.25	23.75	154	30
	69RH6624LBC36	2086	2357	65.75	23.75	29.25	30	158	33
	69RH6624RBC36	2086	2357	65.75	23.75	29.25	30	158	33
	69RH7224LBC36	2120	2395	71.5	23.75	29.25	35.75	163	35
	69RH7224RBC36	2120	2395	71.5	23.75	29.25	35.75	163	35
	69RH7824LBC36	2146	2425	77.75	23.75	29.25	42	170	38
	69RH7824RBC36	2146	2425	77.75	23.75	29.25	42	170	38
	69RH8424LBC36	2182	2466	83.75	23.75	29.25	47.75	177	41
	69RH8424RBC36	2182	2466	83.75	23.75	29.25	47.75	177	41

ORDERING NOTES:

A half gable is required on any open span greater than 48" that does not have a modesty panel.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - knee-hole width

*Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

4 - full height pedestal
D - file/file pedestal
F - box/box/file pedestal
L - left-hand pedestal position
R - right-hand pedestal position
X - includes a modesty panel
BC- bookcase pedestal
LF- lateral file pedestal

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.



WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTAL RETURNS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | RETURNS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
<div>Open Return with Modesty Panel</div> 	69RH3624XL*	1066	1236	35.75	23.75	29.25	34.5	98	18
	69RH3624XR	1066	1236	65.75	23.75	29.25	34.5	98	18
	69RH4224XL	1143	1326	41.75	23.75	29.25	40.5	98	21
	69RH4224XR	1143	1326	71.5	23.75	29.25	40.5	98	21
	69RH4824XL	1217	1400	47.75	23.75	29.25	46.5	108	24
	69RH4824XR	1217	1400	77.75	23.75	29.25	46.5	108	24
	69RH5424XL	1264	1467	53.75	23.75	29.25	52.5	118	27
	69RH5424XR	1264	1467	83.5	23.75	29.25	52.5	118	27
	69RH6024XL	1318	1529	59.5	23.75	29.25	58.25	120	30
	69RH6024XR	1318	1529	35.75	23.75	29.25	58.25	120	30
<div>Single Pedestal Return with Full Height Modesty Panel</div> 	69RH3624XR4D	1943	2215	35.75	23.75	29.25	20.25	104	18
	69RH3624XL4D*	1943	2215	35.75	23.75	29.25	20.25	104	18
	69RH3624XR4F	1943	2215	35.75	23.75	29.25	20.25	104	18
	69RH3624XL4F	1943	2215	35.75	23.75	29.25	20.25	104	18
	69RH4224XR4D	2000	2260	41.75	23.75	29.25	26.25	108	21
	69RH4224XL4D	2000	2260	41.75	23.75	29.25	26.25	108	21
	69RH4224XR4F	2000	2260	41.75	23.75	29.25	26.25	108	21
	69RH4224XL4F	2000	2260	41.75	23.75	29.25	26.25	108	21
	69RH4824XR4D	2056	2303	47.75	23.75	29.25	32.25	112	24
	69RH4824XL4D	2056	2303	47.75	23.75	29.25	32.25	112	24
	69RH4824XR4F	2056	2303	47.75	23.75	29.25	32.25	112	24
	69RH4824XL4F	2056	2303	47.75	23.75	29.25	32.25	112	24
	69RH5424XR4D	2118	2351	53.75	23.75	29.25	38.25	116	27
	69RH5424XL4D	2118	2351	53.75	23.75	29.25	38.25	116	27
	69RH5424XR4F	2118	2351	53.75	23.75	29.25	38.25	116	27
	69RH5424XL4F	2118	2351	53.75	23.75	29.25	38.25	116	27
	69RH6024XR4D	2169	2429	59.5	23.75	29.25	44	120	30
	69RH6024XL4D	2169	2429	59.5	23.75	29.25	44	120	30
	69RH6024XR4F	2169	2429	59.5	23.75	29.25	44	120	30
	69RH6024XL4F	2169	2429	59.5	23.75	29.25	44	120	30
	69RH6624XR4D	2250	2587	65.75	23.75	29.25	50.25	124	33
	69RH6624XL4D	2250	2587	65.75	23.75	29.25	50.25	124	33
	69RH6624XR4F	2250	2587	65.75	23.75	29.25	50.25	124	33
	69RH6624XL4F	2250	2587	65.75	23.75	29.25	50.25	124	33
	69RH7224XR4D	2336	2664	71.75	23.75	29.25	56	128	35
	69RH7224XL4D	2336	2664	71.5	23.75	29.25	56	128	35
	69RH7224XR4F	2336	2664	71.75	23.75	29.25	56	128	35
	69RH7224XL4F	2336	2664	71.5	23.75	29.25	56	128	35
	69RH8424XR4D	2405	2742	83.75	23.75	29.25	68	132	41
	69RH8424XL4D	2405	2742	83.75	23.75	29.25	68	132	41
	69RH8424XR4F	2405	2742	83.75	23.75	29.25	68	132	41
	69RH8424XL4F	2405	2742	83.75	23.75	29.25	68	132	41

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- D - file/file pedestal
- F - box/box/file pedestal
- L - left-hand pedestal position
- R - right-hand pedestal position
- X - includes a modesty panel
- BC- bookcase pedestal
- LF- lateral file pedestal

STANDARD FINISHES


For a complete list of standard wood finishes please see page 708.


WIRING GROMMETS


One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTAL RETURNS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
	69RH6024XLLF36*	2577	2938	59.5	23.75	29.25	23.75	168	30
	69RH6024XRLF36	2577	2938	59.5	23.75	29.25	23.75	168	30
	69RH6624XLLF36	2594	2957	65.75	23.75	29.25	30	176	33
	69RH6624XRLF36	2594	2957	65.75	23.75	29.25	30	176	33
	69RH7224XLLF36	2607	2972	71.5	23.75	29.25	35.75	188	35
	69RH7224XRLF36	2607	2972	71.5	23.75	29.25	35.75	188	35
	69RH7824XLLF36	2624	2992	77.75	23.75	29.25	42	196	38
	69RH7824XRLF36	2624	2992	77.75	23.75	29.25	42	196	38
	69RH8424XLLF36	2637	3007	83.75	23.75	29.25	47.75	204	41
	69RH8424XRLF36	2637	3007	83.75	23.75	29.25	47.75	204	41

	69RH6024XLBC36*	2254	2547	59.5	23.75	29.25	23.75	160	30
	69RH6024XRBC36	2254	2547	59.5	23.75	29.25	23.75	160	30
	69RH6624XLBC36	2279	2575	65.75	23.75	29.25	30	168	33
	69RH6624XRBC36	2279	2575	65.75	23.75	29.25	30	168	33
	69RH7224XLBC36	2308	2608	71.5	23.75	29.25	35.75	180	35
	69RH7224XRBC36	2308	2608	71.5	23.75	29.25	35.75	180	35
	69RH7824XLBC36	2347	2653	77.75	23.75	29.25	42	188	38
	69RH7824XRBC36	2347	2653	77.75	23.75	29.25	42	188	38
	69RH8424XLBC36	2386	2696	83.75	23.75	29.25	47.75	196	41
	69RH8424XRBC36	2386	2696	83.75	23.75	29.25	47.75	196	41

	69BR6030	1251	1439	59.75	29.75	29.25	41.5	104	34
	69BR6630	1264	1454	65.75	29.75	29.25	41.5	115	37
	69BR6636	1283	1475	65.75	35.75	29.25	44.5	128	44
	69BR7230*	1301	1496	71.5	29.75	29.25	53.5	128	40
	69BR7236	1321	1546	71.5	35.75	29.25	50.5	136	48

ORDERING NOTES:

Please see page 721 for ordering information on to the brushed aluminum tapered post leg option. For chrome or black metal post leg, please add "-ML" to the end of the model number.

	69BR6030DB	1447	1881	59.75	29.75	29.25	43.5	108	34
	69BR6630DB	1612	1902	65.75	29.75	29.25	49.5	120	37
	69BR6636DB	1649	1913	65.75	35.75	29.25	46.5	132	44
	69BR7230DB*	1668	1918	71.5	29.75	29.25	55.5	132	40
	69BR7236DB	1683	1952	71.5	35.75	29.25	52.5	140	48
	69BR8430DB	1702	1974	83.75	29.75	29.25	67.5	140	47
	69BR8436DB	1757	2021	83.75	35.75	29.25	64.5	164	56

ORDERING NOTES:

A half gable is required on any open span greater than 48" that does not have a modesty panel.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

4 - full height pedestal
D - file/file pedestal
F - box/box/file pedestal
L - left-hand pedestal position
R - right-hand pedestal position
X - includes a modesty panel
BC- bookcase pedestal
LF- lateral file pedestal

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.


WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTAL RETURNS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | RETURNS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
<div>Bullet Return with Half Drum Base and Full Modesty Panel</div> 	69BR6030LDBM	1821	2166	59.75	29.75	29.25	43.5	120	34
	69BR6030RDBM	1821	2166	59.75	29.75	29.25	43.5	120	34
	69BR6630LDBM	1852	2186	65.75	29.75	29.25	49.5	132	37
	69BR6630RDBM	1852	2186	65.75	29.75	29.25	49.5	132	37
	69BR6636LDBM	1878	2197	65.75	35.75	29.25	46.5	144	44
	69BR6636RDBM*	1878	2197	65.75	35.75	29.25	46.5	144	44
	69BR7230LDBM	1898	2220	71.5	29.75	29.25	55.5	144	40
	69BR7230RDBM	1898	2220	71.5	29.75	29.25	55.5	144	40
	69BR7236LDBM	1933	2223	71.5	35.75	29.25	52.5	148	43
	69BR7236RDBM	1933	2223	71.5	35.75	29.25	52.5	148	43
	69BR8430LDBM	1977	2254	83.75	29.75	29.25	67.5	152	47
	69BR8430RDBM	1977	2254	83.75	29.75	29.25	67.5	152	47
	69BR8436LDBM	2056	2324	83.75	35.75	29.25	64.5	176	56
	69BR8436RDBM	2056	2324	83.75	35.75	29.25	64.5	176	56

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- D - file/file pedestal
- F - box/box/file pedestal
- L - left-hand pedestal position
- R - right-hand pedestal position
- X - includes a modesty panel
- BC- bookcase pedestal
- LF- lateral file pedestal

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.


WIRING GROMMETS


One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTAL RETURNS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | LINKING & CORNER UNITS

DESCRIPTION	MODEL	Oak	Cherry	Maple	Walnut	W	D	H	KW	Shipping Weight	Cubes
<div>Linking Unit, Straight Front</div> 	69LU3020H	447	492			29.75	20.25	29.25		13	6
	69LU3024H	459	504			29.75	23.75	29.25		14	6
	69LU3620H	468	515			35.75	20.25	29.25		15	6
	69LU3624H	478	527			35.75	23.75	29.25		16	6
	69LU4220H*	486	545			41.75	20.25	29.25		20	9
	69LU4224H	508	557			41.75	23.75	29.25		24	7
	69LU4820H	516	568			47.75	20.25	29.25		29	9
	69LU4824H	534	582			47.75	23.75	29.25		36	9
	69LU5420H	546	595			53.75	20.25	29.25		32	2
	69LU5424H	566	611			53.75	23.75	29.25		40	2
	69LU6020H	573	624			59.75	20.25	29.25		36	2
	69LU6024H	594	641			59.75	23.75	29.25		45	2.5
	69LU6620H	603	658			65.75	20.25	29.25		40	2.5
	69LU6624H	623	672			65.75	23.75	29.25		50	3
	69LU7220H	633	683			71.25	20.25	29.25		43	2.5
	69LU7224H	651	699			71.25	23.75	29.25		54	3
	69LU7820H	660	712			77.75	20.25	29.25		47	2.5
	69LU7824H	679	726			77.75	23.75	29.25		58	3
	69LU8420H	691	739			83.25	20.25	29.25		50	3
	69LU8424H	709	758			83.25	23.75	29.25		63	3.5

Linking Unit, Straight Front with Full Height Modesty Panel 	69LU3020HX	882	970	29.75	20.25	29.25	48	6		
	69LU3024HX	918	1009	29.75	23.75	29.25	56	6		
	69LU3620HX	949	1034	35.75	20.25	29.25	59	7		
	69LU3624HX	984	1083	35.75	23.75	29.25	64	7		
	69LU4220HX*	1019	1121	41.75	20.25	29.25	67	8		
	69LU4224HX	1037	1137	41.75	23.75	29.25	72	8		
	69LU4820HX	1072	1169	47.75	20.25	29.25	78	9		
	69LU4824HX	1098	1183	47.75	23.75	29.25	80	9		
	69LU5420HX	1122	1223	53.75	20.25	29.25	88	4		
	69LU5424HX	1148	1229	53.75	23.75	29.25	101	4		
	69LU6020HX	1173	1279	59.75	20.25	29.25	98	5		
	69LU6024HX	1198	1282	59.75	23.75	29.25	113	5		
	69LU6620HX	1226	1324	65.75	20.25	29.25	108	5.5		
	69LU6624HX	1248	1335	65.75	23.75	29.25	124	5.5		
	69LU7220HX	1276	1365	71.25	20.25	29.25	118	6		
	69LU7224HX	1300	1391	71.25	23.75	29.25	135	6		
	69LU7820HX	1327	1419	77.75	20.25	29.25	127	6		
	69LU7824HX	1349	1430	77.75	23.75	29.25	146	6		
	69LU8420HX	1376	1473	83.25	20.25	29.25	137	6.5		
	69LU8424HX	1403	1487	83.25	23.75	29.25	157	6.5		

ORDERING NOTES:

A half gable required on tops larger than 60". Laminate worksurfaces are available at a 10% upcharge.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - knee-hole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

C - curved front
CL- transitional curve, 24" deep on left side, 20" deep on right side
CR- transitional curve, 20" deep on left side, 24" deep on right side
H - desk height
X - includes modesty panel
L - left runoff side
R - right runoff side

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.





WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

CORNER UNITS

All corner units include a standard grommet in the "C" position as well as grommets in the half end-panels for wire management.

NEXUS | LINKING UNITS & CORNER UNITS


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
	Linking Unit, Curved Front 69LU3024HC	491	575	29.75	20.25	29.25		14	6
	69LU3624HC	529	604	35.75	23.75	29.25		16	6
	69LU4224HC*	569	639	41.75	20.25	29.25		24	7
	69LU4824HC	600	674	47.75	23.75	29.25		36	9
	Linking Unit, Curved Front with Full Height Modesty Panel 69LU3024HCX	1050	1176	29.75	20.25	29.25		56	6
	69LU3624HCX	1106	1238	35.75	23.75	29.25		64	7
	69LU4224HCX*	1162	1302	41.75	20.25	29.25		72	8
	69LU4824HCX	1229	1376	47.75	23.75	29.25		80	9
	Corner Unit, Straight Front 69CU363620	1737	2067	35.75	35.75	29.25		106	27
	69CU363624	1737	2067	35.75	35.75	29.25		106	27
	69CU3636L20R24	1737	2067	35.75	35.75	29.25		106	27
	69CU3636L24R20	1737	2067	35.75	35.75	29.25		106	27
	69CU424220*	1934	2263	41.75	41.75	29.25		131	36
	69CU424224	1934	2263	41.75	41.75	29.25		131	36
	69CU4242L20R24	1934	2263	41.75	41.75	29.25		131	36
	69CU4242L24R20	1934	2263	41.75	41.75	29.25		131	36
	Corner Unit, Curved Front 69CU363620C	1829	2103	35.75	35.75	29.25		106	27
	69CU363624C	1829	2103	35.75	35.75	29.25		106	27
	69CU3636L20R24C	1829	2103	35.75	35.75	29.25		106	27
	69CU3636L24R20C	1829	2103	35.75	35.75	29.25		106	27
	69CU424220C*	2031	2376	41.75	41.75	29.25		131	36
	69CU424224C	2031	2376	41.75	41.75	29.25		131	36
	69CU4242L20R24C	2031	2376	41.75	41.75	29.25		131	36
	69CU4242L24R20C	2031	2376	41.75	41.75	29.25		131	36

ORDERING NOTES:

A half gable required on tops larger than 60". Laminate worksurfaces are available at a 10% upcharge.


<p>ORDERING PROCEDURES</p> <p>To order, please specify the following:</p> <ul style="list-style-type: none">1) Krug product model number2) Wood species and finish, see page 7083) Wood edge detail- C, D, E or F, see page 7074) Pull style and finish, see page 7095) Grommet location and style if applicable <p>* Indicates model illustrated by line drawing</p>	<p>CODE DESCRIPTION</p> <p>C - curved front CL- transitional curve, 24" deep on left side, 20" deep on right side CR- transitional curve, 20" deep on left side, 24" deep on right side H - desk height X - includes modesty panel L - left runoff side R - right runoff side</p>	<p>STANDARD FINISHES</p> <p>For a complete list of standard wood finishes please see page 708.</p> <p>WIRING GROMMETS</p> <p>One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.</p> <p>CORNER UNITS</p> <p>All corner units include a standard grommet in the "C" position as well as grommets in the half end-panels for wire management.</p>
--	--	--

NEXUS | CREDENZAS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
 Open Credenza no Modesty Panel	69C60204L0R0	1243	1379	59.5	19.75	29.25	57	88	25
	69C60244L0R0*	1306	1450	59.5	23.75	29.25	57	96	30
	69C66204L0R0	1367	1517	65.75	19.75	29.25	63.25	96	28
	69C66244L0R0	1434	1592	65.75	23.75	29.25	63.25	104	33
	69C72204L0R0	1457	1618	71.5	19.75	29.25	69	104	30
	69C72244L0R0	1527	1696	71.5	23.75	29.25	69	112	35
	69C78204L0R0	1542	1712	77.75	19.75	29.25	75.25	112	32
	69C78244L0R0	1607	1783	77.75	23.75	29.25	75.25	120	38
	69C84204L0R0	1634	1814	83.5	19.75	29.25	81	120	35
	69C84244L0R0	1697	1884	83.5	23.75	29.25	81	128	41


ORDERING NOTES:

A half gable is required on any span greater than 48" that does not have a modesty panel. Please see page 761.

 Open Credenza with Full Height Modesty Panel	69C60244XL0R0	1479	1656	59.5	23.75	29.25	57	156	30
	69C66244XL0R0*	1628	1806	65.75	23.75	29.25	63.25	166	30
	69C72244XL0R0	1736	1944	71.5	23.75	29.25	69	176	35
	69C78244XL0R0	1833	2053	77.75	23.75	29.25	75.25	186	38
	69C84244XL0R0	1943	2163	83.5	23.75	29.25	81	196	41

ORDERING NOTES:

A half gable is required on any span greater than 48" that does not have a modesty panel. Please see page 761.

 Single Pedestal Credenza with no Modesty Panel	69C60204LDR0	2221	2510	59.5	19.75	29.25	42.75	116	25
	69C60204LFR0*	2221	2510	59.5	19.75	29.25	42.75	116	25
	69C60204L0RD	2221	2510	59.5	19.75	29.25	42.75	116	25
	69C60204L0RF	2221	2510	59.5	19.75	29.25	42.75	116	25
	69C60244LDR0	2263	2557	59.5	23.75	29.25	42.75	124	30
	69C60244LFR0	2263	2557	59.5	23.75	29.25	42.75	124	30
	69C60244L0RD	2263	2557	59.5	23.75	29.25	42.75	124	30
	69C60244L0RF	2263	2557	59.5	23.75	29.25	42.75	124	30
	69C66204LDR0	2294	2592	65.75	19.75	29.25	49	124	28
	69C66204LFR0	2294	2592	65.75	19.75	29.25	49	124	28
	69C66204L0RD	2294	2592	65.75	19.75	29.25	49	124	28
	69C66204L0RF	2294	2592	65.75	19.75	29.25	49	124	28

ORDERING NOTES:

A half gable is required on any span greater than 48" that does not have a modesty panel. Please see page 761.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

0 - no pedestal
4 - full height pedestal
D - file/file pedestal
F - box/box/file pedestal
L - left-hand pedestal position
R - right-hand pedestal position
B - bookcase
X - includes a modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.



WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTALS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | CREDENZAS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Credenza with no Modesty Panel, Continued 	69C66244LDR0	2328	2630	65.75	23.75	29.25	49	128	33
	69C66244LFR0	2328	2630	65.75	23.75	29.25	49	128	33
	69C66244LORD	2328	2630	65.75	23.75	29.25	49	128	33
	69C66244LORF	2328	2630	65.75	23.75	29.25	49	128	33
	69C72204LDR0	2365	2673	71.5	19.75	29.25	54.75	128	30
	69C72204LFR0*	2365	2673	71.5	19.75	29.25	54.75	128	30
	69C72204LORD	2365	2673	71.5	19.75	29.25	54.75	128	30
	69C72204LORF	2365	2673	71.5	19.75	29.25	54.75	128	30
	69C72244LDR0	2403	2715	71.5	23.75	29.25	54.75	132	35
	69C72244LFR0	2403	2715	71.5	23.75	29.25	54.75	132	35
	69C72244LORD	2403	2715	71.5	23.75	29.25	54.75	132	35
	69C72244LORF	2403	2715	71.5	23.75	29.25	54.75	132	35
	69C78204LDR0	2447	2765	77.75	19.75	29.25	61	132	32
	69C78204LFR0	2447	2765	77.75	19.75	29.25	61	132	32
	69C78204LORD	2447	2765	77.75	19.75	29.25	61	132	32
	69C78204LORF	2447	2765	77.75	19.75	29.25	61	132	32
	69C78244LDR0	2485	2808	77.75	23.75	29.25	61	136	38
	69C78244LFR0	2485	2808	77.75	23.75	29.25	61	136	38
	69C78244LORD	2485	2808	77.75	23.75	29.25	61	136	38
	69C78244LORF	2485	2808	77.75	23.75	29.25	61	136	38
	69C84204LDR0	2513	2840	83.5	19.75	29.25	66.75	136	35
	69C84204LFR0	2513	2840	83.5	19.75	29.25	66.75	136	35
	69C84204LORD	2513	2840	83.5	19.75	29.25	66.75	136	35
	69C84204LORF	2513	2840	83.5	19.75	29.25	66.75	136	35
	69C84244LDR0	2553	2885	83.5	23.75	29.25	66.75	140	41
	69C84244LFR0	2553	2885	83.5	23.75	29.25	66.75	140	41
	69C84244LORD	2553	2885	83.5	23.75	29.25	66.75	140	41
	69C84244LORF	2553	2885	83.5	23.75	29.25	66.75	140	41
Single Pedestal Credenza with Full Height Modesty Panel 	69C60204XLDR0	2519	2872	59.5	19.75	29.25	42.75	120	25
	69C60204XLORD	2519	2872	59.5	19.75	29.25	42.75	120	25
	69C60204XLFR0	2519	2872	59.5	19.75	29.25	42.75	120	25
	69C60204XLORF	2519	2872	59.5	19.75	29.25	42.75	120	25
	69C60244XLDR0	2535	2890	59.5	23.75	29.25	42.75	128	30
	69C60244XLORD	2535	2890	59.5	23.75	29.25	42.75	128	30
	69C60244XLFR0	2535	2890	59.5	23.75	29.25	42.75	128	30
	69C60244XLORF	2535	2890	59.5	23.75	29.25	42.75	128	30
	69C66204XLDR0	2555	2913	65.75	19.75	29.25	49	136	28
	69C66204XLORD	2555	2913	65.75	19.75	29.25	49	136	28
	69C66204XLFR0	2555	2913	65.75	19.75	29.25	49	136	28
	69C66204XLORF	2555	2913	65.75	19.75	29.25	49	136	28

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 0 - no pedestal
- 4 - full height pedestal
- D - file/file pedestal
- F - box/box/file pedestal
- L - left-hand pedestal position
- R - right-hand pedestal position
- B - bookcase
- X - includes a modesty panel

STANDARD FINISHES




For a complete list of standard wood finishes please see page 708.

WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTALS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
Single Pedestal Credenza with Full Height Modesty Panel, Continued 	69C66244XLDR0	2560	2918	65.75	23.75	29.25	49	144	33
	69C66244XLORD	2560	2918	65.75	23.75	29.25	49	144	33
	69C66244XLFR0	2560	2918	65.75	23.75	29.25	49	144	33
	69C66244XLORF	2560	2918	65.75	23.75	29.25	49	144	33
	69C72204XLDR0`	2577	2938	71.5	19.75	29.25	54.75	152	30
	69C72204XLORD	2577	2938	71.5	19.75	29.25	54.75	152	30
	69C72204XLFR0	2577	2938	71.5	19.75	29.25	54.75	152	30
	69C72204XLORF	2577	2938	71.5	19.75	29.25	54.75	152	30
	69C72244XLDR0	2589	2964	71.5	23.75	29.25	54.75	160	35
	69C72244XLORD	2589	2964	71.5	23.75	29.25	54.75	160	35
	69C72244XLFR0	2589	2964	71.5	23.75	29.25	54.75	160	35
	69C72244XLORF	2589	2964	71.5	23.75	29.25	54.75	160	35
	69C78204XLDR0	2596	2959	77.75	19.75	29.25	61	168	32
	69C78204XLORD	2596	2959	77.75	19.75	29.25	61	168	32
	69C78204XLFR0	2596	2959	77.75	19.75	29.25	61	168	32
	69C78204XLORF	2596	2959	77.75	19.75	29.25	61	168	32
	69C78244XLDR0	2603	2967	77.75	23.75	29.25	61	176	38
	69C78244XLORD	2603	2967	77.75	23.75	29.25	61	176	38
	69C78244XLFR0	2603	2967	77.75	23.75	29.25	61	176	38
	69C78244XLORF	2603	2967	77.75	23.75	29.25	61	176	38
	69C84204XLDR0	2608	2973	83.5	19.75	29.25	66.75	184	35
	69C84204XLORD	2608	2973	83.5	19.75	29.25	66.75	184	35
	69C84204XLFR0	2608	2973	83.5	19.75	29.25	66.75	184	35
	69C84204XLORF	2608	2973	83.5	19.75	29.25	66.75	184	35
	69C84244XLDR0	2618	2984	83.5	23.75	29.25	66.75	192	41
	69C84244XLORD	2618	2984	83.5	23.75	29.25	66.75	192	41
	69C84244XLFR0	2618	2984	83.5	23.75	29.25	66.75	192	41
	69C84244XLORF	2618	2984	83.5	23.75	29.25	66.75	192	41
Ganged Pedestal Credenza with no Modesty Panel  	69C60204LDDR0	2807	3171	59.5	19.75	29.25	27.25	172	25
	69C60204LDFR0	2807	3171	59.5	19.75	29.25	27.25	172	25
	69C60204LFDR0	2807	3171	59.5	19.75	29.25	27.25	172	25
	69C60204LFFR0`	2807	3171	59.5	19.75	29.25	27.25	172	25
	69C60204LORDD	2807	3171	59.5	19.75	29.25	27.25	172	25
	69C60204LORDF	2807	3171	59.5	19.75	29.25	27.25	172	25
	69C60204LORFD**	2807	3171	59.5	19.75	29.25	27.25	172	25
	69C60204LORFF	2807	3171	59.5	19.75	29.25	27.25	172	25
	69C60244LDDR0	2822	3188	59.5	23.75	29.25	27.25	180	30
	69C60244LDFR0	2822	3188	59.5	23.75	29.25	27.25	180	30
	69C60244LFDR0	2822	3188	59.5	23.75	29.25	27.25	180	30
	69C60244LFFR0	2822	3188	59.5	23.75	29.25	27.25	180	30
	69C60244LORDD	2822	3188	59.5	23.75	29.25	27.25	180	30
	69C60244LORDF	2822	3188	59.5	23.75	29.25	27.25	180	30

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

0 - no pedestal
4 - full height pedestal
D - file/file pedestal
F - box/box/file pedestal
L - left-hand pedestal position
R - right-hand pedestal position
B - bookcase
X - includes a modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.


WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTALS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | CREDENZAS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
Ganged Pedestal Credenza with no Modesty Panel, Continued 	69C60244L0RFD	2822	3188	59.5	23.75	29.25	27.25	180	30
	69C60244L0RFF	2822	3188	59.5	23.75	29.25	27.25	180	30
	69C66204LDDR0	2837	3206	65.75	19.75	29.25	33.5	180	28
	69C66204LDFR0	2837	3206	65.75	19.75	29.25	33.5	180	28
	69C66204LFDR0	2837	3206	65.75	19.75	29.25	33.5	180	28
	69C66204LFFR0	2837	3206	65.75	19.75	29.25	33.5	180	28
	69C66204L0RDD	2837	3206	65.75	19.75	29.25	33.5	180	28
	69C66204L0RDF	2837	3206	65.75	19.75	29.25	33.5	180	28
	69C66204L0RFD*	2837	3206	65.75	19.75	29.25	33.5	180	28
	69C66204L0RFF	2837	3206	65.75	19.75	29.25	33.5	180	28
	69C66244LDDR0	2874	3248	65.75	23.75	29.25	33.5	184	33
	69C66244LDFR0	2874	3248	65.75	23.75	29.25	33.5	184	33
	69C66244LFDR0	2874	3248	65.75	23.75	29.25	33.5	184	33
	69C66244LFFR0	2874	3248	65.75	23.75	29.25	33.5	184	33
	69C66244L0RDD	2874	3248	65.75	23.75	29.25	33.5	184	33
	69C66244L0RDF	2874	3248	65.75	23.75	29.25	33.5	184	33
	69C66244L0RFD	2874	3248	65.75	23.75	29.25	33.5	184	33
	69C66244L0RFF	2874	3248	65.75	23.75	29.25	33.5	184	33
	69C72204LDDR0	2910	3288	71.5	19.75	29.25	39.25	184	30
	69C72204LDFR0	2910	3288	71.5	19.75	29.25	39.25	184	30
	69C72204LFDR0	2910	3288	71.5	19.75	29.25	39.25	184	30
	69C72204LFFR0	2910	3288	71.5	19.75	29.25	39.25	184	30
	69C72204L0RDD	2910	3288	71.5	19.75	29.25	39.25	184	30
	69C72204L0RDF	2910	3288	71.5	19.75	29.25	39.25	184	30
	69C72204L0RFD	2910	3288	71.5	19.75	29.25	39.25	184	30
	69C72204L0RFF	2910	3288	71.5	19.75	29.25	39.25	184	30
	69C72244LDDR0	2946	3329	71.5	23.75	29.25	39.25	188	35
	69C72244LDFR0	2946	3329	71.5	23.75	29.25	39.25	188	35
	69C72244LFDR0	2946	3329	71.5	23.75	29.25	39.25	188	35
	69C72244LFFR0	2946	3329	71.5	23.75	29.25	39.25	188	35
	69C72244L0RDD	2946	3329	71.5	23.75	29.25	39.25	188	35
	69C72244L0RDF	2946	3329	71.5	23.75	29.25	39.25	188	35
	69C72244L0RFD	2946	3329	71.5	23.75	29.25	39.25	188	35
	69C72244L0RFF	2946	3329	71.5	23.75	29.25	39.25	188	35
	69C78204LDDR0	2984	3371	77.75	19.75	29.25	45.5	188	32
	69C78204LDFR0	2984	3371	77.75	19.75	29.25	45.5	188	32
	69C78204LFDR0	2984	3371	77.75	19.75	29.25	45.5	188	32
	69C78204LFFR0	2984	3371	77.75	19.75	29.25	45.5	188	32
	69C78204L0RDD	2984	3371	77.75	19.75	29.25	45.5	188	32
	69C78204L0RDF	2984	3371	77.75	19.75	29.25	45.5	188	32
	69C78204L0RFD	2984	3371	77.75	19.75	29.25	45.5	188	32
	69C78204L0RFF	2984	3371	77.75	19.75	29.25	45.5	188	32
	69C78244LDDR0	3032	3426	77.75	23.75	29.25	45.5	192	38

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

0 - no pedestal
 4 - full height pedestal
 D - file/file pedestal
 F - box/box/file pedestal
 L - left-hand pedestal position
 R - right-hand pedestal position
 B - bookcase
 X - includes a modesty panel

STANDARD FINISHES



For a complete list of standard wood finishes please see page 708.

WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTALS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
Ganged Pedestal Credenza with no Modesty Panel, Continued 	69C78244LDFR0	3032	3426	77.75	23.75	29.25	45.5	192	38
	69C78244LFDR0	3032	3426	77.75	23.75	29.25	45.5	192	38
	69C78244LFFR0	3032	3426	77.75	23.75	29.25	45.5	192	38
	69C78244LORDD	3032	3426	77.75	23.75	29.25	45.5	192	38
	69C78244LORDF	3032	3426	77.75	23.75	29.25	45.5	192	38
	69C78244LORFD*	3032	3426	77.75	23.75	29.25	45.5	192	38
	69C78244LORFF	3032	3426	77.75	23.75	29.25	45.5	192	38
	69C84204LDDR0	3060	3458	83.5	19.75	29.25	51.25	192	35
	69C84204LDFR0	3060	3458	83.5	19.75	29.25	51.25	192	35
	69C84204LFDR0	3060	3458	83.5	19.75	29.25	51.25	192	35
	69C84204LFFR0	3060	3458	83.5	19.75	29.25	51.25	192	35
	69C84204LORDD	3060	3458	83.5	19.75	29.25	51.25	192	35
	69C84204LORDF	3060	3458	83.5	19.75	29.25	51.25	192	35
	69C84204LORFD	3060	3458	83.5	19.75	29.25	51.25	192	35
	69C84204LORFF	3060	3458	83.5	19.75	29.25	51.25	192	35
	69C84244LDDR0	3105	3508	83.5	23.75	29.25	51.25	196	41
	69C84244LDFR0	3105	3508	83.5	23.75	29.25	51.25	196	41
	69C84244LFDR0	3105	3508	83.5	23.75	29.25	51.25	196	41
	69C84244LFFR0	3105	3508	83.5	23.75	29.25	51.25	196	41
	69C84244LORDD	3105	3508	83.5	23.75	29.25	51.25	196	41
	69C84244LORDF	3105	3508	83.5	23.75	29.25	51.25	196	41
	69C84244LORFD	3105	3508	83.5	23.75	29.25	51.25	196	41
	69C84244LORFF	3105	3508	83.5	23.75	29.25	51.25	196	41
Double Pedestal Kneehole Credenza with no Modesty Panel 	69C60204LDRD	2663	3009	59.5	19.75	29.25	28.5	220	25
	69C60204LDRF	2663	3009	59.5	19.75	29.25	28.5	220	25
	69C60204LFRD	2663	3009	59.5	19.75	29.25	28.5	220	25
	69C60204LFRF	2663	3009	59.5	19.75	29.25	28.5	220	25
	69C60244LDRD	2708	3032	59.5	23.75	29.25	28.5	220	30
	69C60244LDRF	2708	3032	59.5	23.75	29.25	28.5	220	30
	69C60244LFRD	2708	3032	59.5	23.75	29.25	28.5	220	30
	69C60244LFRF	2708	3032	59.5	23.75	29.25	28.5	220	30
	69C66204LDRD	2755	3086	65.75	19.75	29.25	34.75	228	28
	69C66204LDRF	2755	3086	65.75	19.75	29.25	34.75	228	28
	69C66204LFRD	2755	3086	65.75	19.75	29.25	34.75	228	28
	69C66204LFRF	2755	3086	65.75	19.75	29.25	34.75	228	28
	69C66244LDRD*	2864	3207	65.75	23.75	29.25	34.75	228	33
	69C66244LDRF	2864	3207	65.75	23.75	29.25	34.75	228	33
	69C66244LFRD	2864	3207	65.75	23.75	29.25	34.75	228	33
	69C66244LFRF	2864	3207	65.75	23.75	29.25	34.75	228	33
	69C72204LDRD	2906	3255	71.5	19.75	29.25	40.5	228	30
	69C72204LDRF	2906	3255	71.5	19.75	29.25	40.5	228	30
	69C72204LFRD	2906	3255	71.5	19.75	29.25	40.5	228	30

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

0 - no pedestal
4 - full height pedestal
D - file/file pedestal
F - box/box/file pedestal
L - left-hand pedestal position
R - right-hand pedestal position
B - bookcase
X - includes a modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.



WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTALS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | CREDENZAS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
 Double Pedestal Kneehole Credenza with no Modesty Panel, Continued	69C72204LFRF	2906	3255	71.5	19.75	29.25	40.5	228	30
	69C72244LDRD	2931	3283	71.5	23.75	29.25	40.5	236	35
	69C72244LDRF	2931	3283	71.5	23.75	29.25	40.5	236	35
	69C72244LFRD	2931	3283	71.5	23.75	29.25	40.5	236	35
	69C72244LFRF	2931	3283	71.5	23.75	29.25	40.5	236	35
	69C78204LDRD*	3000	3360	77.75	19.75	29.25	46.75	236	32
	69C78204LDRF	3000	3360	77.75	19.75	29.25	46.75	236	32
	69C78204LFRD	3000	3360	77.75	19.75	29.25	46.75	236	32
	69C78204LFRF	3000	3360	77.75	19.75	29.25	46.75	236	32
	69C78244LDRD	3023	3385	77.75	23.75	29.25	46.75	240	38
	69C78244LDRF	3023	3385	77.75	23.75	29.25	46.75	240	38
	69C78244LFRD	3023	3385	77.75	23.75	29.25	46.75	240	38
	69C78244LFRF	3023	3385	77.75	23.75	29.25	46.75	240	38
	69C84204LDRD	3058	3424	83.5	19.75	29.25	52.5	240	35
	69C84204LDRF	3058	3424	83.5	19.75	29.25	52.5	240	35
	69C84204LFRD	3058	3424	83.5	19.75	29.25	52.5	240	35
	69C84204LFRF	3058	3424	83.5	19.75	29.25	52.5	240	35
	69C84244LDRD	3066	3434	83.5	23.75	29.25	52.5	248	41
	69C84244LDRF	3066	3434	83.5	23.75	29.25	52.5	248	41
	69C84244LFRD	3066	3434	83.5	23.75	29.25	52.5	248	41
	69C84244LFRF	3066	3434	83.5	23.75	29.25	52.5	248	41
 Double Pedestal Kneehole Credenza with Full Height Modesty Panel	69C60204XLDRD	2768	3072	59.5	19.75	29.25	28.5	200	25
	69C60204XLDRF	2768	3072	59.5	19.75	29.25	28.5	200	25
	69C60204XLFRD	2768	3072	59.5	19.75	29.25	28.5	200	25
	69C60204XLFRF	2768	3072	59.5	19.75	29.25	28.5	200	25
	69C60244XLDRD	2780	3114	59.5	23.75	29.25	28.5	208	30
	69C60244XLDRF	2780	3114	59.5	23.75	29.25	28.5	208	30
	69C60244XLFRD	2780	3114	59.5	23.75	29.25	28.5	208	30
	69C60244XLFRF	2780	3114	59.5	23.75	29.25	28.5	208	30
	69C66204XLDRD	2797	3133	65.75	19.75	29.25	34.75	216	28
	69C66204XLDRF	2797	3133	65.75	19.75	29.25	34.75	216	28
	69C66204XLFRD*	2797	3133	65.75	19.75	29.25	34.75	216	28
	69C66204XLFRF	2797	3133	65.75	19.75	29.25	34.75	216	28
	69C66244XLDRD	2805	3142	65.75	23.75	29.25	34.75	224	33
	69C66244XLDRF	2805	3142	65.75	23.75	29.25	34.75	224	33
	69C66244XLFRD	2805	3142	65.75	23.75	29.25	34.75	224	33
	69C66244XLFRF	2805	3142	65.75	23.75	29.25	34.75	224	33
	69C72204XLDRD	2946	3152	71.5	19.75	29.25	40.5	232	30
	69C72204XLDRF	2946	3152	71.5	19.75	29.25	40.5	232	30
	69C72204XLFRD	2946	3152	71.5	19.75	29.25	40.5	232	30
	69C72204XLFRF	2946	3152	71.5	19.75	29.25	40.5	232	30
	69C72244XLDRD	2973	3338	71.5	23.75	29.25	40.5	240	35

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 0 - no pedestal
- 4 - full height pedestal
- D - file/file pedestal
- F - box/box/file pedestal
- L - left-hand pedestal position
- R - right-hand pedestal position
- B - bookcase
- X - includes a modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.




WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTALS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | CREDENZAS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
	69C72244XLDRF	2973	3338	71.5	23.75	29.25	40.5	240	35
	69C72244XLFRD	2973	3338	71.5	23.75	29.25	40.5	240	35
	69C72244XLFRF	2973	3338	71.5	23.75	29.25	40.5	240	35
	69C78204XLDRD	3028	3391	77.75	19.75	29.25	46.75	248	32
	69C78204XLDRF	3028	3391	77.75	19.75	29.25	46.75	248	32
	69C78204XLFRD	3028	3391	77.75	19.75	29.25	46.75	248	32
	69C78204XLFRF	3028	3391	77.75	19.75	29.25	46.75	248	32
	69C78244XLDRD	3043	3408	77.75	23.75	29.25	46.75	256	38
	69C78244XLDRF	3043	3408	77.75	23.75	29.25	46.75	256	38
	69C78244XLFRD*	3043	3408	77.75	23.75	29.25	46.75	256	38
	69C78244XLFRF	3043	3408	77.75	23.75	29.25	46.75	256	38
	69C84204XLDRD	3060	3428	83.5	19.75	29.25	52.5	264	35
	69C84204XLDRF	3060	3428	83.5	19.75	29.25	52.5	264	35
	69C84204XLFRD	3060	3428	83.5	19.75	29.25	52.5	264	35
	69C84204XLFRF	3060	3428	83.5	19.75	29.25	52.5	264	35
	69C84244XLDRD	3068	3437	83.5	23.75	29.25	52.5	272	41
	69C84244XLDRF	3068	3437	83.5	23.75	29.25	52.5	272	41
	69C84244XLFRD	3068	3437	83.5	23.75	29.25	52.5	272	41
	69C84244XLFRF	3068	3437	83.5	23.75	29.25	52.5	272	41
	69C7220LBR0	2247	2651	71.5	19.75	29.25	34.75	116	30
	69C7220LORB	2247	2651	71.5	19.75	29.25	34.75	116	30
	69C7220LFR0	2620	2960	71.5	19.75	29.25	34.75	156	30
	69C7220LORF	2620	2960	71.5	19.75	29.25	34.75	156	30
	69C7224LBR0	2288	2700	71.5	23.75	29.25	34.75	120	35
	69C7224LORB*	2288	2700	71.5	23.75	29.25	34.75	120	35
	69C7224LFR0	2647	3015	71.5	23.75	29.25	34.75	160	35
	69C7224LORF	2647	3015	71.5	23.75	29.25	34.75	160	35
	69C7220XLBR0	2368	2770	71.5	19.75	29.25	34.75	128	30
	69C7220XLORB	2368	2770	71.5	19.75	29.25	34.75	128	30
	69C7220XLFR0	2742	3098	71.5	19.75	29.25	34.75	168	30
	69C7220XLORF	2742	3098	71.5	19.75	29.25	34.75	168	30
	69C7224XLBR0	2411	2845	71.5	23.75	29.25	34.75	136	35
	69C7224XLORB*	2411	2845	71.5	23.75	29.25	34.75	136	35
	69C7224XLFR0	2768	3144	71.5	23.75	29.25	34.75	176	35
	69C7224XLORF	2768	3144	71.5	23.75	29.25	34.75	176	35

ORDERING NOTES:

Laminate worksurfaces are available at a 10% upcharge.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

0 - no pedestal
4 - full height pedestal
D - file/file pedestal
F - box/box/file pedestal
L - left-hand pedestal position
R - right-hand pedestal position
B - bookcase
X - includes a modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.


WIRING GROMMETS


One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTALS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.


NEXUS | CORNER CREDENZAS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
	Double Pedestal Credenza with Lateral File and Bookcase	69C7220LBRB	2847	3331	71.5	19.75	29.25	208	30
		69C7220LBRF	3449	3897	71.5	19.75	29.25	228	30
		69C7220LFRB	3449	3897	71.5	19.75	29.25	228	30
		69C7220LFRF	3855	4288	71.5	19.75	29.25	248	30
		69C7224LBRB	2951	3364	71.5	23.75	29.25	224	35
		69C7224LBRF*	3466	3986	71.5	23.75	29.25	236	35
		69C7224LFRB	3466	3986	71.5	23.75	29.25	236	35
		69C7224LFRF	3910	4343	71.5	23.75	29.25	256	35

	Corner Credenza, Single Pedestal	69CC7224XL4D*	2386	2553	71.5	23.75	29.25	32	192	48
		69CC7224XL4F	2386	2553	71.5	23.75	29.25	32	192	48
		69CC7224XR4D	2386	2553	71.5	23.75	29.25	32	192	48
		69CC7224XR4F	2386	2553	71.5	23.75	29.25	32	192	48
		69CC8424XL4D	2448	2619	83.5	23.75	29.25	44	208	60
		69CC8424XL4F	2448	2619	83.5	23.75	29.25	44	208	60
		69CC8424XR4D	2448	2619	83.5	23.75	29.25	44	208	60
		69CC8424XR4F	2448	2619	83.5	23.75	29.25	44	208	60


ORDERING NOTES:

Please see page 710 for wire management cut-out and/or hinged modesty panel option. Laminate worksurfaces are available at a 10% upcharge. Corner credenzas accept 24" deep run-off units.

	Corner Credenza, Single Pedestal with Curved Work Edge	69CC7224CXL4D*	2482	2655	71.5	23.75	29.25	32	192	48
		69CC7224CXR4D	2482	2655	71.5	23.75	29.25	32	192	48
		69CC7224CXL4F	2482	2664	71.5	23.75	29.25	32	192	48
		69CC7224CXR4F	2482	2664	71.5	23.75	29.25	32	192	48
		69CC8424CXL4D	2545	2723	83.5	23.75	29.25	44	208	60
		69CC8424CXR4D	2545	2723	83.5	23.75	29.25	44	208	60
		69CC8424CXL4F	2545	2723	83.5	23.75	29.25	44	208	60
		69CC8424CXR4F	2545	2723	83.5	23.75	29.25	44	208	60

ORDERING NOTES:

Please see pages 7101 for wire management cut-out and/or hinged modesty panel option. Laminate worksurfaces are available at a 10% upcharge. Corner credenzas accept 24" deep run-off units.

	Corner Credenza, Ganged Pedestal	69CC8424XL4DD*	3019	3321	83.5	23.75	29.25	28.5	240	60
		69CC8424XL4DF	3019	3321	83.5	23.75	29.25	28.5	240	60
		69CC8424XL4FD	3019	3321	83.5	23.75	29.25	28.5	240	60
		69CC8424XL4FF	3019	3321	83.5	23.75	29.25	28.5	240	60
		69CC8424XR4DD	3019	3321	83.5	23.75	29.25	28.5	240	60
		69CC8424XR4DF	3019	3321	83.5	23.75	29.25	28.5	240	60
		69CC8424XR4FD	3019	3321	83.5	23.75	29.25	28.5	240	60
		69CC8424XR4FF	3019	3321	83.5	23.75	29.25	28.5	240	60

ORDERING NOTES:

Please see page 710 for wire management cut-out and/or hinged modesty panel option. Laminate worksurfaces are available at a 10% upcharge. Corner credenzas accept 24" deep run-off units.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

0 - no pedestal
 4 - full height pedestal
 D - file/file pedestal
 F - box/box/file pedestal
 L - left-hand pedestal position
 R - right-hand pedestal position
 B - bookcase
 X - includes a modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.


WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTALS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | CORNER CREDENZAS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
Corner Credenza, Ganged Pedestal with Curved Work Edge 	69CC7224CXL4DD	3063	3431	71.5	23.75	29.25	28.5	248	52
	69CC7224CXL4DF	3063	3431	71.5	23.75	29.25	28.5	248	52
	69CC7224CXL4FD	3063	3431	71.5	23.75	29.25	28.5	248	52
	69CC7224CXL4FF	3063	3431	71.5	23.75	29.25	28.5	248	52
	69CC7224CXR4DD	3063	3431	71.5	23.75	29.25	28.5	248	52
	69CC7224CXR4DF	3063	3431	71.5	23.75	29.25	28.5	248	52
	69CC7224CXR4FD	3063	3431	71.5	23.75	29.25	28.5	248	52
	69CC7224CXR4FF	3063	3431	71.5	23.75	29.25	28.5	248	52
	69CC8424CXL4DD*	3148	3526	83.5	23.75	29.25	28.5	264	60
	69CC8424CXL4DF	3148	3526	83.5	23.75	29.25	28.5	264	60
	69CC8424CXL4FD	3148	3526	83.5	23.75	29.25	28.5	264	60
	69CC8424CXL4FF	3148	3526	83.5	23.75	29.25	28.5	264	60
	69CC8424CXR4DD	3148	3526	83.5	23.75	29.25	28.5	264	60
	69CC8424CXR4DF	3148	3526	83.5	23.75	29.25	28.5	264	60
	69CC8424CXR4FD	3148	3526	83.5	23.75	29.25	28.5	264	60
	69CC8424CXR4FF	3148	3526	83.5	23.75	29.25	28.5	264	60

ORDERING NOTES:

Please see page 710 for wire management cut-out and/or hinged modesty panel option. Specifying ganged pedestals on 72" corner credenzas does not allow the use of a keyboard or pencil tray on the "y" dimension on this model. Corner credenzas accept 24" deep run off units. One wiring grommet in a standard position is optional at no charge. Additional wiring grommets are available at an upcharge of \$114. Laminate worksurfaces are available at a 10% upcharge. Corner credenzas accept 24" deep run-off units.

DIMENSION KEY

W - width
 D - depth
 H - height of worksurface
 KW - kneehole width

*Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

0 - no pedestal
 4 - full height pedestal
 D - file/file pedestal
 F - box/box/file pedestal
 L - left-hand pedestal position
 R - right-hand pedestal position
 B - bookcase
 X - includes a modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.






WIRING GROMMETS

One wiring grommet in a standard position is optional at no charge. See page 709 for more wiring grommet information.

GANGED PEDESTALS

Pedestals are specified in the product code beginning with the pedestal closest to the end panel.

NEXUS | OVERHEAD STORAGE


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
<div>Overhead</div> <div></div> <div></div>	69OH3616*	1087	1243	35.75	14.75	16		53	6
	69OH4216	1160	1321	41.75	14.75	16		57	8
	69OH4816	1202	1371	47.75	14.75	16		77	9
	69OH6016	1413	1609	59.5	14.75	16		88	11
	69OH6616**	1489	1698	65.75	14.75	16		94	12
	69OH7216	1570	1787	71.5	14.75	16		99	13
<div>Overhead with Wood Framed Clear Glass Doors</div> <div></div>	69OH3616G*	1278	1456	35.75	14.75	16		53	6
	69OH4216G	1365	1556	41.75	14.75	16		57	8
	69OH4816G	1413	1610	47.75	14.75	16		77	9
<div>Overhead with Silver Framed Frosted Glass Doors</div> <div></div>	69OH3616X*	1278	1462	35.75	14.75	16		53	6
	69OH4216X	1365	1556	41.75	14.75	16		57	8
	69OH4816X	1413	1610	47.75	14.75	16		77	9
<div>2-Hi Overhead</div> <div></div>	69OH361629*	1428	1633	35.75	14.75	29		106	11
	69OH421629	1523	1736	41.75	14.75	29		114	12
	69OH481629	1578	1801	47.75	14.75	29		154	16

ORDERING NOTES:
All overheads include installed tasklights and wall mounting hardware.

<p>ORDERING PROCEDURES To order, please specify the following:</p> <p>1) Krug product model number 2) Wood species and finish, see page 708 3) Wood edge detail- C, D, E or F, see page 707 4) Pull style and finish, see page 709 5) Grommet location and style if applicable</p> <p>* Indicates model illustrated by line drawing</p>	<p>CODE DESCRIPTION OH - overhead G - glass X - silver framed glass doors PM - paper management option</p>	<p>STANDARD FINISHES For a complete list of standard wood finishes please see page 708.</p> <p>LOCKS Locks are available on overheads and hutches at \$105 list per set of (2) doors.</p> <p>TACKBOARD FABRIC OPTIONS See page 747 for fabric options for tackboards.</p> <p>OVERHEADS All overheads include installed tasklights. Tackboards must be ordered seperately.</p>
--	---	---

NEXUS | OVERHEAD STORAGE

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
2-Hi Overhead with Wood Framed Clear Glass Doors	69OH361629G*	1599	1823	35.75	14.75	29		106	11
	69OH421629G	1705	1943	41.75	14.75	29		114	12
	69OH481629G	1767	2015	47.75	14.75	29		154	16




2-Hi Overhead with Silver Framed Frosted Glass Doors	69OH361629X*	1599	1823	35.75	14.75	29		106	11
	69OH421629X	1705	1943	41.75	14.75	29		114	12
	69OH481629X	1767	2015	47.75	14.75	29		154	16



ORDERING NOTES:


All overheads include installed tasklights and wall mounting hardware.

Double Height Combination, Open/Closed Overhead with Wood Doors	69OHOC361529	1360	1555	35.75	14.75	29		106	11
	69OHOC421529	1450	1652	41.75	47.75	29		114	12
	69OHOC481529*	1503	1715	47.75	14.75	29		154	16



Fabric Grades

												W	H	COM	WT
		1	2	3	4	5	6	7	8	9					
Tackboards for Overheads	69TBOH36	223	248	273	311	406	498	588	684	804	35.75	23.5	1.25	10	
	69TBOH42	248	334	353	440	528	609	698	805	949	41.75	23.5	1.5	11	
	69TBOH48	276	343	359	450	541	622	715	823	990	47.75	23.5	1.75	12	
	69TBOH60	312	419	440	547	657	779	901	1025	1216	59.5	23.5	2	14	
	69TBOH66	343	466	500	610	731	868	988	1129	1344	65.75	23.5	2.25	15	
	69TBOH72	377	578	602	799	982	993	1141	1302	1518	71.5	23.5	2.25	17	



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

OH - overhead
G - glass
X - silver framed glass doors
PM - paper management option

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS

Locks are available on overheads and hutches at \$105 list per set of (2) doors.


TACKBOARD FABRIC OPTIONS

See page 747 for fabric options for tackboards.


OVERHEADS

All overheads include installed tasklights.
Tackboards must be ordered separately.


NEXUS | HUTCHES

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
	69HT601540	1969	2243	59.5	14.75	39.25	23.5	117	25
	69HT661540	2184	2493	65.75	14.75	39.25	23.5	126	27
	69HT721540*	2501	2850	71.5	14.75	39.25	23.5	135	29
	69HT781540	2694	3071	77.75	14.75	39.25	23.5	146	32
	69HT841540	2883	3288	83.5	14.75	39.25	23.5	154	34


ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

	69HT601540W	2102	2396	59.5	14.75	39.25	23.5	117	25
	69HT661540W	2319	2647	65.75	14.75	39.25	23.5	126	27
	69HT721540W*	2633	3004	71.5	14.75	39.25	23.5	135	29
	69HT781540W	2827	3222	77.75	14.75	39.25	23.5	146	32
	69HT841540W	3019	3441	83.5	14.75	39.25	23.5	154	34

ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.

	69HTPM601540	2580	2941	59.5	14.75	39.25	20.25	117	25
	69HTPM661540	2669	3043	65.75	14.75	39.25	20.25	126	27
	69HTPM721540*	2759	3146	71.5	14.75	39.25	20.25	135	29
	69HTPM781540	2961	3377	77.75	14.75	39.25	20.25	146	32
	69HTPM841540	3173	3617	83.5	14.75	39.25	20.25	154	34

ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

	69HTPM601540W	3068	2715	59.5	14.75	39.25	20.25	154	34
	69HTPM661540W	3198	2805	65.75	14.75	39.25	20.25	126	27
	69HTPM721540W*	3279	2895	71.5	14.75	39.25	20.25	154	34
	69HTPM781540W	3498	3096	77.75	14.75	39.25	20.25	154	34
	69HTPM841540W	3738	3308	83.5	14.75	39.25	20.25	154	34

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - glass
X - silver framed glass doors
PM - paper management option
W - includes power/data/voice grommet in tackboard

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.


LOCKS

Locks are available on overheads and hutches at \$105 list per set of (2) doors.

INSIDE FINISHED BACKS


Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.

DESCRIPTION	MODEL	Oak		Cherry Maple Walnut		W	D	H	KW	Shipping	
										Weight	Cubes
5-Hi Hutch with Wood Framed Clear Glass Doors	69HT721540G	2802	3195	71.5	14.75	39.25	23.5	135	29		
	69HT841540G*	3229	3681	83.5	14.75	39.25	23.5	154	34		




ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

5-Hi Hutch with Wood Framed Clear Glass Doors, Power/Data/Voice Grommet	69HT721540WG	2935	3348	71.5	14.75	39.25	23.5	135	29		
	69HT841540WG*	3365	3836	83.5	14.75	39.25	23.5	154	34		



ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.

5-Hi Hutch with Wood Framed Clear Glass Doors and Paper Management	69HTPM721540G	3060	3488	71.5	14.75	39.25	20.25	135	29		
	69HTPM841540G*	3520	4012	83.5	14.75	39.25	20.25	154	34		




ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

<p>DIMENSION KEY W - width D - depth H - height of worksurface KW - kneehole width</p> <p>*Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical. *See page 5 for KrugExpress program.</p>	<p>CODE DESCRIPTION G - glass X - silver framed glass doors PM - paper management option W - includes power/data/voice grommet in tackboard</p>	<p>STANDARD FINISHES For a complete list of standard wood finishes please see page 708.</p> <p>LOCKS Locks are available on overheads and hutches at \$105 list per set of (2) doors.</p> <p>INSIDE FINISHED BACKS Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.</p>
---	--	--

NEXUS | HUTCHES


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
5-Hi Hutch with Wood Framed Clear Glass Doors, Power/Data/Voice Grommet and Paper Management	69HTPM721540WG	3195	3611	71.5	14.75	39.25	20.25	154	29
	69HTPM841540WG*	3654	4129	83.5	14.75	39.25	20.25	154	34



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.


5-Hi Hutch with Matte Silver Framed Frosted Doors	69HT721540X	2802	3192	71.5	14.75	39.25	23.5	135	29
	69HT841540X*	3229	3649	83.5	14.75	39.25	23.5	154	34



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

5-Hi Hutch with Matte Silver Framed Frosted Glass Doors and Power/Data/Voice Grommet	69HT721540WX	2935	3346	71.5	14.75	39.25	23.5	135	29
	69HT841540WX*	3365	3836	83.5	14.75	39.25	23.5	154	34



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - glass
X - silver framed glass doors
PM - paper management option
W - includes power/data/voice grommet in tackboard

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS


Locks are available on overheads and hutches at \$105 list per set of (2) doors.

INSIDE FINISHED BACKS

Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.

NEXUS | HUTCHES


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
5-Hi Hutch with Matte Silver Framed Frosted Glass Doors and Paper Management	69HTPM721540WX	3195	3642	71.5	14.75	39.25	20.25	154	29
	69HTPM841540WX*	3654	4165	83.5	14.75	39.25	20.25	154	34



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.


5-Hi Hutch with Matte Silver Framed Frosted Glass Doors, Paper Management and Power/Data/Voice Grommet	69HTPM721540X	3060	3488	71.5	14.75	39.25	20.25	135	29
	69HTPM841540X*	3520	4012	83.5	14.75	39.25	20.25	154	34



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.

6-Hi Hutch	69HT601553	2359	2690	59.5	14.75	52.5	23.5	150	32
	69HT661553	2623	2991	65.75	14.75	52.5	23.5	162	36
	69HT721553*	3002	3422	71.5	14.75	52.5	23.5	174	39
	69HT781553	3231	3684	77.75	14.75	52.5	23.5	186	42
	69HT841553	3462	3947	83.5	14.75	52.5	23.5	200	45



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

G - glass
X - silver framed glass doors
PM - paper management option
W - includes power/data/voice grommet in tackboard

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.


LOCKS

Locks are available on overheads and hutches at \$105 list per set of (2) doors.


INSIDE FINISHED BACKS

Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.


NEXUS | HUTCHES

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
	69HT601553W	2494	2843	59.5	14.75	52.5	23.5	150	32
	69HT661553W	2756	3142	65.75	14.75	52.5	23.5	162	36
	69HT721553W*	3133	3572	71.5	14.75	52.5	23.5	174	39
	69HT781553W	3364	3835	77.75	14.75	52.5	23.5	186	42
	69HT841553W	3596	4100	83.5	14.75	52.5	23.5	200	45

ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.

	69HTPM601553	3086	3518	59.5	14.75	52.5	20.25	150	32
	69HTPM661553	3173	3618	66.75	14.75	52.5	20.25	162	36
	69HTPM721553*	3254	3710	71.5	14.75	52.5	20.25	174	39
	69HTPM781553	3455	3941	77.75	14.75	52.5	20.25	186	42
	69HTPM841553	3694	4212	83.5	14.75	52.5	20.25	198	45


ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

	69HTPM601553W	3220	3639	59.5	14.75	52.5	20.25	150	32
	69HTPM661553W	3308	3738	65.75	14.75	52.5	20.25	162	36
	69HTPM721553W*	3389	3844	71.5	14.75	52.5	20.25	174	39
	69HTPM781553W	3590	4056	77.75	14.75	52.5	20.25	186	42
	69HTPM841553W	3827	4363	83.5	14.75	52.5	20.25	198	45

ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.


<p>ORDERING PROCEDURES To order, please specify the following:</p> <p>1) Krug product model number 2) Wood species and finish, see page 708 3) Wood edge detail- C, D, E or F, see page 707 4) Pull style and finish, see page 709 5) Grommet location and style if applicable</p> <p>* Indicates model illustrated by line drawing</p>	<p>CODE DESCRIPTION G - glass X - silver framed glass doors PM - paper management option W - includes power/data/voice grommet in tackboard</p>	<p>STANDARD FINISHES For a complete list of standard wood finishes please see page 708.</p> <p>LOCKS Locks are available on overheads and hutches at \$105 list per set of (2) doors.</p> <p>INSIDE FINISHED BACKS Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.</p>
--	--	--

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
6-Hi Hutch with Wood Framed Clear Glass Doors	69HT721553G	3363	3833	71.5	14.75	52.5	23.5	174	39
	69HT841553G*	3877	4420	83.5	14.75	52.5	23.5	200	45




ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

6-Hi Hutch with Wood Framed Clear Glass Doors and Power/Data/Voice Grommet	69HT721553WG	3493	3982	71.5	14.75	52.5	23.5	174	39
	69HT841553WG*	4011	4573	83.5	14.75	52.5	23.5	200	45



ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.

6-Hi Hutch with Wood Framed Clear Glass Doors and Paper Management	69HTPM721553WX	3749	4274	71.5	14.75	52.5	20.25	174	39
	69HTPM841553WX*	4241	4820	83.5	14.75	52.5	20.25	200	45




ORDERING NOTES:
All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

<p>DIMENSION KEY W - width D - depth H - height of worksurface KW - kneehole width</p> <p>*Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical. *See page 5 for KrugExpress program.</p>	<p>CODE DESCRIPTION G - glass X - silver framed glass doors PM - paper management option W - includes power/data/voice grommet in tackboard</p>	<p>STANDARD FINISHES For a complete list of standard wood finishes please see page 708.</p> <p>LOCKS Locks are available on overheads and hutches at \$105 list per set of (2) doors.</p> <p>INSIDE FINISHED BACKS Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.</p>
---	--	--

NEXUS | HUTCHES


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
6-Hi Hutch with Wood Framed Clear Glass Doors, Power/Data/Voice Grommet and Paper Management	69HTPM721553WG	3749	4274	71.5	14.75	52.5	20.25	174	39
	69HTPM841553WG*	4241	4834	83.5	14.75	52.5	20.25	200	45



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.


6-Hi Hutch with Matte Silver Framed Frosted Glass Doors	69HT721553X	3363	3832	71.5	14.75	52.5	23.5	174	39
	69HT841553X*	3877	4420	83.5	14.75	52.5	23.5	200	45



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

6-Hi Hutch with Matte Silver Framed Frosted Glass Doors and Power/Data/Voice Grommet	69HT721553WX	3493	3982	71.5	14.75	52.5	23.5	174	39
	69HT841553WX*	4011	4573	83.5	14.75	52.5	23.5	200	45




ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Wood species and finish, see page 708 3) Wood edge detail- C, D, E or F, see page 707 4) Pull style and finish, see page 709 5) Grommet location and style if applicable * Indicates model illustrated by line drawing	CODE DESCRIPTION G - glass X - silver framed glass doors PM - paper management option W - includes power/data/voice grommet in tackboard	STANDARD FINISHES For a complete list of standard wood finishes please see page 708. LOCKS Locks are available on overheads and hutches at \$105 list per set of (2) doors. INSIDE FINISHED BACKS Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.
--	---	--

NEXUS | HUTCHES


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
6-Hi Hutch with Matte Silver Framed Frosted Glass Doors and Paper Management	69HTPM721553G	3615	4121	71.5	14.75	52.5	20.25	174	39
	69HTPM841553G*	4109	4684	83.5	14.75	52.5	20.25	200	45



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Please see page 756 for ordering information on tackboard organizer rails and accessories.

6-Hi Hutch with Matte Silver Framed Frosted Glass Doors, Power/Data/Voice Grommet and Paper Management	69HTPM721553X	3615	4121	71.5	14.75	52.5	20.25	174	39
	69HTPM841553X*	4109	4684	83.5	14.75	52.5	20.25	200	45



ORDERING NOTES:

All hutches include installed tasklights and tackboard in grade 1 fabric. See page 758 for upcharges for fabric grades 2-9. Allow 2" between hutch back and wall to accommodate power/data/voice cabling. Please see page 756 for ordering information on tackboard organizer rails and accessories.

Paper Managers	69PM18122001	1055	1183	17	12	19.75	20.25	50	3
----------------	--------------	------	------	----	----	-------	-------	----	---



ORDERING NOTES:

Please keep the location of the grommets in mind when specifying paper managers for use with worksurface. For example, a paper manager on the left-hand side may be used with a "C", "BR" or an "AR" grommet. Please see page 709 for more information on standard grommet locations.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

G - glass
X - silver framed glass doors
PM - paper management option
W - includes power/data/voice grommet in tackboard

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.







LOCKS

Locks are available on overheads and hutches at \$105 list per set of (2) doors.

INSIDE FINISHED BACKS

Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.

NEXUS | HUTCH ACCESSORIES

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
Paper Managers	69PM18122002	839	953	17	12.5	19.75	20.25	50	3
									
Paper Managers	69PM18122003	839	953	17	12	19.75	20.25	50	3
									
Tackboard Organizer Rail	69AOB	100		-	-	2.5		-	-
									
CD Tray	69ACT	45		3.5	6.25	1.25		0.5	0.25
									
Hanging File Bars	69AFB	78		1.75	9.75	2.5		0.5	0.25
									
File Organizer	69AFO	78		6	9.75	2.5		1.75	0.5
									

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - glass
X - silver framed glass doors
PM - paper management option
W - includes power/data/voice grommet in tackboard

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.



LOCKS

Locks are available on overheads and hutches at \$105 list per set of (2) doors.

INSIDE FINISHED BACKS

Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.

NEXUS | HUTCH ACCESSORIES

DESCRIPTION	MODEL	Oak	Cherry	Maple	Walnut	W	D	H	KW	Shipping	
										Weight	Cubes
Paper Tray	69APT	70				12	10.75	2		1.75	0.5
											
Binder Bin	69ABB	97				4	10	10		3	0.5
											

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
*See page 5 for KrugExpress program.

CODE DESCRIPTION

G - glass
X - silver framed glass doors
PM - paper management option
W - includes power/data/voice grommet in tackboard

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS


Locks are available on overheads and hutches at \$105 list per set of (2) doors.

INSIDE FINISHED BACKS

Optional inside finished backs are available on up to a maximum of 84" hutches at the standard list price. This option does not include a tackboard.

TACKBOARD UPCHARGES

Tackboard upcharges for hutches and wall units



All hutches and wall units include a tackboard and come standard with a Krug panel grade 1 fabric. Use this chart to find the upcharge for tackboard fabrics graded 2–9 and add it to the cost of the hutch or wall unit.

Grading information can be found on page 4 of the price guide.

	2	3	4	5	6	7	8	9	yardage
60" hutch tackboard	104	222	324	432	536	638	743	926	2
66" hutch tackboard	116	250	367	490	609	725	841	1046	2.25
72" hutch tackboard	140	297	437	587	728	868	1008	1213	2.25
78" hutch tackboard	163	350	516	684	848	1013	1179	1407	2.5
84" hutch tackboard	195	406	602	797	993	1186	1381	1632	2.75
97" wall unit tackboard	104	222	324	432	536	638	743	1017	3
108" wall unit tackboard	163	350	516	684	848	1013	1179	1476	3.25

Please see page 82 in the Millennium product section for ordering information on tackboard organizer rails and accessories.

On single piece hutches, the yardage requirement for two tackboards is the same as for one tackboard. Please keep this in mind when ordering more than one tackboard. For example, if the number of tackboards required is 7 and the COM requirement for 1 tackboard is 1.5 yards, the calculation for COM yardage is as follows: 4.5 yards are required for 6 tackboards + 1.5 yards for the 7th tackboard for a total of 6 yards. In the case of an even number of tackboards, divide the number of tackboards required by 2 and multiply that number by COM requirement on the chart. The fabric must be at least 54" wide in order to qualify for this procedure. If the fabric is less than 54" wide, the COM yardage listed on the chart is the amount required for each tackboard.

COM Yardage Calculation Chart for Tackboards

Quantity of Tackboards Required (example: 60")	Number of Yards Required per Tackboard (example: 60")	Number of Yards Required in Total (example: 60")
one	2 yards	2
two	2 yards	2
three	2 yards	4
four	2 yards	4
five	2 yards	6
six	2 yards	6
seven	2 yards	8
eight	2 yards	8
nine	2 yards	10
ten	2 yards	10

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Wood edge detail - C, D, E or F, see page 109

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

PM — paper manager


STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

PAPER MANAGERS

Please keep in mind location of grommets when specifying paper managers for use with worksurfaces. For example, a paper manager on the left-hand side may be used with a "C", "BR" or a "AR" grommet. Please see page 112 for more information on standard grommet locations.

NEXUS | MODULAR TOPS & SUPPORTS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
 Modular Tops	69TP4820	515	566	47.75	19.75	-		29	8
	69TP4824	534	582	47.75	23.75	-		36	9
	69TP5420	550	611	53.75	19.75	-		38	9
	69TP5424	559	623	53.75	23.75	-		44	10
	69TP6020	575	644	59.5	19.75	-		45	10
	69TP6024	665	742	59.5	23.75	-		52	11
	69TP6620	744	826	65.75	19.75	-		53	11
	69TP6624	833	924	65.75	23.75	-		61	12
	69TP7220	861	955	71.5	19.75	-		63	12
	69TP7224	951	1056	71.5	23.75	-		65	13
	69TP7820	974	1081	77.75	19.75	-		71	14
	69TP7824	1057	1174	77.75	23.75	-		73	14
	69TP8420	1092	1212	83.5	19.75	-		76	15
	69TP8424	1173	1302	83.5	23.75	-		78	15

ORDERING NOTES:

Arrows shown indicate grain direction. One wiring grommet in a standard position is optional at no charge. Additional wiring grommets are available at an upcharge of \$114. Laminate worksurfaces are available at a 10% upcharge.

 Round Modular Tops	690536D	1031	1185	-	36	-		48	3
	690542D	1153	1396	-	42	-		54	4
	690548D	1303	1512	-	48	-		74	5
	690554D	1979	1999	-	55	-		100	7

 Drum Base	691018D29	574	643	-	18	28.75		97	7
	691024D29	600	648	-	24	28.75		115	14

 2 Box, 1 File Pedestal	69P16204F	1279	1450	15.75	19.75	28		61	7
	69P16244F	1381	1566	15.75	23.75	28		66	8

ORDERING NOTES:

Only 20" pedestals may be used in conjunction with open returns.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

LB - L-base
TP - modular top
HG - half gable

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

MODULAR TOPS AND SUPPORTS


See page 716 for more information on creating modular products.

OPEN SPANS

Modular units with an open span greater than 60" require the support of a 69HG-2029 support panel.


NEXUS | MODULAR TOPS & SUPPORTS

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
2 File Pedestal	69P16204D	1126	1277	15.75	19.75	28		59	7
	69P16244D	1216	1379	15.75	23.75	28		64	8




ORDERING NOTES:
Only 20" pedestals may be used in conjunction with open returns.

Bookcase Pedestal, Single Door	69PBC1620HL	911	1066	15.75	19.75	28		56	7
	69PBC1620HR	911	1066	15.75	19.75	28		56	7
	69PBC1624HL	949	1092	15.75	23.75	28		60	8
	69PBC1624HR	949	1092	15.75	23.75	28		60	8




ORDERING NOTES:
Only 20" pedestals may be used in conjunction with open returns.

Bookcase Pedestal, Double Door	69PBC3020	1443	1299	29.75	19.75	28		96	12
	69PBC3620	1530	1348	35.75	19.75	28		104	14
	69PBC3024	1505	1328	29.75	23.75	28		100	14
	69PBC3624	1567	1382	35.75	23.75	28		108	17



ORDERING NOTES:
Only 20" pedestals may be used in conjunction with open returns.

Lateral File Pedestal	69PLF3020	1500	1701	29.75	19.75	28		104	12
	69PLF3024	1647	1871	29.75	23.75	28		108	14
	69PLF3620	1533	1787	35.75	19.75	28		112	14
	69PLF3624	1712	1952	35.75	23.75	28		116	17



ORDERING NOTES:
Only 20" pedestals may be used in conjunction with open returns.

<p>ORDERING PROCEDURES To order, please specify the following:</p> <ul style="list-style-type: none">1) Krug product model number2) Wood species and finish, see page 7083) Wood edge detail- C, D, E or F, see page 7074) Pull style and finish, see page 7095) Grommet location and style if applicable <p>* Indicates model illustrated by line drawing</p>	<p>CODE DESCRIPTION LB - L-base TP - modular top HG - half gable</p>	<p>STANDARD FINISHES For a complete list of standard wood finishes please see page 708.</p> <p>MODULAR TOPS AND SUPPORTS See page 716 for more information on creating modular products.</p> <p>OPEN SPANS Modular units with an open span greater than 60" require the support of a 69HG-2029 support panel.</p>
---	---	--

NEXUS | MODULAR TOPS & SUPPORTS


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
File/File, Lateral File	69PLF362001	1735	1961	35.75	19.75	28		119	14
	69PLF362401	1882	2146	35.75	23.75	28		123	17



ORDERING NOTES:

Only 20" pedestals may be used in conjunction with open returns.

Combination File Pedestal	69PLF362002	1821	2057	35.75	19.75	28		119	14
	69PLF362402	1976	2252	35.75	23.75	28		123	17




Mobile Pedestal	69MP1622284F	1285	1469	15.5	21.5	27.75		110	8
	69MP1622284D	1248	1422	15.5	21.5	27.75		110	8



ORDERING NOTES:

Only 20" pedestals may be used in conjunction with open returns. Mobile pedestal can be placed under a standard worksurface.

L-Base Supports	69LB2029L	471	522	13	19.75	27.25		22	1
	69LB2029R	471	522	13	19.75	27.25		22	1
	69LB2429L	515	573	13	23.75	27.25		25	1
	69LB2429R	515	573	13	23.75	27.25		25	1



ORDERING NOTES:

L-base supports are universal and can be assembled left or right.

Half Gable	69HG2910	276	315	19.75	-	27.25		18	1
	69HG2912	288	328	19.75	-	27.25		18	1



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

LB - L-base
TP - modular top
HG - half gable

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

MODULAR TOPS AND SUPPORTS


See page 716 for more information on creating modular products.

OPEN SPANS

Modular units with an open span greater than 60" require the support of a 69HG-2029 support panel.

NEXUS | KEYBOARD, PENCIL DRAWER & CABLE MANAGEMENT

DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
Keyboard Tray with Palm Rest and Mouse Tray with articulating/extended mechanism	69KBAMT1912	483	27	11	1		20	2



ORDERING NOTES:
This unit comes with a lever free arm keyboard support. This unit is a granit color.

Pencil Drawer	69PD2119	205	21	19	2.5		2	1
---------------	----------	-----	----	----	-----	--	---	---



ORDERING NOTES:
6900 Series pencil drawers and keyboard drawers have no finished wood componenets. Millennium 6800 pencil drawers and keyboard drawers wth finished wood can also be specified for Nexus product, see pages 427 for pricing.

Power Port, 2-RJ45's, Catagory 5/6	69POWERPORT1	276	-	4	2		-	-
------------------------------------	--------------	-----	---	---	---	--	---	---



Port Includes: 2 simplex, 1 utility, 2 RJ45's, catagory 5/6, horizontal cable management & shroud for additional data options.

ORDERING NOTES:
PowerPorts are shipped installed into worksurfaes. Please note the required location for each worksurface on your order, e.g. 1 PowerPort, location C. Please see page 709 for locations.
Powerbar electrical cord is 9.5' long.

Power Port , RJ11/RJ45	69POWERPORT3	276	-	4	2		-	-
------------------------	--------------	-----	---	---	---	--	---	---




Port Includes: 2 simplex receptacles, 1 utility outlet, 1 RJ11, 1 RJ45, horizontal cable management & shroud for additional data options.

ORDERING NOTES:
PowerPorts are shipped installed into worksurfaces. Please note the required location for each worksurface on your order, e. g. 1 PowerPort, location C. Please see page 709 for locations.
Powerbar electrical cord is 9.5' long.

<p>ORDERING PROCEDURES</p> <p>To order, please specify the following:</p> <ul style="list-style-type: none">1) Krug product model number2) Wood species and finish, see page 7083) Wood edge detail- C, D, E or F, see page 7074) Pull style and finish, see page 7095) Grommet location and style if applicable <p>* Indicates model illustrated by line drawing</p>	<p>CODE DESCRIPTION</p> <p>PDSM - power and telephone grommet PUPC - pop-up power center PUCH - pop-up communication housing PUDG - pop-up center and communication housing WM - wire management</p>	<p>STANDARD FINISHES</p> <p>For a complete list of standard wood finishes please see page 708.</p> <p>WIRING GROMMETS</p> <p>One wiring grommet in a standard position is optional at no charge. Additional wiring grommets are available at an upcharge of \$114. See page 709 for more wiring grommet information.</p>
--	---	--

NEXUS | KEYBOARD, PENCIL DRAWER & CABLE MANAGEMENT

DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
Power Port, 2 USB Charging	69POWERPORT4	288	-	4	2	-	-	-




Port Includes: 2 simplex, 1 utility, 2 USB charging ports, horizontal cable management & shroud for additional data options.

ORDERING NOTES:

PowerPorts are shipped installed into worksurfaes. Please note the required location for each worksurface on your order, e.g. 1 PowerPort, location C. Please see page 709 for locations.

Powerbar electrical cord is 9.5' long.

Port	69PORT	120	-	4	2	-	-	-
------	--------	-----	---	---	---	---	---	---



Wire Management Cover	69WM72	108	72	2.5	1	3	7	
-----------------------	--------	-----	----	-----	---	---	---	--



Velcro Wire Management	69WM4	32	3.5	1.75	-	1	1	
------------------------	-------	----	-----	------	---	---	---	--



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

PDSM - power and telephone grommet
PUPC - pop-up power center
PUCH - pop-up communication housing
PUDG - pop-up center and communication housing
WM - wire management

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

WIRING GROMMETS


One wiring grommet in a standard position is optional at no charge. Additional wiring fgrommets are available at an upcharge of \$114. See page 709 for more wiring grommet information.

NEXUS | BOOKCASES


DESCRIPTION	MODEL	Oak		Cherry Maple Walnut		W	D	H	KW	Shipping	
										Weight	Cubes
2-Hi Open Bookcase	69BC301629*	1152	1332	29.75	15.75	29			48	10	
	69BC361629	1188	1368	35.75	15.75	29			56	12	




3-Hi Open Bookcase	69BC301642*	1313			1514			29.75	15.75	42		64	14
	69BC361642	1345			1547			35.75	15.75	42		72	17



4-Hi Open Bookcase	69BC301655*	1474			1696			29.75	15.75	55		64	19
	69BC361655	1511			1737			35.75	15.75	55		72	22



5-Hi Open Bookcase	69BC301669	1621			1843			29.75	15.75	69		100	23
	69BC361669*	1656			1882			35.75	15.75	69		112	27



ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- ST - storage unit
- WR - wardrobe
- L - door hinged left
- R - door hinged right





STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS

Locks are standard on all lateral file drawers. Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.

NEXUS | BOOKCASES

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
5-Hi Units 3 Open & 2 Closed Shelves	69BC30166913	1843	1935	29.75	15.75	69		104	23
	69BC36166913*	1882	1979	35.75	15.75	69		116	27
									
6-Hi Open Bookcase	69BC301682	1836	1936	29.75	15.75	82		112	27
	69BC361682*	1875	1974	35.75	15.75	82		124	33
									
6-Hi 4 Open & 2 Closed Shelves	69BC30168213*	1920	2016	29.75	15.75	82		116	23
	69BC36168213	1960	2058	35.75	15.75	82		128	27
									
2 Hi - Curved Corner Bookcase	69STCE16162917	1705	1961	15.75	15.75	29.5		50	9
									

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

ST - storage unit
WR - wardrobe
L - door hinged left
R - door hinged right


STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.


LOCKS

Locks are standard on all lateral file drawers.
Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.


NEXUS | STORAGE


DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
	2-Hi Closed								
	69ST30202911	1337	1651	29.75	19.75	29.5		80	13
	69ST30242911	1365	1676	29.75	23.75	29.5		104	15
	69ST36202911*	1392	1712	35.75	19.75	29.5		104	15
	69ST36242911	1421	1736	35.75	23.75	29.5		108	18

ORDERING NOTES:
Only 29" high storage units have a profile on the front edge. All other storage units have flush edges on all sides with no edge detail. Arrow shown indicated grain direction.

	2-Hi Lateral File								
	69ST30202901*	1917	2156	29.75	19.75	29.5		112	13
	69ST30242901	1944	2177	29.75	23.75	29.5		116	15
	69ST36202901	1985	2243	35.75	19.75	29.5		116	15
	69ST36242901	2014	2272	35.75	23.75	29.5		120	18

ORDERING NOTES:
Only 29" high storage units have a profile on the front edge. All other storage units have flush edges on all sides with no edge detail. Arrow shown indicated grain direction.

	4-Hi Open								
	69ST30205517*	1755	1966	29.75	19.75	55		148	23
	69ST36205517	1843	2065	35.75	19.75	55		156	27

	4-Hi Closed								
	69ST30205511*	1931	2182	29.75	19.75	55		140	23
	69ST36205511	2021	2283	35.75	19.75	55		164	27

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- ST - storage unit
- WR - wardrobe
- L - door hinged left
- R - door hinged right





STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS

Locks are standard on all lateral file drawers. Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.

NEXUS | STORAGE

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
4-Hi Lateral File 	69ST30205501*	2750	3078	29.75	19.75	55		176	23
	69ST36205501	2898	3275	35.75	19.75	55		196	27
4-Hi 2 Lateral File, 2 Closed 	69ST30205504*	2306	2579	29.75	19.75	55		168	23
	69ST36205504	2415	2731	35.75	19.75	55		188	27
5-Hi, Single Open 	69ST19206917	1621	1848	18.5	19.75	68.5		124	18
5-Hi Single Closed 	69ST19206911L*	1872	2097	18.5	19.75	68.5		132	18
	69ST19206911R	1872	2097	18.5	19.75	68.5		132	18
	69ST19246911L	1923	2154	18.5	23.75	68.5		136	22
	69ST19246911R	1923	2154	18.5	23.75	68.5		136	22

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

ST - storage unit
WR - wardrobe
L - door hinged left
R - door hinged right





STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS

Locks are standard on all lateral file drawers.
Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.

NEXUS | STORAGE

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
5-Hi Single, 2 Closed, 3 Open	69ST19206913L	1761	2008	18.5	19.75	68.5		128	18
	69ST19206913R*	1761	2008	18.5	19.75	68.5		128	18
									
5-Hi Single, 2 Closed, 3 Closed	69ST19206914L	1781	2030	18.5	19.75	68.5		128	18
	69ST19206914R*	1781	2030	18.5	19.75	68.5		128	18
	69ST19246914L	1854	2113	18.5	23.75	68.5		132	22
	69ST19246914R	1854	2113	18.5	23.75	68.5		132	22
									
5-Hi Open	69ST30206917	2185	2557	29.75	23.75	68.5		160	28
	69ST30246917*	2220	2620	29.75	19.75	68.5		168	33
	69ST36206917	2251	2656	35.75	23.75	68.5		168	33
	69ST36246917	2280	2691	35.75	23.75	68.5		176	40
									
5-Hi Closed	69ST30206911	2645	3031	29.75	23.75	68.5		176	28
	69ST30246911*	2680	3055	29.75	19.75	68.5		184	33
	69ST36206911	2713	3093	35.75	23.75	68.5		184	33
	69ST36246911	2751	3136	35.75	19.75	68.5		192	40
									

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION





ST - storage unit
WR - wardrobe
L - door hinged left
R - door hinged right

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS

Locks are standard on all lateral file drawers. Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
	5-Hi, 4 Lateral, 1 Hinged	69ST30206907	3273	3961	29.75	19.75	68.5	168	28
		69ST30246907*	3353	4024	29.75	23.75	68.5	176	33
		69ST36206907	3441	4073	35.75	19.75	68.5	176	33
		69ST36246907	3652	4139	35.75	23.75	68.5	184	40
	5-Hi, 2 Lateral, 3 Open	69ST30206903	3044	3275	29.75	19.75	68.5	172	28
		69ST30246903	3083	3299	29.75	23.75	68.5	180	33
		69ST36206903*	3125	3356	35.75	19.75	68.5	180	33
		69ST36246903	3166	3398	35.75	23.75	68.5	188	40
	5-Hi, 2 Lateral, 3 Closed	69ST30206904	3275	3661	29.75	19.75	68.5	184	28
		69ST30246904	3313	3704	29.75	23.75	68.5	192	33
		69ST36206904*	3356	3759	35.75	19.75	68.5	192	33
		69ST36246904	3399	3791	35.75	23.75	68.5	200	40
	5-Hi, 2 Lateral, 3 Closed	69ST36206904G*	3760	4212	35.75	19.75	68.5	192	33
	with Wood Framed Glass Doors	69ST36246904G	3807	4245	35.75	23.75	68.5	200	40

ORDERING NOTES:
This item is NOT available on KrugExpress

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
*See page 5 for KrugExpress program.

CODE DESCRIPTION

ST - storage unit
WR - wardrobe
L - door hinged left
R - door hinged right

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS

Locks are standard on all lateral file drawers.
Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.


NEXUS | STORAGE

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
5-Hi, 2 Lateral, 3 Closed with Matte Silver Framed Frosted Glass Doors	69ST36206904X*	3760	4212	35.75	19.75	68.5		192	33
	69ST36246904X	3807	4264	35.75	23.75	68.5		200	40




ORDERING NOTES:
This item is NOT available on KrugExpress

5-Hi Wardrobe	69WR19206905L	1615	1809	18.5	19.75	68.5		136	18
	69WR19206905R*	1615	1816	18.5	19.75	68.5		136	18







5-Hi Wardrobe	69WR30246901	2297	2617	29.75	23.75	68.5		156	33
	69WR36246901*	2537	2894	35.75	23.75	68.5		164	40



5-Hi Wardrobe with Shelf	69WR19246902L	1657	1858	18.5	23.75	68.5		140	22
	69WR19246902R*	1657	1858	18.5	23.75	68.5		140	22



<p>ORDERING PROCEDURES To order, please specify the following:</p> <ul style="list-style-type: none">1) Krug product model number2) Wood species and finish, see page 7083) Wood edge detail- C, D, E or F, see page 7074) Pull style and finish, see page 7095) Grommet location and style if applicable <p>* Indicates model illustrated by line drawing</p>	<p>CODE DESCRIPTION ST - storage unit WR - wardrobe L - door hinged left R - door hinged right</p>	<p>STANDARD FINISHES For a complete list of standard wood finishes please see page 708.</p> <p>LOCKS Locks are standard on all lateral file drawers. Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.</p>
---	---	--

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping Weight	Cubes
6-Hi, Single Open 	69ST19208217	1862	2122	18.5	19.75	82		148	22
6-Hi Single Closed 	69ST19208211L	2153	2454	18.5	19.75	82		164	22
	69ST19208211R	2153	2454	18.5	19.75	82		164	22
	69ST19248211L*	2210	2520	18.5	23.75	82		172	26
	69ST19248211R	2210	2520	18.5	23.75	82		172	26
6-Hi, Single, 2 Closed, 4 Open 	69ST19208213L	2060	2349	18.5	19.75	82		172	22
	69ST19208213R*	2060	2349	18.5	19.75	82		172	22
6-Hi, Single, 2 Closed, 2 Open, 2 Closed 	69ST19208226L	2103	2397	18.5	19.75	82		176	22
	69ST19208226R*	2103	2397	18.5	19.75	82		176	22
	69ST19248226L	2186	2492	18.5	23.75	82		180	26
	69ST19248226R	2186	2492	18.5	23.75	82		180	26

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*See page 5 for KrugExpress program.

CODE DESCRIPTION

ST - storage unit
WR - wardrobe
L - door hinged left
R - door hinged right





STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS

Locks are standard on all lateral file drawers.
Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.

NEXUS | STORAGE

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
<div>6-Hi Open</div> 	69ST30208217	3077	3507	29.75	19.75	82		184	34
	69ST30248217	3099	3533	29.75	23.75	82		192	40
	69ST36208217*	3119	3556	35.75	19.75	82		192	40
	69ST36248217	3157	3600	35.75	23.75	82		200	47
<div>6-Hi 4 Lateral, 2 Open</div> 	69ST30208205	3615	4121	29.75	19.75	82		220	34
	69ST30248205	3652	4163	29.75	23.75	82		228	40
	69ST36208205*	3676	4190	35.75	19.75	82		228	40
	69ST36248205	3717	4238	35.75	23.75	82		236	47
<div>6-Hi 2 Lateral, 4 Open</div> 	69ST30208203	3348	3816	29.75	19.75	82		208	34
	69ST30248203	3380	3854	29.75	23.75	82		216	40
	69ST36208203*	3396	3872	35.75	19.75	82		216	40
	69ST36248203	3432	3911	35.75	23.75	82		224	47
<div>6-Hi 2 Lateral, 4 Closed</div> 	69ST30208204	3478	3965	29.75	19.75	82		212	34
	69ST30248204	3506	3996	29.75	23.75	82		220	40
	69ST36208204*	3522	4013	35.75	19.75	82		220	40
	69ST36248204	3558	4056	35.75	23.75	82		228	47

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 708
- 3) Wood edge detail- C, D, E or F, see page 707
- 4) Pull style and finish, see page 709
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- ST - storage unit
- WR - wardrobe
- L - door hinged left
- R - door hinged right

STANDARD FINISHES


For a complete list of standard wood finishes please see page 708.

LOCKS

Locks are standard on all lateral file drawers. Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.

NEXUS | STORAGE

DESCRIPTION	MODEL	Oak	Cherry Maple Walnut	W	D	H	KW	Shipping	
								Weight	Cubes
6-Hi Wardrobe with Shelves	69WR19248202L*	1905	2175	18.5	23.75	82		188	26
	69WR19248202R	1905	2175	18.5	23.75	82		188	26



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

*Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
*See page 5 for KrugExpress program.

CODE DESCRIPTION

ST - storage unit
WR - wardrobe
L - door hinged left
R - door hinged right

STANDARD FINISHES

For a complete list of standard wood finishes please see page 708.

LOCKS

Locks are standard on all lateral file drawers. Optional locks on bookcase doors are available at a \$105 list upcharge. Please specify at time of order.