

CASEGOODS
Price and Specification Guide
CANADA



Effective June 1, 2015

krug

TABLE OF CONTENTS

2	General Information
4	Krug Textiles
5	Graded-in Upholstery Program
5	Express Program
6	Tackboard Fabric
7	Laminates
8	Adesso
122	Vestrada
261	Virtu
366	Millennium
452	Contour
509	Artemis
638	Artemis Laminate
708	Nexus
778	Stratford

GENERAL INFORMATION

TERMS AND CONDITIONS

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Prices include shipping to territorial warehouse. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

CUSTOMER SERVICE HOURS

Please note customer service hours are:

8:30 am to 5:00 pm est

1.888.578.KRUG

1.519.748.5177 fax

ORDER ACKNOWLEDGEMENTS

Each order will be acknowledged via email or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy and advise Krug of any discrepancies with a purchase order.

CANCELLATION

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

DIMENSIONS

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

STORAGE CHARGES

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

CONTACT INFORMATION

Phone: 1.888.578.KRUG

Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 or email: orders@krug.ca

Web: www.krug.ca

Email: solutions@krug.ca

INSTALLATION SUPPORT

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

PRICING

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug's website will always have the current list price. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants its products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by Krug: these are subject to the specific warranties of their manufacturers (if any). Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect

- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

EXPORT PACKAGING

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. Export packaging is provided at an upcharge of 5% of the net selling price per item. Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

FREIGHT TERMS AND CONDITIONS

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If dock is inadequate for delivery by Krug, Krug will re-deliver to another location and any additional costs will be charged to the customer.

3. When a Krug territorial warehouse (where available) is selected as the default delivery location, Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, are required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour.

If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for net orders are possible, must exceed \$60,000 net, and accommodate 48-53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

CUSTOMER SATISFACTION

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance.

If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

GENERAL INFORMATION

DAMAGED SHIPMENTS

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Products must be opened and inspected on receipt, and any products not inspected when received, or held in storage, cannot be subjected to damage claims.

TESTING

All Krug Casegoods products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2008 and/or X5.9 - 2012.



FIELD PRODUCT REPORT AUTHORIZATION

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

RETURNS

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

CARE AND MAINTENANCE WOOD FINISH

Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

LAMINATES

Clean plastic laminate surfaces with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

PAINTED GLASS

To clean simply wipe with an ammonia based cleaner using a microfibre cloth. Do not use a coarse cloth or an abrasive cleaning products on painted surfaces to avoid scratching.

FABRIC UPHOLSTERY

Professional upholstery cleaning is recommended.

CUSTOM CAPABILITIES

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products.
- 2) Custom finishes
- 3) For larger orders, completely custom designed products, as well as non-standard wood species can be specified.

Custom orders will require additional production lead times. Contact Customer Service for more information.

Krug Textiles - Fabric Program

Krug Grade 1, 2 and 3 fabrics are also available on a cut yardage basis.

Grade 1

Perk	Vox	Fuse	Expo
Auburn	Bark	Azurean	Festive
Cabana	Black	Carmine	Fog
Cedar	Cocoa	Cress	Latte
Crimson	Downpour	Ginger	Leaf
Dijon	Eco	Iris	Lemon
Ebony	Frothe	Lunar	Oasis
Flint	Goldenrod	Malted	Raspberry
Patriot	Honest	Morel	Sky
Pewter	Hot	Pepper	Spirit
Regal	Limelight	Pimento	Sprout
Sesame	Morel	Pristine	Tuxedo
Walnut	Mystic	Saffron	Viola
	Navy	Walnut	Zest
	Oat		
	Par		
	Ruby		
	Snap		
	Turquoise		

Grade 2

Epic	Bangle	Lineup
Azure	Baltic	Baltic
Capri	Cork	Fern
Espresso	Granite	Pewter
Flare	Orchid	Sandstone
Granite	Sable	Shadow
Jute	Suede	Spice
Kiwi	Teak	Tranquil
Limestone		
Pearl		
Porcini		
Regal		
Slice		
Steel		

Grade 3

Solace	Current	Clang	Kinney
Almond	Birch	Amber	Coffee
Azul	Cadet	Claret	Frappe
Blaze	Eclipse	Clove	Glacier
Carmine	Espresso	Cress	Mineral
Celadon	Moss	Flint	Nectar
Cinder	Pecan	Malt	Steel
Earth	Plum	Raven	Valentine
Ebony			
Fossil			
Gilded			
Indigo			
Ivory			
Mineral			
Pear			
Peony			

Krug Textiles - Leather Program

Grade 8

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

Krug Textiles - Faux Leather Program

Grade 2

White	Bisque	Sprig
Cream	Chocolate	Chinchilla
Parchment	Black	Steel
Sandstone	Earth	Grey
Vanilla	Brick	Lagoon
Taupe	Wine	Pacific Blue
Mocha	Garnet	Navy
Tan	Rust	Plum
Chestnut	Citron	

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.



KRUGEXPRESS

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. *KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

***Some conditions apply. Please note PALETTE finishes are not available on *KrugExpress*.**

CASEGOODS PROGRAM

Orders for casegood products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions. For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the *KrugExpress* program. Only standard wood finishes are available for *KrugExpress* orders. Grommets can be specified in standard positions only. *KrugExpress* also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering.

TACKBOARD FABRICS

KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website.
www.krug.ca PRODUCTS / FABRICS / PANEL

The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.
If memo samples are required please call Momentum at 1-800-366-6839.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM)

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order.

When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have been provided.

COM fabrics for tackboards may be specified in either Maharam or Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application. Please contact Maharam at 1-800-645-3943 or Momentum at 1-800-366-6839 directly for more information about a specific fabric.

COM Shipping Procedures

For tackboard COM fabrics, please send fabrics to:

Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2

Attention: RECEIVER

All packages must be clearly marked "For Customs Clearance by Russell A. Farrow Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

In-Stock Laminate

Krug's in-stock Laminates are available in 16 different laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular solid shades and 4 Exotic laminates offering a distinguished appearance. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Adesso is available in **Solid Laminate colors only**.

In-Stock Laminates

Wood Grain Laminate		Wood Grain HPL (Worksurface Option Only)		
Name & Number	Supplier	Name & Number	Supplier	Polymer Edge Names
Corretto Cherry W288	-	Corretto Cherry HP-288-N	Pionite	Corretto Cherry
Mocha Cherry W341	Panolam	Mocha Cherry HP-341-N	Pionite	Mocha Cherry
Monticello Maple L308	Tafisa	Monticello Maple 7925	Wilsonart	Monticello Maple
Nightfall W292	Panolam	Nightfall WX421-N	Pionite	Nightfall
Samba Cherry L460	Tafisa	Samba Cherry T460	Arborite	Samba Cherry
Shiraz Cherry L472	Tafisa	Shiraz Cherry T472	Arborite	Shiraz Cherry
Sugarloaf Maple L630	Tafisa	Sugarloaf Maple T630	Arborite	Sugarloaf Maple

Solid Laminate

Solid Laminate		Solid Laminate HPL (Worksurface Option Only)		
Name & Number	Supplier	Name & Number	Supplier	Polymer Edge Names
Almond S445	Tafisa	Almond T445	Pionite	Almond
Black L203	Tafisa	Black T203	Arborite	Black
Shadows L201	Tafisa	Shadows T201	Arborite	Shadow
White L175	Tafisa	White D354-60	Wilsonart	White

Exotic Laminate

Exotic Laminate		Exotic Laminate HPL (Worksurface Option Only)		
Name & Number	Supplier	Name & Number	Supplier	Polymer Edge Names
Backwoods Sycamore W689	Panolam	Backwoods Sycamore HP689-N	Pionite	Backwoods Sycamore
Edgewood Sycamore W690	Panolam	Edgewood Sycamore HP690-N	Pionite	Edgewood Sycamore
Gunstock Walnut W190	Panolam	Gunstock Walnut WW971-N	Pionite	Gunstock Walnut
Thunderstorm W359	Panolam	Thunderstorm HP359-N	Pionite	Thunderstorm

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges can be specified for use with non-stocked laminates.

The following plastic laminates are acceptable for application on Krug products as they feature a matte finish:

Nevamar	All plastic laminates with "T" in the suffix (i.e., MR2002T)
Wilsonart	All plastic laminates with "60" in the suffix (i.e., 4779-60)
Arborite	All plastic laminates with "CA" in the suffix (i.e., 1531-CA)
Pionite	All plastic laminates with "Suede" in the name (i.e., WW561 Suede)
Formica	All plastic laminates with "58" in the suffix (i.e., 756-58)

Arborite Laminates 1.800.996.0366	Wilsonart Laminates 1.800.433.3222
Pionite Laminates 1.800.746.6483	Formica Laminates 1.800.367.6422
Nevamar Laminates 1.800.638.4380	

Additional plastic laminate codes may be acceptable for use on Krug furniture, however, they could be subject to an additional upcharge or extended lead time due to material complexity. High sheen plastic laminates are not acceptable for application on Krug furniture due to their inherent nature of scratching and marring during the production process.

Dual Laminates

Two laminate colors can be combined on the same unit, with one laminate color on the worksurface and another laminate on the rest of the unit, at no upcharge. Combinations of more than one laminate in the body of the unit are not available.


ARTEMIS LAMINATE | TABLE OF CONTENTS

639	LEED CI Credit Summary	699	Wardrobes
639	level® Certification, Air Emissions and FSC® Certification	700	Modular Tops & Meeting Tables
		701	Modular
640	Laminate - Technical	703	Gallery
641	Laminates	704	Metal Modular Components
642	General Product Specifications		
642	Non-Standard Product Guidelines for Pricing		
643	Edge Detail Profiles		
644	Drawer Pulls & Locks		
645	Power Management		
648	Laminate Worksurface Credenza Specifications		
647	Linking Unit & Corner Unit Specifications		
647	Hutch, Overhead & Tackboard Specifications		
647	Tasklights & Installation		
648	Filing Instructions		
649	Installation		
650	Sample Configurations		
652	Desks		
675	Credenzas		
662	Returns		
673	Linking		
682	Overheads		
683	Overhead Tackboards		
684	Hutches		
687	Hutch Tackboards		
688	Paper Managers & Modular Pedestals		
690	Keyboard Tray & Cable Management		
690	Accessories & Power Management		
693	Bookcases		
694	Storage		

ARTEMIS LAMINATE | LEED CI CREDIT SUMMARY



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point(s)
CREDIT 4.1	Recycled Content	1 point(s)
CREDIT 4.2	Recycled Content	1 point(s)
CREDIT 4.4	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point(s)
CREDIT 5.1	Regional Materials*	1 point(s)
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point(s)

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® Certification

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Artemis Laminate products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



FSC
www.fsc.org
FSC® C021899

The mark of responsible forestry

Air Emissions

All Artemis products are supplied air emissions certified. Contact customer service for information and upcharges.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Artemis and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification)

Both FSC® certification types may require upcharges, and often require additional lead time. Contact customer service for further information, pricing and leadtimes.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

LAMINATE - TECHNICAL SPECIFICATIONS

(All references to "Laminate" in this price list mean thermofused melamine. This material is also known as low-pressure laminate or Laminate)

PROPERTIES	DESCRIPTION	NEMA STANDARDS * (LD 3-2005)	KRUG'S PROGRAM
Wear Resistance	Measure of the ability of the surface to keep its design or color under abrasive wear	400 cycles	400 cycles - Solid Colors 125 cycles - Prints
Appearance	Presence of visual defects on decorative surface	No surface defects	No surface defects
Scratch Resistance	Measure of the ability of decorative surface to scratch by diamond tip tool	n/a	3.4 N
Stain Resistance	Measure of the ability of the decorative surface to resist to stain when exposed to 15 household products (see list below of products tested)	1 to 10 no effect 11 to 15 moderate (difficult to perceive the stain)	1 to 10 no effect 11 to 15 moderate
Cleanability	Measure of the ability of a decorative surface to be cleaned when exposed to 15 soiling agents (See list below)	Maximum 20	Maximum 20
Light Resistance	Measure of the ability of a decorative surface to retain its color when exposed to a light source close to sunlight	Slight	Slight
High Temperature Resistance	Measure of the ability of a decorative surface to maintain its color and aspect when exposed to high temperature	Slight	Slight
Radiant Heat Resistance	Measure of the ability of a decorative surface to resist any damage when exposed to a radiant heat source	No effect after 60 seconds	No effect after 60 seconds
Boiling Water Resistance	Measure of the ability of a decorative surface to resist any damage when exposed to boiling water for 20 minutes	No effect	No effect
Impact Resistance	Measure of the maximal falling height of a steel ball that does not cause fracture to the decorative surface	381 mm/n 15 in	381 mm/n 15 in
Fire Resistance	Measure of flame spread rating under controlled conditions	n/a	Class III
Warping	Measure of the maximal departure of the surface from flatness	n/a	3 mm/m

STAIN RESISTANCE (see above)
products tested:

STAIN	PREPARATION NOTES	APPLICATION
1. Distilled Water	As received	Apply 2 drops (6 mm spot) cover with watch glass
2. Ethyl Alcohol Solution	A solution of 50% ethyl alcohol and 50% distilled water as received	As above
3. Acetone	As received	As above
4. Household Ammonia	As received (non-sudsing type)	As above
5. 10% Citric Acid	A solution of 10% citric acid in distilled water	As above
6. Vegetable Oil	As received	As above
7. Fresh Coffee	1 teaspoon instant coffee per 180 ml of distilled water	As above
8. Fresh Tea	Brew 1 tea bag per 120 ml distilled boiling water for 2 minutes	As above
9. Ketchup	As received	As above
10. Yellow Mustard	As received	As above
11. 10% Povidone Iodine	As received	As above
12. Black Permanent Marker	As received	Mark spot (6 mm spot), do not cover
13. #2 Pencil	As received	As above
14. Wax Crayon	As received	As above
15. Black Paste Shoe Polish	As received	Apply (6 mm spot) do not cover

* NEMA is the recognized standard for high-pressure laminates.

HIGH-PRESSURE WORKSURFACE LAMINATE - TECHNICAL SPECIFICATIONS

PHYSICAL PROPERTIES	NEMA LD3-2005	STANDARD HPLs
Appearance	3.1	No ABC Defects
Light Resistance	3.3	Slight
Cleanability	3.4	20 (maximum)
Stain Resistance (see Products Tested on previous page) Reagents 1-10 Reagents 11-15	3.4	No Effect Moderate
Boiling Water Resistance	3.5	Slight
High Temperature Resistance	3.6	Slight
Ball Impact Resistance - mm - in	3.8	762 (minimum) 30 (minimum)
Radiant Heat Resistance - sec	3.10	100 (minimum)
Dimensional Change Machine Direction - % Cross Direction - %	3.11	1.1 (maximum) 1.4 (maximum)
Wear Resistance - cycles	3.13	400 (minimum)

LAMINATES

Krug defines “**Laminate**” as Low-Pressure Laminate or LPL. Artemis Laminate Casegoods are constructed using low-pressure laminate. High pressure worksurfaces are also available when specified.

In-Stock Laminate

Krug's in-stock Laminates are available in 16 different laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular solid shades and 4 Exotic laminates offering a distinguished appearance. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface.

In-Stock Laminates

Wood Grain Laminate

Name & Number	Supplier	Wood Grain HPL (Worksurface Option Only) Name & Number	Supplier	Polymer Edge Names
Corretto Cherry W288	Panolam	Corretto Cherry HP-288-N	Pionite	Corretto Cherry
Mocha Cherry W341	Panolam	Mocha Cherry HP-341-N	Pionite	Mocha Cherry
Monticello Maple L308	Tafisa	Monticello Maple 7925	Wilsonart	Monticello Maple
Nightfall W292	Panolam	Nightfall WX421-N	Pionite	Nightfall
Samba Cherry L460	Tafisa	Samba Cherry T460	Arborite	Samba Cherry
Shiraz Cherry L472	Tafisa	Shiraz Cherry T472	Arborite	Shiraz Cherry
Sugarloaf Maple L630	Tafisa	Sugarloaf Maple T630	Arborite	Sugarloaf Maple

Solid Laminate

Name & Number	Supplier	Solid Laminate HPL (Worksurface Option Only) Name & Number	Supplier	Polymer Edge Names
Almond S445	Tafisa	Almond T445	Pionite	Almond
Black L203	Tafisa	Black T203	Arborite	Black
Shadows L201	Tafisa	Shadows T201	Arborite	Shadow
White L175	Tafisa	White D354-60	Wilsonart	White

Exotic Laminate

Name & Number	Supplier	Exotic Laminate HPL (Worksurface Option Only) Name & Number	Supplier	Polymer Edge Names
Backwoods Sycamore W689	Panolam	Backwoods Sycamore HP689-N	Pionite	Backwoods Sycamore
Edgewood Sycamore W690	Panolam	Edgewood Sycamore HP690-N	Pionite	Edgewood Sycamore
Gunstock Walnut W190	Panolam	Gunstock Walnut WW971-N	Pionite	Gunstock Walnut
Thunderstorm W359	Panolam	Thunderstorm HP359-N	Pionite	Thunderstorm

Dual Laminates

Two laminate colors can be combined on the same unit, with one laminate color on the worksurface and another laminate on the rest of the unit, at no upcharge. Combinations of more than one laminate in the body of the unit are not available.

ARTEMIS LAMINATE | GENERAL PRODUCT SPECIFICATIONS

Work Surfaces

Laminate worksurfaces are 1-1/4" thick, and have thermally fused laminate applied to particle board core. High Pressure plastic Laminate (HPL) worksurfaces are 1-1/8" thick, and have plastic laminate applied to particle board core, with a laminate backer. All worksurface height tops have profiled edges on all sides, except when using the M profile in a polymer edge on a laminate top. In this case the profile appears on the front and back sides only on desks. On credenza, return, linking unit, and 2 hi storage unit tops the side and back edges are not profiled (see page 644).

Modesty Panels

Modesty panels are standard on all desks, and optional on shaped tops, returns, linking units and credenzas.

Metal Legs

The metal legs in Artemis Laminate have a silver metallic finish.

Locks

Locks are standard on all pedestals and storage unit lateral file drawers. Locks are optional on door fronts and must be specified at time of order. All lock cores are silver. Locks are not available on glass doors.

Latches

Bookcase doors are equipped with touch latches mounted inside the top edge of the door when no pulls are specified. Pier hutches have an option of a pull on the pier door only, touch latched will not be provided.

Drawers

Desk box and file drawers have fully progressive full extension slides and are load rated at 125 lbs. per drawer. All drawer interiors are maple print components with a 1/4" matching laminate bottom. All file drawers are equipped for letter and legal filing. All box/box/file pedestals in desks are supplied with one molded black pencil tray.

Glides

Adjustable glides are 1-1/2" long and allow for a range of adjustment of 1 1/4".

Hinges

Hinges on all hutch, overhead and bookcase laminate doors are European style with 165 degree opening. Frosted glass doors have 105 degree opening. All hinges are fully adjustable.

Pulls

All pulls are die cast with a choice of silver metallic powder coat and grey metallic powder coat finish options. Pulls are supplied on all drawers.

Metal Cabinets

Steel frame construction is welded and channels are formed in key areas for strength. Inner frame is 20 gauge metal. Fronts, tops, outer panels are 20 and 22 gauge steel. **Standard PAINT FINISH** • Silver Metallic Powder Coat • Additional colors are available upon request.

Testing Information

Artemis Laminate meets or exceeds the testing requirements of ANSI / BIFMA X5.5-2008 and/or X5.9-2004.



NON-STANDARD PRODUCT GUIDELINES FOR PRICING

PRICING METHODS

Customer widths: Apply the price that is one standard size larger than the desired case size (but same depth). Example: required dimension is 74" x 24", so take the price of the 78" x 24" unit. Custom depths: Apply the price of the same unit one size deeper (but same width). Example: required dimension is 72" x 26", so take the price of the 72" x 30" unit. Custom width & depth: Apply the price of the same unit both one size wider and one size deeper.

Example: required dimension is 74" x 26", so take price of the first standard size above 84" x 30" unit.

Custom height of desk height cases: Add	18% (31-32" HI)
Grommets in non-standard positions, add:	\$263 list
To remove hutch or overhead doors, deduct:	4% list
Bookcase with optional pull out printer shelf, add:	\$165 list
Bookcase with optional vent in back (includes 2 vents and 1 grommet), add:	\$210 list
2 lateral file and 3 or 4 closed shelves - convert to half open, half closed shelves, add:	15% list
2 lateral file and 3 or 4 closed shelves - convert to half open, half wardrobe, add:	15% list
To remove storage doors for open shelves, deduct:	4% list

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than largest shown in Price List.

Glass door – any style.

Cases with curvilinear tops where the radius becomes non-standard.

Please contact Specials Coordinator or Krug Customer Service at 1.888.578.KRUG if you require assistance.

PLEASE NOTE: Cases with non-standard features do not apply to the rules above. Contact Krug Customer Service if you require assistance.

EDGE PROFILES




Flat Edge - T




Radius Edge - D

T and D Profiles Polymer Edge


The T and D profiles are applied to all edges of Desks, Credenzas, Curvilinear Desks, Returns, Linking Units, Corner Units, Bookcase and 2 Hi Storage Units tops. Plan views of each are shown below.





Desks




Returns and Linking Units



Credenza



Curvilinear Desks



Corner Units




Fluted Edge - M

M - Fluted Profile Polymer Edge

Fluted Profiles are only available when using Woodgrain Laminates, fluted profiles are not available when using Solid or Exotic Laminates. Desks and Curvilinear Desks have the fluted profile on the front and back edges. Corner Tops, Credenzas, Returns, Linking Units, Corner Units, and 2 hi Storage Units and 2 Hi Bookcases have the fluted profile on the front edge only. Plan views of each are shown below.




Desks



Corner Tops



Credenza &
Linking Units
Returns
2 hi Storage Units
2 hi Bookcases




Corner Units




Curvilinear Desks

ARTEMIS LAMINATE | PULLS & LOCKS


Drawer Pulls




Athena




Diana



Hera



Sono



Finger Pull - Metal Cases Only

Artemis pulls are available in two standard finishes - SILVER METALLIC and GRAY METALLIC. Please specify finish color on purchase order. Artemis pulls are standard on drawer fronts and can be specified on doors. See below for orientation of pulls.

Doors with Pulls Above		Doors with Pulls Below		Pulls on All Drawer Fronts:	
Work Surface Height:		Work Surface Height:			
Athena	Vertical	Athena	Vertical	Athena	Vertical
Diana	Vertical	Diana	Horizontal	Diana	Horizontal
Hera	Vertical	Hera	Horizontal	Hera	Horizontal
Sono	Vertical	Sono	Horizontal	Sono	Horizontal

Artemis Metal Pedestals will be supplied with a finger pull as standard. Diana, Hera and Sono pulls can be specified for metal drawer fronts at no up-charge. Athena pulls will not be available on metal fronts.

Locks

Locks are provided as standard features on all pedestals, except bookcase pedestals, including those in desks, credenzas, and lateral file storage units. Satin Aluminum lock plugs are located on the fronts of all cases.

Locks are available on the bookcase doors at an upcharge of \$105 list per set of (2) doors, please specify at time of order. If a hutch or overhead has an uneven amount of doors the single lock required is also \$105. Lock plugs for bookcase doors are generally located on the top inside corner of the door front. Lock plugs for hutch and overhead doors are generally located on the lower inside corners. Suites can be keyed alike at no upcharge, please specify on purchase order.

ARTEMIS LAMINATE | POWER MANAGEMENT

GROMMETS - Optional (Top Only)

All cases may be specified with one grommet in a standard position at no upcharge. A \$105 list upcharge will apply to additional grommets in standard positions and for grommets requested in non-standard positions a \$263 list upcharge will apply.

The grommet position must be indicated for each case on the order. Please specify location of grommet when ordering.



GROMMETS - Round

A round grommet in a satin metallic finish with an open and shut mouse hole serves to provide cable passage for areas not requiring a large opening. The grommet position must be indicated for each case on the order. Please specify location of grommet when ordering.

Grommets can be field installed with a power drill, 60 mm hole saw. Please keep in mind the location of the grommets when specifying paper managers or pier hutches for use with worksurfaces. For example, a papermanager on the left-hand side may be used with a "C", "BR" or "AR" grommet.

POWERPORT

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. It includes a UL approved electrical, voice and data power bar, containing two 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes. 3 data versions are available, please see page 688 for options.




PORT

A service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices.

76PDVM (Power/ Data/ Voice Module)


The worksurface mounted 76PDVM can be specified to a standard location that best serves the user's needs. It is CSA/UL approved, and comes with 2 - 115 volt electrical convenience outlets, 1 - RJ 11 communication port, and 1 - RJ 45 data port.

Please keep in mind the location of Powerports, Ports, and 76PDVM's when specifying paper managers or pier door hutches for use with worksurfaces. For example, a paper manager or a pier on the left-hand side may be use with a "C", "BR", or "AR" Power port.




Standard Grommet & PowerPort Positions

Desks, Credenzas, Link Units & Returns



30" deep desks:
Position Code:
AL – left corner
BL – left end beside pedestal gable
C – center
BR – right end beside pedestal gable
AR – right corner




36" deep desks:
Position Code:
AL – left corner
BL – left end beside pedestal gable
C – center
BR – right end beside pedestal gable
AR – right corner

"BR" and "BL" are only available on tops 60" or longer.

Curvilinear Top Grommets & PowerPorts

"AL" and "AR" are the only grommet and PowerPort locations that apply to **curvilinear returns**. Please note these locations are not applicable on the 36" deep top and fixed modesty panel.

Guest Side




Guest Side



Position code:
AL - left corner on right hand return
AR - right corner on left hand return

Curvilinear desk grommets and PowerPorts can only be specified in "C" position.



User Side



User Side




User Side

Position Code: C center

Crescent Return Grommets

PowerPorts are not available on Crescent returns.



Position Code:
AL - left corner on return
AR - right corner on return



ARTEMIS LAMINATE | LAMINATE WORKSURFACES

Laminate Worksurfaces


Standard Artemis laminate casegoods will have low pressure laminate worksurfaces and a low pressure laminate chassis. Optional high pressure laminate worksurfaces are available.

Worksurfaces are available with the following options:

- 1) Laminate with Polymer Edge
- 2) High Pressure Laminate (**HPL**) with Polymer Edge.




The grain direction runs lengthwise on all worksurfaces .



The diagram below illustrates the placement of laminate on Krug worksurfaces. The shaded areas represent laminate, while the non-shaded area indicates the polymer edge.

Grain Direction: All components have vertical grain direction except, there will be a horizontal grain on hutch back panels, half modesty panels on desk returns, returns with curvilinear tops, and credenza shell backs. Desk shells, desk returns, gallery desks and linking units incorporate split panels in order to maintain vertical grain direction.


ARTEMIS LAMINATE | CREDENZAS



Credenzas

Artemis Laminate offers a wide variety of credenzas for use as stand alone storage pieces, part of a connected worksurface configuration, or behind a desk.


Choose from single or double pedestal options, with fixed or hinged modesty panel.



Modesty Panels

Credenzas with hinged modesty panels provide easy access to wall mounted electrical sources without wiring difficulties.


Credenzas with modesty panels have an added finished look, and all cases are available with a wiring grommet in a standard position for added cable management, please specify on your order. Wiring grommets can be specified above the pedestal location.



Pedestals

Artemis Laminate credenzas are available with single, lateral file, combination pedestals or bookcase pedestals.


ARTEMIS LAMINATE | LINKING & CORNER UNITS



Artemis Laminate linking units and corner units are available in a range of sizes for ease of use in configuring a connected worksurface.

Linking Units

Linking Units are for use between desks and credenzas in creating a U-shaped configuration, and must be supported at both ends. They are available with or without modesty panels.




Corner Units

A corner unit can also be used on a U-shaped configuration, or it can be an integral part of a L-shaped work area with returns or linking units linked to either side.

Corner units have a standard grommet included in the back corner for ease of cable management, and have additional wire management access grommets in the half gables so that cable can be run to other areas of the connected worksurface. This can be assisted by a cut length of wire management cover.

ARTEMIS LAMINATE | HUTCHES, OVERHEADS, & TACKBOARDS



Hutches and Overheads

Artemis Laminate offers hutch and overhead options for use in a work area configuration.

All hutches and overheads include tasklights that are factory installed and require no field adjustment. Tasklights are mounted beneath the cabinet and hidden from view.

Selected hutches are available with silver metallic framed frosted glass doors.

Doors

Doors are equipped with fully adjustable European style hinges. Locks are optional and can be specified at time of order for an upcharge of \$105 per set of (2) doors. If an uneven amount of doors require locks, the lock on the single door is \$56. Locks are not available on glass doors.



Hutch Power/ Data/ Voice Module

Access to power and data is made simple by using a hutch with a power/data/voice module built right into the tackboard. The module is fully installed at the factory but can be removed to connect data links on site. It features a flip door that retracts into the case of the unit when open.

Tackboards

Please note, not all fabrics are suitable for tackboard application. Tackboard fabric selections should be supplied with the order information.


Tackboards are not included with overheads, see page 683 for pricing. Overhead tackboards include wall mounting hardware and instructions.

Only hutches and overhead tackboards in Krug panel fabrics are available on *KrugExpress*.

Tasklights

Tasklights are included with hutches and overheads. On hutches, the tasklight cord is threaded behind the hutch through a standard access grommet on the upper right hand side of the back panel.

Tasklights are installed on the underside of overhead units. Cords run down the right hand side of the tasklight to the worksurface where they can be routed behind the worksurface top. The use of a wall mounted Overhead tackboard conceals the cord from view.



Installation

Hutch and overhead installation instructions are included with every case or can be found in this guide on page 649. All mounting hardware required is included with the product.

ARTEMIS LAMINATE | FILING INSTRUCTIONS

Drawers will be offered for letter and legal size filing. All units are equipped with file bars that are fixed in place for shipping.

Desk Pedestal File Drawers

Filing Capacity:

- 15" drawers
- 21" of letter filing front to back or
- 12" of legal filing side to side
- 22" pedestal drawer depths allow only one row of side to side files.

Weight capacity of pedestal file drawers is 125 lbs.

Credenza and Return Pedestal File Drawers

Filing Capacity:

- 15" drawers
- 15" of letter filing front to back or
- 12" of legal filing side to side
- 16" pedestal drawer depths allow only one row of side to side files.

Weight capacity of pedestal file drawers is 125 lbs.

Credenza, Return or Storage Lateral File Drawers

Filing Capacity:

- 30" wide drawers:
- 30" letter filing front to back, or
- 25" legal filing side to side
- 15" or legal filing front to back.

When filing front to back, 30" lateral file drawer widths allow two rows of letter filing, but only one row of legal file width.

Filing capacity:

- 36" wide drawers:
- 30" letter filing front to back, or
- 36" legal filing side to side, or
- 30" legal filing front to back.

Weight capacity of lateral file drawers is 135 lbs.

Linking Units, Tops and Returns

It is important that the main units (desk, credenza) to which the linking unit or return is being attached be in their final position and leveled.







Units are connected with mending plates under the worksurface from the modesty to the end panels. Attach the mending plates under the worksurface, ensure cases are level and if necessary adjust the glides to achieve flush and firm joints before completing installation of mending plates to the modesty and end panels.

Drawer Removal

Pull drawer and slide out to the full extension position. With index finger, lift up the release lever on the left and press down the release lever on the right side of the drawer (as shown).

Pull out the drawer with the attached drawer channel from the cabinet member.

To re-assemble, insert the drawer through the guide.




ARTEMIS LAMINATE | INSTALLATION

Glide Adjustment

Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide in the hole. Make sure unit is level after adjusting the glides.

Please note that the maximum adjustment range of the glides is 1 1/4" on all laminate units. The maximum adjustment range of the glides is 1 5/8" for metal pedestals, 5/8" for metal bookcases and 7/8" for metal storage cabinets.

When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage.




Hutch Installation

Before installing the hutch, insure that the worksurface has been placed in the final position and leveled. The worksurface should then be moved out a sufficient distance to allow access to the back. It is recommended that the minimum amount of movement be used with the leveling glides extended to prevent damage to the glides.

The hutch comes with self-adhesive foam strips that must be applied to the bottom edge prior to placing the hutch on the credenza. The foam is best applied with the hutch lying on its back. Do not leave any gaps in the foam strip, in order to prevent scratches to the credenza top while placing the hutch.

Place the hutch securely on the worksurface. Try to minimize any movement of the hutch to prevent scratching. Use of a blanket on the front portion of the credenza is recommended.




Using the supplied hardware, screw the flat bracket (A) to the top of the credenza at each end, using the 3/4" screws (B). Swing the bracket up to approximately 60° and place the supplied washer (C) behind the top hole in the bracket. Screw through the bracket and washer into the hutch back with the 3/4" screws (B). Tighten all screws. Move combined hutch and credenza back to final location. Check for level again and adjust as required.

Door Adjustments

Hinges on all bookcase, overhead and hutch doors are designed to be adjusted for depth, horizontal and vertical alignment. This is easily done by adjusting the appropriate screw. See drawing.

To remove a door, pull the release clip and pull out the door, disconnecting hinges.



Overhead Units


The wall mount overhead units must be installed on wall studs. The first step for installation is to locate the studs in the wall where the overhead is to be mounted.

Position the overhead hanger rail on the wall to insure studs line up with pre-drilled holes in the hanger rail and mark the location on the wall.


Drill holes at the marked hole locations. Fasteners are to be provided by the installer, so hole size will be determined by size of fastener chosen. If studs cannot be accessed, then appropriate drywall plugs or butterfly bolts should be used. If the end of the wall rail is further than 3" from a stud, toggle bolts must be fastened through holes 1 and 3. Fasten the mounting rail to the wall insuring that it is level.

Remove the black plugs located on the inside face of the back panel to gain access to the adjusting screws on the hanging brackets. Hang the overhead on the mounting rail. The hanging brackets provide vertical and plumb adjusting screws. Level the cabinet by using these screws. All brackets must be adjusted so that they all support the cabinet. When leveling of the overhead is complete, insert the black plugs in the holes to cover the adjusting screws.



Installation instructions (included with each case) must be followed exactly.





ARTEMIS LAMINATE | SAMPLE CONFIGURATIONS




Model	Price	Material
72RHDR6636LV29M	1196	Laminate
72C72244XL0RF	1389	Laminate
72HTPM721640	1986	Laminate
Total List	4571	




Model	Price	Material
72RHDR7236LX26	1048	Laminate
72C72244XL0RD	1389	Laminate
72OHW721616	1090	Laminate
Total List	3527	





Model	Price	Material
72HTPM721640	1986	Laminate
72C72244XL0RD	1389	Laminate
72LU4224HX46	466	Laminate
72DA7230LV29S6	1483	Laminate
Total List	5324	





ARTEMIS LAMINATE | SAMPLE CONFIGURATIONS






Model	Price	Material
72HTPR721640L11OHXR0	2649	Laminate
72C72244XLORD	1389	Laminate
72RHC7230LS6	869	Laminate
Total List	4908	




Model	Price	Material
72HT721640	1796	Laminate
72C72244XLDR0	1389	Laminate
72LU4224HX46	466	Laminate
72D72364LORF	1653	Laminate
Total List	5304	




Model	Price	Material
72OH721616	1090	Laminate
72C7224LFRB	2005	Laminate
72TD7236M	1450	Laminate
Total List	4545	



ARTEMIS LAMINATE | DESKS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Rectangular Desk Double Pedestal 	72D60304LDRF	1814	2069	59.75	30	29.5	28.5	218	39
	72D60304LFRD	1814	2069	59.75	30	29.5	28.5	218	39
	72D60304LFRF	1814	2069	59.75	30	29.5	28.5	218	39
	72D66304LDRF*	1911	2179	65.75	30	29.5	34.5	224	42.75
	72D66304LFRD	1911	2179	65.75	30	29.5	34.5	224	42.75
	72D66304LFRF	1911	2179	65.75	30	29.5	34.5	224	42.75
	72D66364LDRF	1974	2250	65.75	36	29.5	34.5	236	50
	72D66364LFRD	1974	2250	65.75	36	29.5	34.5	236	50
	72D66364LFRF	1974	2250	65.75	36	29.5	34.5	236	50
	72D72304LDRF	1944	2217	71.75	30	29.5	40.5	246	46.5
	72D72304LFRD	1944	2217	71.75	30	29.5	40.5	246	46.5
	72D72304LFRF	1944	2217	71.75	30	29.5	40.5	246	46.5
	72D72364LDRF	2011	2306	71.75	36	29.5	40.5	248	54.75
	72D72364LFRD**	2011	2306	71.75	36	29.5	40.5	248	54.75
	72D72364LFRF	2011	2306	71.75	36	29.5	40.5	248	54.75
	72D78304LDRF	2016	2312	77.75	30	29.5	46.5	248	50
	72D78304LFRD	2016	2312	77.75	30	29.5	46.5	248	50
	72D78304LFRF	2016	2312	77.75	30	29.5	46.5	248	50
	72D78364LDRF	2115	2426	77.75	36	29.5	46.5	248	59
	72D78364LFRD	2115	2426	77.75	36	29.5	46.5	248	59
	72D78364LFRF	2115	2426	77.75	36	29.5	46.5	248	59
	72D84364LDRF	2252	2583	77.75	36	29.5	54.5	272	63
	72D84364LFRD	2252	2583	77.75	36	29.5	54.5	272	63
	72D84364LFRF	2252	2583	77.75	36	29.5	54.5	272	63

ORDERING NOTES: **Shows overhang on 36" Desks.

Rectangular Desk Single Pedestal 	72D60304LFR0	1346	1601	59.75	30	29.5	43	206	39
	72D60304L0RF	1346	1601	59.75	30	29.5	43	206	39
	72D66304LFR0*	1442	1714	65.75	30	29.5	49	212	42.75
	72D66304L0RF	1442	1714	65.75	30	29.5	49	212	42.75
	72D66364LFR0	1565	1860	65.75	36	29.5	49	224	50
	72D66364L0RF	1565	1860	65.75	36	29.5	49	224	50
	72D72304LFR0	1508	1794	71.75	30	29.5	55	224	46.5
	72D72304L0RF	1508	1794	71.75	30	29.5	55	224	46.5
	72D72364LFR0	1653	1965	71.75	36	29.5	55	236	54.75
	72D72364L0RF	1653	1965	71.75	36	29.5	55	236	54.75
	72D78304LFR0	1619	1926	77.75	30	29.5	61	236	50
	72D78304L0RF	1619	1926	77.75	30	29.5	61	236	50
	72D78364LFR0	1746	2076	77.75	36	29.5	61	242	59
	72D78364L0RF	1746	2076	77.75	36	29.5	61	242	59
	72D84364LFR0	1829	2175	77.75	36	29.5	67	260	63
	72D84364L0RF	1829	2175	77.75	36	29.5	67	260	63

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 643
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 X46 - full height fixed laminate modesty panel
 X36 - 3/4 height fixed laminate modesty panel
 BT - bow top




STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | DESKS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes	
 *KD - 1Box	Rectangular Desk Shell with Full Height Modesty Panel	72SD6030X46	796	1013	30	59.75	29.5	57.5	154	39
		72SD6630X46	845	1075	30	65.75	29.5	63.5	198	42.75
		72SD6636X46	925	1177	36	65.75	29.5	63.5	215	50
		72SD7230X46*	877	1116	30	71.75	29.5	69.5	210	46.5
		72SD7236X46	958	1260	36	71.75	29.5	69.5	228	54.75
		72SD7830X46	1000	1273	30	77.75	29.5	75.5	210	46.5
		72SD7836X46	1042	1371	36	77.75	29.5	75.5	241	59
		72SD8436X46	1136	1446	36	78.75	29.5	81.5	254	63
 *KD - 1Box	Rectangular Desk Shell with 3/4 Height Modesty Panel	72SD6030X36	796	1013	30	59.75	29.5	57.5	146	39
		72SD6630X36	845	1075	30	65.75	29.5	63.5	198	42.75
		72SD6636X36	925	1177	36	65.75	29.5	63.5	215	50
		72SD7230X36	877	1116	30	71.75	29.5	69.5	210	46.5
		72SD7236X36*	958	1219	36	71.75	29.5	69.5	228	54.75
		72SD7830X36	1000	1273	30	77.75	29.5	75.5	210	46.5
		72SD7836X36	1042	1327	36	77.75	29.5	75.5	241	59
		72SD8436X36	1136	1446	36	78.75	29.5	81.5	254	63
	Bow Top Option	BT72D6030	141	187	59.75	36	-	68	1	
		BT72D6630	148	197	65.75	36	-	73	1.25	
		BT72D6636	155	205	65.75	42	-	84	1.25	
		BT72D7230*	162	216	71.75	36	-	79	1.5	
		BT72D7236	167	221	71.75	42	-	91	1.5	
		BT72D7830	169	229	77.75	36	-	94	1.5	
		BT72D7836	172	232	77.75	42	-	98	1.5	
		BT72D8430	174	448	83.75	36	-	101	1.75	
		BT72D8436	175	452	83.75	42	-	105	1.75	

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
X46 - full height fixed laminate modesty panel
X36 - 3/4 height fixed laminate modesty panel
BT - bow top




STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | DESKS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Arc Desk with Square Laminate Leg and no Modesty Panel 	72DA6630S6	792	1017	65.75	30	29.5	38	126	42.75
	72DA6636S6	874	1122	65.75	36	29.5	35	146	50
	72DA7230S6*	827	1062	71.75	30	29.5	44	132	46.5
	72DA7236S6	897	1151	71.75	36	29.5	41	155	54.75
	72DA7830S6	936	1202	77.75	30	29.5	50	141	50
	72DA7836S6	966	1239	77.75	36	29.5	47	163	59
	72DA8430S6	1066	1368	83.75	30	29.5	56	154	53.75
	72DA8436S6	1097	1408	83.75	36	29.5	53	178	63
*KD - 2 Boxes									
Arc Desk with Square Laminate Leg and 1/2 Height Floating Modesty Panel 	72DA6630LV26S6	888	1122	65.75	30	29.5	38	135	42.75
	72DA6630RV26S6	888	1122	65.75	30	29.5	38	135	42.75
	72DA7230LV26S6	923	1166	71.75	30	29.5	44	142	46.5
	72DA7230RV26S6*	923	1166	71.75	30	29.5	44	142	46.5
	72DA7830LV26S6	1072	1353	77.75	30	29.5	50	150	50
	72DA7830RV26S6	1072	1353	77.75	30	29.5	50	150	50
	72DA8430LV26S6	1217	1536	83.75	30	29.5	56	158	53.75
	72DA8430RV26S6	1217	1536	83.75	30	29.5	56	158	53.75
*KD - 2 Boxes									
Arc Desk with Square Laminate Leg and 1/2 Height Fixed Modesty Panel 	72DA6636X26S6	917	1157	65.75	36	29.5	35	148	50
	72DA7236X26S6*	940	1180	71.75	36	29.5	41	158	54.75
	72DA7836X26S6	993	1233	77.75	36	29.5	47	168	59
	72DA8436X26S6	1175	1415	83.75	36	29.5	53	186	63
*KD - 2 Boxes									

ORDERING NOTES:

Curvilinear/Curved corner desks are not stand alone cases. They must be used in conjunction with returns or linking units. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630D8. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630P6. If ordering at pencil drawer or keyboard for any curvilinear style desk on pages 653 -658, please see page 690 for details.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
S6 - square Laminate leg
V29 - 1/2 height floating Laminate modesty panel
V26 - 1/2 height floating Laminate modesty panel
X26 - 1/2 height fixed Laminate modesty panel




STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | DESKS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Arc Desk with Square Laminate Leg and 1/2 Height Floating Acrylic Modesty Panel 	72DA6630LV29S6	1317	1511	65.75	30	29.5	38	131	42.75
	72DA6630RV29S6	1317	1511	65.75	30	29.5	38	131	42.75
	72DA6636LV29S6	1343	1540	65.75	36	29.5	35	150	50
	72DA6636RV29S6	1343	1540	65.75	36	29.5	35	150	50
	72DA7230LV29S6	1483	1701	71.75	30	29.5	44	138	46.5
	72DA7230RV29S6	1483	1701	71.75	30	29.5	44	138	46.5
	72DA7236LV29S6	1499	1719	71.75	36	29.5	41	160	54.75
	72DA7236RV29S6*	1499	1719	71.75	36	29.5	41	160	54.75
	72DA7830LV29S6	1559	1870	77.75	30	29.5	50	147	50
	72DA7830RV29S6	1559	1870	77.75	30	29.5	50	147	50
	72DA7836LV29S6	1637	1964	77.75	36	29.5	47	169	59
	72DA7836RV29S6	1637	1964	77.75	36	29.5	47	169	59
	72DA8430LV29S6	1839	2207	83.75	30	29.5	56	162	53.75
	72DA8430RV29S6	1839	2207	83.75	30	29.5	56	162	53.75
	72DA8436LV29S6	1881	2256	83.75	36	29.5	53	186	63
	72DA8436RV29S6	1881	2256	83.75	36	29.5	53	186	63
Bullet Desk with Square Laminate Leg and no Modesty Panel 	72DB6030S6	765	982	59.75	30	29.5	32	117	39
	72DB6036S6	795	1020	59.75	36	29.5	29	135	46
	72DB6630S6	792	1017	65.75	30	29.5	38	124	42.75
	72DB6636S6	874	1122	65.75	36	29.5	35	144	50
	72DB7230S6*	827	1062	71.75	30	29.5	44	130	46.5
	72DB7236S6	897	1198	71.75	36	29.5	44	153	54.75
	72DB7830S6	878	1127	77.75	30	29.5	50	130	46.5
	72DB7836S6	930	1252	77.75	36	29.5	50	161	59
	72DB8430S6	1011	1298	83.75	30	29.5	56	130	46.5
	72DB8436S6	1080	1432	83.75	36	29.5	56	176	63
Bullet Desk with Square Laminate Leg and 1/2 Height Floating Laminate Modesty Panel 	72DB6030LV26S6	863	1090	59.75	30	29.5	32	127	39
	72DB6030RV26S6	863	1090	59.75	30	29.5	32	127	39
	72DB6630LV26S6	889	1123	65.75	30	29.5	38	135	42.75
	72DB6630RV26S6	889	1123	65.75	30	29.5	38	135	42.75
	72DB7230LV26S6	925	1168	71.75	30	29.5	44	144	46.5
	72DB7230RV26S6*	925	1168	71.75	30	29.5	44	144	46.5
	72DB7830LV26S6	942	1189	77.75	30	29.5	50	153	50
	72DB7830RV26S6	942	1189	77.75	30	29.5	50	153	50
	72DB8430LV26S6	1090	1377	83.75	30	29.5	56	167	53.75
	72DB8430RV26S6	1090	1377	83.75	30	29.5	56	167	53.75

ORDERING NOTES:

Curvilinear/Curved corner desks are not stand alone cases. They must be used in conjunction with returns or linking units. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630D8. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630P6. If ordering at pencil drawer or keyboard for any curvilinear style desk on pages 654-659, please see page 689 for details.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 643
- 4) Pull style and color.
- 5) Grommet location and style if applicable

*Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

L - left-handed position
 R - right-handed position
 S6 - square Laminate leg
 V29 - 1/2 height floating Laminate modesty panel
 V26 - 1/2 height floating Laminate modesty panel
 X26 - 1/2 height fixed Laminate modesty panel

STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.


ARTEMIS LAMINATE | DESKS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Bullet Desk with Square Laminate Leg and 1/2 Height Fixed Laminate Modesty Panel	72DB6036X26S6	769	1012	59.75	36	29.5	38.5	134	46
	72DB6636X26S6	792	1041	65.75	36	29.5	44.5	146	50
	72DB7236X26S6*	827	1122	71.75	36	29.5	50.5	156	54.75
	72DB7836X26S6	877	1199	77.75	36	29.5	56.5	166	59
	72DB8436X26S6	1022	1344	83.75	36	29.5	62.5	176	63




*KD - 2 Boxes

Bullet Desk with Square Laminate Leg and 1/2 Height Floating Acrylic Modesty Panel	72DB6030LV29S6	1187	1411	59.75	30	29.5	32	121	39
	72DB6030RV29S6	1187	1411	59.75	30	29.5	32	121	39
	72DB6036LV29S6	1264	1503	59.75	36	29.5	32	135	46
	72DB6036RV29S6	1264	1503	59.75	36	29.5	32	135	46
	72DB6630LV29S6	1220	1450	65.75	30	29.5	38	129	42.75
	72DB6630RV29S6*	1220	1450	65.75	30	29.5	38	129	42.75
	72DB6636LV29S6	1300	1546	65.75	36	29.5	38	148	50
	72DB6636RV29S6	1300	1546	65.75	36	29.5	38	148	50
	72DB7230LV29S6	1386	1648	71.75	30	29.5	44	136	46.5
	72DB7230RV29S6	1386	1648	71.75	30	29.5	44	136	46.5
	72DB7236LV29S6	1467	1744	71.75	36	29.5	44	158	54.75
	72DB7236RV29S6	1467	1744	71.75	36	29.5	44	158	54.75
	72DB7830LV29S6	1442	1714	77.75	30	29.5	50	145	50
	72DB7830RV29S6	1442	1714	77.75	30	29.5	50	145	50
	72DB7836LV29S6	1490	1834	77.75	36	29.5	50	167	59
	72DB7836RV29S6	1490	1834	77.75	36	29.5	50	167	59
	72DB8430LV29S6	1594	1895	83.75	30	29.5	56	160	53.75
	72DB8430RV29S6	1594	1895	83.75	30	29.5	56	160	53.75
	72DB8436LV29S6	1645	1956	83.75	36	29.5	56	184	63
	72DB8436RV29S6	1645	1956	83.75	36	29.5	56	184	63



*KD - 2 Boxes

J Desk with Square Laminate Leg	72DJ7233LS6	966	1251	71.75	33	29.5	36	136	62.75
	72DJ7233RS6	966	1251	71.75	33	29.5	36	136	62.75
	72DJ7833LS6	1019	1319	77.75	33	29.5	42	144	62.75
	72DJ7833RS6	1019	1319	77.75	33	29.5	42	144	62.75
	72DJ8433LS6*	1164	1506	83.75	33	29.5	48	152	72.75
	72DJ8433RS6	1164	1506	83.75	33	29.5	48	152	72.75



*KD - 2 Boxes

ORDERING NOTES:

Curvilinear/Curved corner desks are not stand alone cases. They must be used in conjunction with returns or linking units. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630D8. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630P6. If ordering at pencil drawer or keyboard for any curvilinear style desk on pages 654-659, please see page 689 for details.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
S6 - square Laminate leg
V29 - 1/2 height floating Laminate modesty panel
V26 - 1/2 height floating Laminate modesty panel
X26 - 1/2 height fixed Laminate modesty panel


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.


GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.


ARTEMIS LAMINATE | DESKS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
	72DP6636LS6	942	1258	65.75	36	29.5	32	156	57.75
	72DP6636RS6	942	1258	65.75	36	29.5	32	156	57.75
	72DP7236LS6	966	1311	71.75	36	29.5	38	166	62.75
	72DP7236RS6	966	1311	71.75	36	29.5	38	166	62.75
	72DP7836LS6	1019	1394	77.75	36	29.5	44	173	67.75
	72DP7836RS6	1019	1394	77.75	36	29.5	44	173	67.75
	72DP8436LS6	1164	1567	83.75	36	29.5	50	182	72.75
	72DP8436RS6*	1164	1567	83.75	36	29.5	50	182	72.75

*KD - 2 Boxes

	72DP6636LX26S6	1014	1333	65.75	36	29.5	32	156	57.75
	72DP6636RX26S6	1014	1333	65.75	36	29.5	32	156	57.75
	72DP7236LX26S6	1038	1388	71.75	36	29.5	38	166	62.75
	72DP7236RX26S6	1038	1388	71.75	36	29.5	38	166	62.75
	72DP7836LX26S6	1092	1470	77.75	36	29.5	44	178	67.75
	72DP7836RX26S6	1092	1470	77.75	36	29.5	44	178	67.75
	72DP8436LX26S6	1145	1555	83.75	36	29.5	50	188	72.75
	72DP8436RX26S6*	1145	1555	83.75	36	29.5	50	188	72.75

*KD - 2 Boxes

	72DP6636LV29S6	1442	1745	65.75	36	29.5	32	159	57.75
	72DP6636RV29S6	1442	1745	65.75	36	29.5	32	159	57.75
	72DP7236LV29S6	1599	1934	71.75	36	29.5	38	168	62.75
	72DP7236RV29S6	1599	1934	71.75	36	29.5	38	168	62.75
	72DP7836LV29S6	1658	2007	77.75	36	29.5	44	178	67.75
	72DP7836RV29S6	1658	2007	77.75	36	29.5	44	178	67.75
	72DP8436LV29S6	1809	2189	83.75	36	29.5	50	183	72.75
	72DP8436RV29S6*	1809	2189	83.75	36	29.5	50	183	72.75

*KD - 2 Boxes

ORDERING NOTES:

Curvilinear/Curved corner desks are not stand alone cases. They must be used in conjunction with returns or linking units. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630D8. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630P6. If ordering at pencil drawer or keyboard for any curvilinear style desk on pages 654-659, please see page 689 for details.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 643
- 4) Pull style and color.
- 5) Grommet location and style if applicable

*Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

L - left-handed position
 R - right-handed position
 S6 - square Laminate leg
 V29 - 1/2 height floating Laminate modesty panel
 V26 - 1/2 height floating Laminate modesty panel
 X26 - 1/2 height fixed Laminate modesty panel


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.


GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.


ARTEMIS LAMINATE | DESKS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
 Curved Corner Arc Desk with Square Laminate Leg and no Modesty Panel	72UDA723048L24RS6	1339	1718	71.75	48	29.5	31	192	71
	72UDA723048R24LS6	1339	1718	71.75	48	29.5	31	192	71
	72UDA783048L24RS6	1381	1773	77.75	48	29.5	37	185	76.75
	72UDA783048R24LS6	1381	1773	77.75	48	29.5	37	185	76.75
	72UDA843048L24RS6	1526	1959	83.75	48	29.5	43	191	82
	72UDA843048R24LS6*	1526	1959	83.75	48	29.5	43	191	82

*KD - 2 Boxes

 Curved Corner Arc Desk with Square Laminate Leg and 1/2 Height Floating Laminate Modesty Panel	72UDA723048L24RV26S6	1357	1741	71.75	48	29.5	31	195	71
	72UDA723048R24LV26S6	1357	1741	71.75	48	29.5	31	195	71
	72UDA783048L24RV26S6	1395	1791	77.75	48	29.5	37	205	76.75
	72UDA783048R24LV26S6	1395	1791	77.75	48	29.5	37	205	76.75
	72UDA843048L24RV26S6	1544	1982	83.75	48	29.5	43	223	82
	72UDA843048R24LV26S6*	1544	1982	83.75	48	29.5	43	223	82

*KD - 2 Boxes

 Curved Corner Bullet Desk with Square Laminate Leg and no Modesty Panel	72UDB723048L24RS6	1339	1718	71.75	48	29.5	38	184	71
	72UDB723048R24LS6	1339	1718	71.75	48	29.5	38	184	71
	72UDB783048L24RS6	1381	1773	77.75	48	29.5	44	192	76.75
	72UDB783048R24LS6	1381	1773	77.75	48	29.5	44	192	76.75
	72UDB843048L24RS6	1526	1959	83.75	48	29.5	50	208	82
	72UDB843048R24LS6*	1526	1959	83.75	48	29.5	50	208	82


*KD - 2 Boxes

ORDERING NOTES:


Curvilinear/Curved corner desks are not stand alone cases. They must be used in conjunction with curved corner credenzas, linking units or returns. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630D8. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630P6. If ordering at pencil drawer or keyboard for any curvilinear style desk on pages 654-659, please see page 690 for details.


DIMENSION KEY W - width D - depth H - height of worksurface KW - kneehole width Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical. See page 5 for KrugExpress program.	CODE DESCRIPTION L - left-handed position R - right-handed position S6 - square Laminate leg V29 - 1/2 height floating Laminate modesty panel V26 - 1/2 height floating Laminate modesty panel X26 - 1/2 height fixed Laminate modesty panel	STANDARD FINISHES For a complete list of standard Laminates & HPL, please see page 641. GROMMETS One grommet in standard position is optional at no charge. See page 644 for more power management information.
---	---	---


ARTEMIS LAMINATE | DESKS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Curved Corner Bullet Desk with Square Laminate Leg and 1/2 Height Floating Laminate Modesty Panel 	72UDB723048L24RV26S6	1357	1741	71.75	48	29.5	38	195	71
	72UDB723048R24LV26S6	1357	1741	71.75	48	29.5	38	195	71
	72UDB783048L24RV26S6	1395	1791	77.75	48	29.5	44	205	76.75
	72UDB783048R24LV26S6	1395	1791	77.75	48	29.5	44	205	76.75
	72UDB843048L24RV26S6	1544	1982	83.75	48	29.5	50	223	82
	72UDB843048R24LV26S6*	1544	1982	83.75	48	29.5	50	223	82

*KD - 2 Boxes

Curved Corner P Desk with Square Laminate Leg and no Modesty Panel 	72UDP663648L24RS6	1514	1911	65.75	48	29.5	22	168	65.5
	72UDP663648R24LS6	1514	1911	65.75	48	29.5	22	168	65.5
	72UDP723648L24RS6	1557	1967	71.75	48	29.5	28	177	71
	72UDP723648R24LS6	1557	1967	71.75	48	29.5	28	177	71
	72UDP783648L24RS6	1600	2020	77.75	48	29.5	34	186	76.75
	72UDP783648R24LS6	1600	2020	77.75	48	29.5	34	186	76.75
	72UDP843648L24RS6	1735	2191	83.75	48	29.5	40	202	82
	72UDP843648R24LS6*	1735	2191	83.75	48	29.5	40	202	82

Curved Corner P Desk with Square Laminate Leg and 1/2 Height Fixed Laminate Modesty Panel 	72UDP663648L24RX26S6	1530	1931	65.75	48	29.5	22	172	65.5
	72UDP663648R24LX26S6	1530	1931	65.75	48	29.5	22	172	65.5
	72UDP723648L24RX26S6	1574	1988	71.75	48	29.5	28	182	71
	72UDP723648R24LX26S6	1574	1988	71.75	48	29.5	28	182	71
	72UDP783648L24RX26S6	1617	2041	77.75	48	29.5	34	192	76.75
	72UDP783648R24LX26S6	1617	2041	77.75	48	29.5	34	192	76.75
	72UDP843648L24RX26S6	1659	2095	83.75	48	29.5	40	204	82
	72UDP843648R24LX26S6*	1659	2095	83.75	48	29.5	40	204	82

Curved Corner Rectangular Top Desk Single Pedestal and Modesty Panel 	72UD723042L24RF	1695	2069	71.75	42	29.5	32	269	62.75
	72UD723042R24LF*	1695	2069	71.75	42	29.5	32	269	62.75
	72UD783042L24RF	1820	2221	77.75	42	29.5	38	279	67.75
	72UD783042R24LF	1820	2221	77.75	42	29.5	38	279	67.75
	72UD843042L24RF	1953	2385	83.75	42	29.5	44	289	72.75
	72UD843042R24LF	1953	2385	83.75	42	29.5	44	289	72.75

*KD - 2 Boxes

ORDERING NOTES:

Curvilinear/Curved corner desks are not stand alone cases. They must be used in conjunction with returns or linking units. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630D8. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630P6. If ordering at pencil drawer or keyboard for any curvilinear style desk on pages 654-659, please see page 690 for details.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 643
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

L - left-handed position
 R - right-handed position
 S6 - square Laminate leg
 V29 - 1/2 height floating Laminate modesty panel
 V26 - 1/2 height floating Laminate modesty panel
 X26 - 1/2 height fixed Laminate modesty panel


STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | DESKS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
	BT72UD723048L*	161	215	71.75	48	-		88	1.25
	BT72UD723048R	161	215	71.75	48	-		88	1.25
	BT72UD783048L	168	228	77.75	48	-		95	5
	BT72UD783048R	168	228	77.75	48	-		95	1.5
	BT72UD843048L	174	237	83.75	48	-		105	1.75
	BT72UD843048R	174	237	83.75	48	-		105	1.75

	72TD6636	1164	1445	65.75	36	29.5	58	198	45.75
	72TD7236*	1326	1647	71.75	36	29.5	64	228	54
	72TD7836	1397	1734	77.75	36	29.5	70	241	58.5
	72TD8436	1468	1817	83.75	36	29.5	76	254	63

*KD - 2 Boxes

	72TD6636M	1322	1613	65.75	36	29.5	62	198	45.75
	72TD7236M*	1450	1769	71.75	36	29.5	68	228	54
	72TD7836M	1487	1831	77.75	36	29.5	74	241	58.5
	72TD8436M	1529	1878	83.75	36	29.5	80	254	63

*KD - 2 Boxes

ORDERING NOTES:

If ordering a pencil drawer or keyboard for any table desk/rectangular return desk, please see page 690 for details.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
X46 - full height fixed Laminate modesty panel
D - 2 file drawers
F - 2 box/ 1 file drawer
M - twin metal legs

STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.


ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Shell Return with Full Height Laminate Modesty Panel	72SRH4224LX46	529	646	42	24	29.5	41	98	23
	72SRH4224RX46*	529	646	42	24	29.5	41	98	23
	72SRH4824LX46	555	678	48	24	29.5	47	108	26
	72SRH4824RX46	555	678	48	24	29.5	47	108	26




*KD - 2 Boxes

Single Pedestal Return with 1/2 Height Fixed Laminate Modesty Panel	72RH4220L4DX26	982	1106	42	20	29.5	26	100	20
	72RH4220L4FX26	982	1106	42	20	29.5	26	100	20
	72RH4220R4DX26	982	1106	42	20	29.5	26	100	20
	72RH4220R4FX26	982	1106	42	20	29.5	26	100	20
	72RH4224L4DX26	1029	1159	42	24	29.5	26	104	23
	72RH4224L4FX26	1029	1159	42	24	29.5	26	104	23
	72RH4224R4DX26*	1029	1159	42	24	29.5	26	104	23
	72RH4224R4FX26	1029	1159	42	24	29.5	26	104	23
	72RH4820L4DX26	1029	1159	48	20	29.5	32	104	22.5
	72RH4820L4FX26	1029	1159	48	20	29.5	32	104	22.5
	72RH4820R4DX26	1029	1159	48	20	29.5	32	104	22.5
	72RH4820R4FX26	1029	1159	48	20	29.5	32	104	22.5
	72RH4824L4DX26	1068	1202	48	24	29.5	32	108	26
	72RH4824L4FX26	1068	1202	48	24	29.5	32	108	26
	72RH4824R4DX26	1068	1202	48	24	29.5	32	108	26
	72RH4824R4FX26	1068	1202	48	24	29.5	32	108	26



Single Pedestal Return with Hinged Laminate Modesty Panel	72RHY4220L4D	1222	1350	42	20	29.5	26	104	20
	72RHY4220L4F	1222	1350	42	20	29.5	26	104	20
	72RHY4220R4D	1222	1350	42	20	29.5	26	104	20
	72RHY4220R4F	1222	1350	42	20	29.5	26	104	20
	72RHY4224L4D	1271	1404	42	24	29.5	26	108	23
	72RHY4224L4F	1271	1404	42	24	29.5	26	108	23
	72RHY4224R4D*	1271	1404	42	24	29.5	26	108	23
	72RHY4224R4F	1271	1404	42	24	29.5	26	108	23
	72RHY4820L4D	1271	1404	48	20	29.5	32	108	22.5
	72RHY4820L4F	1271	1404	48	20	29.5	32	108	22.5
	72RHY4820R4D	1271	1404	48	20	29.5	32	108	22.5
	72RHY4820R4F	1271	1404	48	20	29.5	32	108	22.5
	72RHY4824L4D	1314	1452	48	24	29.5	32	112	26
	72RHY4824L4F	1314	1452	48	24	29.5	32	112	26
	72RHY4824R4D	1314	1452	48	24	29.5	32	112	26
	72RHY4824R4F	1314	1452	48	24	29.5	32	112	26



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
S6 - square Laminate leg
X26 - 1/2 height fixed Laminate modesty panel
X46 - full height Laminate modesty panel
D - 2 file drawers
F - 2 box, 1 file drawer
V26 - 1/2 height floating Laminate modesty panel
V29 - 1/2 height floating acrylic modesty panel
M - metal legs


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.



ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Arc Return with Square Laminate Leg and no Modesty Panel  *KD - 2 Boxes	72RHA4830LS6	596	783	47.75	30	29.5	30.75	58	8.5
	72RHA4830RS6	596	783	47.75	30	29.5	30.75	58	8.5
	72RHA4836LS6	616	836	47.75	36	29.5	27.75	66	9.5
	72RHA4836RS6	616	836	47.75	36	29.5	27.75	66	9.5
	72RHA5430LS6	616	823	53.75	30	29.5	36.75	63	9
	72RHA5430RS6	616	823	53.75	30	29.5	36.75	63	9
	72RHA5436LS6	635	869	53.75	36	29.5	33.75	71	10.5
	72RHA5436RS6	635	869	53.75	36	29.5	33.75	71	10.5
	72RHA6030LS6	635	862	59.75	30	29.5	42.75	68	10
	72RHA6030RS6	635	862	59.75	30	29.5	42.75	68	10
	72RHA6036LS6	655	884	59.75	36	29.5	39.75	77	11.5
	72RHA6036RS6	655	884	59.75	36	29.5	39.75	77	11.5
	72RHA6630LS6	655	884	65.75	30	29.5	48.75	99	10.75
	72RHA6630RS6	655	884	65.75	30	29.5	48.75	99	10.75
	72RHA6636LS6	707	967	65.75	36	29.5	45.75	88	12.5
	72RHA6636RS6	707	967	65.75	36	29.5	45.75	88	12.5
	72RHA7230LS6*	799	1079	71.75	30	29.5	54.75	104	11.5
	72RHA7230RS6	799	1079	71.75	30	29.5	54.75	104	11.5
	72RHA7236LS6	825	1128	71.75	36	29.5	51.75	95	13.5
	72RHA7236RS6	825	1128	71.75	36	29.5	51.75	95	13.5
	72RHA7830LS6	807	1089	77.75	30	29.5	60.75	104	11.5
	72RHA7830RS6	807	1089	77.75	30	29.5	60.75	104	11.5
	72RHA7836LS6	876	1198	77.75	36	29.5	57.75	95	13.5
	72RHA7836RS6	876	1198	77.75	36	29.5	57.75	95	13.5
	72RHA8430LS6	866	1184	83.75	30	29.5	66.75	114	13
	72RHA8430RS6	866	1184	83.75	30	29.5	30.75	114	13
	72RHA8436LS6	944	1292	83.75	36	29.5	63.75	108	15
	72RHA8436RS6	944	1292	83.75	36	29.5	63.75	108	15

ORDERING NOTES:
 All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, please replace "S6" with a "D8" to the existing model number ie: 72RHB6630LD8. All returns with a "S6" at the end of the model number are available with a Panel Leg, please replace "S6" with "P6" in the model number ie: 72RH6630LP6. If ordering a pencil drawer for a curvilinear return please see page 690 for details.

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Laminate color selection 3) Wood edge detail-D or T see page 643 4) Pull style and color. 5) Grommet location and style if applicable * Indicates model illustrated by line drawing * KD- Products are shipped knocked down	CODE DESCRIPTION L - left hand pedestal position R - right hand pedestal position S6 - square Laminate leg X26 - 1/2 height fixed Laminate modesty panel X46 - full height Laminate modesty panel D - 2 file drawers F - 2 box, 1 file drawer V26 - 1/2 height floating Laminate modesty panel V29 - 1/2 height floating acrylic modesty panel M - metal legs	STANDARD FINISHES For a complete list of standard Laminates & HPL, please see page 641. GROMMETS One grommet in standard position is optional at no charge. See page 644 for more power management information.
--	--	--

ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Arc Return with Square Laminate Leg and 1/2 Height Floating Laminate Modesty Panel  *KD - 2 Boxes	72RHA4830LV26S6	684	870	47.75	30	29.5	30.75	67	9
	72RHA4830RV26S6	684	870	47.75	30	29.5	30.75	67	9
	72RHA4836LV26S6	704	912	47.75	36	29.5	27.75	69	10
	72RHA4836RV26S6	704	912	47.75	36	29.5	27.75	69	10
	72RHA5430LV26S6	704	912	53.75	30	29.5	36.75	73	10
	72RHA5430RV26S6	704	912	53.75	30	29.5	36.75	73	10
	72RHA5436LV26S6	723	959	53.75	36	29.5	33.75	75	11
	72RHA5436RV26S6	723	959	53.75	36	29.5	33.75	75	11
	72RHA6030LV26S6	723	959	59.75	30	29.5	42.75	80	11
	72RHA6030RV26S6	723	959	59.75	30	29.5	42.75	80	11
	72RHA6036LV26S6	743	985	59.75	36	29.5	39.75	82	12
	72RHA6036RV26S6	743	985	59.75	36	29.5	39.75	82	12
	72RHA6630LV26S6	743	985	65.75	30	29.5	48.75	128	12
	72RHA6630RV26S6	743	985	65.75	30	29.5	48.75	128	12
	72RHA6636LV26S6	788	1044	65.75	36	29.5	45.75	103	13
	72RHA6636RV26S6	788	1044	65.75	36	29.5	45.75	103	13
	72RHA7230LV26S6	880	1157	71.75	30	29.5	54.75	136	13
	72RHA7230RV26S6*	880	1157	71.75	30	29.5	54.75	136	13
	72RHA7236LV26S6	910	1206	71.75	36	29.5	51.75	110	14
	72RHA7236RV26S6	910	1206	71.75	36	29.5	51.75	110	14
	72RHA7830LV26S6	942	1238	77.75	30	29.5	60.75	145	14
	72RHA7830RV26S6	942	1238	77.75	30	29.5	60.75	145	14
	72RHA7836LV26S6	974	1291	77.75	36	29.5	57.75	117	15
	72RHA7836RV26S6	974	1291	77.75	36	29.5	57.75	117	15
	72RHA8430LV26S6	1009	1326	83.75	30	29.5	66.75	153	15
	72RHA8430RV26S6	1009	1326	83.75	30	29.5	66.75	153	15
	72RHA8436LV26S6	1086	1440	83.75	36	29.5	63.75	124	16
	72RHA8436RV26S6	1086	1440	83.75	36	29.5	63.75	124	16
Arc Return with Square Laminate Leg and 1/2 Height Fixed Modesty Panel  *KD - 2 Boxes	72RHA4836LX26S6	779	1008	47.75	36	29.5	27.75	101	36.5
	72RHA4836RX26S6	779	1008	47.75	36	29.5	27.75	101	36.5
	72RHA5436LX26S6	799	1043	53.75	36	29.5	33.75	111	40.5
	72RHA5436RX26S6	799	1043	53.75	36	29.5	33.75	111	40.5
	72RHA6036LX26S6	818	1067	59.75	36	29.5	39.75	120	44.5
	72RHA6036RX26S6	818	1067	59.75	36	29.5	39.75	120	44.5
	72RHA6636LX26S6	843	1100	65.75	36	29.5	45.75	128	50
	72RHA6636RX26S6	843	1100	65.75	36	29.5	45.75	128	50
	72RHA7236LX26S6	879	1174	71.75	36	29.5	51.75	136	54.75
	72RHA7236RX26S6*	879	1174	71.75	36	29.5	51.75	136	54.75
	72RHA7836LX26S6	929	1251	77.75	36	29.5	57.75	145	57
	72RHA7836RX26S6	929	1251	77.75	36	29.5	57.75	145	57
	72RHA8436LX26S6	985	1337	83.75	36	29.5	63.75	153	63
	72RHA8436RX26S6	985	1337	83.75	36	29.5	63.75	153	63

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, please replace "S6" with a "D8" to the existing model number ie: 72RHB6630LD8. All returns with a "S6" at the end of the model number are available with a Panel Leg, please replace "S6" with "P6" in the model number ie: 72RH6630LP6. If ordering a pencil drawer for a curvilinear return please see page 690 for details.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
S6 - square Laminate leg
X26 - 1/2 height fixed Laminate modesty panel
X46 - full height Laminate modesty panel
D - 2 file drawers
F - 2 box, 1 file drawer
V26 - 1/2 height floating Laminate modesty panel
V29 - 1/2 height floating acrylic modesty panel
M - metal legs


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.



ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Arc Return with Square Laminate Leg and 1/2 Height Floating Acrylic Modesty Panel  *KD - 2 Boxes	72RHA4830LV29S6	921	1124	47.75	30	29.5	27.75	62	8.75
	72RHA4830RV29S6	921	1124	47.75	30	29.5	27.75	62	8.75
	72RHA4836LV29S6	936	1152	47.75	36	29.5	27.75	69	10
	72RHA4836RV29S6	936	1152	47.75	36	29.5	27.75	69	10
	72RHA5430LV29S6	942	1159	53.75	30	29.5	33.75	67	9
	72RHA5430RV29S6	942	1159	53.75	30	29.5	33.75	67	9
	72RHA5436LV29S6	957	1179	53.75	36	29.5	33.75	75	11
	72RHA5436RV29S6	957	1179	53.75	36	29.5	33.75	75	11
	72RHA6030LV29S6	962	1184	59.75	30	29.5	39.75	72	10
	72RHA6030RV29S6	962	1184	59.75	30	29.5	39.75	72	10
	72RHA6036LV29S6	975	1200	59.75	36	29.5	39.75	82	12
	72RHA6036RV29S6	975	1200	59.75	36	29.5	39.75	82	12
	72RHA6630LV29S6	980	1206	65.75	30	29.5	45.75	103	11.5
	72RHA6630RV29S6	980	1206	65.75	30	29.5	45.75	103	11.5
	72RHA6636LV29S6	1066	1312	65.75	36	29.5	45.75	103	13
	72RHA6636RV29S6	1066	1312	65.75	36	29.5	45.75	103	13
	72RHA7230LV29S6	1222	1504	71.75	30	29.5	51.75	110	12
	72RHA7230RV29S6	1222	1504	71.75	30	29.5	51.75	110	12
	72RHA7236LV29S6	1300	1600	71.75	36	29.5	51.75	110	14
	72RHA7236RV29S6*	1300	1600	71.75	36	29.5	51.75	110	14
	72RHA7830LV29S6	1325	1632	77.75	30	29.5	57.75	110	12
	72RHA7830RV29S6	1325	1632	77.75	30	29.5	57.75	110	12
	72RHA7836LV29S6	1349	1661	77.75	36	29.5	57.75	117	15
	72RHA7836RV29S6	1349	1661	77.75	36	29.5	57.75	117	15
	72RHA8430LV29S6	1342	1652	83.75	30	29.5	63.75	124	14
	72RHA8430RV29S6	1342	1652	83.75	30	29.5	63.75	124	14
	72RHA8436LV29S6	1402	1726	83.75	36	29.5	63.75	124	16
	72RHA8436RV29S6	1402	1726	83.75	36	29.5	63.75	124	16

ORDERING NOTES:
 All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, please replace "S6" with a "D8" to the existing model number ie: 72RHB6630LD8. All returns with a "S6" at the end of the model number are available with a Panel Leg, please replace "S6" with "P6" in the model number ie: 72RH6630LP6. If ordering a pencil drawer for a curvilinear return please see page 690 for details.

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Laminate color selection 3) Wood edge detail-D or T see page 643 4) Pull style and color. 5) Grommet location and style if applicable * Indicates model illustrated by line drawing * KD- Products are shipped knocked down	CODE DESCRIPTION L - left hand pedestal position R - right hand pedestal position S6 - square Laminate leg X26 - 1/2 height fixed Laminate modesty panel X46 - full height Laminate modesty panel D - 2 file drawers F - 2 box, 1 file drawer V26 - 1/2 height floating Laminate modesty panel V29 - 1/2 height floating acrylic modesty panel M - metal legs	STANDARD FINISHES For a complete list of standard Laminates & HPL, please see page 641. GROMMETS One grommet in standard position is optional at no charge. See page 644 for more power management information.
--	--	--

ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Bullet Return with Square Laminate Leg and no Modesty Panel  *KD - 2 Boxes	72RHB4830LS6	594	781	47.75	30	29.5	30.75	56	8.75
	72RHB4830RS6	594	781	47.75	30	29.5	30.75	56	8.75
	72RHB4836LS6	600	814	47.75	36	29.5	27.75	63	9
	72RHB4836RS6	600	814	47.75	36	29.5	27.75	63	9
	72RHB5430LS6	612	817	53.75	30	29.5	36.75	61	9
	72RHB5430RS6	612	817	53.75	30	29.5	36.75	61	9
	72RHB5436LS6	625	868	53.75	36	29.5	33.75	69	9.75
	72RHB5436RS6	625	868	53.75	36	29.5	33.75	69	9.75
	72RHB6030LS6	630	855	59.75	30	29.5	42.75	72	10
	72RHB6030RS6	630	855	59.75	30	29.5	42.75	72	10
	72RHB6036LS6	635	869	59.75	36	29.5	39.75	79	11.5
	72RHB6036RS6	635	869	59.75	36	29.5	39.75	79	11.5
	72RHB6630LS6	655	884	65.75	30	29.5	48.75	78	10.75
	72RHB6630RS6	655	884	65.75	30	29.5	48.75	78	10.75
	72RHB6636LS6	707	967	65.75	36	29.5	45.75	85	12.5
	72RHB6636RS6	707	967	65.75	36	29.5	45.75	85	12.5
	72RHB7230LS6*	799	1076	71.75	30	29.5	54.75	84	11.5
	72RHB7230RS6	799	1076	71.75	30	29.5	54.75	84	11.5
	72RHB7236LS6	825	1146	71.75	36	29.5	51.75	96	13.5
	72RHB7236RS6	825	1146	71.75	36	29.5	51.75	96	13.5
	72RHB7830LS6	832	1128	77.75	30	29.5	60.75	103	12.5
	72RHB7830RS6	832	1128	77.75	30	29.5	60.75	103	12.5
	72RHB7836LS6	905	1218	77.75	36	29.5	57.75	116	14
	72RHB7836RS6	905	1218	77.75	36	29.5	57.75	116	14
	72RHB8430LS6	905	1218	83.75	30	29.5	66.75	121	13
	72RHB8430RS6	905	1218	83.75	30	29.5	66.75	121	13
	72RHB8436LS6	987	1349	83.75	36	29.5	63.75	135	15
	72RHB8436RS6	987	1349	83.75	36	29.5	66.75	135	15
Bullet Return with Square Laminate Leg and 1/2 Height Floating Laminate Modesty Panel  *KD - 2 Boxes	72RHB4830LV26S6	656	842	47.75	30	29.5	30	66	9
	72RHB4830RV26S6	656	842	47.75	30	29.5	30	66	9
	72RHB5430LV26S6	681	888	53.75	30	29.5	36	72	9.75
	72RHB5430RV26S6	681	888	53.75	30	29.5	36	72	9.75
	72RHB6030LV26S6	712	926	59.75	30	29.5	42	108	11
	72RHB6030RV26S6	712	926	59.75	30	29.5	42	108	11
	72RHB6630LV26S6	743	977	65.75	30	29.5	48	115	12
	72RHB6630RV26S6	743	977	65.75	30	29.5	48	115	12
	72RHB7230LV26S6	788	1023	71.75	30	29.5	54	122	13
	72RHB7230RV26S6	788	1023	71.75	30	29.5	54	122	13
	72RHB7830LV26S6	834	1096	77.75	30	29.5	60	129	14
	72RHB7830RV26S6*	834	1096	77.75	30	29.5	60	129	14
	72RHB8430LV26S6	974	1281	83.75	30	29.5	66	136	15
	72RHB8430RV26S6	974	1281	83.75	30	29.5	66	136	15

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, please replace "S6" with a "D8" to the existing model number ie: 72RHB6630LD8. All returns with a "S6" at the end of the model number are available with a Panel Leg, please replace "S6" with "P6" in the model number ie: 72RH6630LP6. If ordering a pencil drawer for a curvilinear return please see page 686 for details.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
S6 - square Laminate leg
X26 - 1/2 height fixed Laminate modesty panel
X46 - full height Laminate modesty panel
D - 2 file drawers
F - 2 box, 1 file drawer
V26 - 1/2 height floating Laminate modesty panel
V29 - 1/2 height floating acrylic modesty panel
M - metal legs


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.


GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Bullet Return with Square Laminate Leg and 1/2 Height Fixed Laminate Modesty Panel 	72RHB4836LX26S6	709	933	47.75	36	29.5	27	71	36.5
	72RHB4836RX26S6	709	933	47.75	36	29.5	27	71	36.5
	72RHB5436LX26S6	733	963	53.75	36	29.5	33	78	40.5
	72RHB5436RX26S6	733	963	53.75	36	29.5	33	78	40.5
	72RHB6036LX26S6	758	997	59.75	36	29.5	39	117	46
	72RHB6036RX26S6	758	997	59.75	36	29.5	39	117	46
	72RHB6636LX26S6	810	1065	65.75	36	29.5	45	125	50
	72RHB6636RX26S6	810	1065	65.75	36	29.5	45	125	50
	72RHB7236LX26S6*	843	1109	71.75	36	29.5	51	133	54.75
	72RHB7236RX26S6	843	1109	71.75	36	29.5	51	133	54.75
	72RHB7836LX26S6	926	1218	77.75	36	29.5	57	141	57
	72RHB7836RX26S6	926	1218	77.75	36	29.5	57	141	57
	72RHB8436LX26S6	1017	1338	83.75	36	29.5	63	150	63
	72RHB8436RX26S6	1017	1338	83.75	36	29.5	63	150	63

*KD - 2 Boxes

Bullet Return with Square Laminate Leg and 1/2 Height Floating Acrylic Modesty Panel 	72RHB4830LV29S6	898	1095	47.75	30	29.5	30	60	9
	72RHB4830RV29S6	898	1095	47.75	30	29.5	30	60	10.5
	72RHB4836LV29S6	957	1179	47.75	36	29.5	27	66	10.5
	72RHB4836RV29S6	957	1179	47.75	36	29.5	27	66	10.5
	72RHB5430LV29S6	919	1131	53.75	30	29.5	36	65	9.75
	72RHB5430RV29S6	919	1131	53.75	30	29.5	36	65	11.5
	72RHB5436LV29S6	978	1204	53.75	36	29.5	33	72	11.5
	72RHB5436RV29S6	978	1204	53.75	36	29.5	33	72	11.5
	72RHB6030LV29S6	962	1189	59.75	30	29.5	42	87	10.5
	72RHB6030RV29S6	962	1189	59.75	30	29.5	42	87	10.5
	72RHB6036LV29S6	1009	1242	59.75	36	29.5	39	94	12
	72RHB6036RV29S6	1009	1242	59.75	36	29.5	39	94	12
	72RHB6630LV29S6	980	1206	65.75	30	29.5	48	93	11.5
	72RHB6630RV29S6	980	1206	65.75	30	29.5	48	93	11.5
	72RHB6636LV29S6*	1037	1321	65.75	36	29.5	45	100	13
	72RHB6636RV29S6	1037	1321	65.75	36	29.5	45	100	13
	72RHB7230LV29S6	1222	1504	71.75	30	29.5	54	99	12
	72RHB7230RV29S6	1222	1504	71.75	30	29.5	54	99	12
	72RHB7236LV29S6	1272	1565	71.75	36	29.5	51	107	14
	72RHB7236RV29S6	1272	1565	71.75	36	29.5	51	107	14
	72RHB7830LV29S6	1268	1561	77.75	30	29.5	60	104	13
	72RHB7830RV29S6	1268	1561	77.75	30	29.5	60	104	13
	72RHB7836LV29S6	1346	1657	77.75	36	29.5	57	114	15
	72RHB7836RV29S6	1346	1657	77.75	36	29.5	57	114	15
	72RHB8430LV29S6	1315	1618	83.75	30	29.5	66	110	14
	72RHB8430RV29S6	1315	1618	83.75	30	29.5	66	110	14
	72RHB8436LV29S6	1430	1761	83.75	36	29.5	63	120	16
	72RHB8436RV29S6	1430	1761	83.75	36	29.5	63	120	16

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, please replace "S6" with a "D8" to the existing model number ie: 72RHB6630LD8. All returns with a "S6" at the end of the model number are available with a Panel Leg, please replace "S6" with "P6" in the model number ie: 72RH6630LP6. If ordering a pencil drawer for a curvilinear return please see page 690 for details.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
S6 - square Laminate leg
X26 - 1/2 height fixed Laminate modesty panel
X46 - full height Laminate modesty panel
D - 2 file drawers
F - 2 box, 1 file drawer
V26 - 1/2 height floating Laminate modesty panel
V29 - 1/2 height floating acrylic modesty panel
M - metal legs



STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Crescent Return with Square Laminate Leg  *KD - 2 Boxes	72RHC4830LS6	680	945	47.75	39	29.5		54	8
	72RHC4830RS6	680	945	47.75	39	29.5		54	8
	72RHC5430LS6	713	990	53.75	39	29.5		59	9
	72RHC5430RS6	713	990	53.75	39	29.5		59	9
	72RHC6030LS6	756	1050	59.75	42	29.5		64	10
	72RHC6030RS6	756	1050	59.75	42	29.5		64	10
	72RHC6630LS6	810	1124	65.75	42	29.5		69	10.5
	72RHC6630RS6	810	1124	65.75	42	29.5		69	10.5
	72RHC7230LS6	868	1261	71.75	45	29.5		86	11.5
	72RHC7230RS6*	868	1261	71.75	45	29.5		86	11.5
	72RHC7830LS6	1049	1455	71.75	45	29.5		92	12.5
	72RHC7830RS6	1049	1455	71.75	45	29.5		92	12.5
	72RHC8430LS6	1143	1587	83.75	48.75	29.5		95	13
	72RHC8430RS6	1143	1587	83.75	48.75	29.5		95	13
J Return with Square Laminate Leg  *KD - 2 Boxes	72RHJ4833LS6*	695	913	33	47.75	29.5		128	11.5
	72RHJ4833RS6	695	913	33	47.75	29.5		128	11.5
	72RHJ5433LS6	726	970	33	53.75	29.5		128	11.5
	72RHJ5433RS6	726	970	33	53.75	29.5		128	11.5
	72RHJ6033LS6	751	1019	33	59.75	29.5		128	11.5
	72RHJ6033RS6	751	1019	33	59.75	29.5		128	11.5
	72RHJ6633LS6	781	1069	33	65.75	29.5		128	11.5
	72RHJ6633RS6	781	1069	33	65.75	29.5		128	11.5
	72RHJ7233LS6	812	1110	33	71.75	29.5		135	12.5
	72RHJ7233RS6	812	1110	33	71.75	29.5		135	12.5
	72RHJ7833LS6	986	1338	33	77.75	29.5		139	13.5
	72RHJ7833RS6	986	1338	33	77.75	29.5		139	13.5
	72RHJ8433LS6	1074	1457	33	83.75	29.5		144	14
	72RHJ8433RS6	1074	1457	33	83.75	29.5		144	14

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, please replace "S6" with a "D8" to the existing model number ie: 72RHB6630LD8. All returns with a "S6" at the end of the model number are available with a Panel Leg, please replace "S6" with "P6" in the model number ie: 72RH6630LP6. If ordering a pencil drawer for a curvilinear return please see page 686 for details.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 643
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 S6 - square Laminate leg
 X26 - 1/2 height fixed Laminate modesty panel
 X46 - full height Laminate modesty panel
 D - 2 file drawers
 F - 2 box, 1 file drawer
 V26 - 1/2 height floating Laminate modesty panel
 V29 - 1/2 height floating acrylic modesty panel
 M - metal legs


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Rectangular Desk Return with 4" Gable and no Modesty Panel 	72RHDR4830L	736	929	47.75	30	29.5	43.75	91	36.5
	72RHDR4830R	736	929	47.75	30	29.5	43.75	91	36.5
	72RHDR4836L	789	1013	47.75	36	29.5	43.75	96	36.5
	72RHDR4836R	789	1013	47.75	36	29.5	43.75	96	36.5
	72RHDR5430L	772	983	53.75	30	29.5	49.75	99	40.5
	72RHDR5430R	772	983	53.75	30	29.5	49.75	99	40.5
	72RHDR5436L	822	1055	53.75	36	29.5	49.75	104	40.5
	72RHDR5436R	822	1055	53.75	36	29.5	49.75	104	40.5
	72RHDR6030L	895	1130	59.75	30	29.5	55.75	106	44.5
	72RHDR6030R	895	1130	59.75	30	29.5	55.75	106	44.5
	72RHDR6036L	946	1214	59.75	36	29.5	55.75	111	44.5
	72RHDR6036R	946	1214	59.75	36	29.5	55.75	111	44.5
	72RHDR6630L	928	1192	65.75	30	29.5	61.75	112	49
	72RHDR6630R	928	1192	65.75	30	29.5	61.75	112	49
	72RHDR6636L	978	1255	65.75	36	29.5	61.75	117	50
	72RHDR6636R	978	1255	65.75	36	29.5	61.75	117	50
	72RHDR7230L*	958	1229	71.75	30	29.5	67.75	119	53
	72RHDR7230R	958	1229	71.75	30	29.5	67.75	119	53
	72RHDR7236L	1141	1464	71.75	36	29.5	67.75	124	54.75
	72RHDR7236R	1141	1464	71.75	36	29.5	67.75	124	54.75
	72RHDR7830L	1031	1323	77.75	30	29.5	73.75	126	57
	72RHDR7830R	1031	1323	77.75	30	29.5	73.75	126	57
	72RHDR7836L	1211	1554	77.75	36	29.5	73.75	131	57
	72RHDR7836R	1211	1554	77.75	36	29.5	73.75	131	57
	72RHDR8430L	1101	1413	83.75	30	29.5	79.75	132	61
	72RHDR8430R	1101	1413	83.75	30	29.5	79.75	132	61
	72RHDR8436L	1281	1643	83.75	36	29.5	79.75	137	63
	72RHDR8436R	1281	1643	83.75	36	29.5	79.75	137	63

ORDERING NOTES:

If ordering a pencil drawer or keyboard for any table desk/rectangular return desk, please see page 690 for details.

Rectangular Desk Return with 4" Gable and 1/2 Height Fixed Laminate Modesty Panel 	72RHDR4830LX26	832	1033	47.75	30	29.5	43.75	106	36.5
	72RHDR4830RX26	832	1033	47.75	30	29.5	43.75	106	36.5
	72RHDR4836LX26	882	1113	47.75	36	29.5	43.75	112	36.5
	72RHDR4836RX26	882	1113	47.75	36	29.5	43.75	112	36.5
	72RHDR5430LX26	863	1080	53.75	30	29.5	49.75	114	40.5
	72RHDR5430RX26	863	1080	53.75	30	29.5	49.75	114	40.5
	72RHDR5436LX26	912	1151	53.75	36	29.5	49.75	120	40.5
	72RHDR5436RX26	912	1151	53.75	36	29.5	49.75	120	40.5
	72RHDR6030LX26	898	1134	59.75	30	29.5	55.75	122	44.5
	72RHDR6030RX26	898	1134	59.75	30	29.5	55.75	122	44.5
	72RHDR6036LX26	949	1198	59.75	36	29.5	55.75	128	44.5
	72RHDR6036RX26	949	1198	59.75	36	29.5	55.75	128	44.5
	72RHDR6630LX26	928	1172	65.75	30	29.5	61.75	130	49
	72RHDR6630RX26	928	1172	65.75	30	29.5	61.75	130	49
	72RHDR6636LX26	978	1235	65.75	36	29.5	61.75	136	50
	72RHDR6636RX26*	978	1235	65.75	36	29.5	61.75	136	50

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 643
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

668 | CANADA | CASEGOODS

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 S6 - square Laminate leg
 X26 - 1/2 height fixed Laminate modesty panel
 X46 - full height Laminate modesty panel
 D - 2 file drawers
 F - 2 box, 1 file drawer
 V26 - 1/2 height floating Laminate modesty panel
 V29 - 1/2 height floating acrylic modesty panel
 M - metal legs


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
	72RHDR7230LX26	958	1209	71.75	30	29.5	67.75	138	53
	72RHDR7230RX26	958	1209	71.75	30	29.5	67.75	138	53
	72RHDR7236LX26	1048	1322	71.75	36	29.5	67.75	144	54.75
	72RHDR7236RX26	1048	1322	71.75	36	29.5	67.75	144	54.75
	72RHDR7830LX26	1031	1301	77.75	30	29.5	73.75	148	57
	72RHDR7830RX26	1031	1301	77.75	30	29.5	73.75	148	57
	72RHDR7836LX26	1118	1411	77.75	36	29.5	73.75	152	57
	72RHDR7836RX26	1118	1411	77.75	36	29.5	73.75	152	57
	72RHDR8430LX26	1098	1386	83.75	30	29.5	79.75	154	61
	72RHDR8430RX26	1098	1386	83.75	30	29.5	79.75	154	61
	72RHDR8436LX26	1188	1500	83.75	36	29.5	79.75	160	63
	72RHDR8436RX26	1188	1500	83.75	36	29.5	79.75	160	63
Rectangular Desk Return with 4" Gable and 1/2 Height Floating Acrylic Modesty Panel 	72RHDR4830LV29	967	1170	47.75	30	29.5	43.75	105	36.5
	72RHDR4830RV29	967	1170	47.75	30	29.5	43.75	105	36.5
	72RHDR4836LV29	1017	1231	47.75	36	29.5	43.75	111	36.5
	72RHDR4836RV29	1017	1231	47.75	36	29.5	43.75	111	36.5
	72RHDR5430LV29	996	1206	53.75	30	29.5	49.75	113	40.5
	72RHDR5430RV29	996	1206	53.75	30	29.5	49.75	113	40.5
	72RHDR5436LV29	1051	1271	53.75	36	29.5	49.75	119	40.5
	72RHDR5436RV29	1051	1271	53.75	36	29.5	49.75	119	40.5
	72RHDR6030LV29	1126	1362	59.75	30	29.5	55.75	120	44.5
	72RHDR6030RV29	1126	1362	59.75	30	29.5	55.75	120	44.5
	72RHDR6036LV29	1175	1422	59.75	36	29.5	55.75	126	44.5
	72RHDR6036RV29	1175	1422	59.75	36	29.5	55.75	126	44.5
	72RHDR6630LV29	1155	1398	65.75	30	29.5	61.75	127	49
	72RHDR6630RV29	1155	1398	65.75	30	29.5	61.75	127	49
	72RHDR6636LV29	1209	1463	65.75	36	29.5	61.75	132	50
	72RHDR6636RV29*	1209	1463	65.75	36	29.5	61.75	132	50
	72RHDR7230LV29	1189	1438	71.75	30	29.5	67.75	133	53
	72RHDR7230RV29	1189	1438	71.75	30	29.5	67.75	133	53
	72RHDR7236LV29	1474	1784	71.75	36	29.5	67.75	139	54.75
	72RHDR7236RV29	1474	1784	71.75	36	29.5	67.75	139	54.75
	72RHDR7830LV29	1361	1647	77.75	30	29.5	73.75	141	57
	72RHDR7830RV29	1361	1647	77.75	30	29.5	73.75	141	57
	72RHDR7836LV29	1538	1861	77.75	36	29.5	73.75	139	57
	72RHDR7836RV29	1538	1861	77.75	36	29.5	73.75	139	57
	72RHDR8430LV29	1426	1726	83.75	30	29.5	79.75	146	61
	72RHDR8430RV29	1426	1726	83.75	30	29.5	79.75	146	61
	72RHDR8436LV29	1603	1939	83.75	36	29.5	79.75	152	63
	72RHDR8436RV29	1603	1939	83.75	36	29.5	79.75	152	63

ORDERING NOTES:

If ordering a pencil drawer or keyboard for any table desk/rectangular return desk, please see page 690 for details.

DIMENSION KEY

W - width
 D - depth
 H - height of worksurface
 KW - kneehole width
 Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.
 See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 S6 - square Laminate leg
 X26 - 1/2 height fixed Laminate modesty panel
 X46 - full height Laminate modesty panel
 D - 2 file drawers
 F - 2 box, 1 file drawer
 V26 - 1/2 height floating Laminate modesty panel
 V29 - 1/2 height floating acrylic modesty panel
 M - metal legs


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Rectangular Desk Return with 2" Square Metal Legs and no Modesty Panel  *KD - 2 Boxes	72RHDR4830LM	649	840	47.75	30	29.5	45.75	58	8
	72RHDR4830RM	649	840	47.75	30	29.5	45.75	58	8
	72RHDR4836LM	701	921	47.75	36	29.5	45.75	66	10
	72RHDR4836RM	701	921	47.75	36	29.5	45.75	66	10
	72RHDR5430LM	680	887	53.75	30	29.5	51.75	63	8.5
	72RHDR5430RM	680	887	53.75	30	29.5	51.75	63	8.5
	72RHDR5436LM	732	962	53.75	36	29.5	51.75	71	10.75
	72RHDR5436RM	732	962	53.75	36	29.5	51.75	71	10.75
	72RHDR6030LM	807	1062	59.75	30	29.5	57.75	72	9
	72RHDR6030RM	807	1062	59.75	30	29.5	57.75	72	9
	72RHDR6036LM	858	1128	59.75	36	29.5	57.75	81	11.5
	72RHDR6036RM	858	1128	59.75	36	29.5	57.75	81	11.5
	72RHDR6630LM	838	1093	65.75	30	29.5	63.75	76	10
	72RHDR6630RM	838	1093	65.75	30	29.5	63.75	76	10
	72RHDR6636LM	889	1052	65.75	36	29.5	63.75	93	12.5
	72RHDR6636RM*	889	1052	65.75	36	29.5	63.75	93	12.5
	72RHDR7230LM	874	1148	71.75	30	29.5	69.75	81	10.75
	72RHDR7230RM	874	1148	71.75	30	29.5	69.75	81	10.75
	72RHDR7236LM	1020	1341	71.75	36	29.5	69.75	100	13.5
	72RHDR7236RM	1020	1341	71.75	36	29.5	69.75	100	13.5
	72RHDR7830LM	999	1188	77.75	30	29.5	75.75	86	11.5
	72RHDR7830RM	999	1188	77.75	30	29.5	75.75	86	11.5
	72RHDR7836LM	1056	1389	77.75	36	29.5	75.75	106	14
	72RHDR7836RM	1056	1389	77.75	36	29.5	75.75	106	14
	72RHDR8430LM	1040	1236	83.75	30	29.5	81.75	91	13
	72RHDR8430RM	1040	1236	83.75	30	29.5	81.75	91	13
	72RHDR8436LM	1101	1449	83.75	36	29.5	81.75	113	15
	72RHDR8436RM	1101	1449	83.75	36	29.5	81.75	113	15

ORDERING NOTES:

If ordering a pencil drawer or keyboard for any table desk/rectangular return desk, please see page 690 for details.

Rectangular Desk Return with 2" Square Metal Leg and 1/2 Height Floating Acrylic Modesty Panel  *KD - 2 Boxes	72RHDR4830LV29M	952	1152	47.75	30	29.5	45.75	63	8
	72RHDR4830RV29M	952	1152	47.75	30	29.5	45.75	63	8
	72RHDR4836LV29M	1002	1222	47.75	36	29.5	45.75	70	10
	72RHDR4836RV29M	1002	1222	47.75	36	29.5	45.75	70	10
	72RHDR5430LV29M	987	1204	53.75	30	29.5	51.75	68	8.5
	72RHDR5430RV29M	987	1204	53.75	30	29.5	51.75	68	8.5
	72RHDR5436LV29M	1034	1262	53.75	36	29.5	51.75	76	10.75
	72RHDR5436RV29M	1034	1262	53.75	36	29.5	51.75	76	10.75
	72RHDR6030LV29M	1109	1354	59.75	30	29.5	57.75	78	9
	72RHDR6030RV29M	1109	1354	59.75	30	29.5	57.75	78	9
	72RHDR6036LV29M	1162	1418	59.75	36	29.5	57.75	87	11.5
	72RHDR6036RV29M	1162	1418	59.75	36	29.5	57.75	87	11.5
	72RHDR6630LV29M	1142	1393	65.75	30	29.5	63.75	83	10
	72RHDR6630RV29M	1142	1393	65.75	30	29.5	63.75	83	10
	72RHDR6636LV29M	1196	1460	65.75	36	29.5	63.75	108	13
	72RHDR6636RV29M*	1196	1460	65.75	36	29.5	63.75	108	13

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 643
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

670 | CANADA | CASEGOODS

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 S6 - square Laminate leg
 X26 - 1/2 height fixed Laminate modesty panel
 X46 - full height Laminate modesty panel
 D - 2 file drawers
 F - 2 box, 1 file drawer
 V26 - 1/2 height floating Laminate modesty panel
 V29 - 1/2 height floating acrylic modesty panel
 M - metal legs

STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.


GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
	72RHDR7230LV29M	1176	1435	71.75	30	29.5	69.75	89	10.75
	72RHDR7230RV29M	1176	1435	71.75	30	29.5	69.75	89	10.75
	72RHDR7236LV29M	1440	1757	71.75	36	29.5	69.75	115	14
	72RHDR7236RV29M	1440	1757	71.75	36	29.5	69.75	115	14
	72RHDR7830LV29M	1328	1621	77.75	30	29.5	75.75	94	11.5
	72RHDR7830RV29M	1328	1621	77.75	30	29.5	75.75	94	11.5
	72RHDR7836LV29M	1479	1806	77.75	36	29.5	75.75	115	15
	72RHDR7836RV29M	1479	1806	77.75	36	29.5	75.75	115	15
	72RHDR8430LV29M	1366	1667	83.75	30	29.5	81.75	100	13
	72RHDR8430RV29M	1366	1667	83.75	30	29.5	81.75	100	13
	72RHDR8436LV29M	1525	1861	83.75	36	29.5	81.75	128	16
	72RHDR8436RV29M	1525	1861	83.75	36	29.5	81.75	128	16

Rectangular Desk Return
with Panel Leg and no
Modesty Panel



*KD - 1Box

72RHDR4830LP6	542	724	47.75	30	29.5	27.75	56	8.5
72RHDR4830RP6	542	724	47.75	30	29.5	27.75	56	8.5
72RHDR4836LP6	591	808	47.75	36	29.5	27.75	64	12
72RHDR4836RP6	591	808	47.75	36	29.5	27.75	64	12
72RHDR5430LP6	571	775	53.75	30	29.5	33.75	61	9
72RHDR5430RP6	571	775	53.75	30	29.5	33.75	61	9
72RHDR5436LP6	622	864	53.75	36	29.5	33.75	69	13
72RHDR5436RP6	622	864	53.75	36	29.5	33.75	69	13
72RHDR6030LP6	604	826	59.75	30	29.5	39.75	65	10
72RHDR6030RP6	604	826	59.75	30	29.5	39.75	65	10
72RHDR6036LP6	656	917	59.75	36	29.5	39.75	75	13.75
72RHDR6036RP6	656	917	59.75	36	29.5	39.75	75	13.75
72RHDR6630LP6	635	882	65.75	30	29.5	45.75	70	10.75
72RHDR6630RP6	635	882	65.75	30	29.5	45.75	70	10.75
72RHDR6636LP6*	684	971	65.75	36	29.5	45.75	93	14
72RHDR6636RP6	684	971	65.75	36	29.5	45.75	93	14
72RHDR7230LP6	777	1046	71.75	30	29.5	51.75	79	11.5
72RHDR7230RP6	777	1046	71.75	30	29.5	51.75	79	11.5
72RHDR7236LP6	834	1158	71.75	36	29.5	51.75	100	15
72RHDR7236RP6	834	1158	71.75	36	29.5	51.75	100	15
72RHDR7830LP6	825	1119	77.75	30	29.5	57.75	84	13
72RHDR7830RP6	825	1119	77.75	30	29.5	57.75	84	13
72RHDR7836LP6	887	1232	77.75	36	29.5	57.75	106	16
72RHDR7836RP6	887	1232	77.75	36	29.5	57.75	106	16
72RHDR8430LP6	879	1193	83.75	30	29.5	63.75	89	14.5
72RHDR8430RP6	879	1193	83.75	30	29.5	63.75	89	14.5
72RHDR8436LP6	939	1314	83.75	36	29.5	63.75	113	17
72RHDR8436RP6	939	1314	83.75	36	29.5	63.75	113	17

ORDERING NOTES:

If ordering a pencil drawer or keyboard for any table desk/rectangular return desk, please see page 690 for details.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
S6 - square Laminate leg
X26 - 1/2 height fixed Laminate modesty panel
X46 - full height Laminate modesty panel
D - 2 file drawers
F - 2 box, 1 file drawer
V26 - 1/2 height floating Laminate modesty panel
V29 - 1/2 height floating acrylic modesty panel
M - metal legs


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | RETURNS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Rectangular Desk Return with Panel Leg and 1/2 Height Floating Acrylic Modesty Panel  *KD - 1Box	72RHDR4830LV29P6	857	1054	47.75	30	29.5	30.75	59	8.5
	72RHDR4830RV29P6	857	1054	47.75	30	29.5	30.75	59	8.5
	72RHDR4836LV29P6	911	1140	47.75	36	29.5	27.75	67	12
	72RHDR4836RV29P6	911	1140	47.75	36	29.5	27.75	67	12
	72RHDR5430LV29P6	889	1104	53.75	30	29.5	36.75	65	9
	72RHDR5430RV29P6	889	1104	53.75	30	29.5	36.75	65	9
	72RHDR5436LV29P6	942	1179	53.75	36	29.5	33.75	73	13
	72RHDR5436RV29P6	942	1179	53.75	36	29.5	33.75	73	13
	72RHDR6030LV29P6	923	1156	59.75	30	29.5	42.75	70	10
	72RHDR6030RV29P6	923	1156	59.75	30	29.5	42.75	70	10
	72RHDR6036LV29P6	980	1227	59.75	36	29.5	39.75	80	13.75
	72RHDR6036RV29P6	980	1227	59.75	36	29.5	39.75	80	13.75
	72RHDR6630LV29P6	964	1207	65.75	30	29.5	48.75	76	10.75
	72RHDR6630RV29P6	964	1207	65.75	30	29.5	48.75	76	10.75
	72RHDR6636LV29P6	1011	1266	65.75	36	29.5	45.75	108	14.5
	72RHDR6636RV29P6	1011	1266	65.75	36	29.5	45.75	108	14.5
	72RHDR7230LV29P6*	994	1244	71.75	30	29.5	54.75	86	11.5
	72RHDR7230RV29P6	994	1244	71.75	30	29.5	54.75	86	11.5
	72RHDR7236LV29P6	1173	1468	71.75	36	29.5	51.75	115	15.75
	72RHDR7236RV29P6	1173	1468	71.75	36	29.5	51.75	115	15.75
	72RHDR7830LV29P6	1151	1441	77.75	30	29.5	60.75	91	13
	72RHDR7830RV29P6	1151	1441	77.75	30	29.5	60.75	91	13
	72RHDR7836LV29P6	1319	1651	77.75	36	29.5	57.75	121	16.75
	72RHDR7836RV29P6	1319	1651	77.75	36	29.5	57.75	121	16.75
	72RHDR8430LV29P6	1308	1638	83.75	30	29.5	66.75	96	14.5
	72RHDR8430RV29P6	1308	1638	83.75	30	29.5	66.75	96	14.5
	72RHDR8436LV29P6	1379	1727	83.75	36	29.5	63.75	128	17.75
	72RHDR8436RV29P6	1379	1727	83.75	36	29.5	63.75	128	17.75

ORDERING NOTES:
If ordering a pencil drawer or keyboard for any table desk/rectangular return desk, please see page 690 for details.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 643
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing
* KD- Products are shipped knocked down

CODE DESCRIPTION

- L - left hand pedestal position
- R - right hand pedestal position
- S6 - square Laminate leg
- X26 - 1/2 height fixed Laminate modesty panel
- X46 - full height Laminate modesty panel
- D - 2 file drawers
- F - 2 box, 1 file drawer
- V26 - 1/2 height floating Laminate modesty panel
- V29 - 1/2 height floating acrylic modesty panel
- M - metal legs






STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | LINKING TOPS, UNITS & CORNER UNITS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
	72LU3620H	230	319	36	20	-		15	1.5
	72LU3624H	246	352	36	24	-		16	1.75
	72LU4220H*	245	348	42	20	-		20	1.5
	72LU4224H	260	380	42	24	-		24	2
	72LU4820H	276	392	48	20	-		29	1.75
	72LU4824H	293	432	48	24	-		36	2
	72LU3620HX46	366	451	36	20	29.5		59	3
	72LU3624HX46	396	487	36	24	29.5		64	3
	72LU4220HX46*	403	496	42	20	29.5		67	3.75
	72LU4224HX46	466	574	42	24	29.5		72	3.75
	72LU4820HX46	449	553	48	20	29.5		78	4
	72LU4824HX46	534	658	48	24	29.5		80	4
	72LUY3620H	403	488	36	20	29.5		59	3
	72LUY3624H	436	527	36	24	29.5		64	3
	72LUY4220H	443	535	42	20	29.5		67	3.5
	72LUY4224H*	509	612	42	24	29.5		72	3.5
	72LUY4820H	491	595	48	20	29.5		78	4
	72LUY4824H	581	704	48	24	29.5		80	4
	72LUTD3620HLX46	366	451	36	20	29.5		59	3
	72LUTD3620HRX46	366	451	36	20	29.5		59	3
	72LUTD3624HLX46	396	487	36	24	29.5		64	3
	72LUTD3624HRX46	396	487	36	24	29.5		64	3
	72LUTD4220HLX46	403	496	42	20	29.5		67	3.75
	72LUTD4220HRX46	403	496	42	20	29.5		67	3.75
	72LUTD4224HLX46	466	574	42	24	29.5		72	3.75
	72LUTD4224HRX46	466	574	42	24	29.5		72	3.75
	72LUTD4820HLX46	449	553	48	20	29.5		78	4
	72LUTD4820HRX46	449	553	48	20	29.5		78	4
	72LUTD4824HLX46	534	658	48	24	29.5		80	4
	72LUTD4824HRX46	534	658	48	24	29.5		80	4
	72LUYTD3620HL	403	496	36	20	29.5		59	3
	72LUYTD3620HR	403	496	36	20	29.5		59	3
	72LUYTD3624HL	436	527	36	24	29.5		64	3
	72LUYTD3624HR	436	527	36	24	29.5		64	3
	72LUYTD4220HL	443	546	42	20	29.5		67	3.75
	72LUYTD4220HR	443	546	42	20	29.5		67	3.75
	72LUYTD4224HL	509	612	42	24	29.5		72	3.75
	72LUYTD4224HR	509	612	42	24	29.5		72	3.75
	72LUYTD4820HL	491	604	48	20	29.5		78	4
	72LUYTD4820HR	491	604	48	20	29.5		78	4
	72LUYTD4824HL	581	704	48	24	29.5		80	4
	72LUYTD4824HR	581	704	48	24	29.5		80	4

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

X46 - full height wood modesty panel
Y - Laminate hinged modesty panel
H - desk height


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.


GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | LINKING TOPS, UNITS & CORNER UNITS

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
	72CU363620	796	964	36	36	29.5	22.5	106	29
	72CU363624*	796	964	36	36	29.5	17	106	29
	72CU424220	943	1141	42	42	29.5	31	131	38
	72CU424224	943	1141	42	42	29.5	25.25	131	38

*KD - 1Box

	Credenza Shell with no Modesty Panel	72SC6624	741	927	24	59.75	29.5	63.5	104	35
		72SC7224*	780	985	24	71.75	29.5	69.5	112	38
		72SC7824	876	1096	24	77.75	29.5	75.5	120	40
		72SC8424	943	1180	24	83.75	29.5	81.5	128	44

	Credenza Shell with Fixed Wood Modesty Panel	72SC6624X46	888	1112	24	59.75	29.5	63.5	104	35
		72SC7224X46	938	1184	24	71.75	29.5	69.5	112	38
		72SC7824X46	1051	1316	24	77.75	29.5	75.5	120	40
		72SC8424X46	1131	1417	24	83.75	29.5	81.5	128	44

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 643
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

X46 - full height wood modesty panel
Y - Laminate hinged modesty panel
H - desk height


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | CREDENZA

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Credenza with Fixed Laminate Modesty Panel 	72C60204XLDR0	1243	1426	59.75	20	29.5	43	120	27.75
	72C60204XLFR0	1243	1426	59.75	20	29.5	43	120	27.75
	72C60204XL0RD	1243	1426	59.75	20	29.5	43	120	27.75
	72C60204XL0RF	1243	1426	59.75	20	29.5	43	120	27.75
	72C60244XLDR0	1324	1519	59.75	24	29.5	43	128	32
	72C60244XLFR0	1324	1519	59.75	24	29.5	43	128	32
	72C60244XL0RD	1324	1519	59.75	24	29.5	43	128	32
	72C60244XL0RF	1324	1519	59.75	24	29.5	43	128	32
	72C66204XLDR0*	1275	1462	65.75	20	29.5	49	136	30
	72C66204XLFR0	1275	1462	65.75	20	29.5	49	136	30
	72C66204XL0RD	1275	1462	65.75	20	29.5	49	136	30
	72C66204XL0RF	1275	1462	65.75	20	29.5	49	136	30
	72C66244XLDR0	1341	1538	65.75	24	29.5	49	144	35
	72C66244XLFR0	1341	1538	65.75	24	29.5	49	144	35
	72C66244XL0RD	1341	1538	65.75	24	29.5	49	144	35
	72C66244XL0RF	1341	1538	65.75	24	29.5	49	144	35
	72C72204XLDR0	1293	1483	71.75	20	29.5	55	152	32.75
	72C72204XLFR0	1293	1483	71.75	20	29.5	55	152	32.75
	72C72204XL0RD	1293	1483	71.75	20	29.5	55	152	32.75
	72C72204XL0RF	1293	1483	71.75	20	29.5	55	152	32.75
	72C72244XLDR0	1389	1593	71.75	24	29.5	55	160	38
	72C72244XLFR0	1389	1593	71.75	24	29.5	55	160	38
	72C72244XL0RD	1389	1593	71.75	24	29.5	55	160	38
	72C72244XL0RF	1389	1593	71.75	24	29.5	55	160	38
	72C78204XLDR0	1381	1584	77.75	20	29.5	61	168	35.5
	72C78204XLFR0	1381	1584	77.75	20	29.5	61	168	35.5
	72C78204XL0RD	1381	1584	77.75	20	29.5	61	168	35.5
	72C78204XL0RF	1381	1584	77.75	20	29.5	61	168	35.5
	72C78244XLDR0	1483	1701	77.75	24	29.5	61	172	41
	72C78244XLFR0	1483	1701	77.75	24	29.5	61	172	41
	72C78244XL0RD	1483	1701	77.75	24	29.5	61	172	41
	72C78244XL0RF	1483	1701	77.75	24	29.5	61	172	41
	72C84204XLDR0	1509	1731	83.75	20	29.5	67	184	38
	72C84204XLFR0	1509	1731	83.75	20	29.5	67	184	38
	72C84204XL0RD	1509	1731	83.75	20	29.5	67	184	38
	72C84204XL0RF	1509	1731	83.75	20	29.5	67	184	38
	72C84244XLDR0	1622	1860	83.75	24	29.5	67	192	44
	72C84244XLFR0	1622	1860	83.75	24	29.5	67	192	44
	72C84244XL0RD	1622	1860	83.75	24	29.5	67	192	44
	72C84244XL0RF	1622	1860	83.75	24	29.5	67	192	44

DIMENSION KEY

W - width
 D - depth
 H - height of worksurface
 KW - kneehole width
 Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.
 See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 0 - no pedestal
 4 - full height pedestal
 B - bookcase
 D - 2 file drawers
 F - 2 box, 1 file drawer
 Y - hinged modesty panel
 X - includes a modesty panel
 01- lateral file pedestal
 02- 1 file, 2 box, 1 lateral file pedestal
 04- 2 box, 1 file, 1 lateral file pedestal



STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | CREDENZA

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Single 36" Pedestal	72C7220XLFR0	1569	1799	71.75	20	29.5	35	168	32.75
Lateral File or Bookcase	72C7220XL0RF	1569	1799	71.75	20	29.5	35	168	32.75
Credenza with Fixed Laminate Modesty Panel	72C7220XLBR0	1303	1508	71.75	20	29.5	35	128	32.75
	72C7220XL0RB	1303	1508	71.75	20	29.5	35	128	32.75
	72C7224XLFR0*	1654	1914	71.75	24	29.5	35	176	38
	72C7224XL0RF	1654	1914	71.75	24	29.5	35	176	38
	72C7224XLBR0	1389	1607	71.75	24	29.5	35	136	38
	72C7224XL0RB	1389	1607	71.75	24	29.5	35	136	38
	72C7820XLFR0	1744	2001	77.75	20	29.5	41	195	35.5
	72C7820XL0RF	1744	2001	77.75	20	29.5	41	195	35.5
	72C7820XLBR0	1479	1712	77.75	20	29.5	41	155	35.5
	72C7820XL0RB	1479	1712	77.75	20	29.5	41	155	35.5
	72C7824XLFR0	1839	2129	77.75	24	29.5	41	199	41
	72C7824XL0RF	1839	2129	77.75	24	29.5	41	199	41
	72C7824XLBR0	1574	1822	77.75	24	29.5	41	174	41
	72C7824XL0RB	1574	1822	77.75	24	29.5	41	174	41
	72C8420XLFR0	1938	2223	83.75	20	29.5	47	221	38
	72C8420XL0RF	1938	2223	83.75	20	29.5	47	221	38
	72C8420XLBR0	1673	1937	83.75	20	29.5	47	181	38
	72C8420XL0RB	1673	1937	83.75	20	29.5	47	181	38
	72C8424XLFR0	2042	2364	83.75	24	29.5	47	252	44
	72C8424XL0RF	2042	2364	83.75	24	29.5	47	252	44
	72C8424XLBR0	1778	2058	83.75	24	29.5	47	212	44
	72C8424XL0RB	1778	2058	83.75	24	29.5	47	212	44

ORDERING NOTES:

Credenzas with bookcase pedestals have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73C7220XLBR0. Please refer to page 644 for pull orientation below the worksurface. Locks are available on wood doors for an upcharge of \$105 list.

Single 36" Combination Pedestal Credenza with Fixed Laminate Modesty Panel	72C7220XL3602R0	1622	1826	71.75	20	29.5	35	168	32.75
	72C7220XL0R3604	1622	1826	71.75	20	29.5	35	168	32.75
	72C7224XL3602R0*	1709	1924	71.75	24	29.5	35	176	38
	72C7224XL0R3604	1709	1924	71.75	24	29.5	35	176	38
	72C7820XL3602R0	1799	2026	77.75	20	29.5	41	174	35.5
	72C7820XL0R3604	1799	2026	77.75	20	29.5	41	174	35.5
	72C7824XL3602R0	1893	2131	77.75	24	29.5	41	182	41
	72C7824XL0R3604	1893	2131	77.75	24	29.5	41	182	41
	72C8420XL3602R0	1991	2242	83.75	20	29.5	47	180	38
	72C8420XL0R3604	1991	2242	83.75	20	29.5	47	180	38
	72C8424XL3602R0	2096	2361	83.75	24	29.5	47	188	44
	72C8424XL0R3604	2096	2361	83.75	24	29.5	47	188	44

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 0 - no pedestal
 4 - full height pedestal
 B - bookcase
 D - 2 file drawers
 F - 2 box, 1 file drawer
 Y - hinged modesty panel
 X - includes a modesty panel
 01- lateral file pedestal
 02- 1 file, 2 box, 1 lateral file pedestal
 04- 2 box, 1 file, 1 lateral file pedestal


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | CREDENZA

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
 Double Pedestal Credenza with Fixed Modesty Panel	72C60204XLDRD	1626	1813	59.75	20	29.5	28.5	200	27.75
	72C60204XLDRF	1626	1813	59.75	20	29.5	28.5	200	27.75
	72C60204XLFRD	1626	1813	59.75	20	29.5	28.5	200	27.75
	72C60204XLFRF	1626	1813	59.75	20	29.5	28.5	200	27.75
	72C60244XLDRD*	1736	1937	59.75	24	29.5	28.5	208	32
	72C60244XLDRF	1736	1937	59.75	24	29.5	28.5	208	32
	72C60244XLFRD	1736	1937	59.75	24	29.5	28.5	208	32
	72C60244XLFRF	1736	1937	59.75	24	29.5	28.5	208	32
	72C66204XLDRD	1658	1850	65.75	20	29.5	34.5	216	30
	72C66204XLDRF	1658	1850	65.75	20	29.5	34.5	216	30
	72C66204XLFRD	1658	1850	65.75	20	29.5	34.5	216	30
	72C66204XLFRF	1658	1850	65.75	20	29.5	34.5	216	30
	72C66244XLDRD	1750	1952	65.75	24	29.5	34.5	224	35
	72C66244XLDRF	1750	1952	65.75	24	29.5	34.5	224	35
	72C66244XLFRD	1750	1952	65.75	24	29.5	34.5	224	35
	72C66244XLFRF	1750	1952	65.75	24	29.5	34.5	224	35
	72C72204XLDRD	1673	1866	71.75	20	29.5	40.5	232	32.75
	72C72204XLDRF	1673	1866	71.75	20	29.5	40.5	232	32.75
	72C72204XLFRD	1673	1866	71.75	20	29.5	40.5	232	32.75
	72C72204XLFRF	1673	1866	71.75	20	29.5	40.5	232	32.75
	72C72244XLDRD	1832	2034	71.75	24	29.5	40.5	240	38
	72C72244XLDRF	1832	2034	71.75	24	29.5	40.5	240	38
	72C72244XLFRD	1832	2034	71.75	24	29.5	40.5	240	38
	72C72244XLFRF	1832	2034	71.75	24	29.5	40.5	240	38
	72C78204XLDRD	1832	2034	77.75	20	29.5	46.5	248	35.5
	72C78204XLDRF	1832	2034	77.75	20	29.5	46.5	248	35.5
	72C78204XLFRD	1832	2034	77.75	20	29.5	46.5	248	35.5
	72C78204XLFRF	1832	2034	77.75	20	29.5	46.5	248	35.5
	72C78244XLDRD	1960	2186	77.75	24	29.5	46.5	256	41
	72C78244XLDRF	1960	2186	77.75	24	29.5	46.5	256	41
	72C78244XLFRD	1960	2186	77.75	24	29.5	46.5	256	41
	72C78244XLFRF	1960	2186	77.75	24	29.5	46.5	256	41
	72C84204XLDRD	2009	2240	83.75	20	29.5	52.5	264	38
	72C84204XLDRF	2009	2240	83.75	20	29.5	52.5	264	38
	72C84204XLFRD	2009	2240	83.75	20	29.5	52.5	264	38
	72C84204XLFRF	2009	2240	83.75	20	29.5	52.5	264	38
	72C84244XLDRD	2147	2395	83.75	24	29.5	52.5	272	44
	72C84244XLDRF	2147	2395	83.75	24	29.5	52.5	272	44
	72C84244XLFRD	2147	2395	83.75	24	29.5	52.5	272	44
	72C84244XLFRF	2147	2395	83.75	24	29.5	52.5	272	44

DIMENSION KEY

W - width
 D - depth
 H - height of worksurface
 KW - knee hole width
 Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.
 See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 0 - no pedestal
 4 - full height pedestal
 B - bookcase
 D - 2 file drawers
 F - 2 box, 1 file drawer
 Y - hinged modesty panel
 X - includes a modesty panel
 01- lateral file pedestal
 02- 1 file, 2 box, 1 lateral file pedestal
 04- 2 box, 1 file, 1 lateral file pedestal


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | CREDENZA

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Credenza with Hinged Laminate Modesty Panel 	72CY60204LDR0	1476	1678	59.75	20	29.5	43	120	27.75
	72CY60204LFR0	1476	1678	59.75	20	29.5	43	120	27.75
	72CY60204LORD	1476	1678	59.75	20	29.5	43	120	27.75
	72CY60204LORF	1476	1678	59.75	20	29.5	43	120	27.75
	72CY60244LDR0*	1557	1786	59.75	24	29.5	43	128	32
	72CY60244LFR0	1557	1786	59.75	24	29.5	43	128	32
	72CY60244LORD	1557	1786	59.75	24	29.5	43	128	32
	72CY60244LORF	1557	1786	59.75	24	29.5	43	128	32
	72CY66204LDR0	1507	1729	65.75	20	29.5	49	136	30
	72CY66204LFR0	1507	1729	65.75	20	29.5	49	136	30
	72CY66204LORD	1507	1729	65.75	20	29.5	49	136	30
	72CY66204LORF	1507	1729	65.75	20	29.5	49	136	30
	72CY66244LDR0	1573	1804	65.75	24	29.5	49	144	35
	72CY66244LFR0	1573	1804	65.75	24	29.5	49	144	35
	72CY66244LORD	1573	1804	65.75	24	29.5	49	144	35
	72CY66244LORF	1573	1804	65.75	24	29.5	49	144	35
	72CY72204LDR0	1525	1733	71.75	20	29.5	55	152	32.75
	72CY72204LFR0	1525	1733	71.75	20	29.5	55	152	32.75
	72CY72204LORD	1525	1733	71.75	20	29.5	55	152	32.75
	72CY72204LORF	1525	1733	71.75	20	29.5	55	152	32.75
	72CY72244LDR0	1622	1860	71.75	24	29.5	55	160	38
	72CY72244LFR0	1622	1860	71.75	24	29.5	55	160	38
	72CY72244LORD	1622	1860	71.75	24	29.5	55	160	38
	72CY72244LORF	1622	1860	71.75	24	29.5	55	160	38
	72CY78204LDR0	1613	1850	77.75	20	29.5	61	168	35.5
	72CY78204LFR0	1613	1850	77.75	20	29.5	61	168	35.5
	72CY78204LORD	1613	1850	77.75	20	29.5	61	168	35.5
	72CY78204LORF	1613	1850	77.75	20	29.5	61	168	35.5
	72CY78244LDR0	1716	1968	77.75	24	29.5	61	176	41
	72CY78244LFR0	1716	1968	77.75	24	29.5	61	176	41
	72CY78244LORD	1716	1968	77.75	24	29.5	61	176	41
	72CY78244LORF	1716	1968	77.75	24	29.5	61	176	41
	72CY84204LDR0	1742	1998	83.75	20	29.5	67	184	38
	72CY84204LFR0	1742	1998	83.75	20	29.5	67	184	38
	72CY84204LORD	1742	1998	83.75	20	29.5	67	184	38
	72CY84204LORF	1742	1998	83.75	20	29.5	67	184	38
	72CY84244LDR0	1854	2126	83.75	24	29.5	67	192	44
	72CY84244LFR0	1854	2126	83.75	24	29.5	67	192	44
	72CY84244LORD	1854	2126	83.75	24	29.5	67	192	44
	72CY84244LORF	1854	2126	83.75	24	29.5	67	192	44

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

L - left hand pedestal position
 R - right hand pedestal position
 0 - no pedestal
 4 - full height pedestal
 B - bookcase
 D - 2 file drawers
 F - 2 box, 1 file drawer
 Y - hinged modesty panel
 X - includes a modesty panel
 01- lateral file pedestal
 02- 1 file, 2 box, 1 lateral file pedestal
 04- 2 box, 1 file, 1 lateral file pedestal


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | CREDENZA

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Single 36" Pedestal Lateral File or Bookcase with Hinged Laminate Modesty Panel 	72CY7220LFR0	1802	2048	71.75	20	29.5	35	156	32.75
	72CY7220L0RF	1802	2048	71.75	20	29.5	35	156	32.75
	72CY7220LBR0	1536	1746	71.75	20	29.5	35	116	32.75
	72CY7220L0RB	1536	1746	71.75	20	29.5	35	116	32.75
	72CY7224LFR0	1888	2146	71.75	24	29.5	35	160	38
	72CY7224L0RF	1888	2146	71.75	24	29.5	35	160	38
	72CY7224LBR0	1622	1844	71.75	24	29.5	35	120	38
	72CY7224L0RB	1622	1844	71.75	24	29.5	35	120	38
	72CY7820LFR0	1977	2247	77.75	20	29.5	41	195	35.5
	72CY7820L0RF	1977	2247	77.75	20	29.5	41	195	35.5
	72CY7820LBR0	1713	1947	77.75	20	29.5	41	155	35.5
	72CY7820L0RB	1713	1947	77.75	20	29.5	41	155	35.5
	72CY7824LFR0	2073	2357	77.75	24	29.5	41	199	41
	72CY7824L0RF	2073	2357	77.75	24	29.5	41	199	41
	72CY7824LBR0	1807	2054	77.75	24	29.5	41	174	41
	72CY7824L0RB	1807	2054	77.75	24	29.5	41	174	41
	72CY8420LFR0	2170	2466	83.75	20	29.5	47	221	38
	72CY8420L0RF	2170	2466	83.75	20	29.5	47	221	38
	72CY8420LBR0	1905	2165	83.75	20	29.5	47	181	38
	72CY8420L0RB	1905	2165	83.75	20	29.5	47	181	38
	72CY8424LFR0*	2274	2585	83.75	24	29.5	47	252	44
	72CY8424L0RF	2274	2585	83.75	24	29.5	47	252	44
	72CY8424LBR0	2010	2284	83.75	24	29.5	47	212	44
	72CY8424L0RB	2010	2284	83.75	24	29.5	47	212	44

ORDERING NOTES:

Credenzas with bookcase pedestals have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73C7220XLBR0. Please refer to page 644 for pull orientation below the worksurface. Locks are available on wood doors for an upcharge of \$105 list.

Single 36" Combination Pedestal Credenza with Hinged Laminate Modesty Panel 	72CY7220L3602R0	1854	2029	71.75	20	29.5	35	168	32.75
	72CY7220L0R3604	1854	2029	71.75	20	29.5	35	168	32.75
	72CY7224L3602R0*	1941	2124	71.75	24	29.5	35	176	38
	72CY7224L0R3604	1941	2124	71.75	24	29.5	35	176	38
	72CY7820L3602R0	2031	2223	77.75	20	29.5	41	174	35.5
	72CY7820L0R3604	2031	2223	77.75	20	29.5	41	174	35.5
	72CY7824L3602R0	2125	2300	77.75	24	29.5	41	182	41
	72CY7824L0R3604	2125	2300	77.75	24	29.5	41	182	41
	72CY8420L3602R0	2224	2435	83.75	20	29.5	47	180	38
	72CY8420L0R3604	2224	2435	83.75	20	29.5	47	180	38
	72CY8424L3602R0	2329	2549	83.75	24	29.5	47	188	44
	72CY8424L0R3604	2329	2549	83.75	24	29.5	47	188	44

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
0 - no pedestal
4 - full height pedestal
B - bookcase
D - 2 file drawers
F - 2 box, 1 file drawer
Y - hinged modesty panel
X - includes a modesty panel
01- lateral file pedestal
02- 1 file, 2 box, 1 lateral file pedestal
04- 2 box, 1 file, 1 lateral file pedestal


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | CREDENZA

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Double Pedestal Credenza with Hinged Laminate Modesty Panel	72CY60204LDRD	1859	2074	59.75	20	29.5	28.5	220	27.75
	72CY60204LDRF	1859	2074	59.75	20	29.5	28.5	220	27.75
	72CY60204LFRD	1859	2074	59.75	20	29.5	28.5	220	27.75
	72CY60204LFRF	1859	2074	59.75	20	29.5	28.5	220	27.75
	72CY60244LDRD	1968	2195	59.75	24	29.5	28.5	220	32
	72CY60244LDRF	1968	2195	59.75	24	29.5	28.5	220	32
	72CY60244LFRD*	1968	2195	59.75	24	29.5	28.5	220	32
	72CY60244LFRF	1968	2195	59.75	24	29.5	28.5	220	32
	72CY66204LDRD	1891	2109	65.75	20	29.5	34.5	228	30
	72CY66204LDRF	1891	2109	65.75	20	29.5	34.5	228	30
	72CY66204LFRD	1891	2109	65.75	20	29.5	34.5	228	30
	72CY66204LFRF	1891	2109	65.75	20	29.5	34.5	228	30
	72CY66244LDRD	1983	2212	65.75	24	29.5	34.5	228	35
	72CY66244LDRF	1983	2212	65.75	24	29.5	34.5	228	35
	72CY66244LFRD	1983	2212	65.75	24	29.5	34.5	228	35
	72CY66244LFRF	1983	2212	65.75	24	29.5	34.5	228	35
	72CY72204LDRD	1905	2125	71.75	20	29.5	40.5	228	32.75
	72CY72204LDRF	1905	2125	71.75	20	29.5	40.5	228	32.75
	72CY72204LFRD	1905	2125	71.75	20	29.5	40.5	228	32.75
	72CY72204LFRF	1905	2125	71.75	20	29.5	40.5	228	32.75
	72CY72244LDRD	2021	2255	71.75	24	29.5	40.5	236	38
	72CY72244LDRF	2021	2255	71.75	24	29.5	40.5	236	38
	72CY72244LFRD	2021	2255	71.75	24	29.5	40.5	236	38
	72CY72244LFRF	2021	2255	71.75	24	29.5	40.5	236	38
	72CY78204LDRD	2065	2303	77.75	20	29.5	46.5	234	35.5
	72CY78204LDRF	2065	2303	77.75	20	29.5	46.5	234	35.5
	72CY78204LFRD	2065	2303	77.75	20	29.5	46.5	234	35.5
	72CY78204LFRF	2065	2303	77.75	20	29.5	46.5	234	35.5
	72CY78244LDRD	2192	2446	77.75	24	29.5	46.5	242	41
	72CY78244LDRF	2192	2446	77.75	24	29.5	46.5	242	41
	72CY78244LFRD	2192	2446	77.75	24	29.5	46.5	242	41
	72CY78244LFRF	2192	2446	77.75	24	29.5	46.5	242	41
	72CY84204LDRD	2242	2501	83.75	20	29.5	52.5	240	38
	72CY84204LDRF	2242	2501	83.75	20	29.5	52.5	240	38
	72CY84204LFRD	2242	2501	83.75	20	29.5	52.5	240	38
	72CY84204LFRF	2242	2501	83.75	20	29.5	52.5	240	38
	72CY84244LDRD	2380	2654	83.75	24	29.5	52.5	248	44
	72CY84244LDRF	2380	2654	83.75	24	29.5	52.5	248	44
	72CY84244LFRD	2380	2654	83.75	24	29.5	52.5	248	44
	72CY84244LFRF	2380	2654	83.75	24	29.5	52.5	248	44

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
0 - no pedestal
4 - full height pedestal
B - bookcase
D - 2 file drawers
F - 2 box, 1 file drawer
Y - hinged modesty panel
X - includes a modesty panel
01- lateral file pedestal
02- 1 file, 2 box, 1 lateral file pedestal
04- 2 box, 1 file, 1 lateral file pedestal


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS


One grommet in standard position is optional at no charge. See page 10 for more power management information.


ARTEMIS LAMINATE | CREDENZA

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
	72C7220LFRF	2166	2393	71.75	20	29.5		248	32.75
	72C7220LBRB	1636	1808	71.75	20	29.5		208	32.75
	72C7220LBRF	1901	2101	71.75	20	29.5		228	32.75
	72C7220LFRB*	1901	2101	71.75	20	29.5		228	32.75
	72C7224LFRF	2270	2508	71.75	24	29.5		256	38
	72C7224LBRB	1740	1923	71.75	24	29.5		224	38
	72C7224LBRF	2006	2217	71.75	24	29.5		236	38
	72C7224LFRB	2006	2217	71.75	24	29.5		236	38

ORDERING NOTES:

Credenzas with bookcase pedestals have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73C7220XLBR0. Please refer to page 644 for pull orientation below the worksurface. Locks are available on wood doors for an upcharge of \$105 list.

 *KD - 2 Boxes	72CC7224XL4D*	1673	2042	71.75	24	29.5	32	192	38
	72CC7224XL4F	1673	2042	71.75	24	29.5	32	192	38
	72CC7224XR4D	1673	2042	71.75	24	29.5	32	192	38
	72CC7224XR4F	1673	2042	71.75	24	29.5	32	192	38
	72CC7824XL4D	1824	2226	77.75	24	29.5	38	200	41
	72CC7824XL4F	1824	2226	77.75	24	29.5	38	200	41
	72CC7824XR4D	1824	2226	77.75	24	29.5	38	200	41
	72CC7824XR4F	1824	2226	77.75	24	29.5	38	200	41
	72CC8424XL4D	1989	2407	83.75	24	29.5	44	208	44
	72CC8424XL4F	1989	2407	83.75	24	29.5	44	208	44
	72CC8424XR4D	1989	2407	83.75	24	29.5	44	208	44
	72CC8424XR4F	1989	2407	83.75	24	29.5	44	208	44

 *KD - 2 Boxes	72CCC7224XL4D	1673	2042	71.75	24	29.5	32	192	38
	72CCC7224XL4F*	1673	2042	71.75	24	29.5	32	192	38
	72CCC7224XR4D	1673	2042	71.75	24	29.5	32	192	38
	72CCC7224XR4F	1673	2042	71.75	24	29.5	32	192	38
	72CCC7824XL4D	1824	2226	77.75	24	29.5	38	200	41
	72CCC7824XL4F	1824	2226	77.75	24	29.5	38	200	41
	72CCC7824XR4D	1824	2226	77.75	24	29.5	38	200	41
	72CCC7824XR4F	1824	2226	77.75	24	29.5	38	200	41
	72CCC8424XL4D	1989	2407	83.75	24	29.5	44	208	44
	72CCC8424XL4F	1989	2407	83.75	24	29.5	44	208	44
	72CCC8424XR4D	1989	2407	83.75	24	29.5	44	208	44
	72CCC8424XR4F	1989	2407	83.75	24	29.5	44	208	44

ORDERING NOTES:

Please note, these curved corner credenzas are not compatible with curved corner desks.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
0 - no pedestal
4 - full height pedestal
B - bookcase
D - 2 file drawers
F - 2 box, 1 file drawer
Y - hinged modesty panel
X - includes a modesty panel
01- lateral file pedestal
02- 1 file, 2 box, 1 lateral file pedestal
04- 2 box, 1 file, 1 lateral file pedestal





STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.


ARTEMIS LAMINATE | OVERHEADS & TACKBOARDS


DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
Single Wall Mounted Overhead with Laminate Doors 	72OHW361616	695	35.75	15.75	16		64	7
	72OHW421616	762	41.75	16	16		71	8.5
	72OHW481616*	841	47.75	16	16		82	9
	72OHW601616	982	59.75	16	16		96	11.5
	72OHW661616	1038	65.75	16	16		102	12.75
	72OHW721616	1090	71.75	16	16		109	13.75
Single Wall Mounted Overhead with Frosted Glass Doors 	72OHW361616X	1035	35.75	15.75	16		64	7
	72OHW421616X*	1136	41.75	16	16		71	8.5
	72OHW481616X	1280	47.75	16	16		82	9
	72OHW601616X	1536	59.75	16	16		96	11.5
	72OHW661616X	1596	65.75	16	16		102	12.75
	72OHW721616X	1677	71.75	16	16		109	13.75
Double Wall Mounted Overhead with Laminate Doors 	72OHW361630	903	35.75	29.5	29.5		100	12
	72OHW421630	990	41.75	29.5	29.5		112	14.5
	72OHW481630*	1094	47.75	29.5	29.5		130	16
Double Wall Mounted Overhead with Frosted Glass Doors 	72OHW361630X	1404	35.75	29.5	29.5		100	12
	72OHW421630X*	1561	41.75	29.5	29.5		112	14.5
	72OHW481630X	1736	47.75	29.5	29.5		130	16

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Laminate color selection 3) Wood edge detail-D or T see page 644 4) Pull style and color. 5) Grommet location and style if applicable * Indicates model illustrated by line drawing * KD- Products are shipped knocked down	CODE DESCRIPTION X- silver metallic framed frosted glass doors	STANDARD FINISHES For a complete list of standard Laminates & HPL, please see page 641. GROMMETS One grommet in standard position is optional at no charge. See page 644 for more power management information.
---	--	---

ARTEMIS LAMINATE | TACKBOARDS

Fabric Grades

		1	2	3	4	5	6	7	8	9	W	H	COM	WT
Wall Mounted Tackboard for Overheads 	72TBOHW3624	220	260	300	381	461	543	622	701	862	38	25	1.5	2
	72TBOHW4224	246	290	334	425	513	605	693	781	961	44	25	1.5	2
	72TBOHW4824*	274	323	373	475	573	675	774	873	1073	50	25	1.75	3
	72TBOHW6024	311	366	423	538	650	764	877	989	1216	63	25	2	4
	72TBOHW6624	340	401	463	589	712	838	960	1083	1331	69	25	2	5
	72TBOHW7224	374	441	508	647	781	920	1054	1189	1462	75	25	2.25	5

Wall Mounted Tackboard for Overhead Mounted 6" Higher than 5 Hi Storage 	72TBOHW3630	276	348	419	566	709	855	999	1141	1431	38	32	1.5	1
	72TBOHW4230	308	387	467	631	791	953	1114	1274	1596	44	32	1.5	1
	72TBOHW4830*	343	433	522	704	882	1064	1242	1420	1780	50	32	1.75	2
	72TBOHW6030	390	490	592	798	1001	1206	1409	1612	2020	63	32	2	2
	72TBOHW6630	425	536	647	873	1093	1319	1540	1762	2208	69	32	2	2
	72TBOHW7230	467	589	711	958	1201	1449	1692	1935	2426	75	32	2.25	3

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.





STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | HUTCHES

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
5 Hi Hutch with Laminate Doors 	72HT661640	1726	65.75	15.75	39.5	23.5	181	28.5
	72HT721640	1796	71.75	15.75	39.5	23.5	193	31
	72HT781640*	1909	77.75	15.75	39.5	23.5	206	33.5
	72HT841640	2062	83.75	15.75	39.5	23.5	219	36
5 Hi Hutch with Frosted Glass Doors 	72HT721640X	2357	71.75	15.75	39.5	23.5	193	31
	72HT781640X*	2585	77.75	15.75	39.5	23.5	208	33.5
	72HT841640X	2851	83.75	15.75	39.5	23.5	219	36
5 Hi Hutch with Laminate Doors and Paper Manager 	72HTPM661640	1898	65.75	15.75	39.5	20.25	199	28.5
	72HTPM721640	1986	71.75	15.75	39.5	20.25	214	31
	72HTPM781640*	2134	77.75	15.75	39.5	20.25	228	33.5
	72HTPM841640	2313	83.75	15.75	39.5	20.25	242	36
5 Hi Hutch with Frosted Glass Doors and Paper Manager 	72HTPM661640X	2503	65.75	15.75	39.5	20.25	199	28.5
	72HTPM721640X	2594	71.75	15.75	39.5	20.25	214	31
	72HTPM781640X*	2856	77.75	15.75	39.5	20.25	228	33.5
	72HTPM841640X	3150	83.75	15.75	39.5	20.25	242	36

ORDERING NOTES:

Tasklights and fabric grade 1 tackboards come standard with all hutches. To specify a Power/Data/Voice module with any hutch, please add a "W" at the end of the model number and a \$165 list upcharge.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

X - silver metallic framed frosted glass doors
 L - left handed position
 R - right handed position
 0 - no pier
 11 - closed door Laminate pier
 PM - paper manager





STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | HUTCHES

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
5 Hi Hutch with Laminate Doors and Single Pier 	72HTPR721640L11OHR0	2042	71.75	15.75	39.5	23.5	215	31
	72HTPR721640L0OHR11	2042	71.75	15.75	39.5	23.5	215	31
	72HTPR781640L11OHR0*	2163	77.75	15.75	39.5	23.5	233	33.5
	72HTPR781640L0OHR11	2163	77.75	15.75	39.5	23.5	233	33.5
	72HTPR841640L11OHR0	2338	83.75	15.75	39.5	23.5	251	36
	72HTPR841640L0OHR11	2338	83.75	15.75	39.5	23.5	251	36
5 Hi Hutch with Frosted Glass Doors and Single Pier 	72HTPR721640L11OHXR0	2649	71.75	15.75	39.5	23.5	215	31
	72HTPR721640L0OHXR11	2649	71.75	15.75	39.5	23.5	215	31
	72HTPR781640L11OHXR0*	2885	77.75	15.75	39.5	23.5	233	33.5
	72HTPR781640L0OHXR11	2885	77.75	15.75	39.5	23.5	233	33.5
	72HTPR841640L11OHXR0	3175	83.75	15.75	39.5	23.5	251	36
	72HTPR841640L0OHXR11	3175	83.75	15.75	39.5	23.5	251	36
6 Hi Hutch with Laminate Doors 	72HT661653	1854	65.75	15.75	53	23.5	250	37.75
	72HT721653	1946	71.75	15.75	53	23.5	268	41
	72HT781653*	2059	77.75	15.75	53	23.5	287	44.5
	72HT841653	2226	83.75	15.75	53	23.5	305	47.75
6 Hi Hutch with Frosted Glass Doors 	72HT661653X	2570	65.75	15.75	53	23.5	250	37.75
	72HT721653X	2666	71.75	15.75	53	23.5	268	41
	72HT781653X*	2927	77.75	15.75	53	23.5	287	44.5
	72HT841653X	3243	83.75	15.75	53	23.5	305	47.75

ORDERING NOTES:

Tasklights and fabric grade 1 tackboards come standard with all hutches. To specify a Power/Data/Voice module with any hutch, please add a "W" at the end of the model number and a \$165 list upcharge. Pier hutches have an option of a pull on the pier door only. To select this option, change the model number from "72" to "73"; e.g. 73HTPR841640L11OHXR0.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

X - silver metallic framed frosted glass doors
L - left handed position
R - right handed position
0 - no pier
11 - closed door Laminate pier
PM - paper manager


STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.


GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | HUTCHES

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
6 Hi Hutch with Laminate Doors and Paper Manager 	72HTPM661653	2025	65.75	15.75	53	20.25	269	37.75
	72HTPM721653	2136	71.75	15.75	53	20.25	289	41
	72HTPM781653*	2285	77.75	15.75	53	20.25	298	44.5
	72HTPM841653	2477	83.75	15.75	53	20.25	328	47.75

6 Hi Hutch with Frosted Glass Doors and Paper Manager 	72HTPM661653X	2787	65.75	15.75	53	20.25	269	37.75
	72HTPM721653X	2902	71.75	15.75	53	20.25	289	41
	72HTPM781653X*	3198	77.75	15.75	53	20.25	298	44.5
	72HTPM841653X	3543	83.75	15.75	53	20.25	328	47.75

6 Hi Hutch with Laminate Doors and Single Pier 	72HTPR721653L11OHR0	2230	71.75	15.75	53	23.5	294	41
	72HTPR721653L0OHR11	2230	71.75	15.75	53	20.25	294	41
	72HTPR781653L11OHR0*	2351	77.75	15.75	53	23.5	303	44.5
	72HTPR781653L0OHR11	2351	77.75	15.75	53	20.25	303	44.5
	72HTPR841653L11OHR0	2545	83.75	15.75	53	23.5	312	47.75
	72HTPR841653L0OHR11	2545	83.75	15.75	53	20.25	312	47.75

6 Hi Hutch with Frosted Glass Doors and Single Pier 	72HTPR721653L11OHXR0	2997	71.75	15.75	53	23.5	294	41
	72HTPR721653L0OHXR11	2997	71.75	15.75	53	23.5	294	41
	72HTPR781653L11OHXR0*	3266	77.75	15.75	53	23.5	303	44.5
	72HTPR781653L0OHXR11	3266	77.75	15.75	53	23.5	303	44.5
	72HTPR841653L11OHXR0	3610	83.75	15.75	53	20.25	312	47.75
	72HTPR841653L0OHXR11	3610	83.75	15.75	53	23.5	312	47.75

ORDERING NOTES:

Tasklights and fabric grade 1 tackboards come standard with all hutches. To specify a Power/Data/Voice module with any hutch, please add a "W" at the end of the model number and a \$165 list upcharge. Pier hutches have an option of a pull on the pier door only. To select this option, change the model number from "72" to "73"; e.g. 73HTPR841640L11OHXR0.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

*Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

X - silver metallic framed frosted glass doors
L - left handed position
R - right handed position
0 - no pier
11 - closed door Laminate pier
PM - paper manager


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | HUTCHES

		Fabric Grades								
		2	3	4	5	6	7	8	9	COM
Tackboard Upcharges for Standard Hutches 	66" hutch	120	260	382	510	635	755	878	1089	2
	72" hutch	138	296	434	583	722	861	1001	1203	2.25
	78" hutch*	163	348	512	678	841	1006	1170	1396	2.5
	84" hutch	193	403	598	791	985	1178	1370	1619	2.5
	72" single pier hutch	103	219	321	428	532	634	737	896	1.5
	78" single pier hutch	109	234	343	458	569	677	786	967	1.75
	84" single pier hutch	114	248	364	486	605	719	836	985	2

ORDERING NOTES:

All hutches include a tackboard in Krug panel grade 1 fabric. Use this chart to find the upcharge for tackboard fabrics grades 2-9 and add it to the cost of the hutch.

Only Krug panel fabrics are available on KrugExpress.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

X - silver metallic framed frosted glass doors
L - left handed position
R - right handed position
0 - no pier
11 - closed door Laminate pier
PM - paper manager

STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | PAPER MANAGER & PEDESTALS FOR SHELLS

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
Paper Manager with Open Shelves	72PM18122002	293	17	12.5	19.75		50	3
	72PM18122003*	308	17	12.5	19.75		50	3




Pedestal Desk Height, 2 Box, 1 File	72P16184F*	771	15.75	18.25	28.25		61	6.5
	72P16284F	874	15.75	27.5	28.25		66	9




Pedestal Desk Height, 2 File	72P16184D	762	15.75	18.25	28.25		61	6.5
	72P16284D*	863	15.75	27.5	28.25		66	9



Pedestal, Lateral File	72P301801*	918	29.75	18.25	28.25		104	11.5
	72P361801	1061	35.75	18.25	28.25		112	13.5



Pedestal, 36" File/2 Box & Lateral File Combination	72P361802*	1114	35.75	18.25	28.25		112	13.5
---	------------	------	-------	-------	-------	--	-----	------



ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Laminate color selection 3) Wood edge detail-D or T see page 644 4) Pull style and color. 5) Grommet location and style if applicable *Indicates model illustrated by line drawing	CODE DESCRIPTION PM - paper manager D - 2 file drawers F - 2 box, 1 file drawer 01 - lateral file 02 - 1 file, 2 box, 1 lateral file pedestal 04 - 2 box, 1 file, 1 lateral file pedestal	STANDARD FINISHES For a complete list of standard Laminates & HPL, please see page 641. GROMMETS One grommet in standard position is optional at no charge. See page 644 for more power management information.
---	--	---

688K DAW Products are shipped knocked down

ARTEMIS LAMINATE | PAPER MANAGER & PEDESTALS FOR SHELLS

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping	
							Weight	Cubes
Pedestal, 36" 2 Box/File & Lateral File Combination	72P361804*	1114	35.75	18.25	28.25		112	13.5



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

PM - paper manager
D - 2 file drawers
F - 2 box, 1 file drawer
01 - lateral file
02 - 1 file, 2 box, 1 lateral file pedestal
04 - 2 box, 1 file, 1 lateral file pedestal

STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | ACCESSORIES & POWER/ DATA/ WIRE MANAGEMENT

DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
Articulating Keyboard Tray with Palm Rest and Mouse Pad	72KBAMT1912	287	27	20	7		20	20



Articulating Keyboard Tray with Palm Rest and Mouse Pad with Spacer and Stiffner Bars	72KBAMT1912S	336	27	20	8		20	20
---	--------------	-----	----	----	---	--	----	----



ORDERING NOTES:
This Articulating Keyboard is required on any item that has a stiffener bar. See below for specific items and sizes that use stiffener bars. Note that the vertical knee clearance will be reduced by 1-1/8".

CASES THAT USE STIFFENER BARS:	
Arc, Bullet and J Desks	-84" and up.
Curved Corner Arc, Bullet and P Desks	-84" and up.
P Desks	-90" and up.
Arc, Bullet and J Returns	-72" and up.
Crescent Returns	-78" and up.
Desk Returns	-54" and up.
Table Desks	-60" and up.

Articulating Keyboard Tray with Palm Rest and Mouse Pad for Angled & Curved Units	72KBAMT1912X	298	27	24	7		20	20
---	--------------	-----	----	----	---	--	----	----




ORDERING NOTES:
Must be used on the curved area or the angled edge on the Corner Desks or Corner Credenzas.

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Laminate color selection 3) Wood edge detail-D or T see page 644 4) Pull style and color. 5) Grommet location and style if applicable *Indicates model illustrated by line drawing * KD- Products are shipped knocked down	CODE DESCRIPTION KBAMT - keyboard drawer with mouse tray PD - pencil drawer X - extended mechanism S - spacer	STANDARD FINISHES For a complete list of standard Laminates & HPL, please see page 641. GROMMETS One grommet in standard position is optional at no charge. See page 644 for more power management information.
---	--	--

ARTEMIS LAMINATE | ACCESSORIES & POWER/ DATA/ WIRE MANAGEMENT


DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
Pencil Drawer	72PD2119	240	21	21	2		2	1



ORDERING NOTES:

Pencil drawer is black in color.

Pencil Drawer with Spacer	72PD2119S	265	21	21	3		2	1
---------------------------	-----------	-----	----	----	---	--	---	---



ORDERING NOTES:

This pencil drawer is required on any item that has a stiffener bar.

Power Port, 2-RJ45's, Catagory 5/6	72POWERPORT1	276	-	4	2		-	-
---------------------------------------	--------------	-----	---	---	---	--	---	---




Port Includes: 2 simplex, 1 utility, 2 RJ45's, catagory 5/6, horizontal cable management.

ORDERING NOTES:

PowerPorts are shipped installed into worksurfaces. Please note the required location for each worksurface on your order, e.g. 1 PowerPort, location C. Please see page 644 for locations.
Powerbar electrical cord is 9.5' long.

Power Port , RJ11/RJ45	72POWERPORT3	276	-	4	2		-	-
------------------------	--------------	-----	---	---	---	--	---	---



Port Includes: 2 simplex receptacles, 1 utility outlet, 1 RJ11, 1 RJ45, horizontal cable management.

ORDERING NOTES:

PowerPorts are shipped installed into worksurfaces. Please note the required location for each worksurface on your order, e.g. 1 PowerPort, location C. Please see page 644 for locations.
Powerbar electrical cord is 9.5' long.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

KBAMT - keyboard drawer with mouse tray
PD - pencil drawer
X - extended mechanism
S - spacer

STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | ACCESSORIES & POWER/ DATA/ WIRE MANAGEMENT


DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
Power Port, 2 USB Charging	72POWERPORT4	288	-	4	2		-	-



Port Includes: 2 simplex, 1 utility, 2 USB charging ports, horizontal cable management.

ORDERING NOTES:
PowerPorts are shipped installed into worksurfaces. Please note the required location for each worksurface on your order, e.g. 1 PowerPort, location C. Please see page 644 for locations.
Powerbar electrical cord is 9.5' long.

Port	72PORT	100	-	4	2		-	-
------	--------	-----	---	---	---	--	---	---




Power Data Module	72PDVM	166	6.25	3.25	3		-	-
-------------------	--------	-----	------	------	---	--	---	---



Wire Management Trough	72WM72	104	72	2.5	1		5	0.75
------------------------	--------	-----	----	-----	---	--	---	------



Velcro Wire Management	72WM4	29	3.5	1.75	-		5	-
------------------------	-------	----	-----	------	---	--	---	---



ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

*Indicates model illustrated by line drawing
* KD- Products are shipped knocked down

CODE DESCRIPTION

KBAMT - keyboard drawer with mouse tray
PD - pencil drawer
X - extended mechanism
S - spacer

STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | BOOKCASES & STORAGE


DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
2 Hi Bookcase Open Shelves	72BC301629*	626	29.75	15.75	29.5		48	10
	72BC361629	750	35.75	15.75	29.5		56	12



4 Hi Bookcase Open Shelves	72BC301655*	907	29.75	15.75	55.25		64	18.25
	72BC361655	1012	35.75	15.75	55.25		72	21.75



5 Hi Bookcase Open Shelves	72BC301669*	949	29.75	15.75	69		100	22.75
	72BC361669	1052	35.75	15.75	69		112	27



2 Hi Storage Unit Closed Bookcase	72ST36202911	994	35.75	20	29.5		104	14.75
	72ST36242911*	1044	35.75	24	29.5		108	17.5



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

ST - storage unit
BC - bookcase
WR - wardrobe
L - door hinged left
R - door hinged right
X - silver metallic framed frosted glass doors

STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | BOOKCASES & STORAGE

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
2 Hi Storage Unit Lateral File	72ST36202901	1445	35.75	20	29.5		116	14.75
	72ST36242901*	1494	35.75	24	55.25		120	17.5



4 Hi Storage Unit Lateral File	72ST36205501	2122	35.75	20	55.25		176	27
	72ST36245501*	2242	35.75	24	29.5		196	32



5 Hi Storage Unit Closed Shelves	72ST19246911L	1130	24	18.75	69		132	21.75
	72ST19246911R*	1130	24	18.75	69		132	21.75



5 Hi Storage Unit 2 File, 3 Open Shelves	72ST19246990	1298	24	18.75	69		132	21.75
--	--------------	------	----	-------	----	--	-----	-------



ORDERING NOTES:
Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 644 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of \$105 list.

BOOKCASES:
Shelves are adjustable in 1.25" increments.

ORDERING PROCEDURES
To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

*Indicates model illustrated by line drawing
* KD- Products are shipped knocked down

CODE DESCRIPTION
ST - storage unit
BC - bookcase
WR - wardrobe
L - door hinged left
R - door hinged right
X - silver metallic framed frosted glass doors

STANDARD FINISHES
For a complete list of standard Laminates & HPL, please see page 641.


GROMMETS
One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | BOOKCASES & STORAGE


DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
5 Hi Storage Unit 2 File, 3 Closed Shelves	72ST19246991L	1436	24	18.75	69		132	21.75
	72ST19246991R*	1436	24	18.75	69		132	21.75



5 Hi Storage Unit 2 Lateral File, 3 Open Shelves	72ST36246903*	1865	35.75	24	69		188	39.75
	72ST36206903	1645	35.75	20	69		180	33.5



5 Hi Storage Unit 2 Lateral File, 3 Closed Shelves	72ST36206904*	1807	35.75	20	69		192	33.5
	72ST36246904	2028	35.75	24	69		200	39.75



ORDERING NOTES:

Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 644 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of \$105 list.

BOOKCASES:

Shelves are adjustable in 1.25" increments.

5 Hi Storage Unit 2 Lateral File, 3 Closed Shelves	72ST36206904X*	2515	35.75	20	69		192	33.5
with Frosted Glass Doors	72ST36246904X	2733	35.75	24	69		200	39.75



ORDERING NOTES:

Please note that glass doors are not available with the pull option or lock option.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

ST - storage unit
BC - bookcase
WR - wardrobe
L - door hinged left
R - door hinged right
X - silver metallic framed frosted glass doors

STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.


ARTEMIS LAMINATE | BOOKCASES & STORAGE

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
5 Hi Storage Unit 2	72ST36206913	1380	35.75	20	69		104	33.5
Closed, 3 Open Shelves	72ST36246913*	1599	35.75	24	69		116	39.75




ORDERING NOTES:
Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 644 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of \$105 list.

5 Hi Storage Unit 3 Lateral File, 2 Closed Shelves	72ST36246908	2345	35.75	24	69		192	39.75
--	--------------	------	-------	----	----	--	-----	-------



6 Hi Storage Unit Closed Shelves	72ST19248311L	1187	24	18.75	69		160	26
	72ST19248311R*	1187	24	18.75	69		160	26



ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

*Indicates model illustrated by line drawing
* KD- Products are shipped knocked down

CODE DESCRIPTION

- ST - storage unit
- BC - bookcase
- WR - wardrobe
- L - door hinged left
- R - door hinged right
- X - silver metallic framed frosted glass doors

STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | BOOKCASES & STORAGE


DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
6 Hi Storage Unit 2 File, 4 Open Shelves	72ST19248390	1355	24	18.75	69		160	26




6 Hi Storage Unit 2 File, 4 Closed Shelves	72ST19248391L	1494	24	18.75	69		160	26
	72ST19248391R*	1494	24	18.75	69		160	26



6 Hi Storage Unit 2 Lateral File, 4 Open Shelves	72ST36208303*	1715	35.75	20	82.75		216	40
	72ST36248303	1939	35.75	24	82.75		224	47.5



6 Hi Storage Unit 2 Lateral File, 4 Closed Shelves	72ST36208304*	1905	35.75	20	82.75		220	40
	72ST36248304	2102	35.75	24	82.75		228	47.5



ORDERING NOTES:

Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 644 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of \$105 list.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

ST - storage unit
BC - bookcase
WR - wardrobe
L - door hinged left
R - door hinged right
X - silver metallic framed frosted glass doors

STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.


ARTEMIS LAMINATE | BOOKCASES & STORAGE

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
6 Hi Storage Unit 2 Lateral File, 4 Closed Shelves with Frosted Glass Doors	72ST36208304X*	2683	35.75	20	82.75		220	40
	72ST36248304X	2907	35.75	24	82.75		228	40




ORDERING NOTES:
Please note that glass doors are not available with the pull option or lock option.

6 Hi Storage Unit 2 Closed, 4 Open Shelves	72ST36208313*	1450	35.75	20	82.75		200	40
	72ST36248313	1674	35.75	24	82.75		208	40



ORDERING NOTES:
Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 641 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of \$105 list.

6 Hi Storage Unit 3 Lateral File, 3 Closed Shelves	72ST36248308	2421	35.75	24	82.75		220	40
--	--------------	------	-------	----	-------	--	-----	----




ORDERING NOTES:
Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 644 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of \$105 list.

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Laminate color selection 3) Wood edge detail-D or T see page 644 4) Pull style and color. 5) Grommet location and style if applicable *Indicates model illustrated by line drawing * KD- Products are shipped knocked down	CODE DESCRIPTION ST - storage unit BC - bookcase WR - wardrobe L - door hinged left R - door hinged right X - silver metallic framed frosted glass doors	STANDARD FINISHES For a complete list of standard Laminates & HPL, please see page 641. GROMMETS One grommet in standard position is optional at no charge. See page 644 for more power management information.
---	--	---

ARTEMIS LAMINATE | WARDROBES


DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
5 Hi Wardrobe with Closed Shelves	72WR36246901	1745	35.75	24	69		164	39.75
	72WR36246903*	1745	35.75	24	69		164	39.75



ORDERING NOTES:

01 - indicates closed left shelves and closed right wardrobe.
03 - indicates closed right shelves and closed left wardrobe.

5 Hi Full Width Wardrobe	72WR36246902	1691	35.75	24	69		135	39.75
--------------------------	--------------	------	-------	----	----	--	-----	-------



ORDERING NOTES:

Storage units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73WR36246901. Please refer to page 644 for pull orientation above and below the worksurface. Locks are available on Laminate doors for an upcharge of \$105 list.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

ST - storage unit
BC - bookcase
WR - wardrobe
L - door hinged left
R - door hinged right
X - silver metallic framed frosted glass doors


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | MODULAR TOPS & MEETING TABLES

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
	72TP6620	252	387	66	20	1.13		43	2.75
	72TP6624	290	445	66	24	1.13		50	3
	72TP6630	344	528	66	30	1.13		64	4
	72TP7220	285	437	72	20	1.13		44	3
	72TP7224*	323	496	72	24	1.13		55	3.5
	72TP7230	386	592	72	30	1.13		65	4
	72TP7820	318	489	78	20	1.13		46	3
	72TP7824	361	555	78	24	1.13		58	3.75
	72TP7830	433	664	78	30	1.13		75	4.75
	72TPR4220L	205	302	42	20	1.13		28	1.75
	72TPR4220R	205	302	42	20	1.13		28	1.75
	72TPR4224L	227	330	42	24	1.13		28	1.75
	72TPR4224R	227	330	42	24	1.13		28	1.75
	72TPR4820L*	223	328	48	20	1.13		31	2
	72TPR4820R	223	328	48	20	1.13		31	2
	72TPR4824L	248	365	48	24	1.13		31	2
	72TPR4824R	248	365	48	24	1.13		31	2
	72053629WM*	946	1115	36	36	29.35		50	5.75
	72054229WM	1083	1299	42	42	29.35		62	7.5
	72054829WM	1169	1402	48	48	29.35		80	9.5

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

*Indicates model illustrated by line drawing

* KD- Products are shipped knocked down

CODE DESCRIPTION

L - left hand position
 R - right hand position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 P6- panel leg
 WM- wire management


STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | MODULAR & KNOCK DOWN COMPONENTS

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
	L Support	72LB2029L	16	20	29.5		55	2
		72LB2029R	16	20	29.5		55	2
		72LB2429L*	16	24	29.5		60	3
		72LB2429R*	16	24	29.5		60	3
		72LB3029L	16	30	29.5		70	3.5
		72LB3029R	16	30	29.5		70	3.5
	Half Gable Desk Height	72HG0829	8	1.12	28		8	1.5
		72HG1229	12	1.12	28		8	1.5
	Panel Leg	72LG1429P6	12	1.12	28		8	1.5
	Modular Laminate Pedestals with Finish Back	72PFB16204F	15.75	20	28		61	6.5
		72PFB16204D	15.75	20	28		59	6.5
		72PFB16244F*	15.75	24	28		72	6.5
		72PFB16244D	15.75	24	28		70	6.5
		72PFB16304F	15.75	30	28		83	9.5
		72PFB16304D	15.75	30	28		78	9.5

ORDERING NOTES:

Artemis Laminate includes a range of standard components for creating modular and reconfigurable units that are non-handed, and adaptable to changing needs. Non standard modular components can also be specified. In addition, a number of the desk, credenza and return models in this price list can be quoted and ordered as modular components. Please contact Customer Service for assistance in specifying and pricing modular components.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

L - left hand position
R - right hand position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
P6- panel leg
WM- wire management

STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE | MODULAR & KNOCK DOWN COMPONENTS

DESCRIPTION	MODEL	Laminate	W	D	H	KW	Shipping Weight	Cubes
Mobile Pedestal	72MP161927F*	824	18.5	15.75	26.75	82	82	6.5
	72MP161927D	815	18.5	15.75	26.75	82	82	6.5
Laminate Modesty Panel	72MP66*	251	0.75	42.75	28	26	26	4.5
	72MP72	274	0.75	48.75	28	30	30	5
	72MP78	298	0.75	54.75	28	30	30	5



ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

*Indicates model illustrated by line drawing
* KD- Products are shipped knocked down

CODE DESCRIPTION

- L - left hand position
- R - right hand position
- 4 - full height pedestal
- D - 2 file drawers
- F - 2 box, 1 file drawer
- P6- panel leg
- WM- wire management


STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.


GROMMETS


One grommet in standard position is optional at no charge. See page 644 for more power management information.


ARTEMIS LAMINATE | RECEPTION

DESCRIPTION	MODEL	Laminate Top/Polymer Edge	HPL Top/Polymer Edge	W	D	H	KW	Shipping Weight	Cubes
Gallery Reception Desk Shell 	72GSD7230	1162	1455	71.75	30	42		216	65
	72GSD7830*	1336	1658	77.75	30	42		229	68
	72GSD8430	1383	1732	83.75	30	42		241	75.5
	72GSD9630	1475	1862	95.75	30	42		265	85.75

Gallery Reception Credenza Shell 	72GSC7224	1004	1182	71.75	24	42		197	53.75
	72GSC7824*	1155	1361	77.75	24	42		209	58
	72GSC8424	1199	1413	83.75	24	42		221	62
	72GSC9624	1276	1557	95.75	24	42		244	70.5

Gallery Reception Return Shell 	72GSRH4224L*	696	813	41.75	24	42		118	32.5
	72GSRH4224R	696	813	41.75	24	42		118	32.5
	72GSRH4824L	744	869	47.75	24	42		128	36.75
	72GSRH4824R	744	869	47.75	24	42		128	36.75

Gallery Reception Linking Unit 	72GLU4224H*	509	612	41.75	24	24		76	32.5
	72GLU4824H	581	704	47.75	24	24		87	36.75

Modular Tops for Metal Pedestals 	MTL72TP6120	224	338	61	20	1.13		42	2.5
	MTL72TP6124	258	390	61	24	1.13		54	2.5
	MTL72TP6620	252	384	66	20	1.13		43	2.5
	MTL72TP6624	290	438	66	24	1.13		50	2.5
	MTL72TP6630	344	520	66	20	1.13		64	3.5
	MTL72TP7220	285	431	72	24	1.13		44	2.75
	MTL72TP7224*	323	487	72	20	1.13		55	3
	MTL72TP7230	386	593	72	24	1.13		65	3.75

DIMENSION KEY

W - width
 D - depth
 H - height of worksurface
 KW - kneehole width
 Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.
 See page 5 for KrugExpress program.

CODE DESCRIPTION

H - desk height




STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

GROMMETS

One grommet in standard position is optional at no charge. See page 644 for more power management information.

ARTEMIS LAMINATE |METAL MODULAR COMPONENTS


DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
Metal Pedestal Desk Height 2 Box/1 File & File/ File 	MTL72P15184F*	611	15.25	22	27.75		53	7.2
	MTL72P15184D	569	15.25	18	27.75		51	7.2
	MTL72P15224F	717	15.25	22	27.75		70	10.6
	MTL72P15224D	676	15.25	18	27.75		70	10.6
Metal Pedestal 2 Hi Lateral File 	MTL72P30182801	974	36	18.25	27.75		101	11.8
Metal Pedestal File/2 Box & Lateral File Combination 	MTL72P30182802	1094	36	18.25	27.75		105	11.8
Metal Pedestal 2 Box/ File & Lateral File Combination 	MTL72P30182804	1044	36	18.25	27.75		95	11.8
Metal Mobile Pedestal 	MTL72MP1519227F	717	15.25	19	27		54	7

ORDERING PROCEDURES To order, please specify the following: 1) Krug product model number 2) Laminate color selection 3) Wood edge detail-D or T see page 644 4) Pull style and color. 5) Grommet location and style if applicable *Indicates model illustrated by line drawing * KD - Products are shipped knocked down	CODE DESCRIPTION MTL- metal components 4 - full height pedestal D - 2 file drawers 01 - lateral file drawers	STANDARD FINISHES For a complete list of standard Laminates & HPL, please see page 641. COLORS AVAILABLE Silver Metallic Additional Colors are available upon request.
--	---	---


704 | CANADA | CASEGOODS

ARTEMIS LAMINATE | METAL MODULAR COMPONENTS


DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
Single Metal Wall Mounted Overhead With Flipper Doors	MTL72OF361315	500	36	13.25	15		34	2.1
	MTL72OF421315	519	42	13.25	15		39	2.6
	MTL72OF481315	559	48	13.25	15		43	2.6
	MTL72OF601315*	662	60	13.25	15		54	3.2




2 Hi Lateral File	MTL72ST36182801	1211	36	18.25	27.75		108	14
-------------------	-----------------	------	----	-------	-------	--	-----	----




2 Hi Storage Closed	MTL72ST36182811	1093	36	18.25	27.75		101	14
---------------------	-----------------	------	----	-------	-------	--	-----	----



2 Hi Bookcase Open Shelves	MTL72BC361328	788	36	13.5	27.75		67	11.3
----------------------------	---------------	-----	----	------	-------	--	----	------



4 Hi Lateral File	MTL72ST36185201	1919	36	18.25	51.5		192	25.2
-------------------	-----------------	------	----	-------	------	--	-----	------



DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.
See page 5 for KrugExpress program.

CODE DESCRIPTION

MTL - metal components
4 - full height pedestal
D - 2 file drawers
01 - lateral file drawers






STANDARD FINISHES

For a complete list of standard Laminates & HPL, please see page 641.

COLORS AVAILABLE

Silver Metallic
Additional Colors are available upon request.

ARTEMIS LAMINATE | METAL MODULAR COMPONENTS

DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
4 Hi Storage Closed	MTL72ST36185211	1678	36	18.25	51.5		148	25.2
								
4 Hi Bookcase Open Shelves	MTL72BC361352	980	36	13.5	51.5		90	14.2
								
5 Hi Bookcase Open Shelves	MTL72BC361366	1173	36	13.5	66		118	25.3
								
5 Hi Storage- 3 Lateral File, 2 Closed	MTL72ST36186608	2464	36	18.25	66		212	30.8
								
5 Hi Storage- 2 Lateral File, 3 Closed	MTL72ST36186604	2322	36	18.25	66		203	30.8
								

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate color selection
- 3) Wood edge detail-D or T see page 644
- 4) Pull style and color.
- 5) Grommet location and style if applicable

*Indicates model illustrated by line drawing
* KD- Products are shipped knocked down
706 | CANADA | CASEGOODS

CODE DESCRIPTION

MTL- metal components
4 - full height pedestal
D - 2 file drawers
01 - lateral file drawers

STANDARD FINISHES


For a complete list of standard Laminates & HPL, please see page 641.

COLORS AVAILABLE


Silver Metallic
Additional Colors are available upon request.

ARTEMIS LAMINATE |METAL MODULAR COMPONENTS

DESCRIPTION	MODEL	Price	W	D	H	KW	Shipping Weight	Cubes
5 Hi Storage- Closed	MTL72ST36186611	1974	36	18.25	66		172	31




5 Hi- 2 File/3 Closed, Shelves/Wardrobe	MTL72WR24246627	2117	23.5	23.5	66		193	25.7
---	-----------------	------	------	------	----	--	-----	------





ORDERING NOTES:
(27) - indicates closed right wardrobe, 3 closed left shelves, 2 file drawers.
(28) - indicates closed left wardrobe, 3 closed right shelves, 2 file drawers.

5 Hi- Wardrobe, 2 File/3 Closed Shelves	MTL72WR24246628	2117	23.5	23.5	66		193	25.7
---	-----------------	------	------	------	----	--	-----	------



ORDERING NOTES:
(27) - indicates closed right wardrobe, 3 closed left shelves, 2 file drawers.
(28) - indicates closed left wardrobe, 3 closed right shelves, 2 file drawers.

DIMENSION KEY W - width D - depth H - height of worksurface KW - kneehole width Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical. See page 5 for KrugExpress program.	CODE DESCRIPTION MTL- metal components 4 - full height pedestal D - 2 file drawers 01 - lateral file drawers	STANDARD FINISHES For a complete list of standard Laminates & HPL, please see page 641. COLORS AVAILABLE Silver Metallic Additional Colors are available upon request.
--	---	--



The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

krug