

# CONFERENCE

Price and Specification Guide  
USA



Effective June 1, 2015

krug

# CONFERENCE | TABLE OF CONTENTS

## GENERAL INFOMRATION

2	General Information
---	---------------------

## PRICING & SPECIFICATIONS

4	Nuvo
78	V2
117	Ando
128	Revo
165	Virtu
303	Millenium
323	Stratford

# GENERAL INFORMATION

## TERMS AND CONDITIONS

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Prices include shipping to territorial warehouse. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

## CUSTOMER SERVICE HOURS

Please note customer service hours are:  
8:30 am to 5:00 pm est  
1.888.578.KRUG  
1.519.748.5177 fax

## ORDER ACKNOWLEDGEMENTS

Each order will be acknowledged via email or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Krug of any discrepancies with a purchase order.

## CANCELLATION

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

## DIMENSIONS

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

## STORAGE CHARGES

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

## CONTACT INFORMATION

Phone: 1.888.578.KRUG  
Fax: 1.519.748.5177  
Purchase Order Fax: 1.888.236.4783 or email: orders@krug.ca  
Web: www.krug.ca  
Email: solutions@krug.ca

## INSTALLATION SUPPORT

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

## PRICING

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

## WARRANTY

Krug warrants all Conference products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by Krug: these are subject to the specific warranties of their manufacturers (if any). Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

## EXPORT PACKAGING

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. Export packaging is provided at an upcharge of 5% of the net selling price per item. Export Packaging is **STRONGLY RECOMMENDED** for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

## FREIGHT TERMS AND CONDITIONS

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. When a Krug territorial warehouse (where available) is selected as the default delivery location, Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled.

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged.

## CUSTOMER SATISFACTION

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

## DAMAGED SHIPMENTS

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened.

Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

## TESTING

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2008 or X5.9-2004.

## FIELD PRODUCT REPORT AUTHORIZATION

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

## RETURNS

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted.

Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

## CARE AND MAINTENANCE

### Wood Finishes

Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent.

Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

## Plastic Laminates

Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

## CUSTOM CAPABILITIES

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Customer Service for more information.



## KRUG EXPRESS

## PROGRAM DETAILS

*KrugExpress* orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

*KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

## KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website.

[www.krug.ca](http://www.krug.ca) PRODUCTS / FABRICS / PANEL

The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

If memo samples are required please call Momentum at 1-800-366-6839.

## PRICE LIST & SPECIFICATION GUIDE

166	LEED Credit Summary, Substantiality & Environmental
167	Wood Species & Finishes
168	Laminates
169	Introduction & Overview

## SECTION 1 COMMUNICATION PLANNING

171	Connexus
173	Connexus Planning
174	Electrical Cord Lengths
175	Wire Management
176	Wire Management Bases
177	Sample Configurations
179	Media Cabinet, Media Cart & Lectern Wiring Sample
179	Altinex

## SECTION 2 ORDERING & PLANNING

180	General Product Overview
184	Room Sample Layouts
187	Rectangular Table Specifications
189	Arced Rectangle Table Specifications
195	Racetrack Table Specifications
199	Boat Table Specifications
203	Oval Table Specifications
207	Verso Table Specifications
209	Visio Table Specifications
213	Open Visio - Partial Modesty Panel Table Specifications
215	Open Visio - Full Height Modesty Panel Table Specifications
217	Delta Table Specifications
219	Round Table Specifications
221	Connexus Planning
223	Preconfigured Standard Modules
225	Preconfigured Large Modules
226	Custom Connexus Planning
228	Port Options - Plate Mounted
230	Port Options - Snap in Ports
232	Connexus Location Charts
244	Floor Monument Locations
245	Electrical Cord Lengths
246	Recommended Floor Monument Locations
263	Conference Table Ordering Chart Sample
264	Dual Media Cabinets
265	Media Cabinets
266	Large Media Cabinets
270	Small Media Cabinets
274	Small Display Cabinets
277	Display Cabinets
278	Storage Cabinets
280	Credenzas
283	Buffets
285	Wardrobes
286	Server Cart & Media Cart
287	Visual Board
288	Lectern
290	Electrical
291	Installation Instructions




LEED CI - Credit Summary

VIRTU CONFERENCE



MATERIAL CONTENT:



PRE-CONSUMER  
RECYCLED CONTENT = 73%

POST-CONSUMER  
RECYCLE CONTENT = 2.5%

CONTRIBUTES TO		
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point

\* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# WOOD SPECIES AND FINISHES

## WOOD FINISHES

Standard wood finishes are:

SPECIES	FINISH
Cherry	Light Cherry
	Natural Cherry
	American Cherry
	Medium Cherry
	Standard Cherry
	Imperial Cherry
	Appalachian Cherry
Maple	Sable Cherry
	Clear Maple
	Honey Maple
Oak*	Wheat Maple
	Light Oak
	Harvest Oak
	Mahogany Oak
	Medium Cherry on Oak
	Mellow Oak
	Walnut on Oak
Walnut	Espresso on Oak
	Natural Walnut
	Regular Walnut
	Mahogany on Walnut
	Dark Walnut
Anigre	Cordovan Walnut
	Clear Anigre
	Medium Anigre

\*VIRTU Oak veneers are rift cut.

## PALETTE FINISHES

Standard solid color finishes are:

Black  
White  
Sand  
Soft green  
Steel blue  
Slate

Palette finishes are available on selected components in VIRTU as a special. please contact Customer Service for pricing and lead time requirements.

## NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

## CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

## ENDURAGUARD FINISH

V2 Modular features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

# LAMINATES

Krug defines “**Laminate**” as Low-Pressure Laminate or LPL. Artemis Laminate Caseloads are constructed using low-pressure laminate. High pressure worksurfaces are also available when specified.

## In-Stock Laminate

Krug’s in-stock Laminates are available in 16 different laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular solid shades and 4 Exotic laminates offering a distinguished appearance. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface.

### In-Stock Laminates

Wood Grain Laminate		Wood Grain HPL (Worksurface Option Only)		
Name & Number	Supplier	Name & Number	Supplier	Polymer Edge Names
Corretto Cherry W288	Panolam	Corretto Cherry HP-288-N	Pionite	Corretto Cherry
Mocha Cherry W341	Panolam	Mocha Cherry HP-341-N	Pionite	Mocha Cherry
Monticello Maple L308	Tafisa	Monticello Maple 7925	Wilsonart	Monticello Maple
Nightfall W292	Panolam	Nightfall WX421-N	Pionite	Nightfall
Samba Cherry L460	Tafisa	Samba Cherry T460	Arborite	Samba Cherry
Shiraz Cherry L472	Tafisa	Shiraz Cherry T472	Arborite	Shiraz Cherry
Sugarloaf Maple L630	Tafisa	Sugarloaf Maple T630	Arborite	Sugarloaf Maple

Solid Laminate		Solid Laminate HPL (Worksurface Option Only)		
Name & Number	Supplier	Name & Number	Supplier	Polymer Edge Names
Almond S445	Tafisa	Almond T445	Pionite	Almond
Black L203	Tafisa	Black T203	Arborite	Black
Shadows L201	Tafisa	Shadows T201	Arborite	Shadow
White L175	Tafisa	White D354-60	Wilsonart	White

Exotic Laminate		Exotic Laminate HPL (Worksurface Option Only)		
Name & Number	Supplier	Name & Number	Supplier	Polymer Edge Names
Backwoods Sycamore W689	Panolam	Backwoods Sycamore HP689-N	Pionite	Backwoods Sycamore
Edgewood Sycamore W690	Panolam	Edgewood Sycamore HP690-N	Pionite	Edgewood Sycamore
Gunstock Walnut W190	Panolam	Gunstock Walnut WW971-N	Pionite	Gunstock Walnut
Thunderstorm W359	Panolam	Thunderstorm HP359-N	Pionite	Thunderstorm

## Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges can be specified for use with non-stocked laminates.

The following plastic laminates are acceptable for application on Krug products as they feature a matte finish:

Nevamar	All plastic laminates with “T” in the suffix (i.e., MR2002T)
Wilsonart	All plastic laminates with “60” in the suffix (i.e., 4779-60)
Arborite	All plastic laminates with “CA” in the suffix (i.e., 1531-CA)
Pionite	All plastic laminates with “Suede” in the name (i.e., WW561 Suede)
Formica	All plastic laminates with “58” in the suffix (i.e., 756-58)

Arborite Laminates 1.800.996.0366	Wilsonart Laminates 1.800.433.3222
Pionite Laminates 1.800.746.6483	Formica Laminates 1.800.367.6422
Nevamar Laminates 1.800.638.4380	

Additional plastic laminate codes may be acceptable for use on Krug furniture, however, they could be subject to an additional upcharge or extended lead time due to material complexity. High sheen plastic laminates are not acceptable for application on Krug furniture due to their inherent nature of scratching and marring during the production process.

## Dual Laminates

Two laminate colors can be combined on the same unit, with one laminate color on the worksurface and another laminate on the rest of the unit, at no upcharge. Combinations of more than one laminate in the body of the unit are not available.



## FUELING CREATIVITY

As much as anything, the development of VIRTU reflects the growing importance of meeting space in virtually all organizations. Facilitating interaction and collaboration between people, and creating environments where relationships can be established and built, is both the challenge and the opportunity of office design.

This was the inspiration for creating VIRTU Conferencing – a collaborative process itself, between Hatch Design and Krug’s in-house design team. Spending countless hours in meeting rooms was a pretty good way to develop a conferencing product – lots of firsthand knowledge was involved. But we also talked to facility managers, designers and architects about what their needs were, and what was lacking among available products. We talked to dealers and installers about what goes wrong when meeting rooms are ordered and installed, and to electricians about how we could create an interface with technology that would not become outdated by the constant advances in this area.

Most of all, VIRTU is about design that helps organizations reach their potential. In the words of principal designer John Edwards, “VIRTU has many attributes, but our primary goal was to create meeting rooms that would truly stimulate people. Many of the unique elements of VIRTU – such as the Verso Table, the Connexus™ module, the shapes and angles, the combinations of materials – are meant to allow a space to facilitate the creative process. Furnishings that can do this deliver tremendous value.”

To this point, higher-end conference rooms have usually required the client or the designer to find a custom millwork house to make furniture. This can offer some advantages, but also some disadvantages: high cost, long lead times, the challenges of matching finishes and materials to other furniture, and perhaps most of all, the extensive work involved with designing custom furniture in the first place.

VIRTU changes all of that. All of these issues are turned into solutions. VIRTU is the most extensive product offering of its kind. Krug’s industry-leading production system provides a huge array of options within this line, allowing for the specific needs and wants of each project to be addressed. But addressed with a product range that is already designed, engineered, and is manufactured with a process that takes a few days, rather than weeks. And when all is said and done, VIRTU provides the best value available today.

## THE VERSO TABLE – PATENTED FOR PRESENTATIONS!

The Verso table offers a unique range of conferencing options in a single table. First, its tapered shape - like the Visio and Open Visio tables in VIRTU – provides a great solution for videoconferencing. Second, the Verso table incorporates leading-edge thinking on how to make the best in-person presentations. This thinking says that from the audience’s perspective, the presenter should always be positioned to the left of the visuals at the front of the room. The Verso table is designed to orient the presenter and the audience in this correct positioning.

Third, Verso is designed to work well for meetings where participants are all seated at the table. Many videoconferencing tables, with a separation in the middle, do not work particularly well for sit-down meetings. The Verso table’s effective accommodation of all three meeting room scenarios makes it the most versatile conference table on the market. And if there is one thing that is usually required of meeting rooms, it is the ability to accommodate many different uses.

## OPTIONS, OPTIONS, AND MORE OPTIONS

Speaking of versatility – VIRTU Conferencing Tables offers a huge selection:

- 12 table top shapes, each in a large range of sizes.
- 4 edge profile options.
- 7 table base styles, each with built-in wire management.
- 4 wood species: Maple, Cherry, Walnut and Anigre.
- 15 wood finishes
- 2 metal finishes
- a large array of Connexus™ configurations, and the option to order as a Blank module and configure on-site.
- Connexus™ modules that can be specified in a range of locations on table tops, to provide the desirable location for, and quantity of, power interfaces.

VIRTU features numerous complimentary pieces, including Media Cabinets, Display Cabinets, Lecterns, Visual Boards, Buffets, Credenzas, Storage Cabinets, Bookcases, and Mobile Media and Server Carts.

## VIRTU AND VIDEOCONFERENCING

VIRTU has been designed to accommodate all the latest in videoconference applications, and can be reconfigured with off-the-shelf components as needs and office technology change. The following are the fundamental principles of videoconferencing that were incorporated into the thinking of creating VIRTU – which we feel successfully supports a multitude of videoconferencing environments.

## VIDEOCONFERENCING DEFINED

Videoconferencing is the use of audio, video and data communications to enable groups to interact without being in the same geographic location. Many companies have found they cannot afford the down time and considerable cost of mobilizing their staff for face-to-face meetings. To optimize the videoconferencing experience, the right environment must be created to support both the participants and the technology.

# VIRTU | INTRODUCTION AND OVERVIEW

## VISUAL COMPONENTS

Cameras that are used to convey images are very sensitive to movement. When too much motion is captured, it creates a backlog of images. These images are then compressed which causes the system to drop frames and/or compromise the spatial resolution in an effort to keep up with the participants. This leads to a disjointed broadcast and pixilated images.

To prevent this disruption several things can be done. First, ensure that the camera is situated on a flat, stable surface. Next, eliminate all extraneous motion. This means everything from clocks to people walking in the background. The only backdrop to videoconferencing should be a blank wall of neutral color.

Since eye contact is an important part of the videoconferencing experience it is vital that the camera not be placed too far away from the participants. In a group setting the technology being used today mandates that users not be more than 10 feet from the camera. This fact will limit the size of the room being used for group meetings: a 12 or 13 foot long room allows for optimal visuals and provides enough room for six or seven participants to be seated around a conference table. Furthermore, sitting too close to the source will lead to a fisheye effect and a distorted image.

All participants should be visible to the camera, so a traditional seating arrangement (rectangular, straight line) will not work. To ensure that all group members are included in the telecast, a table that staggers the sight line of the camera is suggested. The ideal shape has one end narrower than the other and is long enough to place the person seated at the back no more than 10 feet from the camera. To help simulate a more natural face-to-face meeting, it is typical to employ the use of two monitors in a videoconferencing room. The use of two monitors allows the participants to view not only those positioned off-site, but themselves. By placing these monitors side by side a focal point is created that keeps the group's attention.

To have all the participants focused on one point in the room is key. This allows for the camera to capture the faces of the assembled group. Face time is essential in videoconferencing so the speaker can be easily identified. Aside from simulating a natural "physical" environment it also keeps the pace of the conversation moving forward and eliminates the need for disruptive introductions throughout the conference.

The room's focal point should be the storage unit positioned at the head of the conference table. This unit should be able to house one or two monitors side by side and have a shelf above for the camera and speakers. To support these components, a PC is usually dedicated to the room to coordinate and document the meetings. Therefore, a well-ventilated storage unit that is high enough to position the camera correctly is as important as the technology itself.

To prevent poor visual tones the surroundings of the participants should be darker than they are. Darker finishes on the table and other furnishings will allow the camera to be more effective; walls should be neutral. Fluorescent lighting creates hot spots, so use incandescent lighting whenever possible. Furthermore, glare and reflections from windows and glass frames throw the image off. The room should have dark blinds for all windows; glass surfaces (dry erase boards, framed pictures) should be situated on side walls rather than the background.

## AUDIO COMPONENTS

The audio portion of videoconferencing is comprised of two physical components: the microphone and speakers. The microphone picks up the voices of the participants and should be placed an equal distance from all group members to prevent a dominant voice from overwhelming the meeting. Tabletop microphones are the most common and can be easily moved to accommodate the number of participants in each meeting. Some form of surface wire management should be in place to facilitate the installation and removal of the microphone.

To eliminate sound distortion and echo, the conference room should have soft furnishings such as: upholstered seating, carpeting and ceiling tiles. Plastic and mesh chairs reduce acoustical quality and range. Acoustical panels are also suggested for rooms in constant use. The location of the room is also important. The ideal room is not located near a main thoroughfare where people will often stop and chat, creating unnecessary background noise. Moreover, all air ducts should be well insulated to avoid "white noise."

## TECHNOLOGY SUPPORT FURNITURE

The table in use should adapt to the requirements of each conference by including tabletop access to power and data. These "ports" allow conference participants to position a microphone, telephone or laptop on the table without stringing wires from the table to the wall. This helps keep the focus on the meeting, allows information to be shared more readily, and protects wires from both feet and chair casters. Also, with plug and play ability, the room can be reconfigured to fit the requirements of each meeting and its participants.

The tabletop interface should provide power and data outlets beneath a removable, protective cover; this will prevent any spilled liquids or cleanser from entering the wiring cavity. The cover should provide enough room for the wires to enter the cavity below without force or threading. The interface itself should be placed at an angle to allow an ease of use and prevent data wires from crimping and denigrating their capacity to deliver information.

The faceplates that cover the interface should be universal and reconfigurable to adapt to frequent technology and network upgrades. The interface should be accessible from below so that the back panel and electrical module itself can be switched out as easily as the faceplates. Access to the bases through removable panels should allow for the easy management of wiring to the interface itself or the module into which it is wired. This not only keeps the wires hidden from view, but also protects wiring from exterior elements. Bases can provide an opening to the floor where wires can be routed to the underside of the table. A table leg with a channeling insert can make the same connection.

Any storage unit housing monitors, cameras, speakers and computers must have a wire management system in place. This should include oversized grommets leading from one level to another and ventilation to the back to promote air circulation and release the heat generated by electronics. The grommets should be easily accessible so that retrofits, upgrades and maintenance can take place on a regular basis. Access to the wall behind the housing is also advisable so that faceplates in the wall can be reached without moving the entire unit.

## OBJECTIVE

We have designed this section to help you determine the appropriate power and communications options for your specific application. This section is divided into two parts with the following objectives:

1. Provide detailed information on Connexus™, VIRTU's tabletop power and data module: what it is, its abilities and its applications.
2. Provide a description and specifications of VIRTU's wire management capabilities.

## CONNEXUS™

Using technology and furniture together can be a challenge, and at worst can ruin a meeting or presentation. VIRTU is totally designed around the interface with office technology and equipment. The Connexus™ power module in table tops provides an unlimited range of connectivity. Going way beyond electrical, Connexus™ offers connections for voice, data, multimedia presentations, network and internet connections, and much more. Connexus™ can be specified in any number of locations in a table, and features a substantial cavity for easy access and wire storage.

But the greatest innovation of patent-pending Connexus™ is that it utilizes industry-standard receptacle outlets for this multitude of connection options. This provides huge advantages over the more limited interface found in other products. VIRTU offers 11 standard configurations for Connexus™, which will address almost any user need. And Connexus™ can also be ordered as a Blank module, and configured by electricians on-site with off-the-shelf receptacles and wiring to a user's specific needs. This feature makes VIRTU exceptionally suited to customers where local codes require on-site configuring and installation of all electrical components.

There's more. Connexus™ can be reconfigured on-site, with the same components used by electricians everywhere, and can be purchased wherever electrical components are sold. Likewise, Connexus™ faceplates are standard Decora style, which are also readily available. VIRTU is designed to allow this reconfiguration of wiring without having to take tables apart and re-install. VIRTU is the conferencing product that best addresses the inevitability of changing office technology, and the need for interfaces to change and evolve with it. This unique design philosophy means that VIRTU will never be outmoded or outdated by changing user needs.

## CONNEXUS™


Connexus™ is Krug's proprietary tabletop and data module. When opened, it presents power and data outlets on a convenient angle to the user and provides storage for wiring.


The faceplate of Connexus™ can be either Glass or Aluminum, and sits flush with the tabletop. It is designed to allow wiring to pass through the surface cover in both the open and closed positions. The faceplate opens to a 100° angle from the table top.

Connexus™ utilizes standard receptacle outlets, which can be field converted and reconfigured at any time. Connexus™ comes with receptacles pre-wired, with a wide selection of power, data and presentation system outlets, or alternatively can be purchased as Blank modules that can be hard-wired on site by the user and reconfigured easily when this is desired. To facilitate this process, the Enclosure Box of each Connexus™ module is easily removable. For more information regarding hard-wiring on site, see page 222.


\* All duplex outlets are contained within a metal box that is attached to the Partition Plate. If additional outlets need to be added in the future, these boxes need to be ordered from Krug to expand the enclosure. Part number and pricing can be found on page 224. This modification should be done by a qualified electrician.

The labeled drawing shown below illustrates the way a Connexus™ module is shipped to the user. The Partition Plate is mounted on-site to the under side of the top and the Enclosure Box over top to conceal the module.





Standard



Large

Connexus™ modules may be specified in **Standard** or **Large** sizes. Standard modules are available in 6 configurations. Large modules are available in 5 configurations.

As an alternative, **Blank** Connexus™ modules may be purchased for future use by the customer.

See page 232-243 for a complete list of module configurations and pricing. Please note that a Large module cannot be specified in conjunction with an 18" diameter Dais or Oblique base, or a 14" Forza Square base.

## CONNEXUS™ PORT OPTIONS :

- |                                |   |
|--------------------------------|---|
| <b>RJ11 port</b>               | - Connection for Telephone/Modem  |
| <b>RJ45 port</b>               | - Category 6 Connection for Network Connector   |
| <b>AC Power</b>                | - Power Input   |
| <b>RCA ports</b>               | - Female RCA type pass-through (left – black, right – red) cable connectors from stereo source to audio system          |
| <b>BNC port</b>                | - High quality pass-through connector from broadcast video or computer video to display monitor                         |
| <b>Stereo Mini</b>             | - 3.5mm Mini pass-through connector from computer sound card to amplified sound system                                  |
| <b>Video pass-through port</b> | - Female RCA type pass-through cable connector for video signal from VCR or video camera source to video display or VCR |
| <b>15 PIN HD</b>               | - VGA type 15 pin pass-through connector from computer video to video display monitor                                   |
| <b>DB-9 (Serial)</b>           | - Pass-through data connector from computer to switcher control for lights, blinds, projector screens, etc.             |

See complete information starting on page 221 for all options.


Please note: RJ11, RJ45 and Stereo Mini are not shipped pre-wired. A telephone IT or AV specialist should perform these connections.

Connexus™ modules in **Standard** configurations are 6 1/8" x 7 3/8".

Connexus™ modules in **Large** configurations are 8 1/4" x 7 3/8".

Depth on Standard and Large modules is 4.5".

As an alternative to Connexus™, a 3" round grommet, in a Satin Aluminum finish may be specified at a list price of \$200 per grommet.



## CONNEXUS™ PLANNING

Connexus™ modules are wired independently of each other to maximize the amount of electrical devices serviced. All Nexus™ modules may sustain individual loads of 15 amps, or 12 amps of continuous load. Each Nexus™ module will require a single isolated circuit to maximize its service capabilities. Nexus™ modules are not daisy-chained together, thereby preserving the system's optimum performance. As an example, if four Nexus™ modules were specified, it will be necessary to provide two duplex outlets with a total of four circuits. Each Nexus™ module can then be plugged into each supplied outlet.

Connexus™ components are UL and CSA US approved and manufactured in accordance to the National Electrical Code.

Hardwiring Nexus™ modules on-site should be performed by a licensed electrician.

It is important to note that each Nexus™ module is rated for 15 amps and each should be connected to a single isolated circuit. Although each Nexus™ module is rated for 15 amps, please note that the National Electric Code restricts the amount of any known continuous load to 12 amps.

**For maximum power utilization, it is recommended that each Nexus™ module be plugged directly into a single isolated circuit.** For detailed information on installing Nexus™ modules, please refer to the Installation Instructions on page 298-302.

Below we have included a list of typical office equipment and their appropriate amp ratings to assist in planning your electrical requirements.

### Typical Amp requirements of office equipment, when drawing full power.

GENERAL EQUIPMENT	AMP RATING	ELECTRONIC EQUIPMENT	AMP RATING
AC adapter	.05	Desktop printer	1.2 – 5
Adding machine	.05	Laptop	1.5 – 3.5
Answering machine	.08	Modems	.15
Calculator	.25	VDTs and PCs	.08 – 4.8
Clock	.03	Video projector	.67 – 3.47
Coffee pot	10		
Fan	1.0		
Microwave	8 – 12		
Pencil sharpener	.25		
Polycom Conference Phone	.23		
Radio	.05		
Slide projector	2 – 6		
Space heater, 1000 watts	8.6		
Space heater, 1500 watts	13		
Transcriber	.15		

ELECTRICAL CORD LENGTHS

Connexus™ modules come with pre-determined electrical cord lengths that are suited to the size and configuration of each table (6', 16', 25'). Each will plug into a standard floor monument power source. However, in situations where a table length exceeds our maximum cord length, a second power entry is necessary to avoid daisy-chaining of electrical power. To determine when a second power entry is required follow these steps:

- 1. Select your Connexus™ locations.
- 2. Select your Floor Monument Location(s) if they do not already exist in the room.
- 3. If the number of Connexus™ modules exceed three consecutive positions left or right of the power entry, then an additional power entry will be required. Refer to the Connexus™ diagrams on pages 232-243 that illustrate the base and tabletop combination of your selection.

Note: Connexus™ modules in pairs count as one position.  
\* Open Visio tables require 2 power sources, one per wing, or a single power source located at the apex of the two tables.

Example 1

If the designated Floor Monument location for the table scenario shown below is 1L, the user would be able to power-up any or all of the following Connexus™ locations: AL, BL, and CL.

Example 2

If the designated Floor Monument location for the table scenario shown below is 2R, the user would be able to power-up any or all of the following Connexus™ locations: CL, CR, BR and AR.

Monument Location Scenario

1L	2L	3L	3	3R	2R	1R
----	----	----	---	----	----	----


Connexus™ Location Scenario

ACW3	BCW3	CCW3	DCE3	ECE3	FOE3
------	------	------	------	------	------

HARDWIRING ON SITE


For hardwiring on-site by electricians, please use the following schematic:

- 1 Power Supply Cord
- 2 Strain Relief
- 3 Fork Terminals
- 4 Duplex Receptacles
- 5 Outlets with Circuit Breaker Assembly
- 6 Handy Box




For a more detailed look at hardwiring on-site, please see page 301.






### WIRE MANAGEMENT


Wires are channeled behind the Forza Leg and Forza Panel bases, and concealed by design by a black PVC insert that runs the entire length of the base. The insert is 27" long and the channel opening is approximately 1.5" x 1.25" wide.




Wires are channeled through the center of Dais, Forza Rectangle, Forza Square, Oblique and Verso bases to floor monuments.




In the situation where the power source is outside of the table base, it will be necessary to pass the power supply cord underneath and into the table base. VIRTU bases are equipped with removable panels which makes access to the interior quick and easy. The Dais base (shown left) is the only exception. Dais bases are equipped with a small removable access panel, but may require a mouse-hole cut in the field.



All VIRTU conference tables except open Visio are designed to accommodate wiring channeled underneath the table top and into bases. A flexible PVC wire management channel is provided with all multi-section tables at no charge, and mounted on-site. It features dual channels to allow separation of fibre optic cables. Open Visio tables use the wire management cover. All VIRTU bases have access holes to allow this wiring to pass into or out of the bases. The channel is flexible and allows for wiring to be easily inserted or removed at the sides.



When power is being routed through Forza Leg or Forza Panel bases, velcro wire management straps are attached to the underside of the top to manage wiring from Connexus™ modules to the floor monument. The velcro straps are supplied at no charge.










A metal cord spooler is standard on all bases with interior cavities and provided at no charge. The spooler provides for tidy wire management when there is an excessive amount of cord length.

# VIRTU | SECTION 1 – COMMUNICATION PLANNING

## WIRE MANAGEMENT - BASES


All VIRTU table bases feature wire management capabilities for routing wires between floor monuments and Connexus™ modules. Bases with interior cavities have openings in the top and a 5" recessed bottom panel which provides full access for wiring and cord plugs to the floor. Access doors are also provided on these bases to facilitate easy access to the interior. Forza Leg and Forza Panel bases use a black PVC insert to channel wires from the table top to the floor. Please see the chart below for specifications. All bases are 29" in height. Please note that all bases with interior cavities are weighted with 72 lbs. of ballast to ensure table stability.

Base Type	Base Size	Door Opening Dimensions	Interior Access Cavity Dimensions
<b>Dais Base</b> 	18" Dia. 24" Dia. 30" Dia.	11.8" x 11.4" 16" x 11.4" 20.3" x 11.4"	17.25 Dia. x 14.5" 23.25 Dia. x 14.5" 29.25 Dia. x 14.5"
Note: Cylindrical wire cavity for this base is 12" in diameter.			
<b>Verso Base</b> 	18" x 19" 23" x 24"	17.75" x 27.9" 22.5" x 27.9"	17.75 x 18 x 12" 22.5 x 22.5 x 12"
Note: Used only with Verso table top. Note: Cylindrical wire cavity for this base is 6" in diameter.			
<b>Forza Rectangle Base</b> 	13" x 30" Note: Cylindrical wire cavity for this base is 6" in diameter.	24.1" x 27.9"	28.5 x 8.25 x 8.5"
<b>Forza Square Base</b> 	14" x 14" 20" x 20" 26" x 26" Note: Cylindrical wire cavity for this base is 6" in diameter.	10.25" x 27.9" 16.25" x 27.9" 22.25" x 27.9"	13 x 11.5 x 13" 19 x 17.5 x 13" 25 x 23.5 x 13"
<b>Oblique Base</b> 	18" x 18" 24" x 24" 30" x 30"	17.6" x 27.6" 23.5" x 27.6" 29.5" x 27.6"	14.75 x 14.25 x 17.5" 20.75 x 20.25 x 17.5" 26.75 x 26.25 x 17.5"
Note: Cylindrical wire cavity for this base is 6" in diameter.			
<b>Forza Leg Base</b> 	Uses Black PVC Insert to channel wires. Insert is 27" in length. Channel opening is 1.5" x 1.25" wide.		
<b>Forza Panel Base</b> 	24" 30" 34" 41" 48" Uses Black PVC Insert to channel wires. Insert is 27" in length. Channel opening is 1.5" x 1.25" wide.		

## SAMPLE CONFIGURATIONS

The following diagrams are samples of wire channeling for specific VIRTU table top and base configurations. For location codes for Connexus™ Modules refer to pages 232-243.


### EXAMPLE #1 - ARCED RECTANGLE TOP WITH DAIS BASES



Also applicable for Forza Rectangle, Forza Square, and Oblique Bases.


---

### EXAMPLE #2 - ARCED RECTANGLE TOP WITH FORZA PANEL BASES



---

### EXAMPLE #3 - ARCED RECTANGLE TOP WITH FORZA LEG BASES




## VIRTU | SECTION 1 – COMMUNICATION PLANNING

### SAMPLE CONFIGURATIONS


The following diagrams are samples of wire channeling for specific VIRTU table top and base configurations. For location codes for Connexus™ Modules refer to pages 232-243.

EXAMPLE # 4 - VERSO TOP WITH VERSO BASE AND FORZA SQUARE BASE




---


EXAMPLE #5 - OPEN VISIO TOP WITH FORZA LEG BASES



---


EXAMPLE #6 - VISIO TOP WITH FORZA LEG AND FORZA SQUARE BASES






## MEDIA CABINET WIRING SAMPLE

VIRTU Media Cabinets feature 2" and 4" diameter vertical and horizontal grommets to accommodate all types of videoconferencing equipment. As well, large 4" diameter air vents are strategically located on the backs of each unit. Dual Media Cabinets can accommodate two television monitors up to 35" wide, Large Media Cabinets accommodate one 35" wide monitor, and Small Media Cabinets can accommodate television monitors up to 27" wide. Cabinets can also accommodate videoconferencing cameras and microphone systems, DVD and VCR players, and projectors. Below is an example of wire management on a VIRTU Media Cabinet.



## MEDIA CART WIRING SAMPLE

VIRTU Media Carts accommodate laptops or keyboards on the primary surface of the cart, and television monitors up to 27" on the top shelf. DVD and VCR players can be accommodated on all surfaces. Media Carts, depending on the model, come equipped with several vertical and horizontal grommets to provide easy connection between equipment located on the interior and exterior of the cart. Media Carts also feature a standard power bar. Below is an example of wire management on the VIRTU Media Cart.



## LECTERN WIRING SAMPLE

VIRTU Lecterns offer the presenter various media options. Notebook computers, paper notes, lighting, microphones, pens and pencils, a glass of water... everything for a presenter can be accommodated. The optional Altinex power and data interface system is concealed but easily accessed. The hinged rear door, which is standard on lecterns with front hinged doors, provides access to the interior for a computer CPU to run presentations. An optional power bar is available (refer to page 290). Below is an example of wire management on a VIRTU Lectern.

## ALTINEX


The Altinex box offers an ideal solution for the power and data requirements of a speaker using the VIRTU Lectern.

Altinex features the following power/data connectors:

A	(1) Stereo Mini	3.5 mm Mini pass-through connector from computer sound card to amplified sound system
B	(1) BNC port	High quality pass-through connector from broadcast video or computer video to video display monitor
C	(1) RJ11 port	Connection for Telephone / Modem
D	(1) RJ45 port	Connection for Network Connector
E	(2) RCA ports	Female RCA type pass-through (Left - Black, Right - Red) cable connectors from stereo audio source to audio system
F	(1) 15 Pin HD port	VGA type 15 pin pass-through connector from computer video to display monitor
G	(1) Simplex Power port	Power Input

For more information or questions regarding the Altinex Box, please contact Krug Customer Service or Altinex Technical Support at 1-800-258-4623.

This option is available on VIRTU lecterns at an upcharge of \$1148 list.



# VIRTU | SECTION 2 – ORDERING AND PLANNING

## GENERAL PRODUCT OVERVIEW

### Species

VIRTU conferencing and casegoods are available in Anigre, Maple, Cherry, and Walnut.

### Finishes


**Cherry:** Appalachian, Imperial, Medium, Natural, Standard, American

**Maple:** Clear, Honey, Wheat

**Anigre:** Clear, Medium

**Walnut:** Mahogany, Regular, Dark, Clear

### Table Top Styles



Verso, Visio and Open Visio tops feature unique shapes that are ideal for presentations and videoconferencing. Presenters are easily seen and heard by those seated, and television monitors are unobstructed to the audience as well. The typical camera location, centered over the monitor at the front of the room, can easily scan all of the participants seated down the length of the table.

### Seating Capabilities

Estimated seating capacity for each table top size can be found in the Conference Top section from pages 187-220. To establish seating capacities, an outside chair dimension of 24" has been used, plus an allowance of 5" between chairs, for a total of 29". This is an approximation and based on seating with 5 prong bases. When using chairs with different specifications be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same seating formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug Conference product.

### Edge Profiles – Conference Tops

VIRTU conference product offers 12 table tops in Anigre, Maple, Cherry and Walnut, with 4 distinct edge profiles, with a top thickness of 1 1/2". Please specify an edge profile for all VIRTU conference tops. Please note that the edge width (measurement from end of table veneer to the end of table edge) on Vita, Vero and Lineo is 1 3/8". Fino edge width is 3/8".




### Edge Profiles – Casegoods

VIRTU casegood worksurfaces feature the Fino profile at 1 1/8" thickness.




### Base Styles




Seven base styles allow for numerous conference table configurations. The five enclosed bases allow for total concealment of wiring when floor monuments are located underneath. These bases also provide plenty of leg room around the perimeter of conference tables. Enclosed bases include 72 lbs. of ballast inside of the bases to provide enhanced table stability. Forza Panel and Forza Leg bases give users an abundance of space underneath the middle of the table, as these bases are positioned near to the table ends. Wood elements on bases will be finished in the same finish as the top if no finish is specified. Metal elements are available in Satin Aluminum finish. All bases are shipped separately and require assembly to the selected top. Refer to the pricing charts on pages 187-220 to select the appropriate bases and sizes for VIRTU conference tops.





## Media Cabinets

- Media Cabinets are available in three sizes.
- Dual Media Cabinets accommodate two televisions up to 35" in width.
- Large cabinets accommodate televisions up to 35" in width. Small cabinets up to 27" in width.
- Cabinets may be specified with wood veneer doors or with frosted glass in aluminum frames.
- Large cabinets feature synchronized upper doors, pocket doors or hinged doors that open 170 degrees.
- Optional wood or glass doors.
- All horizontal levels of the cabinet interior are accessible through grommets in the rear of each shelf - additional holes are located in the case back for wall entry of power and cables.
- Locks are optional on wood doors only.
- Unique leveling glides adjust to uneven floors without exposing the glide.
- Optional Rollout Equipment Rack and Cable Carrier in the lower portion of the cabinet is available with the Large model at \$2224 list.
- Dual Media Cabinets and Small Media Cabinets are available with heavy duty locking casters at a price of \$125 list per unit.
- Upper shelf accommodates videoconferencing camera.



## Display Cabinets

- Available as single or double widths.
- Some units come equipped with wardrobes located behind the front display cabinets.
- Wardrobes on 21" wide Display Cabinets are equipped with 3 coat hooks.
- Wardrobes on 42" wide Display Cabinets are equipped with a hanger bar.
- All wardrobes have a rubber floor mat.
- Available with open glass or wood veneer shelf options.
- Available with wood veneer doors or glass doors.
- Interior wood shelves are height adjustable in increments of 1 1/4".
- Glass shelved units feature a halogen light at a price of \$386.
- Glass shelves are 7.8" deep. Wood shelves are 11.8" deep.
- Open shelves are glass.
- Closed shelves are wood veneer.
- Locks are optional on wood doors only.
- Unique leveling glides adjust to uneven floors without exposing the glide.
- Single and double wardrobe units are available.
- Glass shelves are shipped wrapped in foam and secured to the front of the case.




## Storage Cabinets

- Available in single and double widths.
- Locks are optional on wood doors only.
- Available with wood veneer doors or glass doors.
- Shelves are height adjustable in increments of 1 1/4".
- Unique leveling glides adjust to uneven floors without exposing the glide.




## Server Carts

- A unique raised glass platform and rear overhang provide a guest "serving" area.
- The cart is mounted on heavy-duty locking casters.
- The top surface overhang and underside finger groove facilitate movement of the cart.
- The cart features a stainless steel refuse container and black felt cutlery insert.
- Glass shelves are shipped wrapped in foam and placed securely in the case.




## VIRTU | SECTION 2 – ORDERING AND PLANNING



### Credenzas and Buffets

- 3 styles of cabinet tops are available: wood top, glass top and glass and wood combination.
- Doors are available in glass and wood veneer.
- Storage sections feature one wooden shelf which is height adjustable in increments of 1 1/4".
- Unique leveling glides adjust without exposing the glide.
- Buffets with wood drawers feature a black felt cutlery insert.
- Buffet may be specified with optional Mini Refrigerator on 24" deep Buffets at a price of \$1603 list.
- Mini refrigerator features volume of 1.1 cu. ft., 2 inner door racks, automatic defrost, and lock.
- Credenzas and Buffets with partial glass tops are shipped with glass installed.
- Credenzas and Buffets with full glass tops are shipped unattached with glass wrapped in foam.





### Mobile Media Carts

- The primary cart surface can accommodate a keyboard or laptop, which in turn can be connected to a TV or monitor on upper surface.
- The top surface overhang and underside finger groove facilitate movement of the cart.
- A built-in power bar and cable slot in the upper column provide ready access to power.
- The unit is oriented to provide the correct position for the presenter.
- The cart may be specified with one or two equipment shelves on the top of the unit.
- Media Carts will generally accommodate monitors up to 27" in size.





### Lecterns

- Glass shelf version has a wood upper flat shelf which provides a place for pens, pencils or a glass of water, and optional reference light at a price of \$182 list. It will also accommodate a user-specified microphone.
- Angled wood shelf has a bottom lip to hold papers in place. The shelf lifts to reveal an optional power and data interface point – an Altinex box at a price of \$1148 list. For specifications of the Altinex box refer to page 179.
- Glass shelf provides more surface area for equipment such as a laptop. A presenter's open laptop is not visible to the seated audience.
- Wires from the interface point, (or user supplied cables) are routed down through grommets to the back of the unit - to facilitate routing and access to these cables, a hinged back access door opens to reveal a cableway and optional power bar at a price of \$123 list.
- Full width shelf version is available.
- Lecterns are available with front hinged doors or open shelves.
- Mobile versions are available.
- Glass shelf is shipped installed.



### Visual Boards

- Includes white board for use with four dry erase markers.
- Includes upholstered tackboard or optional cork surface on inside face of doors (except glass door version).
- Flip chart and four dry erase markers (except glass door version).
- Optional pull-down projector screen is available at a price of \$193 list.
- Inclined top model features lower glass shelf.



### **Metal Finish Options**

Metal components of VIRTU are available in a Satin Aluminum finish. This encompasses all metal hardware with the exception of glass door frames, and Connexus™ Faceplate components which are only available in Satin Aluminum finish. Please specify Metal Finish Option on purchase order.

### **Pulls**

Pulls are located on all drawer fronts and all wood or glass storage and display doors. Pulls are shipped installed on the interior of doors to prevent any damage.

### **Solids**

All Conference top edges, except Fino, have 1 3/8" wide laminated solid Maple or Cherry headers. Fino edges are 5/16" wide. Edges on casegoods are 5/16" wide as well. Where Anigre is the veneer species chosen, edges are of solid Maple. All solids used are Maple or Cherry, kiln dried by Krug to a 6% moisture content, using U.S.D.A. Bulletin # FP-1136.

### **Veneer**

Veneers are #1 grade flat sliced Anigre, Maple, Cherry or Walnut and of uniform color and grain pattern.

### **Finish**

All finished surfaces are well sanded before applying finishing materials. The procedure begins by applying a base color via an NGR stain. A wash coat follows to further enhance the color. Next is the glazing process, which provides the 3rd color step and fills the pores of the wood. A sealer coat is then applied, twice to the horizontal worksurfaces to enhance the finish. The product is then scuff sanded to prepare for the top coat. The top coat is a catalyzed varnish that when dry has a sheen value of 32°. Krug's catalyzed varnish has been tested to be one of the industry's most durable and long lasting. Custom finishes are available at an upcharge of 10% list per unit.

### **Gables**

Gables are 3/4" thick – 45 lbs per cubic foot density particleboard core, 3 ply. Edges are banded with veneer.

### **Glass surfaces**

All vertical and horizontal glass surfaces are tempered and frosted. For proper cleaning of all glass surfaces, Windex™ brand cleaning solution is recommended. Horizontal tempered and frosted glass surfaces are 10 mm thick.

### **Halogen Lighting**

Halogen lighting is optional in both Small and Large Display Cabinets with glass shelving. The standard is one light per unit at a price of \$386 list.

### **Locks**

Locks are optional on a selection of cabinets and must be specified at time of order. Locks are only available on wood doors at \$100 list per lock mechanism.

### **Leveling Leg**

Standard on all cabinets is a unique leveling leg – a metal casing moves up to allow for access to a glide, then neatly drops into place around the glide, concealing it from view. The glide can be adjusted 5/8".

### **Glides**

Adjustable glides are installed on conference table bases at factory and allow for 5/8" of adjustment.

### **Casters**

Locking casters are standard on the Server and Media Carts. Casters may be specified as an option on Dual Media Cabinets and on Small Media Cabinets at a price of \$125 list per unit.

### **Laminates**

Laminate worksurfaces are available at an upcharge of 10%. Specialty laminates may be priced higher.

### **Hinges**

All hinges on VIRTU cases are European style chrome with 3-way adjustment and quick release. Openings on all doors are 95 degrees, with the exception of upper doors on Media Cabinets and Visual Boards, which feature an opening of 165 degrees (upper pocket doors on Media Cabinets open to 95 degrees). Synch doors are mounted on ball bearing slides and open to a 38" expanse. Bi-fold doors on Dual Media Cabinets are mounted on interior control arms which allow the doors to open in a 165 degree controlled arc. The small access door on the back of the Mobile Media Cart features a touch latch with a free swing hinge.

### **Testing Information**

All product has been tested in accordance with ANSI/BIFMA X5.5-1998.

### **Field Installation Template for Connexus Unit(s)**

In order to install a Connexus unit on any Krug conference table, please specify a template when ordering the following model numbers:

CONFIELD-3 (3 gang small)


CONFIELD-4 (4 gang large)

Templates can be ordered at an upcharge of \$165 list each.

# VIRTU | CONFERENCE ROOM SAMPLE LAYOUTS

## OPEN VISIO

This table is available with seating capacities ranging from 9 to 15. The example shows the table in relation to the Dual Media Cabinet and Display Cabinets (with wardrobes). This Media Cabinet accommodates two 35" monitors side by side and other audio/visual equipment for videoconferencing or other presentation requirements. The table bases are Forza Leg bases. Connexus™ modules are indicated in standard locations. See pages 232-243 for locations on table tops with a variety of base combinations.




	Model Number	Cherry/Maple/Walnut	Anigre
1 Open Visio Top	6260-182-102-64		
14 Forza Leg Bases	6238-29	15556	16874
5 Connexus™ - Aluminum	62CON	3726	3726
1 Dual Media Cabinet	62MC-75307614	8570	9247
1 Display Cabinet	62DC-21247672L	2862	3293
1 Display Cabinet	62DC-21247672R	2862	3293
TOTAL		\$ 33 576	\$ 36 433
(totals do not include seating)			

# VIRTU | CONFERENCE ROOM SAMPLE LAYOUTS

## VERSO

This table is available with seating capacities ranging from 9 to 14. The example shows the table in relation to a Large Media Cabinet and Double Display Cabinets (with wardrobes) and Lectern. This Media Cabinet accommodates a 35" monitor and other audio/visual equipment for videoconferencing or other presentation requirements. The table bases are Forza Square and Verso bases. Connexus™ modules are indicated in standard locations. See pages 232-243 for locations on table tops with a variety of base combinations.



### Model Number

1 Verso Top	6258-137-63-40
1 Forza Square Base	6234-14-14-29
1 Verso Base	6231-18-19-29
2 Connexus™ - Aluminum	62CON
1 Large Media Cabinet (sync doors)	62MC-40308558S
1 Double Display Cabinet	62DC-42247671L
1 Double Display Cabinet	62DC-42247671R
1 Lectern	62LN-37225011

### Cherry/Maple/Walnut

### Anigre

		10349	11825
		1491	1491
		5485	6307
		4029	4633
		4029	4633
		4547	5227

### TOTAL


(totals do not include seating)

\$ 29 930

\$ 34 116

## ARCED RECTANGLE

This table is available with seating capacities ranging from 6 to 20. The example shows the table in relation to the Dual Media Cabinet. This Media Cabinet accommodates two 32" monitors side by side and other audio/visual equipment for videoconferencing or other presentation requirements. The table bases are Dais bases. Connexus™ modules are indicated in standard locations. See pages 232-243 for locations on table tops with a variety of base combinations.



1 Arced Rectangle Top	6256-192-54
3 Dais Bases	6230-24D-29

### Cherry/Maple/Walnut

### Anigre

4 Connexus™ - Aluminum	62CON	2981	2981
1 Dual Media Cabinet (bi-fold doors)	62MC-75307614	8570	9247

### TOTAL

(totals do not include seating)


\$ 22 100

\$ 24 364

# VIRTU | CONFERENCE ROOM SAMPLE LAYOUTS

## VISIO


This table is available with seating capacities ranging from 11 to 21. The example shows the table in relation to a Small Media Cabinet and Storage Cabinets. This Media Cabinet accommodates a 27" monitor and other audio/visual equipment for videoconferencing or other presentation requirements. The table bases are Forza Leg and Forza Square bases. Connexus™ modules are indicated in standard locations. See pages 232-243 for locations on table tops with a variety of base combinations.



	Model Number	Cherry/Maple/Walnut	Anigre
1 Visio Top	6257-120-60-42		
4 Forza Leg Bases	6238-29	7584	8623
1 Forza Square Base	6234-14-14-29		
2 Connexus™ - Aluminum	62CON	1491	1491
1 Small Media Cabinet (pocket doors)	62MC-36247602	4798	5516
2 Storage Cabinets	62ST-42247614	8622	9914
<b>TOTAL</b>		<b>\$ 22 495</b>	<b>\$ 25 544</b>
(totals do not include seating)			

## OVAL

This table is available with seating capacities ranging from 8 to 12. The example demonstrated here shows the table in relation to a Small Media Cabinet and Display Cabinets (with wardrobes). This Media Cabinet accommodates a 27" monitor and other audio/visual equipment for videoconferencing or other presentation requirements. The table bases are Forza Panel and Forza Rectangle. Connexus™ modules are indicated in standard locations. See pages 232-243 for locations on table tops with a variety of base combinations.




	Model Number	Cherry/Maple/Walnut	Anigre
1 Oval Top	6259-144-60		
2 Forza Panel Bases	6232-30-29		
1 Forza Rectangle Base	6233-13-30-29	9024	10379
4 Connexus™ - Aluminum	62CON	2981	2981
1 Display Cabinet (glass shelves)	62DC-21247671L	2898	3335
1 Display Cabinet (glass shelves)	62DC-21247671R	2898	3335
1 Small Media Cabinet (pocket doors)	62MC-36247602	4798	5516
<b>TOTAL</b>		<b>\$ 22 599</b>	<b>\$ 25 546</b>
(totals do not include seating)			



# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Rectangle 6251	72-36	6	1	100	10.7
	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



Forza Square 6234	14-14-29	14	14	28	177	6.5
-------------------	----------	----	----	----	-----	-----




Large Connexus™ modules are not available with 14" Forza Square bases.

Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4



Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8
---------------------------	----------	----	----	----	-----	------



## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.






“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Rectangle Table Top 6251	FORZA LEG 6238		FORZA SQUARE 6234	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA PANEL 6232		FORZA SQUARE 6234	FORZA RECT. 6233	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
											
MODEL #	6238-29		6234-14-14-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6232-24-29	6232-30-29	6234-14-14-29	6233-13-30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY		QTY			QTY	QTY	QTY	QTY		
6251-72 - 36	4			3188	3564	2				3688	4240
6251-84 - 42	4			3907	4389	2				4404	5065
6251-96 - 42	4			4212	4739	2				4710	5415
6251-96 - 48	4			4518	5094	2				5017	5768
6251-120 - 48	4	+	1	6150	6974	2	+ 1			6650	7704
6251-120 - 54	4	+	1	6550	7433		2	+	1	7095	8162
6251-144 - 54	4	+	1	7282	8276		2		+ 1	8095	9311
6251-168 - 54	4	+	2	9281	10575		2		+ 1	9258	10647
6251-192 - 54	4	+	2	9913	11301		2		+ 2	10995	12645
6251-216 - 60	4	+	3	11838	13520		2		+ 2	12085	13898
6251-240 - 60	4	+	3	12800	14626		2		+ 2	13047	15005
6251-264 - 60	4	+	4	14595	16694		2		+ 2	14004	16106
6251-288 - 60	4	+	4	15563	17805		2		+ 3	16079	18489

## ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Rectangle 6251	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6




Large Connexus™ modules are not available with 14" Forza Square bases.

Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6



Large Connexus™ modules are not available with 18" diameter Dais bases.

Oblique Base 6237	18-18-29	18	18	28	149	6.5
	24-24-29	24	24	28	171	10.9
	30-30-29	30	30	28	196	17.6



Large Connexus™ modules are not available with 18" Oblique bases.

## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.




"Base Size" represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Rectangle Table Top 6251	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6232 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	OBLIQUE 6237 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
	6234-14- 14-29	6234-20- 20-29	6234-26- 26-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6230- 18D-29	6230- 24D-29	6230- 30D-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6237-18- 18-29	6237-24- 24-29	6237-30- 30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY	QTY	QTY			QTY	QTY	QTY			QTY	QTY	QTY		
6251-84 - 42	2			4893	5634	2			4954	5697	2			4840	5563
6251-96 - 42	2			5198	5983	2			5257	6045	2			5144	5914
6251-96 - 48	2			5505	6337	2			5563	6400	2			5453	6268
6251-120-48	2			6302	7253	2			6360	7314	2			6246	7183
6251-120-54		2		6830	7845		2		6816	7840		2		6703	7706
6251-144-54		2		7562	8688		2		7548	8682		2		7435	8548
6251-168-54		3		9624	11057		3		9603	11048		3		8596	10846
6251-192-54		3		10255	11781		3		10235	11774		3		9228	11572
6251-216-60			3	11513	13035			3	11409	13122			3	11239	12927
6251-240-60			4	13434	15447			4	13293	15292			4	13068	15028
6251-264-60			4	14391	16550			4	14251	16394			4	14025	16131
6251-288-60			4	15358	17661			4	15219	17505			4	14994	17243

## ORDERING PROCEDURE


Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Arced Rectangle 6256	72-36	6	1	100	10.7
	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9




Forza Square 6234	14-14-29	14	14	28	177	6.5
-------------------	----------	----	----	----	-----	-----




Large Connexus™ modules are not available with 14" Forza Square bases.

Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4



Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8
---------------------------	----------	----	----	----	-----	------



## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.






“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Arced Rectangle Table Top 6256	FORZA LEG 6238		FORZA SQUARE 6234	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA PANEL 6232		FORZA SQUARE 6234	FORZA RECT. 6233	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	
												
MODEL #	6238-29		6234-14-14-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6232-24-29	6232-30-29	6234-14-14-29	6233-13-30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	
	QTY		QTY			QTY	QTY	QTY	QTY			
6256-72 - 36	4			3294	3686	2				3791	4360	
6256-84 - 42	4			4041	4546	2				4539	5219	
6256-96 - 42	4			4358	4909	2				4858	5586	
6256-96 - 48	4			4679	5277	2				5176	5952	
6256-120 - 48	4	+	1	6344	7195	2	+		1	6842	7871	
6256-120 - 54	4	+	1	6759	7676		2	+	1	7304	8404	
6256-144 - 54	4	+	1	7521	8552		2		+	1	8337	9586
6256-168 - 54	4	+	2	9569	10908		2		+	1	9545	10975
6256-192 - 54	4	+	2	10226	11663		2		+	2	11309	13008
6256-216 - 60	4	+	3	12198	13934		2		+	2	12445	14313
6256-240 - 60	4	+	3	13200	15088		2		+	2	13447	15466
6256-264 - 60	4	+	4	15035	17200		2		+	2	14445	16610
6256-288 - 60	4	+	4	16042	18359		2		+	3	16558	19043

## ORDERING PROCEDURE

Please specify the following:


1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.




# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Arced Rectangle 6256	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6




Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6




Large Connexus™ modules are not available with 14" Forza Square bases.

Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6



Large Connexus™ modules are not available with 18" diameter Dais bases.

Oblique Base 6237	18-18-29	18	18	28	149	6.5
	24-24-29	24	24	28	171	10.9
	30-30-29	30	30	28	196	17.6



Large Connexus™ modules are not available with 18" Oblique bases.

## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.




“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Arced Rectangle Table Top 6256	FORZA SQUARE 6234			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6232			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	OBLIQUE 6237			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
				MAPLE/CHERRY/WALNUT	ANIGRE				MAPLE/CHERRY/WALNUT	ANIGRE				MAPLE/CHERRY/WALNUT	ANIGRE
MODEL #	6234-14-14-29	6234-20-20-29	6234-26-26-29			6230-18D-29	6230-24D-29	6230-30D-29			6237-18-18-29	6237-24-24-29	6237-30-30-29		
	QTY	QTY	QTY			QTY	QTY	QTY			QTY	QTY	QTY		
6256-84 - 42	2			5029	5789	2			5087	5850	2			4974	5719
6256-96 - 42	2			5344	6155	2			5404	6216	2			5292	6085
6256-96 - 48	2			5665	6520	2			5724	6582	2			5612	6451
6256-120-48	2			6494	7475	2			6552	7536	2			6440	7404
6256-120-54		2		7038	8087		2		7025	8081		2		6912	7947
6256-144-54		2		7802	8964		2		7787	8958		2		7677	8823
6256-168-54		3		9914	11388		3		9892	11379		3		9723	11177
6256-192-54		3		10569	12144		3		10549	12136		3		10382	11936
6256-216-60			3	11872	13653			3	11768	13538			3	11599	13340
6256-240-60			4	13835	15907			4	13694	15753			4	13469	15490
6256-264-60			4	14831	17056			4	14692	16899			4	14467	16636
6256-288-60			4	15839	18213			4	15698	18058			4	15475	17795

## ORDERING PROCEDURE


Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Racetrack 6252	72-36	6	1	100	10.7
	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



Forza Square 6234	14-14-29	14	14	28	177	6.5
-------------------	----------	----	----	----	-----	-----




Large Connexus™ modules are not available with 14" Forza Square bases.

Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4



Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8
---------------------------	----------	----	----	----	-----	------



## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.






“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Racetrack Table Top 6252	FORZA LEG 6238		FORZA SQUARE 6234		PRICE FOR TOP AND BASE(S)		PRICE FOR TOP AND BASE(S)		FORZA PANEL 6232		FORZA SQUARE 6234		FORZA RECT. 6233		PRICE FOR TOP AND BASE(S)		PRICE FOR TOP AND BASE(S)							
																								
MODEL #	6238-29		6234-14-14-29		MAPLE/ CHERRY/ WALNUT		ANIGRE		6232-24-29		6232-30-29		6234-14-14-29		6233-13-30-29		MAPLE/ CHERRY/ WALNUT		ANIGRE					
	QTY		QTY						QTY		QTY		QTY		QTY									
6252-72 - 36	4				3672		4273		2								4304		4950					
6252-84 - 42	4				4015		4516		2								4516		5192					
6252-96 - 42	4				4227		4758		2								4726		5433					
6252-96 - 48	4				4515		5088		2								5014		5764					
6252-120 - 48	4		+		1		6428		7290		2		+		1		6926		7967					
6252-120 - 54	4		+		1		6778		7695				2		+		1		7321		8424			
6252-144 - 54	4		+		1		7398		8409				2				+		1		8211		9443	
6252-168 - 54	4		+		2		9423		10741				2				+		1		9401		10810	
6252-192 - 54	4		+		2		10064		11476				2				+		2		11146		12820	
6252-216 - 60	4		+		3		12298		14049				2				+		2		12544		14427	
6252-240 - 60	4		+		3		13304		15206				2				+		2		13548		15584	
6252-264 - 60	4		+		4		15154		17336				2				+		2		14563		16750	
6252-288 - 60	4		+		4		15938		18238				2				+		3		16455		18922	

## ORDERING PROCEDURE


Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference	84-42	6	1	140	15
Table Top – Racetrack	96-42	8	2	180	16.8
6252	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base	14-14-29	14	14	28	177	6.5
6234	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6



Large Connexus™ modules are not available with 14" Forza Square bases.

Dais Base	18D-29	18 dia.	n/a	28	149	6.5
6230	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6



Large Connexus™ modules are not available with 18" diameter Dais bases.

## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.



“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Racetrack Table Top 6252	FORZA SQUARE 6234			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6232			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
				MAPLE/ CHERRY/ WALNUT	ANIGRE				MAPLE/ CHERRY/ WALNUT	ANIGRE
MODEL #	6234-14- 14-29	6234-20- 20-29	6234-26- 26-29			6230- 18d-29	6230- 24d-29	6230- 30d-29		
	QTY	QTY	QTY			QTY	QTY	QTY		
6252-84 - 42	2			5003	5761	2			5063	5822
6252-96 - 42	2			5214	6003	2			5273	6065
6252-96 - 48	2			5501	6333	2			5560	6395
6252-120-48	2			6578	7569	2			6636	7633
6252-120-54		2		7056	8109		2		7043	8104
6252-144-54		2		7678	8820		2		7663	8816
6252-168-54		3		9767	11221		3		9747	11211
6252-192-54		3		10406	11957		3		10388	11949
6252-216-60			3	11973	13769			3	11868	13652
6252-240-60			4	13938	16026			4	13798	15870
6252-264-60			4	14950	17192			4	14811	17035
6252-288-60			4	15733	18094			4	15595	17937

## ORDERING PROCEDURE


Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Boat 6254	96-48-42	8	2	185	18.8
	120-48-42	10	3	255	24.2
	144-48-42	12	3	300	28.2
	168-48-42	12	4	345	36.8
	192-54-48	14	4	390	41.2
	216-54-48	16	5	480	47.1
	240-54-48	18	5	550	51.5
	264-60-48	20	6	620	64.8
	288-60-48	22	6	690	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



Forza Square 6234	14-14-29	14	14	28	177	6.5
-------------------	----------	----	----	----	-----	-----




Large Connexus™ modules are not available with 14" Forza Square bases.

Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4



Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8
---------------------------	----------	----	----	----	-----	------



## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.






“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Boat Table Top 6254	FORZA LEG 6238		FORZA SQUARE 6234		PRICE FOR TOP AND BASE(S)		PRICE FOR TOP AND BASE(S)		FORZA PANEL 6232		FORZA SQUARE 6234		FORZA RECT. 6233		PRICE FOR TOP AND BASE(S)		PRICE FOR TOP AND BASE(S)	
																		
MODEL #	6238-29		6234-14-14-29		MAPLE/ CHERRY/ WALNUT	ANIGRE	6232-24-29		6232-30-29		6234-14-14-29		6233-13-30-29		MAPLE/ CHERRY/ WALNUT	ANIGRE		
	QTY		QTY				QTY		QTY		QTY							
6254-96-48-42	4				4708	5311	2							5206	5987			
6254-120-48-42	4	+	1		7043	8001	2		+	1				7541	8677			
6254-144-48-42	4	+	1		7695	8749	2			+	1			8463	9732			
6254-168-48-42	4	+	2		9778	11148	2			+	1			9711	11166			
6254-192-54-48	4	+	2		10447	11918	2			+	2			11486	13209			
6254-216-54-48	4	+	3		12752	14572	2			+	2			12951	14896			
6254-240-54-48	4	+	3		13808	15786	2			+	2			14011	16111			
6254-264-60-48	4	+	4		15710	17976	2			+	2			15074	17335			
6254-288-60-48	4	+	4		16535	18926	2			+	3			17006	19557			

## ORDERING PROCEDURE

Please specify the following:


1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.




# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Boat 6254	96-48-42	8	2	185	18.8
	120-48-42	10	3	255	24.2
	144-48-42	12	3	300	28.2
	168-48-42	12	4	345	36.8
	192-54-48	14	4	390	41.2
	216-54-48	16	5	480	47.1
	240-54-48	18	5	550	51.5
	264-60-48	20	6	620	64.8
	288-60-48	22	6	690	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6




Large Connexus™ modules are not available with 14" Forza Square bases.

Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6



Large Connexus™ modules are not available with 18" diameter Dais bases.

Oblique Base 6237	18-18-29	18	18	28	149	6.5
	24-24-29	24	24	28	171	10.9
	30-30-29	30	30	28	196	17.6



Large Connexus™ modules are not available with 18" Oblique bases.

## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.




“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Boat Table Top 6254	FORZA SQUARE 6234			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6232			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	OBLIQUE 6237			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
															
MODEL #	6234-14- 14-29	6234-20- 20-29	6234-26- 26-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6230- 18d-29	6230- 24d-29	6230- 30d-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6237-18- 18-29	6237-24- 24-29	6237-30- 30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY	QTY	QTY			QTY	QTY	QTY			QTY	QTY	QTY		
6254-96-48-42	2			5693	6557	2			5754	6616	2			5639	6485
6254-120-48-42	3			7194	8280	2			7253	8340	2			7140	8209
6254-144-48-42	3			8682	9994	3			8771	10087	3			8605	9889
6254-168-48-42	3			9929	11427	3			10017	11520	3			9848	11323
6254-192-54-48	2	+	1	10662	12264	2	+	1	10714	12324	2	+	1	10545	12125
6254-216-54-48	2	+	1	12129	13952	2	+	1	12180	14012	2	+	1	12012	13812
6254-240-54-48	2	+	2	14088	16199	2	+	2	14133	16255	2	+	2	13908	15991
6254-264-60-48	2	+	2	15264	17561	2	+	2	15254	17544	2	+	2	15028	17281
6254-288-60-48	2	+	2	16095	18510	2	+	2	16080	18494	2	+	2	15855	18231

## ORDERING PROCEDURE


Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference	96-48	8	2	165	18.8
Table Top – Oval	120-54	10	3	240	30.9
6259	144-60	12	3	290	34.8




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



Forza Square 6234	14-14-29	14	14	28	177	6.5
----------------------	----------	----	----	----	-----	-----




Large Connexus™ modules are not available with 14" Forza Square bases.

Forza Panel Base 6232	24-29 30-29	24 30	n/a n/a	28 28	54 56	5.5 6.4
--------------------------	----------------	----------	------------	----------	----------	------------



Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8
------------------------------	----------	----	----	----	-----	------



## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.






"Base Size" represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Oval Table Top 6259	FORZA LEG 6238		FORZA SQUARE 6234		PRICE FOR TOP AND BASE(S)		PRICE FOR TOP AND BASE(S)		FORZA PANEL 6232		FORZA SQUARE 6234		FORZA RECT. 6233		PRICE FOR TOP AND BASE(S)		PRICE FOR TOP AND BASE(S)					
																						
	MODEL #		6238-29		6234-14-14-29		MAPLE/ CHERRY/ WALNUT		ANIGRE		6232-24-29		6232-30-29		6234-14-14-29		6233-13-30-29		MAPLE/ CHERRY/ WALNUT		ANIGRE	
			QTY		QTY						QTY		QTY		QTY		QTY					
		4				5041		5693		2								5540		6369		
		4 +		1		7505		8529				2 +		1				8047		9259		
		4 +		1**		8480		8648				2				+ 1		9024		10379		

\*\* REQUIRES RECTANGLE BASE

## ORDERING PROCEDURE


Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference	96-48	8	2	165	18.8
Table Top – Oval	120-54	10	3	240	30.9
6259	144-60	12	3	290	34.8



Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Dais Base	18D-29	18 dia.	n/a	28	149	6.5
6230	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6



Large Connexus™ modules are not available with 18" diameter Dais bases.

## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.


“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

## VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Oval Table Top 6259	DAIS 6230			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
					
MODEL #	6230- 18D-29	6230- 24D-29	6230- 30D-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
6259-96-48	2			6088	7002
6259-120-54		2		7769	8938
6254-144-60	2	+	1	9343	10744

### ORDERING PROCEDURE


Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	X	No. of Sections	Shipping Weight	Cubic Feet
Conference	107-57-40	9	73	2	230	28.8
Table Top –	137-63-40	12	78	3	310	35.5
Verso	144-48-42	14	83	4	390	44.3
6258						




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base	14-14-29	14	14	28	177	6.5
6234	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6



Large Connexus™ modules are not available with 14" Forza Square bases.

Verso Base	18-19-29	18	19	28	178	13.5
6231	23-24-29	23	24	28	192	22.1



Forza Leg Base	29	6	n/a	28	15	0.9
6238						



## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.



“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.



Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Verso Table Top 6258	FORZA SQUARE 6234 			VERSO 6231 		PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
	MODEL #	6234-14-14-29	6234-20-20-29	6234-26-26-29	6231-18-19-296231-23-24-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
		QTY	QTY	QTY	QTY		
6258-107-57-40	1			+	1	8026	9228
6258-137-63-40	1			+	1	10349	11825
6258-167-70-40	1	1		+	1	11918	13694

Verso Table Top 6258	FORZA LEG 6238 		FORZA SQUARE 6234 	PRICE FOR TOP	PRICE FOR TOP
	MODEL #	6238-29	6234-14-14-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
		QTY	QTY		
6258-107-57-40	4			7025	8036
6258-137-63-40	4	+	1	10173	11601
6258-167-70-40	4	+	2	11722	13382

## ORDERING PROCEDURE

Please specify the following:


1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.



# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference	120-60-42	11	3	265	30.3
Table Top – Visio	144-60-42	13	3	310	31.3
6257	168-66-42	15	4	355	40.8
	192-69-42	17	4	400	43.8
	216-73-42	19	5	445	53.3
	240-76-42	21	5	490	58.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base	29	6	n/a	28	15	0.9
6238						



Forza Square	14-14-29	14	14	28	177	6.5
6234						




Large Connexus™ modules are not available with 14" Forza Square bases.

Forza Panel Base	24-29	24	n/a	28	54	5.5
6232	30-29	30	n/a	28	56	6.4
	34-29	34	n/a	28	58	7.5
	41-29	41	n/a	28	63	9.1
	48-29	48	n/a	28	68	10.7



Forza Rectangle Base	13-30-29	13	30	28	126	10.8
6233						



## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.






“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Visio Table Top 6257	FORZA LEG 6238			FORZA SQUARE 6234			PRICE FOR TOP AND BASE(S)			PRICE FOR TOP AND BASE(S)			FORZA PANEL 6232				FORZA SQUARE 6234				FORZA RECT. 6233				PRICE FOR TOP AND BASE(S)		PRICE FOR TOP AND BASE(S)	
																												
MODEL #	6238-29			6234-14-14-29			MAPLE/ CHERRY/ WALNUT			ANIGRE			6232- 24-29	6232- 30-29	6232 34-29	6232 41-29	6232- 48-29	6234-14- 14-29	6233-13- 30-29	MAPLE/ CHERRY/ WALNUT		ANIGRE						
	QTY			QTY									QTY	QTY	QTY	QTY	QTY	QTY	QTY									
6257-120-60-42	4	+	1				7584	8623			1	1					+	1			8108	9325						
6257-144-60-42	4	+	1**				10015	11414			1		1				+	1			10570	12146						
6257-168-66-42	4	+	2				11219	12804			1				1		+	1			11241	12912						
6257-192-69-42	4	+	2				11926	13618			1				1		+	2			13055	14997						
6257-216-72-42	4	+	3				13524	15464			1						1	+	2			13851	15923					
6257-240-76-42	4	+	3				14355	14743			1						1	+	2			14682	16874					

\*\*Requires rectangle base

## ORDERING PROCEDURE


Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Visio 6257	120-60-42	11	3	265	30.3
	144-60-42	13	3	310	31.3
	168-66-42	15	4	355	40.8
	192-69-42	17	4	400	43.8
	216-73-42	19	5	445	53.3
	240-76-42	21	5	490	58.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6




Large Connexus™ modules are not available with 14" Forza Square bases.

Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6



Large Connexus™ modules are not available with 18" diameter Dais bases.

Oblique Base 6237	18-18-29	18	18	28	149	6.5
	24-24-29	24	24	28	171	10.9
	30-30-29	30	30	28	196	17.6



Large Connexus™ modules are not available with 18" Oblique bases.

## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.




“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Visio Table Top 6257	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6232 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	OBLIQUE 6237 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)			
	MODEL #	6234-14- 14-29	6234-20- 20-29	6234-26- 26-29	MAPLE/ CHERRY/ WALNUT		6230- 18d-29	6230- 24d-29	6230- 30d-29	MAPLE/ CHERRY/ WALNUT		6237-18- 18-29	6237-24- 24-29	6237-30- 30-29	MAPLE/ CHERRY/ WALNUT			
		QTY	QTY	QTY			QTY	QTY	QTY			QTY	QTY	QTY				
6257-120-60-42	1	+	1		7800	8970	1	+	1		7822	8996	1	+	1		7710	8864
6257-144-60-42	1		+	1	10016	11522	1		+	1	10011	11513	1		+	1	9896	11382
6257-168-66-42	1	+	1	+	11554	13286	1	+	1	+	11542	13275	1	+	1	+	11372	13077
6257-192-69-42	1	+	1	+	12262	14100	1	+	1	+	12249	14089	1	+	1	+	12080	13889
6257-216-72-42	1	+	1	+	13023	14979	1	+	1	+	13012	14968	1	+	1	+	12843	14771
6257-240-76-42	1	+	1	+	14812	17029	1	+	1	+	14764	16980	1	+	1	+	14540	16717

## ORDERING PROCEDURE



Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top –	134-80-52	9	3	282	37.7
Open Visio	134-92-64	9	3	317	40.3
with partial	158-85-52	11	5	350	44.9
modesty panel*	158-96-64	11	5	395	47.5
6260	182-90-52	11	5	404	50.9
	182-102-64	11	5	459	53.5
	218-97-52	15	7	486	63.3
	218-109-64	15	7	551	65.9
	254-105-52	15	7	567	72.3
	254-117-64	15	7	629	74.9



Open Visio Conference tops feature a combination of three, five or seven pieces to make up the table surface:

- 6260-134-80-52 features 2 tops at 30 x 96" and 1 end top at 52 x 36"
- 6260-134-92-64 features 2 tops at 36 x 96" and 1 end top at 64 x 36"
- 6260-158-85-52 features 4 tops at 30 x 60" and 1 end top at 52 x 36"
- 6260-158-96-64 features 4 tops at 36 x 60" and 1 end top at 64 x 36"
- 6260-182-90-52 features 4 tops at 30 x 72" and 1 end top at 52 x 36"
- 6260-182-102-64 features 4 tops at 36 x 72" and 1 end top at 64 x 36"
- 6260-218-97-52 features 6 tops at 30 x 60" and 1 end top at 52 x 36"
- 6260-218-109-64 features 6 tops at 36 x 60" and 1 end top at 64 x 36"
- 6260-254-105-52 features 6 tops at 30 x 72" and 1 end top at 52 x 36"
- 6260-254-117-64 features 6 tops at 36 x 72" and 1 end top at 64 x 36"

**\*Wood modesty panel on Open Visio table is 8 3/4" in height and 3/4" thick.**

Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



Large Connexus™ modules are not available with 18" diameter Dais bases.

## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.


"Base Size" represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Open Visio Table Top (partial modesty) 6260	FORZA LEG 6238	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
			
MODEL #	6238-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY		
6260-134-80-52	10	11629	13274
6260-134-92-64	10	11929	13582
6260-158-85-52	14	13219	14874
6260-158-96-64	14	13502	15168
6260-182-90-52	14	14362	16156
6260-182-102-64	14	15556	16874
6260-218-97-52	18	17295	18714
6260-218-109-64	18	18433	20002
6260-254-105-52	18	19967	21654
6260-254-117-64	18	21316	23140

## ORDERING PROCEDURE



Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference	134-80-52	9	3	342	37.7
Table Top –	134-92-64	9	3	377	40.3
Open Visio	158-85-52	11	5	470	44.9
with full height	158-96-64	11	5	515	47.5
modesty panel	182-90-52*	11	5	524	50.9
6262	182-102-64	11	5	579	53.5
	218-97-52	15	7	665	63.3
	218-109-64	15	7	731	65.9
	254-105-52	15	7	747	72.3
	254-117-64	15	7	809	74.9



Open Visio Conference tops feature a combination of three, five or seven pieces to make up the table surface:  
 6262-134-80-52 features 2 tops at 30 x 96" and 1 end top at 52 x 36"  
 6262-134-92-64 features 2 tops at 36 x 96" and 1 end top at 64 x 36"  
 6262-158-85-52 features 4 tops at 30 x 60" and 1 end top at 52 x 36"  
 6262-158-96-64 features 4 tops at 36 x 60" and 1 end top at 64 x 36"  
 6262-182-90-52 features 4 tops at 30 x 72" and 1 end top at 52 x 36"  
 6262-182-102-64 features 4 tops at 36 x 72" and 1 end top at 64 x 36"  
 6262-218-97-52 features 6 tops at 30 x 60" and 1 end top at 52 x 36"  
 6262-218-109-64 features 6 tops at 36 x 60" and 1 end top at 64 x 36"  
 6262-254-105-52 features 6 tops at 30 x 72" and 1 end top at 52 x 36"  
 6262-254-117-64 features 6 tops at 36 x 72" and 1 end top at 64 x 36"  
**\*wood modesty panel on Open Visio table is 28" in height and 3/4" thick.**

Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



Large Connexus™ modules are not available with 18" diameter Dais bases.

## DIMENSION KEY

L — length  
 W — width  
 H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.


"Base Size" represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

Open Visio Table Top (full modesty) 6262	FORZA LEG 6238	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
			
MODEL #	6238-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY		
6262-134-80-52	6	13024	14867
6262-134-92-64	6	13360	15213
6262-158-85-52	8	14804	16659
6262-158-96-64	8	15123	16987
6262-182-90-52	8	16084	18096
6262-182-102-64	8	17424	18900
6262-218-97-52	10	19372	20962
6262-218-109-64	10	20643	22402
6262-254-105-52	10	22363	24253
6262-254-117-64	10	23872	25915

## ORDERING PROCEDURE

Please specify the following:


1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.




# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference	136D	3	1	48	5.8
Table Top – Delta	42D	3	1	54	7.5
6253	48D	3	1	74	9.4
	54D	3	1	100	14.4
	60D	3	1	134	14.4



Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.


Conference	36-36	4	1	50	5.8
Table Top – Arced Square	42-42	4	1	56	7.5
6256	48-48	4	1	82	9.4
	54-54	4	1	100	14.4
	60-60	4	1	132	14.4



Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base	29	6	n/a	28	15	0.9
6238						




Dais Base	14-14-29	14	14	28	177	6.5
6230	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6



Large Connexus™ modules are not available with 18" diameter Dais bases.

Forza Square Base	18D -29	18 Dia	n/a	28	149	6.5
6234	24D -29	24 Dia	n/a	28	171	10.9
	30D -29	30 Dia	n/a	28	196	17.6



Large Connexus™ modules are not available with 18" Oblique bases.

## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.




“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55 list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	FORZA LEG 6238 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6230 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6234-14 14-29	6234-20 20-29	6234-26 26-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6230- 18D-29	6230- 24D-29	6230- 30D-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY			QTY	QTY	QTY			QTY	QTY	QTY		
Delta Table Top 6253													
6253-36									1			2710	3129
6253-42	3	2580	2889						1			2930	3371
6253-48	3	2760	3097						1			3111	3579
6253-54	3	3494	3940							1		3874	4456
6253-60	3	4227	4784								1	4635	5331
Arced Square Table Top 6256													
6256-36-36	4	2452	2713	1			2603	2995	1			2631	3025
6256-42-42	4	2659	2956	1			2809	3105	1			2839	3263
6253-48-48	4	2914	3249	1			3063	3527	1			3094	3558
6253-54-54	4	3026	3379		1		3241	3725		1		3234	3722
6256-60-60	4	4113	4627			1	4385	5041			1	4349	5002

## ORDERING PROCEDURE


Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

# VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Round	136D	3	1	48	5.8
	42D	3	1	54	7.5
	48D	3	1	74	9.4
	54D	3	1	100	14.4
	60D	3	1	134	14.4



Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.


Conference Table Top – Square	36-36	4	1	50	5.8
	42-42	4	1	56	7.5
	48-48	4	1	82	9.4
	54-54	4	1	100	14.4
	60-60	4	1	132	14.4



Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9




Dais Base 6230	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6



Large Connexus™ modules are not available with 18" diameter Dais bases.

Forza Square Base 6234	18D -29	18 Dia	n/a	28	149	6.5
	24D -29	24 Dia	n/a	28	171	10.9
	30D -29	30 Dia	n/a	28	196	17.6



Large Connexus™ modules are not available with 18" Oblique bases.

## DIMENSION KEY

L — length  
W — width  
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

## SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned. Custom table sizes are available. Please contact Customer Service or your local Krug representative.




“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.

Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of \$55V list per square foot.

Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

# VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	<div>FORZA LEG 6238</div> <div></div>	<div>PRICE FOR TOP AND BASE(S)</div>	<div>PRICE FOR TOP AND BASE(S)</div>	<div>FORZA SQUARE 6234</div> <div></div>			<div>PRICE FOR TOP AND BASE(S)</div>	<div>PRICE FOR TOP AND BASE(S)</div>	<div>DAIS 6230</div> <div></div>			<div>PRICE FOR TOP AND BASE(S)</div>	<div>PRICE FOR TOP AND BASE(S)</div>
MODEL #	6238-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6234-14 14-29	6234-20 20-29	6234-26 26-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6230- 18D-29	6230- 24D-29	6230- 30D-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY			QTY	QTY	QTY			QTY	QTY	QTY		
Delta Table Top 6255													
6255-36 dia.	3	2206	2459						1			2557	2940
6255-42 dia.	3	2497	2795	1			2820	3247	1			2849	3277
6255-48 dia.	4	2842	3164	1			2993	3444	1			3022	3476
6255-54 dia.	4	3547	3976		1		3760	4322		1		3754	4317
6255-60 dia.	4	4251	4784			1	4521	5198			1	4486	5160
Arced Square Table Top 6251													
6251-36-36	4	2381	2635	1			2532	2914	1			2561	2946
6251-42-42	4	2580	2864	1			2731	3144	1			2760	3175
6251-48-48	4	2826	3147	1			2976	3425	1			3005	3455
6251-54-54	4	2932	3271		1		3148	3615		1		3141	4317
6251-60-60	4	3978	4471			1	4521	4885			1	4213	5160

## ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) (refer to pages 221-225) and a Location Code for either a Glass or Satin Aluminum module (refer to pages 232-243). Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order. (refer to pages 244-262).
6. Select a Wood Finish (refer to page 180).
7. Select an Edge Profile (refer to page 180).
8. Select a Metal Finish (refer to page 183).

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

Connexus™ is Krug's proprietary tabletop connectivity solution. When opened, it presents power and data outlets on a convenient angle to the user and provides storage for wiring.


The faceplate of Connexus™ is available in either Glass or Aluminum and sits flush with the tabletop. It is designed to allow wiring to pass through the surface cover in both the open and closed positions. The faceplate opens to a 100° angle from the table top.

Connexus™ utilizes UL standard receptacle outlets. Connexus™ offers 11 pre-configured units with a wide selection of power, data and presentation system outlets, or alternatively can be purchased with just electrical ports with blank data ports. Connexus™ also can be designed and built specifically to meet your connectivity needs by using the snap-in or plate mounted port options.


All corded units can be modified to allow the units to be hard wired by an electrician and data ports can be reconfigured easily when desired. To facilitate this process, the Enclosure Box of each Connexus™ module is easily removable.

\*All duplex outlets are contained within a metal box that is attached to the Partition Plate. If additional outlets need to be added in the future, these boxes need to be ordered from Krug to expand the enclosure. All modifications must be done by a qualified electrician.

The label drawing shown below illustrates the way a Connexus™ module is shipped to the user. The Partition Plate is mounted on-site to the underside of the top with the Enclosure Box over top to conceal the module. Please note, enclosure boxes are not required when modules are enclosed in a base. Enclosure boxes are not supplied with Connexus™ modules; they must be ordered separately when required.



## CONNEXUS™ SIZES



Connexus™ modules may be specified in Standard or Large sizes.

**Standard** modules are available in 7 standard configurations or custom configurations. Connexus™ modules in Standard configurations are 6 1/8" x 7 3/8". Depth on Standard module is 4.5".

**Large** modules are available in 4 standard configurations or custom configurations. Connexus™ modules in Large configurations are 8 1/4" x 7 3/8". Depth on Large module is 4.5".

## CONNEXUS™ | PLANNING

Connexus™ modules are wired independently of each other to maximize the amount of electrical devices serviced. All Connexus™ modules may sustain individual loads of 15 amps or 12 amps of continuous load. Each Connexus™ module will require a single isolated circuit to maximize its service capabilities. An optional utility a/c power outlet is available on the back surface of the outlet box.

Connexus™ components are UL and CSA US approved and manufactured in accordance to the National Electrical Code. Hardwiring Connexus™ modules on-site must be performed by a licensed electrician. Connexus™ units can be ordered with an optional utility outlet, which is located on the bottom side of the Connexus™ unit and underneath the work surface. Other Connexus™ products could employ these utility outlets as a source of power. In this scenario, it is solely the responsibility of the end user to assure that proper circuit protection is in place that never exceeds the 15 Ampere Circuit Breaker Rating.

### CONNEXUS™ FIELD TABLE CUT-OUT KIT ( ONLY REQUIRED FOR INSTALLATIONS AFTER TABLE PURCHASE)

3 Gang	CONFIELD3	\$331
4 Gang	CONFIELD4	\$331

## ELECTRICAL CORD LENGTHS


Connexus™ modules come with pre-determined electrical cord lengths that are suited to the size and configuration of each table (16' & 25'). Each will plug into a standard floor monument power source. However, in situations where a table length exceeds our maximum cord length, a second power entry is necessary to avoid daisy-chaining of electrical power. To determine when a second power entry is required follow these steps:

1. Select your Connexus™ locations.
2. Select your Floor Monument Location(s) if they do not already exist in the room.
3. If the number of Connexus™ modules exceed three consecutive positions left or right of the power entry, then an additional power entry will be required.

**Note:** Connexus™ modules in pairs count as one position.






### HARDWIRING ON SITE

For hardwiring on-site by electricians, please use the following schematic:



# CONNEXUS™ | PRECONFIGURED STANDARD MODULES

## Standard - 3 GANG



Port Options	Model #	List Price	
		Aluminum	Glass

<b>BASIC DATA</b>	62 CON BD	\$693	\$767
-------------------	-----------	-------	-------

- (A) (2) Blanks (for future use)
- (B) (2) RJ45 port (Category 6)
- (C) (2) AC power ports

<b>BASIC VOICE DATA</b>	62 CON BV	\$672	\$746
-------------------------	-----------	-------	-------

- (A) (2) Blanks (for future use)
- (B) (1) RJ11 port  
(1) RJ45 port (Category 6)
- (C) (2) AC power ports

<b>EXPANDED DATA</b>	62 CON ED	\$851	\$924
----------------------	-----------	-------	-------

- (A) (4) RJ45 port (Category 6)
- (B) (2) AC power ports
- (C) (2) AC power ports / with 15 amp circuit breaker

<b>EXPANDED VOICE/DATA</b>	62 CON	\$872	\$945
----------------------------	--------	-------	-------

- (A) (2) RJ11 port  
(4) RJ45 port (Category 6)
- (B) (2) AC power ports
- (C) (2) AC power ports / with 15 amp circuit breaker


<b>BASIC MULTIMEDIA</b>	62 CON BM	\$788	\$861
-------------------------	-----------	-------	-------

- (A) (1) RJ11 port  
(1) RJ45 port (Category 6)
- (B) (1) 3.5 mm Mini  
(1) VGA Type 15 pin HD
- (C) (2) AC power ports

**ORDERING NOTE:** Enclosure box is only required only when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the \$210 per Connexus™.

CONNEXUS™ | PRECONFIGURED STANDARD MODULES

Standard - 3 GANG




Port Options	Model #	List Price	
		Aluminum	Glass

<b>DATA &amp; MULTIMEDIA</b>	62 CON DM	\$1082	\$1155
------------------------------	-----------	--------	--------

- (1) RJ11  
(1) RJ45  
(1) Fiber Optic LC Duplex  
(1) 3.5mm Stereo Mini  
(1) USB "A"  
(1) HDMI

- (1) DVI-I  
(1) VGA

- (2) AC power ports




<b>BASIC FIBRE OPTIC &amp; MULTIMEDIA</b>	62 CON BF	\$1040	\$1113
---	-----------	--------	--------

- (2) Fibre Optic SC Simplex  
(2) Fiber Optic LC Duplex  
(1) RJ11  
(1) RJ45

- (1) HDMI  
(1) 3.5mm Stereo Mini  
(2) USB "A"  
(2) Blanks


- (2) AC power ports

**ORDERING NOTE:** Enclosure box is only required only when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the \$210 per Connexus™.



<b>STANDARD BLANK MODULE</b>	62 CON X1	\$84
------------------------------	-----------	------

Please see page 219 for information on hard-wiring on site  
Blank Modules does not include the Connexus™ lid.








<b>DUPLEX OUTLET ENCLOSURE</b>	62 CON OUTBOX-1	\$32
To be used when adding duplex outlets to existing Connexus™ Modules.	62 CON OUTBOX-2	\$42
	62 CON OUTBOX-3	\$53



# CONNEXUS™ | PRECONFIGURED LARGE MODULES

## Large - 4 GANG



Port Options	Model #	List Price	
		Aluminum	Glass
<b>NETWORK AND POWER CENTRE</b>	62 CON NP	\$1061	\$1124
(A) (6) RJ-45 ports			
(B) (2) AC power ports			
(C) (2) AC power ports			
(D) (2) AC power ports/with 15 amp circuit breaker			
<b>BASIC MULTIMEDIA WITH 2X POWER</b>	62 CON B2	\$971	\$1034
(A) (1) RJ11 port (1) RJ45 port			
(B) (1) 3.5 mm Mini with 2x Power (1) VGA type 15 pin HD			
(C) (2) AC power ports			
(D) (2) AC power ports/with 15 amp circuit breaker			
<b>DATA &amp; MULTIMEDIA WITH 2X POWER</b>	62 CON DM2	\$1271	\$1334
(A) (1) RJ11 port (1) RJ45 port (1) 1 Fiber Optic LC Duplex (1) 1 3.5mm Stereo Mini (1) 1 USB "A" (1) 1 HDMI			
(B) (1) DVI-I (1) VGA			
(C) (2) AC power ports			
(D) (2) AC power ports/with 15 amp circuit breaker			
<b>EXPANDED FIBRE OPTIC AND MULTIMEDIA</b>	62 CON EF	\$1323	\$1386
(A) (2) Fibre Optic SC Simplex (4) Fiber Optic LC Duplex			
(B) (1) HDMI, (1) Stereo 3.5 Mini (2) USB "A", (1) RJ45 (1) RJ11			
(C) (2) AC power port			
(D) (2) AC power ports/with 15 amp circuit breaker			
<b>LARGE BLANK MODULE</b>	62 CON X2	\$95	

Large Connexus™ modules cannot be specified in conjunction with an 18" diameter base. Blank Modules does not include the Connexus™ lid.

**ORDERING NOTE:** Enclosure box is only required when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the \$210 per Connexus™.

# CONNEXUS™ | CUSTOM CONNEXUS™ PLANNING

Planning a custom Connexus™ unit is easy when following these 6 simple steps.

**STEP ONE: Select the quantity of AC power ports or AC power ports with USB Charging (select configurations only) that are required.**

Power modules must always be positioned starting from the right side of the unit. For example, 3 gang Connexus™ can have a power module located in position C with data ports in position A and B, or power can be located in position B and C with data port in position A, or position A,B and C can have all power ports or all data ports. Please note, 4 gang Connexus™ are not available with power ports located in position A.

On select configurations shown below, USB charging outlets are available. These charging outlets allow a user to charge most personal electronic devices without the need for any special power adapter or a computer - simply plug in your device with any compatible USB cable. This component has 2 USB charging slots that supply 5V DC at 700mA. Comes with a charging indicator light, as well as a standard 120 volt simplex receptacle on the bottom portion of the component.


## Standard Connexus™

	3 Gang: Data ports only E300 - Standard Data Ports	\$53
	3 Gang: AC Power Port E31S - Standard Outlet E31U - Standard & Utility Outlets	\$368 \$394
	3 Gang: AC Power Port / AC Power Port with 15 amp circuit breaker E32S - Standard Outlet E32U - Standard & Utility Outlet	\$483 \$509
	3 Gang: AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker E32SC - Standard Outlet E32UC - Standard & Utility Outlet	\$641 \$667
	3 Gang: (2) AC Power Port / AC Power Port with 15 amp circuit breaker E33S - Standard Outlet E33U - Standard & Utility Outlet	\$588 \$614


## Large Connexus™

	4 Gang: Data Ports only E400 - Large Data Ports	\$110
	4 Gang: AC Power Port E41S - Large Outlet E41U - Large & Utility Outlets	\$415 \$441
	4 Gang: AC Power Port / AC Power Port with 15 amp circuit breaker E42S - Large Outlet E42U - Large & Utility Outlets	\$541 \$567
	4 Gang: AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker E42SC - Standard Outlet E42UC - Standard & Utility Outlet	\$698 \$725
	4 Gang: (2) AC Power Port / AC Power Port with 15 amp circuit breaker E43S - Large Outlet E43U - Large & Utility Outlets	\$578 \$604
	4 Gang: (2) AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker E43SC - Standard Outlet E43UC - Standard & Utility Outlet	\$735 \$761

**STEP TWO : There are two cord end options available; Plug In and Conduit.** The standard Plug In option will connect with any standard floor monument power source. The Conduit option is Liqueatite® (a steel inner conduit with a PVC overlay) by Anamet, meant for specific hard wiring applications. Units can come in cord lengths of 16' or 25'. Not Applicable if no power is selected.




EP  
Electrical Plug In  
No Upcharge



EC  
Electrical Conduit  
Add upcharge  
16' \$95  
25' \$158

# CONNEXUS™ | CUSTOM CONNEXUS™ PLANNING


**STEP THREE:** There are two data options available; Plate mounted ports (page 226) or Snap-in ports (page 228). Snap-in ports are available in configurations of two, four or six. Choose the faceplate below that meets your data requirements. If an odd number of Snap-in ports are required, a blank port needs to be selected when the opening is not in use.




**M02**  
Mounting Plate (2)  
accepts two snap in data ports  
Add \$26 list



**M04**  
Mounting Plate (4)  
accepts four snap in data ports  
Add \$26 list



**M06**  
Mounting Plate (6)  
accepts six snap in data ports  
Add \$26 list



**M00**  
Mounting Plates  
Add \$26 list

**STEP FOUR:** Choose the Plate mounted port (page 226) or Snap-in ports (page 228) options for non-powered positions. As an aid, use the chart below to help design and build your Connexus™ to meet the rooms needs. Use the check boxes and list the components from page 226 through page 229 on the lines below.

Standard Connexus™


(A)	(B)	(C)
<input type="checkbox"/> POWER	<input type="checkbox"/> POWER/POWER & USB CHARGING	<input type="checkbox"/> POWER
OR	OR	OR
<input type="checkbox"/> PLATE MOUNTED PORT	<input type="checkbox"/> PLATE MOUNTED PORT	<input type="checkbox"/> PLATE MOUNTED PORT
OR	OR	OR
<input type="checkbox"/> SNAP-IN PORTS	<input type="checkbox"/> SNAP-IN PORTS	<input type="checkbox"/> SNAP-IN PORTS
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Large Connexus™

(A)	(B)	(C)	(D)
<input type="checkbox"/> POWER	<input type="checkbox"/> POWER/POWER & USB CHARGING	<input type="checkbox"/> POWER/POWER & USB CHARGING	<input type="checkbox"/> POWER
OR	OR	OR	OR
<input type="checkbox"/> PLATE MOUNTED PORT	<input type="checkbox"/> PLATE MOUNTED PORT	<input type="checkbox"/> PLATE MOUNTED PORT	<input type="checkbox"/> PLATE MOUNTED PORT
OR	OR	OR	OR
<input type="checkbox"/> SNAP-IN PORTS	<input type="checkbox"/> SNAP-IN PORTS	<input type="checkbox"/> SNAP-IN PORTS	<input type="checkbox"/> SNAP-IN PORTS
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

**STEP FIVE:** Select the Connexus™ Cover (Aluminum or Glass)


Standard Connexus™



3 GANG

3CCA	Aluminum	\$263 list
3CFG	Glass	\$326 list
3C00	No Lid	

Large Connexus™



4 GANG








4CCA	Aluminum	\$273 list
4CFG	Glass	\$336 list
4C00	No Lid	

**STEP SIX:** Enclosure box is only required only when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your order and add the \$200 per Connexus™.







**STEP SEVEN:** Calculate the total list price for the custom Connexus™ by adding the following prices:

- Connexus™ Box with required AC Power Ports
- Faceplate (Snap-in Ports Only)
- Snap-In Ports or Plate Mounted Data Ports
- Enclosure Box (if required)
- Connexus™ Lid (Aluminum or Glass)









# CONNEXUS™ | PORT OPTIONS










PLATE MOUNTED PORTS	Reference Code	Description	List Price
	P01	<b>VGA &amp; 3.5 STEREO MINI</b> - Use for VGA (DB15) connections and for 3.5mm stereo connections. Connector is a female input with screw terminal output (back side of Console interface).	\$100
	P02	<b>DVI-I DUAL (DIGITAL/ANALOG) &amp; 3.5 STEREO MINI</b> - Use for DVI Integrated - Digital and Analog connections and for 3.5mm stereo connection. The DVI connector is a Dual Link. DVI-I connector is a female-to-female pass through and the 3.5 Mini is a female input with screw terminal output (back side of Console interface).	\$147
	P03	<b>DVI-D DUAL (DIGITAL)</b> - Use for DVI-D Digital only connection. The connector is a Dual Link. Connector is a female-to-female pass through.	\$95
	P04	<b>DVI-I DUAL (DIGITAL/ANALOG) &amp; VGA</b> - Use for DVI Integrated - Digital and Analog and for VGA (DB15) connections. The DVI connector is a Dual Link. Both connectors are female-to-female pass through.	\$189
	P05	<b>DVI-I DUAL (DIGITAL/ANALOG)</b> - Use for DVI Integrated -Digital and Analog connections. DVI connector is a Dual Link. Connector is a female-to-female pass through.	\$121
	P06	<b>VGA-2</b> - Use for two VGA (DB15) connections. Both connectors are female-to-female pass through.	\$116
	P07	<b>DISPLAYPORT</b> - Use for DisplayPort connection. This connector is primarily used to connect a video source to a display device and also carries audio signals. Connector is a female input to a 3' corded output (back side of Console interface) with a male Display Port termination.	\$116

## CONNEXUS™ | PORT OPTIONS


PLATE MOUNTED PORTS	Reference Code	Description	List Price
	P08	<b>MICROPHONE XLR STANDARD</b> - Use for standard size XLR microphone connection. Connector is a female input with a 3 pin screw terminal output (back side of Console interface).	\$158
	P09	<b>MICROPHONE STANDARD XLR -2</b> - Use for two standard size XLR microphone connections. Each connector is a female input with a 3 pin screw terminal output (back side of Console interface).	\$231
	P10	<b>3 HOLE CABLE PASS THROUGH</b> - Use for running loose cables from the under side of the table up into the Console interface cavity. Often used with running wires for PolyCom™ devices.	\$37
	P11	<b>VGA-to-BNCx2</b> - Use for two VGA (DB15) connections that are input female pass through and are terminated on the output (back side of Console interface) with 5 BNC female pigtail connections, for each VGA connector.	\$378
	P12	<b>INPUT VGA &amp; 3.5 Stereo (POWERED)</b> - VGA + Audio Line Driver designed for VGA (DB15) connections and for 3.5mm stereo connections. This unit provides a method of transmitting signals to a remote display and audio receiver or amplifier. VGA connector is a female input and comes with cabling for either VGA output, or 5 BNC output and the 3.5 Mini is a female input with screw terminal output (back side of Console interface). A 9 volt DC 500mA power supply is required to power this unit.	\$924
PORT ACCESSORIES	Reference Code	Description	List Price
	DVIR	<b>DVI-REPEATER</b> - Is a cable equalizer that automatically compensates for long DVI cable runs. This unit extends the usable cable distance up to 130ft depending on the quality of the cable and the resolution of the video signal. Additionally, it is capable of extending dual link signals allowing for much greater resolutions and refresh rates. This unit comes with a power supply and is generally mounted underneath a table.	\$730

## CONNEXUS™ | PORT OPTIONS


SNAP IN PORTS	Reference Code	Description	List Price
		<b>RJ-45</b> - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	\$32
	<b>S01W</b>	RJ45-CAT6 (White)	
	<b>S01B</b>	RJ45-CAT6 (Blue)	
	<b>S01R</b>	RJ45-CAT6 (Red)	
		<b>RJ11</b> - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	\$21
	<b>S02W</b>	RJ11 (White)	
	<b>S02B</b>	RJ11-B (Black)	
	<b>S02G</b>	RJ11-G (Green)	
	<b>S02R</b>	RJ11-R (Red)	
	<b>S02Y</b>	RJ11-Y (Yellow)	
	<b>S03</b>	<b>3.5 STEREO MINI</b> - 3.5mm stereo connection. Connector is a female input with screw terminal output (back side of Console interface).	\$63
	<b>S04</b>	<b>HDMI</b> - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	\$121
	<b>S05</b>	<b>RCA-LEFT</b> - RCA left audio channel connection. Color coded with black. Connector is a female-to-female pass through.	\$26
	<b>S06</b>	<b>RCA-RIGHT</b> -RCA right audio channel connection. Color coded with red. Connector is a female-to-female pass through.	\$26
	<b>S07</b>	<b>RCA- VIDEO</b> - RCA video channel connection. Color coded with yellow. Connector is a female-to-female pass through.	\$26
	<b>S08</b>	<b>USB-A</b> - Full size USB “A” style connection. Connector is a female-to-female pass through.	\$42

SNAP IN PORTS	Reference Code	Description	List Price
	<b>S09</b>	<b>3 PIN MINI XLR</b> - 3 Pin Mini XLR microphone connection. Connector is a female input to a 6' corded output (back side of Console interface) with a 3 Pin Mini XLR male termination.	\$515
	<b>S10</b>	<b>S-VIDEO</b> - S-Video connection. Connector is a female-to-female pass through.	\$47
	<b>S11</b>	<b>PS/2 (6 PIN MINI DIN)</b> - PS/2 (mouse, keyboard, other input devices) connections. Connector is a female-to-female pass through.	\$58
	<b>S12</b>	<b>BNC</b> - BNC style data connection for use with co-axial cable. Connector is a female-to-female pass through.	\$32
	<b>S13</b>	<b>F-TYPE</b> - F-Type (DSL, Cable) connections, generally for high speed Internet or video applications. Connector is a female-to-female threaded pass through.	\$26
	<b>S14</b>	<b>FIBER OPTIC SC</b> - Fibre Optic SC Simplex connection. Connector is a female-to-female pass through. Please note that two of these connectors are required to complete the data transmissions to and from the source and destination units.	\$32
	<b>S15</b>	<b>FIBER OPTIC LC</b> - Fibre Optic LC Duplex connection. Connector is a female-to-female pass through. One connector only is required to complete the data transmissions to and from source and destination units.	\$63
	<b>S16</b>	<b>USB-MINI B</b> - USB "Mini B" style connection. Connector is a female "Mini B" input and a male "A" output (back side of Console interface).	\$95
	<b>S17</b>	<b>RJ12 (White)</b> - RJ12 style PolyCom™ connection. Connector is a female input with a 6' corded output (back side) of Console interface) with a male RJ12 termination.	\$205
	<b>S00</b>	<b>BLANK COVER</b> - Blank covers are required when port is not in use.	\$11
<b>NOTE:</b> Up to 6 snap-in data ports can be ordered for open data positions. Snap-in adaptors can accept 2, 4 or 6 snap-in data ports. Please order a blank port when an odd number of snap-in ports are specified.			

VIRTU | CONNEXUS™ LOCATIONS CHARTS



The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 244) for more information. For large Connexus™ units, please replace “3” in location code with “4”. Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.






REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE







REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE



VIRTU | CONNEXUS™ LOCATIONS CHARTS



The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 244) for more information. For large Connexus™ units, please replace “3” in location code with “4”.** Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top. Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.





REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE












REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

VIRTU | CONNEXUS™ LOCATIONS CHARTS



The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 219-223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 242-260) for more information. For large Connexus™ units, please replace “3” in location code with “4”. Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

# VIRTU | CONNEXUS™ LOCATIONS CHARTS




The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 219-223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 242-260) for more information. For large Connexus™ units, please replace “3” in location code with “4”. Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.












REPRESENTS MODULES THAT  
WHEN OPENED FACE THE ENDS  
OF THE TABLE

REPRESENTS MODULES THAT  
WHEN OPENED FACE THE SIDES  
OF THE TABLE

# VIRTU | CONNEXUS™ LOCATIONS CHARTS



The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 219-223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 242-260) for more information. For large Connexus™ units, please replace “3” in location code with “4”. Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.




REPRESENTS MODULES THAT WHEN  
OPENED FACE THE ENDS OF THE  
TABLE




REPRESENTS MODULES THAT  
WHEN OPENED FACE THE SIDES OF  
THE TABLE


VIRTU | CONNEXUS™ LOCATIONS CHARTS





The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 219-223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 242-260) for more information. For large Connexus™ units, please replace “3” in location code with “4”. Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.



VIRTU | CONNEXUS™ LOCATIONS CHARTS



The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 219-223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 242-260) for more information. For large Connexus™ units, please replace “3” in location code with “4”.** Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top. Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

# VIRTU | CONNEXUS™ LOCATIONS CHARTS




Visio



Dais









Oblique



Forza Square

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 219-223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 242-260) for more information. For large Connexus™ units, please replace “3” in location code with “4”.** Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top. Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.




REPRESENTS MODULES THAT  
WHEN OPENED FACE THE ENDS




REPRESENTS MODULES THAT  
WHEN OPENED FACE THE SIDE

VIRTU | CONNEXUS™ LOCATIONS CHARTS




The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 219-223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 242-260) for more information. For large Connexus™ units, please replace “3” in location code with “4”.** Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top. Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.









REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE
 REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE



# VIRTU | CONNEXUS™ | LOCATIONS CHARTS



The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 219-223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 242-260) for more information. For large Connexus™ units, please replace “3” in location code with “4”.** Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top. Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.




REPRESENTS MODULES THAT  
WHEN OPENED FACE THE ENDS



REPRESENTS MODULES THAT  
WHEN OPENED FACE THE SIDES

VIRTU | CONNEXUS™ LOCATIONS CHARTS








Open Visio



Forza

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **For specific pricing on individual Connexus™ modules please see pages 219-223. Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section (pg 242-260) for more information. For large Connexus™ units, please replace “3” in location code with “4”. Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

VIRTU | CONNEXUS™ | LOCATIONS CHARTS



The Connexus™ Location , “C”, is the only code required when specifying a Connexus™ module on a Round, Square, Arced Square or Delta table. For large Connexus™ units, please replace “3” in location code with “4”. Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top. Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.



Note: It is recommended that Connexus™ Modules not be specified on 36" and 42" Delta tops and 42" Arced Square, Round and Square tops when used in conjunction with Forza Leg bases due to leg room constraints.

# VIRTU | FLOOR MONUMENT LOCATIONS

## FLOOR MONUMENT LOCATIONS

All VIRTU table bases and casegoods designed for use with office equipment provide wire management with easy door access to floor and wall monuments. This allows for change and updating of wiring throughout the product without having to take furniture apart and re-install it. We've provided in this guide helpful information on the optimum locations of floor monuments in relation to the table base locations, so that you can position each appropriately.

Follow the New Monument Locations guidelines to determine these positions. We've also given you steps for determining what locations and quantities of Connexus™ modules are available if floor monuments already exist at the installation site. Follow the Existing Monument Locations guidelines if this applies.

## NEW MONUMENT LOCATIONS

Steps to Determine Recommended Floor Monument Location Codes for Tables

1. In the "Chart A" section, starting on page 146, locate the page which represents the Base(s) and Top Shape for your table, which are listed at the top of each page.
2. Locate your "Top Size" and "Top Shape" from the chart on that page.
3. On the left, you will see a diagram with "Codes" indicated for Recommended Monument Locations.
4. Select the Code(s) for your preferred Monument Locations(s) and note for ordering purposes.

**Note:** Some restrictions apply in selecting Monument Locations, due to pre-determined electrical cord lengths. See Electrical Cord Lengths on page 245 for details.

Steps to Determine Recommended Monument Location Measurements

1. In the "Chart B" section, starting on page 254, locate the page which represents the Bases(s) and Top Shape for your table, which are located at the top of each chart.
2. Locate your "Top Size".
3. Cross reference your table size with the "Codes" that you have selected for your table.

**Note:** The measurements listed represent the distance in inches that a particular "Code" is from the left edge of your table. The shaded columns, ML and MR, represent the distance in inches that a particular "Code" is from the center line (lengthwise) of the table.

## Existing Monument Locations

If your VIRTU Conference Table is to be installed in a room with existing floor monuments, please use the following steps to determine the available location(s) and quantity of Connexus™ modules.

1. Create an overhead view of the room in which your conference table is to be located, including measurements of floor space.
2. Sketch in an outline of your conference table in the position you would like it to be located in the room.
3. Measure the exact positions of the existing floor monuments in relation to the perimeter of your conference table.
4. Follow the steps outlined in Electrical Cord Lengths on page 245 to determine the available locations(s) and quantity of Connexus™ modules.
5. Submit the overhead view of the room with your purchase order so that Krug can provide the proper electrical cord lengths with your order.

It is recommended that a flush floor mounted monument is specified to best facilitate access into all VIRTU bases. Monument locations listed within "Chart B" provide dimensional information as it relates to the position of the monuments and bases. Enclosed bases have been designed to be placed over top of the monument, while tables supported with Forza Leg and Forza Panel bases have the monuments located offset to the leg. Please note that the measurements listed are the optimum location for Floor Monuments so that wiring does not interfere with the users.

The monument will require a minimum of one dedicated receptacle and provision for communication wire passage as well. Monuments with combined electrical capabilities will restrict the number of communication cables for use. For situations requiring large amounts of communication wiring, we highly recommend entering the table through another base from a monument designed for communication wires only.

The Floor Monument charts and diagrams are also designed to help determine the proper cord length designations. In order for Krug to supply the proper length of electrical cords for VIRTU Conference tops specified with Connexus™ modules, the user must specify Monument Location Codes which can be found in these drawings. If floor monuments already exist, please provide an overhead room layout, with exact measurements of your conference table and monuments positions, as outlined in Existing Monument Locations.

## Electrical Cord Lengths

Connexus™ Modules come with pre-determined electrical cord lengths that are suited to the size and configuration of each table. Each will plug into a standard floor monument power source. However, in situations where a table length exceeds our maximum cord length, a second power entry is necessary to avoid daisy-chaining of electrical power. To determine when a second power entry is required please follow these steps.

1. Select your Connexus™ Location(s).
2. Select your Floor Monument Location(s) if they do not already exist in the room.
3. If the number of Connexus™ Modules exceed three consecutive positions left or right of the power entry, then an additional power entry will be required. Refer to the Connexus™ Diagrams on pages 232-242 that illustrates the base and tabletop combination of your selection.

**Note:** Connexus™ Modules in pairs count as one position.

\* Open Visio tables require 2 power sources, one per wing, or a single power source located at the apex of the two tables.

### Example 1

If the designated Floor Monument location for the table scenario shown below is 1L, the user would be able to power-up any or all of the following Connexus™ locations: ACW3, BCW3 and CCW3.

### Example 2

If the designated Floor Monument location for the table scenario shown below is 2R, the user would be able to power-up any or all of the following Connexus™ locations: CCW3, DCE3, ECE3 and FCE3.

### Monument Location Scenario

1L ⊕	2L ⊕	3L ⊕	3 ⊕	3R ⊕	2R ⊕	1R ⊕
---------	---------	---------	--------	---------	---------	---------

### Connexus™ Location Scenario

ACW3	BCW3	CCW3	DCE3	ECE3	FCE3

1L 2L 3L 3 3R 2R 1R









ACW3 BCW3 CCW3 DCE3 ECE3 FCE3

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

## Chart A

Top Shapes:	<ul style="list-style-type: none"> <li>• Rectangle</li> <li>• Boat</li> <li>• Square</li> </ul>	<ul style="list-style-type: none"> <li>• Arced Rectangle</li> <li>• Round</li> <li>• Arced Square</li> </ul>	<ul style="list-style-type: none"> <li>• Racetrack</li> <li>• Delta</li> </ul>
Bases:	<ul style="list-style-type: none"> <li>• Dais</li> </ul>	<ul style="list-style-type: none"> <li>• Forza Square</li> </ul>	<ul style="list-style-type: none"> <li>• Oblique</li> </ul>

Please see page 254 for exact Monument Location measurements.








CODES	TOP SIZE	TOP SHAPES
		Round, Delta, Square, Arced Square
	72-36 84-42	Rectangle, Arced Rectangle, Racetrack
	96-42 96-48-42 96-48	Rectangle, Arced Rectangle, Racetrack, Boat
	120-48 20-48-42 120-54 144-54	Rectangle, Arced Rectangle, Racetrack, Boat
	144-48-42 168-42-42 168-54 192-54 192-54-48	Rectangle, Arced Rectangle, Racetrack, Boat
	216-54-48 216-60	Rectangle, Arced Rectangle, Racetrack, Boat
	240-54-48 240-60	Rectangle, Arced Rectangle, Racetrack, Boat
	264-60 264-60-48 288-60 288-60-48	Rectangle, Arced Rectangle, Racetrack, Boat

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart A

Top Shapes:	<ul style="list-style-type: none"> <li>• Rectangle</li> <li>• Boat</li> <li>• Square</li> </ul>	<ul style="list-style-type: none"> <li>• Arced Rectangle</li> <li>• Round</li> <li>• Arced Square</li> </ul>	<ul style="list-style-type: none"> <li>• Racetrack</li> <li>• Delta</li> </ul>
Bases:	• Forza Leg	• Forza Leg with Forza Square	• Forza Leg with Forza Rectangle

Please see page 254 for exact Monument Location measurements.

CODES	TOP SIZE	TOP SHAPES
		Round, Delta, Square, Arced Square
	72-36 84-42	Rectangle, Arced Rectangle, Racetrack
	72-36 84-42 96-42 96-48 96-48-42	Rectangle, Arced Rectangle, Racetrack, Boat
	120-48 120-48-42 120-54 144-48-42 144-54	Rectangle, Arced Rectangle, Racetrack, Boat
	168-48-42 168-54 192-54 192-54-48	Rectangle, Arced Rectangle, Racetrack, Boat
	216-54-48 16-60 240-54-48 240-60	Rectangle, Arced Rectangle, Racetrack, Boat
	264-60 64-60-48 288-60 288-60-48	Rectangle, Arced Rectangle, Racetrack, Boat









# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart A

Top Shapes: • Rectangle • Arced Rectangle • Racetrack • Boat

Bases: • Forza Panel • Forza Panel with Forza Square • Forza Panel with Forza Rectangle

Please see page 254 for exact Monument Location measurements.

CODES	TOP SIZE	TOP SHAPES
	72-36 84-42	Rectangle, Arced Rectangle, Racetrack
	96-42 96-48-42 96-48	Rectangle, Arced Rectangle, Racetrack, Boat
	120-48 120-48-42 120-54 144-48-42 144-54	Rectangle, Arced Rectangle, Racetrack, Boat
	168-48-42 168-54	Rectangle, Arced Rectangle, Racetrack, Boat
	192-54 192-54-48	Rectangle, Arced Rectangle, Racetrack, Boat
	216-54-48 216-60 240-54-48 240-60	Rectangle, Arced Rectangle, Racetrack, Boat
	264-60 264-60-48	Rectangle, Arced Rectangle, Racetrack, Boat
	288-60 88-60-48	Rectangle, Arced Rectangle, Racetrack, Boat






VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart A

Top Shapes: • Oval




Bases: • Dais

Please see page 254 for exact Monument Location measurements.

CODES	TOP SIZE
	96-48
	120-54
	

Top Shape: • Oval

Bases: • Forza Leg • Forza Leg with Forza Square • Forza Leg with Forza Rectangle • Forza Panel with Forza Square • Forza Panel




CODES	TOP SIZE
	96-48
	120-54
	144-60

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart A

Top Shapes:	• Verso	
Bases:	• Forza Square	• Verso

Please see page 254 for exact Monument Location measurements.

CODES	TOP SIZE
	107-57-40
	137-63-40
	167-70-40

Top Shapes:	• Verso	
Bases:	• Forza Leg	• Forza Leg with Forza Square









CODES	TOP SIZE
	107-57-40
	137-63-40
	167-70-40

Chart A

Top Shapes:	• Visio	
Bases:	• Forza Square • Oblique	• Dais

Please see page 254 for exact Monument Location measurements.







CODES	TOP SIZE
	120-60-42 144-60-42
	168-60-42
	192-66-42
	216-73-42
	240-76-42

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart A

Top Shapes:	• Visio	
Bases:	• Forza Leg with Forza Square • Forza Panel with Forza Square	• Forza Leg with Forza Rectangle • Forza Panel with Rectangle

Please see page 254 for exact Monument Location measurements.

CODES	TOP SIZE
	120-60-42
	144-60-42
	168-60-42
	192-69-42
	216-73-42
	240-76-42

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

## Chart A


Top Shapes: • Open Visio

Bases: • Forza Leg


Please see page 254 for exact Monument Location measurements.

### CODES


### TOP SIZE



134-80-52  
134-92-64



158-85-52  
158-96-64  
182-90-52  
182-102-64



218-97-52  
218-109-64  
254-105-52  
254-117-64

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shapes:	<ul style="list-style-type: none"><li>• Rectangle</li><li>• Delta</li></ul>	<ul style="list-style-type: none"><li>• Arced Rectangle</li><li>• Square</li></ul>	<ul style="list-style-type: none"><li>• Racetrack</li><li>• Arced Square</li></ul>	<ul style="list-style-type: none"><li>• Boat</li><li>• Round</li></ul>
Bases:	<ul style="list-style-type: none"><li>• Dais</li></ul>	<ul style="list-style-type: none"><li>• Forza Square</li></ul>	<ul style="list-style-type: none"><li>• Oblique</li></ul>	

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
42 dia				21					
42-42 square				21					
42-42 arched square				21					
42 delta				18					
48 dia				24					
48-48 square				24					
48-48 arched square				21					
48 delta									
54 dia				21					
54-54 square				21					
54-54 arched square				21					
54 delta				18					
60 dia				21					
60-60 square				21					
60-60 arched square				21					
60 delta				18					
72-36	18						54		
84-42	24						59		
96-42	26						70		
96-48	26						70		
96-48-42	26						70		
120-48	27						93		
120-48-42	27						93		
120-54	27						93		
144-54	27						117		
144-48-42	27			72			117		
168-54	27			84			141		
168-48-42	27			84			141		
192-54	27			96			165		
192-54-48	27			96			165		
216-54-48	29			108			186		
216-60	29			108			186		
240-54-48	30		90		150		210		
240-60	30		90		150		210		
264-60	30		98		166		234		
264-60-48	30		98		166		234		
288-60	30		107		181		258		
288-60-48	30		107		181		258		

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shapes:	<ul style="list-style-type: none"> <li>• Rectangle</li> <li>• Delta</li> </ul>	<ul style="list-style-type: none"> <li>• Arced Rectangle</li> <li>• Square</li> </ul>	<ul style="list-style-type: none"> <li>• Racetrack</li> <li>• Arced Square</li> </ul>	<ul style="list-style-type: none"> <li>• Boat</li> <li>• Round</li> </ul>
Bases:	<ul style="list-style-type: none"> <li>• Dais</li> </ul>	<ul style="list-style-type: none"> <li>• Forza Square</li> </ul>	<ul style="list-style-type: none"> <li>• Oblique</li> </ul>	

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
42 dia.	13								
42-42 square	12							12	
42-42 arched square	13							13	
42 delta	14								
48 dia.	13								
48-48 square	12							12	
48-48 arched square	13							13	
48 delta	14								
54 dia.	13								
54-54 square	12							12	
54-54 arched square	13							13	
54 delta	14								
60 dia.	13								
60-60 square	12							12	
60-60 arched square	13							13	
60 delta	14								
72-36	12						59	8	8
84-42	12						71	11	11
96-42	12						83	11	11
96-48	12						83	13	13
120-48	12			60			107	13	13
120-54	12			60			107	17	17
144-54	12			72			131	17	17
168-54	12		63		105		155	17	17
192-54	12		72		120		179	17	17
216-60	12		65	108	151		203	20	20
240-60	12		72	120	168		227	20	20
264-60	12	67	120		144	197	251	20	20
288-60	12	73	120		168	215	275	20	20

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shape: • Arched Rectangle

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument  
Indicates distance in inches from center line (lengthwise) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
72-36	18						53	8	8
84-42	18						66	11	11
96-42	18						77	11	11
96-48	18						77	13	13
120-48	18			60			101	13	13
120-54	18			60			101	17	17
144-54	18			72			125	17	17
168-54	18		63		105		149	17	17
192-54	18		72		120		173	17	17
216-60	18		65	108	151		197	20	20
240-60	18		73	120	167		221	20	20
264-60	18	67	110		154	197	245	20	20
288-60	18	73	120		168	215	269	20	20

Top Shape: • Boat

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Rectangle

	1L	2L	3L	3	3R	2R	1R	ML	MR
96-48-42	12						83	11	11
120-48-42	12			60			107	11	11
144-48-42	12			72			131	11	11
168-48-42	12		63		105		155	11	11
192-54-48	12		72		120		179	14	14
216-54-48	12		65	108	151		203	14	14
240-54-48	12		73	120	167		227	14	14
264-60-48	12	67	110		154	197	251	14	14
288-60-48	12	73	120		168	215	275	14	14



Chart B

Top Shape: • Arched Rectangle

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
72-36	17						55	6	6
84-42	17						67	8	8
96-42	17						79	8	8
96-48	19						77	11	11
120-48	19			60			101	11	11
120-54	21			60			99	14	14
144-54	21			72			123	14	14
168-54	21		63		105		147	14	14
192-54	21		72		120		171	14	14
216-60	23		65	108	151		193	17	17
240-60	23		73	120	167		217	17	17
264-60	23	67	110		154	197	241	17	17
288-60	23	73	120		168	215	265	17	17

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shape:	• Rectangle	• Arched Rectangle	• Racetrack	• Boat
Bases:	• Forza Panel • Forza Leg with Forza Square	• Forza Leg with Forza Rectangle		

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
72-36	19						53	7	7
84-42	19						65	7	7
96-42	20						76	10	10
96-48	20						76	10	10
96-48-42	20						76	10	10
120-48	20			60			100	10	10
120-48-42	20			60			100	10	10
120-54	20			60			100	13	13
144-54	20			72			123	13	13
144-48-42	20			72			123	13	13
168-54	20			84			148	13	13
168-48-42	20			84			148	13	13
192-54	20		72		120		172	13	13
192-54-48	20		72		120		172	13	13
216-54-48	20		87		129		196	13	13
216-60	20		65		150		196	13	13
240-54-48	20		78		162		220	13	13
240-60	20		78		162		220	13	13
264-60	20		88		175		244	13	13
264-60-48	20		88		175		244	13	13
288-60	20		73	144	215		268	13	13
288-60-48	20		73	144	215		268	13	13

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shape: • Oval

Bases: • Dais

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
96-48	25						70		
120-54	28						92		
144-60	27			72			117		

Top Shape: • Oval

Bases: • Forza Leg  
• Forza Leg with Forza Square • Forza Leg with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
96-48	24						71	7	7
120-54	27			60			93	10	10
144-60	26			72			118	10	10

Top Shape: • Oval

Bases: • Forza Panel  
• Forza Panel with Forza Square • Forza Panel with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
96-48	24						71	7	7
120-54	27			60			93	10	10
144-60	26			72			118	10	10

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shape: • Verso

Bases: • Forza Square • Verso

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
107-57-40	26						71		5
137-63-40	27						102		6
167-70-40	27			79			130		8

Top Shape: • Verso

Bases: • Forza Leg • Forza Square

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
107-57-40	14				61		95	10 & 13	10 & 20
137-63-40	14			68	91		125	10 & 16	10 & 23
167-70-40	14		60		98	120	154	10 & 19	10 & 27

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shape: • Visio

Bases: • Dais • Forza Square • Oblique

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
102-60-42	26						93		
144-60-42	26						114		
168-66-42	26			79			138		
192-66-42	24			96			164		
216-73-42	24			108			188		
240-76-42	24		76		144		212		

Top Shape: • Visio

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Square

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
102-60-42	12			60			107	10	10
144-60-42	12			72			131	10	10
168-66-42	12		63		104		155	10	10
192-66-42	12		72		120		179	10	10
216-73-42	12		65	108	151		203	10	10
240-76-42	12		72	120	168		227	10	10

Top Shape: • Visio

Bases: • Forza Panel with Forza Square • Forza Panel with Forza Square

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
102-60-42	21			60			99	7	7
144-60-42	21			72			122	7	7
168-66-42	21			84			147	7	7
192-66-42	21		72		120		170	7	7
216-73-42	21		65		151		194	7	7
240-76-42	21		72		168		218	7	7

# VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

## Chart B

Top Shape: • Arched Rectangle

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES														
	1L	ML	MR	3L	ML	MR	3	ML	MR	3R	ML	MR	1R	ML	MR
134-80-52 (30-96)	13	17	17	37	15	15							124	24	24
134-92-64 (36-96)	13	23	23	38	18	18							124	27	27
158-85-52 (30-60)	13	17	17	37	15	15				97	21	21	148	27	27
158-96-64 (36-60)	13	23	23	38	18	18				97	24	24	148	30	30
179-90-52 (30-72)	13	17	17	37	15	15				109	22	22	172	29	29
179-102-64 (36-72)	13	23	23	38	18	18				109	25	25	172	32	32
218-97-52 (30-60)	13	17	17	37	15	15	97	21	21	157	27	27	208	33	33
218-109-64 (36-60)	13	23	23	38	18	18	97	24	24	157	30	30	208	36	36
254-105-52 (30-72)	13	17	17	37	15	15	109	22	22	180	30	30	243	37	37
254-117-64 (36-72)	13	23	23	38	18	18	109	25	25	180	33	33	243	40	40

Due to the unique shape of Open Visio tables, this Monument Location Chart differs from the other charts

# VIRTU | CONFERENCE TABLE ORDERING CHART SAMPLE

## Conference Table Ordering Chart Samples

To assist in the specification of VIRTU conference tables we have provided an ordering chart. Shown first is a completed sample chart. This sample chart shows exactly what information is needed to complete an order. The exception is the Connexus™ and Floor Monument areas, as they are not required if Connexus™ modules are not included in the order. You may photocopy the blank chart on bottom of the page and use it exclusively for ordering VIRTU conference tables, attach the charts to the rest of your order, or simply use the chart as a reference to what information is required to complete your conference table order.

SAMPLE

### VIRTU Conferencing Table Configuration

Conference Top Model # Base Model #'s	Base Qty	Price for Top and Base(s)		
6258-168-70-40				
6234-14-14-29	1			
6234-20-20-29	1			
6231-23-24-29	1	13694		
Species		Finish	Edge Profile	Metal Finish
Anigre		Clear	Fino	Satin Aluminum
Connexus™ Location	Connexus™ Model #(s)	Price	Monument Locations	Other
AL	62 CON EM - Alum.	xx	1L	
C	62 COM BD - Alum.	xx	1L	
AR	62 COM BD - Alum	xx	1R	
			<b>Total List \$</b>	15912


### VIRTU Conferencing Table Configuration

Conference Top Model # Base Model #'s	Base Qty	Price for Top and Base(s)		
Species		Finish	Edge Profile	Metal Finish
Connexus™ Location	Connexus™ Model #(s)	Price	Monument Locations	Other
			<b>Total List \$</b>	

# VIRTU | DUAL MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
-------------	-------	-------------------------	--------	---	---	---	--------------------	---------------


Dual Media Cabinet  
full height  
upper bi-fold wood doors  
lower hinged wood doors



## ORDERING NOTES

Locks are optional on upper and lower wood doors at a price of \$100 list per set of two doors.  
Interior dimensions for monitor shelf on this unit are: Width=73 1/4" Depth=27 3/4"  
Height with camera shelf=30 3/4" Height without camera shelf=39"  
Casters are optional on Dual Media Cabinets at a price of \$125 list.


Dual Media Cabinet  
full height  
upper bi-fold wood doors  
lower hinged glass doors



## ORDERING NOTES

Locks are optional on upper doors at a price of \$100 list per set of two doors.  
Interior dimensions for monitor shelf on this unit are: Width=73 1/4" Depth=27 3/4"  
Height with camera shelf=30 3/4" Height without camera shelf=39"  
Casters are optional on Dual Media Cabinets at a price of \$125 list.


Dual Media Cabinet  
full height  
open top cabinet  
lower hinged wood doors



## ORDERING NOTES

Locks are optional on lower wood doors at a price of \$100 list per set of two doors.  
Interior dimensions for monitor shelf on this unit are: Width=73 1/4" Depth=27 3/4"  
Height with camera shelf=30 3/4" Height without camera shelf=39"  
Casters are optional on Dual Media Cabinets at a price of \$125 list.

Dual Media Cabinet  
full height  
open top cabinet  
lower hinged glass doors



## ORDERING NOTES

Interior dimensions for monitor shelf on this unit are: Width=73 1/4" Depth=27 3/4"  
Height with camera shelf=30 3/4" Height without camera shelf=39"  
Casters are optional on Dual Media Cabinets at a price of \$125 list.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

## CODE DESCRIPTION


MC - media cabinet  
G - glass doors  
W - wood doors

## SPECIAL FEATURES

- Dual Media Cabinets will accommodate 2 monitors up to 35" each in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of \$100 list per lock.
- Casters are optional on Dual Media Cabinets at a price of \$125 list.
- Dual Media Cabinets feature removable shelf and grommet for CPU storage.




Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Dual Media Cabinet buffet height hinged wood doors	62MC-75303511	4722	5404	75	30	34.5	345	49



## ORDERING NOTES

Locks are optional on wood doors at a price of \$100 list per set of two doors.  
Casters are optional on Dual Media Cabinets at a price of \$125 list.


Dual Media Cabinet buffet height hinged glass doors	62MC-75303511G	5163	5907	75	30	34.5	345	49
---	----------------	------	------	----	----	------	-----	----



## ORDERING NOTES

Casters are optional on Dual Media Cabinets at a price of \$125 list. ordering procedure


Large Media Cabinet hinged wood doors lower hinged wood doors (2 Piece Assembly)	62MC-42308514	4933	5673	42	30	85	455	59
---	---------------	------	------	----	----	----	-----	----



## ORDERING NOTES

Upper and lower doors have an optional lock at a price of \$100 list per set of two doors.  
Interior dimensions for monitor shelf on this unit are:  
Width=40 3/16" Depth=28 3/8" Height=33 3/8"  
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of \$2224 list.

Large Media Cabinet hinged glass doors lower hinged glass doors (2 Piece Assembly)	62MC-42308514GW	5103	5868	42	30	85	455	59
---	-----------------	------	------	----	----	----	-----	----



## ORDERING NOTES

Upper and lower doors have an optional lock at a price of \$100 list per set of two doors.  
Interior dimensions for monitor shelf on this unit are:  
Width=40 3/16" Depth=28 3/8" Height=33 3/8"  
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of \$2224 list.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

## CODE DESCRIPTION


MC - media cabinet  
G - glass doors

## SPECIAL FEATURES


- Dual Media Cabinets will accommodate 2 monitors up to 35" each in width. Please contact Customer Service if dimensions are critical
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Casters are optional on Dual Media Cabinets at a price of \$125 list.
- Bookmatched Birdseye Maple veneer is available on work surfaces of VIRTU cases at an upcharge of \$50 list per square foot.

# VIRTU | LARGE MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Large Media Cabinet hinged glass doors lower hinged wood doors (2 Piece Assembly)	62MC-42308514WG	5645	6417	42	30	85	455	59



Large Media Cabinet hinged glass doors lower hinged glass doors (2 Piece Assembly)	62MC-42308514G	5923	6692	42	30	85	455	59
---	----------------	------	------	----	----	----	-----	----



## ORDERING NOTES

Interior dimensions for monitor shelf on this unit are:

Width=40 3/16" Depth=28 3/8" Height=33 3/8"

An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of \$2224 list.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

## CODE DESCRIPTION


MC - media cabinet  
G - glass doors

## SPECIAL FEATURES

- Large Media Cabinets will accommodate monitors up to 35" in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pullout swivel shelf (which accommodates up to 250 lbs.).

## VIRTU | LARGE MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Large Media Cabinet gabled top hinged wood doors lower hinged wood doors (2 Piece Assembly)	62MC-42308514A	5015	5766	42	30	85	455	61



### ORDERING NOTES


For security reasons, upper doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=40 3/16" Depth=28 3/8" Height=33 3/8"

An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of \$2224 list.

Large Media Cabinet gabled top hinged wood doors lower hinged wood doors (2 Piece Assembly)	62MC-42308514GWA	5185	5963	42	30	85	455	61
---	------------------	------	------	----	----	----	-----	----



### ORDERING NOTES

For security reasons, upper doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=40 3/16" Depth=28 3/8" Height=33 3/8"

An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of \$2224 list.

### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

### CODE DESCRIPTION


MC - media cabinet  
G - glass doors  
W - wood doors  
A - gabled doors  
S - synch doors

### SPECIAL FEATURES

- Large Media Cabinets will accommodate monitors up to 35" in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pullout swivel shelf (which accommodates up to 250 lbs.).

# VIRTU | LARGE MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Large Media Cabinet wood pocket doors wood lower hinged doors (2 Piece Assembly)	62MC-42308502	5852	6731	42	30	85	455	59



## ORDERING NOTES

For security reasons, upper pocket doors have an optional lock at a price of \$100 list.


Lower doors feature an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=36 15/16" Depth=28 7/16" Height=30 3/8"

Locks are optional on wood doors at a price of \$100 list per lock mechanism.

Large Media Cabinet wood pocket doors glass lower hinged doors (2 Piece Assembly)	62MC-42308502GW	6019	6920	42	30	85	455	59
--	-----------------	------	------	----	----	----	-----	----



## ORDERING NOTES

For security reasons, upper pocket doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=36 15/16" Depth=28 7/16" Height=30 3/8"

Locks are optional on wood doors at a price of \$100 list per lock mechanism.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

## CODE DESCRIPTION


MC - media cabinet  
G - glass doors  
W - wood doors  
S - synch doors

## SPECIAL FEATURES

- Large Media Cabinets will accommodate monitors up to 35" in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pullout swivel shelf (which accommodates up to 250 lbs.).

## VIRTU | LARGE MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Large Media Cabinet glass pocket doors wood lower hinged doors (2 Piece Assembly)	62MC-42308502WG	6496	7537	42	30	85	455	59



### ORDERING NOTES


For security reasons, lower doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=36 15/16" Depth=28 7/16" Height=30 3/8"

Locks are optional on wood doors at a price of \$100 list per lock mechanism.

Large Media Cabinet glass pocket doors glass lower hinged doors (2 Piece Assembly)	62MC-42308502G	6665	7663	42	30	85	455	59
---	----------------	------	------	----	----	----	-----	----




### ORDERING NOTES

Interior dimensions for monitor shelf on this unit are:

Width=36 15/16" Depth=28 7/16" Height=30 3/8"

Locks are optional on wood doors at a price of \$100 list per lock mechanism.

Large Media Cabinet open monitor shelf (2 Piece Assembly)	62MC-42308517	4721	5428	42	30	85	440	59
---	---------------	------	------	----	----	----	-----	----



### ORDERING NOTES


Interior dimensions for monitor shelf on this unit are:

Width=40 3/16" Depth=28 5/16" Height=35 7/16"

Locks are optional on wood doors at a price of \$100 list per lock mechanism.

An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of \$2224 list.

Large Media Cabinet open monitor shelf lower hinged wood doors (2 Piece Assembly)	62MC-42308507	4828	5553	42	30	85	445	59
--	---------------	------	------	----	----	----	-----	----



### ORDERING NOTES

For security reasons, lower hinged doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=40 3/16" Depth=28 5/16" Height=35 7/16"

An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of \$2224 list.

### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

### CODE DESCRIPTION


MC - media cabinet  
G - glass doors  
W - wood doors  
A - gabled doors  
S - synch doors

### SPECIAL FEATURES

- Large Media Cabinets will accommodate monitors up to 35" in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pullout swivel shelf (which accommodates up to 250 lbs.).

# VIRTU | LARGE & SMALL MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Large Media Cabinet open monitor shelf lower hinged glass doors (2 Piece Assembly)	62MC-42308507G	4973	5719	42	30	85	445	59




## ORDERING NOTES

Interior dimensions for monitor shelf on this unit are:

Width=40 3/16" Depth=28 5/16" Height=35 7/16"

An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of \$2224 list.

Small Media Cabinet hinged wood doors lower hinged doors - wood (casters optional)	62MC-36247614	4054	4661	36	24	75	235	40
---	---------------	------	------	----	----	----	-----	----



## ORDERING NOTES


For security reasons, upper and lower doors have an optional lock at a price of \$100 list per set of two doors.

Interior dimensions for monitor shelf on this unit are:

Width=34 5/16" Depth=22 15/16" Height=28 9/16"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet hinged wood doors glass lower hinged doors	62MC-36247614GW	4378	5034	36	24	75	235	40
--	-----------------	------	------	----	----	----	-----	----



## ORDERING NOTES


For security reasons, upper doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=34 5/16" Depth=22 15/16" Height=28 9/16"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet hinged glass doors wood lower hinged doors (casters optional)	62MC-36247614WG	4532	5117	36	24	75	235	40
--	-----------------	------	------	----	----	----	-----	----



## ORDERING NOTES

For security reasons, lower doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=34 5/16" Depth=22 15/16" Height=28 9/16"

Casters are optional on Small Media Cabinets at a price of \$125 list.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

## CODE DESCRIPTION


MC - media cabinet  
G - glass doors

## SPECIAL FEATURES

- Casters are optional on Small Media Cabinets at a price of \$125 list.
- Small Media Cabinets are suitable for use with 27" wide monitors. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pull-out swivel shelf (which can accommodate up to 250 lbs.).

## VIRTU | SMALL MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Small Media Cabinet hinged glass doors glass lower hinged doors (casters optional)	62MC-36247614G	4774	5358	36	24	75	235	40




### ORDERING NOTES

Interior dimensions for monitor shelf on this unit are:

Width=34 5/16" Depth=22 15/16" Height=28 9/16"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet gabled doors hinged wood doors wood lower hinged doors (casters optional)	62MC-36247614A	4184	4810	36	24	75	235	40
---	----------------	------	------	----	----	----	-----	----



### ORDERING NOTES


For security reasons, upper and lower doors have an optional lock at a price of \$100 list per set of two doors.

Interior dimensions for monitor shelf on this unit are:

Width=34 5/16" Depth=22 15/16" Height=28 9/16"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet gabled doors hinged wood doors glass lower hinged doors (casters optional)	62MC-36247614GA	4505	5182	36	24	75	235	40
--	-----------------	------	------	----	----	----	-----	----



### ORDERING NOTES


For security reasons, upper hinged doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=34 5/16" Depth=22 15/16" Height=28 9/16"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet wood pocket doors wood lower hinged doors (casters optional)	62MC-36247602	4798	5516	36	24	75	235	40
---	---------------	------	------	----	----	----	-----	----



### ORDERING NOTES

For security reasons, upper and lower doors have an optional lock at a price of \$100 list per set of two doors.

Interior dimensions for monitor shelf on this unit are:

Width=30 15/16" Depth=22 15/16" Height=26"

Casters are optional on Small Media Cabinets at a price of \$125 list.

### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

### CODE DESCRIPTION


MC - media cabinet  
G - glass doors  
W - wood doors

### SPECIAL FEATURES

- Casters are optional on Small Media Cabinets at a price of \$125 list.
- Small Media Cabinets are suitable for use with 27" wide monitors. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pull-out swivel shelf (which can accommodate up to 250 lbs.).

# VIRTU | SMALL MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Small Media Cabinet hinged glass doors glass lower hinged doors (casters optional)	62MC-36247602GW	5153	5926	36	24	75	235	40



## ORDERING NOTES


For security reasons, upper pocket doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=30 15/16" Depth=22 15/16" Height=26"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet glass pocket doors wood lower hinged doors (casters optional)	62MC-36247602WG	5431	6257	36	24	75	235	40
--	-----------------	------	------	----	----	----	-----	----



## ORDERING NOTES


For security reasons, lower doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=30 15/16" Depth=22 15/16" Height=26"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet glass pocket doors glass lower hinged doors (casters optional)	62MC-36247602G	5794	6632	36	24	75	235	40
---	----------------	------	------	----	----	----	-----	----




## ORDERING NOTES

Interior dimensions for monitor shelf on this unit are:

Width=30 15/16" Depth=22 15/16" Height=26"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet Small open shelf (casters optional)	62MC-36247617	3734	4295	36	24	75	225	40
--	---------------	------	------	----	----	----	-----	----



## ORDERING NOTES

Interior dimensions for monitor shelf on this unit are:

Width=34 5/16" Depth=22 7/8" Height=30 5/8"

Casters are optional on Small Media Cabinets at a price of \$125 list.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

## CODE DESCRIPTION

MC - media cabinet  
G - glass doors  
W - wood doors  
A - gabled doors


## SPECIAL FEATURES

- Casters are optional on Small Media Cabinets at a price of \$125 list.
- Small Media Cabinets are suitable for use with 27" wide monitors. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pull-out swivel shelf (which can accommodate up to 250 lbs.).



## VIRTU | SMALL MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Small Media Cabinet open monitor shelf wood lower hinged doors (casters optional)	62MC-36247607	3880	4462	36	24	75	230	40



### ORDERING NOTES


For security reasons, lower doors have an optional lock at a price of \$100 list.

Interior dimensions for monitor shelf on this unit are:

Width=34 5/16" Depth=22 7/8" Height=30 5/8"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet open monitor shelf glass lower hinged doors (casters optional)	62MC-36247607G	4191	4818	36	24	75	230	40
---	----------------	------	------	----	----	----	-----	----




### ORDERING NOTES

Interior dimensions for monitor shelf on this unit are:

Width=34 5/16" Depth=22 7/8" Height=30 5/8"

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet monitor cabinet lower hinged wood doors (casters optional)	62MC-36243011	2337	3045	36	24	29.5	170	19
---	---------------	------	------	----	----	------	-----	----




### ORDERING NOTES

For security reasons, a lock is optional for this unit at a price of \$100 list.

Casters are optional on Small Media Cabinets at a price of \$125 list.

Small Media Cabinet monitor cabinet lower hinged glass doors (casters optional)	62MC-36243011G	2504	2881	36	24	29.5	170	19
--	----------------	------	------	----	----	------	-----	----



### ORDERING NOTES

Casters are optional on Small Media Cabinets at a price of \$125 list.

### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

### CODE DESCRIPTION

MC - media cabinet  
G - glass doors  
W - wood doors

### SPECIAL FEATURES

- Casters are optional on Small Media Cabinets at a price of \$125 list.
- Small Media Cabinets are suitable for use with 27" wide monitors. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pull-out swivel shelf (which can accommodate up to 250 lbs.).

## VIRTU | SMALL DISPLAY CABINETS


Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Display Cabinet with wardrobe fixed glass shelves lower wood door	62DC-21247671L	2898	3335	21	24	76	190	24
	62DC-21247671R	2898	3335	21	24	76	190	24



### ORDERING NOTES

Locks are optional on both lower door and wardrobe door at a price of \$100 list each.  
Glass shelves are not fixed to shelf supports.  
We recommend that halogen lights be specified on Display Cabinets with glass shelves only.  
Available at a price of \$350 list each.


Display Cabinet with wardrobe fixed glass shelves lower glass door	62DC-21247671GL	3087	3551	21	24	76	190	24
	62DC-21247671GR	3087	3551	21	24	76	190	24



### ORDERING NOTES

Wardrobe door features an optional lock at a price of \$100 list each.  
Glass shelves are not fixed to shelf supports.  
We recommend that halogen lights be specified on Display Cabinets with glass shelves only.  
Available at a price of \$350 list each.


Display Cabinet with wardrobe fixed wood shelves lower wood door	62DC-21247672L	2862	3293	21	24	76	190	24
	62DC-21247672R	2862	3293	21	24	76	190	24



### ORDERING NOTES

Locks are optional on both lower door and wardrobe door at a price of \$100 list each.  
This item is available on the KrugExpress quickship program.

Display Cabinet with wardrobe fixed wood shelves lower glass door	62DC-21247672GL	3052	3509	21	24	76	190	24
	62DC-21247672GR	3052	3509	21	24	76	190	24



### ORDERING NOTES

Wardrobe door features an optional lock at a price of \$100 list each.

### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

### CODE DESCRIPTION


DC - display cabinet  
G - glass doors  
L - door hinged left  
R - door hinged right

### SPECIAL FEATURES

- We recommend that halogen lights be specified on Display Cabinets with glass shelves only. Available at a price of \$386 list each.
- Interior wood shelves are removable.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- 21" Display Cabinets feature wardrobes with coat hooks behind the front display.

## VIRTU | SMALL DISPLAY CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Display Cabinet with wardrobe	62DC-21247674WGL	3409	3920	21	24	76	195	24
upper glass door lower wood door	62DC-21247674WGR	3409	3920	21	24	76	195	24



### ORDERING NOTES

Lower and wardrobe doors feature an optional lock at a price of \$100 list each.


Display Cabinet with wardrobe	62DC-21247674GL	3572	4109	21	24	76	195	24
upper glass door lower glass door	62DC-21247674GR	3572	4109	21	24	76	195	24



### ORDERING NOTES

Lower and wardrobe doors feature an optional lock at a price of \$100 list each.


Display Cabinet with wardrobe	62ST-21207613L	2947	3389	21	20	76	145	20
adjust. wood shelves lower wood door	62ST-21207613R	2947	3389	21	20	76	145	20



### ORDERING NOTES

Wardrobe door features an optional lock at a price of \$100 list each.

Display Cabinet with wardrobe	62ST-21207613GL	3137	3608	21	20	76	145	20
adjust. wood shelves lower glass door	62ST-21207613GR	3137	3608	21	20	76	145	20



### ORDERING NOTES

Lower door features an optional lock at a price of \$100 list.  
This item is available on the KrugExpress quickship program.

### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

### CODE DESCRIPTION


DC - display cabinet  
W - wood doors  
G - glass doors  
L - door hinged left  
R - door hinged right  
ST - storage cabinet

### SPECIAL FEATURES

- We recommend that halogen lights be specified on Display Cabinets with glass shelves only. Available at a price of \$386 list each.
- Interior wood shelves are removable.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- 21" Display Cabinets feature wardrobes with coat hooks behind the front display.

## VIRTU | SMALL DISPLAY CABINETS


Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Display/Storage Cabinet upper wood door	62ST-21207614L	3260	3750	21	20	76	150	20
lower wood door	62ST-21207614R	3260	3750	21	20	76	150	20



### ORDERING NOTES

Upper and lower doors feature an optional lock at a price of \$100 list each.  
This item is available on the KrugExpress quickship program.


Display/Storage Cabinet upper glass door	62ST-21207614WGL	3494	4018	21	20	76	150	20
lower wood door	62ST-21207614WGR	3494	4018	21	20	76	150	20



### ORDERING NOTES

Lower door features an optional lock at a price of \$100 list.

Display/Storage Cabinet upper glass door	62ST-21207614GL	3659	4210	21	20	76	150	20
lower glass door	62ST-21207614GR	3659	4210	21	20	76	150	20



### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features


### CODE DESCRIPTION

DC - display cabinet  
W - wood doors  
G - glass doors  
L - door hinged left  
R - door hinged right  
ST - storage cabinet

### SPECIAL FEATURES

- Locks are available on wood doors at a price of \$100 list per lock mechanism.
- Interior wood shelves are removable.
- We recommend that halogen lights be specified on Display Cabinets with glass shelves only. Available at a price of \$386 list each.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Display Cabinet with wardrobe fixed glass shelves lower wood doors	62DC-42247671L	4029	4633	42	24	76	270	42
	62DC-42247671R	4029	4633	42	24	76	270	42



## ORDERING NOTES


Lower doors and wardrobe doors feature an optional lock at a price of \$100 list each.

Glass shelves are not fixed to shelf supports.

We recommend that halogen lights be specified on Display Cabinets with glass shelves only.

Available at a price of \$350 list each.

Display Cabinet with wardrobe fixed wood shelves lower wood doors	62DC-42247672L	3864	4445	42	24	76	270	42
	62DC-42247672R	3864	4445	42	24	76	270	42




## ORDERING NOTES

Lower doors and wardrobe doors feature an optional lock at a price of \$100 list each.

This item is available on the KrugExpress quickship program.

Display Cabinet with wardrobe fixed glass shelves lower glass doors	62DC-42247671GL	4204	4837	42	24	76	270	42
	62DC-42247671GR	4204	4837	42	24	76	270	42



## ORDERING NOTES

Wardrobe doors feature an optional lock at a price of \$100 list.

Glass shelves are not fixed to shelf supports.

We recommend that halogen lights be specified on Display Cabinets with glass shelves only.

Available at a price of \$350 list each.

Display Cabinet with wardrobe fixed wood shelves lower glass doors	62DC-42247672GL	3992	4591	42	24	76	270	42
	62DC-42247672GR	3992	4591	42	24	76	270	42



## ORDERING NOTES

Wardrobe doors feature an optional lock at a price of \$100 list.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

## CODE DESCRIPTION

DC - display cabinet  
W - wood doors  
G - glass doors  
L - door hinged left  
R - door hinged right  
ST - storage cabinet

## SPECIAL FEATURES

- Locks are available on wood doors at a price of \$100 list per lock mechanism.
- Interior wood shelves are removable.
- 42" Display Cabinets with wardrobe feature wardrobes with coat rack behind the front display.
- We recommend that halogen lights be specified on Display Cabinets with glass shelves only. Available at a price of \$386 list each.

# VIRTU | STORAGE CABINETS


Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Storage Cabinet with shelves wood door	62ST-21207611L	2476	2848	21	20	76	150	20
	62ST-21207611R	2476	2848	21	20	76	150	20
	62ST-21247611L	2605	2997	21	24	76	174	24
	62ST-21247611R	2605	2997	21	24	76	174	24



## ORDERING NOTES

Wood door features an optional lock at a price of \$100 list.  
This item is available on the KrugExpress quickship program.

Storage Cabinet with shelves glass door	62ST-21207611GL	2862	3291	21	20	76	150	20
	62ST-21207611GR	2862	3291	21	20	76	150	20
	62ST-21247611GL	2988	3435	21	24	76	174	24
	62ST-21247611GR	2988	3435	21	24	76	174	24




Storage Cabinet adjust. wood shelves lower wood doors	62ST-42207613	3880	4462	42	24	76	220	39
---	---------------	------	------	----	----	----	-----	----



## ORDERING NOTES

Lower doors feature an optional lock at a price of \$100 list.  
This item is available on the KrugExpress quickship program.

Storage Cabinet adjust. wood shelves lower glass doors	62ST-42207613G	4217	4708	42	24	76	220	39
--	----------------	------	------	----	----	----	-----	----



## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183 )
4. Special options/features


## CODE DESCRIPTION

ST - storage cabinet  
G - glass doors  
L - door hinged left  
R - door hinged right

## SPECIAL FEATURES

- Locks are available on wood doors at a price of \$100 list per lock mechanism.
- Interior shelves are height adjustable in increments of 1 1/4".
- Interior wood shelves are removable.


Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Storage Cabinet with shelves wood doors (42")	62ST-42207611	3852	4430	42	20	76	225	39
	62ST-42247611	3980	4574	42	24	76	265	47



## ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list.  
This item is available on the KrugExpress quickship program.

Storage Cabinet with shelves glass doors	62ST-42207611G	4428	5091	42	20	76	225	39
	62ST-42247611G	4556	5238	42	24	76	265	47




Storage Cabinet upper glass shelves lower wood doors	62ST-42207614WG	4270	4911	42	20	76	225	39
	62ST-42247614WG	4526	5206	42	24	76	265	47



## ORDERING NOTES

Lower doors feature an optional lock at a price of \$100 list.

Storage Cabinet upper wood shelves lower wood doors	62ST-42207614	4066	4911	42	20	76	225	39
	62ST-42247614	4311	5206	42	24	76	265	47



## ORDERING NOTES

Upper and lower doors feature an optional combined lock at a price of \$100 list.  
This item is available on the KrugExpress quickship program.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

## CODE DESCRIPTION

ST - storage cabinet  
G - glass doors  
W - wood doors

## SPECIAL FEATURES


- Locks are available on wood doors at a price of \$100 list per lock mechanism.
- Interior shelves are height adjustable in increments of 1 1/4".
- Interior wood shelves are removable.

VIRTU | STORAGE CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Storage Cabinet upper glass doors	62ST-42207614G	4801	5521	42	20	76	225	39
lower glass doors	62ST-42247614G	5089	5853	42	24	76	265	47



Storage Cabinet open bookcase	62ST-36207617	2843	3271	36	20	76	190	34
----------------------------------	---------------	------	------	----	----	----	-----	----



**ORDERING NOTES**  
This item is available on the KrugExpress quickship program.

Storage Cabinet closed bookcase wood doors (36")	62ST-36207611	3097	3560	36	20	76	220	34
--	---------------	------	------	----	----	----	-----	----



**ORDERING NOTES**  
Wood doors feature an optional lock at a price of \$100 list.  
This item is available on the KrugExpress quickship program.

Storage Cabinet closed bookcase glass doors	62ST-36207611G	3677	4227	36	20	76	220	34
---	----------------	------	------	----	----	----	-----	----




ORDERING PROCEDURE	CODE DESCRIPTION	SPECIAL FEATURES
<p>To order, please specify the following:</p> <ol style="list-style-type: none"><li>1. Product model number</li><li>2. Wood species and finish (page 167)</li><li>3. Metal finish (page 183)</li><li>4. Special options/features</li></ol>	<p>ST - storage cabinet G - glass doors</p>	<ul style="list-style-type: none"><li>• Locks are available on wood doors at a price of \$100 list per lock mechanism.</li><li>• Interior shelves are height adjustable in increments of 1 1/4".</li><li>• Interior wood shelves are removable.</li></ul>




Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Credenza	62C-75202901*	5885	6767	75	20	29.5	217	27
Standard Height	62C-75242901*	6015	6918	75	24	29.5	255	32
wood drawers, wood doors	62C-75202902**	5885	6767	75	20	29.5	217	27
partial glass top	62C-75242902**	6015	6918	75	24	29.5	255	32

\*



\*\*




#### ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list.


Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$50 list per square foot.

Credenza	62C-75202903*	5431	6246	75	20	29.5	217	27
Standard Height	62C-75242903*	5563	6399	75	24	29.5	255	32
wood doors	62C-75202904**	5431	6246	75	20	29.5	217	27
partial glass top	62C-75242904**	5563	6399	75	24	29.5	255	32

\*



\*\*




#### ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list.

Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$50 list per square foot.

Credenza	62C-75202905	4407	5067	75	20	29.5	217	27
Standard Height	62C-75242905	4547	5227	75	24	29.5	255	32
wood doors								
full wood top								




#### ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list.

Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$50 list per square foot.

This item is available on the KrugExpress quickship program.

Credenza	62C-75202906	5194	5972	75	20	29.5	217	27
Standard Height	62C-75242906	5312	6109	75	24	29.5	255	32
wood doors								
full glass top								



#### ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list.

#### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

#### CODE DESCRIPTION


C - credenza

#### SPECIAL FEATURES


- Horizontal glass surfaces on Credenzas feature 10 mm thick frosted tempered glass.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Wooden shelves are height adjustable in increments of 1 1/4".
- Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$55 list per square foot.

# VIRTU | CREDENZAS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Credenza	62C-75202903G*	5827	6700	75	20	29.5	217	27
Standard Height	62C-75242903G*	5955	6845	75	24	29.5	255	32
glass doors	62C-75202904G**	5827	6700	75	20	29.5	217	27
partial glass top	62C-75242904G**	5955	6845	75	24	29.5	255	32




\*\*



## ORDERING NOTES

Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$50 list per square foot.


Credenza	62C-75202905G	4804	5526	75	20	29.5	217	27
Standard Height	62C-75242905G	4936	5677	75	24	29.5	255	32
glass doors								
full wood top								



## ORDERING NOTES

Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$50 list per square foot.

Credenza	62C-75202906G	5555	6389	75	20	29.5	217	27
Standard Height	62C-75242906G	5687	6539	75	24	29.5	255	32
glass doors								
full glass top								



## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features


## CODE DESCRIPTION

C - credenza  
G - glass doors


## SPECIAL FEATURES

- Horizontal glass surfaces on Credenzas feature 10 mm thick frosted tempered glass.
- Wooden shelves are height adjustable in increments of 1 1/4".
- Bookmatched Birdseye Maple veneer is available on work surfaces of VIRTU cases at an upcharge of \$55 list per square foot.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Buffet	62BU-75203501*	6056	6963	75	20	34.5	245	31
wood drawers	62BU-75243501*	6188	7116	75	24	34.5	295	37
wood doors	62BU-75203502**	6056	6963	75	20	34.5	245	31
partial glass top	62BU-75243502**	6188	7116	75	24	34.5	295	37



\*\*




#### ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list.


Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.

Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$55 list per square foot.

Buffet	62BU-75203503*	5603	6442	75	20	34.5	245	31
wood doors	62BU-75243503*	5734	6595	75	24	34.5	295	37
partial glass top	62BU-75203504**	5603	6442	75	20	34.5	245	31
	62BU-75243504**	5734	6595	75	24	34.5	295	37



\*\*




#### ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list per set of two doors.

Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.

Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$55 list per square foot.

Buffet	62BU-75203505	4580	5264	75	20	34.5	245	31
wood doors	62BU-75243505	4715	5424	75	24	34.5	295	37
full wood top								



#### ORDERING NOTES


Wood doors feature an optional lock at a price of \$100 list per set of two doors.

Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.

Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$55 list per square foot.

This item is available on the KrugExpress quickship program.

Buffet	62BU-75203506	5365	6170	75	20	34.5	245	31
wood doors	62BU-75243506	5485	6306	75	24	34.5	295	37
full glass top								



#### ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list per set of two doors.

Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.

#### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

#### CODE DESCRIPTION


BU - buffet

#### SPECIAL FEATURES


- Buffets with wood drawers feature a cutlery drawer for serving needs.
- Horizontal glass surfaces on Buffets feature 10 mm thick frosted tempered glass.
- Optional Mini Refrigerators are available on 24" deep units at a price of \$1603 list. Please contact Customer Service for specific information.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$55 list per square foot.

# VIRTU | BUFFETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Buffet	62BU-75203503G*	5998	6895	75	20	34.5	245	31
glass doors	62BU-75243503G*	6124	7042	75	24	34.5	295	37
partial glass top	62BU-75243504G**	5998	6895	75	24	34.5	295	37
*	62BU-75203504G**	6124	7042	75	20	34.5	245	31



\*\*




## ORDERING NOTES

Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.

Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$55 list per square foot.

Buffet	62BU-75203505G	4982	5729	75	20	34.5	245	31
glass doors	62BU-75243505G	5107	5873	75	24	34.5	295	37
full wood top								




## ORDERING NOTES

Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.

Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$55 list per square foot.

Buffet	62BU-75203506G	5726	6584	75	20	34.5	245	31
glass doors	62BU-75243506G	5856	6734	75	24	34.5	295	37
full glass top								



## ORDERING NOTES

Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features


## CODE DESCRIPTION

BU - buffet

## SPECIAL FEATURES

- Buffets with wood drawers feature a cutlery drawer for serving needs.
- Horizontal glass surfaces on Buffets feature 10 mm thick frosted tempered glass.
- Optional Mini Refrigerators are available on 24" deep units at a price of \$1603 list. Please contact Customer Service for specific information.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of \$50 list per square foot.


Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Wardrobe wood doors	62WR-42247601	3825	4399	42	24	76	265	47




#### ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list.  
Interior is identical to wardrobe with glass doors.  
This item is available on the KrugExpress quickship program.

Wardrobe glass doors	62WR-42247601G	4296	4939	42	24	76	265	47
-------------------------	----------------	------	------	----	----	----	-----	----




Wardrobe wood door	62WR-21247602L	2428	2793	21	24	76	170	24
	62WR-21247602R	2428	2793	21	24	76	170	24



#### ORDERING NOTES

Wood door features an optional lock at a price of \$100 list.  
This item is available on the KrugExpress quickship program.

Wardrobe glass door	62WR-21247602GL	2839	3265	21	24	76	170	24
	62WR-21247602GR	2839	3265	21	24	76	170	24



#### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

#### CODE DESCRIPTION


WR - wardrobe cabinet  
G - glass doors  
L - door hinged left  
R - door hinged right

#### SPECIAL FEATURES

- Locks are available on wood doors at a price of \$100 list per lock mechanism.
- Interior shelves are height adjustable in increments of 1 1/4".
- Interior wood shelves are removable.

## VIRTU | SERVER CART AND MEDIA CART

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Server Cart refuse container cutlery drawer glass serving shelf	62MSC-422435	3205	3685	36	23.5	34.5	180	23



### ORDERING NOTES

Wood doors feature an optional lock at a price of \$100 list.

Mobile Media Cart wood top wood doors	62MMC-402438	2929	3368	36	23.5	38.5	188	22
---	--------------	------	------	----	------	------	-----	----



### ORDERING NOTES

It is recommended that Media Carts be moved by 2 people when A/V equipment is attached.  
Wood doors feature an optional lock at a price of \$100 list.

Mobile Media Cart wood top, wood shelf wood doors	62MMC-402447	3078	3539	36	23.5	46.5	190	28
---	--------------	------	------	----	------	------	-----	----



### ORDERING NOTES

It is recommended that Media Carts be moved by 2 people when A/V equipment is attached.  
Wood doors feature an optional lock at a price of \$100 list.

### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features


### CODE DESCRIPTION

MSC - Mobile Carts  
MMC - Mobile Media Cart

### SPECIAL FEATURES

- Server Carts come with a cutlery drawer and refuse container.
- Media Carts feature built in a power bar and cable slot for wire management.
- Locks are optional on wood doors at a price of \$100 list per lock mechanism.
- Mobile Media Carts will generously accommodate monitors up to 27" in size. Please contact Customer Service if dimensions are critical.
- Server Cart and Media Cart top surface overhang and underside finger groove facilitate movement.


Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Visual Board inclined doors wood doors glass shelf	62VB-3632IGS	2767	3150	36	–	32	73	5
	62VB-4832IGS	3010	3425	48	–	32	93	6.5
	62VB-4848IGS	3190	3628	48	–	48	128	10



#### ORDERING NOTES

Includes an upholstered tackboard in grade 1 fabric or optional cork surface. Please specify a tackboard fabric when ordering. Visual Boards also include a flip chart, eraser and four dry erase markers. An optional pull down screen is also available at \$193 list.

Visual Board glass doors	62VB-3632G	3102	3485	36	–	32	68	5
	62VB-4832G	3446	3861	48	–	32	88	6.5
	62VB-4848G	3728	4165	48	–	48	123	10




#### ORDERING NOTES

Visual Board includes four dry erase markers. An optional pull down screen is also available at \$193 list.

Flip chart and tackboard are not available on this model.


Visual Board gabled doors wood doors	62VB-3632A	2647	3044	36	–	32	73	5.5
	62VB-4832A	2853	3281	48	–	32	93	7
	62VB-4848A	3019	3472	48	–	48	128	10.5



#### ORDERING NOTES

Includes an upholstered tackboard in grade 1 fabric or optional cork surface. Please specify a tackboard fabric when ordering. Visual Boards also include a flip chart, eraser and four dry erase markers. An optional pull down screen is also available at \$193 list.

Visual Board wood doors	62VB-3632	2567	2950	36	–	32	71	5
	62VB-4832	2776	3190	48	–	32	90	6.5
	62VB-4848	2923	3360	48	–	48	125	10



#### ORDERING NOTES

Includes an upholstered tackboard in grade 1 fabric or optional cork surface. Please specify a tackboard fabric when ordering. Visual Boards also include a flip chart, eraser and four dry erase markers. An optional pull down screen is also available at \$193 list.

#### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Tackboard fabric (if applicable)
4. Special options/features


#### CODE DESCRIPTION

VB - Visual boards  
A - gabled Doors  
G - glass doors  
GS - glass shelf  
IGS - inclined glass shelf

#### SPECIAL FEATURES

- See above for special features specific to each Visual board. tackboard fabrics
- Please contact Customer Service for information on Grade 1 fabrics suitable for use on Visual Board tackboards.
- COM and other in-stock fabrics may be specified at an upcharge. Please contact Customer Service for details.


Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Lectern - floor lectern hardware storage with hinged access door hinged doors glass laptop shelf	62LN-37225011	4547	5227	37	22	50	215	25



## ORDERING NOTES

Lectern features grommets for wire management. Please see page 179 for details.  
Left side shelf is adjustable on this version. Right side of this version is open.


Lectern - mobile lectern hardware storage with hinged access door hinged doors glass laptop shelf	62LNM-37225011	4658	5358	37	22	50	215	25
---	----------------	------	------	----	----	----	-----	----



## ORDERING NOTES

Lectern features grommets for wire management. Please see page 179 for details.  
Left side shelf is adjustable on this version. Right side of this version is open.

Lectern - floor lectern hardware storage hinged doors full width worksurface	62LNX-37225011	4299	4976	37	22	50	215	25
---	----------------	------	------	----	----	----	-----	----



## ORDERING NOTES

Lectern features grommets for wire management. Please see page 179 for details.  
Center shelf on this version is adjustable.

## ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Metal finish (page 183)
4. Special options/features

## CODE DESCRIPTION

LN - Lectern  
LNM - Lectern (mobile)  
LNX - Lectern with full  
width shelf




## SPECIAL FEATURES

- Lecterns are designed to accommodate microphones which can be field installed. Please contact Customer Service for more information.
- All hinged doors on Lecterns feature standard locks.

### Lectern options

- Altinex Box : price of \$1148 list. Please see page 179 for more information.
- Power Bar : price of \$123 list.
- Reference Light : price of \$182 list.



Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Lectern - floor lectern open shelves full width worksurface	62LNX-37225017	4126	4801	37	22	50	205	25
	<b>ORDERING NOTES</b> Lectern features grommets for wire management. Please see page 179 for details. Both shelves on this version are adjustable.							
Lectern - mobile lectern hardware storage with hinged access door hinged doors full width worksurface	62LNXM-37225011	4454	5133	37	22	50	215	25
	<b>ORDERING NOTES</b> Lectern features grommets for wire management. Please see page 179 for details.							
Lectern - mobile lectern open shelves full width worksurface	62LNXM-37225017	4280	4958	37	22	50	205	25
	<b>ORDERING NOTES</b> Lectern features grommets for wire management. Please see page 179 for details.							
Logo Plate	62-LOGO-14-7	536		14	0.4	6.3		



The Satin Aluminum Logo Plate comes unattached to the Lectern. It is designed to be provided to a signage company for application of the company logo, with either a vinyl transfer or silk screening. After the signage is complete, the Logo Plate can be attached to the Lectern surface. First, determine the position that the Logo Plate is to be positioned. Remove the black plastic end caps and attach via wood screws. Once secure, snap the Logo Plate over top of the end caps to complete the installation.

#### ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish (page 167)
3. Tackboard fabric (if applicable)
4. Special options/features

#### CODE DESCRIPTION

LNXM - Lectern with full length shelf (mobile)


#### SPECIAL FEATURES

- Lecterns are designed to accommodate microphones which can be field installed. Please contact Customer Service for more information.
- All hinged doors on Lecterns feature standard locks.

#### Lectern options

- Altinex Box : price of \$1148 list. Please see page 179 for more information.
- Power Bar : price of \$123 list.
- Reference Light : price of \$182 list.

Description	Model	Price
Altinex Box		1241




**ORDERING NOTES**  
Please mention clearly on order if Altinex is to be added to lectern

Whip Cord	62EX	133
-----------	------	-----




**ORDERING NOTES**  
A short extension cord with standard male/female 3 prong head at either end. Enables Connexus™ use with large transformers, such as the Polycom conference phone, to connect externally from the module.

Power Bar	62PWR01	133
-----------	---------	-----



**ORDERING NOTES**  
Power bars feature a 6' long cord, 6 AC power outlets and a circuit breaker.  
Power bars can be added to table bases, Media Cabinets and Lecterns.  
Power bars are standard on Media Carts.

Wire Management Trough	62WM-48	60
------------------------	---------	----



ORDERING PROCEDURE	CODE DESCRIPTION	SPECIAL FEATURES
<p>To order, please specify the following:</p> <ol style="list-style-type: none"><li>1. Product model number</li><li>2. Special options/features</li></ol>	<p>EX - Whip cord PWR - Power bar</p>	<ul style="list-style-type: none"><li>• See above for special features specific to Accessories.</li></ul>

## Single Section with Dais, Forza Square & Oblique



### COMPONENTS

3/4" Hex drive bolt (112164)

- 8 per Dais/Oblique base
- 12 per Verso/Forza Square base

### TOOLS REQUIRED

5/32" Allen Key or driver


**IMPORTANT:** If table has Connexus™ modules, install them using their instructions before proceeding.

### PROCEDURE


1. Unpack table and all base(s). Find all of the hardware listed. Fasteners are in a bag on the bottom of one section (some fasteners may be shipped with the bases).  
**MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.**

2. Put base(s) in the approximate place where the table will be located in the room. Place over base(s). Align the metal base plates with the inserts in the underside of the top.


3. To fasten bases to the top, insert the 3/4" bolts through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with Allen key or power driver.



Forza




Dais




Oblique

4. Attach wire management components to bottom of assembled table. For additional help please contact Customer Service.



cut outs face towards  
center of table



door faces towards  
center of table

**CAUTION:** TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.

# VIRTU | INSTALLATION INSTRUCTIONS

## Open Visio

### COMPONENTS


A) 3/4" hex drive bolt (112164)  
• 6 per Forza Leg  
+ 16 per joint

B) Tite-joint fastener (10637)  
• 3 per joint

C) Fastener rod (11687)

### TOOLS REQUIRED

5/32" Allen Key or driver



**IMPORTANT:** If table has Connexus™ modules, install them using their instructions before proceeding.

### PROCEDURE

1. Unpack all table sections and bases. Find all the hardware listed. Fasteners are in a bag on the bottom of one section (some fasteners may be shipped with the bases). **MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.**
2. Place single end section table upside down onto a soft surface. See figure 1.




Figure 1

3. Fasten six bases to the top, insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.
4. Stand end section upright.
5. Place center table sections upside down onto a soft surface. Identify top section number coding on bottom of sections that is the same as the single end section.
6. Fasten two bases to the top on the other end from the location found in step 5. See figure 2. Insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.






Figure 2

Sections that attach  
will have same coding  
underside

7. Stand centre section upright and attach to appropriate side of single end section. Insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.
8. Repeat steps 5-7 for double end sections.
9. Assemble the tite-joint fastener as shown in figure 3. Install assembled tite-joint with machining in table sections.



correctly installed



incorrectly installed

10. Flush the edge of the sections and tighten fasteners with rod provided (C). Do not over tighten.
11. Adjust top alignment, if required by slightly loosening tite-joint fasteners and base plate bolts, making the adjustment and re-tightening fasteners and bolts.
12. Attach modesty panels with L-brackets and screws provided.
13. Attach wire management extrusion to modesty panels with screws provided.

For additional help please contact Customer Service.

**CAUTION:** TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.

## Single Section with Forza Legs or Panels



### COMPONENTS

- 3/4" Hex drive bolt (112164)
- 6 per leg/12 per panel

### TOOLS REQUIRED

- 5/32" Allen Key or driver

IMPORTANT: If table has Connexus™ modules, install them using their instructions before proceeding.

### PROCEDURE

1. Unpack table and all bases. Find all the hardware listed. Fasteners are in a bag on the bottom of one section (some fasteners may be shipped with the bases.) MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.
2. Place table upside down onto a soft surface. As shown in Figure 1, invert and position the bases onto the underside of the table and align the metal base plates with the inserts in the underside of the top. THE BLACK PLASTIC EXTRUSION FACES TOWARDS THE CENTER OF THE TABLE.




Figure 1

3. To fasten bases to the top, insert the 3/4" bolts through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.
4. Flip assembled table over.
5. Attach wire management components to bottom of assembled table.

For additional help please contact Customer Service.

CAUTION: TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.

VIRTU | INSTALLATION INSTRUCTIONS

Multi-Section with Forza Legs or Panels

COMPONENTS

- A) 3/4" Hex drive bolt (112164)
- 16 per joint
  - + (8 per Dais/Oblique)/(12 per Verso/Forza)

- B) Tite-joint fastener (10637)
- 3 per joint

- C) Fastener rod (11687)

- D) Channel bracket
- per joint

TOOLS REQUIRED

5/32" Allen Key or driver


IMPORTANT: If table has Connexus™ components, install them using their instructions before proceeding.

PROCEDURE


1. Unpack all table sections and bases. Find all the hardware listed. Fasteners are in a bag on the bottom of one section and the channels are wrapped together (some fasteners may be shipped with the bases.) MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.
2. Place table upside down onto a soft surface. Arrange top sections by the number coding on bottom of sections.
3. For tables with four (4) or more sections refer to chart for assembly detail. Align the machining in one section with the machining in the adjacent section. Bring the sections tight together.

Top	Top Lengths	Assembly Order	
		Before Flipping	After Flipping
	168 192	ACW3-BCW3 CCE3-DCE3	ACW3/BCW3-CCE3/DCE3
	216 240	ACW3-BCW3 DCE3-ECE3	ACW3/BCW3-CCW3 CCW3-DCE3/ECE3
	264 288	ACW3-BCW3 ECE3-FCE3 CCW3-DCE3	ACW3/BCW3-CCW3/DCE3 CCW3/DCE3-ECE3/FCE3

4. Assemble the tite-joint fastener as shown in figure 1. Install assembled tite-joint with machining in table sections.




correctly installed



incorrectly installed

5. Flush the edge of the sections and tighten fasteners with rod provided (C). Do not over tighten
6. As shown in Figure 2, align holes in the channel brackets (D) with threaded inserts in the top sections. To fasten the channel brackets, start threading the 3/4" bolts (A) by hand. This will prevent crossthreading the bolt into the inserts, which may cause damage to the table tops.

Figure 2



7. As shown in Figure 3, invert and position the bases onto the underside of the outer table sections and align the metal base plates with the inserts in the underside of the top. To fasten bases to the top, insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.






Figure 3



8. If table has center bases put bases in the approximate place where the table will be located in the room. Flip all assembled table sections over and place over center bases (if required). Repeat steps 4-6 (if required) for sections not already attached.



cut outs face towards  
center of table

9. Adjust top alignment, if required by slightly loosening tite-joint fasteners and channel bracket bolts, making the adjustment and re-tightening fasteners and bolts.
10. Attach wire management extrusion to bottom of assembled table with screw provided.

For additional help please contact Customer Service.

**CAUTION: TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.**

# VIRTU | INSTALLATION INSTRUCTIONS

## Multi-Section with Dais, Verso, Forza Square & Rectangle and Oblique

### COMPONENTS

A) 3/4" Hex drive bolt (112164) 5/32" Allen Key or driver  
• 16 per joint  
+ (8 per Dais/Oblique)/(12 per Verso/Forza)

B) Tite-joint fastener (10637)  
• 3 per joint

C) Fastener rod (11687)




D) Channel bracket  
• per joint

### TOOLS REQUIRED


IMPORTANT: If table has Connexus™ modules, install them using their instructions before proceeding.

### PROCEDURE


1. Unpack all table sections and bases. Find all the hardware listed. Fasteners are in a bag on the bottom of one section and the channels are wrapped together (some fasteners may be shipped with the bases.)  
MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.
2. Place table upside down onto a soft surface. Arrange top sections by the number coding on bottom of sections.
3. For tables with four (4) or more sections refer to chart for assembly detail. Align the machining in one section with the machining in the adjacent section. Bring the sections tight together.

Top	Top Lengths	Assembly Order	
		Before Flipping	After Flipping
	168 192	ACW3-BCW3 CCE3-DCE3	ACW3/BCW3-CCE3/DCE3
	216 240	ACW3-BCW3 DCE3-ECE3	ACW3/BCW3-CCW3 CCW3-DCE3/ECE3
	264 288	ACW3-BCW3 ECE3-FCE3	ACW3/BCW3-CCW3/DCE3 CCW3/DCE3-ECE3/FCE3

4. Assemble the tite-joint fastener as shown in figure 1. Install assembled tite-joint with machining in table sections.



correctly installed



incorrectly installed

5. Flush the edge of the sections and tighten fasteners with rod provided (C). Do not over tighten
6. As shown in Figure 2, align holes in the channel brackets (D) with threaded inserts in the top sections. To fasten the channel brackets, start threading the 3/4" bolts (A) by hand. This will prevent crossthreading the bolt into the inserts, which may cause damage to the table tops.





Figure 2




## Multi-Section with Dais, Verso, Forza Square & Rectangle and Oblique

7. As shown in Figure 3, invert and position the bases onto the underside of the outer table sections and align the metal base plates with the inserts in the underside of the top. To fasten bases to the top, insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.



8. To fasten bases to the top, insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.



Forza Square  
Forza Rectangle  
Verso

Dais

Oblique

9. Adjust top alignment, if required by slightly loosening tite-joint fasteners and channel bracket bolts, making the adjustment and re-tightening fasteners and bolts.
10. Attach wire management extrusion to bottom of assembled table with screw provided.

For additional help please contact Customer Service.

**CAUTION: TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.**

# VIRTU | INSTALLATION INSTRUCTIONS

## CONNEXUS™ INTERFACE INSTALLATION

We recommend that you place the table on a soft surface  
SAVE THESE INSTRUCTIONS

### Tools Required:

Drill with driver bits or screwdriver  
Utility Knife (if required)

### INSTALLATION

1. Identify ALL the connexus locations on the top sections and connexus cartons. (They will be labeled with a green tag to indicate the location within the table. For example, ACW3. See Figure 1. Place the cartons (containing the connexus Interface) with the same coded top section carton.
2. Open the top carton that corresponds with the carton that these instructions came from and then remove protective packaging from both top and interface. Do each interface and top section one at a time to prevent mixing interfaces.
3. After unpacking, place the top section with the bottom facing up on a soft surface as to not damage the top.
4. Place the tongue of the corresponding interface into aluminum extrusion in top, see Fig. 2a. Aligning the electrical components in the interface over the door hinge on the aluminum components in the top. The door hinge side of the connexus is labeled with the location code, see Fig. 2b. Screw interface to inserts in the table top with screws shown in Fig. 3.
5. Align the u-shaped cutouts in the coverbox with the electrical components in the interface. Pass the power cord thru one of the u-shaped cutouts. The large flat face of the interface should line up flush with the large opening in the coverbox. Screw cover box to table top with screws shown in Fig. 3.
6. Repeat steps 3 to 5 for each location.
7. Assemble top according to Assembly instructions provided.
8. Attach wire management extrusion to bottom of assembled table. Trough may need to be cut to length. Align the extrusion with the bases and/or the cutout in the coverbox as required with screws provided.

For additional help please contact Customer Service







Figure 3

On-site RJ45 wire instructions

## Category 6 Snap-In Connector Installation Instructions

**INTRODUCTION:** Leviton Telcom eXtreme 6 products are designed to work as a system to achieve proposed Category 6 component level performance. The Leviton eXtreme 6 Cabling System consists of eXtreme 6 connectors and eXtreme patch cords, as well as “gigabit-rated” cable from a Leviton eXtreme cable partner. If Category 5 components are substituted for eXtreme components, a lesser performance level can be expected.

### SAFETY INFORMATION


1. Never install communications wiring or components during a lightning storm.
2. Never install communications components in wet locations unless the components are designed specifically for use in wet locations.
3. Never touch uninsulated wires or terminals unless the wiring has been disconnected at the network interface.
4. Use caution when installing or modifying communications wiring or components.
5. To prevent electrical shock, each opening must be filled with a module or blank filler.

### IMPORTANT INSTRUCTIONS

1. Read and understand all instructions.
2. Follow all warnings and instructions marked on the product.
3. Do not use this product near water—e.g., near a tub, wash bowl, kitchen sink or laundry tub, in a wet basement, or near a swimming pool.
4. Never push objects of any kind into this product through cabinet slots, as they may touch dangerous voltages.

### SAVE THESE INSTRUCTIONS


1. Remove connector from Connexus interface panel by inserting a small flat screw into top of connector/ faceplate and twist slightly. Connector should pop out.
2. Remove about 2” of jacket from cable.
3. Determine which wiring scheme (T568A or T568B) and note the associated color codes on the label located between the IDC connector slots. The label also includes connector pin numbers. Refer to Fig 2-1 & 2-2.
4. Route the wires for termination as shown in Fig 3-1. Terminate one pair at a time starting from the side of cable entry. Terminating each pair after placement will prevent crushing the inside pairs with a punchdown tool (not supplied). Lay cable in so that jacket touches edge of connector as shown.\*
5. Using a 110 style impact tool set to “low” impact (not supplied), seat the wires into the IDC slots. Maintain wire pair twisting as close as possible to the IDC contact (Must be 1/4” or closer). Use the cutting side of the tool to trim the excess wire flush with the connector body. See Fig 4-1.
6. Place the caps over the terminated wires for secure connection and added strain relief. See Fig 5-1.
7. Insert connector assembly into Connexus interface. Note the “UP” position of the connector.



Pin Numbers:  
Número de las púas  
Numéros de broches

Color Codes for T568A & B Wiring  
Código de color para T568A y cableado B  
Chromocodage du câblage de type T568 A et B

2-1




Front View  
Vista Frontal  
Vue Avant

2-2

**T568A & T568B Wiring Standards - Connector Pin/Color Assignments**  
**Normativas de cableado T568A y T568B - Patillas de conexión/Asignaciones de color**  
**Normes de câblage T568A et T568B - Attributions broche / couleur des connecteurs**

**CABLE ENTRY FROM LEFT**  
Entrada de cable desde la izquierda  
Entrée de câble par la gauche




1 4 5 2 1  
8 7 6 3

T568A

- 5 WHITE/BLUE
- 4 BLUE/WHITE
- 3 WHITE/ORANGE
- 6 ORANGE/WHITE
- 1 WHITE/GREEN
- 2 GREEN/WHITE
- 7 WHITE/BROWN
- 8 BROWN/WHITE

**CABLE ENTRY FROM RIGHT**  
Entrada de cable desde la derecha  
Entrée de câble par la droite




1 4 5 2 1  
8 7 6 3


T568B

- 5 WHITE/BLUE
- 4 BLUE/WHITE
- 1 WHITE/ORANGE
- 2 ORANGE/WHITE
- 3 WHITE/GREEN
- 6 GREEN/WHITE
- 7 WHITE/BROWN
- 8 BROWN/WHITE

Blanco/Azul	Blanco/Naranja	Blanco/Verde	Blanco/Café
Blanco/Azul	Blanco/Naranja	Blanco/Verde	Blanco/Café
Azul/Blanco	Naranja/Blanco	Verde/Blanco	Café/Blanco
Blanco/Bleu	Blanco/Orange	Blanco/Vert	Blanco/Brun
Bleu/Blanco	Orange/Blanco	Vert/Blanco	Brun/Blanco



4-1



5-1

# VIRTU | INSTALLATION INSTRUCTIONS

On site RJ11 wire instructions

## Voice grade Snap-In Connector Installation Instructions

### SAFETY INFORMATION





1. Never install communications wiring or components during a lightning storm.
2. Never install communications components in wet locations unless the components are designed specifically for use in wet locations.
3. Never touch uninsulated wires or terminals unless the wiring has been disconnected at the network interface.
4. Use caution when installing or modifying communications wiring or components.
5. To prevent electrical shock, each opening must be filled with a module or blank filler.

### IMPORTANT INSTRUCTIONS

1. Read and understand all instructions.
2. Follow all warnings and instructions marked on the product.
3. Do not use this product near water—e.g., near a tub, wash bowl, kitchen sink or laundry tub, in a wet basement, or near a swimming pool.
4. Never push objects of any kind into this product through cabinet slots, as they may touch dangerous voltages.

### SAVE THESE INSTRUCTIONS

1. Remove connector from Connexus interface panel by inserting a small flat screw into top of connector/ faceplate and twist slightly. Connector should pop out.
2. Remove jacket from cable.
3. Check jack termination label (located on sides of jack) for wiring standard and associated color codes. The label also includes jack pin numbers. (Figure 1)
4. Route the wires for termination as shown in Figure 2.
5. Using a 110 style punchdown tool (not supplied), seat the wires into the IDC slots. With the cutting edge of the tool to the outside, trim the excess wire flush with the jack body. (Figure 3)
6. Place the cap over the termination wires for secure connection and added strain relief. (Figure 4)
7. Insert connector assembly into Connexus interface. Note the “UP” position of the connector.




## On site electrical outlet wire schematic

1. Power supply
2. Strain relief
3. Fork terminal
4. Duplex receptacles
5. Outlet with breaker assembly
6. Handy box

### HARDWIRING ON SITE

For hardwiring on-site by electricians, please use the following schematic:

- ① Power Supply Cord
- ② Strain Relief
- ③ Fork Terminals
- ④ Duplex Receptacles
- ⑤ Outlets with Circuit Breaker Assembly
- ⑥ Handy Box



### On site RCA cable hookup

1. Determine the correct length of cord (RCA cable is not supplied).
2. Attach appropriate end of cable to the back of Connexus interface connector.
3. Route cable through appropriate wire management.

### On site BNC cable hookup

1. Determine the correct length of cord (BNC cable is not supplied).
2. Attach appropriate end of cable to the back of Connexus interface connector.
3. Route cable through appropriate wire management.

### On site 15 PIN HD cable hookup



1. Determine the correct length of cord (VGA cable is not supplied).
2. Attach appropriate end of cable to the back of Connexus interface connector. Tighten fasteners if equipped.
3. Route cable through appropriate wire management.

### On site DB-9 cable hookup


1. Determine the correct length of cord (Serial cable is not supplied).
2. Attach appropriate end of cable to the back of Connexus interface connector. Tighten fasteners if equipped.
3. Route cable through appropriate wire management.

### On site MINI STEREO wiring hookup


1. Determine the correct length of cord (shielded 2 conductor cable is not supplied).
2. Remove about 1" of the wire jacket and about 1/4" of insulation from each wire.
3. Insert wire into terminal block and tighten with a 3/32" flat screw driver. See Fig. 1.
4. Route cable through appropriate wire management.




# VIRTU | INSTALLATION INSTRUCTIONS




Wire Trough. Used when two or more connexus boxes are installed and with all bases. Trough may need to be cut.




Velcro wire management strap. Used with 6232 & 6238 bases.



Example of wire management routing for table with 6230 bases using wire trough. Similar routing will work for tables 6234 and 6237 bases.



Example of wire management routing for tables with 6232 bases using both the wire trough and Velcro straps.



Example of wire management routing for Open Visio tables using the wire trough





The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

# krug