

# CONFERENCE

Price and Specification Guide  
USA



Effective June 1, 2015

krug

# CONFERENCE | TABLE OF CONTENTS

## GENERAL INFOMRATION

|   |                     |
|---|---------------------|
| 2 | General Information |
|---|---------------------|

## PRICING & SPECIFICATIONS

|     |           |
|-----|-----------|
| 4   | Nuvo      |
| 78  | V2        |
| 117 | Ando      |
| 128 | Revo      |
| 165 | Virtu     |
| 303 | Millenium |
| 323 | Stratford |

# GENERAL INFORMATION

## TERMS AND CONDITIONS

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Prices include shipping to territorial warehouse. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

## CUSTOMER SERVICE HOURS

Please note customer service hours are:  
8:30 am to 5:00 pm est  
1.888.578.KRUG  
1.519.748.5177 fax

## ORDER ACKNOWLEDGEMENTS

Each order will be acknowledged via email or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Krug of any discrepancies with a purchase order.

## CANCELLATION

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

## DIMENSIONS

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

## STORAGE CHARGES

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

## CONTACT INFORMATION

Phone: 1.888.578.KRUG  
Fax: 1.519.748.5177  
Purchase Order Fax: 1.888.236.4783 or email: orders@krug.ca  
Web: www.krug.ca  
Email: solutions@krug.ca

## INSTALLATION SUPPORT

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

## PRICING

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

## WARRANTY

Krug warrants all Conference products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by Krug: these are subject to the specific warranties of their manufacturers (if any). Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

## EXPORT PACKAGING

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. Export packaging is provided at an upcharge of 5% of the net selling price per item. Export Packaging is **STRONGLY RECOMMENDED** for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

## FREIGHT TERMS AND CONDITIONS

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. When a Krug territorial warehouse (where available) is selected as the default delivery location, Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled.

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged.

## CUSTOMER SATISFACTION

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

## DAMAGED SHIPMENTS

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened.

Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

## TESTING

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2008 or X5.9-2004.

## FIELD PRODUCT REPORT AUTHORIZATION

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

## RETURNS

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted.

Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

## CARE AND MAINTENANCE

### Wood Finishes

Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent.

Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

## Plastic Laminates

Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

## CUSTOM CAPABILITIES

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Customer Service for more information.



## KRUG EXPRESS

## PROGRAM DETAILS

*KrugExpress* orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

*KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

## KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website.

[www.krug.ca](http://www.krug.ca) PRODUCTS / FABRICS / PANEL

The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

If memo samples are required please call Momentum at 1-800-366-6839.

# REVO | TABLE OF CONTENTS

## PRICE LIST & SPECIFICATION GUIDE

|     |                                                            |
|-----|------------------------------------------------------------|
| 129 | LEED Credit Summary,<br>Substantiality & Environmental     |
| 130 | Color, Grain Variation & Direction                         |
| 131 | Plastic Laminates                                          |
| 131 | Thermoformed Vinyl                                         |
| 132 | Laminate & Thermoformed<br>Technical Specifications        |
| 133 | Seating Capacities                                         |
| 135 | Product Overview                                           |
| 136 | Table Configurations                                       |
| 137 | Bases                                                      |
| 138 | Storage Capabilities & Cable<br>Management                 |
| 140 | Connectivity Solutions                                     |
| 142 | Cabling Selections                                         |
| 143 | Power Access Location Options                              |
| 144 | Modesty Panel & Cable Options                              |
| 145 | Rectangular Table w/Fixed<br>C & T Bases                   |
| 146 | Trapezoid Table w/Fixed<br>C & T Bases                     |
| 147 | Arced Trapezoid Tables w/Fixed<br>C & T Bases              |
| 148 | Half Round Tables w/Fixed<br>C & T Bases                   |
| 148 | Square Tables w/Fixed T Base                               |
| 149 | Rectangular Nesting Tables w/<br>C & T Bases               |
| 150 | Trapezoid Nesting Tables w/<br>C & T Bases                 |
| 152 | Half Round Nesting Tables w/<br>C & T Bases                |
| 152 | Corner Connecting Tops                                     |
| 153 | Rectangular Tables w/ Folding<br>C & T Bases               |
| 154 | Modesty Panels                                             |
| 160 | Grommets & Powerbars                                       |
| 161 | Electrical                                                 |
| 163 | Mounting Bracket & Accessories                             |
| 164 | Cable Management, Ganging<br>Hardware & Table Storage Cart |


# REVO | SUSTAINABILITY & ENVIRONMENTAL / LEED CI CREDIT SUMMARY

LEED CI - Credit Summary

## REVO



### MATERIAL CONTENT:



### PRE-CONSUMER

RECYCLED CONTENT = 77%

### POST-CONSUMER

RECYCLE CONTENT = 9%

### CONTRIBUTES TO

|                  |                                                 |              |
|------------------|-------------------------------------------------|--------------|
| CREDIT 2.1 - 2.2 | Construction Waste Managment                    | 1-2 point(s) |
| CREDIT 3.3       | Resource Reuse                                  | 1 point(s)   |
| CREDIT 4.1       | Recycled Content                                | 1 point(s)   |
| CREDIT 4.2       | Recycled Content                                | 1 point(s)   |
| CREDIT 4.4       | Low Emitting Materials, (MUST BE REQUESTED)     |              |
|                  | Composite Wood & Laminate Adhesives             | 1 point(s)   |
| CREDIT 5.1       | Regional Materials*                             | 1 point(s)   |
| CREDIT 6         | Rapidly Renewable Materials (MUST BE REQUESTED) | 1 point(s)   |
| CREDIT 7         | Certified Wood (MUST BE REQUESTED)              | 1 point(s)   |

\* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## REVO | COLOR, GRAIN VARIATION & DIRECTION

### FINISH ON WOOD TOPS

Standard wood finishes available:

| SPECIES         | FINISH               |
|-----------------|----------------------|
| <b>Rift Oak</b> | Light Oak            |
|                 | Harvest Oak          |
|                 | Mahogany on Oak      |
|                 | Medium Cherry on Oak |
|                 | Mellow Oak           |
|                 | Espresso on Oak      |
|                 | Walnut on Oak        |
| <b>Cherry</b>   | Appalachian Cherry   |
|                 | Imperial Cherry      |
|                 | Light Cherry         |
|                 | Medium Cherry        |
|                 | Natural Cherry       |
|                 | Sable Cherry         |
|                 | Standard Cherry      |
|                 | American Cherry      |
| <b>Maple</b>    | Clear Maple          |
|                 | Honey Maple          |
|                 | Wheat Maple          |
| <b>Walnut</b>   | Mahogany on Walnut   |
|                 | Regular Walnut       |
|                 | Dark Walnut          |
|                 | Natural Walnut       |
|                 | Cordovan Walnut      |

### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

### ENDURAGUARD FINISH

Revo Training features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing - to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

### WOOD FINISHES & WOOD GRAIN CONSIDERATIONS

Revo Training offers many varied configurations of modular tables. As a result, and unlike traditional fixed position tables, the wood veneer for a complete modular table configuration may not be selected from the same tree and therefore will tend to have a greater level of color variation and grain pattern variation. In addition, unlike traditional conference tables where the grain runs in a single direction, modular table configurations provide for grain direction to be juxtaposed at different angles. This can create an inherent variation in the appearance of different sections which is sometimes referred to as "color flip" or "light flip". The effect of light when looking at wood veneers from different directions can change the color intensity and make the wood surface appear darker or lighter in relation to an adjacent wood surface. This effect, in combination with the greater veneer color and grain pattern variation with modular tables, means that a higher level of variation in the appearance of the wood surfaces will often be present with modular table tops (in comparison to fixed position conference table tops).

### KRUG IN STOCK PLASTIC LAMINATE AND POYLMER EDGE PROGRAM

Krug's in-stock Laminates are available in 16 different laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular solid shades and 4 Exotic laminates offering a distinguished appearance. Minimum order quantities and extended lead times may apply for Exotic laminate colors, please check with customer service. High Pressure Laminates (HPL) are used on all worksurfaces and Low Pressure Laminates are used on all modesty panels.

#### In-Stock Laminates

##### Wood Grain Laminate

| Name & Number         | Supplier | Wood Grain HPL (Worksurface Option Only)<br>Name & Number | Supplier  | Polymer Edge Names |
|-----------------------|----------|-----------------------------------------------------------|-----------|--------------------|
| Corretto Cherry W288  | Panolam  | Corretto Cherry HP-288-N                                  | Pionite   | Corretto Cherry    |
| Mocha Cherry W341     | Panolam  | Mocha Cherry HP-341-N                                     | Pionite   | Mocha Cherry       |
| Monticello Maple L308 | Tafisa   | Monticello Maple 7925                                     | Wilsonart | Monticello Maple   |
| Nightfall W292        | Panolam  | Nightfall WX421-N                                         | Pionite   | Nightfall          |
| Samba Cherry L460     | Tafisa   | Samba Cherry T460                                         | Arborite  | Samba Cherry       |
| Shiraz Cherry L472    | Tafisa   | Shiraz Cherry T472                                        | Arborite  | Shiraz Cherry      |
| Sugarloaf Maple L630  | Tafisa   | Sugarloaf Maple T630                                      | Arborite  | Sugarloaf Maple    |

##### Solid Laminate

| Name & Number | Supplier | Solid Laminate HPL (Worksurface Option Only)<br>Name & Number | Supplier  | Polymer Edge Names |
|---------------|----------|---------------------------------------------------------------|-----------|--------------------|
| Almond S445   | Tafisa   | Almond T445                                                   | Pionite   | Almond             |
| Black L203    | Tafisa   | Black T203                                                    | Arborite  | Black              |
| Shadows L201  | Tafisa   | Shadows T201                                                  | Arborite  | Shadow             |
| White L175    | Tafisa   | White D354-60                                                 | Wilsonart | White              |

##### Exotic Laminate

| Name & Number           | Supplier | Exotic Laminate HPL (Worksurface Option Only)<br>Name & Number | Supplier | Polymer Edge Names |
|-------------------------|----------|----------------------------------------------------------------|----------|--------------------|
| Backwoods Sycamore W689 | Panolam  | Backwoods Sycamore HP689-N                                     | Pionite  | Backwoods Sycamore |
| Edgewood Sycamore W690  | Panolam  | Edgewood Sycamore HP690-N                                      | Pionite  | Edgewood Sycamore  |
| Gunstock Walnut W190    | Panolam  | Gunstock Walnut WW971-N                                        | Pionite  | Gunstock Walnut    |
| Thunderstorm W359       | Panolam  | Thunderstorm HP359-N                                           | Pionite  | Thunderstorm       |

#### Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges can be specified for use with non-stocked laminates.

The following plastic laminates are acceptable for application on Krug products as they feature a matte finish:

|           |                                                                    |
|-----------|--------------------------------------------------------------------|
| Nevamar   | All plastic laminates with "T" in the suffix (i.e., MR2002T)       |
| Wilsonart | All plastic laminates with "60" in the suffix (i.e., 4779-60)      |
| Arborite  | All plastic laminates with "CA" in the suffix (i.e., 1531-CA)      |
| Pionite   | All plastic laminates with "Suede" in the name (i.e., WW561 Suede) |
| Formica   | All plastic laminates with "58" in the suffix (i.e., 756-58)       |

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Arborite Laminates 1.800.996.0366 | Wilsonart Laminates 1.800.433.3222 |
| Pionite Laminates 1.800.746.6483  | Formica Laminates 1.800.367.6422   |
| Nevamar Laminates 1.800.638.4380  |                                    |

Additional plastic laminate codes may be acceptable for use on Krug furniture, however, they could be subject to an additional upcharge or extended lead time due to material complexity. High sheen plastic laminates are not acceptable for application on Krug furniture due to their inherent nature of scratching and marring during the production process.

#### Dual Laminates

Two laminate colors can be combined on the same unit, with one laminate color on the worksurface and another laminate on the rest of the unit, at no upcharge. Combinations of more than one laminate in the body of the unit are not available.

## REVO | THERMOFORMED VINYL

Thermoformed vinyl is a highly durable material that provides a seamless application with smooth edges. Thermoformed vinyl characteristics include wear, stain, scratch resistant and offers superior color consistency. The flexibility of the material protects against cracking if a heavy object is dropped on the surface. Thermoformed vinyl can easily be cleaned with mild soap and water.

#### THERMOFORMED VINYL COLORS AVAILABLE:

- White
- Grey
- Natural Maple
- Honey Maple
- Regal Cherry
- Cherry Blossom
- Chocolate Pear
- Black

## REVO | HIGH PRESSURE LAMINATE TECHNICAL SPECIFICATIONS

| PHYSICAL PROPERTIES                                                             | NEMA LD3-2005 | STANDARD HPLs                  |
|---------------------------------------------------------------------------------|---------------|--------------------------------|
| Appearance                                                                      | 3.1           | No ABC Defects                 |
| Light Resistance                                                                | 3.3           | Slight                         |
| Cleanability                                                                    | 3.4           | 20 (maximum)                   |
| Stain Resistance (see Products Tested Below)<br>Reagents 1-10<br>Reagents 11-15 | 3.4           | No Effect<br>Moderate          |
| Boiling Water Resistance                                                        | 3.5           | Slight                         |
| High Temperature Resistance                                                     | 3.6           | Slight                         |
| Ball Impact Resistance - mm<br>- in                                             | 3.8           | 762 (minimum)<br>30 (minimum)  |
| Radiant Heat Resistance - sec                                                   | 3.10          | 100 (minimum)                  |
| Dimensional Change<br>Machine Direction - %<br>Cross Direction - %              | 3.11          | 1.1 (maximum)<br>1.4 (maximum) |
| Wear Resistance - cycles                                                        | 3.13          | 400 (minimum)                  |

## THERMOFORMED TECHNICAL SPECIFICATIONS

| TEST              | DESCRIPTION                                                                                    | NEMA LD3-2005                    | VINYL                   |
|-------------------|------------------------------------------------------------------------------------------------|----------------------------------|-------------------------|
| 3.4 STAIN         | Resistance to staining from a list of staining agents and solvents (See Products Tested below) | No Effect 1-10<br>Moderate 11-15 | No Effect               |
| 3.4 CLEANABILITY  | Ease with which a surface can be cleaned after exposure to various staining agents             | Rating of 20 or less             | 9-15                    |
| 3.5 BOILING WATER | Resistance to surface changes when exposed to boiling water                                    | No Effect                        | None                    |
| 3.7 SCRATCH       | Diamond scratch resistance                                                                     | 3 or better (horizontal)         | 3                       |
| 3.8 BALL IMPACT   | Resistance to fracturing from a steel ball dropped on laminate surface                         | 500mm - 1250mm<br>20 - 49 in     | 2200->3000<br>87-118 in |
| 3.9 DART IMPACT   | Resistance to fracturing from a 25g dart with a 5mm tip dropped on laminated surface           | 200mm - 500mm                    | >1100                   |
| 3.13 WEAR         | Resistance to color or print loss during prolonged abrasion cycles                             | 400-700 cycles                   | 500-3200                |

STAIN RESISTANCE (see above) products tested:

| STAIN                       | PREPARATION NOTES                                                   | APPLICATION                                      |
|-----------------------------|---------------------------------------------------------------------|--------------------------------------------------|
| 1. Distilled Water          | As received                                                         | Apply 2 drops (6 mm spot) cover with watch glass |
| 2. Ethyl Alcohol Solution   | A solution of 50% ethyl alcohol and 50% distilled water as received | As above                                         |
| 3. Acetone                  | As received                                                         | As above                                         |
| 4. Household Ammonia        | As received (non-sudsing type)                                      | As above                                         |
| 5. 10% Citric Acid          | A solution of 10% citric acid in distilled water                    | As above                                         |
| 6. Vegetable Oil            | As received                                                         | As above                                         |
| 7. Fresh Coffee             | 1 teaspoon instant coffee per 180 ml of distilled water             | As above                                         |
| 8. Fresh Tea                | Brew 1 tea bag per 120 ml distilled boiling water for 2 minutes     | As above                                         |
| 9. Ketchup                  | As received                                                         | As above                                         |
| 10. Yellow Mustard          | As received                                                         | As above                                         |
| 11. 10% Povidone Iodine     | As received                                                         | As above                                         |
| 12. Black Permanent Marker  | As received                                                         | Mark spot (6 mm spot), do not cover              |
| 13. #2 Pencil               | As received                                                         | As above                                         |
| 14. Wax Crayon              | As received                                                         | As above                                         |
| 15. Black Paste Shoe Polish | As received                                                         | Apply (6 mm spot) do not cover                   |

# REVO | SEATING CAPACITIES

| DESCRIPTION                                                                                                     |     | TOP SIZE |       | APPROX. SEATING<br>FOR LONG SIDE | APPROX.<br>TOTAL SEATING FOR<br>STAND ALONE WITHOUT MODESTY |
|-----------------------------------------------------------------------------------------------------------------|-----|----------|-------|----------------------------------|-------------------------------------------------------------|
|                                                                                                                 |     | LENGTH   | WIDTH |                                  |                                                             |
| Half Round<br>                 |     | 48       | 24    | 2                                | 2                                                           |
|                                                                                                                 |     | 60       | 30    | 2                                | 2                                                           |
|                                                                                                                 |     | 72       | 36    | 2                                | 2                                                           |
| Square<br>                     |     | 30       | 30    | 1                                | 2                                                           |
|                                                                                                                 |     | 36       | 36    | 1                                | 2                                                           |
| Rectangular<br>                |     | 48       | 20    | 1                                | 2                                                           |
|                                                                                                                 |     | 54       | 20    | 1                                | 2                                                           |
|                                                                                                                 |     | 60       | 20    | 2                                | 4                                                           |
|                                                                                                                 |     | 66       | 20    | 2                                | 4                                                           |
|                                                                                                                 |     | 72       | 20    | 2                                | 4                                                           |
|                                                                                                                 |     | 78       | 20    | 2                                | 4                                                           |
|                                                                                                                 |     | 84       | 20    | 3                                | 6                                                           |
|                                                                                                                 |     | 48       | 24    | 1                                | 2                                                           |
|                                                                                                                 |     | 54       | 24    | 1                                | 2                                                           |
|                                                                                                                 |     | 60       | 24    | 2                                | 4                                                           |
|                                                                                                                 |     | 66       | 24    | 2                                | 4                                                           |
|                                                                                                                 |     | 72       | 24    | 2                                | 4                                                           |
|                                                                                                                 |     | 78       | 24    | 2                                | 4                                                           |
|                                                                                                                 |     | 84       | 24    | 3                                | 6                                                           |
|                                                                                                                 |     | 48       | 30/36 | 1                                | 2                                                           |
|                                                                                                                 |     | 54       | 30/36 | 1                                | 2                                                           |
|                                                                                                                 |     | 60       | 30/36 | 2                                | 4                                                           |
|                                                                                                                 |     | 66       | 30/36 | 2                                | 4                                                           |
|                                                                                                                 |     | 72       | 30/36 | 2                                | 4                                                           |
|                                                                                                                 |     | 78       | 30/36 | 2                                | 4                                                           |
|                                                                                                                 |     | 84       | 30/36 | 3                                | 6                                                           |
| Trapezoid<br>                |     | 48       | 24    | 1                                | 2                                                           |
|                                                                                                                 |     | 60       | 30    | 1                                | 2                                                           |
|                                                                                                                 |     | 72       | 36    | 1                                | 2                                                           |
| Arc Trapezoid<br>            |     | 48       | 24    | 1                                | 2                                                           |
|                                                                                                                 |     | 60       | 24    | 2                                | 2                                                           |
|                                                                                                                 |     | 72       | 24    | 2                                | 2                                                           |
|                                                                                                                 |     | 60       | 30    | 2                                | 2                                                           |
|                                                                                                                 |     | 72       | 30    | 2                                | 2                                                           |
|                                                                                                                 |     | 60       | 36    | 2                                | 2                                                           |
|                                                                                                                 |     | 72       | 36    | 2                                | 2                                                           |
| Corner<br>Connecting Top<br> | 45° | 24       | 24    | 1                                | N/A                                                         |
|                                                                                                                 |     | 30       | 30    | 1                                | N/A                                                         |
|                                                                                                                 |     | 36       | 36    | 1                                | N/A                                                         |
|                                                                                                                 | 60° | 24       | 24    | 1                                | N/A                                                         |
|                                                                                                                 |     | 30       | 30    | 1                                | N/A                                                         |
|                                                                                                                 |     | 36       | 36    | 1                                | N/A                                                         |
|                                                                                                                 | 90° | 24       | 24    | 1                                | N/A                                                         |
|                                                                                                                 |     | 30       | 30    | 1                                | N/A                                                         |
|                                                                                                                 |     | 36       | 36    | 1                                | N/A                                                         |


## ORDERING NOTES

If a modesty panel is used, there is no seating capacity on that side of the table. There is no seating on the ends due to base locations. Seating on the ends of a 84" tables is possible since the bases are inset 15" from the ends. To establish seating capacities, an outside chair dimension of 24" has been used, plus an allowance of 5" between chairs, for a total of 29". This is an approximation and based on seating with 5 prong bases. When using chairs with different specifications be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same seating formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug Revo Training product.


# REVO | PRODUCT OVERVIEW

## TRAINING TABLE TOP SHAPES


Revo Training are available in 5 table top shapes.




Square




Half Round



Rectangular



Trapezoid



Arched Trapezoid

Dotted line depicts which side a modesty panel is available on. 1/2 Round and Square tops not available with modesty panels. Grommets, Surface Modules, PowerPorts and Ports when specified are positioned on the same side as the modesty panel.


## WORKSURFACES

Worksurfaces with Knife (K) edge profile - Tops are 1 1/8" thick veneered, laminated - 45 lb. fibreboard MDF core and backer material.

Worksurfaces with T-Edge profile - Tops are 1 1/8" thick thick veneered, laminated -42 lbs. particleboard core with backer material.

Worksurfaces with D-Edge profile - Tops are 1 1/8" thick thermoformed - 42 lbs. particleboard core with backer material.

All worksurfaces have a profiled edges on all sides. Corner Connecting tops have a profile on the curved edge only.




## GRAIN DIRECTION - WOOD VENEER AND WOOD GRAIN LAMINATE

Please note: On Revo corner CONNECTOR TOPS, the grain runs on a 45° angle. For all other Revo Training tables, the grain runs lengthwise. For wood modesty panels the grain runs vertically. For laminate modesty panels, the grain runs horizontally.


## EDGE OPTIONS – TRAINING TABLES

Revo training product offers 3 edge profiles.

### Knife Edge




### T-Edge



Knife edge profile and "T" edge profile are available on Wood and Laminate worksurfaces.

### D-Edge



The D-edge profile is available only in Thermoformed Vinyl.

## WOOD FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32° is applied to all Revo Training table tops.

## METAL FINISH

Revo components have a powder coated silver metallic finish.

## LEGS


Revo "T" and "C" style legs are available in fixed, folding and nesting versions. All legs are available with casters or glides. Revo legs with casters come with a 2" caster in silver metallic finish. They have the ability to lock with a foot release lever located at the base of the wheel. Revo legs with glides have 1 1/4" of height adjustment, longer glides are available upon request for very uneven floors. Revo legs allow for cables to be channeled through the leg and concealed with a snap-on cover which allows cord access to the top and bottom when required.

## MODESTY PANELS

Revo modesty panels are available in wood, laminate and aluminum in both fixed and flip versions. Fixed modesty panels are available with no cable management trough, with cable management trough or cable management for power and data. The flip version is equipped for power and data with access from either side.


### GANGING BRACKETS

A set of ganging brackets are recommended when 2 or more tables are being joined to one another. These ganging brackets should be ordered along with the tables as a separate line item on the order. All tables come pre-drilled for ganging capabilities. Please note corner connector tops are supplied with an alternative mounting plate. The Ganging Brackets are used to prevent separation of the tables when configured in a layout.



### SELF STORING

The Ganging Brackets can be neatly tucked underneath the table when not being used to join to another table. This allows the Revo Training Tables to be easily reconfigured when wanting to add or subtract tables from existing configurations.




### PACKAGING

Revo packaging features recycled and recyclable cardboard and bubble wrap. The product is shipped as separate components. Bases and modesty panels have to be attached to table top surface after delivery.

# REVO | TABLE CONFIGURATIONS


This is a sampling of some of the possible configurations in the REVO Training Table Line

## RECTANGULAR TABLES




Model Number Qty.  
59THRT7236 4

## RECTANGULAR TABLES




Model Number Qty.  
59THRT7236 2  
59THRT7224 2

## HALF ROUND TABLES




Model Number Qty.  
59THDH6030 2

## HALF ROUND WITH RECTANGULAR TABLES




Model Number Qty.  
59THDH6030 2  
59THRT6030 2

## TRAPEZOID TABLES




Model Number Qty.  
59THTZ7236 6

## 60° CORNER CONNECTOR TOPS WITH TRAPEZOID TABLES




Model Number Qty.  
59TC303060 2  
59THTZ6030 4

## TRAPEZOID TABLES WITH RECTANGULAR TABLES




Model Number Qty.  
59THTZ6030 6  
59THRT6030 2

## 90° CORNER CONNECTOR TOP WITH RECTANGULAR TABLES




Model Number Qty.  
59TC363690 1  
59THRT7236 2

## 90° CORNER CONNECTOR TOPS WITH RECTANGULAR TABLES




Model Number Qty.  
59TC303090 2  
59THRT6030 1  
59THRT7230 2

## 90° CORNER CONNECTOR TOPS WITH RECTANGULAR TABLES




Model Number Qty.  
59TC363690 4  
59THRT7236 6

## TRAPEZOID TABLES WITH RECTANGULAR TABLES




Model Number Qty.  
59THTZ6030 3  
59THRT6030 4

## 60° CORNER CONNECTOR TOPS WITH RECTANGULAR TABLES



Model Number Qty.  
59TC242460 2  
59THRT6024 5

## 45° CORNER CONNECTOR TOPS WITH RECTANGULAR TABLES



Model Number Qty.  
59TC242445 8  
59THRT4824 8

## REVO TRAINING BASES

All Revo Training C bases are available in 16" and 20" widths, with standard (W1) and high capacity (W2) cable managers. All Revo Training T bases are available in 20" width, with standard (W1) and high capacity (W2) cable managers.


### BASE SIZES

16" C Bases are used on Revo Training Tables that are 20" in depth.


20" C Bases are used on Revo Training Tables that are 24" and 30" in depth.

20" T Bases are used on Revo Training Tables that are 24", 30" and 36" in depth.

### Fixed T Base




With Casters




With Glides

### Fixed C Base




With Casters




With Glides

### Folding T Base




With Casters




With Glides

### Folding C Base




With Casters




With Glides

### Nesting T Base




With Casters




With Glides

### Nesting C Base



With Casters




With Glides

# REVO TRAINING | STORAGE CAPABILITIES

## REVO NESTING TABLES

With innovative design and clever construction, the Revo Nesting table is an ideal solution for training rooms, classrooms or meeting rooms. A simple and easy to operate one handed release handle allows the table top to rotate downwards 90 degrees for ease of storage or quick room configuration. In addition, the wheeled legs rotate 20 degrees for compact nested storage, resulting in an efficient use of space.



### Nested Table Dimensions:

- 20" D table = 16 1/8"
- 24" D table = 19 7/8"
- 30" D table = 19 7/8"
- 36" D table = 32 1/8"

Add 7.5"D for each additional nested tables or add 12" if modesty panels are attached.

For Example: A 20" D table in a nested position is 16 1/8" D. Add 9 additional nesting tables (9 x 7.5"=67.5"D). Therefore, the depth requirement for nested tables is 83.75"D.


Total space required to nest 10 table without modesty panels is 83.75" x the length of the table.

### Table Height of nested tables:

|                   |        |                   |        |
|-------------------|--------|-------------------|--------|
| 24" deep - T Base | 41.75" | 20" deep - C Base | 37.25" |
| 30" deep - T Base | 44.75" | 24" deep - C Base | 37.25" |
| 36" deep - T Base | 47.5"  | 30" deep - C Base | 40.25" |
| 36" deep - T Base | 47.5"  |                   |        |

## REVO FOLDING TABLES

The Revo Folding Legs features our easy to use release lever that when activated retracts the legs parallel to be underside of the tabletop, allowing tables to be stacked vertically or horizontally. This feature can be used anywhere but is particularly beneficial in settings which need to be reconfigured quickly or frequently. The flattened table maximizes storage space. The optional storage cart, which holds up to 5 tables vertically, makes movement of the folded tables safe and easy. Folding tables cannot accommodate powerports or surface modules.



Stacking Dimension: 4 1/4" high

# REVO TRAINING | CABLE MANAGEMENT



REVO leg  
Snap on Cover

Cable management

Cables are channeled through the leg and concealed with a snap-on cover which allows cord access to the top and bottom when required.

Legs are available in two cable management sizes, standard and high capacity, determined by the users' requirements.

There is 1.5 in<sup>2</sup> of cable management capacity in the standard cable managers and 2.4 in<sup>2</sup> in the high capacity cable manger.



## POWERPORT

The Revo Training PowerPort made from aluminum and featuring a hinged lid, provides a functional and attractive solution for connectivity. The PowerPort comes standard with 3 receptacles, 2 RJ45 jacks and a 10' heavy duty power cord.


The PowerPort is a UL/CSA-approved power/data power bar, (Port) which includes three 115-volt electrical convenience outlets, and two RJ45 communication ports - all easily accessed just under the worksurface. The PowerPort is Category 5/6 compatible. Folding tables cannot accommodate powerports or surface modules.

## PORT

The Port alone (without the powerbar) serves as a large grommet for cable management, or to enable future power-up of the tables. It is 7.5" wide by 4" long, and features an aluminum hinged lid that is designed to be in the closed position when cables pass through to the plug-in. The Port can accommodate multiple cables at once, as well as transformer plugs, through the worksurface.

PowerPorts and Ports can be specified in 3 different locations (left, right or center) depending on the size of the training table surface. On surfaces that are smaller than 60", PowerPorts and Ports are available only in the center position.

See page 143 for options and location codes for selecting the PowerPort and Port location for each table top.



Below the worksurface

## SURFACE MODULE

The Surface Module is a lower cost alternative to the PowerPort. It is compact and convenient and positions the plug-in on the work surface itself, instead of underneath it.

A Surface Module comes with two power receptacles above the work surface and one power receptacle below the work surface, which allows you to connect power to additional tables or configurations. In addition, the Surface Module also comes with two USB Ports -- one USB printer port, one RJ11 and one RJ45. Each receptacle has a 12 Amp, 120 Volt, 60 Hz capacity and comes standard with a 10' heavy duty power cord with a right angle plug. Folding tables cannot accommodate powerports or surface modules.

The Surface Module has an angled face that is easy to see and operate. The RJ45 Port allows connection to high speed DSL or Internet and provides access to cable modem, network or Internet router. In addition, a power plug exists for cell phone and laptop. There are two USB ports -- one for input and one for output to accommodate almost any electrical needs. The Surface Module is available in black finish only.

Surface Modules can be specified in three (3) different locations (Left, Right and Center) depending on the size of the meeting table surface. On surfaces that are smaller than 60", Surface Modules are available only in the centre position.

See page 143 for options and location codes for selecting the Surface Module location for each table top.



## ROUND GROMMET

A round grommet with an open and shut mousehole serves to provide cable passage for areas not requiring a large opening.

Round grommet silver metallic, 60 mm diameter. (2 3/8" approx.)  
Round grommets do not provide electrical service.

Grommets can be specified in 3 different locations (left, right or center) depending on the size of the meeting table surface.

On surfaces that are smaller than 60", grommets are available only in the center position.

One round grommet per table is provided at no charge, additional round grommets are available for an upcharge of \$100 list per grommet.

See page 143 for options and location codes for selecting the Grommet location for each table top.




## BYRNE 4-TRAC® SYSTEM

The Byrne 4-Trac® System is a economical power distribution solution that is easy to specify, install, and reconfigure.

### Features:

- 4-wires, 2 circuits, 20 amps each
- 10 - duplex receptacles per circuit, 20 - 15 Amp receptacles per power infeed maximum
- Requires less space
- UL Listed as a Manufactured Wiring System
- More economical than 8-wire system
- RoHS Compliancy available upon request; Cradle to Cradle
- Can be used independently with grommet or 59PORT.



## Model Numbers for 4-Trac® System

| Circuit 1  | Circuit 2  | Description                            |
|------------|------------|----------------------------------------|
| 59EC4-30-1 | 59EC4-30-2 | 4 wire, 2 circuit system for 30" table |
| 59EC4-36-1 | 59EC4-36-2 | 4 wire, 2 circuit system for 36" table |
| 59EC4-42-1 | 59EC4-42-2 | 4 wire, 2 circuit system for 42" table |
| 59EC4-48-1 | 59EC4-48-2 | 4 wire, 2 circuit system for 48" table |
| 59EC4-54-1 | 59EC4-54-2 | 4 wire, 2 circuit system for 54" table |
| 59EC4-60-1 | 59EC4-60-2 | 4 wire, 2 circuit system for 60" table |
| 59EC4-66-1 | 59EC4-66-2 | 4 wire, 2 circuit system for 66" table |
| 59EC4-72-1 | 59EC4-72-2 | 4 wire, 2 circuit system for 72" table |
| 59EC4-78-1 | 59EC4-78-2 | 4 wire, 2 circuit system for 78" table |
| 59EC4-84-1 | 59EC4-84-2 | 4 wire, 2 circuit system for 84" table |

## BYRNE 4-TRAC® SYSTEM

The 4-Trac® system can power a maximum of 10 duplex receptacles per circuit, 20 duplex receptacles total. With 2 duplex receptacles per table, this means that no more than 5 tables can be connected to one circuit (10 tables per 4-Trac® system). Once you have more than 10 tables powered with the 4-Trac® system, you must order another Power Entry (59EC4PE) and the related 4-Trac® harnesses to access a new circuit. Duplex receptacles are marked as circuit 1 or circuit 2. Unless specified, Krug will package as close as possible equal quantities of circuit 1 and 2 wiring harnesses.

All Krug's power access options can be used with or without the Byrne 4-Trac® Wire System. These components can be ordered together, or at a later date as your power requirements change.

Example 1: If you have a connected group of 7 (48" length) tables with a grommet in each, using the 4-Trac® system, you would order:

- One 4 wire, 2 circuit power entry (59EC4PE).
- Four tables will use circuit 1 harnesses (59EC4-48-1), which has two duplex receptacles per harness for a total of 8 duplex receptacles.
- Three tables will use circuit 2 harnesses (59EC4-48-2), which has two duplex receptacles per harness for a total of 6 duplex receptacles.

Example 2: If you have a connected group of 11 (48" length) tables with a grommet in each, using the 4-Trac® system, you would order:


- Two 4 wire, 2 circuit power entry (59EC4PE).
- For the 1st power entry:
- Three tables will use circuit 1 harnesses (59EC4-48-1), which has two duplex receptacles per harness for a total of 6 duplex receptacles.
- Three tables will use circuit 2 harnesses (59EC4-48-2), which has two duplex receptacles per harness for a total of 6 duplex receptacles.

For the 2nd power entry:

- Three tables will use circuit 1 harnesses (59EC4-48-1), which has two duplex receptacles per harness for a total of 6 duplex receptacles.
- Two tables will use circuit 2 harnesses (59EC4-48-2), which has two duplex receptacles per harness for a total of 4 duplex receptacles.

## BYRNE 4-TRAC® - 42" JUMPERS

These longer jumper cables are required when connecting one table from the back to the end of another table using the Byrne 4-Trac® system. These jumper cables allow you to daisy chain each wired table to the next.






### BYRNE 8-TRAC® SYSTEM

The Byrne 8-Trac® Power System offers a high quality, cost effective answer to your power distribution needs. The modular system is adaptable to all architectural elements. The modularity of the Byrne System makes it simple to specify, order and install.

#### Features:

- UL recognized & listed
- Approved for use in New York City
- RoHS compliancy available upon request; cradle to cradle
- 20 Amp system available in 4 circuit configurations
- Allows for up to 40 duplex receptacles.
- Can be used independently with grommet or 59PORT.



### Model Numbers for 8-Trac® System

| Circuit 1  | Circuit 2  | Circuit 3  | Circuit 4  | Description                            |
|------------|------------|------------|------------|----------------------------------------|
| 59EC4-30-1 | 59EC4-30-2 | 59EC4-30-3 | 59EC4-30-4 | 8 wire, 4 circuit system for 30" table |
| 59EC4-36-1 | 59EC4-36-2 | 59EC4-36-3 | 59EC4-36-4 | 8 wire, 4 circuit system for 36" table |
| 59EC4-42-1 | 59EC4-42-2 | 59EC4-42-3 | 59EC4-42-4 | 8 wire, 4 circuit system for 42" table |
| 59EC4-48-1 | 59EC4-48-2 | 59EC4-48-3 | 59EC4-48-4 | 8 wire, 4 circuit system for 48" table |
| 59EC4-54-1 | 59EC4-54-2 | 59EC4-54-3 | 59EC4-54-4 | 8 wire, 4 circuit system for 54" table |
| 59EC4-60-1 | 59EC4-60-2 | 59EC4-60-3 | 59EC4-60-4 | 8 wire, 4 circuit system for 60" table |
| 59EC4-66-1 | 59EC4-66-2 | 59EC4-66-3 | 59EC4-66-4 | 8 wire, 4 circuit system for 66" table |
| 59EC4-72-1 | 59EC4-72-2 | 59EC4-72-3 | 59EC4-72-4 | 8 wire, 4 circuit system for 72" table |
| 59EC4-78-1 | 59EC4-78-2 | 59EC4-78-3 | 59EC4-78-4 | 8 wire, 4 circuit system for 78" table |
| 59EC4-84-1 | 59EC4-84-2 | 59EC4-84-3 | 59EC4-84-4 | 8 wire, 4 circuit system for 84" table |

### BYRNE 8-TRAC® SYSTEM

The 8-Trac® system can power a maximum of 10 duplex receptacles per circuit, 40 duplex receptacles total. With 2 duplex receptacles per table, this means that no more than 5 tables can be connected to one circuit (20 tables per 8-Trac® system). Once you have more than 20 tables powered with the 8-Trac® system, you must order another Power Entry (59EC8PE) and the related 8-Trac® harnesses to access a new circuit. Duplex receptacles are marked as circuit 1, 2, 3, or 4. Unless specified, as close as possible Krug will package equal quantities of Circuit 1, 2, 3, and 4 wiring harnesses.

All Krug's power access options can be used with or without the Byrne 8-Trac® Wire System. These components can be ordered together, or at a later date as your power requirements change.

For Example: If you have group of 16 (48" length) tables, using the 8-Trac® system, you would order: One 8 wire, 4 circuit power entry (59EC8PE).



- Four tables will use circuit 1 harnesses (59EC8-48-1), which has two duplex receptacles per harness for a total of 8 duplex receptacles.
- Four tables will use circuit 2 harnesses (59EC8-48-2), which has two duplex receptacles per harness for a total of 8 duplex receptacles.
- Four tables will use circuit 3 harnesses (59EC8-48-3), which has two duplex receptacles per harness for a total of 8 duplex receptacles.
- Four tables will use circuit 4 harnesses (59EC8-48-4), which has two duplex receptacles per harness for a total of 8 duplex receptacles.

### BYRNE 8-TRAC® - 42" JUMPERS

These longer jumper cables are required when connecting one table from the back to the end of another table using the Byrne 8-Trac® system. These jumper cables allow you to daisy chain each wired table to the next.




8-Trac®  
Power Entry




# REVO | CABLING SELECTIONS

## SCENARIO 1




Scenario 1 is the simplest of connectivity solutions. You simply run your electrical and data cables down through the round grommet or port and plug directly into the power source.

## SCENARIO 2



Scenario 2 demonstrates when powerports and surface modules are specified in the worksurfaces. Your electrical and data cables are plugged directly into these units. Both of these power options have 10' electrical cords and 14' data cables, that can be channelled through the cable management cavity in the leg and then plugged into the power source. Up to 10 powerports or surface modules can be daisy chained together from one power circuit, when the 14' data cables are not enough to reach the power source, data cables can be linked together with the use of a data hub. Please check local electrical regulations before linking these units.

## SCENARIO 3




Scenario 3 illustrates the use of the Byrne 4 trac® and Byrne 8 trac® system. Your electrical and data cables are passed through the work-surface via the round grommet or port. The electrical equipment is plugged into the duplex receptacles located in the trac system.

The Byrne 4 trac system uses 2 circuits allowing 10 receptacles on the same circuit to be daisy chained together. Each trac system contains two duplex receptacles and can be specified with either circuit one or circuit two or both. Therefore, a maximum of 20 duplex receptacles can be used on two circuits. The Byrne 8 trac system works in the same manner, but uses 4 circuits instead of 2, allowing a maximum of 40 duplex receptacles to be used at one time.

\*Power Entry is hardwired into the building source and can be channelled up the cable management cavity in the leg. The data cables run directly to the data source or linked together using a data hub.

## SCENARIO 4



Scenario 4 demonstrates the use of the powerport or surface modules with the Byrne 4 trac® or Byrne 8 trac® system. Your electrical and data cables are plugged directly into either the powerport or surface module. The 10' power cord from these units are plugged into the duplex receptacles located in the trac system.

The Byrne 4 trac system uses 2 circuits allowing 10 receptacles on the same circuit to be daisy chained together. Each trac system contains two duplex receptacles and can be specified with either circuit one or circuit two or both. Therefore, a maximum of 20 duplex receptacles can be used on two circuits. The Byrne 8 trac system works in the same manner, but uses 4 circuits instead of 2, allowing a maximum of 40 duplex receptacles to be used at one time. When ordering powerports or surface modules on the worksurfaces, the duplex receptacles in these units need to be included in the receptacle count per circuit, otherwise the circuits will become overloaded.

\*Power Entry is hardwired into the building source and can be channelled up the cable management cavity in the leg. The data cables run directly to the data source or linked together using a data hub.

# REVO | POWER ACCESS LOCATION OPTIONS

Non-standard locations can be specified, although there are restrictions due to leg positions, and modesty panel positions. An upcharge of \$250 list per non-standard grommet is applicable. Contact Customer Service for assistance. Table Tops smaller than 60" have the power access available only in the "C" position. Table tops greater than 60" can have the power access specified in as many as three locations (AR, AL and C).

Position Code:


AL – left corner

AR – right corner

C – center


## POWERPORT/PORT POSITIONS

REVO TRAINING TABLES SMALLER THAN 60"



**Square    Half Round    Rectangular    Trapezoid    Arc Trapezoid**

REVO TRAINING TABLES 60" OR LARGER




**Half Round    Rectangular**

Modesty Panels are located on the same side as the PowerPort/Ports/Surface Modules. Modesty Panels are not available on 1/2 round and square tables. Folding tables cannot accommodate powerports.

## SURFACE MODULE POSITIONS

REVO TRAINING TABLES SMALLER THAN 60"



**Square    Half Round    Rectangular    Trapezoid    Arc Trapezoid**

REVO TRAINING TABLES 60" OR LARGER




**Half Round    Rectangular**

Modesty Panels are located on the same side as the PowerPort/Ports/Surface Modules. Modesty Panels are not available on 1/2 round and square tables. Folding tables cannot accommodate surface modules.

## STANDARD GROMMET POSITIONS

REVO TRAINING TABLES SMALLER THAN 60"



**Square    Half Round    Rectangular    Trapezoid    Arc Trapezoid**

REVO TRAINING TABLES 60" OR LARGER




**Half Round    Rectangular**

Modesty Panels are shown on the same side as the Round Grommets. One round grommet per table is provided at no charge, additional round grommets are available for an upcharge of \$100 list per grommet in standard positions. Modesty Panels are not available on 1/2 round and square tables.

## REVO | MODESTY PANEL & CABLE OPTIONS


### Modesty Panels

Revo training tables have been designed with a 1-1/4" (32mm) space between the underside of the worksurface and the top edge of the modesty panel, eliminating the need for grommets in the modesty panels. This space makes it easy to pass cables from one table to another where modesty panels overlap at 90° corners, or where tables are positioned face to face.




See typical examples below of cable management with different power options.


Byrne Track System,  
Modesty Panels for  
Power and Data  
Trough



Power Ports & Modesty  
Panels with no Cable  
Management Trough



# REVO | RECTANGULAR TABLES W/ FIXED C & T BASES

| Description                                                                                                                                                                                                                                                                                           | Model           | Laminate<br>W/ PVC<br>Edge | Rift Oak,<br>Cherry,<br>Walnut,<br>Maple | Thermoformed<br>Vinyl | W     | D     | H     | KW   | Shipping<br>Weight | Cubic<br>Feet |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------|------------------------------------------|-----------------------|-------|-------|-------|------|--------------------|---------------|
|  <p>Rectangular Table w/<br/>Fixed C - Base. Casters<br/>or Glides - No Modesty<br/>Panel</p> <p>C-base inset from ends:<br/>72" tables &amp; smaller - 3"<br/>78" tables - inset 6"<br/>84" tables - inset 15"</p>  | 59THRT4820CB_W_ | 951                        | 1247                                     | 932                   | 47.75 | 19.75 | 29.25 | 36.5 | 62                 | 5             |
|                                                                                                                                                                                                                                                                                                       | 59THRT5420CB_W_ | 972                        | 1272                                     | 976                   | 53.75 | 19.75 | 29.25 | 42.5 | 65                 | 5.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT6020CB_W_ | 993                        | 1297                                     | 1020                  | 59.75 | 19.75 | 29.25 | 48.5 | 69                 | 5.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT6620CB_W_ | 1064                       | 1376                                     | 1121                  | 65.75 | 19.75 | 29.25 | 54.5 | 76                 | 6             |
|                                                                                                                                                                                                                                                                                                       | 59THRT7220CB_W_ | 1103                       | 1428                                     | 1190                  | 71.75 | 19.75 | 29.25 | 60.5 | 82                 | 6             |
|                                                                                                                                                                                                                                                                                                       | 59THRT7820CB_W_ | 1148                       | 1484                                     | 1258                  | 77.75 | 19.75 | 29.25 | 60.5 | 83                 | 6.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT8420CB_W_ | 1191                       | 1540                                     | 1325                  | 83.75 | 19.75 | 29.25 | 48.5 | 84                 | 7             |
|                                                                                                                                                                                                                                                                                                       | 59THRT4824CB_W_ | 986                        | 1287                                     | 1009                  | 47.75 | 23.75 | 29.25 | 36.5 | 68                 | 5.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT5424CB_W_ | 1010                       | 1316                                     | 1051                  | 53.75 | 23.75 | 29.25 | 42.5 | 73                 | 6             |
|                                                                                                                                                                                                                                                                                                       | 59THRT6024CB_W_ | 1033                       | 1345                                     | 1093                  | 59.75 | 23.75 | 29.25 | 48.5 | 77                 | 6             |
|                                                                                                                                                                                                                                                                                                       | 59THRT6624CB_W_ | 1114                       | 1424                                     | 1181                  | 65.75 | 23.75 | 29.25 | 54.5 | 80                 | 6.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT7224CB_W_ | 1161                       | 1471                                     | 1236                  | 71.75 | 23.75 | 29.25 | 60.5 | 91                 | 6.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT7824CB_W_ | 1206                       | 1527                                     | 1356                  | 77.75 | 23.75 | 29.25 | 60.5 | 92                 | 7             |
|                                                                                                                                                                                                                                                                                                       | 59THRT8424CB_W_ | 1251                       | 1588                                     | 1411                  | 83.75 | 23.75 | 29.25 | 48.5 | 93                 | 7.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT4830CB_W_ | 1051                       | 1336                                     | 1090                  | 47.75 | 29.75 | 29.25 | 36.5 | 77                 | 6             |
|                                                                                                                                                                                                                                                                                                       | 59THRT5430CB_W_ | 1068                       | 1372                                     | 1133                  | 53.75 | 29.75 | 29.25 | 42.5 | 81                 | 6.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT6030CB_W_ | 1086                       | 1406                                     | 1176                  | 59.75 | 29.75 | 29.25 | 48.5 | 88                 | 6.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT6630CB_W_ | 1163                       | 1492                                     | 1265                  | 65.75 | 29.75 | 29.25 | 54.5 | 90                 | 7             |
|                                                                                                                                                                                                                                                                                                       | 59THRT7230CB_W_ | 1208                       | 1546                                     | 1385                  | 71.75 | 29.75 | 29.25 | 60.5 | 104                | 7.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT7830CB_W_ | 1254                       | 1600                                     | 1505                  | 77.75 | 29.75 | 29.25 | 60.5 | 107                | 8             |
|                                                                                                                                                                                                                                                                                                       | 59THRT8430CB_W_ | 1299                       | 1654                                     | 1599                  | 83.75 | 29.75 | 29.25 | 48.5 | 109                | 8             |
|  <p>Rectangular Table w/<br/>Fixed T- Base. Casters<br/>or Glides - No Modesty<br/>Panel</p> <p>T-base inset from ends:<br/>72" tables &amp; smaller - 3"<br/>78" tables - inset 6"<br/>84" tables - inset 15"</p> | 59THRT4824TB_W_ | 986                        | 1287                                     | 1009                  | 47.75 | 23.75 | 29.25 | 36.5 | 68                 | 5.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT5424TB_W_ | 1010                       | 1316                                     | 1051                  | 53.75 | 23.75 | 29.25 | 42.5 | 73                 | 6             |
|                                                                                                                                                                                                                                                                                                       | 59THRT6024TB_W_ | 1033                       | 1345                                     | 1093                  | 59.75 | 23.75 | 29.25 | 48.5 | 77                 | 6             |
|                                                                                                                                                                                                                                                                                                       | 59THRT6624TB_W_ | 1114                       | 1424                                     | 1181                  | 65.75 | 23.75 | 29.25 | 54.5 | 80                 | 6.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT7224TB_W_ | 1161                       | 1471                                     | 1236                  | 71.75 | 23.75 | 29.25 | 60.5 | 91                 | 6.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT7824TB_W_ | 1206                       | 1527                                     | 1356                  | 77.75 | 23.75 | 29.25 | 60.5 | 92                 | 7             |
|                                                                                                                                                                                                                                                                                                       | 59THRT8424TB_W_ | 1251                       | 1588                                     | 1411                  | 83.75 | 23.75 | 29.25 | 48.5 | 93                 | 7.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT4830TB_W_ | 1051                       | 1336                                     | 1090                  | 47.75 | 29.75 | 29.25 | 36.5 | 77                 | 6             |
|                                                                                                                                                                                                                                                                                                       | 59THRT5430TB_W_ | 1068                       | 1372                                     | 1133                  | 53.75 | 29.75 | 29.25 | 42.5 | 81                 | 6.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT6030TB_W_ | 1086                       | 1406                                     | 1176                  | 59.75 | 29.75 | 29.25 | 48.5 | 88                 | 6.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT6630TB_W_ | 1163                       | 1492                                     | 1265                  | 65.75 | 29.75 | 29.25 | 54.5 | 90                 | 7             |
|                                                                                                                                                                                                                                                                                                       | 59THRT7230TB_W_ | 1208                       | 1546                                     | 1385                  | 71.75 | 29.75 | 29.25 | 60.5 | 104                | 7.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT7830TB_W_ | 1254                       | 1600                                     | 1505                  | 77.75 | 29.75 | 29.25 | 60.5 | 107                | 8             |
|                                                                                                                                                                                                                                                                                                       | 59THRT8430TB_W_ | 1299                       | 1654                                     | 1599                  | 83.75 | 29.75 | 29.25 | 48.5 | 109                | 8             |
|                                                                                                                                                                                                                                                                                                       | 59THRT4836TB_W_ | 1121                       | 1443                                     | 1223                  | 47.75 | 35.75 | 29.25 | 36.5 | 91                 | 8             |
|                                                                                                                                                                                                                                                                                                       | 59THRT5436TB_W_ | 1157                       | 1484                                     | 1287                  | 53.75 | 35.75 | 29.25 | 42.5 | 98                 | 8.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT6036TB_W_ | 1192                       | 1525                                     | 1351                  | 59.75 | 35.75 | 29.25 | 48.5 | 104                | 9             |
|                                                                                                                                                                                                                                                                                                       | 59THRT6636TB_W_ | 1270                       | 1615                                     | 1453                  | 65.75 | 35.75 | 29.25 | 54.5 | 113                | 9.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT7236TB_W_ | 1316                       | 1674                                     | 1524                  | 71.75 | 35.75 | 29.25 | 60.5 | 122                | 9.5           |
|                                                                                                                                                                                                                                                                                                       | 59THRT7836TB_W_ | 1363                       | 1732                                     | 1594                  | 77.75 | 35.75 | 29.25 | 60.5 | 126                | 10            |
|                                                                                                                                                                                                                                                                                                       | 59THRT8436TB_W_ | 1327                       | 1696                                     | 1622                  | 83.75 | 35.75 | 29.25 | 48.5 | 130                | 10            |

**ORDERING NOTES:** To order bases with glides, replace the 1st underscore in the model number with the letter "G"; e.g. "59THRT7224CBGW\_". To order bases with casters, replace the 1st underscore in the model number with the letter "C"; e.g. "59THRT7224CBCW\_". To order the standard cable manager replace the 2nd underscore in the model number with the number "1"; e.g. "59THRT7224CBGW1". To order the high capacity base cable manager replace the 2nd underscore in the model number with the number "2"; e.g. "59THRT7224CBCW2".

## DIMENSION KEY

W – width  
D – depth  
H – height of worksurface  
KW – kneehole width  
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

## KRUG EXPRESS

See page 3 for Krug Express program.

## STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates and Thermoformed Vinyls.

## MODESTY PANELS


Please see pages 154-159 for options and upcharges.

## VENEER TOPS


Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

## REVO | TRAPEZOID TABLES W/ FIXED C & T BASES

| Description                                                                      | Model           | Laminate<br>W/ PVC<br>Edge | Rift Oak,<br>Cherry,<br>Walnut, Maple | Thermoformed<br>Vinyl | W     | D     | H     | KW    | Shipping<br>Weight | Cubic<br>Feet | X     | Y     |
|----------------------------------------------------------------------------------|-----------------|----------------------------|---------------------------------------|-----------------------|-------|-------|-------|-------|--------------------|---------------|-------|-------|
|                                                                                  |                 |                            |                                       |                       |       |       |       |       |                    |               |       |       |
| Trapezoid Table w/<br>Fixed C - Base. Casters<br>or Glides - No Modesty<br>Panel | 59THTZ4824CB_W_ | 1048                       | 1344                                  | 965                   | 47.75 | 20.75 | 29.25 | 21.5  | 56                 | 5.5           | 23.75 | 23.75 |
|                                                                                  | 59THTZ6030CB_W_ | 1147                       | 1441                                  | 1133                  | 59.75 | 25.75 | 29.25 | 27.75 | 69                 | 6.5           | 29.75 | 29.75 |
|                                                                                  | 59THTZ7236CB_W_ | 1331                       | 1670                                  | 1260                  | 71.75 | 31    | 29.25 | 35.75 | 84                 | 7.5           | 35.75 | 35.75 |



|                                                                                  |                 |      |      |      |       |       |       |       |    |     |       |       |
|----------------------------------------------------------------------------------|-----------------|------|------|------|-------|-------|-------|-------|----|-----|-------|-------|
| Trapezoid Table w/<br>Fixed T - Base. Casters<br>or Glides - No Modesty<br>Panel | 59THTZ6030TB_W_ | 1147 | 1441 | 1133 | 59.75 | 25.75 | 29.25 | 27.75 | 69 | 6.5 | 29.75 | 29.75 |
|                                                                                  | 59THTZ7236TB_W_ | 1331 | 1670 | 1260 | 71.75 | 31    | 29.25 | 35.75 | 84 | 7.5 | 35.75 | 35.75 |



**ORDERING NOTES:** To order bases with glides, replace the 1st underscore in the model number with the letter “G”; e.g. “59THRT7224CBGW”.

To order bases with casters, replace the 1st underscore in the model number with the letter “C”; e.g. “59THRT7224CBCW”.

To order the standard cable manager replace the 2nd underscore in the model number with the number “1”; e.g. “59THRT7224CBGW1”.

To order the high capacity base cable manager replace the 2nd underscore in the model number with the number “2”; e.g. “59THRT7224CBCW2”.

### DIMENSION KEY

W – width  
D – depth  
H – height of worksurface  
KW – kneehole width  
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

### KRUG EXPRESS

See page 3 for Krug Express program.

### STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates and Thermoformed Vinyls.

### MODESTY PANELS


Please see pages 154-159 for options and upcharges.

### VENEER TOPS


Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

# REVO | ARCED TRAPEZOID TABLES W/ FIXED C & T BASES

|                                                                                        |                 | Rift Oak,<br>Cherry,<br>Walnut, Thermoformed |       |       |       |      |       |       | Shipping | Cubic |       |       |
|----------------------------------------------------------------------------------------|-----------------|----------------------------------------------|-------|-------|-------|------|-------|-------|----------|-------|-------|-------|
| Description                                                                            | Model           | Laminate<br>W/ PVC<br>Edge                   | Maple | Vinyl | W     | D    | H     | KW    | Weight   | Feet  | X     | Y     |
| Arced Trapezoid Table w/<br>Fixed C - Base. Casters<br>or Glides - No Modesty<br>Panel | 59THAZ4824CB_W_ | 1091                                         | 1378  | 1014  | 47.75 | 23.5 | 29.25 | 20.5  | 59       | 5.5   | 23.75 | 23.75 |
|                                                                                        | 59THAZ6024CB_W_ | 1138                                         | 1440  | 1099  | 59.75 | 23.5 | 29.25 | 32.25 | 67       | 6     | 23.75 | 35.75 |
|                                                                                        | 59THAZ7224CB_W_ | 1246                                         | 1590  | 1126  | 71.75 | 23.5 | 29.25 | 44.25 | 75       | 6.5   | 23.75 | 47.75 |
|                                                                                        | 59THAZ6030CB_W_ | 1147                                         | 1469  | 1182  | 59.75 | 28.5 | 29.25 | 29.25 | 72       | 6.5   | 29.75 | 29.75 |
|                                                                                        | 59THAZ7230CB_W_ | 1293                                         | 1631  | 1279  | 71.75 | 28.5 | 29.25 | 41.25 | 82       | 7     | 29.75 | 41.75 |



|                                                                                        |                 |      |      |      |       |       |       |       |    |     |       |       |
|----------------------------------------------------------------------------------------|-----------------|------|------|------|-------|-------|-------|-------|----|-----|-------|-------|
| Arced Trapezoid Table<br>w/ Fixed T - Base.<br>Casters or Glides - No<br>Modesty Panel | 59THAZ4824TB_W_ | 1091 | 1378 | 1014 | 47.75 | 23.5  | 29.25 | 20.5  | 59 | 5.5 | 23.75 | 23.75 |
|                                                                                        | 59THAZ6024TB_W_ | 1138 | 1440 | 1099 | 59.75 | 23.5  | 29.25 | 32.25 | 67 | 6   | 23.75 | 35.75 |
|                                                                                        | 59THAZ7224TB_W_ | 1246 | 1590 | 1126 | 71.75 | 23.5  | 29.25 | 44.25 | 75 | 6.5 | 23.75 | 47.75 |
|                                                                                        | 59THAZ6030TB_W_ | 1147 | 1469 | 1182 | 59.75 | 28.5  | 29.25 | 29.25 | 72 | 6.5 | 29.75 | 29.75 |
|                                                                                        | 59THAZ7230TB_W_ | 1293 | 1631 | 1279 | 71.75 | 28.5  | 29.25 | 41.25 | 82 | 7   | 29.75 | 41.75 |
|                                                                                        | 59THAZ6036TB_W_ | 1225 | 1532 | 1300 | 59.75 | 33.75 | 29.25 | 26    | 76 | 7   | 35.75 | 23.75 |
|                                                                                        | 59THAZ7236TB_W_ | 1358 | 1698 | 1395 | 71.75 | 33.75 | 29.25 | 37.75 | 88 | 7.5 | 35.75 | 35.75 |



**ORDERING NOTES:** To order bases with glides, replace the 1st underscore in the model number with the letter “G”; e.g. “59THZ6030CBGW”.

To order bases with casters, replace the 1st underscore in the model number with the letter “C”; e.g. “59THZ6030CBCW”.

To order the standard cable manager replace the 2nd underscore in the model number with the number “1”; e.g. “59THZ6030CBGW1”.

To order the high capacity base cable manager replace the 2nd underscore in the model number with the number “2”; e.g. “59THZ6030CBCW2”.

## DIMENSION KEY

W – width  
D – depth  
H – height of worksurface  
KW – kneehole width  
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

## KRUG EXPRESS

See page 3 for Krug Express program.

## STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates and Thermoformed Vinyls.

## MODESTY PANELS


Please see pages 154-159 for options and upcharges.

## VEENER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

# REVO | HALF ROUND TABLES W/ FIXED C & T BASES SQUARE TABLES W/ FIXED T BASE


| Description                                                                       | Model           | Laminate<br>W/ PVC<br>Edge | Rift Oak,<br>Cherry,<br>Walnut, Maple | Thermoformed<br>Vinyl | W     | D     | H     | KW    | Shipping<br>Weight | Cubic<br>Feet | X | Y |
|-----------------------------------------------------------------------------------|-----------------|----------------------------|---------------------------------------|-----------------------|-------|-------|-------|-------|--------------------|---------------|---|---|
| Half Round Table w/<br>Fixed C - Base. Casters<br>or Glides - No Modesty<br>Panel | 59THDH4824CB_W_ | 1009                       | 1310                                  | 1013                  | 47.75 | 23.75 | 29.25 | 30    | 60                 | 5             | - | - |
|                                                                                   | 59THDH6030CB_W_ | 1168                       | 1435                                  | 1200                  | 59.75 | 29.75 | 29.25 | 33.25 | 76                 | 6.5           | - | - |
|                                                                                   | 59THDH7236CB_W_ | 1300                       | 1664                                  | 1411                  | 71.75 | 35.75 | 29.25 | 45.25 | 95                 | 8             | - | - |



|                                                                                   |                 |      |      |      |       |       |       |       |    |     |   |   |
|-----------------------------------------------------------------------------------|-----------------|------|------|------|-------|-------|-------|-------|----|-----|---|---|
| Half Round Table w/<br>Fixed T - Base. Casters<br>or Glides - No Modesty<br>Panel | 59THDH6030TB_W_ | 1168 | 1435 | 1200 | 59.75 | 29.75 | 29.25 | 33.25 | 76 | 6.5 | - | - |
|                                                                                   | 59THDH7236TB_W_ | 1300 | 1664 | 1411 | 71.75 | 35.75 | 29.25 | 45.25 | 95 | 8   | - | - |



|                                                                               |                 |      |      |      |       |       |       |      |    |     |   |   |
|-------------------------------------------------------------------------------|-----------------|------|------|------|-------|-------|-------|------|----|-----|---|---|
| Square Table w/<br>Fixed T - Base. Casters<br>or Glides - No Modesty<br>Panel | 59THSQ3030TB_W_ | 1054 | 1324 | 993  | 29.75 | 29.75 | 29.25 | 24.5 | 59 | 4   | - | - |
|                                                                               | 59THSQ3636TB_W_ | 1068 | 1373 | 1050 | 35.75 | 35.75 | 29.25 | 24.5 | 71 | 4.5 | - | - |



**ORDERING NOTES:** To order bases with glides, replace the 1st underscore in the model number with the letter “G”; e.g. “59THRT7224CBGW”.

To order bases with casters, replace the 1st underscore in the model number with the letter “C”; e.g. “59THRT7224CBCW”.

To order the standard cable manager replace the 2nd underscore in the model number with the number “1”; e.g. “59THRT7224CBGW1”.

To order the high capacity base cable manager replace the 2nd underscore in the model number with the number “2”; e.g. “59THRT7224CBCW2”.

## DIMENSION KEY

W – width  
D – depth  
H – height of worksurface  
KW – kneehole width  
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

## KRUG EXPRESS

See page 3 for Krug Express program.

## STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates and Thermoformed Vinyls.



## MODESTY PANELS

Modesty panels are not available on half round and square tables.

## VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

# REVO | RECTANGULAR NESTING TABLES W/ C & T BASES

|                                                                                     |                                        |                   | Laminate<br>W/ PVC<br>Edge | Rift Oak,<br>Cherry,<br>Walnut,<br>Maple | Thermoformed<br>Vinyl | W     | D     | H     | KW   | Shipping<br>Weight | Cubic<br>Feet | X | Y |
|-------------------------------------------------------------------------------------|----------------------------------------|-------------------|----------------------------|------------------------------------------|-----------------------|-------|-------|-------|------|--------------------|---------------|---|---|
|    | Rectangular Nesting Table w/ C - Base. | 59THRT4820CBFP_W_ | 1298                       | 1593                                     | 1284                  | 47.75 | 19.75 | 29.25 | 36.5 | 62                 | 5             | - | - |
|                                                                                     | Casters or Glides - No Modesty Panel   | 59THRT5420CBFP_W_ | 1319                       | 1618                                     | 1329                  | 53.75 | 19.75 | 29.25 | 42.5 | 65                 | 5.5           | - | - |
|                                                                                     |                                        | 59THRT6020CBFP_W_ | 1340                       | 1643                                     | 1373                  | 59.75 | 19.75 | 29.25 | 48.5 | 69                 | 5.5           | - | - |
|                                                                                     |                                        | 59THRT6620CBFP_W_ | 1558                       | 1865                                     | 1622                  | 65.75 | 19.75 | 29.25 | 54.5 | 76                 | 6             | - | - |
|                                                                                     |                                        | 59THRT7220CBFP_W_ | 1595                       | 1907                                     | 1690                  | 71.75 | 19.75 | 29.25 | 60.5 | 82                 | 6             | - | - |
|                                                                                     |                                        | 59THRT7820CBFP_W_ | 1638                       | 1959                                     | 1756                  | 77.75 | 19.75 | 29.25 | 72.5 | 83                 | 6.5           | - | - |
|                                                                                     |                                        | 59THRT8420CBFP_W_ | 1684                       | 2014                                     | 1822                  | 83.75 | 29.75 | 29.25 | 48.5 | 84                 | 7             | - | - |
|                                                                                     |                                        | 59THRT4824CBFP_W_ | 1335                       | 1636                                     | 1365                  | 47.75 | 23.75 | 29.25 | 36.5 | 68                 | 5.5           | - | - |
|                                                                                     |                                        | 59THRT5424CBFP_W_ | 1359                       | 1666                                     | 1408                  | 53.75 | 23.75 | 29.25 | 42.5 | 73                 | 6             | - | - |
|                                                                                     |                                        | 59THRT6024CBFP_W_ | 1383                       | 1695                                     | 1450                  | 59.75 | 23.75 | 29.25 | 48.5 | 77                 | 6             | - | - |
|                                                                                     |                                        | 59THRT6624CBFP_W_ | 1610                       | 1921                                     | 1686                  | 65.75 | 23.75 | 29.25 | 54.5 | 80                 | 6.5           | - | - |
|                                                                                     |                                        | 59THRT7224CBFP_W_ | 1655                       | 1965                                     | 1740                  | 71.75 | 23.75 | 29.25 | 60.5 | 91                 | 6.5           | - | - |
|                                                                                     |                                        | 59THRT7824CBFP_W_ | 1699                       | 2009                                     | 1828                  | 77.75 | 23.75 | 29.25 | 72.5 | 92                 | 7             | - | - |
|                                                                                     |                                        | 59THRT8424CBFP_W_ | 1743                       | 2053                                     | 1883                  | 83.75 | 23.75 | 29.25 | 48.5 | 93                 | 7.5           | - | - |
|                                                                                     |                                        | 59THRT4830CBFP_W_ | 1400                       | 1686                                     | 1448                  | 47.75 | 29.75 | 29.25 | 36.5 | 77                 | 6             | - | - |
|                                                                                     |                                        | 59THRT5430CBFP_W_ | 1418                       | 1721                                     | 1491                  | 53.75 | 29.75 | 29.25 | 42.5 | 81                 | 6.5           | - | - |
|                                                                                     |                                        | 59THRT6030CBFP_W_ | 1435                       | 1755                                     | 1532                  | 59.75 | 29.75 | 29.25 | 48.5 | 88                 | 6.5           | - | - |
|                                                                                     | C-base inset from ends:                | 59THRT6630CBFP_W_ | 1659                       | 1988                                     | 1801                  | 65.75 | 29.75 | 29.25 | 54.5 | 90                 | 7             | - | - |
|                                                                                     | 72" tables & smaller - 3"              | 59THRT7230CBFP_W_ | 1702                       | 2040                                     | 1889                  | 71.75 | 29.75 | 29.25 | 60.5 | 104                | 7.5           | - | - |
|                                                                                     | 78" tables - inset 6"                  | 59THRT7830CBFP_W_ | 1745                       | 2091                                     | 1976                  | 77.75 | 29.75 | 29.25 | 60.5 | 107                | 8             | - | - |
|                                                                                     | 84" tables - inset 15"                 | 59THRT8430CBFP_W_ | 1860                       | 2166                                     | 2043                  | 83.75 | 29.75 | 29.25 | 48.5 | 109                | 8             | - | - |
|                                                                                     |                                        |                   |                            |                                          |                       |       |       |       |      |                    |               |   |   |
|  | Rectangular Nesting Table w/ T- Base.  | 59THRT4824TBFP_W_ | 1335                       | 1636                                     | 1365                  | 47.75 | 23.75 | 29.25 | 36.5 | 68                 | 5.5           | - | - |
|                                                                                     | Casters or Glides No Modesty Panel     | 59THRT5424TBFP_W_ | 1359                       | 1666                                     | 1408                  | 53.75 | 23.75 | 29.25 | 42.5 | 73                 | 6             | - | - |
|                                                                                     |                                        | 59THRT6024TBFP_W_ | 1383                       | 1695                                     | 1450                  | 59.75 | 23.75 | 29.25 | 48.5 | 77                 | 6             | - | - |
|                                                                                     |                                        | 59THRT6624TBFP_W_ | 1610                       | 1921                                     | 1686                  | 65.75 | 23.75 | 29.25 | 54.5 | 80                 | 6.5           | - | - |
|                                                                                     |                                        | 59THRT7224TBFP_W_ | 1655                       | 1965                                     | 1740                  | 71.75 | 23.75 | 29.25 | 60.5 | 91                 | 6.5           | - | - |
|                                                                                     |                                        | 59THRT7824TBFP_W_ | 1699                       | 2009                                     | 1828                  | 77.75 | 23.75 | 29.25 | 60.5 | 92                 | 7             | - | - |
|                                                                                     |                                        | 59THRT8424TBFP_W_ | 1743                       | 2053                                     | 1883                  | 83.75 | 23.75 | 29.25 | 48.5 | 93                 | 7.5           | - | - |
|                                                                                     |                                        | 59THRT4830TBFP_W_ | 1400                       | 1686                                     | 1448                  | 47.75 | 29.75 | 29.25 | 36.5 | 77                 | 6             | - | - |
|                                                                                     |                                        | 59THRT5430TBFP_W_ | 1418                       | 1721                                     | 1491                  | 53.75 | 29.75 | 29.25 | 42.5 | 81                 | 6.5           | - | - |
|                                                                                     |                                        | 59THRT6030TBFP_W_ | 1435                       | 1755                                     | 1532                  | 59.75 | 29.75 | 29.25 | 48.5 | 88                 | 6.5           | - | - |
|                                                                                     |                                        | 59THRT6630TBFP_W_ | 1659                       | 1988                                     | 1801                  | 65.75 | 29.75 | 29.25 | 54.5 | 90                 | 7             | - | - |
|                                                                                     |                                        | 59THRT7230TBFP_W_ | 1702                       | 2040                                     | 1889                  | 71.75 | 29.75 | 29.25 | 60.5 | 104                | 7.5           | - | - |
|                                                                                     |                                        | 59THRT7830TBFP_W_ | 1816                       | 2122                                     | 1999                  | 77.75 | 29.75 | 29.25 | 60.5 | 107                | 8             | - | - |
|                                                                                     |                                        | 59THRT8430TBFP_W_ | 1860                       | 2166                                     | 2043                  | 83.75 | 29.75 | 29.25 | 48.5 | 109                | 8             | - | - |
|                                                                                     |                                        | 59THRT4836TBFP_W_ | 1458                       | 1779                                     | 1520                  | 47.75 | 35.75 | 29.25 | 36.5 | 91                 | 8             | - | - |
|                                                                                     |                                        | 59THRT5436TBFP_W_ | 1493                       | 1820                                     | 1584                  | 53.75 | 35.75 | 29.25 | 42.5 | 98                 | 8.5           | - | - |
|                                                                                     |                                        | 59THRT6036TBFP_W_ | 1528                       | 1861                                     | 1693                  | 59.75 | 35.75 | 29.25 | 48.5 | 104                | 9             | - | - |
|                                                                                     | T-base inset from ends:                | 59THRT6636TBFP_W_ | 1753                       | 2098                                     | 1713                  | 65.75 | 35.75 | 29.25 | 54.5 | 113                | 9.5           | - | - |
|                                                                                     | 72" tables & smaller - 3"              | 59THRT7236TBFP_W_ | 1797                       | 2154                                     | 1867                  | 71.75 | 35.75 | 29.25 | 60.5 | 122                | 9.5           | - | - |
|                                                                                     | 78" tables - inset 6"                  | 59THRT7836TBFP_W_ | 1841                       | 2211                                     | 1990                  | 77.75 | 35.75 | 29.25 | 60.5 | 126                | 10            | - | - |
|                                                                                     | 84" tables - inset 15"                 | 59THRT8436TBFP_W_ | 1885                       | 2266                                     | 2100                  | 83.75 | 35.75 | 29.25 | 48.5 | 130                | 10            | - | - |

**ORDERING NOTES:** To order bases with glides, replace the 1st underscore in the model number with the letter "G"; e.g. "59THRT7224CBFPGW\_".

To order bases with casters, replace the 1st underscore in the model number with the letter "C"; e.g. "59THRT7224CBFCW\_".

To order the standard cable manager replace the 2nd underscore in the model number with the number "1"; e.g. "59THRT7224CBFPGW1".

## DIMENSION KEY

W - width  
D - depth  
H - height of worksurface  
KW - kneehole width  
X & Y - dimensions as indicated on line drawing

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

## KRUG EXPRESS

See page 3 for Krug Express program.

## STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates and Thermoformed Vinyls.

## MODESTY PANELS


Please see pages 154-159 for options and upcharges.

## VENEER TOPS


Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

## REVO | TRAPEZOID NESTING TABLES W/ C & T BASES

| Description                             | Model                 | Laminate<br>W/ PVC<br>Edge | Rift Oak,<br>Cherry,<br>Walnut, Thermoformed<br>Maple Vinyl |      | W     | D     | H     | KW    | Shipping<br>Weight | Cubic<br>Feet | X     | Y     |
|-----------------------------------------|-----------------------|----------------------------|-------------------------------------------------------------|------|-------|-------|-------|-------|--------------------|---------------|-------|-------|
|                                         |                       |                            |                                                             |      |       |       |       |       |                    |               |       |       |
| Trapezoid Nesting<br>Table w/ C - Base. | 59THTZ4824CBFP_W_1395 |                            | 1690                                                        | 1317 | 47.75 | 20.75 | 29.25 | 18.25 | 56                 | 5.5           | 23.75 | 23.75 |
| Casters or Glides -<br>No Modesty Panel | 59THTZ6030CBFP_W_1496 |                            | 1790                                                        | 1491 | 59.75 | 20.75 | 29.25 | 24.5  | 69                 | 6.5           | 29.75 | 29.75 |
|                                         | 59THTZ7236CBFP_W_1724 |                            | 2064                                                        | 1617 | 71.75 | 31    | 29.25 | 32.5  | 84                 | 7.5           | 35.75 | 35.75 |



|                                         |                      |      |      |      |       |       |       |       |    |     |       |       |
|-----------------------------------------|----------------------|------|------|------|-------|-------|-------|-------|----|-----|-------|-------|
| Trapezoid Nesting<br>Table w/ T - Base. | 59THZ6030TBFP_W_1496 | 1496 | 1790 | 1491 | 59.75 | 20.75 | 29.25 | 27.5  | 69 | 6.5 | 29.75 | 29.75 |
| Casters or Glides -<br>No Modesty Panel | 59THZ7236TBFP_W_1724 | 1724 | 2064 | 1617 | 71.75 | 31    | 29.25 | 35.75 | 84 | 7.5 | 35.75 | 35.75 |



**ORDERING NOTES:** To order bases with glides, replace the 1st underscore in the model number with the letter “G”;

e.g. “59THRT7224CBFPGW\_”.

To order bases with casters, replace the 1st underscore in the model number with the letter “C”; e.g. “59THRT7224CBFPCW\_”.

To order the standard cable manager replace the 2nd underscore in the model number with the number “1”; e.g. “59THRT7224CBFP-W1”.

To order the high capacity base cable manager replace the 2nd underscore in the model number with the number “2”;

e.g. “59THRT7224CBFPCW2”.

### DIMENSION KEY

W – width  
D – depth  
H – height of worksurface  
KW – kneehole width  
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

### KRUG EXPRESS

See page 3 for Krug Express program.

### STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates and Thermoformed Vinyls.

### MODESTY PANELS


Please see pages 154-159 for options and upcharges.

### VENEER TOPS


Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

# REVO | ARCED TRAPEZOID NESTING TABLES W/ C & T BASES

| Description                                | Model             | Rift Oak,<br>Laminate Cherry,<br>W/ PVC Edge |                    |      | W     | D    | H     | KW    | Shipping Weight | Cubic Feet | X     | Y     |
|--------------------------------------------|-------------------|----------------------------------------------|--------------------|------|-------|------|-------|-------|-----------------|------------|-------|-------|
|                                            |                   | Walnut, Maple                                | Thermoformed Vinyl |      |       |      |       |       |                 |            |       |       |
| Arced Trapezoid Nesting Table w/ C - Base. | 59THAZ4824CBFP_W_ | 1441                                         | 1728               | 1370 | 47.75 | 23.5 | 29.25 | 17.25 | 59              | 5.5        | 23.75 | 23.75 |
| Casters or Glides - No Modesty Panel       | 59THAZ6024CBFP_W_ | 1487                                         | 1789               | 1455 | 59.75 | 23.5 | 29.25 | 29    | 67              | 6          | 23.75 | 35.75 |
|                                            | 59THAZ7224CBFP_W_ | 1595                                         | 1939               | 1482 | 71.75 | 23.5 | 29.25 | 41    | 75              | 6.5        | 23.75 | 47.75 |
|                                            | 59THAZ6030CBFP_W_ | 1496                                         | 1818               | 1538 | 59.75 | 28.5 | 29.25 | 26    | 72              | 6.5        | 29.75 | 29.75 |
|                                            | 59THAZ7230CBFP_W_ | 1643                                         | 1980               | 1635 | 71.75 | 28.5 | 29.25 | 38    | 82              | 7          | 29.75 | 41.75 |



|                                                                                 |                   |      |      |      |       |       |       |       |    |     |       |       |
|---------------------------------------------------------------------------------|-------------------|------|------|------|-------|-------|-------|-------|----|-----|-------|-------|
| Arced Trapezoid Nesting Table w/ T - Base. Casters or Glides - No Modesty Panel | 59THAZ4824TBFP_W_ | 1441 | 1728 | 1370 | 47.75 | 23.5  | 29.25 | 20.5  | 59 | 5.5 | 23.75 | 23.75 |
|                                                                                 | 59THAZ6024TBFP_W_ | 1487 | 1789 | 1455 | 59.75 | 23.5  | 29.25 | 32.25 | 67 | 6   | 23.75 | 35.75 |
|                                                                                 | 59THAZ7224TBFP_W_ | 1595 | 1939 | 1482 | 71.75 | 23.5  | 29.25 | 44.25 | 75 | 6.5 | 23.75 | 47.75 |
|                                                                                 | 59THAZ6030TBFP_W_ | 1496 | 1818 | 1538 | 59.75 | 28.5  | 29.25 | 29.25 | 72 | 6.5 | 29.75 | 29.75 |
|                                                                                 | 59THAZ7230TBFP_W_ | 1496 | 1980 | 1635 | 71.75 | 28.5  | 29.25 | 41.25 | 82 | 7   | 29.75 | 41.75 |
|                                                                                 | 59THAZ6036TBFP_W_ | 1574 | 1882 | 1656 | 59.75 | 33.75 | 29.25 | 26    | 76 | 7   | 35.75 | 23.75 |
|                                                                                 | 59THAZ7236TBFP_W_ | 1708 | 2047 | 1751 | 71.75 | 33.75 | 29.25 | 37.75 | 88 | 7.5 | 35.75 | 35.75 |



**ORDERING NOTES:** To order bases with glides, replace the 1st underscore in the model number with the letter “G”; e.g. “59THZ6030CBFPGW\_”.

To order bases with casters, replace the 1st underscore in the model number with the letter “C”; e.g. “59THZ6030CBFPCW\_”.

To order the standard cable manager replace the 2nd underscore in the model number with the number “1”; e.g. “59THZ6030CBFPGW1”.

To order the high capacity base cable manager replace the 2nd underscore in the model number with the number “2”; e.g. “59THZ6030CBFPCW2”.

## DIMENSION KEY

W – width  
D – depth  
H – height of worksurface  
KW – kneehole width  
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

## KRUG EXPRESS

See page 3 for Krug Express program.

## STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates and Thermoformed Vinyls.

## MODESTY PANELS


Please see pages 154-159 for options and upcharges.

## VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

# REVO | HALF ROUND NESTING TABLES W/ C & T BASES CORNER CONNECTING TOPS

| Description                                                                        | Model             | Laminate<br>W/ PVC<br>Edge | Rift Oak,<br>Cherry,<br>Walnut,<br>Maple | Thermoformed<br>Vinyl | W     | D     | H     | KW    | Shipping<br>Weight | Cubic<br>Feet | X | Y |
|------------------------------------------------------------------------------------|-------------------|----------------------------|------------------------------------------|-----------------------|-------|-------|-------|-------|--------------------|---------------|---|---|
| Half Round Nesting Table<br>w/C - Base. Casters or<br>Glides - No Modesty<br>Panel | 59THDH4824CBFP_W_ | 1355                       | 1656                                     | 1366                  | 47.75 | 23.75 | 29.25 | 30    | 60                 | 5             | - | - |
|                                                                                    | 59THDH6030CBFP_W_ | 1517                       | 1785                                     | 1557                  | 59.75 | 29.75 | 29.25 | 33.25 | 76                 | 6.5           | - | - |
|                                                                                    | 59THDH7236CBFP_W_ | 1649                       | 2013                                     | 1767                  | 71.75 | 35.75 | 29.25 | 45.25 | 95                 | 8             | - | - |



|                                                                                    |                   |      |      |      |       |       |       |       |    |     |   |   |
|------------------------------------------------------------------------------------|-------------------|------|------|------|-------|-------|-------|-------|----|-----|---|---|
| Half Round Nesting Table<br>w/T - Base. Casters or<br>Glides - No Modesty<br>Panel | 59THDH6030TBFP_W_ | 1517 | 1785 | 1557 | 59.75 | 29.75 | 29.25 | 33.25 | 76 | 6.5 | - | - |
|                                                                                    | 59THDH7236TBFP_W_ | 1649 | 2013 | 1767 | 71.75 | 35.75 | 29.25 | 45.25 | 95 | 8   | - | - |
|                                                                                    |                   |      |      |      |       |       |       |       |    |     |   |   |



|                 |            |     |     |     |       |       |       |       |    |     |   |   |
|-----------------|------------|-----|-----|-----|-------|-------|-------|-------|----|-----|---|---|
| 45° Corner Tops | 59TC242445 | 289 | 318 | 407 | 18.25 | 23.75 | 29.25 | 18.25 | 21 | 2.5 | - | - |
|                 | 59TC303045 | 306 | 336 | 432 | 22.75 | 35.75 | 29.25 | 22.75 | 27 | 3.5 | - | - |
|                 | 59TC363645 | 327 | 359 | 461 | 27.75 | 35.75 | 29.25 | 27.25 | 36 | 4.5 | - | - |



|                 |            |     |     |     |       |       |       |       |    |     |   |   |
|-----------------|------------|-----|-----|-----|-------|-------|-------|-------|----|-----|---|---|
| 60° Corner Tops | 59TC242460 | 327 | 359 | 461 | 23.75 | 23.75 | 29.25 | 23.75 | 27 | 3   | - | - |
|                 | 59TC303060 | 347 | 381 | 488 | 29.75 | 29.75 | 29.25 | 29.75 | 36 | 4   | - | - |
|                 | 59TC363660 | 370 | 408 | 521 | 35.75 | 35.75 | 29.25 | 35.75 | 44 | 5.5 | - | - |



**ORDERING NOTES:** To order bases with glides, replace the 1st underscore in the model number with the letter “G”; e.g. “59THRT7224CBFDGW\_”.

To order bases with casters, replace the 1st underscore in the model number with the letter “C”; e.g. “59THRT7224CBFDCW\_”.

To order the standard cable manager replace the 2nd underscore in the model number with the number “1”; e.g. “59THRT7224CBFDGW1”.

To order the high capacity base cable manager replace the 2nd underscore in the model number with the number “2”; e.g. “59THRT7224CBFDCW2”.

Please note that modesty panels are not available on half round tables.

## DIMENSION KEY

W – width  
D – depth  
H – height of worksurface  
KW – kneehole width  
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

## KRUG EXPRESS

See page 3 for Krug Express program.

## STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates and Thermoformed Vinyls.

## MODESTY PANELS


Modesty Panels are not available on half round tables.


## veneer TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.


# REVO | CORNER CONNECTING TOPS RECTANGULAR TABLES W/ FOLDING C & T BASES

| Description    | Model      | Laminate<br>W/ PVC<br>Edge | Rift Oak,<br>Cherry,<br>Walnut,<br>Maple | Thermoformed<br>Vinyl | W     | D     | H     | KW    | Shipping<br>Weight | Cubic<br>Feet |
|----------------|------------|----------------------------|------------------------------------------|-----------------------|-------|-------|-------|-------|--------------------|---------------|
| 90 Corner Tops | 59TC242490 | 385                        | 423                                      | 540                   | 33.75 | 23.75 | 29.25 | 33.75 | 36                 | 2.5           |
|                | 59TC303090 | 408                        | 449                                      | 574                   | 42.75 | 29.75 | 29.25 | 42    | 44                 | 5.5           |
|                | 59TC363690 | 437                        | 480                                      | 613                   | 50.5  | 35.75 | 29.25 | 50.5  | 61                 | 8             |



|                                                                                                                                                                               |                   |      |      |      |       |       |       |      |     |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------|------|------|-------|-------|-------|------|-----|-----|
| Rectangular Table w/<br>Folding C - Base. Casters<br>or Glides - No Modesty<br>Panel<br><br> | 59THRT6020CBFD_W_ | 1139 | 1427 | 1168 | 59.75 | 19.75 | 29.25 | 48.5 | 69  | 5.5 |
|                                                                                                                                                                               | 59THRT6620CBFD_W_ | 1205 | 1498 | 1265 | 65.75 | 19.75 | 29.25 | 54.5 | 76  | 6   |
|                                                                                                                                                                               | 59THRT7220CBFD_W_ | 1243 | 1540 | 1330 | 71.75 | 19.75 | 29.25 | 60.5 | 82  | 6   |
|                                                                                                                                                                               | 59THRT7820CBFD_W_ | 1356 | 1682 | 1502 | 77.75 | 19.75 | 29.25 | 60.5 | 83  | 6.5 |
|                                                                                                                                                                               | 59THRT8420CBFD_W_ | 1422 | 1738 | 1568 | 83.75 | 19.75 | 29.25 | 48.5 | 84  | 7   |
|                                                                                                                                                                               | 59THRT6024CBFD_W_ | 1176 | 1473 | 1237 | 59.75 | 23.75 | 29.25 | 48.5 | 77  | 6   |
|                                                                                                                                                                               | 59THRT6624CBFD_W_ | 1252 | 1548 | 1292 | 65.75 | 23.75 | 29.25 | 54.5 | 80  | 6.5 |
|                                                                                                                                                                               | 59THRT7224CBFD_W_ | 1298 | 1592 | 1373 | 71.75 | 23.75 | 29.25 | 60.5 | 91  | 6.5 |
|                                                                                                                                                                               | 59THRT7824CBFD_W_ | 1415 | 1736 | 1548 | 77.75 | 23.75 | 29.25 | 60.5 | 92  | 7   |
|                                                                                                                                                                               | 59THRT8424CBFD_W_ | 1480 | 1781 | 1603 | 83.75 | 23.75 | 29.25 | 48.5 | 93  | 7.5 |
|                                                                                                                                                                               | 59THRT6030CBFD_W_ | 1226 | 1530 | 1316 | 59.75 | 29.75 | 29.25 | 48.5 | 88  | 6.5 |
|                                                                                                                                                                               | 59THRT6630CBFD_W_ | 1300 | 1612 | 1396 | 65.75 | 29.75 | 29.25 | 54.5 | 90  | 7   |
|                                                                                                                                                                               | 59THRT7230CBFD_W_ | 1343 | 1664 | 1514 | 71.75 | 29.75 | 29.25 | 60.5 | 104 | 7.5 |

C-base inset from ends:  
72" tables & smaller - 3"  
78" tables - inset 6"  
84" tables - inset 15"

|                                                                                                                                                                                |                   |      |      |      |       |       |       |      |     |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------|------|------|-------|-------|-------|------|-----|-----|
| Rectangular Table w/<br>Folding T- Base. Casters<br>or Glides - No Modesty<br>Panel<br><br> | 59THRT6024TBFD_W_ | 1176 | 1473 | 1237 | 59.75 | 23.75 | 29.25 | 48.5 | 77  | 6   |
|                                                                                                                                                                                | 59THRT6624TBFD_W_ | 1252 | 1548 | 1327 | 65.75 | 23.75 | 29.25 | 54.5 | 80  | 6.5 |
|                                                                                                                                                                                | 59THRT7224TBFD_W_ | 1298 | 1592 | 1373 | 71.75 | 23.75 | 29.25 | 60.5 | 91  | 6.5 |
|                                                                                                                                                                                | 59THRT7824TBFD_W_ | 1415 | 1736 | 1548 | 77.75 | 23.75 | 29.25 | 60.5 | 92  | 7   |
|                                                                                                                                                                                | 59THRT8424TBFD_W_ | 1480 | 1781 | 1603 | 83.75 | 23.75 | 29.25 | 48.5 | 93  | 7.5 |
|                                                                                                                                                                                | 59THRT6030TBFD_W_ | 1226 | 1530 | 1292 | 59.75 | 29.75 | 29.25 | 48.5 | 88  | 6.5 |
|                                                                                                                                                                                | 59THRT6630TBFD_W_ | 1300 | 1612 | 1396 | 65.75 | 29.75 | 29.25 | 54.5 | 90  | 7   |
|                                                                                                                                                                                | 59THRT7230TBFD_W_ | 1343 | 1664 | 1514 | 71.75 | 29.75 | 29.25 | 60.5 | 104 | 7.5 |
|                                                                                                                                                                                | 59THRT7830TBFD_W_ | 1470 | 1764 | 1611 | 77.75 | 29.75 | 29.25 | 60.5 | 107 | 8   |
|                                                                                                                                                                                | 59THRT8430TBFD_W_ | 1513 | 1825 | 1665 | 83.75 | 29.75 | 29.25 | 48.5 | 109 | 8   |
|                                                                                                                                                                                | 59THRT6036TBFD_W_ | 1327 | 1644 | 1482 | 59.75 | 35.75 | 29.25 | 48.5 | 104 | 9   |
|                                                                                                                                                                                | 59THRT6636TBFD_W_ | 1401 | 1729 | 1575 | 65.75 | 35.75 | 29.25 | 54.5 | 113 | 9.5 |
|                                                                                                                                                                                | 59THRT7236TBFD_W_ | 1445 | 1785 | 1646 | 71.75 | 35.75 | 29.25 | 60.5 | 122 | 9.5 |

T-base inset from ends:  
72" tables & smaller - 3"  
78" tables - inset 6"  
84" tables - inset 15"

## ORDERING NOTES:

To order bases with glides, replace the 1st underscore in the model number with the letter "G";  
e.g. "59THRT7224CBFDGW\_".  
To order bases with casters, replace the 1st underscore in the model number with the letter "C"; e.g. "59THRT7224CBFDCW\_".  
To order the standard cable manager replace the 2nd underscore in the model number with the number "1";  
e.g. "59THRT7224CBFDGW1".  
To order the high capacity base cable manager replace the 2nd underscore in the model number with the number "2";  
e.g. "59THRT7224CBFDCW2".

## DIMENSION KEY

W - width  
D - depth  
H - height of worksurface  
KW - kneehole width  
X & Y - dimensions as indicated on line drawing

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

## KRUG EXPRESS

See page 3 for Krug Express program.

## STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates and Thermoformed Vinyls.

## MODESTY PANELS


Please see pages 154-159 for options and upcharges.

## VENEER TOPS

Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

# REVO | MODESTY PANELS


| Description                                                       | Model | Table              | Size      | Upcharge | W    | D | H  | Shipping Weight | Cubic Feet |
|-------------------------------------------------------------------|-------|--------------------|-----------|----------|------|---|----|-----------------|------------|
| Fixed Modesty Panels<br>Laminate<br>No Cable Management<br>Trough | F61   | Rectangle          | 48"       | 228      | 46.5 | 4 | 10 | 14              | 2.5        |
|                                                                   |       |                    | 54"       | 234      | 52.5 | 4 | 10 | 15              | 2.5        |
|                                                                   |       |                    | 60"       | 239      | 58.5 | 4 | 10 | 16              | 3          |
|                                                                   |       |                    | 66"       | 248      | 64.5 | 4 | 10 | 17              | 3          |
|                                                                   |       |                    | 72"       | 254      | 70.5 | 4 | 10 | 18              | 3.5        |
|                                                                   |       |                    | 78"       | 268      | 76.5 | 4 | 10 | 20              | 3.5        |
|                                                                   |       |                    | 84"       | 281      | 82.5 | 4 | 10 | 21              | 4          |
|                                                                   |       | Arced<br>Trapezoid | 48" x 24" | 197      | 22.5 | 4 | 10 | 9               | 1          |
|                                                                   |       |                    | 60" x 24" | 208      | 34.5 | 4 | 10 | 12              | 1.5        |
|                                                                   |       |                    | 72" x 24" | 228      | 46.5 | 4 | 10 | 14              | 2.5        |
|                                                                   |       |                    | 60" x 30" | 203      | 28.5 | 4 | 10 | 11              | 1.5        |
|                                                                   |       |                    | 72" x 30" | 222      | 40.5 | 4 | 10 | 13              | 2          |
|                                                                   |       |                    | 60" x 36" | 197      | 22.5 | 4 | 10 | 9               | 1          |
|                                                                   |       |                    | 72" x 36" | 208      | 34.5 | 4 | 10 | 12              | 1.5        |
|                                                                   |       | Trapezoid          | 48" x 24" | 197      | 22.5 | 4 | 10 | 9               | 1          |
|                                                                   |       |                    | 60" x 30" | 203      | 28.5 | 4 | 10 | 11              | 1.5        |
|                                                                   |       |                    | 72" x 36" | 208      | 34.5 | 4 | 10 | 12              | 1.5        |



## ORDERING NOTES

On laminate modesty panels, the grain runs horizontally. To specify a fixed laminate modesty panel, apply above pricing for the specific modesty panel and add "F61" to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F61**.

|                                                                   |     |                    |           |     |      |   |    |    |     |
|-------------------------------------------------------------------|-----|--------------------|-----------|-----|------|---|----|----|-----|
| Fixed Modesty Panels<br>Aluminum<br>No Cable Management<br>Trough | F51 | Rectangle          | 48"       | 268 | 46.5 | 6 | 10 | 19 | 2.5 |
|                                                                   |     |                    | 54"       | 288 | 52.5 | 6 | 10 | 21 | 2.5 |
|                                                                   |     |                    | 60"       | 305 | 58.5 | 6 | 10 | 23 | 3   |
|                                                                   |     |                    | 66"       | 321 | 64.5 | 6 | 10 | 24 | 3   |
|                                                                   |     |                    | 72"       | 335 | 70.5 | 6 | 10 | 26 | 4   |
|                                                                   |     |                    | 78"       | 362 | 76.5 | 6 | 10 | 27 | 3.5 |
|                                                                   |     |                    | 84"       | 387 | 82.5 | 6 | 10 | 29 | 4.5 |
|                                                                   |     | Arced<br>Trapezoid | 48" x 24" | 181 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                                   |     |                    | 60" x 24" | 224 | 34.5 | 6 | 10 | 17 | 2   |
|                                                                   |     |                    | 72" x 24" | 257 | 46.5 | 6 | 10 | 19 | 3   |
|                                                                   |     |                    | 60" x 30" | 202 | 28.5 | 6 | 10 | 15 | 2   |
|                                                                   |     |                    | 72" x 30" | 245 | 40.5 | 6 | 10 | 18 | 2.5 |
|                                                                   |     |                    | 60" x 36" | 181 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                                   |     |                    | 72" x 36" | 224 | 34.5 | 6 | 10 | 17 | 2   |
|                                                                   |     | Trapezoid          | 48" x 24" | 181 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                                   |     |                    | 60" x 30" | 202 | 28.5 | 6 | 10 | 15 | 2   |
|                                                                   |     |                    | 72" x 36" | 224 | 34.5 | 6 | 10 | 17 | 2   |



## ORDERING NOTES

To specify an aluminum modesty panel, apply above pricing for the specific modesty panel and add "F51" to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F51**.

## DIMENSION KEY

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.



## STANDARD FINISHES

For a complete list of In-Stock Laminates, please see page 131.

## KRUG EXPRESS

See page 3 for Krug Express program.


| Description                                                | Model | Table           | Size      | Upcharge | W    | D | H  | Shipping Weight | Cubic Feet |
|------------------------------------------------------------|-------|-----------------|-----------|----------|------|---|----|-----------------|------------|
| Fixed Modesty Panels<br>Wood No Cable<br>Management Trough | F11   | Rectangle       | 48"       | 407      | 46.5 | 5 | 10 | 19              | 2.5        |
|                                                            |       |                 | 54"       | 416      | 52.5 | 5 | 10 | 21              | 2.5        |
|                                                            |       |                 | 60"       | 424      | 58.5 | 5 | 10 | 23              | 3          |
|                                                            |       |                 | 66"       | 434      | 64.5 | 5 | 10 | 24              | 3          |
|                                                            |       |                 | 72"       | 444      | 70.5 | 5 | 10 | 26              | 4          |
|                                                            |       |                 | 78"       | 451      | 76.5 | 5 | 10 | 27              | 3.5        |
|                                                            |       |                 | 84"       | 455      | 82.5 | 5 | 10 | 29              | 4.5        |
|                                                            |       | Arced Trapezoid | 48" x 24" | 372      | 22.5 | 5 | 10 | 13              | 1.5        |
|                                                            |       |                 | 60" x 24" | 390      | 34.5 | 5 | 10 | 17              | 2          |
|                                                            |       |                 | 72" x 24" | 407      | 46.5 | 5 | 10 | 19              | 3          |
|                                                            |       |                 | 60" x 30" | 380      | 28.5 | 5 | 10 | 15              | 2          |
|                                                            |       |                 | 72" x 30" | 399      | 40.5 | 5 | 10 | 18              | 2.5        |
|                                                            |       |                 | 60" x 36" | 372      | 22.5 | 5 | 10 | 13              | 1.5        |
|                                                            |       |                 | 72" x 36" | 390      | 34.5 | 5 | 10 | 17              | 2          |
|                                                            |       | Trapezoid       | 48" x 24" | 372      | 22.5 | 5 | 10 | 13              | 1.5        |
|                                                            |       |                 | 60" x 30" | 380      | 28.5 | 5 | 10 | 15              | 2          |
|                                                            |       |                 | 72" x 36" | 390      | 34.5 | 5 | 10 | 17              | 2          |



#### ORDERING NOTES

On wood modesty panels, the grain runs vertically. To specify a fixed wood modesty panel, apply above pricing for the specific modesty panel and add "F11" to the end of the tables model number; e.g. 59THRT7224CBFDGW1F11.

|                                                                     |     |                 |           |     |      |   |    |    |     |
|---------------------------------------------------------------------|-----|-----------------|-----------|-----|------|---|----|----|-----|
| Fixed Modesty Panels<br>Laminate<br>With Cable Management<br>Trough | F62 | Rectangle       | 48"       | 254 | 46.5 | 5 | 10 | 19 | 2.5 |
|                                                                     |     |                 | 54"       | 260 | 52.5 | 5 | 10 | 15 | 2.5 |
|                                                                     |     |                 | 60"       | 266 | 58.5 | 5 | 10 | 23 | 3   |
|                                                                     |     |                 | 66"       | 273 | 64.5 | 5 | 10 | 17 | 3   |
|                                                                     |     |                 | 72"       | 280 | 70.5 | 5 | 10 | 26 | 4   |
|                                                                     |     |                 | 78"       | 297 | 76.5 | 5 | 10 | 20 | 3.5 |
|                                                                     |     |                 | 84"       | 313 | 82.5 | 5 | 10 | 29 | 4.5 |
|                                                                     |     | Arced Trapezoid | 48" x 24" | 224 | 22.5 | 5 | 10 | 13 | 1.5 |
|                                                                     |     |                 | 60" x 24" | 235 | 34.5 | 5 | 10 | 17 | 2   |
|                                                                     |     |                 | 72" x 24" | 254 | 46.5 | 5 | 10 | 19 | 3   |
|                                                                     |     |                 | 60" x 30" | 229 | 28.5 | 5 | 10 | 15 | 2   |
|                                                                     |     |                 | 72" x 30" | 248 | 40.5 | 5 | 10 | 18 | 2.5 |
|                                                                     |     |                 | 60" x 36" | 224 | 22.5 | 5 | 10 | 13 | 1.5 |
|                                                                     |     |                 | 72" x 36" | 235 | 34.5 | 5 | 10 | 17 | 2   |
|                                                                     |     | Trapezoid       | 48" x 24" | 224 | 22.5 | 5 | 10 | 13 | 1.5 |
|                                                                     |     |                 | 60" x 30" | 229 | 28.5 | 5 | 10 | 15 | 2   |
|                                                                     |     |                 | 72" x 36" | 235 | 34.5 | 5 | 10 | 17 | 2   |



#### ORDERING NOTES

On laminate modesty panels, the grain runs horizontally. To specify a fixed laminate modesty panel, apply above pricing for the specific modesty panel and add "F62" to the end of the tables model number; e.g. 59THRT7224CBFDGW1F62.

#### DIMENSION KEY

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.


#### STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates.

#### KRUG EXPRESS


See page 3 for Krug Express program.

## REVO | MODESTY PANELS

| Description                                                                                                                                              | Model | Table              | Size      | Upcharge | W    | D | H  | Shipping Weight | Cubic Feet |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------------|-----------|----------|------|---|----|-----------------|------------|
| Fixed Modesty Panels<br>Aluminum With Cable<br>Management Trough<br><br> | F52   | Rectangle          | 48"       | 302      | 46.5 | 4 | 10 | 14              | 2.5        |
|                                                                                                                                                          |       |                    | 54"       | 322      | 52.5 | 4 | 10 | 15              | 2.5        |
|                                                                                                                                                          |       |                    | 60"       | 342      | 58.5 | 4 | 10 | 16              | 3          |
|                                                                                                                                                          |       |                    | 66"       | 356      | 64.5 | 4 | 10 | 17              | 3          |
|                                                                                                                                                          |       |                    | 72"       | 370      | 70.5 | 4 | 10 | 18              | 3.5        |
|                                                                                                                                                          |       |                    | 78"       | 399      | 76.5 | 4 | 10 | 20              | 3.5        |
|                                                                                                                                                          |       |                    | 84"       | 427      | 82.5 | 4 | 10 | 21              | 4          |
|                                                                                                                                                          |       | Arced<br>Trapezoid | 48" x 24" | 217      | 22.5 | 4 | 10 | 9               | 1          |
|                                                                                                                                                          |       |                    | 60" x 24" | 261      | 34.5 | 4 | 10 | 12              | 1.5        |
|                                                                                                                                                          |       |                    | 72" x 24" | 302      | 46.5 | 4 | 10 | 14              | 2.5        |
|                                                                                                                                                          |       |                    | 60" x 30" | 240      | 28.5 | 4 | 10 | 11              | 1.5        |
|                                                                                                                                                          |       |                    | 72" x 30" | 283      | 40.5 | 4 | 10 | 13              | 2          |
|                                                                                                                                                          |       |                    | 60" x 36" | 217      | 22.5 | 4 | 10 | 9               | 1          |
|                                                                                                                                                          |       |                    | 72" x 36" | 261      | 34.5 | 4 | 10 | 12              | 1.5        |
|                                                                                                                                                          |       | Trapezoid          | 48" x 24" | 217      | 22.5 | 4 | 10 | 9               | 1          |
|                                                                                                                                                          |       |                    | 60" x 30" | 240      | 28.5 | 4 | 10 | 11              | 1.5        |
|                                                                                                                                                          |       |                    | 72" x 36" | 261      | 34.5 | 4 | 10 | 12              | 1.5        |

### ORDERING NOTES

To specify an aluminum modesty panel, apply above pricing for the specific modesty panel and add "F52" to the end of the tables model number; e.g. 59THRT7224CBFDGW1F52.

|                                                                                                                                                        |     |                    |           |     |      |   |    |    |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------|-----------|-----|------|---|----|----|-----|
| Fixed Modesty Panels<br>Wood with Cable<br>Management Trough<br><br> | F12 | Rectangle          | 48"       | 431 | 46.5 | 6 | 10 | 19 | 2.5 |
|                                                                                                                                                        |     |                    | 54"       | 441 | 52.5 | 6 | 10 | 21 | 2.5 |
|                                                                                                                                                        |     |                    | 60"       | 451 | 58.5 | 6 | 10 | 23 | 3   |
|                                                                                                                                                        |     |                    | 66"       | 461 | 52.5 | 6 | 10 | 24 | 3   |
|                                                                                                                                                        |     |                    | 72"       | 471 | 70.5 | 6 | 10 | 26 | 4   |
|                                                                                                                                                        |     |                    | 78"       | 477 | 76.5 | 6 | 10 | 27 | 3.5 |
|                                                                                                                                                        |     |                    | 84"       | 484 | 82.5 | 6 | 10 | 29 | 4.5 |
|                                                                                                                                                        |     | Arced<br>Trapezoid | 48" x 24" | 380 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                                                                                                                        |     |                    | 60" x 24" | 404 | 34.5 | 6 | 10 | 17 | 2   |
|                                                                                                                                                        |     |                    | 72" x 24" | 431 | 46.5 | 6 | 10 | 19 | 3   |
|                                                                                                                                                        |     |                    | 60" x 30" | 392 | 28.5 | 6 | 10 | 15 | 2   |
|                                                                                                                                                        |     |                    | 72" x 30" | 417 | 40.5 | 6 | 10 | 18 | 2.5 |
|                                                                                                                                                        |     |                    | 60" x 36" | 380 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                                                                                                                        |     |                    | 72" x 36" | 404 | 34.5 | 6 | 10 | 17 | 2   |
|                                                                                                                                                        |     | Trapezoid          | 48" x 24" | 380 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                                                                                                                        |     |                    | 60" x 30" | 392 | 28.5 | 6 | 10 | 15 | 2   |
|                                                                                                                                                        |     |                    | 72" x 36" | 404 | 34.5 | 6 | 10 | 17 | 2   |

### ORDERING NOTES

On wood modesty panels, the grain runs vertically. To specify a fixed wood modesty panel, apply above pricing for the specific modesty panel and add "F12" to the end of the tables model number; e.g. 59THRT7224CBFDGW1F12.

#### DIMENSION KEY

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.


#### STANDARD FINISHES

For a complete list of standard wood finishes, please see page 130.

#### KRUG EXPRESS

See page 3 for Krug Express program.


| Description                                         | Model | Table           | Size      | Upcharge | W    | D | H  | Shipping Weight | Cubic Feet |
|-----------------------------------------------------|-------|-----------------|-----------|----------|------|---|----|-----------------|------------|
| Fixed Modesty Panels<br>Laminate<br>For Power/ Data | F63   | Rectangle       | 48"       | 325      | 46.5 | 5 | 10 | 19              | 2.5        |
|                                                     |       |                 | 54"       | 332      | 52.5 | 5 | 10 | 21              | 2.5        |
|                                                     |       |                 | 60"       | 337      | 58.5 | 5 | 10 | 23              | 3          |
|                                                     |       |                 | 66"       | 344      | 64.5 | 5 | 10 | 24              | 3          |
|                                                     |       |                 | 72"       | 351      | 70.5 | 5 | 10 | 26              | 4          |
|                                                     |       |                 | 78"       | 364      | 76.5 | 5 | 10 | 27              | 3.5        |
|                                                     |       |                 | 84"       | 377      | 82.5 | 5 | 10 | 29              | 4.5        |
|                                                     |       | Arced Trapezoid | 48" x 24" | 294      | 22.5 | 5 | 10 | 13              | 1.5        |
|                                                     |       |                 | 60" x 24" | 306      | 34.5 | 5 | 10 | 17              | 2          |
|                                                     |       |                 | 72" x 24" | 325      | 46.5 | 5 | 10 | 19              | 3          |
|                                                     |       |                 | 60" x 30" | 300      | 28.5 | 5 | 10 | 15              | 2          |
|                                                     |       |                 | 72" x 30" | 319      | 40.5 | 5 | 10 | 18              | 2.5        |
|                                                     |       |                 | 60" x 36" | 294      | 22.5 | 5 | 10 | 13              | 1.5        |
|                                                     |       |                 | 72" x 36" | 306      | 34.5 | 5 | 10 | 17              | 2          |
|                                                     |       | Trapezoid       | 48" x 24" | 294      | 22.5 | 5 | 10 | 13              | 1.5        |
|                                                     |       |                 | 60" x 30" | 300      | 28.5 | 5 | 10 | 15              | 2          |
|                                                     |       |                 | 72" x 36" | 306      | 34.5 | 5 | 10 | 17              | 2          |



#### ORDERING NOTES

On laminate modesty panels, the grain runs horizontally. To specify a fixed laminate modesty panel, apply above pricing for the specific modesty panel and add "F63" to the end of the tables model number; e.g. 59THRT7224CBFDGW1F63.

|                                                     |     |                 |           |     |      |   |    |    |     |
|-----------------------------------------------------|-----|-----------------|-----------|-----|------|---|----|----|-----|
| Fixed Modesty Panels<br>Aluminum<br>For Power/ Data | F53 | Rectangle       | 48"       | 361 | 46.5 | 5 | 10 | 19 | 2.5 |
|                                                     |     |                 | 54"       | 379 | 52.5 | 5 | 10 | 21 | 2.5 |
|                                                     |     |                 | 60"       | 397 | 58.5 | 5 | 10 | 23 | 3   |
|                                                     |     |                 | 66"       | 420 | 64.5 | 5 | 10 | 24 | 3   |
|                                                     |     |                 | 72"       | 442 | 70.5 | 5 | 10 | 26 | 4   |
|                                                     |     |                 | 78"       | 475 | 76.5 | 5 | 10 | 20 | 3.5 |
|                                                     |     |                 | 84"       | 508 | 82.5 | 5 | 10 | 29 | 4.5 |
|                                                     |     | Arced Trapezoid | 48" x 24" | 277 | 22.5 | 5 | 10 | 13 | 1.5 |
|                                                     |     |                 | 60" x 24" | 320 | 34.5 | 5 | 10 | 17 | 2   |
|                                                     |     |                 | 72" x 24" | 361 | 46.5 | 5 | 10 | 19 | 3   |
|                                                     |     |                 | 60" x 30" | 298 | 28.5 | 5 | 10 | 15 | 2   |
|                                                     |     |                 | 72" x 30" | 334 | 40.5 | 5 | 10 | 18 | 2.5 |
|                                                     |     |                 | 60" x 36" | 277 | 22.5 | 5 | 10 | 13 | 1.5 |
|                                                     |     |                 | 72" x 36" | 320 | 34.5 | 5 | 10 | 17 | 2   |
|                                                     |     | Trapezoid       | 48" x 24" | 277 | 22.5 | 5 | 10 | 13 | 1.5 |
|                                                     |     |                 | 60" x 30" | 298 | 28.5 | 5 | 10 | 15 | 2   |
|                                                     |     |                 | 72" x 36" | 320 | 34.5 | 5 | 10 | 17 | 2   |



#### ORDERING NOTES

To specify an aluminum modesty panel, apply above pricing for the specific modesty panel and add "F53" to the end of the tables model number; e.g. 59THRT7224CBFDGW1F53.

#### DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES


For a complete list of In-Stock Laminates, please see page 131.

#### KRUG EXPRESS

See page 3 for Krug Express program.

# REVO | MODESTY PANELS


| Description                                     | Model | Table           | Size      | Upcharge | W    | D | H  | Shipping Weight | Cubic Feet |
|-------------------------------------------------|-------|-----------------|-----------|----------|------|---|----|-----------------|------------|
| Fixed Modesty Panels<br>Wood<br>For Power/ Data | F13   | Rectangle       | 48"       | 501      | 46.5 | 4 | 10 | 14              | 2.5        |
|                                                 |       |                 | 54"       | 512      | 52.5 | 4 | 10 | 15              | 2.5        |
|                                                 |       |                 | 60"       | 523      | 58.5 | 4 | 10 | 16              | 3          |
|                                                 |       |                 | 66"       | 531      | 64.5 | 4 | 10 | 17              | 3          |
|                                                 |       |                 | 72"       | 540      | 70.5 | 4 | 10 | 18              | 3.5        |
|                                                 |       |                 | 78"       | 553      | 76.5 | 4 | 10 | 20              | 3.5        |
|                                                 |       |                 | 84"       | 566      | 82.5 | 4 | 10 | 21              | 4          |
|                                                 |       | Arced Trapezoid | 48" x 24" | 452      | 22.5 | 4 | 10 | 9               | 1          |
|                                                 |       |                 | 60" x 24" | 475      | 34.5 | 4 | 10 | 12              | 1.5        |
|                                                 |       |                 | 72" x 24" | 501      | 46.5 | 4 | 10 | 14              | 2.5        |
|                                                 |       |                 | 60" x 30" | 463      | 28.5 | 4 | 10 | 11              | 1.5        |
|                                                 |       |                 | 72" x 30" | 487      | 40.5 | 4 | 10 | 13              | 2          |
|                                                 |       |                 | 60" x 36" | 452      | 22.5 | 4 | 10 | 9               | 1          |
|                                                 |       |                 | 72" x 36" | 475      | 34.5 | 4 | 10 | 12              | 1.5        |
|                                                 |       | Trapezoid       | 48" x 24" | 452      | 22.5 | 4 | 10 | 9               | 1          |
|                                                 |       |                 | 60" x 30" | 463      | 28.5 | 4 | 10 | 11              | 1.5        |
|                                                 |       |                 | 72" x 36" | 475      | 34.5 | 4 | 10 | 12              | 1.5        |



## ORDERING NOTES

On wood modesty panels, the grain runs vertically. To specify a fixed wood modesty panel, apply above pricing for the specific modesty panel and add "F13" to the end of the tables model number; e.g. 59THRT7224CBFDGW1F13.

|                                                    |     |                 |           |     |      |   |    |    |     |
|----------------------------------------------------|-----|-----------------|-----------|-----|------|---|----|----|-----|
| Flip Modesty Panels<br>Laminate<br>For Power/ Data | Y64 | Rectangle       | 48"       | 361 | 46.5 | 6 | 10 | 19 | 2.5 |
|                                                    |     |                 | 54"       | 366 | 52.5 | 6 | 10 | 21 | 2.5 |
|                                                    |     |                 | 60"       | 372 | 58.5 | 6 | 10 | 23 | 3   |
|                                                    |     |                 | 66"       | 379 | 64.5 | 6 | 10 | 24 | 3   |
|                                                    |     |                 | 72"       | 386 | 70.5 | 6 | 10 | 26 | 4   |
|                                                    |     |                 | 78"       | 399 | 76.5 | 6 | 10 | 20 | 3.5 |
|                                                    |     |                 | 84"       | 412 | 82.5 | 6 | 10 | 29 | 4.5 |
|                                                    |     | Arced Trapezoid | 48" x 24" | 329 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                    |     |                 | 60" x 24" | 341 | 34.5 | 6 | 10 | 17 | 2   |
|                                                    |     |                 | 72" x 24" | 361 | 46.5 | 6 | 10 | 19 | 3   |
|                                                    |     |                 | 60" x 30" | 335 | 28.5 | 6 | 10 | 15 | 2   |
|                                                    |     |                 | 72" x 30" | 353 | 40.5 | 6 | 10 | 18 | 2.5 |
|                                                    |     |                 | 60" x 36" | 329 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                    |     |                 | 72" x 36" | 341 | 34.5 | 6 | 10 | 17 | 2   |
|                                                    |     | Trapezoid       | 48" x 24" | 329 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                    |     |                 | 60" x 30" | 335 | 28.5 | 6 | 10 | 15 | 2   |
|                                                    |     |                 | 72" x 36" | 341 | 34.5 | 6 | 10 | 17 | 2   |



## ORDERING NOTES

On laminate modesty panels, the grain runs horizontally. To specify a flip laminate modesty panel, apply above pricing for the specific modesty panel and add "Y64" to the end of the tables model number; e.g. 59THRT7224CBFDGW1Y64.

## DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.


## STANDARD FINISHES

For a complete list of standard finishes, please see page 130 for Standard Wood Finishes or page 131 for In-Stock Laminates.

## KRUG EXPRESS

See page 3 for Krug Express program.


| Description                                        | Model | Table           | Size      | Upcharge | W    | D | H  | Shipping Weight | Cubic Feet |
|----------------------------------------------------|-------|-----------------|-----------|----------|------|---|----|-----------------|------------|
| Flip Modesty Panels<br>Aluminum<br>For Power/ Data | Y54   | Rectangle       | 48"       | 397      | 46.5 | 6 | 10 | 19              | 2.5        |
|                                                    |       |                 | 54"       | 416      | 52.5 | 6 | 10 | 21              | 2.5        |
|                                                    |       |                 | 60"       | 433      | 58.5 | 6 | 10 | 23              | 3          |
|                                                    |       |                 | 66"       | 456      | 64.5 | 6 | 10 | 24              | 3          |
|                                                    |       |                 | 72"       | 480      | 70.5 | 6 | 10 | 26              | 4          |
|                                                    |       |                 | 78"       | 516      | 76.5 | 6 | 10 | 27              | 3.5        |
|                                                    |       |                 | 84"       | 552      | 82.5 | 6 | 10 | 29              | 4.5        |
|                                                    |       | Arced Trapezoid | 48" x 24" | 313      | 22.5 | 6 | 10 | 13              | 1.5        |
|                                                    |       |                 | 60" x 24" | 357      | 34.5 | 6 | 10 | 17              | 2          |
|                                                    |       |                 | 72" x 24" | 397      | 46.5 | 6 | 10 | 19              | 3          |
|                                                    |       |                 | 60" x 30" | 335      | 28.5 | 6 | 10 | 15              | 2          |
|                                                    |       |                 | 72" x 30" | 370      | 40.5 | 6 | 10 | 18              | 2.5        |
|                                                    |       |                 | 60" x 36" | 313      | 22.5 | 6 | 10 | 13              | 1.5        |
|                                                    |       |                 | 72" x 36" | 357      | 34.5 | 6 | 10 | 17              | 2          |
|                                                    |       | Trapezoid       | 48" x 24" | 313      | 22.5 | 6 | 10 | 13              | 1.5        |
|                                                    |       |                 | 60" x 30" | 335      | 28.5 | 6 | 10 | 15              | 2          |
|                                                    |       |                 | 72" x 36" | 357      | 34.5 | 6 | 10 | 17              | 2          |



#### ORDERING NOTES

To specify a flip aluminum modesty panel, apply above pricing for the specific modesty panel and add "Y54" to the end of the tables model number; e.g. 59THRT7224CBFDGW1Y54.

|                                                |     |                 |           |     |      |   |    |    |     |
|------------------------------------------------|-----|-----------------|-----------|-----|------|---|----|----|-----|
| Flip Modesty Panels<br>Wood<br>For Power/ Data | Y14 | Rectangle       | 48"       | 533 | 46.5 | 6 | 10 | 19 | 2.5 |
|                                                |     |                 | 54"       | 542 | 52.5 | 6 | 10 | 21 | 2.5 |
|                                                |     |                 | 60"       | 552 | 58.5 | 6 | 10 | 23 | 3   |
|                                                |     |                 | 66"       | 561 | 64.5 | 6 | 10 | 24 | 3   |
|                                                |     |                 | 72"       | 570 | 70.5 | 6 | 10 | 26 | 4   |
|                                                |     |                 | 78"       | 583 | 76.5 | 6 | 10 | 27 | 3.5 |
|                                                |     |                 | 84"       | 596 | 82.5 | 6 | 10 | 29 | 4.5 |
|                                                |     | Arced Trapezoid | 48" x 24" | 486 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                |     |                 | 60" x 24" | 509 | 34.5 | 6 | 10 | 17 | 2   |
|                                                |     |                 | 72" x 24" | 533 | 46.5 | 6 | 10 | 19 | 3   |
|                                                |     |                 | 60" x 30" | 498 | 28.5 | 6 | 10 | 15 | 2   |
|                                                |     |                 | 72" x 30" | 523 | 40.5 | 6 | 10 | 18 | 2.5 |
|                                                |     |                 | 60" x 36" | 486 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                |     |                 | 72" x 36" | 509 | 34.5 | 6 | 10 | 17 | 2   |
|                                                |     | Trapezoid       | 48" x 24" | 486 | 22.5 | 6 | 10 | 13 | 1.5 |
|                                                |     |                 | 60" x 30" | 498 | 28.5 | 6 | 10 | 15 | 2   |
|                                                |     |                 | 72" x 36" | 509 | 34.5 | 6 | 10 | 17 | 2   |



#### ORDERING NOTES

On wood modesty panels, the grain runs vertically. To specify a flip wood modesty panel, apply above pricing for the specific modesty panel and add "Y14" to the end of the tables model number; e.g. 59THRT7224CBFDGW1Y14.

#### DIMENSION KEY

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES

For a complete list of standard wood finishes please see page 130.

#### KRUG EXPRESS

See page 3 for Krug Express program.


REVO | GROMMETS, POWERBARS

| Description               | Model         | Price | W     | D | H     | Shipping Weight | Cubic Feet |
|---------------------------|---------------|-------|-------|---|-------|-----------------|------------|
| Grommet - Silver Metallic | Round Grommet | 110   | 2.375 | - | 1.125 | 1               | .25        |




**ORDERING NOTES**  
One Grommet in a standard position is available at no charge per table.

|                           |        |     |   |   |   |   |   |
|---------------------------|--------|-----|---|---|---|---|---|
| Port - Silver no powerbar | 59PORT | 127 | 8 | 4 | - | - | - |
|---------------------------|--------|-----|---|---|---|---|---|




|                                   |             |     |   |   |   |   |   |
|-----------------------------------|-------------|-----|---|---|---|---|---|
| Power Port - silver with powerbar | 59POWERPORT | 331 | 8 | 4 | - | - | - |
|-----------------------------------|-------------|-----|---|---|---|---|---|



**ORDERING NOTES**  
PowerPort comes with 3 receptacles, 2 on the face and 1 on the end, 2 RJ45 data ports and it has a 10' cord. If a modesty panel is not being ordered then the 59CM72 cable management trough should be ordered. Please see page 164 for pricing and details. Folding tables cannot accommodate powerports.

|                |                 |     |   |   |   |   |   |
|----------------|-----------------|-----|---|---|---|---|---|
| Surface Module | 59SURFACEMODULE | 138 | 8 | 4 | - | - | - |
|----------------|-----------------|-----|---|---|---|---|---|



**ORDERING NOTES**  
Surface module comes with 3 receptacles - 2 above the worksurface and 1 below, 2 USB ports, 1 USB printer port, 1 RJ45 and 1 RJ11. Surface Modules have a 10' cord. Folding tables cannot accommodate surface modules.

|           |           |    |   |   |   |   |     |
|-----------|-----------|----|---|---|---|---|-----|
| Power Bar | 59PWR-USB | 83 | 8 | 2 | - | 2 | 0.2 |
|-----------|-----------|----|---|---|---|---|-----|




**ORDERING NOTES**  
Power bar comes with 3 outlets and one powered USB port, and it has a 10' cord.

DIMENSION KEY

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.


| Description                     | Model   | Price | W | D | H | Shipping Weight | Cubic Feet |
|---------------------------------|---------|-------|---|---|---|-----------------|------------|
| Power Entry - 4 wire, 2 circuit | 59EC4PE | 94    | - | - | - | 1               | .25        |



#### ORDERING NOTES

Please note when ordering the Byrne 4-Trac® Power Entry components, you must also order the Byrne 4-Trac® System, to work in conjunction. Byrne 4-Trac® Power Entry is hardwired into buildings power source.

|                                 |         |     |   |   |   |   |     |
|---------------------------------|---------|-----|---|---|---|---|-----|
| Power Entry - 8 wire, 4 circuit | 59EC8PE | 135 | - | - | - | 1 | .25 |
|---------------------------------|---------|-----|---|---|---|---|-----|



#### ORDERING NOTES

Please note when ordering the Byrne 8-Trac® Power Entry components, you must also order the Byrne 8-Trac® System, to work in conjunction. Byrne 8-Trac® Power Entry is hardwired into buildings power source.

|                          |              |    |   |   |   |   |     |
|--------------------------|--------------|----|---|---|---|---|-----|
| Byrne 4-Trac® 42" Jumper | 59EC4JUMP-42 | 72 | - | - | - | 1 | .25 |
|--------------------------|--------------|----|---|---|---|---|-----|



#### ORDERING NOTES

This longer jumper cable is required when connecting one table off the edge to the end of another table using the Byrne 4-Trac® system. Jumper cables allow you to daisy chain each wired table to the next. Please refer to page 141 for further explanation.

|                          |              |     |   |   |   |   |     |
|--------------------------|--------------|-----|---|---|---|---|-----|
| Byrne 8-Trac® 42" Jumper | 59EC8JUMP-42 | 112 | - | - | - | 1 | .25 |
|--------------------------|--------------|-----|---|---|---|---|-----|




#### ORDERING NOTES


This longer jumper cable is required when connecting one table off the edge to the end of another table using the Byrne 8-Trac® system. Jumper cables allow you to daisy chain each wired table to the next. Please refer to page 141 for further explanation.

#### DIMENSION KEY

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

## Description

| Byrne 4-Trac® System                                                             | MODEL            | MODEL            | PRICE | W | D | H | SHIPPING | CUBIC |
|----------------------------------------------------------------------------------|------------------|------------------|-------|---|---|---|----------|-------|
|                                                                                  | <u>CIRCUIT 1</u> | <u>CIRCUIT 2</u> |       |   |   |   | WEIGHT   | FEET  |
|  | 59EC4-24-1       | 59EC4-24-2       | 153   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-30-1       | 59EC4-30-2       | 155   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-36-1       | 59EC4-36-2       | 157   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-42-1       | 59EC4-42-2       | 159   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-48-1       | 59EC4-48-2       | 162   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-54-1       | 59EC4-54-2       | 166   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-60-1       | 59EC4-60-2       | 170   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-66-1       | 59EC4-66-2       | 174   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-72-1       | 59EC4-72-2       | 178   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-78-1       | 59EC4-78-2       | 182   | - | - | - | 2        | .25   |
|                                                                                  | 59EC4-84-1       | 59EC4-84-2       | 185   | - | - | - | 2        | .25   |

| Byrne 8-Trac® System                                                              | MODEL            | MODEL            | MODEL            | MODEL            | PRICE | W | D | H | SHIPPING | CUBIC |
|-----------------------------------------------------------------------------------|------------------|------------------|------------------|------------------|-------|---|---|---|----------|-------|
|                                                                                   | <u>CIRCUIT 1</u> | <u>CIRCUIT 2</u> | <u>CIRCUIT 3</u> | <u>CIRCUIT 4</u> |       |   |   |   | WEIGHT   | FEET  |
|  | 59EC8-24-1       | 59EC8-24-2       | 59EC8-24-3       | 59EC8-24-4       | 221   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-30-1       | 59EC8-30-2       | 59EC8-30-3       | 59EC8-30-4       | 237   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-36-1       | 59EC8-36-2       | 59EC8-36-3       | 59EC8-36-4       | 259   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-42-1       | 59EC8-42-2       | 59EC8-42-3       | 59EC8-42-4       | 265   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-48-1       | 59EC8-48-2       | 59EC8-48-3       | 59EC8-48-4       | 270   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-54-1       | 59EC8-54-2       | 59EC8-54-3       | 59EC8-54-4       | 276   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-60-1       | 59EC8-60-2       | 59EC8-60-3       | 59EC8-60-4       | 287   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-66-1       | 59EC8-66-2       | 59EC8-66-3       | 59EC8-66-4       | 292   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-72-1       | 59EC8-72-2       | 59EC8-72-3       | 59EC8-72-4       | 298   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-78-1       | 59EC8-78-2       | 59EC8-78-3       | 59EC8-78-4       | 303   | - | - | - | 2        | .25   |
|                                                                                   | 59EC8-84-1       | 59EC8-84-2       | 59EC8-84-3       | 59EC8-84-4       | 309   | - | - | - | 2        | .25   |

### \*\* ORDERING NOTES


Each model comes standard with an 18" Jumper. Please note when ordering the Byrne 4-Trac® or 8-Trac® System, you must also order the appropriate 4-wire or 8-wire Power Entry.

### DIMENSION KEY

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

# REVO | DATA MOUNTING BRACKET & ACCESSORIES


| Description              | Model | Suffix | Description                                                 | Price | W | D    | H    | Shipping Weight | Cubic Feet |
|--------------------------|-------|--------|-------------------------------------------------------------|-------|---|------|------|-----------------|------------|
| Data Mount Bracket black | 59DMB |        | Mounting bracket for configured plates and side mount ports | 28    | 6 | 2.75 | 3.25 | .5              | .25        |




## ORDERING NOTES

Opening on top is for mounting a Decora wall plate and adapter plate (wall plate and blank adapter plate are standard). Openings on sides are for mounting an optional DVI connector, and a VGA connector or Serial Port.

|                          |         |                              |     |   |   |   |   |   |
|--------------------------|---------|------------------------------|-----|---|---|---|---|---|
| Configured Plate Options | HDMI    | 1 HDMI Pass thru             | 132 | - | - | - | - | - |
|                          | 2HDMI   | 2 HDMI Pass thru             | 198 | - | - | - | - | - |
|                          | USB-A   | 1 USB-A Female Port          | 132 | - | - | - | - | - |
|                          | 2USB-A  | 2 USB-A Female Ports         | 198 | - | - | - | - | - |
|                          | VGA3.5* | VGA/3.5 Mini Port            | 83  | - | - | - | - | - |
|                          | XLR     | 1 STD XLR Female (Mic) Port  | 182 | - | - | - | - | - |
|                          | 2XLR    | 2 STD XLR Female (Mic) Ports | 254 | - | - | - | - | - |



|                  |        |                |     |   |   |   |   |   |
|------------------|--------|----------------|-----|---|---|---|---|---|
| Side Mount Ports | DVI-D* | DVI-D to DVI-D | 77  | - | - | - | - | - |
|                  | DVI-I  | DVI-I to DVI-I | 127 | - | - | - | - | - |



**ORDERING NOTES:** To specify a Configured Plate Option apply above pricing and the corresponding suffix to the end of the Data Mount Bracket price and model number. e.g. 59DMBHDMI

|                     |         |                   |    |   |   |   |   |   |
|---------------------|---------|-------------------|----|---|---|---|---|---|
| Data Mount Bracket  | 59DMB2B | 2 Blank Faceplate | 44 | - | - | - | - | - |
| Insert Plate & Face | 59DMB4B | 4 Blank Faceplate | 55 | - | - | - | - | - |
| Plates For Snap-in  | 59DMB6B | 6 Blank Faceplate | 55 | - | - | - | - | - |
| Ports               |         |                   |    |   |   |   |   |   |

|                      |    |                                 |     |   |   |   |   |   |
|----------------------|----|---------------------------------|-----|---|---|---|---|---|
| Snap-In Port Options | 1C | Blank Port Cover (Qty 1)        | 11  | - | - | - | - | - |
|                      | 2C | Blank Port Cover (Qty 2)        | 17  | - | - | - | - | - |
|                      | 4C | Blank Port Cover (Qty 4)        | 28  | - | - | - | - | - |
|                      | 1D | RJ45 - Cat 6 (Qty 1)            | 50  | - | - | - | - | - |
|                      | 2D | RJ45 - Cat 6 (Qty 2)            | 94  | - | - | - | - | - |
|                      | 4D | RJ45 - Cat 6 (Qty 4)            | 187 | - | - | - | - | - |
|                      | 6D | RJ45 - Cat 6 (Qty 6)            | 276 | - | - | - | - | - |
|                      | 1E | RJ11 (Qty 1)                    | 19  | - | - | - | - | - |
|                      | 2E | RJ11 x 2 (Qty 2)                | 32  | - | - | - | - | - |
|                      | 4E | RJ11 x 4 (Qty 4)                | 50  | - | - | - | - | - |
|                      | 1F | 3.5 Mini Stereo                 | 55  | - | - | - | - | - |
|                      | 1G | USB "A" Female/Female           | 44  | - | - | - | - | - |
|                      | 1H | USB Mini B Female - A Male Exit | 193 | - | - | - | - | - |
|                      | 1J | Fibre Optic Jack for MTRJ       | 44  | - | - | - | - | - |
|                      | 1K | 3 Pin Mini XLR (Mic) w/Cable    | 524 | - | - | - | - | - |
|                      | 1L | HDMI Pass Thru                  | 270 | - | - | - | - | - |
|                      | 1M | White DSL Pass thru             | 28  | - | - | - | - | - |
|                      | 1N | BNC                             | 44  | - | - | - | - | - |
|                      | 1O | RCA Black Strip (LT Audio)      | 44  | - | - | - | - | - |
|                      | 1P | RCA Red Strip (RT Audio)        | 44  | - | - | - | - | - |
|                      | 1Q | RCA Yellow Strip (Video)        | 44  | - | - | - | - | - |
|                      | 1R | 4 Pin Mini Din S-Video          | 83  | - | - | - | - | - |
|                      | 1S | RJ45 - Cat 5 (Qty 1)            | 44  | - | - | - | - | - |
|                      | 2S | RJ45 - Cat 5 (Qty 2)            | 88  | - | - | - | - | - |
|                      | 1T | SRL/VGA Pass Thru               | 154 | - | - | - | - | - |


**ORDERING NOTES:** To specify a Mounting Bracket with Snap-In Port options, apply above pricing and the corresponding suffix to the end of the Data Mount Bracket & Snap-In Port Face Plate price and model number. e.g. 59DMB4B2D1E1G

## DIMENSION KEY

Dimensions are in inches and approximate.  
Contact Customer Service if dimensions are critical.

# REVO | CABLE MANAGEMENT, GANGING HARDWARE, TABLE STORAGE CART


| Description             | Model   | Price | W  | D   | H | Shipping Weight | Cubic Feet |
|-------------------------|---------|-------|----|-----|---|-----------------|------------|
| Cable Management Trough | 59CM-72 | 77    | 72 | 2.5 | 1 | 3               | 7          |



## ORDERING NOTES

Cable Management Trough comes in a standard 72" length and can be cut to suit specific table length.

|                              |        |    |    |    |     |      |   |
|------------------------------|--------|----|----|----|-----|------|---|
| Velcro Cable Management Clip | 59CM-4 | 22 | 31 | 25 | 3.5 | 1.75 | 1 |
|------------------------------|--------|----|----|----|-----|------|---|



## ORDERING NOTES

Velcro Cable Management Clips are included with power entries & jumper cables. Velcro Cable Management Clips should be ordered when ordering corner tops in plug and play applications.

|                                            |         |    |    |   |   |     |     |
|--------------------------------------------|---------|----|----|---|---|-----|-----|
| Table to Table Cable Manager -grey plastic | 59CMB14 | 31 | 14 | 2 | 3 | 0.5 | 0.5 |
|                                            | 59CMB17 | 37 | 17 | 2 | 3 | 0.5 | 0.5 |
|                                            | 59CMB20 | 44 | 20 | 2 | 3 | 0.5 | 0.5 |
|                                            | 59CMB26 | 56 | 26 | 2 | 3 | 0.5 | 0.5 |
|                                            | 59CMB29 | 63 | 29 | 2 | 3 | 0.5 | 0.5 |
|                                            | 59CMB38 | 82 | 38 | 2 | 3 | 0.5 | 0.5 |



59CMB14 - for use on connecting tables equal or less than 72"  
 59CMB17 - for use on connecting 78" tables to tables equal or less than 72"  
 59CMB20 - for use when connecting 78" tables to 78" tables  
 59CMB26 - for use when connecting 84" tables to tables equal or less than 72"  
 59CMB29 - for use when connecting 84" tables to 78" tables  
 59CMB38 - for use when connecting 84" tables to 84" tables


|                                       |         |    |    |     |     |     |     |
|---------------------------------------|---------|----|----|-----|-----|-----|-----|
| Techflex F6 Split Braided Tube -black | 59CMC18 | 39 | 18 | 1.5 | 1.5 | 0.5 | 0.5 |
|---------------------------------------|---------|----|----|-----|-----|-----|-----|




## ORDERING NOTES

Flexible, semi-rigid wrappable split braided tube. Used when running cables past corner connecting tops.

|                  |        |    |   |   |   |   |     |
|------------------|--------|----|---|---|---|---|-----|
| Ganging Brackets | 59GANG | 33 | - | - | - | 1 | 0.5 |
|------------------|--------|----|---|---|---|---|-----|



|                    |       |     |      |      |      |    |     |
|--------------------|-------|-----|------|------|------|----|-----|
| Table Storage Cart | 59STC | 719 | 60.5 | 32.5 | 34.5 | 82 | 2.5 |
|--------------------|-------|-----|------|------|------|----|-----|



## ORDERING NOTES

Storage cart will hold 5 tables.

## DIMENSION KEY

Dimensions are in inches and approximate.  
 Contact Customer Service if dimensions are critical.



The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

# krug