SEATING & OCCASIONAL TABLES

Price and Specification Guide **CANADA**









TABLE OF CONTENTS

GENERAL INFORMATION

- 2 General Information
- 4 Finishes & Laminates
- 5 Krug Textiles Upholstery Fabrics | Leather
- 6 Krug Textiles | Luxe Faux Leather
- 6 Graded-In Upholstery Programs
- 7 C.O.M.
- 8 KrugExpress Program
- 9 Base Styles

PRICING & SPECIFICATIONS

10 Management & Task Seating

- 11 C5
- 20 Aqua
- 26 Dorso E
- 33 Dorso T
- 38 Dorso Weave
- 44 Dorso
- 51 Me
- 57 Pan Am
- 62 Cadence

68 Guest Seating

- 69 Addison
- 72 Blake
- 75 Dorso
- 78 Bali
- 80 Kita
- 83 Spence
- 85 Cadence

87 Multi-Purpose Seating

- 88 Karma
- 94 Corfu
- 100 Capri
- 102 Bank of England

104 Barstools & Counter Height Seating

- 105 Karma
- 107 Capri

109 Lounge Seating

- 110 Cressida
- 120 Leyton
- 131 Zola
- 149 Sutton
- 151 Carlyle
- 153 Brio
- 155 Sloane

157 Benches

- 158 Tate
- 164 Zola
- 173 Carlyle

175 Occasional Tables

- 176 Karma
- 181 Cressida
- 184 Leyton
- 186 Zola
- 191 Sutton
- 193 Virtu
- 195 Millennium
- 197 Prado
- 199 Carlyle

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Customer Service Hours

Please note customer service hours are: 8:30 am to 5:00 pm est 1.888.578.KRUG 1.519.748.5177 fax

Order Acknowledgements

Each order will be acknowledged via e-mail or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Krug of any discrepancies with a purchase order.

Cancellation

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Contact Information

Phone: 1.888.578.KRUG (5784)

Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by Krug: these are subject to the specific warranties of their manufacturers (if any). Textile (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage.

Export packaging is provided at an upcharge of 5% of the net selling price per item.

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. When a Krug territorial warehouse (where available) is selected as the default delivery location, it is understood that Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

GENERAL INFORMATION

Freight Terms and Conditions, con't.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.



Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or

damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

WOOD FINISHES & LAMINATES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut Regular Walnut Dark Walnut Clear Beech Medium Anigre

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE FINISHES

Black White Sand Soft Green Steel Blue Slate

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, a minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

Finish Durability

The Krug Enduraguard finish, is a proprietary catalyzed varnish formulation, and has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

IN-STOCK LAMINATES

Krug's in-stock laminates are available in 16 laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular shades and 4 Exotic laminates offering a distinguished appearance. Exotic laminates are subject to minimum order quantities and extended lead times.

Wood Grain Name & Number	Supplier	Solid Laminates Name & Number	Supplier
Corretto Cherry HP-288-N Mocha Cherry HP-341-N Monticello Maple 7925 Nightfall WX421-N Samba Cherry T460 Shiraz Cherry T472 Sugarloaf Maple T630	Pionite Pionite Wilsonart Pionite Arborite Arborite Arborite	Black T203 Shadows T201 White D354-60 Almond T445	Arborite Arborite Wilsonart Pionite
Sniraz Cherry 1472 Sugarloaf Maple T630 Exotic Laminate			

Name & Number

Supplier Backwoods Sycamore HP689-N Pionite Edgewood Sycamore HP690-N Pionite Gunstock Walnut WW971-N Pionite Thunderstorm HP-359-N Pionite

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stocked laminates may be subject to minimum orders sizes.



KRUG TEXTILES - UPHOLSTERY FABRICS | LEATHER

Krug Textiles - Fabric Program

Krug Grade 1, 2 and 3 fabrics are also available on a cut yardage basis.

Grade 1

Perk	Vox	Fuse	Expo	
Auburn	Bark	Azurean	Festive	
Cabana	Black	Carmine	Fog	
Cedar	Cocoa	Cress	Latte	
Crimson	Downpour	Ginger	Leaf	
Dijon	Eco	Iris	Lemon	
Ebony	Frothe	Lunar	Oasis	
Flint	Goldenrod	Malted	Raspberry	
Patriot	Honest	Morel	Sky	
Pewter	Hot	Pepper	Spirit	
Regal	Limelight	Pimento	Sprout	
Sesame	Morel	Pristine	Tuxedo	
Walnut	Mystic	Saffron	Viola	
vaniat	Navy	Walnut	Zest	
	Oat	Walliat	2001	
	Par			
	Ruby			
	Snap			
	Turquoise			

Grade 2

Epic	Bangle	Lineup	
Azure	Baltic	Baltic	
Capri	Cork	Fern	
Espresso	Granite	Pewter	
Flare	Orchid	Sandstone	
Granite	Sable	Shadow	
Jute	Suede	Spice	
Kiwi	Teak	Tranquil	
Limestone		·	
Pearl			
Porcini			
Regal			
Slice			
Steel			

Grade 3

		Kinney	
Birch	Amber	Coffee	
Cadet	Claret	Frappe	
Eclipse	Clove	Glacier	
Espresso	Cress	Mineral	
Moss	Flint	Nectar	
Pecan	Malt	Steel	
Plum	Raven	Valentine	
	Cadet Eclipse Espresso Moss Pecan	Cadet Claret Eclipse Clove Espresso Cress Moss Flint Pecan Malt	CadetClaretFrappeEclipseCloveGlacierEspressoCressMineralMossFlintNectarPecanMaltSteel

Krug Textiles - Leather Program

Grade 8

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

KRUG TEXTILES | LUXE | FAUX LEATHER



Krug Textiles - Faux Leather Program

Grade 2

White Bisque Sprig Chocolate Chinchilla Cream Parchment Black Steel Sandstone Earth Grey **Brick** Vanilla Lagoon Wine Pacific Blue Taupe Mocha Garnet Navy Tan Rust Plum Chestnut Citron

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed.

A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).







Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc. 111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked "For Customs Clearance by Russell A. Farrow Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

CUSTOMER'S OWN MATERIAL - C.O.M.

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784.

Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

KRUG EXPRESS

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on KrugExpress.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

Base Styles	Description
Black Nylon	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.
Polished Aluminum	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$110 applies.)
Seat Slider	Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.
Wood	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.
Chrome	5 blade polished chrome base with 2 1/4" dual wheel casters.
Jury Bases	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

Jury Bases

Pan Am Pan1-M11<u>J</u>



Bank of England 177-<u>J</u> 178-<u>J</u> 179-<u>J</u>



Dorso D0S1-H2011<u>J</u>



MULTI-PURPOSE SEATING


88 Karma 94 Corfu 100 Capri 102 Bank of England

KARMA | LEED CI CREDIT SUMMARY

KARMA



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 5.51%

POST-CONSUMER RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | FEATURES & OPTIONS



DESIGNED FOR COMFORT

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STACKING

Karma stacks 6 high on the floor, and 10 chairs on the dolly. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked.



TANDEM SEATING

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected - when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



WEIGHT CAPACITIES

Karma has been laboratory tested to meet a weight capacity of 500 lbs. in all versions; arm and armless, and all widths (including the bariatric size).



GLIDES

Karma's black nylon glides are non-adjustable, non-marring, and field-replaceable if damaged or degraded.



POLYMER ARM

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.



REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.

ANTI-MICROBIAL FINISH

Karma wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

OPTIONS



UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.

SLED BASE OPTION

Optional Sled Base frames are available, in the same three finishes (Silver Metallic, Matte Black and Polished Chrome) Sled base running from front leg to back leg, is a low profile, solid steel with nylon glides embedded on the bottom side to prevent marring.

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$44 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

KARMA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	COM YRD	Cubes
Stacking Chair	Upholstered	d .					•			
Armless KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	1	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	24	1	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	1.3	21
With Arms						.,,	••	_0.0		
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	1	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	25.5	1	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	27	1.3	21
Stacking Chair Armless	Wood Back									
KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	0.7	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	24	0.7	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	0.7	21
With Arms	0.4.5	04.0	20.0	40	00.0					
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	0.7	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	25.5	0.7	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	27	0.7	21
Sled Base Cha Armless	air Upholster	ed								
KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	1	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	27	1	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	1.3	21
With Arms										
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	1	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	28.5	1	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	30	1.3	21
Sled Base Woo	od Back									
Armless KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	0.7	18
KAR2-10.5 KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	25.5 27	0.7	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	0.7	21
With Arms	27.7	21.0	00.0	10	11/4	11/4	.,,	20.0	0.7	
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	0.7	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	28.5	0.7	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	30	0.7	21
Counter Seat U	Jpholstered									
Armless KAR2-18.5	20.2	21.9	39.9	24	n/a	n/a	17	43	1	20
with Arms	20.2	21.9	39.9	24	II/a	II/a	17	43	I	20
KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20
Counter Seat \	Nood Back									
Armless	20.2	21.0	30.0	24	n/s	n/o	17	49	4	20
KAR2-18.5 with Arms	20.2	21.9	39.9	∠4	n/a	n/a	17	43	1	20
KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	44	
Removable Seat Covers	50	
Removable Back Covers	50	
Polymer Underseat Shroud 18.5"	32	
Polymer Underseat Shroud 22"	43	
Polymer Underseat Shroud 26"	55	
Sled Base Matte Black or Silver Metallic	89	
Sled Base Polished Chrome	151	

		COM		COL	FAB	RIC GRA	DES		LEATHER	7
Description	Model	1	2	3	4	5	6	7	8	9
	18.5" Leg Frame, Matte Black	or Silver Metal	lic - Full	y Uphols	tered, No	Arm wit	h Standa	rd Dust	Cover	
	KAR2-18.5L	338	357	375	401	431	457	486	523	560
	18.5" Leg Frame, Polished Chr	ome - Fully U	pholster	ed, No A	rm, and	Standard	Dust Co	ver		
	KAR2-18.5LC	415	434	452	478	508	534	563	600	637
	18.5" Leg Frame, Matte Black o	r Silver Metallio	c - Upho	Istered Se	eat & Wo	od back,	No Arm v	vith Stan	dard Dus	st Cove
	KAR2-18.5L	362	372	381	394	409	422	437	456	475
	18.5" Leg Frame, Polished Chr	ome - Uphols	tered Se	eat & Woo	od back,	No Arm	with Stan	idard Du	st Cover	
	KAR2-18.5LC	439	449	458	471	486	499	514	533	552
	18.5" Leg Frame, Matte Black									
	KAR2-18.5L	365	383	402	428	457	483	513	550	587
	18.5" Leg Frame, Polished Chr	ome - Fully U	pholster	ed, with	Arm and	Standard	d Dust Co	over		
	KAR2-18.5LC	442	460	479	505	534	560	590	627	664



18.5" Leg Frame, Matte Black or Silver Metallic - Upholstered Seat & Wood back, with Arm and Standard Dust Cover KAR2-18.5L 382 392 401 414 429 442 457 476 495

18.5" Leg Frame, Polished Chrome - Upholstered Seat & Wood back, with Arm and Standard Dust Cover KAR2-18.5LC 459 469 478 491 506 519 534 553 572

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List	\$ List
CAL 133 & Moisture Barrier (per yard)	44	
Removable Seat Covers	50	
Removable Back Covers	50	
Polymer Underseat Shroud 18.5"	32	
Polymer Underseat Shroud 22"	43	
Polymer Underseat Shroud 26"	55	
Sled Base Matte Black or Silver Metallic	89	
Sled Base Polished Chrome	151	

	72.1(2.1					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2	18.5L	В	U	AB	S
Karma	Stacking Chair	18.5"	Matte Black	Fully Upholstered	Black	Polymer Shroud
		22L	S	W	AG	D
		22"	Silver Metallic	Wood Back	Grey	Standard
		26L	С		AT	Dust Cover
		26"	Polished Chrome		Taupe	
		18.5S			NB	
		18.5" Sled Base			No Arm (Matte Black)	
		22\$			NS	
		22" Sled Base			No Arm (Silver Metallic)	
		26S			NC	
		26" Sled Base			No Arm (Polished Chrome)	

KARMA

		COM		COL	FAB	RIC GRA	ADES	LEATHER		
Description	Model	1	2	3	4	5	6	7	8	9
	22" Leg Frame, Matte Blac KAR2-22L	k or Silver Metallic 367	- Fully l 385	Jpholstei 404	red, No A 430	rm with 459	Standard 485	Dust Co 515	over 552	589
	22" Leg Frame, Polished C KAR2-22LC	hrome - Fully Upho 461	olstered 479	I, No Arm 498	n, and Sta 524	andard D 553	oust Cove 579	r 609	646	683
	22" Leg Frame, Matte Black	or Silver Metallic -	Uphols	tered Sea	at & Woo	d back, N	No Arm w	ith Stand	dard Dus	t Cover
لغ	KAR2-22L	395	404	414	427	442	455	470	488	507
	22" Leg Frame, Polished C KAR2-22LC	hrome - Upholsten 489	ed Seat 498	: & Wood 508	back, No. 521	o Arm wi 536	th Standa 549	ard Dust 564	Cover 582	601
	22" Leg Frame, Matte Blac KAR2-22L	k or Silver Metallic 393	- Fully l	Jpholstei 430	red, with 456	Arm and	Standard 511	d Dust C 541	Cover 578	615
	22" Leg Frame, Polished C KAR2-22LC	hrome - Fully Upho 487	olstered 506	I, with Ari 524	m and St 550	andard [580	Dust Cove 605	er 635	672	709
	22" Leg Frame, Matte Black KAR2-22L	or Silver Metallic- 415	Upholst 424	tered Sea 434	at & Wood 447	d back, w 462	vith Arm a 475	nd Stan	dard Dus	st Cover 527
	22" Leg Frame, Polished C KAR2-22LC	hrome - Upholsten 509	ed Seat 518	: & Wood 528	back, w	ith Arm a 556	and Stand 569	lard Dus 584	t Cover 602	621
Ц										

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

\$ List	
44	
50	
50	
32	
43	
55	
89	
151	
	44 50 50 32 43 55 89

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2	18.5L	В	U	AB	S
Karma	Stacking Chair	18.5"	Matte Black	Fully Upholstered	Black	Polymer Shroud
		22L	S	W	AG	D
		22"	Silver Metallic	Wood Back	Grey	Standard
		26L	С		AT	Dust Cover
		26"	Polished Chrome		Taupe	
		18.5\$			NB	
		18.5" Sled Base			No Arm (Matte Black)	
		228			NS	
		22" Sled Base			No Arm (Silver Metallic)	
		26S			NC	
		26" Sled Base			No Arm (Polished Chrome)	

Description	Model	Species	COM 1	2	COL 3	FAE 4	RIC GR. 5	ADES 6	7	LEATHER 8	9
	26" Leg Fra KAR2-26L	me, Matte Black o	or Silver Metallic 440	- Fully l 475	Jpholstere 511	ed, Arm 561	less with 618	n Standard 668	d Dust (725	Cover 796	867
	26" Leg Frai KAR2-26LC	me, Polished Chro	ome - Fully Uph 535	olstered 570	I, Armless 606	, with S 656	tandard 713	Dust Cov 763	er 820	891	962
	26" Leg Frar KAR2-26L	ne, Matte Black o	r Silver Metallic - 453	Uphols 470	tered Seat 486	& Woo 510	d back, <i>i</i> 536	Armless, v 560	vith Star 587	ndard Dust 620	Cover 653
	26" Leg Fra KAR2-26LC	me, Polished Chro	ome - Upholstei 548	red Seat 565	t & Wood k 581	oack, A 605	rmless, 631	with Stand 655	dard Du 682	st Cover 715	748
	26" Leg Fra KAR2-26L	me, Matte Black o	or Silver Metallic 466	- Fully l	Jpholstere 537	ed, with 587	Arm an 644	d Standar 694	d Dust (Cover 822	894
	26" Leg Frai KAR2-26LC	me, Polished Chro	ome - Fully Uph 561	olstered 597	l,with Arm 632	and St 682	andard 739	Dust Cove 789	er 846	917	989
	26" Leg Fran KAR226L	me, Matte Black o	r Silver Metallic- 473	Upholst 490	ered Seat 506	& Woo 530	d back, v 556	with Arm a	and Star 607	ndard Dust 640	Cover 673
	26" Leg Fra KAR226LC	me, Polished Chro	ome - Upholstei 568	red Seat 585	t & Wood t 601	oack, w 625	rith Arm 651	and Stand 675	dard Du 702	st Cover 735	768
		NOTES: When s	•		•	•	se see P		•		
		I upcharge listed I	Standard Dust Co pelow.	over (sel	ect "D" be	elow), f	or optior	nal Polyme	er Shrou	ıd change	"D" to
Description				over (sel	ect "D" be	elow), f	or optior	nal Polyme	er Shrou	ud change	"D" to
Description	"S" and add	I upcharge listed I	pelow.			elow), f	or optior	nal Polyme	er Shrou	ud change	"D" to
Description	"S" and add Model Tandem Sea KAR2-GB B	I upcharge listed I ating Bracket -Ma A ating Bracket- Silv	Price Price tte Black (for an	med cha	air)	elow), f	or optior	nal Polyme	er Shrou	ud change	"D" to
Description	"S" and add Model Tandem Sea KAR2-GB B Tandem Sea KAR2-GB B	I upcharge listed I ating Bracket -Ma A ating Bracket- Silv SA ating Bracket- Pol	Price tte Black (for an 55 rer Metallic (for a 55	med cha	air) nair)	elow), f	or optior	nal Polyme	er Shrou	ud change	"D" to
Description	Model Tandem Sea KAR2-GB B Tandem Sea KAR2-GB B Tandem Sea KAR2-GB B Tandem Sea KAR2-GB B	ating Bracket -Mar Ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA	price tte Black (for an 55 rer Metallic (for a 55 ished Chrome (for 62 te Black (for cha 50	med cha rmed ch or armed airs with	air) nair) d chair) out arms)		or option	nal Polyme	er Shrou	ud change	"D" to
Description	Model Tandem Sea KAR2-GB B	ating Bracket -Mar Ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket- Silv SNA	price tte Black (for an 55 rer Metallic (for a 55 ished Chrome (for 62 te Black (for cha 50 rer Metallic (for c 50	med cha rrmed ch or armed airs with hairs wi	air) nair) d chair) out arms) thout arms	s)	or option	nal Polyme	er Shrou	ud change	"D" to
	"S" and add Model Tandem Sea KAR2-GB B Tandem Sea KAR2-GB B	ating Bracket - Mar Ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket- Silv SNA ating Bracket- Pol	price tte Black (for an 55 rer Metallic (for a 55 ished Chrome (for 62 te Black (for cha 50 rer Metallic (for c 50	med cha rrmed ch or armed airs with	air) nair) d chair) out arms) thout arms	s)	or option	nal Polyme	er Shrou	ud change	"D" to
Description PRODUCT CODE Line	"S" and add Model Tandem Sea KAR2-GB B Tandem Sea KAR2-GB B	ating Bracket - Mar Ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket- Silv SNA ating Bracket- Pol	price tte Black (for an 55 rer Metallic (for a 55 rished Chrome (for 62 rer Black (for cha 50 rer Metallic (for cha 50 rer Metallic (for co 50 rer Metallic (for co 50	med cha rrmed ch or armed airs with shairs wi or chairs	air) nair) d chair) out arms) thout arms	s) arms)	or option	Arm Sty		Undersea	
PRODUCT CODE Line KAR	"S" and add Model Tandem Sea KAR2-GB B Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket-Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA	price tte Black (for an 55 rer Metallic (for a 62 rer Metallic (for cha 50 rer Metallic (for cha 50 rer Metallic (for c 50 rer Metallic (for c 56 rer Metallic (for c 65 rer Metallic (med chairmed chairs with	air) nair) d chair) out arms) thout arms s without a	s) arms)		Arm Sty		Undersea	at Shroud
PRODUCT CODE Line	"S" and add Model Tandem Sea KAR2-GB B Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA	rer Metallic (for chase of the Black (for chase of the Black) (for chas	med chairmed chairs with	air) nair) d chair) out arms) thout arms s without a	s) arms) yle J nolstered		Arm Sty		Undersea	at Shrouc
PRODUCT CODE Line KAR	"S" and add Model Tandem Sea KAR2-GB B Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket- Mat NA ating Bracket- Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA Frame Size	price tte Black (for an 55 rer Metallic (for a 55 rished Chrome (for 62 rer Metallic (for cha 50	med chairmed chairs with chairs with color	air) nair) d chair) out arms) thout arms s without a	s) yle J nolstered		Arm Sty AB Black AG Grey		Undersea Polymer	at Shroud S Shroud O dard
PRODUCT CODE Line KAR	"S" and add Model Tandem Sea KAR2-GB B Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket- Mat NA ating Bracket- Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA Frame Size	price tte Black (for an 55 rer Metallic (for a 55 rished Chrome (for 62 te Black (for cha 50 rer Metallic (for cha 50 rer	med chairmed chairs with chairs with chairs will color chairs	air) nair) d chair) out arms) thout arms s without a	s) yle J nolstered		Arm Sty AB Black AG	le	Undersea Solymer Stan	at Shroud S Shroud O dard
PRODUCT CODE Line KAR	"S" and add Model Tandem Sea KAR2-GB B Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket- Mat NA ating Bracket- Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA Frame Size 18.5L 18.5" 22L 22" 26L	rer Metallic (for charge) te Black (for and 55 for Metallic (for charge) te Black (for charge) te Black (for charge) ter Metallic (for charge) for Metallic (for charge) for Metallic (for charge) for Metallic (for charge) for Metallic (for charge) solution of the form of th	med chairmed chairs with chairs with chairs will color chairs	air) nair) d chair) out arms) thout arms s without a	s) yle J nolstered	1	Arm Sty AB Black AG Grey AT	le	Undersea Solymer Stan	at Shroud S Shroud O dard

22S

22" Sled Base

26S 26" Sled Base NS


No Arm (Silver Metallic)

No Arm (Polished Chrome)

CORFU | LEED CI CREDIT SUMMARY

CORFU





PRE-CONSUMER
RECYCLED CONTENT = 14.47%

POST-CONSUMER RECYCLED CONTENT = 22.19%

Up to 17.02% of this Corfu product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



All Carfu product

All Corfu products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CORFU | FEATURES & OPTIONS

SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



OUTDOOR SEATING

Corfu has been designed for outdoor use, with UV-resistant polypropylene components, a rust-resistant aluminum frame, and the option of drainage holes in the seat. Please specify outdoor usage when ordering.



UNDER SEAT COVER

Each indoor version of Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair. All outdoor versions of Corfu do not include the underseat pan, to allow for drainage, but include stacking bumpers.



WOOD FINISH

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.



Wood seats and backs are made with European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.



STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

CADDIE

The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

GANGING

Corfu can be ordered with the option of ganging for the upcharge of \$22 list per chair. Please specify ganging when ordering.

PACKAGING

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.

ALUMINUM FRAME

Corfu seating is built with high strength aluminum castings and extrusions. Aluminum is an ideal material for creating a structurally superior chair frame: it eliminates any potential for corrosion, and provides excellent fit and the tightest of tolerances in the transition between components. Finish options are Silver Metallic Powder Coat, and Polished Aluminum.



PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection:

White, Black, Grey, Red, Blue, Sand

OPTIONS

COMBINATION UPHOLSTERY COVERS

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Corfu upholstered products. Pricing for this option is the grade price for the highest grade upholstery selected. If the upholstery covers are the same grade, or are COM, a 10% upcharge is applied to the graded price.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture . Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$44 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR2-10S	20.87	20.87	32.28	17.5	n/a	n/a	17	40.8	4.4
COR2-10C	20.87	20.87	32.28	17.5	n/a	n/a	17	40.8	4.4
COR2-11S	23.23	20.87	32.28	17.5	26.75	21.25	17	50.4	4.4
COR2-11C	23.23	20.87	32.28	17.5	26.75	21.25	17	50.4	4.4
COR2-20S	20.87	20.87	32.28	17.5	n/a	n/a	17	53.6	4.4
COR2-20C	20.87	20.87	32.28	17.5	n/a	n/a	17	53.6	4.4
COR2-21S	23.23	20.87	32.28	17.5	26.75	21.25	17	63.2	4.4
COR2-21C	23.23	20.87	32.28	17.5	26.75	21.25	17	63.2	4.4
COR2-30S	20.87	20.87	32.28	17.5	n/a	n/a	17	63.2	4.4
COR2-30C	20.87	20.87	32.28	17.5	n/a	n/a	17	63.2	4.4
COR2-31S	23.23	20.87	32.28	17.5	26.75	21.25	17	71.2	4.4
COR2-31C	23.23	20.87	32.28	17.5	26.75	21.25	17	71.2	4.4
COR2-40S	20.87	20.87	32.28	17.5	n/a	n/a	17	71.2	4.4
CORS-40C	20.87	20.87	32.28	17.5	n/a	n/a	17	71.2	4.4
COR2-41S	23.23	20.87	32.28	17.5	26.75	21.25	17	80.8	4.4
COR2-41C	23.23	20.87	32.28	17.5	26.75	21.25	17	80.8	4.4
COR2-50S	20.87	20.87	32.28	17.5	n/a	n/a	17	48	4.4
COR2-50C	20.87	20.87	32.28	17.5	n/a	n/a	17	48	4.4
COR2-51S	23.23	20.87	32.28	17.5	26.75	21.25	17	57.6	4.4
COR2-51C	23.23	20.87	32.28	17.5	26.75	21.25	17	57.6	4.4
COR2-60S	20.87	20.87	32.28	17.5	n/a	n/a	17	69.2	4.4
COR2-60C	20.87	20.87	32.28	17.5	n/a	n/a	17	69.2	4.4
COR2-61S	23.23	20.87	32.28	17.5	26.75	21.25	17	78.8	4.4
COR2-61C	23.23	20.87	32.28	17.5	26.75	21.25	17	78.8	4.4
COR6	24	31	15.75						

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	Plastic Seat & Back, Armless, with Silver Metallic frame COR2-10S	342								
	Plastic Seat & Back, Armless, with Polished Aluminum frame COR2-10C	386								
	Plastic Seat & Back, Plastic Arm with Silver Metallic frame COR2-11S	ns 397								
	Plastic Seat & Back, Polished A with Polished Aluminum frame COR2-11C	Aluminum 435	Arms							
	Plastic Seat & Back with Uphols Armless, with Silver Metallic fra COR2-20S		482	506	530	555	579	603	627	652
	Plastic Seat & Back with Uphols Armless, with Polished Aluminu COR2-20C		ads, 526	550	574	599	623	647	671	696
	Plastic Seat & Back with Uphols Plastic Arms, with Silver Metalli COR2-21S		ads, 537	561	585	610	634	658	682	707
	Plastic Seat & Back with Uphols Polished Aluminum Arms, with COR2-21C			m frame 600	624	648	673	697	721	745

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$22 list per chair, please specify on order.

For the outdoor version of the plastic seat & back Corfu Multi-purpose chair, please specify on order.

Line	Series	Chair Style	Arm Style	Metal Finish	
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic	
		Plastic with Upholstered Seat & Back Pads	1 Armed	C Polished Aluminum	
		3 Wood Seat & Back			
		4 Fully Upholstered Seat & Back			
		5 Plastic Back, Plastic Seat with Upholstered Pad			
		Wood Back, Fully Upholstered Seat			

		COM		COL	FAB	RIC GRAI	DES	L	EATHER	
DESCRIPTION/MODE	EL SPECIES	1	2	3	4	5	6	7	8	9
	Plastic Back, Plastic Seat wi Armless, with Silver Metallic COR2-50S		ered pad,	458	474	491	507	524	540	557
	Plastic Back, Plastic Seat wi Armless, with Polished Alum	th upholste	ered pad,	430	4/4	431	307	<i>32</i> 4	040	337
U	COR2-50C	469	485	502	518	535	551	568	584	601
	Plastic Back, Plastic Seat wi Plastic Arms with Silver Meta COR2-51S	•	ered pad, 496	513	529	546	562	579	595	612
	Plastic Back, Plastic Seat wi Polished Aluminum arms, wi COR2-51C	•		m frame 551	568	584	601	617	634	650
	Wood Seat & Back, Armless with Silver Metallic frame COR2-30S Beech	, 496								
	Wood Seat & Back, Armless with Polished Aluminum frar COR2-30C Beech	*								
	Wood Seat & Back, Silver M with Silver Metallic frame COR2-31S Beech	etallic Arm	S,							



Beech

Wood Seat & Back, Polished Aluminum Arms, with Polished Aluminum frame

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

656

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

COR2-31C

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$22 list per chair, please specify on order.

	= :				
Line	Series	Chair Style	Arm Style	Metal Finish	
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic	
		Plastic with Upholstered Seat & Back Pads 3 Wood Seat & Back	1 Armed	C Polished Aluminum	
		4 Fully Upholstered Seat & Back			
		Plastic Back, Plastic Seat with Upholstered Pad 6 Wood Back, Fully Upholstered Seat			

DESCRIPTION/MODEL S		SPECIES	COM 1	2	COL 3	4	FABRIC 5	GRADES 6	7	EATHER 8	9
	Wood Back, Fully Armless, with Silv COR2-60S			564	589	613	637	662	686	710	734
	Wood Back, Fully Armless, with Pol COR2-60C			614	638	663	687	711	735	760	784
	Wood Back, Fully Plastic Arms with COR2-61S			664	688	712	736	761	785	809	833
	Wood Back, Fully Polished Aluminu COR2-61C			Aluminum 724	frame 749	773	797	821	846	870	894
	Fully Upholstered with Silver Metalli COR2-40S		Armless, 562	595	628	662	695	728	761	794	827
	Fully Upholstered with Polished Alu COR2-40C		Armless, 612	645	678	711	744	777	810	843	876
	Fully Upholstered Silver Metallic Arr COR2-41S		Metallic 1 662	frame 695	728	761	794	827	860	893	926
	Fully Upholstered Polished Aluminu COR2-41C		Polished 722	Aluminum 755	n frame 788	821	854	888	921	954	987
	Caddie DOL6		584								

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$22 list per chair, please specify on order.


For the outdoor version of the plastic seat & back Corfu Multi-purpose chair, please specify on order.

Line Series Chair Style Arm Style Metal Finish COR 2 1 0 S Multi-Purpose Plastic Seat & Armless Silver Metallic 2 1 Armed Polished Aluminum Polished Aluminum Wood Seat & Back 4 Fully Upholstered Seat & Back 4 Fully Upholstered Seat & Back 6 Wood Back, Fully Upholstered Pad 6 Wood Back, Fully Upholstered Seat with Upholstered Seat Wood Back, Fully Upholstered Seat Wood B
Multi-Purpose Plastic Seat & Armless Silver Metallic 2 Plastic with Upholstered Seat & Back Pads 3 Wood Seat & Back 4 Fully Upholstered Seat & Back 5 Plastic Back, Plastic Seat with Upholstered Pad 6 Wood Back, Fully Upholstered Seat
Plastic with Upholstered Seat & Back Pads 3 Wood Seat & Back 4 Fully Upholstered Seat & Back 5 Plastic Back, Plastic Seat with Upholstered Pad 6 Wood Back, Fully Upholstered Seat
Wood Seat & Back 4 Fully Upholstered Seat & Back 5 Plastic Back, Plastic Seat with Upholstered Pad 6 Wood Back, Fully Upholstered Seat
Fully Upholstered Seat & Back 5 Plastic Back, Plastic Seat with Upholstered Pad 6 Wood Back, Fully Upholstered Seat
Plastic Back, Plastic Seat with Upholstered Pad Wood Back, Fully Upholstered Seat
Wood Back, Fully Unbolstered Seat

CAPRI | LEED CI CREDIT SUMMARY

CAPRI





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Capri products are supplied air-emissions certified. Contact customer service for information.

FSC®

. .

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

			СОМ		COL	FA	BRIC GRA	ADES		LEATHER	l
DESCRIPTION/MODEL/FINISHES			1	2	3	4	5	6	7	8	9
	ARM CHAIR										
	CAP2A1	Cherry, Beech	755								
	CAP2A2		918	953	983	1027	1071	1120	1176	1240	1347
	CAP2A3	Cherry, Beech	832	865	899	936	975	1014	1052	1117	1183
	CAP2A4	Cherry, Beech	854								
	CAP2A5	Cherry, Beech	930	964	996	1034	1071	1110	1149	1213	1280
	SIDE CHAIR										
1 1	CAP2S1	Cherry, Beech	696								
	CAP2S2		854	888	924	968	1014	1060	1105	1171	1279
	CAP2S3	Cherry, Beech	776	809	839	877	918	957	996	1060	1124
/ /	CAP2S4	Cherry, Beech	795								
	CAP2S5	Cherry, Beech	873	890	936	975	1014	1052	1092	1156	1222
	CADDIE DOL6		584								

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	-	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-


Line	Series	Chair Type	Chair Style	CADDIE
CAP Capri	2 Guest Seating 5 Barstool	Arm Chair S Side Chair	1 Wood 2 Fully Upholstered 3 Upholstered Seat Cushion	When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie. REMOVABLE UPHOLSTERED BACK COVER Capri Chairs are available with removable upholstered back cover a an upcharge of \$33 list per chair.
			Wood With Holes 5 Upholstered Seat, Back with Holes	

BANK OF ENGLAND | LEED CI CREDIT SUMMARY

BANK OF ENGLAND



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER
RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EIVIIOSIUNS

All Bank of England products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BANK OF ENGLAND

	COM		COL	FA	BRIC GRA	ADES		LEATHER	R		
DESCRIPTION/MODEL/FINISHES			1	2	3	4	5	6	7	8	9
	WOOD SI 177-A 177-J	EAT Oak, Cherry Oak, Cherry Jury Base	924 1046								
	REMOVAI	BLE CUSHION									
	178-A	Oak, Cherry	1128	1181	1233	1284	1333	1384	1431	1483	1564
	178-J	Oak, Cherry Jury Base	1258	1315	1369	1423	1474	1529	1578	1632	1717
	UPHOLS	TERED SEAT									
	179-A	Oak, Cherry	1128	1181	1233	1284	1333	1384	1431	1483	1564
	179-J	Oak, Cherry Jury Base	1258	1315	1369	1423	1474	1529	1578	1632	1717

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	-
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

ORDERING NOTES

For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.


BANK OF ENGLAND

For a complete list of standard wood finishes please see page 4.















All products are air emissions certified and are available as FSC® certified

