

SEATING & OCCASIONAL TABLES

Price and Specification Guide

USA



Effective June 1, 2015

krug

TABLE OF CONTENTS

GENERAL INFORMATION

2	General Information
4	Finishes & Laminates
5	Krug Textiles - Upholstery Fabrics Leather
6	Krug Textiles Luxe Faux Leather
6	Graded-In Upholstery Programs
7	C.O.M.
8	KrugExpress Program
9	Base Styles

PRICING & SPECIFICATIONS

10 Management & Task Seating

11	C5
20	Aqua
26	Dorso E
33	Dorso T
38	Dorso Weave
45	Dorso
52	Me
58	Pan Am
63	Cadence

69 Guest Seating

70	Addison
73	Blake
76	Dorso
79	Bali
81	Kita
84	Spence
86	Cadence

88 Multi-Purpose Seating

89	Karma
96	Corfu
102	Capri
104	Bank of England

106 Barstools & Counter Height Seating

107	Karma
109	Capri

111 Lounge Seating

112	Cressida
122	Leyton
133	Zola
151	Sutton
153	Carlyle
155	Brio
157	Sloane

159 Benches

160	Tate
166	Zola
175	Carlyle

177 Occasional Tables

178	Karma
183	Cressida
186	Leyton
188	Zola
193	Sutton
195	Virtu
197	Millennium
199	Prado
201	Carlyle

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

1.888.578.KRUG

1.519.748.5177 fax

Order Acknowledgements

Each order will be acknowledged via e-mail or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Krug of any discrepancies with a purchase order.

Cancellation

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Contact Information

Phone: 1.888.578.KRUG (5784)

Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca

E-mail: solutions@krug.ca

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use

by their original purchaser. This warranty does not apply to components and materials not manufactured by Krug: these are subject to the specific warranties of their manufacturers (if any). Textile (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage.

Export packaging is provided at an upcharge of 5% of the net selling price per item.

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. When a Krug territorial warehouse (where available) is selected as the default delivery location, it is understood that Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

Freight Terms and Conditions, con't.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.



Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or

damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

- Passes State of California Technical Bulletin CAL 117-2013

WOOD FINISHES & LAMINATES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry
Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso
Cordovan Walnut
Natural Walnut
Regular Walnut
Dark Walnut
Clear Beech
Medium Anigre

Finishes on Maple

Clear Maple
Honey Maple
Wheat Maple

PALETTE FINISHES

Black
White
Sand
Soft Green
Steel Blue
Slate

IN-STOCK LAMINATES

Krug's in-stock laminates are available in 16 laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular shades and 4 Exotic laminates offering a distinguished appearance. Exotic laminates are subject to minimum order quantities and extended lead times.

Wood Grain		Solid Laminates	
Name & Number	Supplier	Name & Number	Supplier
Corretto Cherry HP-288-N	Pionite	Black T203	Arborite
Mocha Cherry HP-341-N	Pionite	Shadows T201	Arborite
Monticello Maple 7925	Wilsonart	White D354-60	Wilsonart
Nightfall WX421-N	Pionite	Almond T445	Pionite
Samba Cherry T460	Arborite		
Shiraz Cherry T472	Arborite		
Sugarloaf Maple T630	Arborite		
Exotic Laminate			
Name & Number	Supplier		
Backwoods Sycamore HP689-N	Pionite		
Edgewood Sycamore HP690-N	Pionite		
Gunstock Walnut WW971-N	Pionite		
Thunderstorm HP-359-N	Pionite		

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stocked laminates may be subject to minimum orders sizes.

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, a minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

Finish Durability

The Krug Enduraguard finish, is a proprietary catalyzed varnish formulation, and has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.



KRUG TEXTILES - UPHOLSTERY FABRICS | LEATHER

Krug Textiles - Fabric Program

Krug Grade 1, 2 and 3 fabrics are also available on a cut yardage basis.

Grade 1

Perk	Vox	Fuse	Expo
Auburn	Bark	Azurean	Festive
Cabana	Black	Carmine	Fog
Cedar	Cocoa	Cress	Latte
Crimson	Downpour	Ginger	Leaf
Dijon	Eco	Iris	Lemon
Ebony	Frothe	Lunar	Oasis
Flint	Goldenrod	Malted	Raspberry
Patriot	Honest	Morel	Sky
Pewter	Hot	Pepper	Spirit
Regal	Limelight	Pimento	Sprout
Sesame	Morel	Pristine	Tuxedo
Walnut	Mystic	Saffron	Viola
	Navy	Walnut	Zest
	Oat		
	Par		
	Ruby		
	Snap		
	Turquoise		

Grade 2

Epic	Bangle	Lineup
Azure	Baltic	Baltic
Capri	Cork	Fern
Espresso	Granite	Pewter
Flare	Orchid	Sandstone
Granite	Sable	Shadow
Jute	Suede	Spice
Kiwi	Teak	Tranquil
Limestone		
Pearl		
Porcini		
Regal		
Slice		
Steel		

Grade 3

Solace	Current	Clang	Kinney
Almond	Birch	Amber	Coffee
Azul	Cadet	Claret	Frappe
Blaze	Eclipse	Clove	Glacier
Carmine	Espresso	Cress	Mineral
Celadon	Moss	Flint	Nectar
Cinder	Pecan	Malt	Steel
Earth	Plum	Raven	Valentine
Ebony			
Fossil			
Gilded			
Indigo			
Ivory			
Mineral			
Pear			
Peony			

Krug Textiles - Leather Program

Grade 8

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

Krug Textiles - Faux Leather Program**Grade 2**

White	Bisque	Sprig
Cream	Chocolate	Chinchilla
Parchment	Black	Steel
Sandstone	Earth	Grey
Vanilla	Brick	Lagoon
Taupe	Wine	Pacific Blue
Mocha	Garnet	Navy
Tan	Rust	Plum
Chestnut	Citron	

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed.

A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).



Standard-Cut
"up the roll"



Non-Standard-Cut
across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2
Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked **"For Customs Clearance by Russell A. Farrow Custom Brokers"**.

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

COM APPROVAL PROCESS:

The approval process is as follows:

1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

CUSTOMER'S OWN MATERIAL - C.O.M.

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784.

Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

FABRIC	2"-14"		15"-19"		20"-27"		28"-36"	
	Plain	Repeat	Repeat	Repeat	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%			
53-50	16%	20%	25%	30%	35%			
48	16%	25%	30%	35%	40%			
45	40%	50%	55%	60%	65%			
36	50%	60%	65%	70%	75%			

KRUG EXPRESS

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

COM and graded-in upholstery is available on *Krug Express*. Orders are scheduled on *Krug Express*, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.




Only standard wood finishes are available for *KrugExpress* orders. Laminates are not available on *KrugExpress*.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

BASE STYLES

Base Styles	Description
Black Nylon	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.
Polished Aluminum	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$110 applies.)
Seat Slider	Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.
Wood	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.
Chrome	5 blade polished chrome base with 2 1/4" dual wheel casters.
Jury Bases	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

Jury Bases




BENCHES

160 Tate
166 Zola
175 Carlyle

TATE BENCHES | LEED CI CREDIT SUMMARY

TATE BENCHES

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 9.09%

POST-CONSUMER
RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Benches products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Tate Benches products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Tate and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification)

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

TATE BENCHES | FEATURES

STYLE

Tate Benches feature three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



Gable End

Tate Benches gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units




Table End

Tate Benches table ends are 10" wide x 20" deep x 6" high on standard depth units and 10" wide x 25" deep x 6" high on deep seat units.



LEGS

Tate Benches legs feature polished chrome structural steel legs with non-marring glides.

REPLACEABLE COMPONENTS

Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Gable ends, table ends and legs are field replaceable.

WEIGHT CAPACITIES

Tate Benches have the following maximum weight ratings:
2 seater - 975 lbs
3 seater - 1,200 lbs

ANTI-MICROBIAL FINISH

Tate Benches wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

OPTIONS

Removable Covers

Optional Removeable covers can be quickly installed on Tate Benches products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Benches products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of **\$44 list** per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

TATE BENCHES | DIMENSIONS & COM REQUIREMENTS

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage
TAT5-2210	43	21	17	43	48	10.7	1.4
TAT5-2260	43	26	17	43	57	13.2	1.6
TAT5-3210	65	21	17	65	62	15.7	2.0
TAT5-3260	65	26	17	65	74	19.4	2.3
TAT5-2211	47	21	17	43	56	10.7	1.4
TAT5-2261	47	26	17	43	65	13.2	1.6
TAT5-3211	69	21	17	65	70	15.7	2.0
TAT5-3261	69	26	17	65	82	19.4	2.3
TAT5-2212	63	21	17	43	70	14.3	1.4
TAT5-2262	63	26	17	43	83	17.7	1.6
TAT5-3212	84.5	21	17	65	84	19.2	2.0
TAT5-3262	84.5	26	17	65	100	23.8	2.3

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

veneers & finishes

WOOD FINISHES

Standard wood finishes are:

SPECIES	FINISH
OAK	Light Oak
	SilverGrey on Oak
	Espresso Oak
MAPLE	Clear Maple
	Wheat Maple
WALNUT	Natural Walnut
	SilverGrey on Walnut
	Regular Walnut
	Dark Walnut

PALETTE FINISHES

Black
White
Sand
Soft Green
Steel Blue
Slate

veneers

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES








Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

ENDURAGUARD FINISH

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

TATE BENCHES | FULLY UPHOLSTERED & GABLE END

DESCRIPTION/MODEL	SPECIES	COM		COL	FABRIC GRADES			LEATHER		
		1	2		4	5	6	7	8	9
	Two-seat, 21", fully upholstered									
	TAT5-2210	692	726	758	803	856	902	954	1020	1086
	Two-seat, 26", fully upholstered									
	TAT5-2260	771	813	855	914	982	1041	1108	1192	1276
	Three-seat, 21", fully upholstered									
	TAT5-3210	831	877	924	990	1064	1130	1204	1298	1391
	Three-seat, 26", fully upholstered									
	TAT5-3260	917	973	1029	1108	1198	1276	1366	1478	1591
	Two-seat, 21", gable end									
	TAT5-2211 Maple, Oak, Laminate	1043	1073	1105	1148	1198	1242	1292	1353	1415
	Walnut, Palette	1097	1130	1162	1209	1261	1307	1360	1425	1490
	Two-seat, 26", gable end									
	TAT5-2261 Maple, Oak, Laminate	1131	1171	1211	1267	1330	1387	1450	1531	1611
	Walnut, Palette	1191	1233	1275	1334	1401	1460	1527	1612	1696
	Three-seat, 21", gable end									
	TAT5-3211 Maple, Oak, Laminate	1172	1217	1261	1324	1394	1457	1528	1617	1706
	Walnut, Palette	1234	1281	1327	1393	1468	1534	1609	1702	1796

Tate Benches Option Upcharges


	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	Three-seat, 21" - Removable Seat Covers	68
Two-seat, 21" - Removable Seat Covers	53	Three-seat, 26" - Removable Seat Covers	71
Two-seat, 26" - Removeable Seat Covers	56		

PRODUCT CODE KEY


Line	Series	Seat Count	Seat Depth	Arm Style
TAT	5	2	21	0
Tate	Benches	Two-Seat	21"	Fully Upholstered
		3	26	1
		Three-Seat	26"	Gable End
				2
				Table End

TATE BENCHES | GABLE END & TABLE END


DESCRIPTION/MODEL	SPECIES	COM		COL	FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9


	Three-seat, 26", gable end										
	TAT5-3261	Maple, Oak, Laminate	1276	1329	1383	1458	1542	1617	1703	1809	1916
		Walnut, Palette	1343	1400	1455	1534	1623	1702	1792	1905	2017

	Two-seat, 21", table end										
	TAT5-2212	Maple, Oak, Laminate	1410	1442	1472	1516	1567	1610	1660	1722	1784
		Walnut, Palette	1485	1517	1550	1596	1649	1695	1747	1812	1877



Two-seat, 26", table end											
TAT5-2262	Maple, Oak, Laminate	1532	1572	1612	1667	1733	1788	1852	1932	2012	
	Walnut, Palette	1613	1655	1697	1756	1824	1883	1950	2034	2118	

	Three-seat, 21", table end										
	TAT5-3212	Maple, Oak, Laminate	1540	1586	1629	1692	1763	1826	1896	1986	2074
		Walnut, Palette	1621	1668	1715	1781	1855	1922	1996	2090	2183










Three-seat, 26", table end											
TAT5-3262	Maple, Oak, Laminate	1678	1730	1785	1859	1945	2019	2104	2210	2317	
	Walnut, Palette	1766	1822	1878	1956	2046	2125	2214	2327	2439	

Tate Benches Option Upcharges		\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)		44	Three-seat, 21" - Removable Seat Covers	68	
Two-seat, 21" - Removable Seat Covers		53	Three-seat, 26" - Removable Seat Covers	71	
Two-seat, 26" - Removeable Seat Covers		56			

PRODUCT CODE KEY				
Line	Series	Seat Count	Seat Style	Arm Style
TAT	5	2	21	0
Tate	Benches	Two-Seat	21"	Fully Upholstered
		3	26	1
		Three-Seat	26"	Gable End
				2
				Table End

TATE BENCHES | REPLACEMENT COMPONENTS


DESCRIPTION/MODEL			COM	COL			FABRIC GRADES			LEATHER			WEIGHT	CUBE
			1	2	3	4	5	6	7	8	9			
	Two-seat, 21" Replacement Seat TAT5-RS221		534	567	600	646	698	743	796	862	927	34	4.5	
	Two-seat, 26" Replacement Seat TAT5-RS226		579	615	653	706	765	818	878	952	1028	43	5.5	
	Three-seat, 21" Replacement Seat TAT5-RS321		671	718	765	831	905	971	1004	1139	1233	52	6	
	Three-seat, 26" Replacement Seat TAT5-RS326		729	782	837	911	998	1073	1159	1267	1374	74	7.3	
	Two-seat, 21" Replacement Seat Covers TAT5-RSC221		210	244	276	321	374	420	473	538	604	5	1.0	
	Two-seat, 26" Replacement Seat Covers TAT5-RSC226		228	266	302	355	415	467	527	603	677	6	1.2	
	Three-seat, 21" Replacement Seat Covers TAT5-RSC321		273	320	366	432	507	572	647	741	835	7	1.5	
	Three-seat, 26" Replacement Seat Covers TAT5-RSC326		295	349	403	478	564	639	726	834	941	8	1.7	
	Replacement Gable End 21" TAT5-RGE21		Maple, Oak, Laminate Walnut, Palette		254 305							4	.30	
	Replacement Gable End 26" TAT5-RGE26		Maple, Oak, Laminate Walnut, Palette		285 359							5	.50	
	Replacement Table End 21" TAT5-RTE21		Maple, Oak, Laminate Walnut, Palette		428 524							11	1.1	
	Replacement Table End 26" TAT5-RTE26		Maple, Oak, Laminate Walnut, Palette		468 568							13	1.3	
	21" Replacement Legs TAT5-RL21				127							7	1.1	
	26" Replacement Legs TAT5-RL26				138							9	1.5	

ZOLA | LEED CI CREDIT SUMMARY

ZOLA



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



FSC
www.fsc.org
FSC® C021699

The mark of responsible forestry

AIR EMISSIONS

All Zola Bench products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR BARIATRIC BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-seat (Bariatric)	30	22.25	18.5	31	6.1
Two-seat (Bariatric)	46	22.25	18.5	48	9.4
Three-seat (Bariatric)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches
One-seat	1.25	2	2.75	4
Two-seat	1.70	3.5	4.91	6.6
Three-seat	2.5	4.5	7	8.9
One-seat (Bariatric)	1.25	2.6	3.98	5.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder.

See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR BARIATRIC BENCH FULL DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes
One-seat	23	26	18.5	33	11.5
Two-seat	46	26	18.5	55	21
Three-seat	69	26	18.5	72	32
One-seat (Bariatric)	30	26	18.5	45	16
Two-seat (Bariatric)	46	26	18.5	57	21
Three-seat (Bariatric)	69	26	18.5	75	32

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches
One-seat	1.4	2.2	3.6	4.4
Two-seat	1.85	3.7	5.6	7.4
Three-seat	2.8	5.6	8.4	11.2
One-seat (Bariatric)	1.85	3.7	5.6	7.4
Two-seat (Bariatric)	1.85	3.7	5.6	7.4
Three-seat (Bariatric)	2.8	5.6	8.4	11.2

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder.

See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit







10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5







Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	53	One-seat standard depth seat	32
Interim Arm	42	Two-seat standard depth seat	47
One-seat back	47	Three-seat standard depth seat	58
Two-seat back	68	One-seat bariatric standard depth seat	42
Three-seat back	84	One-seat full depth seat	36
One-seat bariatric back	53	Two-seat full depth seat	51
		Three-seat full depth seat	58
		One-seat bariatric full depth seat	46

ZOLA | MODULAR & MODULAR BARIATRIC BENCH STANDARD DEPTH

DESCRIPTION/MODEL	COM		COL	FABRIC GRADES			LEATHER		
	1	2		4	5	6	7	8	9
 One-Seat ZOL3 MS11	607	639	673	733	794	855	916	975	1070
 One-Seat Bariatric ZOL3 MSB11	767	799	833	899	965	1031	1097	1163	1262
ORDERING NOTES: One-seat Bariatric Bench is 30" wide.									
 Two-Seat ZOL3 MS21	849	887	926	1009	1092	1174	1257	1340	1477
 Two-Seat Bariatric ZOL3 MSB21	904	948	992	1075	1158	1240	1323	1406	1544
ORDERING NOTES: The Two-Seat Bariatric comes standard with a fifth leg for extra support.									
 Three-Seat ZOL3 MS31	1086	1141	1196	1313	1428	1544	1659	1776	1918
 Three-Seat Bariatric ZOL3 MSB31	1290	1345	1401	1499	1599	1698	1798	1896	2054
ORDERING NOTES: The Three-Seat Bariatric comes standard with a fifth leg for extra support.									

ZOLA | MODULAR & MODULAR BARIATRIC BENCH FULL DEPTH

DESCRIPTION/MODEL	COM		COL	FABRIC GRADES			LEATHER		
	1	2		4	5	6	7	8	9
 One-Seat ZOL3 MS1F1	671	704	736	782	835	880	932	998	1083
 One-Seat Bariatric ZOL3 MB1F1	807	851	895	955	1024	1085	1154	1240	1327
ORDERING NOTES: One-seat Bariatric Bench is 30" wide.									
 Two-Seat ZOL3 MS2F1	990	1033	1077	1137	1206	1267	1337	1423	1510
 Two-Seat Bariatric ZOL3 MB2F1	1027	1071	1114	1174	1243	1304	1373	1560	1547
ORDERING NOTES: The Two-Seat Bariatric comes standard with a fifth leg for extra support.									
 Three-Seat ZOL3 MS3F1	1339	1405	1470	1558	1666	1758	1863	1994	2125
 Three-Seat Bariatric ZOL3 MB3F1	1386	1453	1518	1611	1715	1807	1912	2042	2174
ORDERING NOTES: The Three-Seat Bariatric comes standard with a fifth leg for extra support.									

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of **\$74 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of **\$53 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, bariatric versions are not available with either of these options.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL	3	MS	1	S	1
Zola	Soft Seating	Modular	One Seat	Standard Depth	Standard Leg & Glide
		MB	2	F	2
		Modular Bariatric	Two Seat	Full Depth	Casters
			3		
			Three Seat		

DIMENSIONS INSIDE CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages


	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units
Single seat				
30°	3.70	7.4	11.1	14.8
45°	4.40	8.8	13.2	17.6
60°	4.40	8.8	13.2	17.6
90°	4.61	9.2	13.83	18.44
Double seat				
30°	6.3	12.6	18.9	25.2
45°	6.4	12.8	19.2	25.6
60°	8.2	16.4	24.6	32.8
90°	8.2	16.4	24.6	32.8

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Inside Curve




One-Seat, Uph 45° Inside Curve




One-Seat, Uph 60° Inside Curve




One-Seat, Uph 90° Inside Curve




Two-Seat, Uph 30° Inside Curve



Two-Seat, Uph 45° Inside Curve



Two-Seat, Uph 60° Inside Curve



Two-Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

ZOLA | MODULAR CURVE

DIMENSIONS OUTSIDE CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

COM Yardages


	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units
Single seat				
30°	3.32	6.14	9.46	12.28
45°	3.32	6.14	9.46	12.28
60°	3.32	6.14	9.46	12.28
90°	3.32	6.14	9.46	12.28
Double seat				
30°	6.50	13.0	19.5	26.0
45°	6.50	13.0	19.5	26.0
60°	6.50	13.0	19.5	26.0
90°	6.50	13.0	19.5	26.0

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Curve




One-Seat, Uph 45° Curve




One-Seat, Uph 60° Curve




One-Seat, Uph 90° Curve




Two-Seat, Uph 30° Curve



Two-Seat, Uph 45° Curve



Two-Seat, Uph 60° Curve











Two-Seat, Uph 90° Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

ZOLA | MODULAR CURVE BENCH









DESCRIPTION/MODEL	COM		COL	FABRIC GRADES			LEATHER		
	1	2		4	5	6	7	8	9
 Single-Seater, 30° Curve, Standard Depth ZOL3 MCS30DS1	872	950	1029	1139	1264	1374	1500	1658	1814
 Single-Seater, 45° Curve, Standard Depth ZOL3 MCS45DS1	950	1065	1179	1340	1524	1684	1867	2097	2326
 Single-Seater, 60° Curve, Standard Depth ZOL3 MCS60DS1	1074	1189	1303	1464	1646	1807	1991	2220	2450
 Single-Seater, 90° Curve, Standard Depth ZOL3 MCS90DS1	1238	1364	1490	1667	1869	2046	2248	2501	2753
 Single-Seater, 30° Curve, Full Depth ZOL3 MCS30DF1	959	1045	1132	1253	1391	1512	1651	1823	1996
 Single-Seater, 45° Curve, Full Depth ZOL3 MCS45DF1	1046	1172	1298	1474	1676	1852	2054	2306	2559
 Single-Seater, 60° Curve, Full Depth ZOL3 MCS60DF1	1181	1307	1433	1610	1811	1988	2189	2442	2694
 Single-Seater, 90° Curve, Full Depth ZOL3 MCS90DF1	1362	1500	1639	1834	2056	2251	2473	2751	3029

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL	3	MC	S	30D	S	1
Zola	Soft Seating	Modular	Single	30 Degree	Standard	Standard Leg + Glide
		MCB	D	45D	F	
		Modular Bariatric	Double	45 Degree	Full	
				60D		
				60 Degree		
				90D		
				90 Degree		

ZOLA | MODULAR CURVE BENCH











DESCRIPTION/MODEL	COM		COL	FABRIC GRADES			LEATHER		
	1	2		4	5	6	7	8	9
 Double-Seat, 30° Curve, Standard Depth ZOL3 MCD30DS1	1526	1663	1801	1993	2213	2406	2626	2901	3176
 Double-Seat, 45° Curve, Standard Depth ZOL3 MCD45DS1	1663	1864	2064	2345	2665	2946	3267	3668	4069
 Double-Seat, 60° Curve, Standard Depth ZOL3 MCD60DS1	1878	2079	2280	2561	2881	3162	3483	3884	4285
 Double-Seat, 90° Curve, Standard Depth ZOL3 MCD90DS1	2166	2387	2608	2918	3272	3581	3934	4376	4818
 Double-Seat, 30° Curve, Full Depth ZOL3 MCD30DF1	1754	1912	2071	2292	2545	2767	3020	3336	3652
 Double-Seat, 45° Curve, Full Depth ZOL3 MCD45DF1	1912	2143	2373	2696	3065	3388	3757	4718	4679
 Double-Seat, 60° Curve, Full Depth ZOL3 MCD60DF1	2161	2391	2622	2944	3314	3636	4005	4467	4928
 Double-Seat, 90° Curve, Full Depth ZOL3 MCD90DF1	2491	2745	2999	3355	3762	4118	4524	5033	5542

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
<div>ZOL</div> <div>Zola</div>	<div>3</div> <div>Soft Seating</div>	<div>MC</div> <div>Modular</div> <div>MCB</div> <div>Modular Bariatric</div>	<div>S</div> <div>Single</div> <div>D</div> <div>Double</div>	<div>30D</div> <div>30 Degree</div> <div>45D</div> <div>45 Degree</div> <div>60D</div> <div>60 Degree</div> <div>90D</div> <div>90 Degree</div>	<div>S</div> <div>Standard</div> <div>F</div> <div>Full</div>	<div>1</div> <div>Standard Leg + Glide</div>




ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	COM 1	COL 2	FABRIC GRADES			LEATHER			COM			YARDAGE	WEIGHT	CUBE
		1	2	3	4	5	6	7	8	9					
	Replacement Back Single-seat Inside Curve														
	ZOL3 RMCBIS30D	814	870	926	1006	1095	1175	1265	1378	1490	1.9	20	8		
	ZOL3 RMCBIS45D	944	1006	1068	1155	1255	1342	1442	1566	1691	2.6	22	8		
	ZOL3 RMCBIS60D	1150	1235	1320	1440	1575	1695	1831	2001	2171	2.6	23	10		
	ZOL3 RMCBIS90D	1284	1372	1461	1584	1726	1849	1991	2168	2345	2.8	28	11		
	Replacement Back Double-seat Inside Curve														
	ZOL3 RMCBID30D	1424	1523	1621	1760	1917	2055	2212	2410	2607	2.8	38	13		
	ZOL3 RMCBID45D	1652	1760	1869	2021	2196	2348	2522	2739	2957	3	42	13.5		
	ZOL3 RMCBID60D	2012	2161	2310	2519	2757	2966	3205	3502	3800	4.8	43	16		
	ZOL3 RMCBID90D	2246	2401	2556	2772	3020	3237	3484	3794	4103	4.8	52.5	18		
	Replacement Back Single-seat Outside Curve														
	ZOL3 RMCBOS30D	733	783	834	905	986	1057	1138	1240	1341	1.7	15	5.0		
	ZOL3 RMCBOS45D	849	905	962	1040	1130	1208	1298	1409	1521	1.7	17	7.0		
	ZOL3 RMCBOS60D	1016	1111	1188	1296	1418	1526	1647	1801	1954	1.7	20	9.0		
	ZOL3 RMCBOS90D	1155	1235	1315	1426	1553	1664	1792	1951	2111	1.7	25	9.0		
	Replacement Back Double-seat Outside Curve														
	ZOL3 RMCBOD30D	1282	1370	1460	1583	1725	1849	1992	2169	2347	3.1	30	9.0		
	ZOL3 RMCBOD45D	1487	1584	1682	1820	1976	2113	2269	2465	2661	3.1	34	11.0		
	ZOL3 RMCBOD60D	1811	1945	2079	2267	2481	2669	2883	3152	3420	3.1	35	14.0		
	ZOL3 RMCBOD90D	2021	2161	2301	2495	3033	2913	3136	3415	3693	3.1	40	14.0		
	Replacement Seat Single-seat Standard Depth Curve														
	ZOL3 RMCSS30DS	798	877	956	1066	1191	1301	1427	1584	1741	1.8	30	11		
	ZOL3 RMCSS45DS	877	991	1006	1266	1450	1612	1793	2023	2252	1.8	32	12		
	ZOL3 RMCSS60DS	1001	1115	1230	1390	1573	1734	1917	2146	2376	1.8	34	13		
	ZOL3 RMCSS90DS	1140	1266	1393	1570	1771	1949	2150	2403	2655	1.8	41	16		
	Replacement Seat Double-seat Standard Depth Curve														
	ZOL3 RMCSD30DS	1452	1590	1727	1919	2140	2332	2553	2828	3103	3.4	52.2	19.5		
	ZOL3 RMCSD45DS	1590	1790	1991	2271	2591	2873	3193	3909	3995	3.4	56	21		
	ZOL3 RMCSD60DS	1805	2006	2206	2487	2808	3088	3409	3810	4212	3.4	60	23		
	ZOL3 RMCSD90DS	2069	2289	2511	2820	3174	3483	3837	4279	4721	3.4	72	28		
	Replacement Seat Single-seat Full Depth Curve														
	ZOL3 RMCSS30DF	885	971	1058	1179	1318	1439	1577	1749	1923	1.94	36	13.5		
	ZOL3 RMCSS45DF	972	1098	1224	1401	1602	1779	1980	2232	2485	1.94	39	14.5		
	ZOL3 RMCSS60DF	1108	1234	1360	1536	1738	1914	2116	2369	2621	1.94	41	15.5		
	ZOL3 RMCSS90DF	1264	1403	1541	1737	1958	2154	2375	2653	2932	1.94	49	19		
	Replacement Seat Double-seat Full Depth Curve														
	ZOL3 RMCSD30DF	1680	1839	1997	2219	2472	2693	2946	3262	3578	3.7	63	24		
	ZOL3 RMCSD45DF	1839	2070	2300	2623	2991	3315	3683	4144	4605	3.7	69	25.5		
	ZOL3 RMCSD60DF	2087	2317	2548	2871	3240	3563	3931	4393	4854	3.7	72	27		
	ZOL3 RMCSD90DF	2393	2647	2901	3257	3665	4020	4427	4935	5444	3.7	86	33.5		
	Replacement Seat Cover Single-seat Standard Depth Curve														
	ZOL3 RMCBSCS30DS	154	194	234	290	354	411	475	555	635	1.8	2.5	1		
	ZOL3 RMCBSCS45DS	159	199	239	295	360	416	480	560	640	1.8	3.1	1		
	ZOL3 RMCBSCS60DS	184	224	264	320	384	440	505	585	665	1.8	3.7	1.5		
	ZOL3 RMCBSCS90DS	200	240	280	336	400	456	520	601	681	1.8	4.3	1.5		
	Replacement Seat Cover Double-seat Standard Depth Curve														
	ZOL3 RMCBSCD30DS	270	345	421	527	648	754	876	1027	1179	3.4	4.8	1.5		
	ZOL3 RMCBSCD45DS	275	351	427	533	654	760	881	1033	1184	3.4	5.9	1.5		
	ZOL3 RMCBSCD60DS	310	386	462	568	689	795	916	1068	1219	3.4	7.0	2.5		
	ZOL3 RMCBSCD90DS	323	399	474	580	702	808	929	1080	1232	3.4	8.2	2.5		





ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	COM	COL	FABRIC GRADES				LEATHER			COM	WEIGHT	CUBE
		1	2	3	4	5	6	7	8	9	YARDAGE		
	Replacement Seat Cover Single-seat Full Depth Curve												
	ZOL3 RMCBSCS30DF	172	217	264	327	399	463	536	626	717	1.94	2.9	1
	ZOL3 RMCBSCS45DF	177	223	269	332	404	468	541	631	722	1.94	3.6	1
	ZOL3 RMCBSCS60DF	205	250	295	359	432	495	567	658	749	1.94	4.3	1.5
	ZOL3 RMCBSCS90DF	218	264	309	373	445	508	582	672	763	1.94	4.9	1.5
	Replacement Seat Cover Double-seat Full Depth Curve												
	ZOL3 RMCBSCD30DF	301	387	475	595	734	856	993	1167	1340	3.7	5.5	1.5
	ZOL3 RMCBSCD45DF	307	394	480	602	740	861	1000	1173	1346	3.7	6.8	1.5
	ZOL3 RMCBSCD60DF	344	431	518	638	777	899	1037	1210	1383	3.7	8.1	2.5
	ZOL3 RMCBSCD90DF	368	455	541	662	800	922	1061	1234	1406	3.7	9.4	2.5

ZOLA | SEATABLES


DESCRIPTION	MODEL	COM	COL	FABRIC GRADES				LEATHER			COM	WEIGHT	CUBE
		1	2	3	4	5	6	7	8	9	YARDAGE		
	Round Seatable												
	ZOL5-18D	482	499	515	538	564	587	613	646	678	1.3	18	5.2
	ZOL5-24D	623	658	693	742	798	847	904	974	1044	1.5	26	8.5
	ZOL5-30D	784	824	864	920	984	1040	1103	1182	1262	1.7	38	10.5
	Square Seatable												
	ZOL5-1818	528	560	591	635	686	731	781	844	907	1.3	27	5.2
	ZOL5-2424	630	666	700	750	805	855	911	981	1051	1.5	38	8.5
	Rectangular Seatable												
	ZOL5-2418	579	610	642	687	737	781	832	895	958	1.3	31	6.6
	ZOL5-4824	821	864	907	968	1037	1097	1167	1254	1340	2.4	62	12.6

ZOLA | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet				
	ZOL3 T1	Beech Maple /Cherry	358 375	12	2
	Tablet with Palette Finish				
	ZOL3 T2	n/a	287	12	2
	Glass Tablet				
	ZOL3 T3	n/a	546	13	2
	Laminate Tablet				
	ZOL3 T4	n/a	370	12	2

ORDERING NOTES: The laminate tablet comes standard with a polymer edge. Please note Zola Tablets are universally handed and do not need to be specified right or left when ordering.

CARLYLE BENCH



CONTRIBUTES TO		
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



FSC
www.fsc.org
FSC® C021889

The mark of responsible forestry

AIR EMISSIONS

All Carlyle Bench products are supplied air-emissions certified. Contact customer service for information.





FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.


CARLYLE BENCH

DESCRIPTION/MODEL		COM 1	2	COL 3	FABRIC GRADES			7	LEATHER	
					4	5	6		8	9
	TWO-SEAT									
	CAR5-2-0	1194	1254	1314	1375	1439	1503	1568	1652	1772
	TWO-SEAT - BUTTON DETAILING									
	CAR5-2-1	1539	1599	1659	1720	1784	1847	1913	1996	2118
	THREE-SEAT									
	CAR5-3-0	1571	1657	1739	1822	1905	1989	2074	2174	2443
	THREE-SEAT - BUTTON DETAILING									
	CAR5-3-1	2105	2190	2271	2355	2439	2521	2606	2707	2976

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

PRODUCT CODE KEY				CARLYLE
Line	Series	Seat Count	Upholstery Style	Base is available in silver metallic only.
<div>CAR</div>	<div>5</div>	<div>2</div>	<div>0</div>	
Carlyle	Bench	Two-Seat	Upholstery Standard	
		<div>3</div>	<div>1</div>	
		Three-Seat	Top Stitching and Buttons	



The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

krug