# **SEATING & OCCASIONAL TABLES**

Price and Specification Guide **CANADA** 









# **TABLE OF CONTENTS**

#### **GENERAL INFORMATION**

- 2 General Information
- 4 Finishes & Laminates
- 5 Krug Textiles Upholstery Fabrics | Leather
- 6 Krug Textiles | Luxe Faux Leather
- 6 Graded-In Upholstery Programs
- 7 C.O.M.
- 8 KrugExpress Program
- 9 Base Styles

#### **PRICING & SPECIFICATIONS**

#### 10 Management & Task Seating

- 11 C5
- 20 Aqua
- 26 Dorso E
- 33 Dorso T
- 38 Dorso Weave
- 44 Dorso
- 51 Me
- 57 Pan Am
- 62 Cadence

#### 68 Guest Seating

- 69 Addison
- 72 Blake
- 75 Dorso
- 78 Bali
- 80 Kita
- 83 Spence
- 85 Cadence

#### 87 Multi-Purpose Seating

- 88 Karma
- 94 Corfu
- 100 Capri
- 102 Bank of England

#### 104 Barstools & Counter Height Seating

- 105 Karma
- 107 Capri

# 109 Lounge Seating

- 110 Cressida
- 120 Leyton
- 131 Zola
- 149 Sutton
- 151 Carlyle
- 153 Brio
- 155 Sloane

### 157 Benches

- 158 Tate
- 164 Zola
- 173 Carlyle

#### 175 Occasional Tables

- 176 Karma
- 181 Cressida
- 184 Leyton
- 186 Zola
- 191 Sutton
- 193 Virtu
- 195 Millennium
- 197 Prado
- 199 Carlyle

# GENERAL INFORMATION

#### **Terms and Conditions**

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

#### **Customer Service Hours**

Please note customer service hours are: 8:30 am to 5:00 pm est 1.888.578.KRUG 1.519.748.5177 fax

#### **Order Acknowledgements**

Each order will be acknowledged via e-mail or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Krug of any discrepancies with a purchase order.

#### Cancellation

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

#### **Dimensions**

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

### **Blanket Wrapping**

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

#### Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

#### **Contact Information**

Phone: 1.888.578.KRUG (5784)

Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

#### **Installation Support**

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

#### **Pricing**

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

#### Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by Krug: these are subject to the specific warranties of their manufacturers (if any). Textile (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

#### **Export Packaging**

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage.

Export packaging is provided at an upcharge of 5% of the net selling price per item.

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.(B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

#### Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. When a Krug territorial warehouse (where available) is selected as the default delivery location, it is understood that Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

### GENERAL INFORMATION

#### Freight Terms and Conditions, con't.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

#### **Product Strength and Durability Testing**

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.



#### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

#### **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or

damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

#### Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

#### Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

#### **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

#### Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

#### **Fabric Upholstery**

Professional upholstery cleaning is recommended.

#### Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

### WOOD FINISHES & LAMINATES

#### **WOOD FINISHES**

Standard wood finishes are:

#### Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut Regular Walnut Dark Walnut Clear Beech Medium Anigre

#### Finishes on Maple

Clear Maple Honey Maple Wheat Maple

#### **PALETTE FINISHES**

Black White Sand Soft Green Steel Blue Slate

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **Custom Wood Finishes**

Add 10% list to your order for special finishes, a minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

#### **Dual Finishes**

Add 10% list per item if specifying dual finish.

#### **Standard Wood Finishes**

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

#### **Finish Durability**

The Krug Enduraguard finish, is a proprietary catalyzed varnish formulation, and has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

### **IN-STOCK LAMINATES**

Krug's in-stock laminates are available in 16 laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular shades and 4 Exotic laminates offering a distinguished appearance. Exotic laminates are subject to minimum order quantities and extended lead times.

Wood Grain Name & Number	Supplier	Solid Laminates Name & Number	Supplier
Corretto Cherry HP-288-N Mocha Cherry HP-341-N Monticello Maple 7925 Nightfall WX421-N Samba Cherry T460 Shiraz Cherry T472 Sugarloaf Maple T630	Pionite Pionite Wilsonart Pionite Arborite Arborite Arborite	Black T203 Shadows T201 White D354-60 Almond T445	Arborite Arborite Wilsonart Pionite
Sniraz Cherry 1472 Sugarloaf Maple T630  Exotic Laminate			

# Name & Number

Supplier Backwoods Sycamore HP689-N Pionite Edgewood Sycamore HP690-N Pionite Gunstock Walnut WW971-N Pionite Thunderstorm HP-359-N Pionite

#### **Non-Stocked Laminates**

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stocked laminates may be subject to minimum orders sizes.



# KRUG TEXTILES - UPHOLSTERY FABRICS | LEATHER

# Krug Textiles - Fabric Program

Krug Grade 1, 2 and 3 fabrics are also available on a cut yardage basis.

#### Grade 1

Perk	Vox	Fuse	Expo	
Auburn	Bark	Azurean	Festive	
Cabana	Black	Carmine	Fog	
Cedar	Cocoa	Cress	Latte	
Crimson	Downpour	Ginger	Leaf	
Dijon	Eco	Iris	Lemon	
Ebony	Frothe	Lunar	Oasis	
Flint	Goldenrod	Malted	Raspberry	
Patriot	Honest	Morel	Sky	
Pewter	Hot	Pepper	Spirit	
Regal	Limelight	Pimento	Sprout	
Sesame	Morel	Pristine	Tuxedo	
Walnut	Mystic	Saffron	Viola	
vaniat	Navy	Walnut	Zest	
	Oat	Walliat	2001	
	Par			
	Ruby			
	Snap			
	Turquoise			

#### Grade 2

Epic	Bangle	Lineup	
Azure	Baltic	Baltic	
Capri	Cork	Fern	
Espresso	Granite	Pewter	
Flare	Orchid	Sandstone	
Granite	Sable	Shadow	
Jute	Suede	Spice	
Kiwi	Teak	Tranquil	
Limestone		·	
Pearl			
Porcini			
Regal			
Slice			
Steel			

### Grade 3

		Kinney	
Birch	Amber	Coffee	
Cadet	Claret	Frappe	
Eclipse	Clove	Glacier	
Espresso	Cress	Mineral	
Moss	Flint	Nectar	
Pecan	Malt	Steel	
Plum	Raven	Valentine	
	Cadet Eclipse Espresso Moss Pecan	Cadet Claret Eclipse Clove Espresso Cress Moss Flint Pecan Malt	CadetClaretFrappeEclipseCloveGlacierEspressoCressMineralMossFlintNectarPecanMaltSteel

# Krug Textiles - Leather Program

#### Grade 8

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

# KRUG TEXTILES | LUXE | FAUX LEATHER



#### **Krug Textiles - Faux Leather Program**

#### Grade 2

White Bisque Sprig Chocolate Chinchilla Cream Parchment Black Steel Sandstone Earth Grey **Brick** Vanilla Lagoon Wine Pacific Blue Taupe Mocha Garnet Navy Tan Rust Plum Chestnut Citron

# GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

#### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

#### **Upholstery Samples**

If you require additional samples or memos for presentation, please contact fabric supplier directly.

#### Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

#### **Special Conditions**

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

# CUSTOMER'S OWN MATERIAL - C.O.M.

#### Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed.

A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

#### Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).







Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

#### COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc. 111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked "For Customs Clearance by Russell A. Farrow Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

#### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

#### **COM APPROVAL PROCESS:**

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

### CUSTOMER'S OWN MATERIAL - C.O.M.

#### **Upholstery Cover Yardage Calculation**

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784.

Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

# KRUG EXPRESS

#### **PROGRAM DETAILS**

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

#### SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on KrugExpress.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

Base Styles	Description
Black Nylon	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.
Polished Aluminum	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$110 applies.)
Seat Slider	Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.
Wood	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.
Chrome	5 blade polished chrome base with 2 1/4" dual wheel casters.
Jury Bases	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

# Jury Bases

Pan Am Pan1-M11<u>J</u>



Bank of England 177-<u>J</u> 178-<u>J</u> 179-<u>J</u>




Dorso D0S1-H2011<u>J</u>




# MANAGEMENT & TASK SEATING

- 11
- 20 26
- Aqua Dorso E
- 33 Dorso T
- 38 Dorso Weave
- 44 Dorso
- 51 Me
- Pan Am 57
- 62 Cadence



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 24.5%

POST-CONSUMER RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

### **AIR EMISSIONS**

All C5 products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

System.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating

# C5 | FEATURES & OPTIONS

#### **ARM OPTIONS**

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



**Black Polymer Arm** 



Fully Upholstered - Leather or Fabric wrapped upholstered arm with detailed top stitching.



#### **MECHANISM OPTIONS**

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in black only.



Knee Tilt - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in black powdercoat or polished aluminum.

#### **BASE STYLES**

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



**Polished Aluminum** 



**Black Glass Reinforced Nylon** 



#### **Jury Base**

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

#### **SEAT**

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

#### REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### **OPTIONS**

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$44 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# C5 | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	-	COM Yardage
Mid Back										
Polished Aluminum Arm with Polymer pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Polished Aluminum Arm with Uph. Pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.9
Black Polymer Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Upholstered Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	2.5
High Back										
Polished Aluminum Arm with Polymer Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Polished Aluminum Arm with Uph. Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.3
Black Polymer Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Upholstered Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.9

# MULTIPLE YARDAGE REQUIREMENTS

	Yardage Seat & Back Rest	Yardage Seat only	Yardage Back rest only	Yardage Upholstered Arm Pad (2)	Yardage Full Upholstered Arm (2)
Mid Back					
1 Chair 2 Chairs 3 Chairs 4 Chairs	1.7 3.3 5 6.6	.9 1.14 2.04 2.28	1.5 2.4 3.2 4	.19 .19 .19 .19	.8 1.06 1.5 2.19
High Back					
1 Chair 2 Chairs 3 Chairs 4 Chairs	2.1 3.4 5.5 7.4	.9 1.14 2.04 2.28	1.95 3.1 4.2 5.8	.19 .19 .19 .19	.8 1.06 1.5 2.19

#### **DIMENSIONS:**

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

### **COM APPROVAL PROCESS:**

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

### WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

# C5 EXECUTIVE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	FULLY UPHOLSTERE	D ARM								
	C5E1MB41A Polished Aluminum kr	963 nee tilt, Po	1009 lished Alu	1056 minum bas	1121 se	1197	1262	1337	1430	1525
	C5E1MB42B Black Aluminum knee	936 tilt, Black	983 base	1030	1095	1170	1236	1310	1404	1497
	POLISHED ALUMINU	M ARM W	ITH POLY	MER PAD						
	C5E1MB11A Polished Aluminum kr	840 nee tilt, Po	881 lished Alu	922 minum bas	979 se	1045	1101	1168	1250	1331
	C5E1MB12B Black Aluminum knee	814 tilt, Black	855 base	896	952	1019	1075	1140	1222	1304
	BLACK POLYMER AR	M								
	C5E1MB32B Black Aluminum knee	753 tilt, Black	794 base	835	917	999	1080	1162	1244	1407
	BLACK POLYMER AR	M								
	C5E1MB33C Black Swivel tilt, Polis	725 hed Alumi	765 num base	806	864	929	987	1052	1134	1216
	C5E1MB33D Black Swivel tilt, Black	705 c base	746	786	843	909	966	1032	1114	1196



### **ORDERING NOTES:**

For jury base, please add a 'J' for the base style at the end of the model number and add \$53 list. Hard casters are the standard and soft wheel casters can be ordered for \$44 list per chair. For **Upholstered Arm Cap** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
\$78	\$83	\$87	\$94	\$101	\$107	\$114	\$123	\$132

### PRODUCT CODE KEY

HODGO! GODE!KE!					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	Polished Aluminum Arm with Uph. Pad  3  Black Polymer Arm	Black Aluminum Knee Tilt  3  Black Swivel Tilt	B Black Base for Knee Tilt C Polished Aluminum Base for Swivel Tilt D
			Fully Uph. Arm		Black Base for Swivel Tilt

# C5 EXECUTIVE | HIGH BACK

		COM		COL	EAD	RIC GRAI	DEC		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	nic Gnai 5	)ES	7	8	9
	FULLY UPHOLS	TERED ARM						<u> </u>		
	C5E1HB41A Polished Aluminu	999 ım knee tilt, Po	1051 blished Alu	1104 ıminum ba	1177 se	1261	1336	1420	1525	1630
	C5E1HB42B Black Aluminum	971 knee tilt, Black	1025 base	1077	1151	1235	1308	1393	1498	1603
	POLISHED ALUN	MINUM ARM W	VITH POLY	/MER PAD						
	C5E1HB11A Polished Aluminu	876 ım knee tilt, Po	922 olished Alu	969 ıminum ba	1034 se	1110	1175	1250	1344	1437
	C5E1HB12B Black Aluminum	849 knee tilt, Black	896 base	943	1008	1083	1149	1223	1317	1410
	BLACK POLYME	R ARM								
	C5E1HB32B Black Aluminum	789 knee tilt, Black	835 base	882	947	1022	1088	1162	1256	1349
	BLACK POLYME	R ARM								
	C5E1HB33C	760	807	854	920	994	1059	1135	1229	1322
	Black Swivel tilt,				920	994	1039	1133	1229	1322
	C5E1HB33D Black Swivel tilt,	740 Black base	786	834	899	974	1040	1114	1208	1301
	ORDERING NOT For jury base, plea Hard casters are t For Upholstered	ase add a 'J' fo he standard ar	nd soft wh	eel caster	s can be o	rdered for	<b>\$44 list</b> pe	er chair.		
	1 2	3 4	5	6	7	8	9	_		
PRODUCT CODE KEY	\$78 \$83	\$87 \$94	\$101	1 \$107	' \$114	\$12	3 \$132	2		
Line	Series	Bac	k Style		Arm Style		Mechanis	m	Base	Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter		MB d Back		1 shed Alumini rith Polymer		1 olished Alun Knee Til	ninum P	A Polished Alur for Kne	ninum Base
			HB h Back		2 shed Alumini with Uph. P		Black Alumi Knee Til		Black for Kne	Base e Tilt
				Blac	k Polymer A	ırm	Black Swive	i el Tilt P	Polished Alur for Swiv	 ninum Base /el Tilt

Fully Uph. Arm

D

Black Base for Swivel Tilt J Jury Base

# C5 CONTEMPORARY | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
DECOMIT FICH WOODEL	ELILLY LIBURAL OTERES	•						,		
	FULLY UPHOLSTERED	) ARM								
	C5C1MB41A	868	916	962	1028	1103	1168	1243	1337	1430
	Polished Aluminum kne	e tilt, Po	lished Alu	minum ba	se					
	C5C1MB42B	848	895	942	1007	1083	1148	1222	1316	1409
	Black Aluminum knee t			042	1007	1000	1140	1222	1010	1400
		,								
•• •										
	POLISHED ALUMINUM	1 ARM W	ITH POLY	MER PAD						
	C5C1MB11A	746	786	827	885	950	1008	1073	1155	1237
	Polished Aluminum kne	e tilt, Po	lished Alu	minum ba	se					
	0=0.110.400									
	C5C1MB12B Black Aluminum knee t	726	767	807	864	930	987	1053	1135	1217
	black Aluminum knee t	III, DIACK	base							
• •										
	BLACK POLYMER ARM	Л								
	C5C1MB32B	658	699	740	798	863	921	986	1068	1150
	Black Aluminum knee t	ilt, Black	base							
	BLACK POLYMER ARM	Л								
	C5C1MB33C	631	672	713	770	836	893	959	1041	1122
	Black Swivel tilt, Polish				770	030	093	939	1041	1122
	2.33. 34.175, 1 011011			•						
	C5C1MB33D	610	651	692	750	815	873	938	1020	1101
	Black Swivel tilt, Black	base								
5										



### **ORDERING NOTES:**

For jury base, please add a 'J' for the base style at the end of the model number and add **\$53 list**. Hard casters are the standard and soft wheel casters can be ordered for **\$44 list** per chair. For **Upholstered Arm Cap** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
\$78	\$83	\$87	\$94	\$101	\$107	\$114	\$123	\$132

#### PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C C5 Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

# C5 CONTEMPORARY | HIGH BACK

DESCRIPTION/MODEL	_	COM 1	2	COL 3	FABRI 4	IC GRAD 5	ES 6	7	LEATHER 8	9
	FULLY UPHOLSTERED	O ARM		-					-	
	C5C1HB41A Polished Aluminum kno	901 ee tilt, Pol	953 ished Alur	1006 ninum bas	1079 se	1164	1238	1322	1427	1532
	C5C1HB42B Black Aluminum knee	880 tilt, Black	932 base	986	1059	1143	1217	1301	1407	1512
— <b>В</b>										
	POLISHED ALUMINUN	/I ARM WI	ITH POLYI	MER PAD						
	C5C1HB11A Polished Aluminum kno	778 ee tilt, Pol	825 ished Alur	872 ninum bas	938 se	1012	1077	1152	1246	1340
	C5C1HB12B Black Aluminum knee	757 tilt, Black	804 base	852	917	991	1057	1132	1225	1319
<b></b>	BLACK POLYMER ARI									
	C5C1HB32B Black Aluminum knee	691	737 base	784	849	925	990	1065	1158	1252
	BLACK POLYMER ARI	M								
	C5C1HB33C Black Swivel tilt, Polish	663 ned Alumir	710 num base	757	822	897	963	1037	1131	1224
	C5C1HB33D Black Swivel tilt, Black	643 base	689	736	801	877	942	1016	1110	1204
	ORDERING NOTES: For jury base, please ad Hard casters are the sta For Upholstered Arm C	ndard and	d soft whe	el casters	can be orde	ered for \$	<b>44 list</b> per	chair.		
	1 2 3	4	5	6	7	8	9			
	\$78 \$83 \$87	\$94	\$101	\$107	\$114	\$123	\$132			
PRODUCT CODE KEY Line	Series	Back	Style	A	rm Style		Mechanism		Base St	/le
C5C C5 Contemporary	1 Tilter		1B	Polish	1 ed Aluminum h Polymer Pa	Poli	1 shed Alumir Knee Tilt		A olished Alumin	num Base
		Н	IB		2		2		В	
		High	Back		ed Aluminum vith Uph. Pad	Bl	ack Aluminu Knee Tilt	ım	Black Ba for Knee	
				Black	3 Polymer Arm	RI	3 ack Swivel 1	īlt P	C olished Alumir	num Base
				Jidok		الق		1	for Swive	

Fully Uph. Arm

D

Black Base for Swivel Tilt

J

Jury Base

# C5 PULLS | MID BACK

		СОМ		COL		RIC GRAD			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERE	D ARM								
	C5P1MB41A	883	930	977	1043	1117	1182	1258	1351	1445
	Polished Aluminum kr	nee tilt, Po	olished Alu	ıminum ba	se					
	C5P1MB42B	857	903	950	1015	1091	1156	1231	1325	1419
	Black Aluminum knee	tilt, Black	base							
		,								
	POLISHED ALUMINU	IM ARM W	VITH POLY	MER PAD	ı					
	C5P1MB11A	760	801	842	900	965	1023	1088	1170	1252
	Polished Aluminum kr	nee tilt, Po	olished Alu	ıminum ba	se					
	C5P1MB12B	734	775	816	874	939	996	1062	1143	1225
	Black Aluminum knee			010	014	000	000	1002	1140	1220
		<b>,</b>								
	BLACK POLYMER AF	RM								
	C5P1MB32B	673	714	755	813	878	936	1001	1083	1164
	Black Aluminum knee			700	010	0.0	000	1001	1000	1101
	Diagno, italiinia ii kiroo	tiit, Bidoi	, succ							
	BLACK POLYMER AF	RM								
\										
	C5P1MB33C	646	687	728	784	851	907	973	1055	1137
	Black Swivel tilt, Polis	shed Alum	inum base	Э						
	C5P1MB33D	625	666	707	764	830	887	952	1034	1116
	Black Swivel tilt, Blac	k base								



# ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$53 list. Hard casters are the standard and soft wheel casters can be ordered for \$44 list per chair. For **Upholstered Arm Cap** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
\$78	\$83	\$87	\$94	\$101	\$107	\$114	\$123	\$132

#### PRODUCT CODE KEY

THODOOT CODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt 3	Black Base for Knee Tilt
			Black Polymer Arm  4  Fully Uph. Arm	Black Swivel Tilt	Polished Aluminum Base for Swivel Tilt  D  Black Base for Swivel Tilt

Jury Base

# C5 PULLS | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE	BRIC GRAI	DES 6	7	LEATHER 8	9
	FULLY UPHOLSTERE	D ARM								
	C5P1HB41A	923	975	1028	1101	1187	1260	1344	1449	1554
	Polished Aluminum kr		nisnea Ait	immum ba	se					
	C5P1HB42B Black Aluminum knee	897 tilt, Black	949 base	1002	1075	1159	1233	1318	1423	1528
	POLISHED ALUMINU	M ARM W	/ITH POL	MER PAD	ı					
	C5P1HB11A	800	847	894	959	1034	1099	1174	1268	1362
	Polished Aluminum kr	nee tilt, Po	olished Alu	ımınum ba	se					
	C5P1HB12B Black Aluminum knee	774	820 hase	867	932	1007	1073	1148	1241	1335
	Diagramma in Mice	tiit, Black	buoc							
<b>.</b> 5	DI AOK DOLVMED AD									
	BLACK POLYMER AR	IIVI								
	C5P1HB32B Black Aluminum knee	713 tilt Black	759 base	806	872	946	1012	1087	1180	1274
	Diagram and an angel	tiit, Bidon	, baoo							
5										
	BLACK POLYMER AR	RM								
	C5P1HB33C	672	718	765	831	906	971	1046	1139	1234
	Black Swivel tilt, Polis	hed Alum	inum base	Э						
	C5P1HB33D	651	698	744	811	885	950	1026	1119	1213
	Black Swivel tilt, Black	k base								
8 <b>%</b> #	ORDERING NOTES:									
	For jury base, please a			•					3 list.	
1-	mard casters are the s	ard casters are the standard and soft wheel casters can be ordered for \$44 list per chair.								



Hard casters are the standard and soft wheel casters can be ordered for \$44 list per chair.

For **Upholstered Arm Cap** on polished arm versions only select arm style 2 and add upcharge below.

1 2 3 4 5 6 7 8 9

1	2	3	4	5	6	7	8	9
\$78	\$83	\$87	\$94	\$101	\$107	\$114	\$123	\$132

#### PRODUCT CODE KEY


Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt
					J

# **AQUA | LEED CI CREDIT SUMMARY**

# **AQUA**



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.5%

POST-CONSUMER
RECYCLE CONTENT = 21.91%

Up to 47.7% of Aqua product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Aqua products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

# AIR EMISSIONS

All Aqua products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **AQUA** | FEATURES & OPTIONS

#### **ARM STYLE**

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



**T-Arm** - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire arm.



Height Adjustable T-Arm - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is height-adjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of 10" x 2".



#### ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



#### **MECHANISM OPTIONS**

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



**Seat-Slider Option** - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



#### **BASE STYLE**

Aqua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of \$28 list. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for \$44 list per chair. Aqua bases are also available with a fixed height option for an upcharge of \$28 list per chair.



#### **JURY BASE**

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.



#### MESH BACKS

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

- White Warm Grey Black Sky• Clay Neo
- Sunset Cardinal

# A un core ergo form

#### **UPHOLSTERED BACKS**

A unique construction with a mesh suspension core, combined with extensively-researched ergonomic curvature, gives the Aqua back a form-fitting comfort and a thin profile that is designed for healthy long-term sitting.

#### **BACK TENSION**

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

#### REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### **OPTIONS**

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric is to be applied on the product in order to obtain a quote.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$44 list per yard

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **AQUA** | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm Height Adjustable T-Arm	26.5 26.5	23 23	38.3 38.3	17.3-21.7 17.3-21.7	25.5-30 25.5-30	17-20 17-20	17.4 17.4	40 40	18 18	0.75 0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back Armless T-Arm Height Adjustable T-Arm Cantilever	20 26.5 26.5 25.8	23 23 23 23	38.3 38.3 38.3 38.3	17.3-21.7 17.3-21.7 17.3-21.7 17.3-21.7	N/A 25.5-30 25.5-30 25.5-30	N/A 17-20 17-20 21-23	17.4 17.4 17.4 17.4	41 41 41 41	18 18 18 18	1.4 1.4 1.4 1.4
Stool Height										
Mesh Back Armless T-Arm Height Adjustable T-Arm Cantilever	20 26.5 26.5 25.8	23 23 23 23	43.8 43.8 43.8 43.8	24-31 24-31 24-31 24-31	N/A 32.5-36.75 32.5-36.75 32.5-36.75	N/A 17-20 17-20 21-23	17.4 17.4 17.4 17.4	40 40 40 40	20 20 20 20	0.75 0.75 0.75 0.75
Upholstered Back Armless T-Arm Height Adjustable T-Arm Cantilever	20 26.5 26.5 25.8	23 23 23 23	43.8 43.8 43.8 43.8	24-31 24-31 24-31 24-31	N/A 32.5-36.75 32.5-36.75 32.5-36.75	N/A 17-20 17-20 21-23	17.4 17.4 17.4 17.4	41 41 41 41	20 20 20 20	1.4 1.4 1.4 1.4

#### **MULTIPLE YARDAGE REQUIREMENTS**

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair
1 Chair	.75	.94	1.28
2 Chairs	.75	1.8	2.53
3 Chairs	1.5	2.74	3.81
4 Chairs	1.5	3.6	5.06

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- $2. \ \mbox{The sample}$  will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

#### Aqua Standard Height



Fixed T- Arms







WEIGHT CAPACITY:

Armless

Aqua has been tested to 300lbs.

# **AQUA** | MESH BACK

DESCRIPTION/MO	DDEL	COM 1	2	COL 3	FABI 4	RIC GRAD	DES 6	7	LEATHER 8	9
	Aqua Mesh Back, Armless AQU1M03B	577	587 587	ar base in 596	615	635	655	675	695	733
	Agua Mesh Back, Armless	with Synck	hro Tilt 5 s	star hase i	in black					
	AQU1M01B	594	604	614	634	654	673	692	712	752
	Agua Mesh Back, Armless	with Synck	hro Tilt/Se	at Slider !	star base	in black				
	AQU1M02B	627	637	647	667	687	706	725	745	785
	Aqua Mesh Back, T-Arm in				ase in blac					
	AQU1M13B	679	688	698	718	738	757	777	796	836
	Aqua Mesh Back, T-Arm in	black with	Synchro -	Tilt, 5 star	base in bla	ack				
	AQU1M11B	697	707	717	735	755	775	795	815	853
	Agua Mesh Back, T-Arm in	black, with	h Synchro	Tilt/Seat S	Slider, 5 sta	r base in	black			
	AQU1M12B	730	740	750	768	788	808	828	848	886
	Aqua Mesh Back, Height A	udiustable <sup>-</sup>	T-Δrm in h	ack with	Swival Tilt	5 etar hae	a in black			
	AQU1M23B	711	721	731	751	771	789	809	829	869
	Agua Mesh Back, Height A	diustahla <sup>-</sup>	T_Δrm in h	ack with	Synchro Ti	lt 5 etar h	ase in hla	nk		
	AQU1M21B	729	739	749	768	788	808	828	847	886
	Agua Mesh Back, Height A	diustable <sup>-</sup>	T-Δrm in h	ack with	Synchro Tili	t/Spat Slic	lar 5 star l	hasa in hla	ack	
	AQU1M22B	762	772	782	802	821	841	861	880	919
	Aqua Mesh Back, Cantilev	er Arm in b	lack with	Swivel Tilt	. 5 star bas	e in black				
	AQU1M33B	620	630	639	658	678	698	718	738	776
	Agua Mesh Back, Cantilev	er Arm in h	lack with	Synchro <sup>-</sup>	Tilt 5 star b	ase in bla	ick			
	AQU1M31B	637	647	657	677	697	716	735	755	795
	Agua Mesh Back, Cantilev	er Arm in h	lack with 9	Synchro T	ilt/Seat Slic	der. 5 star	base in bla	ack		
	AQU1M32B	670	680	690	710	730	749	768	788	828

#### **ORDERING NOTES**

For jury base version, please add a 'J' for the base style at the end of the model number and add \$53 list.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$28 list.

Hard casters are the standard and  ${\bf soft}$  wheel  ${\bf casters}$  can be ordered for \$44 list per chair.

Mesh Colors available are listed on page 21.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		

Cantilever

# AQUA | UPHOLSTERED BACK

DESCRIPTION/MODEL	COM 1	2	COL 3	FAB 4	RIC GRAD	ES 6	7	LEATHER 8	9
Aqua Upholstered AQU1U03B	d Back, Armless with 658	n Swivel Ti 692	lt, 5 star b 727	ase in blac 796	k 864	933	1002	1071	1208
Aqua Upholstered AQU1U01B	d Back, Armless with 676	n Synchro 710	Tilt, 5 star 745	base in bla 814	ack 882	951	1020	1088	1226
Aqua Upholstered AQU1U02B	d Back, Armless with 709	n Synchro 743	Tilt/Seat S 778	lider, 5 sta 847	r base in b 915	olack 985	1053	1121	1259
Aqua Upholstered AQU1U13B	d Back, T-Arm in bla 761	ck, with Sv 795	wivel Tilt, 5 829	star base 897	in black 967	1035	1105	1173	1311
Aqua Upholstered AQU1U11B	d Back, T-Arm in bla 778	ck, with Sy 813	nchro Tilt 847	, 5 star bas 916	se in black 985	1054	1122	1191	1329
Aqua Upholstered AQU1U12B	d Back, T-Arm in bla 811	ck, with Sy 846	nchro Tilt, 880	/Seat Slide 949	er, 5 star ba 1018	ase in blac 1087	k 1155	1224	1362
Aqua Upholstered AQU1U23B	d Back, Height Adjus 793	stable T-Ar 827	m in black 862	with Swiv 931	el Tilt, 5 st 999	ar base in 1068	black 1117	1206	1343
Aqua Upholstered AQU1U21B	d Back, Height Adjus 811	stable T-Ar 846	m in black 880	with Sync 948	chro Tilt, 5 1018	star base i 1086	n black 1155	1224	1362
Aqua Upholstered AQU1U22B	d Back, Height Adjus 845	stable T-Ar 879	m in black 913	, with Synd 981	chro Tilt/S 1051	eat Slider, 1119	5 star bas 1188	e in black 1257	1395
Aqua Upholstered AQU1U33B	d Back, Cantilever A 701	rm in blacl 735	k with Swi	vel Tilt, 5 s 839	tar base ir 907	black 976	1045	1114	1251
Aqua Upholstered AQU1U31B	d Back, Cantilever A 719	rm in blacl 753	k with Syn 788	chro Tilt, 5 857	star base 925	in black 994	1063	1131	1269
Aqua Upholstered AQU1U32B	d Back, Cantilever A 752	rm in blacl 786	k, with Syr 821	nchro Tilt/S 890	Seat Slider, 958	5 star bas 1028	e in black 1096	1164	1302

### **ORDERING NOTES**

For jury base version, please add a 'J' for the base style at the end of the model number and add **\$53 list**.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$28 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$44 list** per chair.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3 Cantilever		

# AQUA STOOL | MESH BACK

		COM		COL	FABR	IC GRADE	S	LE	EATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Aqua Stool Mesh Bad AQT1M0G (glides) AQT1M0B (casters)	ck, Armless 624	, 5 star in 634	black with 644	glides or 6 664	casters 684	702	722	742	782
	Aqua Stool Upholster AQT1U0G (glides) AQT1U0B (casters)	red Back, A 706	armless, 5 740	star base 775	in black wi 843	th glides o	or casters 981	1050	1119	1256
	Aqua Stool Mesh Bac AQT1M1G (glides) AQT1M1B (casters)	ck, T-Arm ir 727	n black, w 736	ith 5 star b 746	ase in blac 766	ck with glic 785	des or cast 805	ers 825	845	884
	Aqua Stool Upholster AQT1U1G (glides) AQT1U1B (casters)	red Back, T 808	Arm in bl 842	ack, 5 star 876	base in bl 946	ack with g 1014	llides or ca 1084	sters 1152	1220	1358
	Aqua Stool Mesh Bad AQT1M2G (glides) AQT1M2B (casters)	ck, Height A 760	Adjustable 768	e T-Arm in b 778	olack, 5 sta 798	ar base in l 818	black with 838	glides or c 858	asters 876	916
	Aqua Stool Upholster AQT1U2G (glides) AQT1U2B (casters)	red Back, F 841	leight Adj 875	ustable T- <i>A</i> 910	Arm in blac 978	k, 5 star b 1047	ase in blac 1116	k with glid 1185	es or cast 1254	ers 1391
	Aqua Stool Mesh Bad AQT1M3G (glides) AQT1M3B (casters)	ck, Cantilev 667	er Arm in 677	black, 5 st 687	ar base in 707	black with 727	n glides or o	casters 765	785	825
	Aqua Stool Upholster AQT1U3G (glides) AQT1U3B (casters)	red Back, C 749	Cantilever 783	Arm in blad 818	ck, 5 star b 886	pase in bla 955	ck with glid 1024	des or casi 1093	ters 1162	1299

#### **ORDERING NOTES**

Hard casters are the standard and **soft wheel casters** can be ordered for **\$44 list** per chair.

Mesh Colors available are listed on page 21.

Aqua Stools are only available with a Swivel Mechanism.

### PRODUCT CODE KEY


ODUCT COL	DE KEY				
Line	Series	Back Style	Arm Style	Base Style	
AQU	1	М	0	В	
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Black (Casters)	
		U	1	G	
		Upholstered	T-Arm	(Glides)	
			2	С	
			Height Adjustable T-Arm	Polished Aluminum	
			3		
			Cantilever		

# LEED CI CREDIT SUMMARY | DORSO E-LINE

### DORSO E-LINE







PRE-CONSUMER
RECYCLED CONTENT = 17.95%

POST-CONSUMER
RECYCLED CONTENT = 17.72%

Up to 61.36% of Dorso E product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

# AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# DORSO E & T | FEATURES



#### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

#### E-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

#### **T-LINE**

Fixed cantilever and adjustable arms are available in black textured plastic.



#### **BASE STYLES**

#### **E-LINE & T-LINE**

Dorso seating features optional Silver Metallic, polished Chrome or Black finish and dual wheel casters.



#### **DORSO CONTROLS**

All Dorso E-Line and T-Line come with synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.

# SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

#### **BACK TENSION**

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

#### **SEAT SLIDER**

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.



#### **BACK HEIGHT**

Back height adjustment is an option on Dorso E & T Line. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

# **DORSO E-LINE | DIMENSIONS & COM REQUIREMENTS**

Dorso E features a generous seat & back that provides unparalleled comfort and support.

Model Number		Overall Width		Overall Height	Seat Height Min/Max	Height of Arms from Floor		_		Shipping Weight		COM Yardage
DEC1-HB/DES1-HB	Fixed	25.25	25	50	17.5-22.125	25.6875-30.25	21	47-52	18	44	19	2.2
DEB1-HB	Fixed Upholstered	25.5	25	50	17.5-22.125	25.6875-30.25	20.5	47-52	18	44	19	2.2
	Adjustable	25.5	25	50	17.5-22.125	26-34	21	47-52	18	44	19	2.2
	Armless	20.5	25	50	17.5-22.125	N/A	N/A	47-52	18	40	19	2.2
DEC1-MB/DES1-MB	Fixed	25.25	25	43	17.5-22.125	25.6875-30.25	21	40-45	18	41	16	2
DEB1-MB	Fixed Upholstered	25.5	25	43	17.5-22.125	25.6875-30.25	20.5	40-45	18	41	16	2
	Adjustable	25.5	25	43	17.5-22.125	26-34	21	40-45	18	41	16	2
	Armless	20.5	25	43	17.5-22.125	N/A	N/A	40-45	18	37	16	2

#### DORSO | E-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso E seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

#### ORDERING NOTES:


Height measurements of Dorso E are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# **DORSO T-LINE | DIMENSIONS & COM REQUIREMENTS**

Dorso T - a strikingly modern chair design, provides a level of long term sitting comfort and support.

Model Number		Overall Width	Overall Depth	Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	Height Range		Shipping Weight	Cube	COM Yardage
DTC1-HB/DTS1-HB/		25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	40	19	2
DTB1-HB	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	37	19	2
DTC1-MB/DTS1-MB	Fixed	25.25	24	42	16.75-21.375	27.5-30.25	20	39-44	18	41	16	1.8
DTB1-MB	Adjustable	25.5	24	42	16.75-21.375	26-34	20	39-44	18	41	16	1.8
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	39-44	18	37	16	1.8

#### DORSO | T-LINE





- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

Height measurements of Dorso T are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.



# DORSO E-LINE | MID BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DEC1-M111C	1073	1124	1172	1236	1312	1395	1499	1611	1737
n l	DES1-M111S	1026	1073	1121	1184	1262	1354	1450	1562	1685
	DEB1-M111B	897	944	992	1055	1131	1223	1320	1432	1556
B	Fixed Back; Fixed Arms	•								
	DEC1-M112C	1132	1182	1231	1296	1371	1454	1558	1670	1795
\$ 1 B	DES1-M112S	1085	1132	1181	1243	1320	1412	1509	1621	1745
b-d	DEB1-M112B	956	1003	1051	1114	1190	12852	1379	1492	1615
	Fixed Back; Adjustable A	rms - Synd	chro							
	DEC1-M121C	1227	1274	1324	1388	1464	1546	1650	1762	1889
	DES1-M121S	1144	1196	1243	1305	1382	1465	1570	1682	1807
	DEB1-M121B	1014	1061	1110	1173	1250	1342	1438	1550	1673
	Fixed Back; Adjustable A	rms - Syno	chro/Seat	Slider						
0 0	DEC1-M122C	1286	1333	1382	1447	1523	1606	1710	1821	1947
<ul><li>β</li></ul>	DES1-M122S	1204	1255	1302	1365	1441	1524	1630	1741	1866
	DEB1-M122B	1073	1120	1170	1232	1309	1401	1497	1609	1733
	Fixed Back; Fixed Arms (	Leather/Fa	abric Pad)	- Synchro						
	DEC1-M131C	1239	1294	1348	1419	1500	1590	1700	1829	1954
	DES1-M131S	1192	1244	1299	1367	1450	1547	1650	1779	1902
A-S	First Deale First Assess	7 H / -	ili de De il	0	/O 1 Ol: -1 -					
	Fixed Back; Fixed Arms (			-						
	DEC1-M132C	1298	1354	1407	1478	1560	1649	1759	1887	2013
	DES1-M132S	1251	1303	1358	1426	1509	1607	1769	1838	1961
	Fixed Back; Armless - Sy	rnchro								
	DEC1-M101C	1003	1052	1101	1163	1240	1332	1428	1541	1666
	DES1-M101S	908	957	1006	1068	1146	1235	1332	1446	1569
	DEB1-M101B	855	904	953	1014	1092	1182	1279	1392	1516
	E: 15 1 4 1 2		. 0							
	Fixed Back; Armless - Sy									
	DEC1-M102C	1061	1112	1160	1222	1299	1391	1487	1600	1725
- u	DES1-M102S	967	1015	1066	1127	1205	1294	1391	1504	1627
	DEB1-M102B	914	963	1012	1073	1151	1241	1338	1451	1575

### Each chair features the Synchro Tilt mechanism

#### **ORDERING NOTES**

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only.

#### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed	Arms - Svn	chro							_
	DEC1-M211C	1097	1147	1195	1259	1335	1419	1523	1635	1760
	DES1-M211S	1050	1097	1146	1208	1285	1377	1473	1586	1710
	DEB1-M211B	920	967	1015	1079	1155	1247	1344	1455	1579
	DED I-IVIZ I I D	920	907	1015	1079	1100	1247	1344	1433	1379
	Adjustable Back; Fixed	Arms - Syn	chro/Seat	Slider						
0 0	DEC1-M212C	1156	1206	1254	1319	1394	1478	1581	1694	1713
	DES1-M212S	1109	1156	1205	1267	1344	1436	1532	1645	1769
	DEB1-M212B	979	1026	1074	1137	1213	1305	1403	1515	1638
	Adjustable Back; Adjust	able Arms	- Synchro							
	DEC1-M221C	1251	1298	1347	1411	1487	1570	1673	1786	1912
	DES1-M221S	1167	1220	1267	1330	1406	1488	1593	1706	1831
	DEB1-M221B	1038	1085	1134	1196	1273	1365	1462	1574	1697
		1000	1000	1104	1100	1270	1000	1402	107 4	1001
	Adjustable Back; Adjust	able Arms	- Synchro/	Seat Slide	r					
6 5 P	DEC1-M222C	1310	1357	1406	1470	1546	1630	1733	1845	1971
& <i>H</i> &	DES1-M222S	1227	1279	1326	1389	1465	1547	1653	1764	1890
	DEB1-M222B	1097	1144	1193	1255	1332	1424	1520	1633	1757
					.200	.002		.020	.000	
	Adjustable Back; Fixed	Arms (Leat	her/Fabric	Pad) - Syr	nchro					
	DEC1-M231C	1263	1317	1372	1442	1524	1614	1724	1852	1977
	DES1-M231S	1216	1268	1323	1391	1473	1572	1673	1803	1926
	Adjustable Back; Fixed									
	DEC1-M232C	1321	1377	1431	1501	1584	1672	1783	1911	2036
	DES1-M232S	1274	1327	1381	1450	1532	1631	1733	1862	1986
	Adjustable Back; Armles	ss - Synchr	0							
	DEC1-M201C	1026	1075	1125	1187	1264	1356	1452	1564	1690
	DES1-M201S	932	980	1029	1091	1170	1258	1356	1469	1592
	DEB1-M201B	878	928	977	1038	1116	1206	1302	1416	1540
				***			,			
	Adjustable Back; Armles	ss - Synchr	o/Seat Slid	der						
	DEC1-M202C	1085	1135	1183	1245	1323	1415	1511	1623	1748
& <i>A</i>	DES1-M202S	991	1039	1089	1150	1228	1317	1415	1528	1652
	DEB1-M202B	937	987	1036	1097	1175	1265	1361	1474	1599

### Each chair features the Synchro Tilt mechanism

#### ORDERING NOTES

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Optional soft wheel casters are available at an upcharge of \$44 list.

# PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Cantilever		

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | HIGH BACK

	COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Fixed Back; Fixed A	ms - Synchro								
DEC1-H111C	1109	1171	1235	1319	1417	1535	1676	1834	2007
DES1-H111S	1061	1121	1187	1270	1367	1485	1626	1785	1959
DEB1-H111B	920	980	1045	1129	1225	1344	1485	1644	1818
Fixed Back; Fixed Ar	,								
DEC1-H112C	1167	1229	1294	1378	1476	1595	1734	1894	2067
DES1-H112S	1120	1181	1245	1330	1426	1544	1685	1844	2018
Ø	979	1039	1104	1188	1285	1403	1544	1702	1877
Fixed Back; Adjustal	ole Arms - Syn	chro							
DEC1-H121C	1263	1324	1388	1472	1569	1687	1826	1980	2161
DES1-H121S	1216	1278	1342	1423	1522	1638	1777	1933	2114
DEB1-H121B	1073	1136	1199	1281	1380	1497	1636	1792	1972
			0						
Fixed Back; Adjustal	ole Arms - Syn	chro/Seat	Slider						
DEC1-H122C	1321	1382	1447	1531	1627	1746	1885	2038	2220
DES1-H122S	1274	1336	1401	1482	1580	1697	1837	1992	2173
© B DEB1-H122B	1132	1195	1258	1340	1439	1556	1695	1851	2032
Fixed Back; Fixed A	ms (Leather/Fa	abric Pad)	- Synchro						
DEC1-H131C	1274	1340	1412	1501	1606	1730	1876	2051	2225
DES1-H131S	1227	1293	1363	1453	1556	1680	1828	2002	2176
Fixed Back; Fixed Ar									
DEC1-H132C	1333	1400	1471	1561	1665	1789	1935	2110	2283
DES1-H132S	1286	1351	1423	1512	1615	1739	1886	2061	2235
6 6									

### Each chair features the Synchro Tilt mechanism

#### **ORDERING NOTES**

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Optional soft wheel casters are available at an upcharge of \$44 list.

### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Cantilever		

(Upholstered)

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | HIGH BACK

		СОМ		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Syn	chro							
	DEC1-H211C	1132	1194	1258	1343	1440	1560	1699	1858	2032
	DES1-H211S	1085	1146	1210	1295	1391	1509	1650	1808	1983
	DEB1-H211B	944	1004	1069	1152	1250	1367	1509	1667	1841
	Adjustable Back; Fixed A	•								
	DEC1-H212C	1192	1253	1317	1402	1499	1619	1758	1917	2091
	DES1-H212S	1144	1205	1269	1354	1450	1568	1710	1867	2042
	DEB1-H212B	1003	1063	1128	1211	1309	1426	1568	1726	1900
	Adjustable Back; Adjusta	ble Arms -	- Synchro							
	DEC1-H221C	1286	1347	1411	1496	1592	1711	1850	2003	2185
	DES1-H221S	1239	1301	1365	1447	1545	1662	1802	1957	2138
	DEB1-H221B	1097	1160	1223	1304	1404	1520	1660	1816	1996
		1031	1100	1220	1004	1404	1320	1000	1010	1330
	Adjustable Back; Adjusta	ble Arms -	- Synchro/	Seat Slide	r					
	DEC1-H222C	1345	1406	1470	1555	1652	1770	1909	2062	2244
	DES1-H222S	1298	1360	1424	1505	1604	1722	1861	2016	2197
& // O	DEB1-H222B	1156	1219	1282	1363	1463	1579	1718	1875	2055
	Adjustable Back; Fixed A	rms (l path	ner/Fahric	Pad) - Syr	ochro					
	DEC1-H231C	1298	1365	1436	1526	1630	1754	1899	2075	2248
	DES1-H231S	1251	1316	1388	1477	1579	1703	1851	2026	2200
	220: 1.20:0	0.								
	Adjustable Back; Fixed A	rms (Leath	ner/Fabric	Pad) - Syr	nchro/Seat	Slider				
	DEC1-H232C	1357	1424	1495	1585	1688	1814	1958	2134	2307
	DES1-H232S	1310	1376	1447	1535	1638	1762	1910	2084	2259
& <i>H</i>										

# Each chair features the Synchro Tilt mechanism

### **ORDERING NOTES**

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Optional soft wheel casters are available at an upcharge of \$44 list.

# PRODUCT CODE KEY

I HODGOT GODI						
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Cantilever		
				Fixed Cantilever		

(Upholstered)


<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# **DORSO T-LINE | LEED CI CREDIT SUMMARY**

# **DORSO T-LINE**

#### MATERIAL CONTENT:





PRE-CONSUMER RECYCLED CONTENT = 7.91%

POST-CONSUMER RECYCLED CONTENT = 18.91%

Up to 63.75% of this Dorso T product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.

# DORSO T-LINE | MID BACK

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	s - Synchro								
	DTC1-M111C	988	1034	1079	1137	1207	1284	1379	1483	1598
	DTS1-M111S	944	988	1033	1090	1160	1244	1334	1437	1552
	DTB1-M111B	825	868	913	969	1040	1126	1213	1317	1431
	Fixed Back; Fixed Arms	s - Svnchro/	Seat Slide	r						
	DTC1-M112C	1046	1092	1137	1196	1266	1343	1438	1542	1656
	DTS1-M112S	1003	1046	1091	1146	1219	1303	1393	1496	1610
<u> </u>	DTB1-M112B	884	928	972	1028	1100	1184	1273	1377	1489
	Fixed Back; Adjustable	Arms - Syno	chro							
	DTC1-M121C	1129	1173	1218	1277	1347	1423	1518	1621	1738
	DTS1-M121S	1052	1101	1144	1201	1271	1348	1446	1547	1662
	DTB1-M121B	933	977	1022	1079	1149	1234	1323	1426	1540
	Fixed Back; Adjustable	Armo Cun	abro/Cost	Clidor						
	DTC1-M122C	•								
	DTS1-M122S	1188	1232	1277	1335	1406	1482	1577	1680	1797
0	DTB1-M122B	1112	1160	1204	1259	1331	1407	1504	1607	1722
	DIDI-WIZZD	992	1036	1081	1137	1208	1293	1381	1485	1599
	Fixed Back; Armless - S	Synchro								
	DTC1-M101C	922	968	1012	1070	1141	1225	1314	1418	1532
	DTS1-M101S	836	880	926	982	1054	1136	1225	1330	1443
	DTB1-M101B	786	831	876	933	1005	1088	1176	1281	1394
	Fixed Back; Armless - S	Synchro/Sea	t Slider							
Q 2 2 2	DTC1-M102C	981	1027	1071	1129	1199	1285	1373	1477	1580
<ul><li>β</li></ul>	DTS1-M102S	895	939	985	1042	1113	1195	1285	1389	1503
	DTB1-M102B	845	890	935	992	1064	1147	1236	1339	1453

### Each chair features the Synchro Tilt mechanism

#### **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$44 list**. See page 27 for features and options.

#### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO T-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Syn	chro							
	DTC1-M211C	1010	1055	1100	1160	1228	1305	1402	1504	1620
	DTS1-M211S	966	1010	1054	1112	1182	1267	1356	1458	1573
	DTB1-M211B	847	889	934	992	1063	1147	1236	1339	1453
	Adjustable Back; Fixed A	rms - Svn	chro/Seat	Slider						
	DTC1-M212C	1069	1114	1159	1219	1287	1365	1461	1563	1679
	DTS1-M212S	1025	1069	1113	1171	1241	1326	1415	1517	1632
<b>о</b> в	DTB1-M212B	906	948	993	1051	1121	1206	1296	1397	1512
	Adjustable Back; Adjusta	ble Arms -	Synchro							
	DTC1-M221C	1150	1194	1240	1298	1369	1446	1540	1644	1759
	DTS1-M221S	1074	1121	1165	1298	1294	1370	1466	1569	1684
	DTB1-M221B	956	998	1043	1101	1172	1255	1345	1448	1562
		930	330	1040	1101	1112	1200	1040	1440	1302
	Adjustable Back; Adjusta	ble Arms -	Synchro/	Seat Slide	r					
	DTC1-M222C	1209	1253	1299	1357	1427	1504	1599	1702	1818
6	DTS1-M222S	1134	1181	1224	1282	1354	1428	1526	1627	1743
	DTB1-M222B	1014	1057	1102	1160	1231	1314	1404	1507	1621
	Adjustable Back; Armles	s - Synchro	)							
	DTC1-M201C	946	992	1036	1094	1164	1250	1338	1441	1556
	DTS1-M201S	859	904	950	1006	1077	1160	1250	1354	1468
	DTB1-M201B	810	855	900	957	1028	1112	1199	1304	1418
	Adjustable Back; Armles	s - Synchro	o/Seat Slid	der						
\$ 1 B	DTC1-M202C	1005	1051	1095	1152	1223	1309	1396	1500	1625
u	DTS1-M202S	918	963	1009	1066	1136	1219	1309	1412	1527
	DTB1-M202B	870	914	959	1015	1088	1171	1258	1363	1477

#### Each chair features the Synchro Tilt mechanism

# **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of \$44 list. See page 27 for features and options.

### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO T-LINE | HIGH BACK

DESCRIPTION/MODEL   1 2 3 4 5 6 7 8 9
DTC1-H111C 1021 1077 1136 1213 1303 1413 1541 1688 1848 DTS1-H111S 977 1033 1092 1170 1257 1366 1497 1642 1803 DTB1-H111B 847 902 962 1038 1128 1236 1366 1512 1672  Fixed Back; Fixed Arms - Synchro/Seat Slider DTC1-H112C 1080 1136 1195 1273 1362 1472 1600 1747 1907 DTS1-H112S 1036 1091 1151 1228 1316 1425 1556 1701 1862 DTB1-H112B 906 962 1021 1097 1187 1296 1425 1572 1731  Fixed Back; Adjustable Arms - Synchro DTC1-H121C 1161 1218 1277 1355 1443 1553 1680 1821 1988 DTB1-H121S 1118 1175 1234 1310 1401 1508 1635 1779 1945 DTB1-H121B 988 1045 1104 1178 1269 1377 1505 1648 1815  Fixed Back; Adjustable Arms - Synchro/Seat Slider DTC1-H122C 120 1277 1335 1413 1503 1611 1739 1880 2047 DTS1-H122S 1177 1234 1293 1369 1459 1566 1694 1838 2004 DTB1-H122B 1046 1104 1163 1238 1328 1436 1576 1707 1874
DTS1-H111S 977 1033 1092 1170 1257 1366 1497 1642 1803 DTB1-H111B 847 902 962 1038 1128 1236 1366 1512 1672  Fixed Back; Fixed Arms - Synchro/Seat Slider DTC1-H112C 1080 1136 1195 1273 1362 1472 1600 1747 1907 DTS1-H112B 1036 1091 1151 1228 1316 1425 1556 1701 1862 DTB1-H112B 906 962 1021 1097 1187 1296 1425 1572 1731  Fixed Back; Adjustable Arms - Synchro DTC1-H121C 1161 1218 1277 1355 1443 1553 1680 1821 1988 DTS1-H121S 1118 1175 1234 1310 1401 1508 1635 1779 1945 DTB1-H121B 988 1045 1104 1178 1269 1377 1505 1648 1815  Fixed Back; Adjustable Arms - Synchro/Seat Slider DTC1-H12C 1220 1277 1335 1413 1503 1611 1739 1880 2047 DTS1-H122S 1177 1234 1293 1369 1459 1566 1694 1838 2004 DTB1-H122B 1046 1104 1163 1238 1328 1436 1576 1707 1874
DTB1-H111B 847 902 962 1038 1128 1236 1366 1512 1672  Fixed Back; Fixed Arms - Synchro/Seat Slider DTC1-H112C 1080 1136 1195 1273 1362 1472 1600 1747 1907 DTS1-H112S 1036 1091 1151 1228 1316 1425 1556 1701 1862 DTB1-H112B 906 962 1021 1097 1187 1296 1425 1572 1731  Fixed Back; Adjustable Arms - Synchro DTC1-H121C 1161 1218 1277 1355 1443 1553 1680 1821 1988 DTS1-H121S 1118 1175 1234 1310 1401 1508 1635 1779 1945 DTB1-H121B 988 1045 1104 1178 1269 1377 1505 1648 1815  Fixed Back; Adjustable Arms - Synchro/Seat Slider DTC1-H122C 1220 1277 1335 1413 1503 1611 1739 1880 2047 DTS1-H122S 1177 1234 1293 1369 1459 1566 1694 1838 2004 DTB1-H122B 1046 1104 1163 1238 1328 1436 1576 1707 1874
Fixed Back; Fixed Arms - Synchro/Seat Slider DTC1-H112C
DTC1-H112C
DTC1-H112C
DTS1-H112S 1036 1091 1151 1228 1316 1425 1556 1701 1862 DTB1-H112B 906 962 1021 1097 1187 1296 1425 1572 1731  Fixed Back; Adjustable Arms - Synchro DTC1-H121C 1161 1218 1277 1355 1443 1553 1680 1821 1988 DTS1-H121S 1118 1175 1234 1310 1401 1508 1635 1779 1945 DTB1-H121B 988 1045 1104 1178 1269 1377 1505 1648 1815  Fixed Back; Adjustable Arms - Synchro/Seat Slider DTC1-H122C 1220 1277 1335 1413 1503 1611 1739 1880 2047 DTS1-H122S 1177 1234 1293 1369 1459 1566 1694 1838 2004 DTB1-H122B 1046 1104 1163 1238 1328 1436 1576 1707 1874
Fixed Back; Adjustable Arms - Synchro  DTC1-H121C  DTS1-H121S  DTB1-H121B  988  1045  1118  175  1234  1310  1401  1508  1680  1821  1988  1945  1945  1945  1950  1945  1946  1946  1946  1948  1948  1949  1945  1949
Fixed Back; Adjustable Arms - Synchro  DTC1-H121C
DTC1-H121C 1161 1218 1277 1355 1443 1553 1680 1821 1988 DTS1-H121S 1118 1175 1234 1310 1401 1508 1635 1779 1945 DTB1-H121B 988 1045 1104 1178 1269 1377 1505 1648 1815  Fixed Back; Adjustable Arms - Synchro/Seat Slider DTC1-H122C 1220 1277 1335 1413 1503 1611 1739 1880 2047 DTS1-H122S 1177 1234 1293 1369 1459 1566 1694 1838 2004 DTB1-H122B 1046 1104 1163 1238 1328 1436 1576 1707 1874
DTC1-H121C 1161 1218 1277 1355 1443 1553 1680 1821 1988 DTS1-H121S 1118 1175 1234 1310 1401 1508 1635 1779 1945 DTB1-H121B 988 1045 1104 1178 1269 1377 1505 1648 1815  Fixed Back; Adjustable Arms - Synchro/Seat Slider DTC1-H122C 1220 1277 1335 1413 1503 1611 1739 1880 2047 DTS1-H122S 1177 1234 1293 1369 1459 1566 1694 1838 2004 DTB1-H122B 1046 1104 1163 1238 1328 1436 1576 1707 1874
DTC1-H121C 1161 1218 1277 1355 1443 1553 1680 1821 1988 DTS1-H121S 1118 1175 1234 1310 1401 1508 1635 1779 1945 DTB1-H121B 988 1045 1104 1178 1269 1377 1505 1648 1815  Fixed Back; Adjustable Arms - Synchro/Seat Slider DTC1-H122C 1220 1277 1335 1413 1503 1611 1739 1880 2047 DTS1-H122S 1177 1234 1293 1369 1459 1566 1694 1838 2004 DTB1-H122B 1046 1104 1163 1238 1328 1436 1576 1707 1874
DTS1-H121S
DTS1-H121S
DTB1-H121B 988 1045 1104 1178 1269 1377 1505 1648 1815  Fixed Back; Adjustable Arms - Synchro/Seat Slider  DTC1-H122C 1220 1277 1335 1413 1503 1611 1739 1880 2047  DTS1-H122S 1177 1234 1293 1369 1459 1566 1694 1838 2004  DTB1-H122B 1046 1104 1163 1238 1328 1436 1576 1707 1874
Fixed Back; Adjustable Arms - Synchro/Seat Slider  DTC1-H122C  1220  1277  1335  1413  1503  1611  1739  1880  2047  DTS1-H122S  1177  1234  1293  1369  1459  1566  1694  1838  2004  DTB1-H122B  1046  1104  1163  1238  1328  1436  1576  1707  1874
DTC1-H122C 1220 1277 1335 1413 1503 1611 1739 1880 2047 DTS1-H122S 1177 1234 1293 1369 1459 1566 1694 1838 2004 DTB1-H122B 1046 1104 1163 1238 1328 1436 1576 1707 1874
DTS1-H122S 1220 1277 1335 1415 1305 1611 1739 1880 2047 1739 1739 1739 1739 1739 1739 1739 173
DTB1-H122B 1177 1234 1293 1369 1459 1566 1694 1838 2004 1046 1104 1163 1238 1328 1436 1576 1707 1874
Fixed Back: Armless - Synchro
Fixed Back: Armless - Synchro
Fixed Back: Armless - Synchro
Tixou Buon, Turnico Cyrionic
DTC1-H101C 950 1006 1066 1143 1233 1343 1417 1618 1776
DIST-H101S 859 914 975 1051 1140 1248 1379 1524 1684
DTB1-H101B 806 861 920 997 1086 1195 1325 1471 1632
Fixed Back; Armless - Synchro/Seat Slider
DTC1_H102C
DTS1-H102S 1009 1066 1125 1202 1291 1402 1529 1677 1835
918 974 928 1110 1198 1308 1438 1584 1743
865 920 979 1056 1146 1254 1384 1530 1691

### Each chair features the Synchro Tilt mechanism

### **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$44 list**. See page 27 for features and options.

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	M	1	0	1	С
Dorso T-Line (Polished Chrome)	Management, Task & Conference Seating	Mid Back	Fixed	Armless	Synchro	Chrome Base
DTS	9	Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

## DORSO T-LINE | HIGH BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	Arms - Syn	chro							
	DTC1-H211C	1042	1098	1159	1235	1325	1435	1563	1710	1868
	DTS1-H211S	998	1054	1114	1190	1280	1389	1518	1664	1825
	DTB1-H211B	930	985	1044	1120	1210	1319	1449	1595	1756
	Adjustable Back; Fixed A	•								
	DTC1-H212C	1101	1158	1218	1294	1384	1494	1622	1769	1927
0 4	DTS1-H212S	1057	1113	1173	1250	1339	1448	1577	1723	1884
8 1	DTB1-H212B	989	1044	1103	1180	1269	1378	1508	1654	1815
	Adiustable Deels Adiusts	abla Arma	Cymobyo							
	Adjustable Back; Adjusta DTC1-H221C		•							
	DTS1-H221S	1183	1240	1298	1377	1465	1574	1702	1843	2011
	DTB1-H221B	1140	1197	1255	1331	1422	1529	1657	1800	1967
	0101-112210	1011	1069	1128	1202	1293	1401	1529	1671	1838
	Adjustable Back; Adjusta	able Arms -	- Synchro/	Seat Slide	r					
	DTC1-H222C	1242	1299	1357	1436	1524	1633	1761	1901	2069
	DTS1-H222S	1198	1256	1314	1390	1481	1588	1716	1860	2026
& B	DTB1-H222B	1070	1128	1187	1262	1351	1459	1588	1730	1897
_	Adjustable Back; Armles	s - Synchr	0							
	DTC1-H201C	974	1029	1089	1166	1256	1366	1494	1641	1800
	DTS1-H201S	883	937	998	1074	1163	1271	1403	1547	1708
	DTB1-H201B	829	885	944	1021	1110	1219	1348	1495	1655
	Adjustable Back; Armles	s - Svnchr	o/Seat Slic	der						
	DTC1-H202C	,							.=0.5	1005
	DTS1-H202S	1033	1089	1148	1225	1315	1425	1553	1700	1860
	DTB1-H202B	942	997	1057	1134	1222	1331	1462	1547	1708
- u		888	944	1003	1080	1170	1278	1407	1554	1714

### Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

### **ORDERING NOTES**


Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of \$44 list. See page 27 for features and options.

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC Dorso T-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	C Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						

## DORSO WEAVE | LEED CI CREDIT SUMMARY

## **DORSO WEAVE**





PRE-CONSUMER RECYCLED CONTENT = 11.32%

POST-CONSUMER RECYCLED CONTENT = 21.48%

Up to 74.04% of this Dorso Weave product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.

## **DORSO WEAVE | FEATURES**



#### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

Fixed cantilever and adjustable arms are available in Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in an upholstered leather version.

#### **N-LINE**

Fixed cantilever and adjustable arms are available in black textured plastic only.

#### **BASE STYLES**



Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.

#### **DORSO CONTROLS**



All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines

#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

#### **BACK TENSION**

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

#### **SEAT SLIDER**

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

### **BACK HEIGHT**



Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be

#### **BACK COLOR OPTIONS**

Black • Warm Gray • Tan • Soft Beige • Winter White

### **DORSO WEAVE | DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed	24.5	22.5	42.5	18-22	27-30.5	20	18	51	15	0.75
	Adjustable	25	22.5	42.5	18-22	25.5-32	19.5	18	51	15	0.75
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	47	18-22	27-30.5	20	18	52	18	0.75
	Adjustable	25	22.5	47	18-22	25.5-32	19.5	18	52	18	0.75
	Armless	19.5	22.5	47	18-22	N/A	N/A	18	47	18	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	50.5	18-22	27-30.5	20	18	54	18	0.75
with Headrest	Adjustable	25	22.5	50.5	18-22	25.5-32	19.5	18	54	18	0.75
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	0.75
	Adjustable	25	21.5	41	18-22	25.5-32	19.5	18	50	15	0.75
	Armless	19.5	21.5	41	18-22	N/A	N/A	18	45	15	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	45.5	18-22	27-30.5	20	18	51	18	0.75
	Adjustable	25	21.5	45.5	18-22	25.5-32	19.5	18	51	18	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	50.5	18-22	27-30.5	20	18	53	19.5	0.75
with Headrest	Adjustable	25	21.5	50.5	18-22	25.5-32	19.5	18	53	19.5	0.75

Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso seating. For information on COM approval process see page 7.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice.

Contact Customer Service if dimensions are critical.

## DORSO WEAVE S-LINE | MID BACK

		COM		COL	FAB	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	•	1	2	3	4	5	6	7	8	9
À	FIXED ARMS (Black wit DOS1-M2211M Silver Metallic DOS1-M2231M Silver Metallic	h metal acc 1250	ent) 1262	1273	1291	1310	1328	1351	1377 1601	1402
	DOC1-M2211M Polished Chrome DOC1-M2231M Polished Chrome	1308	1320	1332	1349	1369	1386	1411	1435 1641	1459
	ADJUSTABLE ARMS (B DOS1-M2221M Silver Metallic DOC1-M2221M Polished Chrome	llack with m 1199 1262	etal accen 1211 1273	1223 1286	1242	1259 1323	1279 1340	1302 1365	1327 1389	1350 1413
	ARMLESS DOS1-M2201M Silver Metallic DOC1-M2201M Polished Chrome	1119 1173	1131 1184	1143 1197	1162 1216	1180 1233	1198 1252	1222 1277	1247 1300	1270 1325

## **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 list.



## PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating			Weave			
DOC		Н		3	1		J
Dorso T-Line		High Back		Headrest (No trim)	Fixed Cantilever		Jury Base
(Polished Chrome	9)			(High back only) Weave			
				vveave	2		
					Adjustable (Black)		
					3		

Fixed Cantilever - Leather

## DORSO WEAVE S-LINE | HIGH BACK

		COM		COL	FAB	RIC GRAD	ES	1	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit DOS1-H2211M Silver Metallic	h metal acc 1349	ent) 1362	1374	1392	1411	1428	1453	1477	1501
	DOS1-H2231M								1701	
	DOC1-H2211M Polished Chrome	1409	1422	1434	1452	1470	1488	1512	1538	1562
	DOC1-H2231M								1760	
	ADJUSTABLE ARMS (B	lack with m	etal accer	nt)						
	DOS1-H2221M Silver Metallic	1302	1314	1327	1345	1363	1381	1406	1430	1454
	DOC1-H2221M Polished Chrome	1363	1376	1388	1406	1424	1442	1466	1492	1515
6756										
	DORS	O WE	AVE S	-LINE	HIG	Н ВА	CK W	ITH H	EADR	EST
	FIXED ARMS (Black wit	h metal acc	ent)							



FIXED ARMS (Black with r DOS1-H2311M Silver Metallic	netal acce 1486	nt) 1498	1510	1529	1546	1565	1589	1614	1637
DOS1-H2331M								1837	
Silver Metallic	1540	1550	1570	1500	1000	1005	1050	1070	1000
DOC1-H2311M Polished Chrome	1546	1558	1572	1589	1608	1625	1650	1673	1699
DOC1-H2331M								1898	
Polished Chrome									
AD IIIOTADI E ADMO (Dis	1201	h - l 1)							
ADJUSTABLE ARMS (Blace		,							
DOS1-H2321M Silver Metallic	1439	1451	1463	1482	1499	1517	1542	1566	1590
DOC1-H2321M	1499	1511	1524	1542	1561	1578	1603	1626	1652



Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

Clearly indicate on order fabric selection for seat and weave selection for back.

Polished Chrome

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 list.



## PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	2	0	1	М
Dorso S-Line (Silver Metallic)	Management, Task & Conference Seating	Mid Back	Adjustment	No Headrest Weave	Armless	Synchro	Metal Base
DOC	& Contend Ce Seating	Н		3	1		J
Dorso T-Line (Polished Chrome	1	High Back		Headrest (No trim) (High back only)	Fixed Cantilever		Jury Base
(Folished Offortie	)			Weave	2		

Adjustable (Black)

3

Fixed Cantilever - Leather

## DORSO WEAVE N-LINE | MID BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
<u> </u>	FIXED ARMS (Black) DON1-M1211B No back adjustment	1097	1109	1121	1140	1159	1176	1201	1224	1250
	DON1-M2211B	1161	1173	1184	1204	1221	1240	1264	1288	1312
	With back adjustment									
@55555\	ADJUSTABLE ARMS (BI	ack)								
(00000) (00000)	DON1-M1221B	1050	1061	1074	1092	1110	1129	1152	1177	1202
(00000) (817)	No back adjustment									
	DON1-M2221B	1112	1125	1136	1155	1173	1190	1216	1240	1264
	With back adjustment									
	ARMLESS									_
(***** <u>\</u>	DON1-M1201B	967	979	991	1010	1027	1046	1070	1095	1119
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	No back adjustment									
	DON1-M2201B With back adjustment	1022	1035	1046	1064	1083	1101	1126	1149	1174
000										

## **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of \$138. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list. Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N. For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price.



Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
		Н	2	3	1		J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever		Jury Base
					Adjustable (Black)	)	

## DORSO WEAVE N-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRAD	DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-H1211B No back adjustment DON1-H2211B With back adjustment	1227 1288	1240 1300	1252 1312	1269 1331	1288 1348	1305 1367	1331 1391	1355 1416	1379 1440
	ADJUSTABLE ARMS (BI DON1-H1221B No back adjustment DON1-H2221B With back adjustment	1180 1240	1192 1252	1205 1264	1222 1282	1241 1300	1258 1319	1284 1343	1308 1367	1332 1391
	DC	PRSO	WEAV	/E N-I	LINE	HIGH	BAC	K with	Heac	lrest
). 52	FIXED ARMS (Black) DON1-H1311B No back adjustment DON1-H2311B	1363 1425	1376 1437	1388 1450	1406 1468	1424 1486	1442 1504	1466 1529	1492 1553	1515 1577
	With back adjustment  ADJUSTABLE ARMS (BI DON1-H1321B	ack) 1315	1328	1340	1359	1377	1394	1419	1443	1468

### Each chair features the Synchro Tilt mechanism

No back adjustment DON1-H2321B

With back adjustment

#### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of \$138. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list. Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

1377

1389

1402

1419

1437

1455

1481

1504

1529

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price.




Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
		Н	2	3	1		J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever		Jury Base
					Adjustable (Black)		

## DORSO | LEED CI CREDIT SUMMARY

## **DORSO**





PRE-CONSUMER
RECYCLED CONTENT = 21.68%

POST-CONSUMER
RECYCLED CONTENT = 20.03%

Up to 77.88% of Dorso S product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

## DORSO S-LINE & N-LINE | FEATURES



#### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

#### S-LINE

Fixed cantilever and adjustable arms are available in Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in an upholstered leather version.

#### **N-LINE**

Fixed cantilever and adjustable arms are available in black textured plastic only.



### **BASE STYLES**

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



## DORSO GUEST SEATING

#### S-LINE

Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic or Polished Chrome steel frame. Cantilever and 4-Leg versions of Guest Seating feature rubber glides.

### **N-LINE**

Dorso seating is available in three base styles: Cantilever

4-Leg with twin wheel casters

Each is offered in a Silver Metallic steel frame.



#### **DORSO CONTROLS**

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. One of the best engineered and most user-friendly chair controls, the synchro tilt mechanism is unique in providing a single, easy-accessed lever to adjust tilt lock positions and seat height. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines. The synchro tilt mechanism also features an anti-kickback lock release, providing a smooth transition from locked to unlocked tilt adjustment.

#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

#### **BACK TENSION**

Back tension on the synchro tilt mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

#### **SEAT SLIDER**

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

### **BACK HEIGHT**

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered



## **DORSO S-LINE & N-LINE | DIMENSIONS & COM REQUIREMENTS**

Presenting one of the world's most advanced seating concepts: new technology that offers outstanding ergonomics in a strikingly modern chair design, while providing a level of long-term sitting comfort and support that has been the hallmark of European seating. DORSO: Designed by Gabriel Teixidó

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed Adjustable	24.5 25	22.5 22.5	42.5 42.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	51 51	15 15	1.7
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	1.7
S-LINE HIGH BACK		24.5	22.5	47	18-22	27-30.5	20	18	52	18	1.9
	Adjustable Armless	25 19.5	22.5 22.5	47 47	18-22 18-22	25.5-32 N/A	19.5 N/A	18 18	52 47	18 18	1.9 1.9
S-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	22.5 22.5	50.5 50.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	54 54	18 18	1.9 1.9
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	1.7
	Adjustable Armless	25 19.5	21.5 21.5	41 41	18-22 18-22	25.5-32 N/A	19.5 N/A	18 18	50 45	15 15	1.7 1.7
N-LINE HIGH BACK	Fixed Adjustable	24.5 25	21.5 21.5	45.5 45.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	51 51	18 18	1.9 1.9
N-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	21.5 21.5	50.5 50.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	53 53	19.5 19.5	1.9 1.9
GUEST		Overall Width	Overall Depth	Seat Height	Heigh Arms from	nt of Wic m Floor betweer		Height Range	Shipping Weight	Cube	COM Yardage
GUEST S-LINE/4LEG	Armless Fixed					m Floor between	.5 Depth	_		14 14	
		Width 20.75	Depth 25.50	Height 18.5	Arms from	5 19 5 19 5 19	n Arms Depth .5 19.5 .5 19.5	Range 36	Weight 32	14	Yardage 1.3
S-LINE/4LEG S-LINE/4LEG	Fixed Armless	Width 20.75 24.5 20.75	Depth 25.50 25.50 24.75	Height  18.5 18.5 18.5	27. 27.	5 19 5 19 5 19 5 19 5 19 5 19	Depth 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5	36 36 36	32 37 33	14 14	1.3 1.3
S-LINE/4LEG S-LINE/4LEG with Casters S-LINE/	Fixed  Armless Fixed  Armless	20.75 24.5 20.75 24.5 20.75 20.75	25.50 25.50 24.75 24.75 24.75	18.5 18.5 18.5 18.5 18.5	27. 27. 27. 27. 27.	5 19 5 19 5 19 5 19 5 19 5 19 5 19 5 19	1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5	36 36 36 36 36	32 37 33 38 39	14 14 14 14	1.3 1.3 1.3 1.3 1.3
S-LINE/4LEG S-LINE/4LEG with Casters S-LINE/ Cantilever Base	Armless Fixed Armless Fixed Armless	Width  20.75 24.5  20.75 24.5  20.75 24.5  20.75 24.5	Depth  25.50 25.50  24.75 24.75  24.75  24.75  25.50	18.5 18.5 18.5 18.5 18.5 18.5 18.5	27. 27. 27. 27. 27. 27. 27. 27. 27. 27.	m Floor         between           .5         19           .5         19           .5         19           .5         19           .5         19           .5         19           .5         19           .5         19           .5         19           .5         19           .5         19           .5         19	1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5 1.5 19.5	36 36 36 36 36 36 36 36 34.75	Weight  32 37  33 38  39 44  31	14 14 14 14 14 14	1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3

## ORDERING NOTE

Add 0.5 yards for seating with leather wrapped arm option.

Note: Some vinyls are not suitable for application on Dorso seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for an approval process at time of order.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

## **ORDERING NOTES**

All Dorso swivel and tilter models are available with an optional seat slider mechanism at an upcharge of \$55 list.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

## DORSO S-LINE | MID BACK

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black with	n metal acc	ent)							
	DOS1-M2011M	1314	1363	1413	1477	1556	1650	1751	1866	1993
<b>1</b>	Silver Metallic									
	DOS1-M2031M								2090	
	Silver Metallic									
	DOC1-M2011M	1377	1427	1477	1544	1622	1708	1816	1930	2060
. A 9	Polished Chrome								0154	
	DOC1-M2031M Polished Chrome								2154	
	Folished Officiale									
	ADJUSTABLE ARMS (BI	ack with m	etal accen	it)						
\ _	DOS1-M2021M	1262	1314	1363	1427	1507	1592	1700	1816	1944
	Silver Metallic									
	DOC1-M2021M	1328	1377	1427	1493	1572	1657	1764	1879	2009
	Polished Chrome									
	ARMLESS									
	DOS1-M2001M	1177	1227	1279	1342	1422	1515	1614	1730	1858
)	Silver Metallic	1004	1005	1004	1007	4 477	1.570	1071	1707	1015
	DOC1-M2001M	1234	1285	1334	1397	1477	1572	1671	1787	1915
	Polished Chrome									

### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price. See page 75 for Dorso Guest seating.



### PRODUCT CODE KEY

PRODUCT COL	JE KE I						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1		J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever		Jury Base
					2		
					Adjustable (Black)		

3
Fixed Cantilever - Leather

## DORSO S-LINE | HIGH BACK

DESCRIPTION/MODEL	COM 1	2	COL 3	FAI 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
FIXED ARMS (Blad	ck with metal ac	cent)							
DOS1-H2011M Silver Metallic	1422	1484	1550	1637	1737	1858	2003	2166	2347
DOS1-H2031M Silver Metallic								2390	
DOC1-H2011M	1486	1549	1615	1702	1802	1916	2068	2231	2412
Polished Chrome DOC1-H2031M Polished Chrome								2455	
ADJUSTABLE ARI DOS1-H2021M	MS (Black with r 1371	netal accei 1436	nt) 1500	1585	1687	1806	1952	2110	2297
Silver Metallic DOC1-H2021M	1436	1500	1564	1650	1751	1874	2016	2174	2360
Polished Chrome	1100	1000	1001	1000	1101	1071	2010		2000
	DO	RSO S	LI INI	=   HIG	H RΔ	CK W	/ІТН Н	IFΔDR	FST
FIVER ARMO (RI			)- <b>L</b> II <b>4</b> I	_   11110	אם ווג	OIV VV			LOI
FIXED ARMS (Blace DOS1-H2111M	ck with metal ac 1564	cent) 1644	1715	1816	1930	2067	2223	2396	2589
Silver Metallic DOS1-H2131M								2619	
Silver Metallic DOC1-H2111M	1627	1708	1780	1879	1993	2130	2289	2462	2656
Polished Chrome	1021	1700	1760	1079	1995	2130	2209		2030
DOC1-H2131M Polished Chrome								2686	
ADJUSTABLE ARI	MS (Black with n	netal accer	nt)						
DOS1-H2121M Silver Metallic	1515	1585	1664	1764	1879	2016	2166	2347	2540
DOC1-H2121M	1578	1650	1730	1830	1944	2081	2232	2410	2604
Polished Chrome	1376	1030	1730	1030	1344	2001	2232	2410	2004

### **ORDERING NOTES**

Dorso S-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price.



## PRODUCT CODE KEY

· - · · · · · · · · · · · · · · · · · ·						
Series	Back Style	Back Adjustment	Back Details	Arm Style	Mechanism	Base
1	М	2	0	0	1	M
Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
& Conference Seating						
_	Н		1	1		J
	High Back		Headrest (No trim)	Fixed Cantilever		Jury Base
<del>e</del> )			(High back only)			
				2		
	1 Management, Task	Management, Task & Mid Back & Conference Seating H High Back	1 M 2  Management, Task Mid Back Adjustment & Conference Seating H  High Back	Management, Task & Mid Back Adjustment No Headrest & Conference Seating H I High Back Headrest (No trim)	Management, Task Mid Back Adjustment No Headrest Armless & Conference Seating  H High Back Headrest (No trim) (High back only)  Fixed Cantilever	Management, Task Mid Back Adjustment No Headrest Armless Synchro & Conference Seating  H High Back Headrest (No trim) Fixed Cantilever (High back only)

Adjustable (Black)

3

Fixed Cantilever - Leather

## DORSO N-LINE | MID BACK

9 1844
1844
1908
1787
1851
1708
1764
300

## Each chair features the Synchro Tilt mechanism

## **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$138.

Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price.



## PRODUCT CODE KEY

PRODUCTION	DEREI						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
	_	Н	2	1	1		J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever		Jury Base
					2		

Adjustable (Black)

## DORSO N-LINE | HIGH BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-H1011B No back adjustment	1290	1357	1422	1507	1608	1730	1874	2037	2218
	DON1-H2011B With back adjustment	1357	1422	1484	1572	1671	1794	1937	2104	2282
	ADJUSTABLE ARMS (Bla	ack)								
	DON1-H1021B  No back adjustment	1241	1304	1371	1457	1556	1680	1822	1980	2166
	DON1-H2021B With back adjustment	1304	1371	1436	1520	1622	1743	1887	2045	2232

## DORSO N-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black)							
DON1-H1111B	1436	1515	1585	1687	1802	1937	2095
No back adjustment							
DON1-H2111B	1500	1578	1650	1751	1866	2003	2160
With back adjustment							



ADJUSTABLE ARMS (Black)										
DON1-H1121B	1386	1457	1534	1637	1751	1887	2037	2218	2410	
No back adjustment										
DON1-H2121B	1450	1520	1601	1700	1816	1952	2104	2282	2475	
With back adjustment										

### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$138.

Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price. See page 75 for Dorso Guest seating.



2267

2333

2462

2524

### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	М	1	0	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Nylon Base
	a comoroneo coa mag	Н	2	1	1		J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever		Jury Base
					2		

Adjustable (Black)

Me brings new meaning to custom seating. Your comfort. Your style. Your chair.

With Me, options, styling and versatility are virtually endless, and comfort is superior. With Me, Krug has created a chair that not only provides unprecedented comfort and natural posture support, but also exceptional styling. Me is an adaptable seating solution for any management, task and conference environment.

Think of Me as your fingerprint of seating. The search for the perfect chair is over. Me is here.

## DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
LOW BACK	Armless	20	21.75	36.5	N/A	N/A	19	39	16	1.7
	Fixed	23	21.75	36.5	27.13	19	19	46	16	1.7
	Adjustable Urethane	24.75	21.75	36.5	24	17.25	19	46	16	1.7
	Adjustable Upholstered	25.5	21.75	36.5	24.25	16.75	19	46	16	1.7
MID BACK	Armless	20	21.75	39	N/A	N/A	19	43	18	1.8
	Fixed	23	21.75	39	27.13	19	19	48	18	1.8
	Adjustable Urethane	24.75	21.75	39	24	17.25	19	48	18	1.8
	Adjustable Upholstered	25.5	21.75	39	24.25	16.75	19	48	18	1.8
HIGH BACK	Armless	20	21.75	41.6	N/A	N/A	19	45	20	1.9
	Fixed	23	21.75	41.6	27.13	19	19	50	20	1.9
	Adjustable Urethane	24.75	21.75	41.6	24	17.25	19	50	20	1.9
	Adjustable Upholstered	25.5	21.75	41.6	24.25	16.75	19	50	20	1.9

Height measurements of Me are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

## OPTIONAL GAS LIFT HEIGHT RANGES

Me is available with two gas lift ranges. Unless clearly specified on order, Me seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Non Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16" when lowered and no less than 20" when extended. Low gas lifts give a seat height of no greater than 15 1/8" when lowered and no less than 18 5/16" when extended. If dimensions are critical, please contact Customer Service.

Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16 1/4" when lowered and no less than 20 5/16" when extended. Low gas lifts give a seat height of no greater than 15 3/8" when lowered and no less than 18 15/16" when extended. If dimensions are critical, please contact Customer Service.

Note: Some vinyls are not suitable for upholstery on Me seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service.

### The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order. For Maharam or Momentum fabric, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.



## **ME** | FEATURES



#### **ARM STYLES**

Four arm styles are available on Me. In addition to the armless version is the urethane overmolded steel supported fixed cantilever arm. Also available are two adjustable pad arms: urethane pad arms, and upholstered pad arms. Both adjustable arm versions feature: pivoting arms that adjust 30 degrees inward or outward, 1 1/2" left and right width adjustment control, and a 6 stop position arm height range with a total of 2.6" of height adjustment.

When specifying leather on the upholstered arm pad version, the user has the option of a perforated arm pad (available when specifying Krug's stock leather only).

When specifying polished aluminum bases on Me, the arm upright will also be finished in polished aluminum (on adjustable arm versions only).



## **BASE STYLES**

Me seating is available in two base options. Choose from an injection molded, glass reinforced black nylon base or polished cast aluminum base, both with 2 1/4" dual wheel casters.



#### Me CONTROLS

Me features a standard synchro tilt mechanism that allows the back and the seat to articulate synchronously in a 2:1 ratio. This feature insures that the upward tilt of the seat is minimized as the back reclines. The mechanism that also features a standard tilt lock mechanism that allows the user an infinite number of recline lock positions. Simply push the tilt lock lever downward to lock and upward to free-float the back.

#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 4.25" without seat slider and 4.0" with seat slider.

Low gas lift: 3.5" without seat slider and 3.5" with seat slider.



The back tension adjustment knob is located on the front underside of the seat. A simple turn of the knob provides a range of back tension adjustment suitable for users of varying sizes and preferences.

#### **SEAT SLIDER**

All Me adjustable arm versions are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.



### **BACK HEIGHT**

Me is available in three back heights: low, mid and high.

Back height adjustment is a standard feature on all Me models. This feature offers an adjustment range of 11 positions over a 2 1/2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand of the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered to the first and lowest stop position.

#### **UPHOLSTERY OPTIONS**

With Me comes the ability to choose contrasting fabrics/leathers for the seat, upper and lower back sections, as well as the upholstered arm pads. This option allows for an endless possibility of custom designed seating options (see upcharges on the following pages).

When specifying leather from Krug's in-stock leather program, the option to perforate the leather on the lower back and upholstered pad arms is available (see pricing on the following pages).

		COM		COL	FA	BRIC GRA	ADES		LEATHER	
	DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 L2 11B Standard back upholster MTH1 L2 21B Perforated back upholste			1018	1155	1221	1279	1386	1614 1743	1806
8 9 0	MTH1 L2 11A Standard back upholster MTH1 L2 21A Perforated back upholste			1118 e	1255	1320	1371	1477	1715 1844	1908
	ADJUSTABLE URETHAN MTH1 L2 12B Standard back upholster MTH1 L2 22B Perforated back upholster	905 y, black ba	946 se	991	1103	1177	1227	1334	1550 1680	1749
	MTH1 L2 12A Standard back upholster MTH1 L2 22A Perforated back upholste			1083	1206	1279	1328	1426	1650 1780	1851

## CONTRASTING SEAT, BACK AND ARM PAD FABRIC

COM yardage requirements are shown below. The base price is determined using the higher grade fabric. Please note clearly on the purchase order which chair sections to upholster by using the chart below.

### COM REQUIREMENTS PER CHAIR SECTION

Upper Back*	Lower Back*	Seat	Arm Pads
0.7	0.5	0.75	0.4

Measurements above are provided in yards.

## **ORDERING NOTES**

The perforated leather option is not available on the *KrugExpress* program.

Perforated leather option is only available with the Krug in stock leather program.

Please specify clearly on purchase order if low gas lift is to be applied.

Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$53 list.

For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and add \$55 to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator.

Line	Series	Back Style	Back Adjustment	<b>Back Details</b>	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		М		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	t
					Pad Arms	

<sup>\*</sup>Upper and Lower Backs consist of both the inside and outside back.

## ME | LOW BACK

		СОМ		COL	FA	BRIC GRA	ADES		LEATHER	l
	DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
	UPHOLSTERED ADJUST MTH1 L2 13B Standard back upholstery MTH1 L2 23B Perforated back upholste	946 /, black ba	991 ase	1039	1161	1234	1290	1392	1627 1758	1844
g 9 3	MTH1 L2 13A Standard back upholstery MTH1 L2 23A Perforated back upholste				1263	1334	1392	1492	1722 1851	1937
	ARMLESS MTH1 L2 10B Standard back upholstery MTH1 L2 20B Perforated back upholste			939	1075	1134	1190	1298	1534 1664	1722
	MTH1 L2 10A Standard back upholstery MTH1 L2 20A Perforated back upholste				1170	1234	1285	1392	1627 1758	1822
								ME   N	/IID B/	4CK
	FIXED ARMS MTH1 M2 11B Standard back upholsten MTH1 M2 21B	1005 y, black ba	1054 ase	1098	1241	1314	1371	1484	1737 1866	1944
	Perforated back upholste  MTH1 M2 11A  Standard back upholsten	1098	1148	1198 e	1334	1407	1465	1585	1837	2037
	MTH1 M2 21A  Perforated back upholster								1967	

## **ORDERING NOTES**

The perforated leather option is not available on the *KrugExpress* program.

Perforated leather option is only available with the Krug in stock leather program.

Please specify clearly on purchase order if low gas lift is to be applied.

Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list.

Perforated back upholstery, silver metallic base

For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and add \$55 to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator.

ODUCT CO Line	DE KEY Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metallic
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
				,	Adjustable Upholstered	
					Pad Arms	

	COM		COL	FA	BRIC GRA	ADES		LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
ADJUSTABLE URETHAN MTH1 M2 12B	968	1018	1063	1190	1263	1320	1426	1664	1879
Standard back upholster MTH1 M2 22B Perforated back upholster								1794	
MTH1 M2 12A Standard back upholster	1069 y, silver m	1113 etallic base	1155 e	1290	1362	1422	1520	1764	1980
MTH1 M2 22A Perforated back upholste	ery, silver r	netallic ba	se					1895	
 UPHOLSTERED ADJUST	ABLE PAI	D ARMS							
MTH1 M2 13B Standard back upholster	1018 y, black ba	1069 ase	1113	1250	1334	1386	1500	1749	1980
MTH1 M2 23B Perforated back upholste	ery, black t	oase						1879	
MTH1 M2 13A Standard back upholster	1118 v. silver m	1161 etallic base	1206 e	1342	1426	1477	1592	1851	2072
MTH1 M2 23A Perforated back upholste								1980	
ARMLESS MTH1 M2 10B	911	962	1005	1148	1221	1279	1392	1650	1851
Standard back upholster MTH1 M2 20B Perforated back upholste								1780	
MTH1 M2 10A	1005	1063	1103	1250	1320	1377	1492	1743	1952
Standard back upholster MTH1 M2 20A Perforated back upholste								1874	

### **ORDERING NOTES**

The perforated leather option is not available on the KrugExpress program.

Perforated leather option is only available with the Krug in stock leather program.

Please specify clearly on purchase order if low gas lift is to be applied.

Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list.

For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and add \$55 to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator.

Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating			Upholstery		
		M		2	1	А
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	b
					Pad Arms	

## ME | HIGH BACK

		COM		COL	FA	BRIC GRA	DES		LEATHER	
	DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 H2 11B Standard back upholstery MTH1 H2 21B Perforated back upholste			1206	1371	1450	1515	1650	1930 2060	2160
a grand	MTH1 H2 11A Standard back upholstery MTH1 H2 21A Perforated back upholste				1457	1544	1608	1743	2032 2160	2253
	ADJUSTABLE URETHAN MTH1 H2 12B Standard back upholstery MTH1 H2 22B Perforated back upholste	1054 y, black ba	1113 ase	1161	1314	1392	1457	1585	1858 1993	2087
	MTH1 H2 12A Standard back upholstery MTH1 H2 22A Perforated back upholste				1407	1492	1550	1680	1959 2087	2180
	UPHOLSTERED ADJUST MTH1 H2 13B Standard back upholstery MTH1 H2 23B Perforated back upholste	1103 y, black ba	1170 ase	1221	1377	1465	1520	1664	1952 2091	2189
	MTH1 H2 13A Standard back upholstery MTH1 H2 23A Perforated back upholste				1471	1564	1622	1758	2052 2180	2289

### **ORDERING NOTES**

The perforated leather option is not available on the  $\mathit{KrugExpress}$  program.

Perforated leather option is only available with the Krug in stock leather program.

Please specify clearly on purchase order if low gas lift is to be applied.


Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$55 list.

For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and add \$55 to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator.

ODUCT CO	DE KEY Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	Α
		Mid Back		Perforated Back Upholstery	Fixed Cantilever	Silver Metallic Base
		Н			2	J
		High Back			Adjustable Urethane Pad Arms	Jury Base
					3	
					Adjustable Upholstered	d
					Pad Arms	

## PAN AM





PRE-CONSUMER RECYCLED CONTENT = 6.29%

POST-CONSUMER RECYCLE CONTENT = 18.32%

Up to 24.19% of Pan Am product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

## **AIR EMISSIONS**

All Pan Am products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## PAN AM | FEATURES



#### **ARM STYLES**

Pan Am features three styles of fixed arms, including open urethane, closed upholstered and open upholstered versions.



#### **BACK STYLES**

Available with two different back options, Mid and High, Pan Am is perfect for desk and conference applications.



#### **BASE STYLES**

Featuring a five blade caster base with 2 1/4" hooded dual wheel casters, Pan Am bases are available in both Black Nylon, or Polished Aluminum.

## **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 3.5" Low gas lift: 3.0"



#### PAN AM CONTROLS

Pam Am is available with either a Swivel Tilt of Knee Tilt mechanism. All Pan Am seating features an adjustable tilt tension knob, and height adjustment lever. On the Knee Tilt version of Pan Am, the height adjustment lever also operates a forward tilt lock.



#### **TILT TENSION**

A tilt tension knob is located under the seat for all versions of Pan Am. For Knee Tilt versions a push of the height adjustment lever toward the gas lift cylinder activates the tilt lock feature.

## PAN AM | DIMENSIONS & COM REQUIREMENTS

Presenting Pan Am, a modern design for Management, Conference and Task seating applications. This exceptionally comfortable and versatile chair is without question one of the best values available in seating.

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
MID BACK	Open Urethane	24.5	24.5	34.5	25	18.5	19	31	15.03	1.8
	Closed Upholstered	27.25	24.5	34.5	26.75	19	19	33	15.03	2.7
	Open Upholstered	24.5	24.5	34.5	25	18.5	19	31	15.03	2.2
HIGH BACK	Open Urethane	24.5	24.5	40	25	18.5	19	35	17.06	1.9
	Closed Upholstered	27.25	24.5	40	26.75	19	19	37	17.06	2.8
	Open Upholstered	24.5	24.5	40	25	18.5	19	35	17.06	2.3
HIGH BACK	Open Urethane	24.5	24.5	46	25	18.5	19	37	18.75	2.5
with Headrest	Closed Upholstered	27.25	24.5	46	26.75	19	19	39	18.75	3.4
	Open Upholstered	24.5	24.5	46	25	18.5	19	37	18.75	2.9

### **OPTIONAL GAS LIFT HEIGHT RANGES**

PAN AM is available with two gas lift ranges. Unless clearly specified on order, PAN AM seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Pan Am standard gas lift give a seat height no greater than 16.4" when lowered and no less that 20.2" when extended. Low gas lift give a seat height no greater that 15.04" when lowered and no less than 18" when extended.

Note: Some vinyls are not suitable for upholstery on Pan Am seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for a pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

#### **OPTIONS**

Please contact Customer Service for more information on options for the Pan Am series. Height measurements of Pan Am are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# PAN AM | MID BACK

	(	СОМ		COL	FABI	RIC GRAD	ES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-M11B Black base, swivel tilt	814	884	966	1037	1118	1194	1269	1345	1476
	PAN1-M12B Black base, knee tilt	918	994	1069	1146	1228	1297	1380	1450	1579
	PAN1-M11A Polished aluminum base, sv	918 wivel tilt	994	1069	1140	1222	1297	1373	1450	1579
	PAN1-M12A Polished aluminum base, kr	1021	1097	1174	1250	1332	1401	1483	1553	1684
	CLOSED UPHOLSTERED A PAN1-M21B Black base, swivel tilt	1194	1303	1422	1531	1642	1752	1869	1981	2111
	PAN1-M22B Black base, knee tilt	1303	1415	1531	1642	1752	1864	1973	2091	2221
	PAN1-M21A Polished aluminum base, sv	1297 wivel tilt	1408	1526	1635	1745	1855	1973	2083	2215
	PAN1-M22A Polished aluminum base, kr	1408	1519	1635	1745	1855	1967	2076	2195	2325
	OPEN UPHOLSTERED ARM PAN1-M31B Black base, swivel tilt	MS 1278	1386	1498	1614	1726	1835	1945	2058	2188
	PAN1-M32B Black base, knee tilt	1380	1498	1608	1716	1829	1945	2058	2166	2298
and the second	PAN1-M31A Polished aluminum base, sv	1380 wivel tilt	1489	1602	1716	1829	1938	2035	2160	2292
	PAN1-M32A Polished aluminum base, kr	1483 nee tilt	1602	1711	1821	1932	2050	2160	2269	2401

## **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price.



Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Armless
	3	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

## PAN AM | HIGH BACK

		СОМ		COL	FAB	RIC GRAD	ES	LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	OPEN URETHANE ARMS PAN1-H11B Black base, swivel tilt	821	898	979	1063	1140	1222	1297	1380	1510	
	PAN1-H12B Black base, knee tilt	924	1009	1091	1174	1250	1332	1408	1489	1622	
	PAN1-H11A Polished aluminum base, s		1000	1083	1166	1242	1325	1401	1483	1614	
	PAN1-H12A Polished aluminum base, k	1026 inee tilt	1110	1194	1278	1350	1393	1510	1595	1726	
$\overline{\mathbb{N}}$	CLOSED UPHOLSTERED A	ARMS 1201	1319	1435	1553	1668	1780	1904	2015	2145	
	Black base, swivel tilt PAN1-H22B Black base, knee tilt	1311	1427	1546	1662	1780	1891	2009	2124	2256	
	PAN1-H21A Polished aluminum base, s	1303 wivel tilt	1422	1538	1656	1774	1884	2009	2118	2249	
	PAN1-H22A Polished aluminum base, k	1415 inee tilt	1531	1650	1766	1884	1992	2111	2228	2358	
	OPEN UPHOLSTERED AR PAN1-H31B	MS 1284	1401	1519	1627	1745	1864	1981	2097	2228	
	Black base, swivel tilt PAN1-H32B Black base, knee tilt	1393	1510	1627	1739	1855	1973	2091	2208	2339	
	PAN1-H31A Polished aluminum base, s	1386 wivel tilt	1504	1622	1733	1849	1967	2083	2200	2333	
	PAN1-H32A Polished aluminum base, k	1498 Inee tilt	1614	1733	1841	1959	2076	2195	2311	2442	

## **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price.



Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	М	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Armless
	· ·	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

# PAN AM | HIGH BACK WITH HEADREST


		COM	COL	FABRIC GRADES					LEATHER	ATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
R	OPEN URETHANE ARMS PAN1-HR-11B Black base, swivel tilt	870	946	1027	1112	1188	1270	1345	1428	1558	
	PAN1-HR-12B Black base, knee tilt	974	1057	1140	1222	1298	1380	1457	1539	1662	
· 84 · 86	PAN1-HR-11A Polished aluminum base,	974 swivel tilt	1049	1131	1216	1290	1373	1449	1531	1662	
	PAN1-HR-12A Polished aluminum base, I	1075	1160	1243	1326	1401	1442	1558	1645	1774	
	CLOSED UPHOLSTERED PAN1-HR-21B Black base, swivel tilt	1250	1367	1484	1602	1716	1829	1953	2063	2195	
	PAN1-HR-22B Black base, knee tilt	1360	1476	1595	1711	1829	1940	2058	2173	2304	
8 8	PAN1-HR-21A Polished aluminum base, s	1351 swivel tilt	1470	1586	1705	1822	1932	2058	2166	2406	
	PAN1-HR-22A Polished aluminum base, I	1463 knee tilt	1579	1699	1815	1932	2040	2160	2276	2406	
	OPEN UPHOLSTERED AF PAN1-HR-31B Black base, swivel tilt	RMS 1332	1449	1568	1677	1793	1912	2029	2145	2276	
	PAN1-HR-32B Black base, knee tilt	1442	1558	1677	1787	1904	2022	2139	2257	2387	
84 ° 88	PAN1-HR-31A Polished aluminum base,	1435	1553	1670	1782	1897	2015	2133	2249	2381	
	PAN1-HR-32A Polished aluminum base, I	1546	1662	1782	1891	2009	2125	2243	2359	2491	

Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task	Mid Back	Open Urethane Arm	Swivel Tilt	Armless
	& Conference Seating	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

## **CADENCE** | LEED CI CREDIT SUMMARY

## CADENCE





PRE-CONSUMER RECYCLED CONTENT = 4.67%

POST-CONSUMER RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Cadence products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CADENCE** | FEATURES



#### **RECLINE ADJUSTMENT**

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.



## **SEAT HEIGHT ADJUSTMENTS**

The rear-most lever located in the right-hand side (when you are in the seated position) activates the seat height adjustment. Pull up on the lever to adjust seat height up or down through a range of adjustment of 3 inches.



#### **BACK HEIGHT ADJUSTMENT**

(on selected models only)

The back height is adjustable on selected models of Cadence series. The mechanism adjusts the back while in the seated position. The adjustable height back has a 4 inch range of movement with an 8 position stop mechanism. Place both hands on either side of the lower back cushion and lift and click to the desired height. Raise the back to the highest position to release the back height lock and lower to the first and lowest position.



#### **BACK TENSION**

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.



#### **ARM HEIGHT**

(on selected models only)

A trigger release button located outside and below the arm pad adjusts the arm height. Depress the trigger to raise arm through its height range of 3.5 inches and 8 settings. Depress the trigger to raise the arm, release when desired height is reached to lock in position.

## **CADENCE** | DIMENSIONS & COM REQUIREMENTS

				Overall Height		Height of Arms from floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
HIGH BACK	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
ARM CHAIR		27.25	27	36	18.25	26	18.75	18	-	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical. Please specify wood species and finish when ordering. For a complete list of standard wood finishes please see page 4.

# CADENCE | MID BACK

SECONOMIA ASSET VEINIGIA		COM		COL		RIC GRAD			LEATHER	
DESCRIPTION/	MODEL/FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARMS CAD1-MW11B CAD1-MN11B CAD1-MW21B	1114	1172	1221	1376	1458	1531	1649	1927	2101
	CAD1-MN21B CAD1-MW11W Cherry, Maple, Walnut, Anigre CAD1-MN11W Cherry, Maple, Walnut, Anigre CAD1-MW21W Cherry, Maple, Walnut, Anigre CAD1-MN21W Cherry, Maple, Walnut, Anigre CAD1-MN21W Cherry, Maple, Walnut, Anigre	1324	1380	1427	1584	1669	1731	1858	2138	2303
	ADJUSTABLE ARMS CAD1-MW15B CAD1-MN15B CAD1-MW25B	1071	1126	1174	1327	1405	1466	1588	1853	2032
	CAD1-MN25B CAD1-MW15W Cherry, Maple, Walnut, Anigre CAD1-MN15W Cherry, Maple, Walnut, Anigre CAD1-MW25W Cherry, Maple, Walnut, Anigre CAD1-MN25W Cherry, Maple, Walnut, Anigre CAD1-MN25W Cherry, Maple, Walnut, Anigre	1282	1335	1382	1533	1612	1677	1798	2064	2233
	WOOD AND URETHANE ARMS CAD1-MW12B CAD1-MN12B CAD1-MW22B CAD1-MW22B	1184	1242	1338	1463	1550	1616	1753	2046	2217
	CAD1-MW12W Cherry, Maple, Walnut, Anigre CAD1-MN12W Cherry, Maple, Walnut, Anigre CAD1-MW22W Cherry, Maple, Walnut, Anigre CAD1-MN22W Cherry, Maple, Walnut, Anigre	1392	1452	1505	1672	1759	1829	1963	2256	2417

## **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price. See page 85 for Cadence Guest seating.



Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	1	W
Cadence	Management Seating	Mid Back	Fixed Back	Urethane	Wood
		Wide MN	2	2	В
		Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
				5	J
				Adjustable	Jury Base

## CADENCE | MID BACK

			СОМ		COL		IC GRADE			EATHER	
DESCRIPTION/	MODEL/FINISH		1	2	3	4	5	6	7	8	9
	WOOD AND UF	PHOLSTERED ARM									
$\subseteq$	CAD1-MW13B		1338	1396	1494	1616	1706	1773	1908	2201	2417
	CAD1-MN13B										
	CAD1-MW23B										
	CAD1-MN23B										
	CAD1-MW13W	Cherry, Maple,	1547	1608	1661	1829	1913	1983	2118	2412	2620
		Walnut, Anigre									
8 3 0	CAD1-MN13W	Cherry, Maple,									
		Walnut, Anigre									
	CAD1-MW23W	Cherry, Maple,									
		Walnut, Anigre									
	CAD1-MN23W	Cherry, Maple,									
		Walnut, Anigre									
	COMPLETELY I	JPHOLSTERED									
	CAD1-MW14B		1300	1360	1455	1578	1665	1734	1869	2162	2402
]/ /	CAD1-MN14B										
	CAD1-MW24B										
H	CAD1-MN24B										
	CAD1-MW14W	Cherry, Maple,	1508	1569	1622	1789	1876	1944	2080	2374	2604
		Walnut, Anigre									
8	CAD1-MN14W										
		Walnut, Anigre									
	CAD1-MW24W	Cherry, Maple,									
		Walnut, Anigre									
	CAD1-MN24W										
		Walnut, Anigre									
	ARMLESS										
	CAD1-MW10B		998	1054	1103	1258	1342	1415	1532	1810	2004
]/ /	CAD1-MN10B										
	CAD1-MW20B										
	CAD1-MN20B										
	CAD1-MW10W	Cherry, Maple,	1207	1264	1313	1469	1553	1614	1742	2019	2191
		Walnut, Anigre									
8 03 0	CAD1-MN10W	Cherry, Maple,									
		Walnut, Anigre									
	CAD1-MW20W										
		Walnut, Anigre									
	CAD1-MN20W	Cherry, Maple,									
		Walnut, Anigre									
		-									

### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price. See page 85 for Cadence Guest seating.



HODOOT CODE KET					
Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	0	W
Cadence	Management Seating	Mid Back Wide	Fixed Back	Armless	Wood
		MN Mid Back Narrow	2 Adjustable Back	Wood And Upholstered	B Black Nylon
				4 Completely Upholstered	J Jury Base

## **CADENCE** | HIGH BACK

DESCRIPTION/	DESCRIPTION/MODEL/FINISH			COL 3	FAE 4	BRIC GRAI 5	DES 6	7	LEATHER 8	9
	URETHANE ARMS CAD1-HW11B CAD1-HN11B	1210	1285	1340	1507	1608	1678	1829	2144	2333
	CAD1-HW21B CAD1-HN21B CAD1-HW11W Cherry, Maple, Walnut, Anigre	1422	1494	1550	1717	1818	1887	2037	2353	2534
	CAD1-HN11W Cherry, Maple, Walnut, Anigre									
	CAD1-HW21W Cherry, Maple, Walnut, Anigre									
	CAD1-HN21W Cherry, Maple, Walnut, Anigre									
	ADJUSTABLE ARMS CAD1-HW15B CAD1-HN15B CAD1-HW25B	1163	1234	1289	1452	1546	1614	1759	2064	2254
	CAD1-HW15W Cherry, Maple, Walnut, Anigre	1374	1443	1499	1661	1757	1826	1970	2272	2455
	CAD1-HN15W Cherry, Maple, Walnut, Anigre CAD1-HW25W Cherry, Maple, Walnut, Anigre									
	CAD1-HN25W Cherry, Maple, Walnut, Anigre									
	WOOD AND URETHANE ARM CAD1-HW12B CAD1-HN12B CAD1-HW22B	1286	1365	1424	1606	1710	1784	1941	2277	2460
	CAD1-HN22B CAD1-HW12W Cherry, Maple, Walnut, Anigre	1497	1573	1635	1815	1917	1991	2151	2488	2661
	CAD1-HN12W Cherry, Maple, Walnut, Anigre									
	CAD1-HW22W Cherry, Maple, Walnut, Anigre CAD1-HN22W Cherry, Maple, Walnut, Anigre									

### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price. See page 85 for Cadence Guest seating.



Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD Cadence	1 Management Seating	HW High Back Wide	1 Fixed Back	1 Urethane	Wood
		HN High Back Narrow	2 Adjustable Back	Wood And Urethane	B Black Nylon
				5 Adjustable	J Jury Base

# CADENCE | HIGH BACK

			COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/	MODEL/FINISH		1	2	3	4	5	6	7	8	9
	WOOD AND UP	PHOLSTERED AR	М								
	CAD1-HW13B		1441	1519	1578	1759	1865	1937	2096	2432	2661
// /	CAD1-HN13B										
	CAD1-HW23B										
	CAD1-HN23B										
	CAD1-HW13W	Cherry, Maple, Walnut, Anigre	1650	1728	1789	1970	2073	2149	2305	2644	2864
	CAD1-HN13W	Cherry, Maple,									
Q		Walnut, Anigre									
	CAD1-HW23W	Cherry, Maple,									
		Walnut, Anigre									
	CAD1-HN23W	Cherry, Maple,									
		Walnut, Anigre									
	COMPLETELY	UPHOLSTERED A									
	CAD1-HW14B		1404	1481	1539	1719	1826	1898	2058	2394	2647
	CAD1-HN14B										
	CAD1-HW24B										
M7 1111	CAD1-HN24B										
	CAD1-HW14W	Cherry, Maple,	1611	1690	1751	1930	2035	3110	2267	2604	2847
H		Walnut, Anigre									
	CAD1-HN14W	Cherry, Maple,									
o o		Walnut, Anigre									
	CAD1-HW24W	Cherry, Maple,									
		Walnut, Anigre									
	CAD1-HN24W	),,									
		Walnut, Anigre									

## **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$53 to the list price. See page 85 for Cadence Guest seating.



Line	Series	Back Style	Back Adjustmer	nt Arm Style	Base Style	
CAD	1	HW	1	3	W	
Cadence	Management Seating	High Back Wide	Fixed Back	Wood and Upholstered	Wood	
	2	HN	2	4	В	
	Guest Seating	High Back Narrow	Adjustable Back	Completely Upholstered	Black Nylon	
		A Arm Chair			J Jury Base	
		Arm Chair			Jury base	

## **GUEST SEATING**

69 Addison

72 75 Blake

Dorso

78 Bali 80

Kita 83 Spence


Cadence 85

## **ADDISON** | LEED CI CREDIT SUMMARY

## **ADDISON**



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = .69%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 13.79% of this Addison product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Addison products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

All Addison products are supplied air-emissions certified. Contact customer service for information.

## **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **ADDISON**

			COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/	MODEL/FINIS	Н	1	2	3	4	5	6	7	8	9
	OPEN ARM, OPEN BACK ADD-2-A-1 Cherry, Oak, Walnut, Anigre, Beech		699	718	737	776	815	854	893	932	1010
		Maple	753	773	793	831	870	908	947	987	1064
	OPEN ARM, ADD-2-A-2	FULLY UPHOLSTERE Cherry, Oak,Walnut, Anigre, Beech		769	804	870	936	1004	1070	1137	1270
		Maple	783	817	852	919	985	1052	1119	1186	1320
		UPPER UPHOLSTERI									
	ADD-2-A-3	Cherry, Oak, Walnut, Anigre, Beech	723	748	774	824	874	923	974	1023	1125
		Maple	778	804	828	878	929	978	1027	1079	1178

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

## **ORDERING NOTES**

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$55 list per chair.

Series	Chair Type	Chair Style
2	А	1
Guest Seating	Arm Chair	Open Arm, Open Back
		2
		Open Arm, Fully Upholstered Back
		3
		Open Arm, Upper Upholstered Back
		4
		Open Arm, Horizontal Slat Back
		5
		Open Arm, Solid Wood Back
	2	2 A

## **ADDISON**

DESCRIPTION	/MODEL/FINIS	SH	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
	OPEN ARM, HORIZONTAL SLA ADD-2-A-4 Cherry, Oak,Waln Anigre, Beech			730	750	788	827	866	905	944	1027
		Maple	760	779	798	849	876	916	954	993	1070
	OPEN ARM, ADD-2-A-5	SOLID WOOD BACK Cherry, Oak,Walnut, Anigre, Beech	717	736	756	795	834	873	912	950	1027
		Maple	766	784	805	843	883	921	960	999	1077

## **ORDERING NOTES**

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$55 list per chair.

## **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.


### **GANGING**

Ganging is optional on all wood arm and side chairs at an upcharge of \$55 list per chair. Please specify at time of order.

## **BLAKE | LEED CI CREDIT SUMMARY**

## **BLAKE**





PRE-CONSUMER
RECYCLED CONTENT = 14%

POST-CONSUMER RECYCLED CONTENT = 86%

Up to 86% of this Blake product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Blake products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

## AIR EMISSIONS

All Blake products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

GUEST SEATING | 73

					COL	FAE	BRIC GRA	DES	LEATHER		
DESCRIPTION/	MODEL/FINIS	SHES	1	2	3	4	5	6	7	8	9
	OPEN ARM, BLA-2-A-1	OPEN BACK Cherry, Oak,Walnut, Anigre, Beech	638	657	677	716	755	794	832	872	948
		Maple	687	705	725	764	804	842	882	920	998
	OPEN ARM, BLA-2-A-2	FULLY UPHOLSTERE Cherry, Oak, Walnut, Anigre, Beech	D BACK 669	702	736	804	870	936	1004	1070	1205
		Maple	717	751	784	852	919	985	1052	1119	1253
	OPEN ARM,	UPPER UPHOLSTERI	ED BACK								
	BLA-2-A-3	Cherry, Oak, Walnut, Anigre, Beech	662	688	714	763	813	862	913	963	1063
		Maple	712	736	762	812	861	912	962	1011	1112
	OPEN ARM,	VERTICAL SLAT BAC									
	BLA-2-A-4	Cherry, Oak, Walnut, Anigre, Beech	690	710	729	768	807	845	885	923	1002
		Maple	735	755	774	813	852	890	930	968	1046

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

## ORDERING NOTES

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$55 list per chair.

Line	Series	Chair Type	Chair Style
BLA	2	А	1
Blake	Guest Seating	Arm Chair	Open Arm, Open Back
			2
			Open Arm, Fully Upholstered Back
			3
			Open Arm, Upper Upholstered Back
			4
			Open Arm, Vertical Slat Back
			5
			Open Arm, Lower Upholstered Back
			6
			Closed Arm, Lower Upholstered Back
			7
			Closed Arm, Fully Upholstered Back

## **BLAKE**

			COM		COL	FAE	BRIC GRAD	DES	LEATHER		
DESCRIPTION/	MODEL/FINIS	HES	1	2	3	4	5	6	7	8	9
	OPEN ARM, BLA-2-A-5	LOWER UPHOLSTER Cherry, Oak,Walnut, Anigre, Beech Maple		717 769	745 797	801 853	856 908	913 965	968 1021	1024 1077	1136 1188
	CLOSED AR	M, LOWER UPHOLST	ERED BA	ACK							
	BLA-2-A-6	Cherry, Oak, Walnut, Anigre, Beech	717	764	812	906	1002	1096	1190	1286	1474
		Maple Maple	771	819	866	962	1056	1150	1245	1339	1530
	CLOSED AR	M, FULLY UPHOLSTE	RED BAC	CK							
	BLA-2-A-7	Cherry, Oak, Walnut, Anigre, Beech	735	784	836	935	1037	1137	1239	1339	1541
		Maple	783	834	884	983	1085	1186	1287	1388	1589

### **ORDERING NOTES**

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$55 list per chair.

### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.


### **GANGING**

Ganging is optional on all wood arm and side chairs at an upcharge of \$55 list per chair. Please specify at time of order.

## DORSO GUEST | LEED CI CREDIT SUMMARY

## **DORSO GUEST**





PRE-CONSUMER RECYCLED CONTENT = 9.82%

POST-CONSUMER RECYCLED CONTENT = 19.98%

Up to 73.17% of this Dorso product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.



## **DORSO S-LINE**

		COM		COL	FABI	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	4 LEG BASE DOS2-10 Silver metallic base, armles		826	867	919	982	1063	1148	1255	1371
	DOC2-10 Polished chrome base, arm	867 nless	905	939	998	1063	1134	1227	1328	1450
//	DOS2-11 Silver metallic base, fixed a	898 arms	939	975	1026	1091	1171	1263	1363	1477
	DOC2-11 Polished chrome base, fixe	991	1026	1069	1118	1184	1263	1348	1457	1572
	4 LEG BASE with Casters DOS2-20 Silver metallic base, armles	885 ss	889	933	982	1048	1126	1211	1320	1436
	DOC2-20 Polished chrome base, arm	889	933	968	1018	1083	1161	1255	1357	1471
	DOS2-21 Silver metallic base, fixed a	962	1005	1042	1091	1155	1234	1328	1427	1544
	DOC2-21 Polished chrome base, fixe	1054	1091	1134	1184	1250	1328	1413	1520	1637
	CANTILEVER BASE DOS2-30	875	911	946	1005	1069	1142	1234	1334	1457
	Silver metallic base, armles DOC2-30 Polished chrome base, arm	956	998	1034	1083	1148	1227	1320	1422	1534
	DOS2-31 Silver metallic base, fixed a	1091 arms	1134	1171	1221	1285	1363	1457	1556	1671
	DOC2-31 Polished chrome base, fixe	1134 ed arms	1177	1211	1263	1328	1407	1500	1601	1715

### **ORDERING NOTES**

 $\hbox{Dorso Chairs are available with a removable upholstered seat cover at an upcharge of $55 \ list\ per\ chair. } \\$ 

## PRODUCT CODE KEY

Line	Series	Base	Arm Style	Line	Series	Base	Arm Style
DOS	2	1	0	DON	2	1	0
Dorso S-Line	Guest Seating	Four Leg	Armless	Dorso N-Line	Guest Seating	Four Leg	Armless
(Silver Metallic)				(Silver Metallic)			
DOC		2	1	Base		2	1
Dorso S-Line		Four Leg	Fixed			Four Leg	Fixed
(Polished Chrome)		with Casters	Cantilever			with Casters	Cantilever
		3 Cantilever				3 Cantilever	

## **DORSO N-LINE**

		COM COL FABRIC GRADES					ES	LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	4 LEG BASE										
	DON2-10	682	718	752	812	875	946	1042	1142	1263	
	Silver metallic base, armle										
	DON2-11	761	803	839	889	956	1034	1126	1227	1342	
	Silver metallic base, fixed	arms									
	4 LEG BASE with Casters	3									
	DON2-20	747	782	819	875	939	1012	1105	1206	1328	
	Silver metallic base, armle	ess									
	DON2-21	827	865	905	956	1018	1098	1190	1290	1407	
	Silver metallic base, fixed	arms									
	CANTILEVER BASE										
	DON2-30	761	803	839	889	956	1034	1126	1227	1342	
	Silver metallic base, armle										
	DON2-31	898	939	975	1026	1091	1171	1263	1363	1477	
	Silver metallic base, fixed	arms									

## **ORDERING NOTES**

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$55 list per chair.

## **DIMENSIONS & COM REQUIREMENTS**


		Overall Width	Overall Depth	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	36	32	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	36	37	14	1.3
S-LINE/4LEG with Casters	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	33	14	1.3
	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	38	14	1.3
S-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	39	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	44	14	1.3
N-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	34.75	31	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	34.75	36	14	1.3
N-LINE/4LEG with Casters	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	32	14	1.3
	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	37	14	1.3
N-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	38	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	43	14	1.3

## **BALI | LEED CI CREDIT SUMMARY**

## **BALI**







PRE-CONSUMER
RECYCLED CONTENT = 4.68%

POST-CONSUMER
RECYCLED CONTENT = 16.42%

Up to 74.19% of this Bali product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bali products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

#### AIR EIVIIOSIONS

All Bali products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

			COM		COL FABRIC GRADES				LEATHER			
DESCRIPTION/MODE	_		1	2	3	4	5	6	7	8	9	
A	WOOD SHE BAL2A1B Black BAL2A1C Chrome	ELL Cherry, Beech Cherry, Beech										
	UPHOLSTE BAL2A2B Black BAL2A2C Chrome	RED FRONT Cherry, Beech Cherry, Beech		872 962	912 997	954 1038	997 1080	1045 1136	1101 1190	1156 1254	1248 1350	
	UPHOLSTE BAL2A3B Black BAL2A3C Chrome	Cherry, Beech	808	836 899	863 928	899 962	928 1003	962 1059	997 1101	1051 1162	1107 1220	

## **DIMENSIONS & COM REQUIREMENTS**

			Overall Height	Seat Height	Height of Arms from Floor	Width between Arms		- 1-1- 3	Cube	COM Yardage
WOOD SHELL UPHOLSTERED FRONT UPHOLSTERED SEAT/WOOD BACK	23.25	23	34.25	17.25	26	19.5	18	30	15.3	-
	23.25	23	34.25	18.11	26	19.5	17	30	15.3	0.8
	23.25	23	34.25	18.25	26	19.5	18	30	15.3	0.4

#### **ORDERING NOTES**

Bali Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$55 list per chair. Bali Guest Chairs are available with a removable upholstered back cover at an upcharge of \$33 list per chair.

Ganging is optional on all wood arm and side chairs at an upcharge of \$55 list per chair. Please specify at time of order.

When used with Caddie (stacking cart), Bali stacks to a maximum of 10 chairs high, and 6 high without Caddie. Caddie is available at \$584 list. Please contact Customer Service for more information.

## PRODUCT CODE KEY

DOO! GODE KE!				
Line	Series	Style	Chair Style	Back Leg Style
BAL	2	А	1	В
Bali	Guest Seating	Arm Chair	Wood	Black
			2	С
			Upholstered Front	Chrome
			3	


Upholstered Seat Cushion

GUEST SEATING | 79

## KITA | LEED CI CREDIT SUMMARY

## KITA





PRE-CONSUMER
RECYCLED CONTENT = .80%

POST-CONSUMER
RECYCLED CONTENT = 15.28%

Up to 16% of this Kita product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Kita products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## AIR EMISSIONS

All Kita products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

			COM COL FABRIC GRADES			DES	LEATHER				
DESCRIPTION/MODE	L		1	2	3	4	5	6	7	8	9
	OPEN ARM	1, FULL WIDTH U	IPHOLST	ERED BA	CK						
	1320-OA	Oak	919	958	988	1056	1101	1136	1199	1344	1452
		Cherry, Maple, Walnut, Anigre	983	1023	1052	1120	1163	1199	1263	1409	1517
	CLOSED ARM, FULL WIDTH UPHOLSTERED BACK										
	1320-CA	Oak	1194	1248	1284	1373	1431	1476	1556	1748	1941
		Cherry, Maple, Walnut, Anigre	1280	1332	1367	1458	1517	1560	1642	1831	2024
	2/4 WIDTH	UPHOLSTERED	BACK								
	3/4 WIDTH	Oak	919	958	988	1056	1101	1136	1199	1344	1452
	1021-74	Cherry, Maple, Walnut, Anigre		1023	1052	1120	1163	1199	1263	1409	1517

#### **ORDERING NOTES**

Kita Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$55 list per chair.

### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

### **GANGING**

Ganging is optional on all wood arm and side chairs at an upcharge of \$55 list per chair. Please specify at time of order.

## **KITA**

	DIDTION/MODEL		COM		COL		RIC GRAD			LEATHER	
DESCRIPTION/MODEL	-		1	2	3	4	5	6	7	8	9
	SLAT BACK 1322-A	Oak Oak Cherry, Maple, Walnut, Anigre	939 1023	975 1061	1003 1083	1064 1147	1100 1183	1124 1207	1177 1258	1293 1374	1378 1462
	SHOJI BAC 1323-A	CK Oak Cherry, Maple, Walnut, Anigre	882 970	918 1006	954 1028	991 1090	1028 1126	1069 1147	1117 1205	1204 1319	1288 1405

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
1320-OA	22	24	32	18.5	26	18.75	19	25	12	1
1320-CA	22	24	32	18.5	26	18.75	19	25	12	1.8
1321-A	22	24	32	18.5	26	18.75	19	25	12	1
1322-A	22	24	32	18.5	26	18.75	19	26	12	0.8*
1323-A	22	24	32	18.5	26	18.75	19	26	12	0.8*

### **ORDERING NOTES**

Kita Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$55 list per chair.

### ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### STANDARD FINISHES


For a complete list of standard wood finishes please see page 4.

\*COM yardage required for 2 chairs is 1.1 yards.

## **SPENCE**



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = .45%

POST-CONSUMER RECYCLED CONTENT = 17.27%

Up to 18.18% of this Spence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Spence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

## **AIR EMISSIONS**

All Spence products are supplied air-emissions certified. Contact customer service for information.

## **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **SPENCE**

DESCRIPTION/MODE	I		COM 1	2	COL 3	FABI 4	RIC GRAD 5	ES 6	1 7	EATHER 8	9
	SLAT BACK		000		1000	1000		1000	4044		
		ry, Maple, ut, Anigre	888 996	937 1046	1003 1110	1068 1175	1144 1248	1228 1332	1314 1419	1424 1526	1500 1601
	SLAT & UPHOLS	TERED BA	CK								
		ry, Maple, ut, Anigre	917 1023	967 1077	1034 1144	1098 1209	1178 1285	1266 1372	1350 1462	1468 1572	1575 1680
	SPLIT UPHOLSTI	ERED BAC	K								
		ry, Maple, ut, Anigre	933 1044	983 1098	1052 1163	1120 1233	1199 1312	1289 1396	1378 1489	1497 1602	1630 1737
		RED BACI ry, Maple, ut, Anigre	1050	997 1109	1063 1178	1131 1243	1210 1321	1301 1412	1392 1503	1508 1615	1670 1779

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1400	22	24	33	18	27	18	20	21	13	0.7
1401	22	24	33	18	27	18	20	22	13	1.0
1402	22	24	33	18	27	18	20	22	13	1.25
1403	22	24	33	18	27	18	20	23	13	1.5

### **ORDERING NOTES**

Spence Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$55 list per chair.

### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.


### GANGING

Ganging is optional on all wood arm and side chairs at an upcharge of \$55 list per chair. Please specify at time of order.

## **CADENCE** | LEED CI CREDIT SUMMARY

## **CADENCE**





PRE-CONSUMER RECYCLED CONTENT = .43%

POST-CONSUMER RECYCLED CONTENT = 16.46%

Up to 16.91% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

All Cadence products are supplied air-emissions certified. Contact customer service for information.

### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CADENCE**

	COM		COM COL				RIC GRAI	DES	LEATHER			
DESCRIPTION/MODEL/FINISHES	1	2	3	4	5	6	7	8	9			
CAD2A	Cherry, Maple, 1131 Walnut, Anigre	1183	1234	1317	1401	1484	1570	1672	1856			



## **DIMENSIONS & COM REQUIREMENTS**

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage	
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7	-

## ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

## STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

## **MULTI-PURPOSE SEATING**


88 Karma 94 Corfu 100 Capri 102 Bank of England

## KARMA | LEED CI CREDIT SUMMARY

## **KARMA**



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 5.51%

POST-CONSUMER RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

All Karma products are supplied air-emissions certified. Contact customer service for information.

## **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## KARMA | FEATURES & OPTIONS



#### **DESIGNED FOR COMFORT**

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



#### WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



#### **STACKING**

Karma stacks 6 high on the floor, and 10 chairs on the dolly. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked.



#### TANDEM SEATING

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected - when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



#### **WEIGHT CAPACITIES**

Karma has been laboratory tested to meet a weight capacity of 500 lbs. in all versions; arm and armless, and all widths (including the bariatric size).



#### **GLIDES**

Karma's black nylon glides are non-adjustable, non-marring, and field-replaceable if damaged or degraded.



#### **POLYMER ARM**

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.



### REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.

#### ANTI-MICROBIAL FINISH

Karma wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

### **OPTIONS**



#### **UNDERSEAT COVER**

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.

#### **SLED BASE OPTION**

Optional Sled Base frames are available, in the same three finishes (Silver Metallic, Matte Black and Polished Chrome) Sled base running from front leg to back leg, is a low profile, solid steel with nylon glides embedded on the bottom side to prevent marring.

#### **REMOVABLE COVERS & REPLACEMENT COMPONENTS**

Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$44 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# KARMA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	COM YRD	Cubes
Stacking Chair	Upholstered	d .					•			
Armless KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	1	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	24	1	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	1.3	21
With Arms						.,,	••	_0.0		
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	1	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	25.5	1	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	27	1.3	21
Stacking Chair Armless	Wood Back									
KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	0.7	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	24	0.7	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	0.7	21
With Arms	0.4.5	04.0	20.0	40	00.0					
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	0.7	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	25.5	0.7	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	27	0.7	21
Sled Base Cha Armless	air Upholster	ed								
KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	1	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	27	1	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	1.3	21
With Arms										
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	1	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	28.5	1	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	30	1.3	21
Sled Base Woo	od Back									
Armless KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	0.7	18
KAR2-10.5 KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	25.5 27	0.7	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	0.7	21
With Arms	27.7	21.0	00.0	10	11/4	11/4	.,,	20.0	0.7	
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	0.7	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	28.5	0.7	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	30	0.7	21
Counter Seat U	Jpholstered									
Armless KAR2-18.5	20.2	21.9	39.9	24	n/a	n/a	17	43	1	20
with Arms	20.2	21.9	39.9	24	II/a	II/a	17	43	I	20
KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20
Counter Seat \	Nood Back									
Armless	20.2	21.0	30.0	24	n/s	n/o	17	49	4	20
KAR2-18.5 with Arms	20.2	21.9	39.9	∠4	n/a	n/a	17	43	1	20
KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20

### **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	44	
Removable Seat Covers	50	
Removable Back Covers	50	
Polymer Underseat Shroud 18.5"	32	
Polymer Underseat Shroud 22"	43	
Polymer Underseat Shroud 26"	55	
Sled Base Matte Black or Silver Metallic	89	
Sled Base Polished Chrome	151	

		COM		COL	FAB	RIC GRA	DES		LEATHER	7
Description	Model	1	2	3	4	5	6	7	8	9
	18.5" Leg Frame, Matte Black or Silver Metallic - Fully Upholstered, No Arm with Standard Dust Cover									
	KAR2-18.5L	338	357	375	401	431	457	486	523	560
	18.5" Leg Frame, Polished Chr	ome - Fully U	pholster	ed, No A	rm, and	Standard	Dust Co	ver		
	KAR2-18.5LC	415	434	452	478	508	534	563	600	637
	18.5" Leg Frame, Matte Black o	r Silver Metallio	c - Upho	Istered Se	eat & Wo	od back,	No Arm v	vith Stan	dard Dus	st Cove
	KAR2-18.5L	362	372	381	394	409	422	437	456	475
	18.5" Leg Frame, Polished Chr	ome - Uphols	tered Se	eat & Woo	od back,	No Arm	with Stan	dard Du	st Cover	
	KAR2-18.5LC	439	449	458	471	486	499	514	533	552
	18.5" Leg Frame, Matte Black									
	KAR2-18.5L	365	383	402	428	457	483	513	550	587
	18.5" Leg Frame, Polished Chr	ome - Fully U	pholster	ed, with	Arm and	Standard	d Dust Co	over		
	KAR2-18.5LC	442	460	479	505	534	560	590	627	664



18.5" Leg Frame, Matte Black or Silver Metallic - Upholstered Seat & Wood back, with Arm and Standard Dust Cover KAR2-18.5L 382 392 401 414 429 442 457 476 495

18.5" Leg Frame, Polished Chrome - Upholstered Seat & Wood back, with Arm and Standard Dust Cover KAR2-18.5LC 459 469 478 491 506 519 534 553 572

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List	\$ List
CAL 133 & Moisture Barrier (per yard)	44	
Removable Seat Covers	50	
Removable Back Covers	50	
Polymer Underseat Shroud 18.5"	32	
Polymer Underseat Shroud 22"	43	
Polymer Underseat Shroud 26"	55	
Sled Base Matte Black or Silver Metallic	89	
Sled Base Polished Chrome	151	

	72.1(2.1					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2	18.5L	В	U	AB	S
Karma	Stacking Chair	18.5"	Matte Black	Fully Upholstered	Black	Polymer Shroud
		22L	S	W	AG	D
		22"	Silver Metallic	Wood Back	Grey	Standard
		26L	С		AT	Dust Cover
		26"	Polished Chrome		Taupe	
		18.5S			NB	
		18.5" Sled Base			No Arm (Matte Black)	
		22\$			NS	
		22" Sled Base			No Arm (Silver Metallic)	
		26S			NC	
		26" Sled Base			No Arm (Polished Chrome)	

## **KARMA**

		COM		COL	FABRIC GRADES			LEATHER		
Description	Model	1	2	3	4	5	6	7	8	9
	22" Leg Frame, Matte Blac KAR2-22L	k or Silver Metallic 367	- Fully l 385	Jpholstei 404	red, No A 430	rm with 459	Standard 485	Dust Co 515	over 552	589
	22" Leg Frame, Polished C KAR2-22LC	hrome - Fully Upho 461	olstered 479	I, No Arm 498	n, and Sta 524	andard D 553	oust Cove 579	r 609	646	683
	22" Leg Frame, Matte Black	or Silver Metallic -	Uphols	tered Sea	at & Woo	d back, N	No Arm w	ith Stand	dard Dus	t Cover
لغ	KAR2-22L	395	404	414	427	442	455	470	488	507
	22" Leg Frame, Polished C KAR2-22LC	hrome - Upholsten 489	ed Seat 498	: & Wood 508	back, No. 521	o Arm wi 536	th Standa 549	ard Dust 564	Cover 582	601
	22" Leg Frame, Matte Blac KAR2-22L	k or Silver Metallic 393	- Fully l	Jpholstei 430	red, with 456	Arm and	Standard 511	d Dust C 541	Cover 578	615
	22" Leg Frame, Polished C KAR2-22LC	hrome - Fully Upho 487	olstered 506	I, with Ari 524	m and St 550	andard [ 580	Dust Cove 605	er 635	672	709
	22" Leg Frame, Matte Black KAR2-22L	or Silver Metallic- 415	Upholst 424	tered Sea 434	at & Wood 447	d back, w 462	vith Arm a 475	nd Stan	dard Dus	st Cover 527
	22" Leg Frame, Polished C KAR2-22LC	hrome - Upholsten 509	ed Seat 518	: & Wood 528	back, w	ith Arm a 556	and Stand 569	lard Dus 584	t Cover 602	621
Ц										

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

\$ List	
44	
50	
50	
32	
43	
55	
89	
151	
	44 50 50 32 43 55 89

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2	18.5L	В	U	AB	S
Karma	Stacking Chair	18.5"	Matte Black	Fully Upholstered	Black	Polymer Shroud
		22L	S	W	AG	D
		22"	Silver Metallic	Wood Back	Grey	Standard
		26L	С		AT	Dust Cover
		26"	Polished Chrome		Taupe	
		18.5\$			NB	
		18.5" Sled Base			No Arm (Matte Black)	
		228			NS	
		22" Sled Base			No Arm (Silver Metallic)	
		26S			NC	
		26" Sled Base			No Arm (Polished Chrome)	

Description	Model	Species	COM 1	2	COL 3	FAE 4	RIC GR. 5	ADES 6	7	LEATHER 8	9
	26" Leg Fra KAR2-26L	me, Matte Black o	or Silver Metallic 440	- Fully l 475	Jpholstere 511	ed, Arm 561	less with 618	n Standard 668	d Dust ( 725	Cover 796	867
	26" Leg Frai KAR2-26LC	me, Polished Chro	ome - Fully Uph 535	olstered 570	I, Armless 606	, with S 656	tandard 713	Dust Cov 763	er 820	891	962
	26" Leg Frar KAR2-26L	ne, Matte Black o	r Silver Metallic - 453	Uphols 470	tered Seat 486	& Woo 510	d back, <i>i</i> 536	Armless, v 560	vith Star 587	ndard Dust 620	Cover 653
	26" Leg Fra KAR2-26LC	me, Polished Chro	ome - Upholstei 548	red Seat 565	t & Wood k 581	oack, A 605	rmless, 631	with Stand 655	dard Du 682	st Cover 715	748
	26" Leg Fra KAR2-26L	me, Matte Black o	or Silver Metallic 466	- Fully l	Jpholstere 537	ed, with 587	Arm an 644	d Standar 694	d Dust (	Cover 822	894
	26" Leg Frai KAR2-26LC	me, Polished Chro	ome - Fully Uph 561	olstered 597	l,with Arm 632	and St 682	andard   739	Dust Cove 789	er 846	917	989
	26" Leg Fran KAR226L	me, Matte Black o	r Silver Metallic- 473	Upholst 490	ered Seat 506	& Woo 530	d back, v 556	with Arm a	and Star 607	ndard Dust 640	Cover 673
	26" Leg Fra KAR226LC	me, Polished Chro	ome - Upholstei 568	red Seat 585	t & Wood t 601	oack, w 625	rith Arm 651	and Stand 675	dard Du 702	st Cover 735	768
		NOTES: When s	•		•	•	se see P		•		
		I upcharge listed I	Standard Dust Co pelow.	over (sel	ect "D" be	elow), f	or optior	nal Polyme	er Shrou	ıd change	"D" to
Description				over (sel	ect "D" be	elow), f	or optior	nal Polyme	er Shrou	ud change	"D" to
Description	"S" and add	I upcharge listed I	pelow.			elow), f	or optior	nal Polyme	er Shrou	ud change	"D" to
Description	"S" and add Model Tandem Sea KAR2-GB B	I upcharge listed I ating Bracket -Ma A ating Bracket- Silv	Price  Price tte Black (for an	med cha	air)	elow), f	or optior	nal Polyme	er Shrou	ud change	"D" to
Description	"S" and add  Model  Tandem Sea  KAR2-GB B  Tandem Sea  KAR2-GB B	I upcharge listed I ating Bracket -Ma A ating Bracket- Silv SA ating Bracket- Pol	Price  tte Black (for an 55  rer Metallic (for a 55	med cha	air) nair)	elow), f	or optior	nal Polyme	er Shrou	ud change	"D" to
Description	Model  Tandem Sea KAR2-GB B  Tandem Sea KAR2-GB B  Tandem Sea KAR2-GB B  Tandem Sea KAR2-GB B	ating Bracket -Mar Ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA	price  tte Black (for an 55  rer Metallic (for a 55 ished Chrome (for 62) te Black (for cha 50)	med cha rmed ch or armed	air) nair) d chair) out arms)		or option	nal Polyme	er Shrou	ud change	"D" to
Description	Model  Tandem Sea KAR2-GB B	ating Bracket -Mar Ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket- Silv SNA	price tte Black (for an 55 rer Metallic (for a 55 ished Chrome (for 62 te Black (for cha 50 rer Metallic (for c 50	med cha rrmed ch or armed airs with	air) nair) d chair) out arms) thout arms	s)	or option	nal Polyme	er Shrou	ud change	"D" to
	"S" and add  Model  Tandem Sea KAR2-GB B  Tandem Sea KAR2-GB B	ating Bracket - Mar Ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket- Silv SNA ating Bracket- Pol	price tte Black (for an 55 rer Metallic (for a 55 ished Chrome (for 62 te Black (for cha 50 rer Metallic (for c 50	med cha rrmed ch or armed airs with	air) nair) d chair) out arms) thout arms	s)	or option	nal Polyme	er Shrou	ud change	"D" to
Description  PRODUCT CODE Line	"S" and add  Model  Tandem Sea KAR2-GB B  Tandem Sea KAR2-GB B	ating Bracket - Mar Ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket- Silv SNA ating Bracket- Pol	price tte Black (for an 55 rer Metallic (for a 55 rished Chrome (for 62 rer Black (for cha 50 rer Metallic (for cha 50 rer Metallic (for co 50 rer Metallic (for co 50	med cha rrmed ch or armed airs with shairs wi or chairs	air) nair) d chair) out arms) thout arms	s) arms)	or option	Arm Sty		Undersea	
PRODUCT CODE Line KAR	"S" and add  Model  Tandem Sea KAR2-GB B  Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket-Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA	price tte Black (for an 55 rer Metallic (for a 62 rer Metallic (for cha 50 rer Metallic (for cha 50 rer Metallic (for c 50 rer Metallic (for c 56 rer Metallic (for c 65 rer Metallic (	med chairmed chairs with	air) nair) d chair) out arms) thout arms s without a	s) arms)		Arm Sty		Undersea	at Shroud
PRODUCT CODE Line	"S" and add  Model  Tandem Sea KAR2-GB B  Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket-Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA	rer Metallic (for chase of the Black (for chase of the Black) (for chas	med chairmed chairs with	air) nair) d chair) out arms) thout arms s without a	s) arms)  yle  J  nolstered		Arm Sty		Undersea	at Shrouc
PRODUCT CODE Line KAR	"S" and add  Model  Tandem Sea KAR2-GB B  Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket- Mat NA ating Bracket- Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA Frame Size	price tte Black (for an 55 rer Metallic (for a 55 rished Chrome (for 62 rer Metallic (for cha 50	med chairmed chairs with chairs with color	air) nair) d chair) out arms) thout arms s without a	s)  yle  J  nolstered		Arm Sty  AB  Black  AG  Grey		Undersea Polymer	at Shroud S Shroud O dard
PRODUCT CODE Line KAR	"S" and add  Model  Tandem Sea KAR2-GB B  Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket- Mat NA ating Bracket- Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA  Frame Size  18.5L 18.5° 22L	price tte Black (for an 55 rer Metallic (for a 55 rished Chrome (for 62 te Black (for cha 50 rer Metallic (for cha 50 rer	med chairmed chairs with chairs with chairs will color chairs	air) nair) d chair) out arms) thout arms s without a	s)  yle  J  nolstered		Arm Sty  AB  Black  AG	le	Undersea Solymer Stan	at Shroud S Shroud O dard
PRODUCT CODE Line KAR	"S" and add  Model  Tandem Sea KAR2-GB B  Series	ating Bracket -Mar A ating Bracket- Silv SA ating Bracket- Pol CA ating Bracket- Mat NA ating Bracket- Mat NA ating Bracket- Silv SNA ating Bracket- Pol CNA  Frame Size  18.5L 18.5" 22L 22" 26L	rer Metallic (for charge)  te Black (for and 55 for Metallic (for charge)  te Black (for charge)  te Black (for charge)  ter Metallic (for charge)  for Metallic (for charge)  for Metallic (for charge)  for Metallic (for charge)  for Metallic (for charge)  solution of the form of th	med chairmed chairs with chairs with chairs will color chairs	air) nair) d chair) out arms) thout arms s without a	s)  yle  J  nolstered	1	Arm Sty  AB  Black  AG  Grey  AT	le	Undersea Solymer Stan	at Shroud S Shroud O dard

22S

22" Sled Base

26S 26" Sled Base NS


No Arm (Silver Metallic)

No Arm (Polished Chrome)

## **CORFU** | LEED CI CREDIT SUMMARY

## **CORFU**





PRE-CONSUMER
RECYCLED CONTENT = 14.47%

POST-CONSUMER RECYCLED CONTENT = 22.19%

Up to 17.02% of this Corfu product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### All Carfu product

All Corfu products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CORFU | FEATURES & OPTIONS**

#### SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



#### **OUTDOOR SEATING**

Corfu has been designed for outdoor use, with UV-resistant polypropylene components, a rust-resistant aluminum frame, and the option of drainage holes in the seat. Please specify outdoor usage when ordering.



#### **UNDER SEAT COVER**

Each indoor version of Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair. All outdoor versions of Corfu do not include the underseat pan, to allow for drainage, but include stacking bumpers.



#### **WOOD FINISH**

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.



Wood seats and backs are made with European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.



### STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

### CADDIE

The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

#### GANGING

Corfu can be ordered with the option of ganging for the upcharge of \$22 list per chair. Please specify ganging when ordering.

### **PACKAGING**

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.

#### **ALUMINUM FRAME**

Corfu seating is built with high strength aluminum castings and extrusions. Aluminum is an ideal material for creating a structurally superior chair frame: it eliminates any potential for corrosion, and provides excellent fit and the tightest of tolerances in the transition between components. Finish options are Silver Metallic Powder Coat, and Polished Aluminum.



#### PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection:

White, Black, Grey, Red, Blue, Sand

#### **OPTIONS**

### **COMBINATION UPHOLSTERY COVERS**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Corfu upholstered products. Pricing for this option is the grade price for the highest grade upholstery selected. If the upholstery covers are the same grade, or are COM, a 10% upcharge is applied to the graded price.

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture . Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$44 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR2-10S	20.87	20.87	32.28	17.5	n/a	n/a	17	40.8	4.4
COR2-10C	20.87	20.87	32.28	17.5	n/a	n/a	17	40.8	4.4
COR2-11S	23.23	20.87	32.28	17.5	26.75	21.25	17	50.4	4.4
COR2-11C	23.23	20.87	32.28	17.5	26.75	21.25	17	50.4	4.4
COR2-20S	20.87	20.87	32.28	17.5	n/a	n/a	17	53.6	4.4
COR2-20C	20.87	20.87	32.28	17.5	n/a	n/a	17	53.6	4.4
COR2-21S	23.23	20.87	32.28	17.5	26.75	21.25	17	63.2	4.4
COR2-21C	23.23	20.87	32.28	17.5	26.75	21.25	17	63.2	4.4
COR2-30S	20.87	20.87	32.28	17.5	n/a	n/a	17	63.2	4.4
COR2-30C	20.87	20.87	32.28	17.5	n/a	n/a	17	63.2	4.4
COR2-31S	23.23	20.87	32.28	17.5	26.75	21.25	17	71.2	4.4
COR2-31C	23.23	20.87	32.28	17.5	26.75	21.25	17	71.2	4.4
COR2-40S	20.87	20.87	32.28	17.5	n/a	n/a	17	71.2	4.4
CORS-40C	20.87	20.87	32.28	17.5	n/a	n/a	17	71.2	4.4
COR2-41S	23.23	20.87	32.28	17.5	26.75	21.25	17	80.8	4.4
COR2-41C	23.23	20.87	32.28	17.5	26.75	21.25	17	80.8	4.4
COR2-50S	20.87	20.87	32.28	17.5	n/a	n/a	17	48	4.4
COR2-50C	20.87	20.87	32.28	17.5	n/a	n/a	17	48	4.4
COR2-51S	23.23	20.87	32.28	17.5	26.75	21.25	17	57.6	4.4
COR2-51C	23.23	20.87	32.28	17.5	26.75	21.25	17	57.6	4.4
COR2-60S	20.87	20.87	32.28	17.5	n/a	n/a	17	69.2	4.4
COR2-60C	20.87	20.87	32.28	17.5	n/a	n/a	17	69.2	4.4
COR2-61S	23.23	20.87	32.28	17.5	26.75	21.25	17	78.8	4.4
COR2-61C	23.23	20.87	32.28	17.5	26.75	21.25	17	78.8	4.4
COR6	24	31	15.75						

### **COM REQUIREMENTS**

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

DESCRIPTION/MOI	DEL	COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHER 8	9	
	Plastic Seat & Back, Armless, with Silver Metallic frame COR2-10S	342									
	Plastic Seat & Back, Armless, with Polished Aluminum frame COR2-10C	386									
	Plastic Seat & Back, Plastic Arm with Silver Metallic frame COR2-11S	ns 397									
	Plastic Seat & Back, Polished A with Polished Aluminum frame COR2-11C	Aluminum 435	Arms								
	Plastic Seat & Back with Uphols Armless, with Silver Metallic fra COR2-20S		482	506	530	555	579	603	627	652	
	Plastic Seat & Back with Uphols Armless, with Polished Aluminu COR2-20C		ads, 526	550	574	599	623	647	671	696	
	Plastic Seat & Back with Uphols Plastic Arms, with Silver Metalli COR2-21S		ads, 537	561	585	610	634	658	682	707	
	Plastic Seat & Back with Upholstered Pads, Polished Aluminum Arms, with Polished Aluminum frame COR2-21C 551 576 600 624 648 673 697 721 745										

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$22 list per chair, please specify on order.

For the outdoor version of the plastic seat & back Corfu Multi-purpose chair, please specify on order.

Line	Series	Chair Style	Arm Style	Metal Finish	
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic	
		Plastic with Upholstered Seat & Back Pads	1 Armed	C Polished Aluminum	
		3 Wood Seat & Back			
		4 Fully Upholstered Seat & Back			
		5 Plastic Back, Plastic Seat with Upholstered Pad			
		Wood Back, Fully Upholstered Seat			

		COM		COL	FAB	RIC GRAI	DES	L	EATHER	
DESCRIPTION/MODE	EL SPECIES	1	2	3	4	5	6	7	8	9
	Plastic Back, Plastic Seat wi Armless, with Silver Metallic COR2-50S		ered pad,	458	474	491	507	524	540	557
	Plastic Back, Plastic Seat wi Armless, with Polished Alum	th upholste	ered pad,	430	4/4	431	307	<i>32</i> 4	040	337
U	COR2-50C	469	485	502	518	535	551	568	584	601
	Plastic Back, Plastic Seat wi Plastic Arms with Silver Meta COR2-51S	•	ered pad, 496	513	529	546	562	579	595	612
	Plastic Back, Plastic Seat wi Polished Aluminum arms, wi COR2-51C	•		m frame 551	568	584	601	617	634	650
	Wood Seat & Back, Armless with Silver Metallic frame COR2-30S Beech	, 496								
	Wood Seat & Back, Armless with Polished Aluminum frar COR2-30C Beech	*								
	Wood Seat & Back, Silver M with Silver Metallic frame COR2-31S Beech	etallic Arm	S,							



Beech

Wood Seat & Back, Polished Aluminum Arms, with Polished Aluminum frame

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

656

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

COR2-31C

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$22 list per chair, please specify on order.

	= :				
Line	Series	Chair Style	Arm Style	Metal Finish	
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic	
		Plastic with Upholstered Seat & Back Pads  3 Wood Seat & Back	1 Armed	C Polished Aluminum	
		4 Fully Upholstered Seat & Back			
		Plastic Back, Plastic Seat with Upholstered Pad  6  Wood Back, Fully Upholstered Seat			

DESCRIPTION/MODEL SPEC		SPECIES	COM 1	2	COL 3	4	FABRIC 5	GRADES 6	7	EATHER 8	9
	Wood Back, Fully Armless, with Silv COR2-60S			564	589	613	637	662	686	710	734
	Wood Back, Fully Armless, with Pol COR2-60C			614	638	663	687	711	735	760	784
	Wood Back, Fully Plastic Arms with COR2-61S			664	688	712	736	761	785	809	833
	Wood Back, Fully Polished Aluminu COR2-61C			Aluminum 724	frame 749	773	797	821	846	870	894
	Fully Upholstered with Silver Metalli COR2-40S		Armless, 562	595	628	662	695	728	761	794	827
	Fully Upholstered with Polished Alu COR2-40C		Armless, 612	645	678	711	744	777	810	843	876
	Fully Upholstered Silver Metallic Arr COR2-41S		Metallic 1 662	frame 695	728	761	794	827	860	893	926
	Fully Upholstered Polished Aluminu COR2-41C		Polished 722	Aluminum 755	n frame 788	821	854	888	921	954	987
	Caddie DOL6		584								

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$22 list per chair, please specify on order.


For the outdoor version of the plastic seat & back Corfu Multi-purpose chair, please specify on order.

Chair Style  Arm Style  Metal Finish  1  0  S  Plastic Seat & Armless Silver Metallic  2  Plastic with Upholstered Seat & Back  3  Wood Seat & Back  4  Fully Upholstered Seat Seat & Back  5  Plastic Back, Plastic Seat with Upholstered Pad  6  Wood Back, Fully Upholstered Seat  Wood Back, Fully Upholstered Seat  Wood Back, Fully Upholstered Seat					
Plastic Seat & Armless Silver Metallic  2	Serie	ries Chair Style	Arm Style	Metal Finish	
Plastic with Upholstered Seat & Back Pads  3 Wood Seat & Back 4 Fully Upholstered Seat & Back  5 Plastic Back, Plastic Seat with Upholstered Pad  6 Wood Back, Fully Upholstered Seat	2 Multi-Pu	LPurpose Plastic Seat &			
Wood Seat & Back  4  Fully Upholstered Seat & Back  5  Plastic Back, Plastic Seat with Upholstered Pad  6  Wood Back, Fully Upholstered Seat		Plastic with Upholstered Se			
Fully Upholstered Seat & Back  5  Plastic Back, Plastic Seat with Upholstered Pad  6  Wood Back, Fully Upholstered Seat		Wood Seat &			
Plastic Back, Plastic Seat with Upholstered Pad    Wood Back, Fully Upholstered Seat			d		
Wood Back, Fully Upholstered Seat		Plastic Back, Plastic Seat with	n d		
MULTI-PURPOSE SEATING   99			ully at	MUI	LTI-PURPOSE SEATING   99

## CAPRI | LEED CI CREDIT SUMMARY

## **CAPRI**





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

## AIR EMISSIONS

All Capri products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®

. .

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

			СОМ		COL	FA	BRIC GRA	ADES		LEATHER	l
DESCRIPTION/MODEL	_/FINISHES		1	2	3	4	5	6	7	8	9
	ARM CHAIR										
	CAP2A1	Cherry, Beech	755								
	CAP2A2		918	953	983	1027	1071	1120	1176	1240	1347
	CAP2A3	Cherry, Beech	832	865	899	936	975	1014	1052	1117	1183
	CAP2A4	Cherry, Beech	854								
	CAP2A5	Cherry, Beech	930	964	996	1034	1071	1110	1149	1213	1280
	SIDE CHAII	R									
1 1	CAP2S1	Cherry, Beech	696								
	CAP2S2		854	888	924	968	1014	1060	1105	1171	1279
	CAP2S3	Cherry, Beech	776	809	839	877	918	957	996	1060	1124
/   /	CAP2S4	Cherry, Beech	795								
	CAP2S5	Cherry, Beech	873	890	936	975	1014	1052	1092	1156	1222
	CADDIE DOL6		584								

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	_	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-


Line	Series	Chair Type	Chair Style	CADDIE
CAP	2 Guest Seating 5 Barstool	Arm Chair S Side Chair	1 Wood  2 Fully Upholstered 3 Upholstered Seat Cushion	When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie.  REMOVABLE UPHOLSTERED BACK COVER Capri Chairs are available with removable upholstered back cover a an upcharge of \$33 list per chair.
			Wood With Holes  5 Upholstered Seat, Back with Holes	

## BANK OF ENGLAND | LEED CI CREDIT SUMMARY

## BANK OF ENGLAND



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER
RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

#### AIR EIVIIOSIUNS

All Bank of England products are supplied air-emissions certified. Contact customer service for information.

## FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **BANK OF ENGLAND**

		COM COL FABRIC GRADES			ADES	LEATHER					
DESCRIPTION/MODEL/FINISHES			1	2	3	4	5	6	7	8	9
	WOOD SI 177-A 177-J	EAT Oak, Cherry Oak, Cherry Jury Base	924 1046								
	REMOVAI	BLE CUSHION									
	178-A	Oak, Cherry	1128	1181	1233	1284	1333	1384	1431	1483	1564
	178-J	Oak, Cherry Jury Base	1258	1315	1369	1423	1474	1529	1578	1632	1717
	UPHOLS	TERED SEAT									
	179-A	Oak, Cherry	1128	1181	1233	1284	1333	1384	1431	1483	1564
	179-J	Oak, Cherry Jury Base	1258	1315	1369	1423	1474	1529	1578	1632	1717

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	-
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

## **ORDERING NOTES**

For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



## ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### **BANK OF ENGLAND**

For a complete list of standard wood finishes please see page 4.

## BARSTOOL & COUNTER HEIGHT SEATING


105 Karma 107 Capri

## KARMA | LEED CI CREDIT SUMMARY

## KARMA COUNTER SEAT



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 7.86%

POST-CONSUMER RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# KARMA | COUNTER SEAT

•											
Description	Model	Species	COM 1	2	COL 3	FAB	RIC GRA 5	DES 6	7	EATHEF 8	₹ 9
Description		· ·	· · · · · · · · · · · · · · · · · · ·			•					
	18.5" Leg KAR218.5	Frame, Matte Black	or Silver Metall 472	ic - Full 491	y Upholst 509	tered, No 535	o Arm, wi 565	th Standa 591	ard Dust 620	Cover 657	694
		Frame, Polished Chr									
	KAR218.50	CC	508	527	545	571	601	627	656	693	730
	18.5" Leg Cover	Frame, Matte Black	or Silver Metall	ic- Uph	olstered S	Seat & W	lood bac	k, No Arn	n, with S	tandard	 Dust
	KAR218.5	С	496	506	515	528	543	556	571	590	609
	18.5" Leg KAR218.5	Frame, Polished Chr CC	ome - Upholst 532	ered Se 542	eat & Woo 551	od back, 564	No Arm, 579	with Star 592	ndard Du 607	ıst Cover 626	645
	Karma cha	<b>G NOTES</b> : When se airs all include the St dd upcharge listed be	andard Dust Co	over (se	lect "D" b	pelow), fo	or option	al Polyme	er Shroud		"D" to
	18.5" Leg KAR218.5	Frame, Matte Black	or Silver Metall 499	ic - Full 513	y Upholst 536	tered, Ta 562	upe Arm, 591	, with Sta 617	ındard Dı 647	ust Cove 684	721
	18.5" Leg KAR218.50	Frame, Polished Chr CC	ome - Fully Up 535	oholster 553	red, Taupe 572	e Arm, w 598	ith Stand 627	lard Dust 653	Cover 683	720	757
	18.5" Leg F KAR218.5	Frame, Matte Black or C	Silver Metallic- 516	Upholsi 526	tered Seat 535	t & Wood 548	back, Tai	upe Arm,	with Stan 591	dard Dus	st Cover 629
	18.5" Leg KAR218.50	Frame, Polished Chr CC	ome - Upholst 552	ered Se 562	eat & Woo 571	od back, 584	Taupe Ai 599	rm, with 9 612	Standard 627	Dust Co 646	over 665

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below. See page 15 for dimensions and COM requirements.


Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	44	
Removable Seat Covers	50	
Removable Back Covers	50	
Polymer Underseat Shroud 18.5"	32	
Polymer Underseat Shroud 22"	43	
Polymer Underseat Shroud 26"	55	

e Underseat Shrouc
S
Polymer Shroud
D
Standard
Dust Cover
Black)
Metallic)
Chrome)

## **CAPRI**



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

## AIR EMISSIONS

All Capri products are supplied air-emissions certified. Contact customer service for information.

## FSC®



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## CAPRI | BARSTOOL

			COM		COL	FA	BRIC GRA	DES		LEATHER	í
DESCRIPTION/MODEL/FI	INISHES		1	2	3	4	5	6	7	8	9
В	BARSTOOL										
	CAP5A1	Cherry, Beech	907								
C	CAP5A2		1101	1143	1181	1233	1286	1344	1411	1487	1596
C	CAP5A3	Cherry, Beech	1000	1039	1077	1125	1172	1217	1264	1342	1407
C	CAP5A4	Cherry, Beech	1023								
	CAP5A5	Cherry, Beech	1116	1155	1193	1240	1333	1378	1457	1520	

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BARSTOOL										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6

## PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style	
CAP	2	А	1	
Capri	Barstool	Arm Chair	Wood	
		S	2	
		Side Chair	Fully	-
			Upholstered	
			3	
			Upholstered	
			Seat Cushion	
			Wood With Holes	
			5 Upholstered Seat, Back with Holes	

## **BARSTOOL**

The Capri barstool version is available with arms only. Capri barstool versions are suitable for use with bar heights in the range of 40" to 42".

## REMOVABLE UPHOLSTERED BACK COVER

Capri Chairs are available with removable upholstered back cover at an upcharge of \$33 list per chair.

## LOUNGE SEATING

110 Cressida

120 Leyton 131 Zola 149 Sutton

151 Carlyle

153 Brio


155 Sloane

## CRESSIDA | LEED CI CREDIT SUMMARY

## CRESSIDA LOUNGE



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## AIR EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

## FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



The mark of responsible forestry

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CRESSIDA** | LOUNGE FEATURES & OPTIONS

**OPTIONS** 

**CASTERS** 



## **CLEAN OUT**

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



#### **ANTI-MICROBIAL FINISH**

Cressida wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria



#### **PUSH BAR**

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

Cressida Lounge is available with the option

of casters. Caster option comes with the two

rear casters locking as standard.



### **ARMS AND ARMLESS**

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.

## **TABLETS**

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



#### POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.

## **COMBINATION UPHOLSTERY**

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a auote.

## **GLIDES**

LATEX FREE

Cressida Lounge arm and armless versions are standard with non-marring nylon glides.

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

## WEIGHT CAPACITIES

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Bariatric) -750 lbs One-Seat Plus - 350lbs One-Seat Plus (Bariatric) - 750lbs Two-Seat - 525 lbs Two-Seat (Bariatric) - 975lbs Three-Seat - 850 lbs Three-Seat (Bariatric) - 1200 lbs

MOISTURE BARRIER & CAL 133 California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of **\$44 list** per yard.

## REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with Removable Seat and Removable Back Covers, see page 112 for upcharges.

## **FINISH DURABILITY**

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

## REPLACEABLE COMPONENTS

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.

> REMOVABLE AND REPLACEABLE COVERS Cressida Lounge Chairs are available with removable seat and back covers. See page 112 for upcharges.

## **DIMENSIONS & COM REQUIREMENTS**

					Height of	Width		Shipping Weight	Shipping Weight	
	Overall	Overall	Overall	Seat	Arms from	Between	Seat	Open	Closed	
	Width	Depth	Height	Height	Floor	Arms	Depth	Arm	Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Plus	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Plus	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida bariatric two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Plus - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Plus - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Plus - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Plus - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 7 for C.O.M approval process.

## **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105	
Push Bar	44	One-Seat Plus Removable Back Covers	158	
Caster Combination (2 legs & 2 rear casters)	105	Two-Seat Removable Back Covers	210	
Casters (set of 4)	158	Three-Seat Removable Back Covers	315	
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63	
One-Seat Plus Removable Seat Covers	158	One-Seat Plus - Bariatric Upgrade	84	
Two-Seat Removable Seat Covers	210	Two-Seat - Bariatric Upgrade	137	
Three-Seat Removable Seat Covers	315	Three-Seat - Bariatric Upgrade	158	

NOTE: Bariatric Lounge is not available with caster options

			COM		COL	FAB	RIC GRA	DES	l	EATHE	3
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armle CRE3-F1ALS1		1092	1150	1218	1307	1407	1496	1596	1722	1848
	One-Seat, Open CRE3-F1OPP1	Beech, Maple Palette Arm with arm o	•	1323 1376	1386 1439	1465 1517	1570 1622	1670 1722	1769 1822	1885 1937	2016
		Beech, Maple Palette	1759	1874	1990	2153	2342	2504	2693	2930	3161
		ed Arm with arm Beech, Maple Palette		1927	2042	2205	2394	2557	2746	2982	3213

## **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105	
Push Bar	44	One-Seat Plus Removable Back Covers	158	
Caster Combination (2 legs & 2 rear casters)	105	Two-Seat Removable Back Covers	210	
Casters (set of 4)	158	Three-Seat Removable Back Covers	315	
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63	
One-Seat Plus Removable Seat Covers	158	One-Seat Plus - Bariatric Upgrade	84	
Two-Seat Removable Seat Covers	210	Two-Seat - Bariatric Upgrade	137	
Three-Seat Removable Seat Covers	315	Three-Seat - Bariatric Upgrade	158	

NOTE: Bariatric Lounge is not available with caster options

## PRODUCT CODE KEY

PRODUCT CODE KEY					
Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding	1.5 One-Seat Plus	OPS Open Arm	2 Casters
		Bariatric	2 Two-Seat	OPP Open Arm	3 Caster Combination
			3 Three-Seat	Polymer Arm Cap  CLS  Closed Arm	2 legs & 2 Rear Casters
				CLP Closed Arm Polymer Arm Cap	

			COM		COL	FA	BRIC GRADES		LEATHER		
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Plus, Arm CRE3-F1.5ALS1	less n/a	1154	1230	1306	1412	1534	1640	1762	1914	2066
	One-Seat Plus, Ope CRE3-F1.5OPS1 One-Seat Plus, Ope CRE3-F1.5OPP1	Beech, Maple Palette	1341 ap 1393	1416 1469	1493 1546	1599 1652	1721 1773	1827 1886	1949 2001	2101 2154	2253 2306
	One-Seat Plus, Clos CRE3-F1.5CLS1 One-Seat Plus, Clos CRE3-F1.5CLP1	Beech, Maple Palette	1841 cap 1893	1970	2100 2153	2282	2490 2542	2671 2724	2878	3134	3598 3651

## **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105	
Push Bar	44	One-Seat Plus Removable Back Covers	158	
Caster Combination (2 legs & 2 rear casters)	105	Two-Seat Removable Back Covers	210	
Casters (set of 4)	158	Three-Seat Removable Back Covers	315	
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63	
One-Seat Plus Removable Seat Covers	158	One-Seat Plus - Bariatric Upgrade	84	
Two-Seat Removable Seat Covers	210	Two-Seat - Bariatric Upgrade	137	
Three-Seat Removable Seat Covers	315	Three-Seat - Bariatric Upgrade	158	

NOTE: Bariatric Lounge is not available with caster options

## PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Bariatric	1.5 One-Seat Plus	OPS Open Arm OPP	2 Casters
			Two-Seat	Open Arm Polymer Arm Cap	Caster Combination 2 legs & 2 Rear Caste
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

			COM		COL	FAB	RIC GR	ADES	L	EATHE	R
DESCRIPTION/MODEL	5	SPECIES	1	2	3	4	5	6	7	8	9
	Two-Seat, Armless CRE3-F2ALS1	n/a	1806	1901	1990	2126	2273	2404	2557	2741	2930
	Two-Seat, Open Arm CRE3-F2OPS1 Two-Seat, Open Arm CRE3-F2OPP1	Beech, Maple Palette	1969 2021	2063	2158 2210	2289 2342	2441 2494	2573 2625	2720 2772	2909 2961	3098 3150
	Two-Seat, Closed A CRE3-F2CLS1	rm Beech, Maple Palette	2473	2620	2767	2972	3208	3413	3649	3948	4242
	Two-Seat, Closed A CRE3-F2CLP1	rm with arm cap Beech, Maple Palette	2525	2672	2819	3024	3260	3465	3701	4001	4295

## **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105	
Push Bar	44	One-Seat Plus Removable Back Covers	158	
Caster Combination (2 legs & 2 rear casters)	105	Two-Seat Removable Back Covers	210	
Casters (set of 4)	158	Three-Seat Removable Back Covers	315	
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63	
One-Seat Plus Removable Seat Covers	158	One-Seat Plus - Bariatric Upgrade	84	
Two-Seat Removable Seat Covers	210	Two-Seat - Bariatric Upgrade	137	
Three-Seat Removable Seat Covers	315	Three-Seat - Bariatric Upgrade	158	

NOTE: Bariatric Lounge is not available with caster options

## PRODUCT CODE KEY

DOCT CODE KET					
Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Bariatric	1.5 One-Seat Plus  2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters  3  Caster Combination 2 legs & 2 Rear Casters
			Three-Seat	CLS Closed Arm CLP	2 legs & 2 liteal Gasters

Polymer Arm Cap

		COM			COL FABRIC GRADES				LEATHER		
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-Seat, Armle	ess									
	CRE3-F3ALS1	n/a	2452	2583	2709	2888	3098	3276	3481	3738	3995
	Three-Seat, Open	Arm	te ith arm cap h, Maple 2672 2798 2930 3056 3313 3497 3701 3959 4216								
	CRE3-F3OPS1	Beech, Maple Palette	2620	2746	2877	3056	3260	3444	3649	3906	4163
	Three-Seat, Open CRE3-F3OPP1	Arm with arm cap Beech, Maple Palette	2672	2798	2930	3056	3313	3497	3701	3959	4216
	Three-Seat, Close CRE3-F3CLS1	d Arm Beech, Maple	3119	3302	3486	3738	4032	4289	4578	4946	5308
		Palette									
	Three-Seat, Close CRE3-F3CLP1	d Arm with arm ca Beech, Maple Palette	p 3171	3355	3539	3791	4085	4342	4631	4998	5360

#### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105
Push Bar	44	One-Seat Plus Removable Back Covers	158
Caster Combination (2 legs & 2 rear casters)	105	Two-Seat Removable Back Covers	210
Casters (set of 4)	158	Three-Seat Removable Back Covers	315
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63
One-Seat Plus Removable Seat Covers	158	One-Seat Plus - Bariatric Upgrade	84
Two-Seat Removable Seat Covers	210	Two-Seat - Bariatric Upgrade	137
Three-Seat Removable Seat Covers	315	Three-Seat - Bariatric Upgrade	158

NOTE: Three-Seat Lounge is not available with caster options

#### PRODUCT CODE KEY

1 to a	O-vi	Oh - i - Oh - i -	0:	A Ot. 1-	1 06-1-
Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3	F	1	ALS	1
Cressida	Lounge	Freestanding	One-Seat	Armless	Legs
		FB	1.5	OPS	2
		Freestanding	One-Seat Plus	Open Arm	Casters
		Bariatric	2	OPP	3
			Two-Seat	Open Arm	Caster Combination
				Polymer Arm Cap	2 legs & 2 Rear Cast
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm	
				Polymer Arm Cap	

## CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	410	12	2
	Tablet with Palette Fini	sh			
	CRE3 T2	n/a	305	12	2
	Solid Surface - Design CRE3 T3	ner White Table n/a	t 494	15	2
	Laminate Tablet CRE3 T4	n/a	410	12	2
	ORDERING NOTES: 7 be specified right or le		blet comes standard with a polymer edge. Pleas ng.	e note Cressida Tab	olets need to

## **CRESSIDA** | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL			FABRIC GRADES		LEATHER 7 8			WEIGHT	CLIRE		
		1	2	3	4	5	6	- /	0	9	WEIGHT	COBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	498	541	583	643	712	772	840	926	1011	23	4.2
	One-Seat Plus Replacement Ba CRE3-RB1.5B	ack 563	608	652	714	785	847	919	1008	1096	28	5.7
	Two-Seat Replacement Back CRE3-RB2	736	799	862	951	1052	1140	1241	1368	1494	38	8.8
	Three-Seat Replacement Back CRE3-RB3	985	1065	1145	1256	1383	1494	1621	1781	1939	52	12
	One-Seat Replacement Back C CRE3-RBC1	over 201	243	286	345	414	474	543	628	714	2.0	1.0
	One-Seat Plus Replacement Ba CRE3-RBC1.5	ack Cov 210	er 254	298	361	432	495	565	654	743	2.5	1.2
	Two-Seat Replacement Back C CRE3-RBC2	over 279	343	406	495	595	684	785	911	1037	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 322	402	482	593	720	832	959	1118	1277	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	421	452	482	524	572	615	664	725	785	28	9.5
	One-Seat Plus Replacement Se CRE3-RS1.5	eat 545	584	622	676	738	792	854	930	1008	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	654	694	734	790	853	908	972	1052	1131	53	18
	Three-Seat Replacement Seat CRE3-RS3	876	937	998	1083	1179	1264	1362	1484	1605	79	24
	One-Seat Replacement Seat Co	over										
	CRE3-RSC1	145	175	206	248	297	339	389	449	509	2.0	1.0
	One-Seat Plus Replacement Se CRE3-RSC1.5	eat Cove 180	er 218	257	311	373	426	488	566	643	2.5	1.2
	Two-Seat Replacement Seat Co CRE3-RSC2	over 192	232	272	328	391	446	510	590	669	3.5	1.8
	Three-Seat Replacement Seat 0 CRE3-RSC3	Cover 245	306	366	452	548	633	731	853	974	5.0	2.5
_	Replacement Lounge Front Arm	n & Lea										
	Open Arm CRE3-LROPS Beech, Maple Palette	128									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	154										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	282	316	350	397	452	499	553	622	689	20	3.8
6	Lounge Replacement Push-Bar CRE3-RPB	42									2	0.3

## CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	PRICE	WEIGH	WEIGHTCUBE			
	Replacement Polymer Arm Cap Black CRE3-RACB	26	1.0	0.5			
	Replacement Polymer Arm Cap Grey CRE3-RACB	26					
*	Lounge Replacement Front Leg (for armle CRE3-RLAF*	ess version) 40	0.5	0.5			
8**	Lounge Replacement Front Leg (for armle CRE3-RGAF**	ess version) Glide 13	0.1	0.2			
*	Lounge Replacement Bariatric Center Le CRE3-RLC*	g 37	0.5	0.5			
**	Lounge Replacement Bariatric Center Le CRE3-RCG**	g Glide 16	0.5	0.5			
*	Lounge Replacement Back Leg CRE3-RLB*	54	1.8	0.5			
**	Lounge Replacement Glide * CRE3-RGB**	14	0.1	0.2			
	Lounge Replacement Front Leg (for caste CRE3-RLCF*	er version) 37	0.5	0.5			
**	Lounge Replacement Back Leg (for caste CRE3-RLCB**	er version) 37	0.5	0.5			
	Replacement Casters Non-Locking CRE3-RC1* Replacement Casters Locking CRE3-RC2**	51 51	.75 .75	0.3			
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	276	5	0.32			
	Tablet with Palette finish & Mounting Plate CRE3 RT2 n/a	e Only 193	5	0.32			
	Solid Surface - Designer White Tablet & N CRE3 RT3 n/a	Mounting Plate Only 249	7	0.32			
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	276	5	0.32			

## **LEYTON** | LEED CI CREDIT SUMMARY

## LEYTON



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.61%

POST-CONSUMER
RECYCLED CONTENT = 9.91%

Up to 8.81% of this Leyton product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR EMISSIONS**

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



## FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

The mark of responsible forestry

In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



## **LEYTON | FEATURES**

## **ARM STYLE**

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.



**Upholstered Armless** 



Upholstered Full Arm



Wood Surround Armless



Wood Surround Full Arm



#### LEGS

Leyton Lounge and Tables feature Polished Chrome structural steel legs with non-marring glides.



## REPLACEABLE COMPONENTS

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

## **BARIATRIC WEIGHT CAPACITIES**

All Leyton seating feature Bariatric Weight capacities.

One-Seat - 750lbs One & Half-Seat - 750lbs Two-Seat - 975lbs Three-Seat - 1200lbs

Leyton has been tested to ANSI / BIFMA.

## **ANTI-MICROBIAL FINISH**

Leyton Lounge & Tables wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

#### **FINISH DURABILITY**

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

## **LEYTON | OPTIONS**



#### **OPTIONS**

## Designer White -D354SL Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional Solid surface arm cap for an up charge of **\$263** list per chair. The Solid Surface Arm Cap is field replaceable.



#### **TABLET**

Leyton Solid Surface tablet can be specified left or right as seated. The tablet can be used alone or with solid surface arm cap and is 1/2" thick.



#### **CUP HOLDER**

Durable and convenient, Leyton lounge is available with a solid surface cup holder. Cup holder option can be specified left or right as seated, alone or integrated with solid surface arm cap. Outside diameter is 4" and inside bottom diameter is 3 1/4".



### **PUSH BAR**

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



## **CASTERS**

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.



## **CLEAN OUT**

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge,

## **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit. When graded-in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Please note the Upholstered Arm and front panel are one piece and must be specified in the same fabric.

## REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal. Please see page 123 for Removable covers upcharge.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see page 123.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **LEYTON** | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & OPTION UPCHARGES

DIMENSIONS									
	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from	Width between	Seat	Shipping	
	Width	Борит	rioigin	minimux	Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2
LEY32WN	51.75	29.25	31	17.75	n/a	47.25	19.25	124	32.5
LEY33WN	75.5	29.25	31	17.75	n/a	71	19.25	172	46.5

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

## **COM YARDAGE REQUIREMENTS**

	Fully	Wood				Armless		Full body
	Upholstered (Complete Unit)	Surround (Seat and Back only)	Seat Cushion only (Wood or Full Uph)	Back Cushion only (Wood or Full Uph)	Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel
One-Seat - One	Chair							
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35
One & Half-Seat	- One Chair							
Armless	5.2	2.3	1.3	1		2.1	.75	2.85
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35
Two-Seat - One	Chair							
Armless	5.7	3	1.5	1.5		2	.75	2.75
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35
Three-Seat - On	e Chair							
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5

## **COM APPROVAL PROCESS:**

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

## **CAL 133 MOISTURE BARRIER**

Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge	
LEY31UN	\$256	LEY32UN	\$356	LEY31.5UN	\$332	LEY33UN	\$565	
LEY31UF	206	LEY32UF	304	LEY31.5UF	268	LEY33UF	516	
LEY31WN	94	LEY32WN	145	LEY31.5WN	122	LEY33WN	319	
LEY31WF	94	LEY32WF	145	LEY31.5WF	122	LEY33WF	319	

Leyton Option Upcharges	\$ List	Seat & Back Cover Upcharges	\$ List
Solid Surface Arm Cap	263	One-Seat Removable Seat Covers	105
One-Seat Clean out	32	One & Half-Seat Removable Seat Covers	147
One & Half-Seat Clean out	47	Two-Seat Removable Seat Covers	210
Two-Seat Clean out	63	Three-Seat Removable Seat Cover	315
Three-Seat Clean out	95	Seat or Back Cover only Upcharges	
Solid surface tablet & arm cap	675	One-Seat	53
Solid surface tablet	425	One & Half-Seat	74
Casters	125	Two-Seat	105
Casters with Pushbar	325	Three-Seat	158

## **LEYTON**

LLITON			COM		COL		BRIC GRA	VDE6		LEATHE	D
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, Upi LEY31NUN	holstered, Armless N/A	1433	1523	1607	1727	1869	1990	2126	2300	2473
	One-seat, Up LEY31NUF	holstered, Full Arm N/A	1523	1670	1806	2006	2231	2431	2657	2935	3224
	\$263 list per o	IOTE: Leyton Loun chair and add an "S	S" to the								
	One-seat, Wo LEY31NPN	od Surround, Armle Palette	ess 1775	1811	1853	1906	1964	2016	2074	2153	2226
	LEY31NWN	Oak, Maple Walnut,	1775	1811	1853	1906	1964	2016	2074	2153	2226
		Cherry, Anigre Sycamore,	2142	2179	2221	2273	2331	2384	2441	2520	2594
и	ORDERING N units per spec	IOTE: Please note cies.	Cherry,	Anigre an	d Sycam	ore speci	es requir	e a minin	num quar	ntity orde	r of 5
	,	od Surround, Full A									
	LEY31nPF LEY31NWF	Palette Oak, Maple Walnut, Palette	1759 1759	1796 1796	1832 1832	1885 1885	1945 1945	2000 2000	2058 2058	2132 2132	2205 2205
		Cherry, Anigre	2126	2163	2200	2252	2312	2368	2426	2499	2573

**ORDERING NOTE:** Leyton Lounge is available with an optional Solid Surface Arm Cap for an upcharge of \$263 list per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$32 for 1 seat, \$47 for 1 1/2 seat, \$63 for 2 seat and \$95 for 3 seat. (eg. LEY31NWN changes to LEY31CWN). See page 123 for additional Leyton options.

Sycamore,

## LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			Р	allet Finish Surround Full Arm	
				PN	
				allet Finish Surround Armless	

Pallet Finish Surround Armless

											ION
			COM		COL		RIC GRAI	DES	L	EATHER	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A N/A	rmless 1841	1968	2095	2273	2477	2655	2859	3113	3368
	One & Half-sea LEY31.5NUF	at, Upholstered, F N/A	ull Arm 1933	2060	2187	2366	2569	2748	2952	3206	3461
<b>*</b>		e: Leyton Lounge add an "S" to the									3263 list
		at, Wood Surround	d Armless								
	LEY31.5NPN LEY31.5NWN	Palette Oak, Maple Walnut, Palette	2109 2109	2178 2178	2246 2246	2340 2340	2449 2449	2544 2544	2652 2652	2788 2788	2924 2924
		Cherry, Anigre Sycamore	2476	2543	2611	2706	2815	2910	3019	3154	3290
	Ordering Note per species.	e: Please note Cho	erry, Anig	re and S	ycamore	species r	equire a	minimum	quantity	order of	5 units
	One & Half-sea LEY31.5NPF	at, Wood Surround Palette	d Full Arm 2093	2161	2229	2324	2432	2527	2636	2771	2907
	LEY31.5NWF	Oak, Maple Walnut, Palette	2093	2161	2229	2324	2432	2527	2636	2771	2907
		Cherry, Anigre Sycamore	2526	2595	2689	2798	2893	3002	3137	3273	

**Ordering Note:** Leyton Lounge is available with an optional Solid Surface Arm Cap for an upcharge of **\$263 list** per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF<u>S</u> Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$32 for 1 seat, \$47 for 1 1/2 seat, \$63 for 2 seat and \$95 for 3 seat. (eg. LEY31<u>N</u>WN changes to LEY31<u>C</u>WN). See page 123 for additional Leyton options.

Sycamore

## LEYTON LOUNGE PRODUCT CODE KEY

Lina	Carlas	Coot Count	Clean Out	Auro Chulo	Arm Can Ontion
Line	Series	Seat Count	Glean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY	3	1	N	UF	S
Leyton	Soft Seating	One-Seat	No Clean Out	Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	1
				PN	
			P	Pallet Finish Surround Armless	3

## **LEYTON**

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FABI 4	RIC GRAI 5	DES 6	LEATHER 7	8	9
	Two-seat, Upho LEY32NUN	olstered, Armless N/A	2300	2431	2557	2735	2935	3119	3318	3575	3827
	Two-seat, Upho LEY32NUF	olstered, Full Arm N/A	2394	2567	2741	2982	3260	3502	3780	4127	4473
	<b>Ordering Note:</b> Leyton Lounge is available with an optional Solid Surface Arm Cap for an upcharge of <b>\$263 list</b> per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF <u>S</u>										
	Two-seat, Woo LEY32NPN LEY32NWN	d Surround Armle Palette Oak, Maple Walnut, Palette	sss 2510 2510	2578 2578	2651 2651	2746 2746	2861 2861	2961 2961	3071 3071	3213 3213	3350 3350
		Cherry, Anigre Sycamore	2930	2998	3071	3166	3281	3381	3491	3633	3770
	Ordering Note species.	: Please note Che	rry, Anigi	re and Sy	/camore	species r	equire a ı	minimur	n quantity (	order of	5 units per
	Two-seat, Woo LEY32NPF	d Surround Full Ai Palette	rm 2494	2562	2636	2730	2851	2945	3071	3192	3334
	LEY32NWF	Oak, Maple Walnut, Palette	2494	2562	2636	2730	2851	2945	3071	3192	3334
		Cherry, Anigre, Sycamore	2914	2982	3056	3150	3271	3365	3491	3612	3754

**Ordering Note:** Leyton Lounge is available with an optional Solid Surface Arm Cap for an upcharge of **\$263 list** per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF<u>S</u> Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$32 for 1 seat, \$47 for 1 1/2 seat, \$63 for 2 seat and \$95 for 3 seat. (eg. LEY31<u>N</u>WN changes to LEY31<u>C</u>WN). See page 123 for additional Leyton options.

## LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	ı
				PN	
			P	Pallet Finish Surround Armless	;

## **LEYTON**

										LEY	TON
			COM		COL	FAE	BRIC GR	ADES		LEATHEI	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, U LEY33NUN	pholstered, Armles N/A	ss 3056	3213	3355	3575	3822	4037	4279	4583	4888
	Three-seat, U LEY33NUF	pholstered, Full Ar N/A	m 3129	3318	3502	3764	4064	4326	4625	4998	5371
		e: Leyton Lounge add an "S" to the									\$263 list
	Three-seat, W	ood Surround, Arr	nless								
	LEY3NPN LEY33NWN	Palette Oak, Maple Walnut, Palette	3276 3276	3386 3386	3486 3486	3644 3644	3812 3812	3964 3964	4137 4137	4352 4352	4568 4568
		Cherry, Anigre Sycamore	3749	3859	3959	4116	4284	4436	4610	4825	5040
U	Ordering Not per species.	e: Please note Ch	erry, Aniç	gre and S	ycamore s	species r	equire a	minimum	quantity	order of	5 units
	Three-seat, W LEY3NPF LEY33NWF	food Surround, Ful Palette Oak, Maple Walnut, Palette	3260 3260	3371 3371	3481 3481	3628 3628	3801 3801	3948 3948	4121 4121	4337 4337	4552 4552

**Ordering Note:** Leyton Lounge is available with an optional Solid Surface Arm Cap for an upcharge of **\$263** list per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF<u>S</u> Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

3953

4100 4274

4421

4594

4809 5024

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$32 for 1 seat, \$47 for 1 1/2 seat, \$63 for 2 seat and \$95 for 3 seat. (eg. LEY31<u>N</u>WN changes to LEY31<u>C</u>WN). See page 123 for additional Leyton options.

Cherry, Anigre, 3733 3843

Sycamore

## LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			Р	allet Finish Surround Full Arm	1
				PN	
			P	allet Finish Surround Armless	;

# **LEYTON | REPLACEMENT COMPONENTS**

		COM		COL		RIC GRA			EATHER			
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHTS	CUBES
	Replacement Back LEY3RB	337	355	372	397	424	449	478	512	547	12	3.5
	One & Half-Seat Re LEY3R1.5B	eplaceme 366	ent Back 390	413	444	480	512	548	593	639	15	4.5
	Replacement Seat LEY3RS	484	505	526	555	589	618	652	694	736	11	2.5
	One & Half-Seat Re LEY3R1.5S	eplaceme 557	ent Seat 587	618	662	712	755	805	867	929	14	4
	Replacement Back LEY3RBC	Cover 174	193	210	235	264	288	316	351	386	1	0.75
	One & Half-Seat Re LEY3R1.5BC	eplaceme 198	ent Back 222	Cover 244	276	312	344	380	425	471	1.25	1
	Replacement Seat LEY3RSC	Cover 175	195	215	244	275	303	335	375	415	1.25	0.75
	One & Half-Seat Re LEY3R1.5SC	placeme 222	ent Seat 252	Cover 284	327	377	420	466	532	594	1.5	1
	One-Seat - Replace LEY3R1OBPU	ement U 171	pholstere 189	ed Outsi 206	de Bac 231	k Panel 259	284	312	347	382	10	1.5
	One-Seat - Replace LEY3R1OBPUPB	ement U 180	pholstere 196	ed Outsi 214	de Bac 238	k Panel 1 267	for Push 291	n bar op 319	otion 355	390	10	1.5
	One & Half-Seat - F LEY3R1.50BPU	Replacer 190	nent Upł 208	nolstered 224	d Outsid 250	de Back 278	Panel 302	331	365	400	13	2.5
	One & Half-Seat - F LEY3R1.50BPUPB		nent Uph 215	nolstered 233	d Outsid 257	de Back 286	Panel fo 310	or Push 338	bar op 373	tion 408	13	2.5
	Two-Seat - Replace LEY3R2OBPU	ement U 219	pholstere 237	ed Outsi 254	de Baci 279	k Panel 306	332	360	395	429	19	3.5
	Three-Seat - Replace LEY3R3OBPU	cement 289	Upholste 323	ered Out 359	side Ba 407	ick Pane 464	l 513	569	639	710	28	5

# **LEYTON | REPLACEMENT COMPONENTS**

		OAK MAPLE WALNUT	CHERRY ANIGRE		VEI VI O
DESCRIPTION	MODEL	PALETTE	SYCAMORE	WEIGHTS	CUBES
	One-Seat - Replacement Wood Outside L LEY3R1OBPW	Back Panel 232	276	10	1.5
	One-Seat - Replacement Wood Outside E LEY3R1OBPWPB	Back Panel for Pι 245	ush bar option 289	10	1.5
	One & Half-Seat - Replacement Wood Ou LEY3R1.50BPW	utside Back Pane 286	sl 352	13	2.5
	One & Half-Seat - Replacement Wood Ou LEY3R1.50BPWPB	utside Back Pane 298	l for Push bar option 364	13	2.5
	Two-Seat - Replacement Wood Outside E LEY3R2OBPW	Back Panel 320	406	19	3.5
	Three-Seat - Replacement Wood Outside LEY3R3OBPW	Back Panel 349	479	28	5
	One Cost Books are not Wood Front Book	- al			
	One-Seat - Replacement Wood Front Par LEY3R1FP	156	179	4	0.75
	One & Half-Seat - Replacement Wood Fre LEY3R1.5FP	ont Panel 179	193	5	1
	Two-Seat - Replacement Wood Front Par LEY3R2FP	nel 200	244	6	1.25
	Three-Seat - Replacement Wood Front P. LEY3R3FP	anel 222	288	8	2
	Replacement Wood Surround Full Arm wi	ith arm cap (Left.	right specified as seated)		
	LEY3RWFLL LEY3RWFLR	424	573	30	1.5
	Replacement Wood Surround Full Arm wi	ith caster (Left_ri	oht specified as seated)		
	LEY3RWFCL	536	685	30	1.5
<b>~</b>	LEY3RWFCR				
	Replacement Wood Surround Full Arm wi	ith cup holder (Le 550	eft, right specified as seate 699	ed) 30	1.5
	LEY3RWFCHR				
	Replacement Wood Surround Full Arm with LEY3RWFICHL	ith Integrated cup 571	o holder (Left, right specifi 720	ed as seated) 30	1.5
	LEY3RWFICHR				
	Replacement Wood Surround Full Arm Ta LEY3RWFTL	ublet (Left, right s 612	pecified as seated) 761	30	1.5
	LEY3RWFTR				
	Replacement Wood Surround Full Arm In LEY3RWFITL	tegrated Tablet (L 686	_eft, right specified as sea 835	ted) 30	1.5
	LEY3RWFITR				
	Replacement Wood Surround Armless (Le LEY3RWNLL	eft, right specified 432	d as seated) 580	26	1.5
	LEY3RWNLR				
	Replacement Wood Surround Armless wi LEY3RWNCL LEY3RWNCR	th casters (Left, 543	right specified as seated) 691	26	1.5


# **LEYTON | REPLACEMENT COMPONENTS**

DESCRIPTION	MODEL	PRICE	WEIGHTS	CUBES
	One-Seat Replacement Leg set (pa LEY3R1L	air) 125	8	1.25
	One & Half-Seat Replacement Leg LEY3R1.5L	set (pair) 149	10	1.5
	Two-Seat Replacement Leg set (pa LEY3R2L	air) 165	13	2.5
Ų	Three-Seat Replacement Leg set ( LEY3R3L	pair) 249	22	3
	Push bar - One-Seat LEY3RPB-1	49	2.0	1.8
	Push bar - One & Half-Seat LEY3RPB-1.5	54	2.5	2.0
	Push bar Grommet (pair) LEY3RPBG	6	.2	.1
	Note: Pushbar option is available of	on One-Seat and One & Half-Seat only.		
	Replacement Tablet with Mounting LEY3RT	Plate - Designer White - D354SL Solid Surf 380	ace 5.0	.7
	Replacement Arm Cap - Designer LEY3TAC	White - D354SL Solid Surface (to be used v	vith tablet) 1.0	.3
	Replacement Arm Cap Designer W LEY3RAC	hite - D354SL Solid Surface 121	1	.25
	Ordering Note: Please note Repla the Solid Surface Arm Cap option.	cement Arm Cap can only be installed on pr	oduct orignally o	rdered with
	Replacement Integrated cup holde LEY3RICH	r with Arm Cap - Designer White - D354SL S 263	Solid Surface 1.2	.4
	Replacement Cup Holder - Design LEY3RCH	er White - D354SL Solid Surface 137	.5	.2
	Caster LEY3RC	56	3.4	0.2
	Replacement Glides - Lounge & Ta LEY3RG	ble (set of four) 13	1	.25

## **ZOLA** | LEED CI CREDIT SUMMARY

#### ZOLA





PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## AIR EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

## **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.




The mark of responsible forestry

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.


## LOUNGE SEATING | 131


## **ZOLA'S RECONFIGURABILITY**

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.





## SAMPLE CONFIGURATIONS & PRICING






Model	Qty	Price (\$) Beech
ZOL3 M1201	5	960
ZOL3 MS11	1	607
ZOL4 LKM12	1	689
ZOL4 LKE18	1	767
ZOL4 LKC90	1	894
ZOL4 241815	1	827
Total List		\$8584






Model	Qty.	Price (\$)	
ZOL3 MS2F1	2	990	
ZOL4 LKM18	2	728	
ZOL3 M1101	2	1058	
ZOL3 MCIS90D	2	2431	
ZOL3 M2101	2	1852	
ZOL4 LKC90X2	1	1776	

Total	List	\$15894





Model	Qty.	Price (\$)	
ZOL3 MS11	2	607	
ZOL3 MS21	2	849	
ZOL4 LKC90	2	894	
ZOL4 LKM18	2	728	
Total List		\$6156	

## **ZOLA SEAM LOCATIONS**

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 ½"	1″
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"

## **Inside Curve**


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.



## **Outside Curve**

Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.







## **ZOLA** | FEATURES



#### **REPLACEABILITY**

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



#### **CASTERS**

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Bariatric product(s)



## RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



### LINKING BRACKET Seat-to-Seat

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



## INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments. Bariatric sizes are included in the offering.



#### **URETHANE ARM CAP**

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



## **ZOLA LOUNGE & ZOLA MODULAR** COMPARISON

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Please see page 139 for Modular offering. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables.



## **ANTI-MICROBIAL FINISH**

Zola wood backs & tables wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria



## WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



## **FINISH DURABILITY**

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



## **CLEAN OUT**

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



## **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



The legs offered on Zola Lounge are silver metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



## **FULL DEPTH BENCHES**

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



## WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-seat (Straight or curved) - 300 lbs One-seat bariatric - 750 lbs Two-seat (Straight or curved) - 525lbs Two-seat bariatric - 975 lbs - 750 lbs Three-seat Three-seat bariatric - 1150 lbs

Above photo indicates location of seam.

## **ZOLA | FEATURES**



#### **TABLETS**

Optional Tablets are available on the Zola Lounge & Modular in veneer, glass, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



## LINKING BRACKETS Table to Seat Bracket

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a silver metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



### **TABLES MATERIALS OPTION**

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top.

- Beech, Maple, & Cherry Veneers
- Plastic Laminate
- Plastic Laminate with Wood Veneer sides
- Palette colors
- Solid Surface Tops (Designer White D354SL)
- Anti-microbial coating
- Leveling glides on every leg



## SOLID SURFACE TOPS

The Solid Surface Top option features Wilsonart's, Designer White D354SL, Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



## **LINKING TABLES**

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



## **POWERDOC**

The Power Doc brings power and communications to Zola users. Mountable on both seats and tables, it has a self-closing metal cover for safety and cleanliness.

Powerdocs are supplied with 10 feet of electrical cord and two cable straps, for feeding two front-facing, and one rear-facing, simplex receptors. Each Powerdoc features two 12 amp, 120 volt receptacles, two USB output ports, one USB input port, one RJ-45 port, and one RJ-11 port. An optional Mesh Wire Manager is available to channel cabling to wall or floor monuments.

#### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

## **REMOVABLE UPHOLSTERY COVERS**

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Please see page 139 for the Removable Upholstery Covers upcharges.

Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

## **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$44 list per yard.

#### **DIMENSIONS**

					Height of	Width			
	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping	
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes
One-seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-seat (Bariatric)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

#### COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-seat (Bariatric)	4.5	9	13.5	18

## **COM YARDAGES (Individual Components)**

	COM	COM	COM	COM	COM	COM	COM
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs
One-seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-seat (Bariatric)	1.25	2.5	3.75	5	1.75	3.5	5.25

### **COM YARDAGES (Individual Components)**

	COM	COM	COM	COM	COM
	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	4 Backs	Per Arm	2 Arms	3 Arms	4 Arms
One-seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-seat (Bariatri	c) 7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

## **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

## **ORDERING NOTES:**

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Please see page 139 for Modular offering. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Bariatric Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

**FEATURES:** For a complete listing of features see page 135.

## **ZOLA | LOUNGE**

		COM COL FABRIC GRADES			LEATHER					
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	1521	1604	1687	1830	1974	2117	2261	2289	2613
	Two-Seat ZOL3 F2111	2249	2354	2453	2607	2762	2916	3070	3225	3467
	Three-seat ZOL3 F3111	3054	3209	3363	3672	3981	4289	4598	4907	5436

## **ZOLA | BARIATRIC LOUNGE**

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	i		
DESCRIPTION/MODE	EL	1	2	3	4	5	6	7	8	9		
	One-seat Bariatric											
	ZOL3 FB1111	1687	1769	1852	1996	2139	2283	2426	2569	2778		
	NOTE: One-seat Bariatric is 30" wide between arms.											
	Two-Seat Bariatric											
	ZOL3 FB2111	2310	2415	2514	2668	2822	2977	3131	3285	3528		
*	NOTE: The Two-Seat Bariat	ric comes	standard	with a fifth	leg for ex	tra suppor	t.					
	Three-Seat Bariatric											
	ZOL3 FB3111	3126	3280	3435	3743	4052	4361	4669	4978	5507		

NOTE: The Three-Seater Bariatric comes standard with a fifth leg for extra support.

## **ORDERING NOTES**

Zola Lounge Seating is available with 4 casters, for an upcharge of \$74 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL3 F1112. Zola Lounge Seating is available with 2 legs and 2 casters version, for an upcharge of \$53 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3 F1113. Please note, bariatric versions are not available with either of these options. All units are shipped with legs detached.

Zola Lounge Seating is available with the option of Urethane arm caps please select "2" for Urethane and add an upcharge of \$168 list, for two arms.

## PRODUCT CODE KEY

I MODOO! GODE!						
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2	2	2	2
		Freestanding Bariatric	Two Seat	Wood Back	Urethane Arm Cap	Casters
			3	3		3
			Three Seat	Wood Back with		Combination
				Uph Pad		2 Front Standard Legs
				·		& 2 Rear Casters

## **DIMENSIONS - ARMLESS UNITS**

		•					
	Overall	Overall	Overall	Seat	Seat	Shipping	
	Width	Depth	Height	Height	Depth	Weight	Cubes
One-seat	23	27	34	18.5	19.25	57	9.75
Two-seat	46	27	34	18.5	19.25	89	17.6
Three-seat	69	27	34	18.5	19.25	122	26.3
One-seat (Bariatrio	30	27	34	18.5	19.25	62	11.5

## **DIMENSIONS - WITH ARMS**

	Overall	Overall	Overall	Seat	Seat	Shipping	
	Width	Depth	Height	Height	Depth	Weight	Cubes
One-seat	29	27	34	18.5	19.25	88	9.75
Two-seat	52	27	34	18.5	19.25	120	17.6
Three-seat	75	27	34	18.5	19.25	154	26.3
One-seat (Bariatric)	36	27	34	18.5	19.25	96	11.5

### **COM YARDAGES - ARMLESS UNITS**

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
One-seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-seat (Bariatric)	3.0	6.3	9.5	13.86

#### **COM YARDAGES - WITH ARMS**

***************************************			
COM Yardage	COM Yardage	COM Yardage	COM Yardage
Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
w/ Arms	w/ Arms	w/ Arms	w/ Arms
4	7.25	11.5	14.5
5.5	11	16	21.7
7.1	13.25	19	28
4.5	9	13.5	18.3
	Entire Unit w/ Arms 4 5.5 7.1	COM Yardage Entire Unit w/ Arms 4 7.25 5.5 11 13.25	COM Yardage Entire Unit W/ Arms         COM Yardage 2 Entire Units W/ Arms         COM Yardage 3 Entire Units W/ Arms           4         7.25         11.5           5.5         11         16           7.1         13.25         19

### **COM YARDAGES - Individual Components**

OOM INIDAC		ai Oompoi	icitis						
	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-seat (Baria	atric) 1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- Zola Modular Bariatric Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.
- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

## COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

#### **PACKAGING**

All Modular Units, and tables will be shipped KD (Knocked Down)

## **Upcharge for Removable Upholstery Covers:**

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	53	One-seat seat	32
Interim Arm	42	Two-seat seat	47
One-seat back	47	Three-seat seat	58
Two-seat back	68	One-seat bariatric seat	42
Three-seat back	84		
One-seat bariatric back	53		

## **ZOLA** | MODULAR

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	R 9
	One-Seat, Uph ZOL3 M1101	Back Armles: n/a	s 1058	1114	1169	1268	1367	1467	1566	1665	1842
	One-Seat, Uph ZOL3 M1111	Back w/ Arm n/a	s 1621	1703	1781	1924	2067	2210	2354	2497	2712
	One-Seat, Wood ZOL3 M1201	d or Palette E Beech Maple/ Cherry Palette	960 960 987	982 1009 982	1004 1031 1004	1048 1075 1048	1092 1119 1092	1136 1163 1136	1180 1208 1180	1224 1252 1224	1290 1318 1290
	One-Seat, Wood ZOL3 M1301	d or Palette E Beech Maple/ Cherry Palette	3ack w/ U 1114 1141 1114	Jph Pad, A 1147 1174 1147	rmless 1169 1196 1169	1224 1252 1224	1268 1296 1268	1313 1340 1313	1357 1384 1357	1401 1428 1401	1489 1516 1489
	Two-Seat, Uph ZOL3 M2101	Back Armless n/a	s 1852	1957	2056	2210	2365	2519	2673	2828	3070
	Two-Seat, Uph ZOL3 M2111	Back w/ Arm	s 2415	2519	2619	2773	2927	3082	3236	3390	3633
	Three-Seat, Upl ZOL3 M3101	n Back Armle n/a	ess 2658	2812	2966	3275	3584	3892	4201	4510	5039

**ORDERING NOTES:** Zola Modular Seating is available with 4 casters, for an upcharge of **\$74 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL3 F1112. Zola Modular Seating is available with 2 legs and 2 casters version, for an upcharge of **\$53 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3 F1113. Please note, bariatric versions are not available with either of these options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

Zola Lounge Seating is available with the option of Urethane arm caps please select "2" for Urethane add an upcharge of \$168 list, for two arms.

## PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	M Modular	1 One Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		MB	2	2	2	2
		Modular Bariatric	Two Seat	Wood Back	Urethane Arm Cap	Casters
			3	3		3
			Three Seat	Wood Back with Uph Pad		Combination 2 Front Standard Legs & 2 Rear Casters

## **ZOLA** | MODULAR & MODULAR BARIATRIC

DESCRIPTION/MOD	FI	COM 1	2	COL 3	FAE	BRIC GRAI	7	LEATHER 7 8 9				
	Three-Seat, Uph Back w/ A ZOL3 M3111 n/a	-	3374	3528	3837	4145	6 4454	4763	5072	5601		
	One-Seat, Bariatric, UPH E ZOL3 MB1101 n/a	Back, Armle 1147	ss 1180	1235	1335	1433	1533	1632	1731	1908		
" † "	ORDERING NOTES: One-	seat Bariatr	ric seat is	30" wide.								
	One-Seat, Bariatric, UPH E ZOL3 MB1111 n/a	Back, Arms 1709	1791	1869	2012	2156	2298	2442	2585	2800		
	ORDERING NOTES: One-seat Bariatric seat is 30" wide between the arms.											
	Two-Seat, Bariatric, UPH E ZOL3 MB2101 n/a	Back, Armle: 1913	ss 2018	2117	2271	2425	2580	2734	2889	3131		
	ORDERING NOTES: The T	Гwo-Seat Ва	ariatric co	mes stand	dard with a	fifth leg fo	r extra su	pport.				
	Two-Seat, Bariatric, UPH E ZOL3 MB2111 n/a	Back, Arms 2475	2580	2679	2834	2988	3142	3297	3451	3694		
	ORDERING NOTES: The T	Гwo-Seat Ва	ariatric co	mes stand	dard with a	fifth leg fo	r extra su	pport.				
	Three-Seat, Bariatric UPH ZOL3 MB3101 n/a	Back, Armle 2729	ess 2883	3038	3346	3655	3964	4272	4581	5110		
	ORDERING NOTES: The T	Γhree-Seat I	Bariatric c	omes sta	ndard with	a fifth leg	for extra s	support.				
	Three-Seat, Bariatric UPH ZOL3 MB3111 n/a	Back, Arms 3291	3445	3599	3908	4217	4526	4834	5143	5672		

ORDERING NOTES: The Three-Seat Bariatric comes standard with a fifth leg for extra support.

**ORDERING NOTES:** Zola Modular Seating is available with 4 casters, for an upcharge of \$74 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL3 F1112. Zola Modular Seating is available with 2 legs and 2 casters version, for an upcharge of \$53 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3 F1113. Please note, bariatric versions are not available with either of these options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

Zola Lounge Seating is available with the option of Urethane arm caps please select "2" for Urethane add an upcharge of \$168 list, for two arms.

#### PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	M Modular	1 One Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		MB	2	2	2	2
		Modular Bariatric	Two Seat	Wood Back	Urethane Arm Cap	Casters
			3	3		3
			Three Seat	Wood Back with Uph Pad		Combination 2 Front Standard Legs & 2 Rear Casters

## **ZOLA | MODULAR BACKS & ARMS**

	_		СОМ		COL	FAI	BRIC (	GRADE	S L	.EATHE	R	COM	SHIPPING	ì
DESCRIPTION/MO	DEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or ZOL3 MAL ZOL3 MAR	Interim Arm	342	370	397	453	507	563	617	673	750	1.5	19	3.1
	ZOL3 MAI ZOL3 MALU		243 431	254 458	265 485	287 541	309 595	331 651	353 706	375 761	408 838	0.33 1.5	13 20.5	1.8 3
	ZOL3 MARU		401	450	400	541	555	001	700	701	000	1.5	20.5	O
	ORDERING Note that the between arms and Arms (left Interim arm is	by 1" per s or right) are	seating specif	unit. T ied whe	he inter en seate	im Arn	n does	not co	mpron	nise the	overall v	width of the c	ombined I	penches.
	UPH Back ZOL3 MB11* ZOL3 MB21		546 717	590 777	634 838	722 960	811 1080	899 1202	1097 1323	1185 1445	1290 1588	1.75 2.5	23 39	5.2 9.4
	ZOL3 MB31 ZOL3 MBB11		872 607	948 651	1026 695	1180 783	1334 872	1489 960	1643 1048	1798 1136	1985 1252	3.5 2	54 28	14 6.1
	ZOLS WIDD I I		007	651	095	100	012	900	1040	1130	1232	2	20	0.1
	ordering N units as well.						•			are usec	I for the	Two-Seat & T	hree-seat	Bariatric
	One-Seat Wo	od/Palette E	Back w	/ UPH	Pad									
	ZOL3 MB13	Beech	431	441	452	475	497	519	541	563	595	0.6	21	3.1
		Maple /Cherry	463	475	485	507	529	551	563	585	629	0.6	21	3.1
		Palette	431	441	452	475	497	519	541	563	595	0.6	25	3.1
	One-Seat Woo	od/Palette I	Back											
)((``\)	ZOL3 MB12	Beech	298									-	19	3.1
		Maple	326									-	19	3.1
		/Cherry Palette	298									-	23	3.1

## **ZOLA** | MODULAR - REPLACEMENT COMPONENTS

C			COM		COL	FA	BRIC (	GRADE	S L	EATHE	R	COM SHIPPING		
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Modular One-													
J//1.0/1)	ZOL3 RBM12		254									-	19	3.1
		Maple /Cherry	281									-	19	3.1
		Palette	254									-	23	3.1
	Modular One-Seat Wood Back w/ Upholstered Pad													
	ZOL3 RBM13	Beech	386	397	408	431	453	475	497	519	551	0.6	21	3.1
		Maple /Cherry	419	431	441	463	485	507	519	541	585	0.6	21	3.1
		Palette	386	397	408	431	453	475	497	519	551	0.6	25	3.1
	Upholstered B	ack												
)\ )	ZOL3 RBM11'	•	502	546	590	678	767	855	1053	1141	1246	1.75	23	5.2
(/ )	ZOL3 RBM21		673	733	794	916	1036	1158	1279	1401	1544	2.5	39	9.4
4	ZOL3 RBM31		827	904	982	1136	1290	1445	1599	1754	1940	3.5	54	14
	ZOL3 RBBM1	1	563	607	651	739	827	916	1004	1092	1208	2	28	6.1

**ORDERING NOTE:** The Two-Seat & Three-Seat Upholstered Backs are used for the Two-Seat & Three-Seat Bariatric units as well. Only Upholstered Backs can be used. Modular Upholstered Replacement Backs are supplied with velcro upholstery that allows for assembly of existing "L" brackets on site prior to assembly to the bench. Replacement Backs do not include mounting brackets and legs and Replacement Seat/Benches do not include legs and joining brackets. The hardware can be transferred from the original component to the replacement component. If new hardware is required, Modular Arms/Backs/Benches should be ordered.

## **ZOLA | MODULAR - REPLACEMENT COMPONENTS**

		ZOLA   MODULAR - REPLACEMEN									I COMPONENTS			
		COM		COL	FAE	BRIC GF	RADES	L	EATHE	R	COM			
DESCRIPTION/MO	ODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE	
	Right or Left Upholst	tered Arn	n											
	ZOL3 RAMR	303	331	358	414	468	524	579	634	711	1.5	14	3	
	ZOL3 RAML													
	ZOL3 RAMRU	392	419	446	502	557	612	667	722	799	1.5	15.5	3	
	ZOL3 RAMLU													
		ORDERING NOTES:												
	Zola Replacement arms (left or right) are specified when seated. Replacement Modular Arms are sent without modular													
		hardware. Replacement Arms do not include mounting brackets. ZOL3 RAMRU & ZOL3 RAMLU are replacement arms												
	with urethane cap.													
	UPH Seat													
	ZOL3 RSM1*	541	573	607	667	728	789	849	909	1033	1.33	25	5.2	
	ZOL3 RSM2	783	821	860	943	1026	1108	1191	1274	1411	1.75	39	9.4	
	ZOL3 RSM3	1020	1075	1130	1246	1362	1477	1593	1709	1852	2.5	50	14	
	ZOL3 RSMB1	700	733	767	833	899	965	1031	1097	1196	1.75	26	6.1	
	ZOL3 RSMB2	838	882	926	1009	1092	1174	1257	1340	1477	1.75	39	9.4	
	ZOL3 RSMB3	1224	1279	1335	1433	1533	1632	1731	1830	1985	2.5	50	14	
	Back Cover													
	ZOL3 RCB1*	210	254	298	386	475	563	651	739	882	2	2.8	1.7	
	ZOL3 RCB2	287	353	419	551	684	816	948	1080	1246	3	3.6	1.7	
	ZOL3 RCB3	353	441	529	706	882	1058	1235	1411	1632	3.75	4.3	1.7	
	ZOL3 RCBB1	233	276	320	408	497	585	673	761	894	2	2.8	1.7	
	Seat Cover													
	ZOL3 RCS1*	188	221	254	320	386	453	519	585	684	1.33	2.3	1.7	
	ZOL3 RCS2	243	287	331	419	507	595	684	772	916	1.75	2.6	1.7	
_	ZOL3 RCS3	309	364	419	475	529	585	639	695	783	2.5	3.8	1.7	
	ZOL3 RCSB1	287	326	364	441	519	595	673	750	860	1.75	2.6	1.7	
	Back Pad													
	OL3 RP	154	166	176	198	221	243	265	287	320	0.6	1.6	2	
	Arm Covers Right, Lo													
	ZOL3 RCAR	188	221	254	320	386	453	519	585	673	1.5	2.5	1.7	
	ZOL3 RCAL													
	ZOL3 RCAI	122	132	144	166	188	210	232	254	281	0.33	1.5	1.7	
	ZOL3 RCARU ZOL3 RCALU	188	221	254	320	386	453	519	585	673	1.5	2.5	1.7	
	ORDERING NOTES	: Replace	ement /	Arm Co	vers (lef	t or righ	t) are sr	pecified	as seate	ed. ZOL	3 RCARU &	ZOL3 RC/	ALU are	
	arm covers for arms						•							
	Urethane Arm Cap													
	ZOL3 AUR	88										1.5	0.3	
	ZOL3 AUL											1.5	0.3	
<b>⇔</b> 4/														

INSIDE CURVE

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat		•	•	•	•	*	
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

**COM Yardages** 


	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					_
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

**COM Yardages - Individual Components** 

COM Taraages	marviada oc	mponento						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve




Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside Curve



Double Seat, Uph 45° Inside Curve



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

#### **DIMENSIONS OUTSIDE CURVE**

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

#### **COM Yardages**

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	

#### **COM Yardages - Individual Components**

OOM Tardages	- Illaiviadai Oc	mponenta						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Outside Curve



Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside



Double Seat, Uph 45° Outside



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

DESCRIPTION/MOD	DEL	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	R 9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	e 1605	1696	1785	1911	2056	2182	2326	2506	2686
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	e 1888	2003	2119	2282	2468	2629	2815	3047	3279
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	e 2140	2255	2371	2534	2720	2881	3067	3299	3531
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	e 2431	2577	2723	2926	3159	3363	3596	3888	4180
	Single-Seat, 30° Outside Cur ZOL3 MCOS30D1	rve 1445	1526	1607	1720	1850	1964	2093	2255	2417
	Single-Seat, 45° Outside Cui ZOL3 MCOS45D1	rve 1699	1803	1908	2054	2221	2367	2534	2744	2951
	Single-Seat, 60° Outside Cur ZOL3 MCOS60D1	rve 1926	2030	2135	2281	2448	2594	2760	2969	3177
	Single-Seat, 90° Outside Cui ZOL3 MCOS90D1	rve 2188	2318	2450	2633	2843	3027	3237	3500	3762

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KE	Y					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Bariatric	O Outside Curve	D Double	45D 45 Degree 60D 60 Degree 90D 90 Degree	

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside Cur ZOL3 MCID30D1	ve 2809	2966	3125	3345	3597	3818	4071	4386	4701
	Double-Seat, 45° Inside Cui ZOL3 MCID45D1	ve 3303	3506	3709	3992	4317	4601	4926	5331	5737
	Double-Seat, 60° Inside Cur ZOL3 MCID60D1	ve 3744	3947	4150	4433	4758	5042	5367	5772	6178
	Double-Seat, 90° Inside Cur ZOL3 MCID90D1	ve 4254	4509	4764	5121	5528	5885	6293	6804	7313
	Double-Seat, 30° Outside C ZOL3 MCOD30D1	urve 2528	2670	2812	3010	3238	3437	3663	3947	4232
	Double-Seat, 45° Outside C ZOL3 MCOD45D1	urve 2973	3155	3338	3593	3885	4141	4433	4799	5163
	Double-Seat, 60° Outside C ZOL3 MCOD60D1	urve 3369	3552	3735	3990	4282	4538	4830	5195	5560
	Double-Seat, 90° Outside C ZOL3 MCOD90D1	urve 3827	4058	4287	4608	4976	5297	5665	6124	6582

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KE	Υ					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Bariatric	O Outside Curve	D Double	45D 45 Degree 60D 60 Degree 90D 90 Degree	

## **ZOLA** | REPLACEMENT COMPONENTS & ELECTRICAL


				WEIGHT	CUBE
		& Mounting Plate On			
	ZOL3 RT1	Beech	265	5	0.32
U		Maple /Cherry	281	5	0.32
		t & Mounting Plate C	nly		
	ZOL3 RT2	n/a	193	5	0.32
		& Mounting Plate On			
	ZOL3 RT3	n/a	453	6	0.32
	Laminate Tabl ZOL3 RT4	let & Mounting Plate n/a	Only 276	5	0.32
			placement tablets on this page include t ered, each seat is automatically supplied		
	Leg				
	ZOL3 RLS		39	1	0.125
	Leg Glide (4) ZOL3 RLG		47	0.0	0.01
	ZOL3 RLG		17	0.2	0.01
<b>***</b>	Caster Leg		07	0.4	0.405
	ZOL3 RLC		27	0.4	0.125
	Caster Withou ZOL3 RC1	ıt Brake	39	0.4	0125
	ORDERING N	IOTE: Casters cann	ot be ordered as replacement items for ba	ariatric units.	
	Caster With B	rake	49	0.4	0.125
	ORDERING N	IOTE: Casters cann	ot be ordered as replacement items for ba	ariatric units.	
	Seat to Seat E	Bracket			
000	ZOL3 RLKB2		66	1	0.125
. Da	Table to Seat B	Bracket	78	3	0.125
6.0	2020 HERB		, ,	· ·	0.120
	Power Doc ZOL3 POWER	RDOC	210	4	0.375
[3 [2] <b>8</b>	it has a self-clo cable straps, f 120 volt recep	osing metal cover for for feeding two fron stacles, two USB ou	oc brings power and communications to Z or safety and cleanliness. Power Docs are st- t-facing, and one rear-facing, simplex rec tput ports, one USB input port, one RJ-45p bling to wall or floor monuments.	supplied with 10 feet of electrical of eptors Each Power Doc features to	ord and tw wo 12 am
	Wire Manager	Chroud			

**ORDERING NOTES**: Comes in a 10' length when ordered. Can be cut to size on site.

#### SUTTON







PRE-CONSUMER
RECYCLED CONTENT = 8.09%

POST-CONSUMER RECYCLED CONTENT = 15.29%

Up to 23.38% of Sutton product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Sutton products are supplied air-emissions certified. Contact customer service for information.

#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **SUTTON**

			COM COL FABRIC GRADI		DES LEATHER						
DESCRIPTION/M	ODEL/FINISH	ES	1	2	3	4	5	6	7	8	9
	ONE-SEAT										
	SUT3-1-0-1	Cherry, Oak, Maple,	1555	1696	1861	2111	2267	2439	2646	3158	3791
		Walnut, Anigre									
	SUT3-1-0-2		1703	1867	2050	2350	2521	2709	2943	3511	4168
	SUT3-1-1-1	Cherry, Oak, Maple,	1654	1814	1989	2281	2447	2631	2856	3409	4045
		Walnut, Anigre			.000					0.00	
	SUT3-1-1-2	Cherry, Oak, Maple,	1970	2128	2282	2439	2596	2755	2908	3097	3731
		Walnut, Anigre									
	TWO-SEAT										
	SUT3-2-0-1	Cherry, Oak, Maple,	2080	2205	2337	2498	2686	2871	3421	3882	4692
	01.170.0.0.0	Walnut, Anigre									
	SUT3-2-0-2		2313	2454	2599	2781	2985	3195	3587	4319	5151
I	SUT3-2-1-1	Cherry, Oak, Maple,	2247	2382	2523	2700	2899	3101	3480	4193	5001
		Walnut, Anigre		2002	2020	2,00	2000	0101	0100	1100	0001
	SUT3-2-1-2	Cherry, Oak, Maple,	2558	2720	2884	3083	3284	3481	3682	3939	4744
		Walnut, Anigre									
	THREE-SEAT	Γ									
	SUT3-3-0-1	Cherry, Oak, Maple,	2822	2983	3158	3328	3497	3673	3861	4677	5807
	SUT3-3-0-2	Walnut, Anigre	04.40	0040	0544	0704	0000	100.1	1000	5000	0007
	1		3142	3319	3511	3701	3892	4084	4292	5202	6367
	SUT3-3-1-1	Cherry, Oak, Maple,	3050	3223	3409	3593	3777	3965	4168	5053	6180
U		Walnut, Anigre									
	SUT3-3-1-2	Cherry, Oak, Maple,	3345	3602	3867	4189	4514	4837	5164	5535	6666
		Walnut, Anigre									

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SUT3101	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3102	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3111	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3112	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3201	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3202	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3211	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3212	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3301	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3302	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3311	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5
SUT3312	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5

PRODUC Line	CT CODE KEY Series	Seat Count	Arm/Back Style	Base Style
SUT	3	1	0	1
Sutton	Soft Seating	One-Seat	Fully Upholstered Surround	Wood Base & Legs
		2	1	2
		Two-Seat	Wood Surround	Metal Base & Legs
		3		· ·
		Three-Seat		

#### STANDARD FINISHES

Oak finishes on wood surround versions are applied on Rift Oak. For a complete list of standard wood finishes please see page 4.

#### **METAL BASE OPTION**

Metal base is available in silver metallic only.

Note: Rift Oak surround can only be specified with a silver metallic base.


#### REMOVABLE UPHOLSTERED SEAT COVERS

Sutton Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$110 list per one-seater chair, \$221 list per two-seater chair and \$331 list per three-seater chair.

### **CARLYLE** | LEED CI CREDIT SUMMARY

### **CARLYLE**





PRE-CONSUMER
RECYCLED CONTENT = 3.96%

POST-CONSUMER RECYCLED CONTENT = 14.38%

Up to 37.5% of Carlyle product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Carlyle products are supplied air-emissions certified. Contact customer service for information.

#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **CARLYLE**

			COM COL		FAI	FABRIC GRADES			LEATHER		
DESCRIPTION/MO	DEL/FINISHES		1	2	3	4	5	6	7	8	9
	ONE-SEAT CAR311 CAR312	Cherry, Maple, Walnut, Anigre	2454 2454	2533 2533	2610 2610	2764 2764	2917 2917	3074 3074	3229 3229	3512 3512	3996 3996
	TWO-SEAT CAR321 CAR322	Cherry, Maple, Walnut, Anigre Cherry, Maple, Walnut, Anigre		3430 3430	3545 3545	3740 3740	3934 3934	4128 4128	4320 4320	4740 4740	5521 5521
	THREE-SEAT CAR331 CAR332	Cherry, Maple, Walnut, Anigre Cherry, Maple, Walnut, Anigre		4612 4612	4752 4752	5011 5011	5271 5271	5527 5527	5787 5787	6303 6303	7271 7271

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	20	22	60	24	4.5
CAR312	33	30	32	17.5	26	20	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0


#### **ORDERING NOTES**

Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$110 list per one-seater chair, \$221 list per two-seater chair and \$331 list per three-seater chair.

PRODUCT COI Line	DE KEY Series	Seat Count	Base Style	STANDARD FINISHES For a complete list of standard wood finishes please see page 4.
CAR	3	1	1	
Carlyle	Soft Seating	One-Seat	Wood Base	CARLYLE LOUNGE
			& Legs	Carlyle is available in both wood base and silver metallic ba
		2	2	versions.
		Two-Seat	Metal Base	
			& Legs	
		3		
		Three-Seat		

### **BRIO**





PRE-CONSUMER
RECYCLED CONTENT = 7.09%

POST-CONSUMER RECYCLED CONTENT = 9.43%

Up to 11.34% of Brio product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Brio products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Brio products are supplied air-emissions certified. Contact customer service for information.

#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **BRIO**

			COM		COL	FAE	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL	/FINISHES		1	2	3	4	5	6	7	8	9	
	ONE-SEAT 4100-1	Cherry, Maple, Walnut, Anigre		1696	1861	2111	2267	2439	2646	3158	3791	
	TWO-SEAT 4100-2	Cherry, Maple, Walnut, Anigre		2205	2337	2498	2686	2871	3421	3882	4692	
	THREE-SEA 4100-3	AT Cherry, Maple, Walnut, Anigre		2983	3158	3328	3497	3673	3861	4677	5807	

#### **ORDERING NOTES**

Brio Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$110 list per one-seater chair, \$221 list per two-seater chair, and \$331 list per three-seater chair.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
4100-1	31.5	31.5	34	18	26	22.5	20.75	97	22	5.9
4100-2	54	31.5	34	18	26	45	20.75	120	41	7.5
4100-3	76	31.5	34	18	26	67.5	20.75	145	55	10.5

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Color name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES


For a complete list of standard wood finishes please see page 4.

#### **BRIO**

Brio has fixed seat cushions.

### **SLOANE**





PRE-CONSUMER RECYCLED CONTENT = 6.94%

POST-CONSUMER
RECYCLED CONTENT = 15.22%

Up to 29.22% of Sloane product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sloane products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

#### **AIR EMISSIONS**

All Sloane products are supplied air-emissions certified. Contact customer service for information.

#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **SLOANE**

DESCRIPTION/MODEL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	9
ONE-SEAT SLO3-10 SLO3-11	1970 2149	2128 2307	2282 2462	2439 2656	2596 2885	2755 2974	2908 3125	3097 3316	3731 3952
TWO-SEAT SLO3-20 SLO3-21	2558 2882	2720 3042	2884 3207	3083 3440	3284 3645	3481 3837	3682 4044	3939 4294	4744 5102
THREE-SEAT SLO3-30	3345	3602	3867	4189	4514	4837	5164	5535	6666
SLO3-31	3667	3926	4190	4550	4875	5195	5525	5895	7026

## **DIMENSIONS & COM REQUIREMENTS**

			Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SLO3-10	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-11	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-20	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-21	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-30	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5
SLO3-31	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5

### ORDERING NOTES

Sloane Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$110 list per one-seater chair, \$221 list per two-seater chair and \$331 list per three-seater chair.

PRODUCT COL Line	,	SLOANE LEG FINISH Legs are available in metal with a silver metallic finish only, as shown		
SLO	3	1	0	
Sloane	Soft Seating	One-Seat	Standard	
	_		Upholstery	
		2	1	
		Two-Seat	Top Stitching	
			& Buttons	
		3		
		Three-Seat		

## **BENCHES**


158 Tate164 Zola173 Carlyle

### TATE BENCHES | LEED CI CREDIT SUMMARY

#### TATE BENCHES

#### MATERIAL CONTENT:





PRE-CONSUMER RECYCLED CONTENT = 9.09%

POST-CONSUMER RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





## **AIR EMISSIONS**

level® CERTIFICATION

All Tate Benches products are supplied air-emissions certified. Contact customer service for information.


BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Benches products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.





#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Tate and other Krug products can be specified with one of two types of FSC® Certification:



Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### TATE BENCHES | FEATURES

#### **STYLE**

Tate Benches feature three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



#### Gable End

Tate Benches gable ends are 2" wide  $\times$  20" deep  $\times$  6" high on standard depth units and 2" wide  $\times$  25" deep  $\times$  6" high on deep seat units



#### Table End

Tate Benches table ends are 10" wide x 20" deep x 6" high on standard depth units and 10" wide x 25" deep x 6" high on deep seat units.



#### **IFGS**

Tate Benches legs feature polished chrome structural steel legs with non-marring glides.



Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

#### **WEIGHT CAPACITIES**

Tate Benches have the following maximum weight ratings: 2 seater - 975 lbs 3 seater - 1,200 lbs

#### **ANTI-MICROBIAL FINISH**

Tate Benches wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

#### **FINISH DURABILITY**

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **OPTIONS**

#### Removable Covers

Optional Removeable covers can be quickly installed on Tate Benches products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Benches products that were not originally ordered with the Removable cover option, with some simple staple removal.

#### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$44 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

### TATE BENCHES | DIMENSIONS & COM REQUIREMENTS

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

#### **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

### **VENEERS & FINISHES**

#### **WOOD FINISHES**

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak

MAPLE Clear Maple

Wheat Maple

WALNUT Natural Walnut SilverGrey on Walnut

Regular Walnut

Dark Walnut

#### **VENEERS**

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

#### **NON-STANDARD VENEER SPECIES**

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

#### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

#### **ENDURAGUARD FINISH**

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

#### **PALETTE FINISHES**

Black White Sand Soft Green Steel Blue Slate

## TATE BENCHES | FULLY UPHOLSTERED & GABLE END

			СОМ		COL	FAB	RIC GRA	DES	ı	EATHER	3
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Two-seat, 21 TAT5-2210	", fully upholstered	692	726	758	803	856	902	954	1020	1086
	Two-seat, 26 TAT5-2260	", fully upholstered	771	813	855	914	982	1041	1108	1192	1276
	Three-seat, 2 TAT5-3210	1", fully upholstered	831	877	924	990	1064	1130	1204	1298	1391
	Three-seat, 2 TAT5-3260	6", fully upholstered	917	973	1029	1108	1198	1276	1366	1478	1591
	Two-seat, 21 TAT5-2211	", gable end Maple, Oak, Laminate	1043	1073	1105	1148	1198	1242	1292	1353	1415
		Walnut, Palette	1097	1130	1162	1209	1261	1307	1360	1425	1490
	Two-seat, 26 TAT5-2261	", gable end Maple, Oak, Laminate Walnut, Palette	1131 1191	1171 1233	1211 1275	1267 1334	1330 1401	1387 1460	1450 1527	1531 1612	1611 1696
	Three-seat, 2 TAT5-3211	11", gable end Maple, Oak, Laminate Walnut, Palette	1172 1234	1217 1281	1261 1327	1324 1393	1394 1468	1457 1534	1528 1609	1617 1702	1706 1796
Tate Benches Option Up	ocharaes	\$ List							\$ L	iet	
CAL 133 & Moisture Barri Two-seat, 21" - Removab Two-seat, 26" - Removea	er (per yard) ble Seat Covers	44 5 53			21" - Re 26" - Re					68 71	
PRODUCT CODE KEY											
Line	Series	Seat Count	t	Sea	at Depth		Arm S	tyle			
TAT Tate	5 Benches	2 Two-Seat			21"		0 Fully Upho	olstered			
		3 Three-Seat	i		26"		1 Gable				
							2 Table	End			

# TATE BENCHES | GABLE END & TABLE END

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FAE 4	BRIC GRA	ADES 6	7	LEATHE 8	R 9
	Three-seat, 2 TAT5-3261	26", gable end Maple, Oak, Laminate	1276	1329	1383	1458	1542	1617	1703	1809	1916
		Walnut, Palette	1343	1400	1455	1534	1623	1702	1792	1905	2017
	Two-seat, 21 TAT5-2212	1", table end Maple, Oak, Laminate	1410	1442	1472	1516	1567	1610	1660	1722	1784
		Walnut, Palette	1485	1517	1550	1596	1649	1695	1747	1812	1877
411	Two-seat, 26 TAT5-2262	6", table end Maple, Oak, Laminate	1532	1572	1612	1667	1733	1788	1852	1932	2012
		Walnut, Palette	1613	1655	1697	1756	1824	1883	1950	2034	2118
	Three cost	21", table end									
		Maple, Oak, Laminate	1540	1586	1629	1692	1763	1826	1896	1986	2074
	,	Walnut, Palette	1621	1668	1715	1781	1855	1922	1996	2090	2183
		26", table end Maple, Oak, Laminate	1678	1730	1785	1859	1945	2019	2104	2210	2317
	" 0 0202	Walnut, Palette	1766	1822	1878	1956	2046	2125	2214	2327	2439

Benches Option	n Upcharges	\$ List			\$ List
_ 133 & Moisture I	Barrier (per yard)	44	Three-seat, 21" - Rem	ovable Seat Covers	68
,	ovable Seat Covers	53	Three-seat, 26" - Rem	ovable Seat Covers	71
-seat, 26" - Remo	oveable Seat Covers	56			
DUCT CODE KEY					
Line	Series	Seat Count	Seat Style	Arm Style	
TAT	5	2	21	0	
Tate	Benches	Two-Seat	21"	Fully Upholstered	
		3	26	1	
		Three-Seat	26"	Gable End	
				2	
				Table End	


# TATE BENCHES | REPLACEMENT COMPONENTS

		COM		COL	FAI	BRIC (	GRADE	S LI	EATHE	R		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9 W	/EIGH	CUBE
	Two-seat, 21" Replacement Seat TAT5-RS221	534	567	600	646	698	743	796	862	927	34	4.5
	Two-seat, 26" Replacement Seat TAT5-RS226	579	615	653	706	765	818	878	952	1028	43	5.5
	Three-seat, 21" Replacement Seat TAT5-RS321	671	718	765	831	905	971	1004	1139	1233	52	6
	Three-seat, 26" Replacement Seat TAT5-RS326	729	782	837	911	998	1073	1159	1267	1374	74	7.3
	Two-seat, 21" Replacement Seat Covers TAT5-RSC221	210	244	276	321	374	420	473	538	604	5	1.0
	Two-seat, 26" Replacement Seat Covers TAT5-RSC226	228	266	302	355	415	467	527	603	677	6	1.2
	Three-seat, 21" Replacement Seat Cover TAT5-RSC321	s 273	320	366	432	507	572	647	741	835	7	1.5
	Three-seat, 26" Replacement Seat Cover TAT5-RSC326	s 295	349	403	478	564	639	726	834	941	8	1.7
	Replacement Gable End 21" TAT5-RGE21 Maple, Oak, Laminate Walnut, Palette	e 254 305									4	.30
	Replacement Gable End 26" TAT5-RGE26 Maple, Oak, Laminate Walnut, Palette	e 285 359									5	.50
	Replacement Table End 21"  TAT5-RTE21 Maple, Oak, Laminate Walnut, Palette	e 428 524									11	1.1
	Replacement Table End 26" TAT5-RTE26 Maple, Oak, Laminate Walnut, Palette	e 468 568									13	1.3
10	21" Replacement Legs TAT5-RL21	127									7	1.1
LV	26" Replacement Legs TAT5-RL26	138									9	1.5

### **ZOLA | LEED CI CREDIT SUMMARY**

### **ZOLA**





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

#### AIR EINISSIONS

All Zola Bench products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **ZOLA** | MODULAR & MODULAR BARIATRIC BENCH STANDARD DEPTH

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-seat (Bariatric)	30	22.25	18.5	31	6.1
Two-seat (Bariatric)	46	22.25	18.5	48	9.4
Three-seat (Bariatric	) 69	22.25	18.5	64	14

#### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-seat (Bariatri	ic) 1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit 7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units 20 Units = Take the yardage for 4 units, multiply by 5

### **ZOLA | MODULAR & MODULAR BARIATRIC BENCH FULL DEPTH**

#### **DIMENSIONS**

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes
One-seat	23	26	18.5	33	11.5
Two-seat	46	26	18.5	55	21
Three-seat	69	26	18.5	72	32
One-seat (Bariatric)	30	26	18.5	45	16
Two-seat (Bariatric)	46	26	18.5	57	21
Three-seat (Bariatric)	69	26	18.5	75	32

#### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-seat (Bariatric)	1.85	3.7	5.6	7.4	
Two-seat (Bariatric)	1.85	3.7	5.6	7.4	
Three-seat (Bariatric)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

#### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Arms (Right or Left)	53	One-seat standard depth seat	32
Interim Arm	42	Two-seat standard depth seat	47
One-seat back	47	Three-seat standard depth seat	58
Two-seat back	68	One-seat bariatric standard depth seat	42
Three-seat back	84	One-seat full depth seat	36
One-seat bariatric back	53	Two-seat full depth seat	51
		Three-seat full depth seat	58
		One-seat bariatric full depth seat	46

BENCHES | 165

## **ZOLA** | MODULAR & MODULAR BARIATRIC BENCH STANDARD DEPTH

		COM		COL	FAI	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	One-Seat ZOL3 MS11	607	639	673	733	794	855	916	975	1070	
	One-Seat Bariatric ZOL3 MSB11	767	799	833	899	965	1031	1097	1163	1262	
* U	ORDERING NOTES: One-seat Bariatric Bench is 30" wide.										
	Two-Seat ZOL3 MS21	849	887	926	1009	1092	1174	1257	1340	1477	
	Two-Seat Bariatric ZOL3 MSB21	904	948	992	1075	1158	1240	1323	1406	1544	
	ORDERING NOTES: The T	wo-Seat B	ariatric co	nes stanc	dard with a	fifth leg fo	r extra su	pport.			
	Three-Seat ZOL3 MS31	1086	1141	1196	1313	1428	1544	1659	1776	1918	
	Three-Seat Bariatric ZOL3 MSB31	1290	1345	1401	1499	1599	1698	1798	1896	2054	
	ORDERING NOTES: The T	hree-Seat	Bariatric c	omes star	ndard with	a fifth leg	for extra s	support.			

### **ZOLA** | MODULAR & MODULAR BARIATRIC BENCH FULL DEPTH

		COM		COL	FABRIC GRADES				LEATHER		
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9	
	One-Seat ZOL3 MS1F1	671	704	736	782	835	880	932	998	1083	
	One-Seat Bariatric ZOL3 MB1F1	807	851	895	955	1024	1085	1154	1240	1327	
	ORDERING NOTES: One-seat Bariatric Bench is 30" wide.										
	Two-Seat ZOL3 MS2F1	990	1033	1077	1137	1206	1267	1337	1423	1510	
	Two-Seat Bariatric ZOL3 MB2F1	1027	1071	1114	1174	1243	1304	1373	1560	1547	
	ORDERING NOTES: The	Two-Seat B	ariatric co	mes stand	dard with a	fifth leg fo	or extra su	pport.			
	Three-Seat ZOL3 MS3F1 Three-Seat Bariatric ZOL3 MB3F1	1339 1386	1405 1453	1470 1518	1558 1611	1666 1715	1758 1807	1863 1912	1994 2042	2125 2174	
. 1	ORDERING NOTES: The								2572	2.77	

**ORDERING NOTES:** Zola Bench Seating is available with 4 casters, for an upcharge of **\$74 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of **\$53 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, bariatric versions are not available with either of these options.

#### PRODUCT CODE KEY

TODOCT CODE RE					
Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg &
					Glide
		MB	2	F	2
		Modular Bariatric	Two Seat	Full Depth	Casters
			3		

Three Seat

<b>DIMENSIONS</b>	<b>INSIDE CURVE</b>

DIMENSIONS II							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
	vviatri	Берш	rieigiit	rieigiit	Бериі	vveignt	Oubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46
			J .	. 3.0		·= ··=	. •

**COM Yardages** 


	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

#### **COM Yardages - Individual Components**


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Inside Curve



One-Seat, Uph 45° Inside Curve




One-Seat, Uph 60° Inside Curve




One-Seat, Uph 90° Inside Curve




Two-Seat, Uph 30° Inside Curve



Two-Seat, Uph 45° Inside Curve



Two-Seat, Uph 60° Inside Curve



Two-Seat, Uph 90° Inside Curve

#### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

#### **DIMENSIONS OUTSIDE CURVE**

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

#### **COM Yardages**


	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	

**COM Yardages - Individual Components** 

	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Curve



Two-Seat, Uph 30° Curve




One-Seat, Uph 45° Curve




Two-Seat, Uph 45° Curve




One-Seat, Uph 60° Curve



Two-Seat, Uph 60° Curve



One-Seat, Uph 90° Curve



Two-Seat, Uph 90° Curve

#### **Upcharge for Removable Upholstery Covers:**

•	=		
Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

## **ZOLA** | MODULAR CURVE BENCH

		COM		COL	FAE	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9	
	Single-Seat, 30° Curve, Star ZOL3 MCS30DS1	ndard Dep 872	950	1029	1139	1264	1374	1500	1658	1814	
	Single-Seat, 45° Curve, Star ZOL3 MCS45DS1	ndard Dep 950	oth 1065	1179	1340	1524	1684	1867	2097	2326	
	Single-Seat, 60° Curve, Star ZOL3 MCS60DS1	ndard Dep 1074	oth 1189	1303	1464	1646	1807	1991	2220	2450	
	Single-Seat, 90° Curve, Star ZOL3 MCS90DS1	ndard Dep 1238	oth 1364	1490	1667	1869	2046	2248	2501	2753	
	Single-Seat, 30° Curve, Full ZOL3 MCS30DF1	Depth 959	1045	1132	1253	1391	1512	1651	1823	1996	
	Single-Seat, 45° Curve, Full ZOL3 MCS45DF1	Depth 1046	1172	1298	1474	1676	1852	2054	2306	2559	
	Single-Seat, 60° Curve, Full ZOL3 MCS60DF1	Depth 1181	1307	1433	1610	1811	1988	2189	2442	2694	
	Single-Seat, 90° Curve, Full ZOL3 MCS90DF1	Depth 1362	1500	1639	1834	2056	2251	2473	2751	3029	

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

#### PRODUCT CODE KEY

DOOT OODE K	L 1					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Bariatric	S Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree 90D	S Standard F Full	1 Standard Leg + Glide
				90 Degree		

## **ZOLA** | MODULAR CURVE BENCH

		COM		COL		FABRIC GRADES			LEATHER			
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9		
	Double-Seat, 30° Curve, Sta ZOL3 MCD30DS1	andard De 1526	pth 1663	1801	1993	2213	2406	2626	2901	3176		
	Double-Seat, 45° Curve, Sta ZOL3 MCD45DS1	andard De 1663	epth 1864	2064	2345	2665	2946	3267	3668	4069		
	Double-Seat, 60° Curve, Sta ZOL3 MCD60DS1	andard De 1878	epth 2079	2280	2561	2881	3162	3483	3884	4285		
	Double-Seat, 90° Curve, Sta ZOL3 MCD90DS1	andard De 2166	epth 2387	2608	2918	3272	3581	3934	4376	4818		
	Double-Seat, 30° Curve, Fu ZOL3 MCD30DF1	II Depth 1754	1912	2071	2292	2545	2767	3020	3336	3652		
	Double-Seat, 45° Curve, Fu ZOL3 MCD45DF1	II Depth 1912	2143	2373	2696	3065	3388	3757	4718	4679		
	Double-Seat, 60° Curve, Fu ZOL3 MCD60DF1	ll Depth 2161	2391	2622	2944	3314	3636	4005	4467	4928		
	Double-Seat, 90° Curve, Fu ZOL3 MCD90DF1	ll Depth 2491	2745	2999	3355	3762	4118	4524	5033	5542		

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

#### PRODUCT CODE KEY

ODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Bariatric	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

# **ZOLA** | MODULAR CURVE - REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	COM 1	COL 2	FAE	BRIC GF	RADES 5	6	L 7	EATHEI		COM YARDAGE	WEIGHT	CLIBE
DESCRIPTION								- 1			IANDAGE	VVLIGITI	COBL
	Replacement Back Si ZOL3 RMCBIS30D	ngle-sea	at Insid 870	e Curve 926	1006	1095	1175	1265	1378	1490	1.9	20	8
1	ZOL3 RMCBIS45D	944	1006	1068	1155	1255	1342	1442	1566	1691	2.6	22	8
1) (	ZOL3 RMCBIS60D	1150	1235	1320	1440	1575	1695	1831	2001	2171	2.6	23	10
	ZOL3 RMCBIS90D	1284	1372	1461	1584	1726	1849	1991	2168	2345	2.8	28	11
	Replacement Back D												
1	ZOL3 RMCBID30D ZOL3 RMCBID45D	1424	1523	1621	1760	1917	2055	2212	2410	2607	2.8	38	13
H	ZOL3 RMCBID60D	1652 2012	1760 2161	1869 2310	2021 2519	2196 2757	2348 2966	2522 3205	2739 3502	2957 3800	3 4.8	42 43	13.5 16
	ZOL3 RMCBID90D	2246	2401	2556	2772		3237	3484	3794		4.8	52.5	18
	Replacement Back Single-seat Outside Curve												
	ZOL3 RMCBOS30D	733	783	834	905	986	1057	1138	1240	1341	1.7	15	5.0
	ZOL3 RMCBOS45D	849	905	962	1040	1130	1208	1298	1409	1521	1.7	17	7.0
	ZOL3 RMCBOS60D ZOL3 RMCBOS90D	1016 1155	1111 1235	1188 1315	1296 1426	1418 1553	1526 1664	1647 1792	1801 1951	1954 2111	1.7 1.7	20 25	9.0 9.0
	Replacement Back D	ouble-se	eat Outs	side Cu	irve								
)	ZOL3 RMCBOD30D	1282	1370	1460	1583	1725	1849	1992	2169	2347	3.1	30	9.0
	ZOL3 RMCBOD45D	1487	1584	1682	1820	1976	2113	2269	2465	2661	3.1	34	11.0
	ZOL3 RMCBOD60D	1811	1945	2079	2267	2481	2669	2883	3152	3420	3.1	35	14.0
	ZOL3 RMCBOD90D	2021	2161	2301	2495	3033	2913	3136	3415	3693	3.1	40	14.0
	Replacement Seat Sir												
	ZOL3 RMCSS30DS	798	877	956	1066	1191	1301	1427	1584	1741	1.8	30	11
	ZOL3 RMCSS45DS ZOL3 RMCSS60DS	877 1001	991 1115	1006 1230	1266 1390	1450 1573	1612 1734	1793 1917	2023 2146	2252 2376	1.8 1.8	32 34	12 13
	ZOL3 RMCSS90DS	1140	1266	1393	1570	1771	1949	2150	2403		1.8	41	16
	Replacement Seat Do				•								
	ZOL3 RMCSD30DS	1452	1590	1727	1919		2332	2553	2828	3103	3.4	52.2	19.5
	ZOL3 RMCSD45DS ZOL3 RMCSD60DS	1590 1805	1790 2006	1991 2206	2271 2487	2591 2808	2873 3088	3193 3409	3909 3810	3995 4212	3.4 3.4	56 60	21 23
	ZOL3 RMCSD90DS	2069	2289	2511		3174	3483	3837	4279	4721	3.4	72	28
	Replacement Seat Si	•		•									
	ZOL3 RMCSS30DF	885	971	1058	1179	1318	1439	1577	1749 2232	1923	1.94	36	13.5
	ZOL3 RMCSS45DF ZOL3 RMCSS60DF	972 1108	1098 1234	1224 1360	1401 1536	1602 1738	1779 1914	1980 2116	2369	2485 2621	1.94 1.94	39 41	14.5 15.5
	ZOL3 RMCSS90DF	1264		1541	1737	1958	2154	2375	2653			49	19
	Replacement Seat Do	uble-se	at Full I	Depth (	Curve								
	ZOL3 RMCSD30DF	1680	1839	1997	2219	2472	2693	2946	3262			63	24
	ZOL3 RMCSD45DF	1839		2300	2623	2991	3315	3683	4144	4605		69	25.5
	ZOL3 RMCSD60DF ZOL3 RMCSD90DF	2087 2393	231 <i>7</i> 2647	2548 2901	2871 3257	3240 3665	3563 4020	3931 4427	4393 4935	4854 5444		72 86	27 33.5
	Replacement Seat Co	over Sind	gle-sea	t Stand	ard Der	oth Curv	/e						
	ZOL3 RMCBSCS30D	,	194	234	290	354	411	475	555	635	1.8	2.5	1
	ZOL3 RMCBSCS45D		199	239	295	360	416	480	560	640	1.8	3.1	1
	ZOL3 RMCBSCS60D ZOL3 RMCBSCS90D		224 240	264 280	320 336	384 400	440 456	505 520	585 601	665 681	1.8 1.8	3.7 4.3	1.5 1.5
	Replacement Seat Co	wer Do	ıhle-ser	at Stan	dard Da	onth Cui	NA.						
	ZOL3 RMCBSCD30D		345	421	527	948	754	876	1027	1179	3.4	4.8	1.5
	ZOL3 RMCBSCD45D		351	427	533	654	760	881		1184		5.9	1.5
· <del>-</del>	ZOL3 RMCBSCD60D		386	462	568	689	795	916	1068	1219		7.0	2.5
	ZOL3 RMCBSCD90D	S 323	399	474	580	702	808	929	1080	1232	3.4	8.2	2.5

## **ZOLA** | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM	COL	FAE	BRIC GF	RADES		I	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Cov	er Sing	le-seat	Full De	pth Cui	ve							
	ZOL3 RMCBSCS30DF	172	217	264	327	399	463	536	626	717	1.94	2.9	1
	ZOL3 RMCBSCS45DF	177	223	269	332	404	468	541	631	722	1.94	3.6	1
V-	ZOL3 RMCBSCS60DF	205	250	295	359	432	495	567	658	749	1.94	4.3	1.5
	ZOL3 RMCBSCS90DF	218	264	309	373	445	508	582	672	763	1.94	4.9	1.5
	Replacement Seat Cov ZOL3 RMCBSCD30DF ZOL3 RMCBSCD45DF ZOL3 RMCBSCD60DF ZOL3 RMCBSCD90DF	301 307 344	ole-sea 387 394 431 455	t Full D 475 480 518 541	epth Cu 595 602 638 662	734 740 777 800	856 861 899 922	993 1000 1037 1061	1167 1173 1210 1234	1340 1346 1383 1406	3.7 3.7 3.7 3.7	5.5 6.8 8.1 9.4	1.5 1.5 2.5 2.5

## **ZOLA** | SEATABLES

										_			
		COM	COL	FAI	BRIC G	RADES		L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable												
	ZOL5-18D	482	499	515	538	564	587	613	646	678	1.3	18	5.2
	ZOL5-24D	623	658	693	742	798	847	904	974	1044	1.5	26	8.5
	ZOL5-30D	784	824	864	920	984	1040	1103	1182	1262	1.7	38	10.5
~	Square Seatable												
	ZOL5-1818	528	560	591	635	686	731	781	844	907	1.3	27	5.2
	ZOL5-2424	630	666	700	750	805	855	911	981	1051	1.5	38	8.5
	Rectangular Seatable												
	ZOL5-2418	579	610	642	687	737	781	832	895	958	1.3	31	6.6
	ZOL5-4824	821	864	907	968	1037	1097	1167	1254	1340	2.4	62	12.6

## **ZOLA** | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	358 375	12	2
	Tablet with Palette   ZOL3 T2	Finish n/a	287	12	2
	Glass Tablet ZOL3 T3	n/a	546	13	2
	Laminate Tablet ZOL3 T4	n/a	370	12	2

**ORDERING NOTES**: The laminate tablet comes standard with a polymer edge. Please note Zola Tablets are universally handed and do not need to be specified right or left when ordering.

### CARLYLE BENCH | LEED CI CREDIT SUMMARY

#### CARLYLE BENCH



PRE-CONSUMER
RECYCLED CONTENT = 15%

POST-CONSUMER
RECYCLED CONTENT = 17.97%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Carlyle Bench products are supplied air-emissions certified. Contact customer service for information.

#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CARLYLE BENCH**

		COM		COL	FAI	BRIC GRA	DES		LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	TWO-SEAT CAR5-2-0	1278	1342	1406	1471	1540	1608	1678	1768	1896		
	TWO-SEAT - BUTTON DE CAR5-2-1	ETAILING 1647	1711	1775	1840	1909	1976	2047	2136	2266		
	THREE-SEAT CAR5-3-0	1681	1773	1861	1950	2038	2128	2219	2326	2614		
	THREE-SEAT - BUTTON CAR5-3-1	DETAILING 2252	3 2343	2430	2520	2610	2697	2788	2896	3184		

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	_	-	-	_	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

PRODUCT CODI	RODUCT CODE KEY Line Series		Upholstery Style
CAR	5	2	0
Carlyle	Bench	Two-Seat	Upholstery Standard
		3	1
		Three-Seat	Top Stitching and Buttons

#### **CARLYLE**

Base is available in silver metallic only.

## **OCCASIONAL TABLES**

 176
 Karma

 181
 Cressida

 184
 Leyton

 187
 Zola

 191
 Sutton

 193
 Virtu

 195
 Millennium


 197
 Prado

 199
 Carlyle

### KARMA | LEED CI CREDIT SUMMARY

#### **KARMA**

#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 29.17%

POST-CONSUMER RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

#### FSC®



The mark of responsible forestry

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Karma and other Krug products can be specified with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)

(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## KARMA | FREE STANDING TABLES

			Laminate top	Laminate top w/									
Description	Model	Beech/ Palette	w/Wood Edge	Polymer Edge	Solid Surface	W	D	Н	Weight	Cube			
	Square & Rectangular Tables, M	latte Black c	or Silver Metallio	c legs									
	KAR4 18-18-18	520	629	419	966	17.5	17.5		15	2.6			
	KAR4 22-18-18	546	647	430	979	22		17.5	16.5	2.6			
	KAR4 42-18-18	820	1016	726	1394	42	17.5	17.5	24.5	4.6			
	KAR4 18-18-21	531	638	430	977	17.5	17.5	21	17	3			
-	KAR4 22-18-21	557	657	440	990	22	17.5	21	18.5	3			
	KAR4 42-18-21	831	1027	735	1404	42	17.5	21	26.5	4.6			
	Square & Rectangular Tables, Polished Chrome legs												
	KAR4 18-18-18	614	722	512	1060	17.5	17.5	17.5	15	2.6			
	KAR4 22-18-18	640	740	523	1073	22	17.5	17.5	16.5	2.6			
	KAR4 42-18-18	913	833	819	1489	42	17.5	17.5	24.5	4.6			
	KAR4 18-18-21	635	742	533	1081	17.5	17.5	21	17	3			
	KAR4 22-18-21	661	761	544	1094	22	17.5	21	16.5	2.6			
	KAR4 42-18-21	935	976	839	1508	42	17.5	21	24.5	4.6			
	<b>ORDERING NOTE:</b> For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome												
	Round Tables, Matte Black or S	ilver Metallic	e legs										
	KAR4 24D-18	645	881	505	1133	24	-	17.5	19	3.5			
	KAR4 36D-18	883	994	555	1771	36	-	17.5	31	7.3			
	KAR4 24D-21	655	892	516	1143	24	-	21	21	3.5			
u U u	KAR4 36D-21	893	1004	565	1782	36	-	21	33	7.3			
	Round Tables, Polished Chrome	elegs											
	KAR4 24D-18	739	975	598	1226	24	-	17.5	19	3.5			
	KAR4 36D-18	1003	1114	675	1892	36	-	17.5	31	7.3			
	KAR4 24D-21	759	996	620	1247	24	-	21	21	3.5			
	KAR4 36D-21	1024	1135	696	1913	36	-	21	33	7.3			

**ORDERING NOTE:** For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

## KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	Solid Surface	W	D	Н	Weight	Cube	
	Square Straight Linking Table, Matte Black or Silver Metallic, Left or Right handed (Same direction seating)										
	KAR4-LKII-18-18	503	611	401	949		17.5	-	15	2.5	
	Square Straight Linking Table, Matte Black or Silver Metallic, Left handed as seated (Opposed seating)										
	KAR4-LKIL-18-18	503	611	401	949	17.5	17.5	-	15	2.5	
	Square Straight Linking Table, Matte Black or Silver Metallic, Right handed as seated (Opposed seating)										
	KAR4-LKIR-18-18	503	611	401	949	17.5	17.5	-	15	2.5	
	Square Straight Linking Table, Polished Chrome, Left or Right handed (Same direction seating)										
	KAR4-LKII-18-18	614	722	512	1060		17.5	-	15	2.5	
	Square Straight Linking Table,	Polished Chro	ome, Left hand	ded as seated (	Opposed s	eating)	)				
	KAR4-LKIL-18-18	614	722	512	1060	17.5	17.5	-	15	2.5	
	Square Straight Linking Table,	Polished Chro	ome, Right hai	nded as seated	d (Opposed	seatin	g)				
	KAR4-LKIR-18-18	614	722	512	1060	17.5	17.5	-	15	2.5	
	Square Straight Linking End Ta	ble, Matte Bl	ack or Silver N	letallic legs, Le	eft handed a	ıs seat	ed				
*	KAR4-LKEL-18-18*	510	617	408	955		17.5	17.5	15	2.5	
	Square Straight Linking End Ta	able, Matte Bl	ack or Silver N	letallic legs, Ri	ght handed	as sea	ated				
	KAR4-LKER-18-18	510	617	408	955	17.5	17.5	17.5	15	2.5	
U	Square Straight Linking End Ta	hle Polished	Chrome leas	Left handed a	s seated						
	KAR4-LKEL-18-18*	624	732	523	1069	17.5	17.5	17.5	15	2.5	
	Square Straight Linking End Ta										
	KAR4-LKER-18-18	624	732	523	1069	17.5	17.5	17.5	15	2.5	
	<b>ORDERING NOTES:</b> A drawing should be described as the suggested configurations.	owing the config	guration of the mu	ultiple seating and	tables is requ	uired wit	th each	purcha	se order. S	ee page	

## KARMA | LINKING TABLES

·		Beech/	Laminate top w/Wood	Laminate top w/ PVC	Solid					
Description	Model	Palette	Edge	Edge	Surface	W	D	Н	Weight	
•	Rectangular Straight Linking T KAR4-LKII-22-18	able, Matte B 530	lack or Silver I 630	Metallic, Left or 412	Right hand	ded (Sa 22	ame dir 17.5	ection -	n seating) 16.5	2.8
	Rectangular Straight Linking T KAR4-LKIL-22-18	able, Matte B 530	lack or Silver I 630	Metallic, Left ha 412	anded as se 962	•	Oppos 17.5	ed sea -	ating) 16.5	2.8
	Rectangular Straight Linking T KAR4-LKIR-22-18	able, Matte B 530	lack or Silver I 630	Metallic, Right h 412	nanded as 962		(Oppo 17.5	sed se	eating) 16.5	2.8
	Rectangular Straight Linking T KAR4-LKII-22-18	able, Polished 641	d Chrome, Left 741	t or Right hande 523	ed (Same o 1073		n seatii 17.5	ng) -	16.5	2.8
	Rectangular Straight Linking T KAR4-LKIL-22-18	641	741	523	1073	22	17.5	-	16.5	2.8
	Rectangular Straight Linking T KAR4-LKIR-22-18	able, Polished 641	d Chrome, Rig 741	ht handed as so 523	eated (Opp 1073		eating) 17.5	-	16.5	2.8
*	Rectangular Straight Linking E KAR4-LKEL-22-18*	End Table, Mat 536	tte Black or Si 636	lver Metallic, Le	eft handed 968		ted (Op		d seating 16.5	2.8
	Rectangular Straight Linking E KAR4-LKER-22-18	End Table, Mat 536	tte Black or Si 636	lver Metallic, Ri 419	ght handed 968		ated (0 17.5		ed seatin 16.5	ng) 2.8
	Rectangular Straight Linking E KAR4-LKEL-22-18*	End Table, Poli 650	ished Chrome 750	, Left handed a 533	s seated (C 1082		ed seat	٠,	16.5	2.8
	Rectangular Straight Linking E KAR4-LKER-22-18	end Table, Poli 650	ished Chrome 750	, Right handed 533	as seated 1082		sed sea 17.5		16.5	2.8
	Curvilinear Connector Table 45	5°, Matte Blac 725	k or Silver Me 1056	tallic, Left or Ri 575	ght handed	d (Sam 28	e direc	tion, <b>i</b> i	nward se	eating)
	Curvilinear Connector Table 45 KAR4-LKCO-RF45							n, <b>out</b> -		
	Curvilinear Connector Table 45 KAR4-LKCL-RF45	5°, Matte Blac 725	k or Silver Me 1056	tallic, Left hand 575	led as seat 1284	ed ( <b>Op</b> 28	posed 24	seatii	ng) 19	4.2
	Curvilinear Connector Table 48 KAR4-LKCR-RF45	5°, Matte Blac 725	k or Silver Me 1056	tallic, Right har 575	nded as sea 1284	ated ( <b>C</b> 28	ppose 24	d sea	ting) 19	4.2
	Curvilinear Connector Table 48 KAR4-LKCI-RF45	5°, Polished C 835	hrome, Left or 1068	Right handed 686	(Same dire 1395	ection, i 28	inward 24	seatii	ng) 19	4.2
	Curvilinear Connector Table 48 KAR4-LKCO-RF45	835	1068	686	1395	28	24	'd sea -	ting) 19	4.2
	Curvilinear Connector Table 45 KAR4-LKCL-RF45 Curvilinear Connector Table 45	835	1068	686	1395	28	24	-	19	4.2
	KAR4-LKCR-RF45	835	1068	686	1395	28	24	-	19	4.2
	Curvilinear Connector Table 49 inward seating)	5° Matte Black	k or Silver Met	allic,with Flat e	dge, Left o	r Right	hande	d (Sar	me direct	ion,
	KAR4-LKCI-RR45	749	1087	602	1284	28 Dight h	24	- (Com/	19	4.2
	Curvilinear Connector Table 45 outward seating)	· Malle Black	or Sliver Ivieta	illic, with Flat ec	ige, Leit or	Right	iarided	(Same	e airectioi	:1,
	KAR4-LKCO-RR45	749	1087	602	1284	28	24	-	19	4.2
	Curvilinear Connector Table 45° KAR4-LKCL-RR45	Matte Black of 749	or Silver Metal 1087	lic, with Flat edo 602	ge, Left han 1284	ided as 28	seated 24	(Oppo	<b>osed</b> seat 19	ting) 4.2
	Curvilinear Connector Table 45 KAR4-LKCR-RR45	° Matte Black 749	or Silver Metal 1087	lic, with Flat ed	ge, Right ha 1284	anded 28	as seat 24	ed ( <b>O</b>   -	<b>pposed</b> s 19	seating) 4.2
	Curvilinear Connector Table 45° KAR4-LKCI-RR45	Polished Chro	ome, with Flat e 1198	edge, Left or Rig 713	ht handed ( 1395	Same o	direction 24	n, <b>inw</b> a -	<b>ard</b> seatin	ng) 4.2
	Curvilinear Connector Table 45° KAR4-LKCO-RR45	860	1198	713	1395	28	24	-	19	ing) 4.2
	Curvilinear Connector Table 45 KAR4-LKCL-RR45 Curvilinear Connector Table 45	860	1198	713	1395	28	24	-	19	4.2
	KAR4-LKCR-RR45	860	1198	at edge, Right i 713	1395	28	24	-	19	4.2

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 180 for suggested configurations.

### KARMA | LINKING TABLES

	KANIVIA   LIINKING IADLL										
Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	Solid Surface	W	D	Н	Weight	Cube	
	Curvilinear Connector Tab	ole 90°, Matte Bl				ed (Sam	e direc				
	KAR4-LKCI-RR90	942	1366	755	1833	38	24	-	22	5.5	
	Curvilinear Connector Tab KAR4-LKCO-RR90	le 90°, Matte Bla 942	ick or Silver Me 1366	tallic, Left or R 755	ight handed 1833		direction 24	on, <b>o</b> u	i <b>tward</b> se 22	0,	
•	Curvilinear Connector Tab					38 ated ( <b>Op</b>		- seati		5.5	
	KAR4-LKCL-RR90	942	1366	755	1833	38	24	-	22	5.5	
	Curvilinear Connector Tab							<b>d</b> sea			
	KAR4-LKCR-RR90	942	1366	755	1833	38	24	-	22	5.5	
	Curvilinear Connector Tab			•	•	-		d seat	0,		
	KAR4-LKCI-RR90	1053	1477	866	1943	.38	24	-	22	5.5	
	Curvilinear Connector Tab KAR4-LKCO-RR90	nie 90°, Polisned 1053	Chrome, Leπ	or Right hande 866	a (Same di 1943	rection,	outwa 24	ra se	ating) 22	5.5	
	Curvilinear Connector Tab								22	0.0	
	KAR4-LKCL-RR90	1053	1477	866	1943	38	24	-	22	5.5	
	Curvilinear Connector Tab		Chrome, Righ	t handed as se 866	eated ( <b>Oppo</b> 1943	o <b>sed</b> sea 38	ating) 24		00	<i>E E</i>	
	KAR4-LKCR-RR90	1053	1477	000	1943	30	24	-	22	5.5	
	Curvilinear Connector Tab	ole 90° with Mat	te Black or Silv	ver Metallic F	lat edge. L	eft or Ric	aht hai	nded	(Same di	rection	
	inward seating)	no oo waa waa	to Black of On	ioi iviotamo, i	iai oago, E	011 01 111	giit iiai	naoa	(ourno u	1001101	
P	KAR4-LKCI-RF90	888	1407	778	1833	38	24	-	22	5.5	
	Curvilinear Connector Tab	ole 90°, Matte B	lack or Silver M	letallic, with F	lat edge, Le	eft or Ri	ght hai	nded	(Same di	rectior	
	outward seating) KAR4-LKCO-RF90	888	1407	778	1833	38	24		22	5.5	
	Curvilinear Connector Table							- tad ( <b>0</b>			
	KAR4-LKCL-RF90	888	1407	778	1833	38	24	-	22	5.5	
	Curvilinear Connector Table	e 90°, Matte Blac	k or Silver Met	allic, with Flat e	edge, Right	handed a	as seat	ed ( <b>O</b>	pposed s	eating	
	KAR4-LKCR-RF90	888	1407	778	1833	38	24	-	22	5.5	
	Curvilinear Connector Tab KAR4-LKCI-RF90	le 90° Polished 0 1081	Chrome, with Fl 1517	at edge, Left o 889	r Right hand 1943	ded (San 38	ne dire 24	ction, -	inward s	eating 5.5	
	Curvilinear Connector Tabl KAR4-LKCO-RF90	e 90° Polished C 1081	Chrome, with Fla 1517	at edge, Left or 889	Right hand 1943	ed (Sam 38	e direc 24	tion, d -	outward 22	seating 5.5	
	Curvilinear Connector Tab KAR4-LKCL-RF90	ole 90° Polished 1081	Chrome, with I	Flat edge, Left 889	handed as 1943	seated (	Oppos 24	sed s	eating) 22	5.5	
	Curvilinear Connector Tab							- osed s		3.3	
	KAR4-LKCR-RF90	1081	1517	889	1943	38	24	-	22	5.5	
	Rectilinear Corner Conne	ctor Table 90° M	latte Black or S	ilver Metallic, v	vith Flat ed	ge, Left	or Righ	nt han	ded (San	ne di-	
	rection, inward seating)			,	`	_	3		`		
	KAR4-LKCI-SF90	1054	1528	845	1887	30	30	-	26	5.5	
<b>T</b>	Rectilinear Connector Tab	le 90° Matte Bla	ick or Silver Me	tallic, with Flat	edge, Left	or Right	hande	ed (Sa	ıme direc	tion,	
	outward seating)	1054	1500	015	1907	20	30		26	E	
	KAR4-LKCO-SF90 Rectilinear Connector Table	1054 le 90° Matte Bla	1528 ck or Silver Me	845 tallic with Flat	1887 edge Left h	30 nanded a	30 s seata	- 	26 nnosed s	5.5 eating	
	KAR4-LKCL-SF90	1054	1528	845	1887	30	30	- -	26	5.5	
	Rectilinear Connector Tabl							ed ( <b>O</b>			
	KAR4-LKCR-SF90	1054	1528	845	1887	30	30	-	26	5.5	
	Rectilinear Corner Connec	ctor Table 90° P	olished Chrom	e, with Flat edo	ge, Left or F	Right har	nded (S	Same	direction	, in-	

ward seating) KAR4-LKCI-SF90

KAR4-LKCO-SF90

KAR4-LKCL-SF90

KAR4-LKCR-SF90

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 180 for suggested configurations.

Rectilinear Connector Table 90° Polished Chrome, with Flat edge, Left or Right handed (Same direction, outward seating)

1684 1001

1001

1001

1210 1684 1001 2043 30 30 - 26

2043

2043

1210

1210

1210

1684

1684

Rectilinear Connector Table 90°, Polished Chrome, with Flat edge Left handed as seated (Opposed seating)

Rectilinear Connector Table 90° Polished Chrome, with Flat edge, Right handed as seated (Opposed seating)

5.5


5.5

30 30 - 26

2043 30 30 - 26

30 30

## KARMA | LINKING TABLES CONFIGURATIONS




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

## **CRESSIDA** | LEED CI CREDIT SUMMARY

## CRESSIDA | TABLES



#### MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER **RECYCLED CONTENT - 25.68%** 

Up to 27.88% of this Cressida product is recyclable at the end of its useful

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.




The mark of responsible forestry

## **AIR EMISSIONS**

All Cressida products are supplied air-emissions certified. Contact customer service for information.


#### **FSC®**





(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.





# **CRESSIDA** | TABLE FEATURES

#### **ANTI-MICROBIAL FINISH**

Cressida wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4. Cressida tables are available in 22 standard finishes.

#### LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See page 4 for laminate information.

#### **SOLID SURFACE**



Cressida Box-style & Slab-style tables are available with 1/2" White solid surface tops. Cressida Light-style tables are available with White full solid surface tops, 1" thick. Please contact customer service for a quote on additional solid surface color options.

## **CRESSIDA** | BOX-STYLE TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP   W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	н	WEIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	822 1016	855 1057	853 1051	886 1093	18 24		15.75 15.75	24 34	3 5
		TABLE SIZE	SOL	LID SURFACE TOP	UPCHARGE					
-		181816 242416	32 <sup>-</sup> 57 <sup>-</sup>						34 52	3 5
	Rectangular Tabl CRE4A 241816 CRE4A 482416	es 903 1453	939 1511	933 1504	971 1563	24 48		15.75 15.75	28 56	4 10
		TABLE SIZE	SOL	LID SURFACE TOP	UPCHARGE					
		241816 482416	428 114	3					42 67	4 10
	Round Tables CRE4A 18D16	677	705	699	728	18	-	15.75		3
	CRE4A 24D16 CRE4A 30D16	827 1449	861 1507	933 1584	971 1647	24 30	-	15.75 15.75	23 34	5 8
		TABLE SIZE	SOL	LID SURFACE TOP	LIPCHARGE					
- ш -		18D16 24D16 30D16	321 571 894	l I	OI OIWWIGE				23 37 75	3 5 8
	Rectangular Rou	nd Corner								
	CRE4 B181816	881 994	917 1034	914 1036	950 1077	18		15.75 15.75	21 25	3
	CRE4 B241816 CRE4 B242416 CRE4 B482416	1103 1603	1147 1667	1175 1716	1077 1222 1784	24 24 48	24	15.75 15.75 15.75	30 51	4 5 10
		TABLE SIZE	SOL	LID SURFACE TOP	LIPCHARGE					
· U		181816 241816 242416 482416	32 42 57 114	1 8 1	OI OIWIIGE				26 31 38 68	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1130	951 1175 1492	1006 1223 1535	1046 1273 1596	24 32 48	24	15.75 15.75 15.75		4 7 12
		TABLE SIZE	SOL	LID SURFACE TOP	UPCHARGE					
		241816 322416 482916	428 762 138	8 2					27 38 72	4 7 12

# CRESSIDA | BOX-STYLE TABLES

		BEECH		LAMINATE TOP	LAMINATE TOP W/					
		PALETTE		W/BEECH	MAPLE					
DESCRIPTION/MO	DDEL	LAMINATE	MAPLE	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Triangular Round C	Corner								
	CRE4B T1618-45	827	861	840	874	16	18	15.75	18	2.5
	CRE4B T2124-45	948	986	983	1022	21	24	15.75	23	4.5
	CRE4B T2529-45	1161	1208	1227	1277	25	29	15.75	28	7
	CRE4B T2818-90	1028	1069	1069	1112	28	18	15.75	24	3
n n	CRE4B T3624-90	1226	1276	1284	1336	36	24	15.75	30	7.5
	CRE4B T4429-90	1475	1534	1489	1549	44	29	15.75	36	11
		TABLE SIZE		SOLID SURFACE	TOP UPCHARGE					
		CRE4B T1618	8-45	286					21	2.5
		CRE4B T212	4-45	500					27	4.5
		CRE4B T2529	9-45	719					34	7
		CRE4B T281	8-90	500					31	3
		CRE4B T362		858					38	7.5
		CRE4B T4429	9-90	1266					45	11
TRIANGULAR TA	BLE DIMENSIONS	45°						_	- 90° —	
45° 15 3/4"  JOSEPH 18"	45° 20 1/2"  woon processor 24°	25"	30"	90° 27 1/2" 18" 18"	90° 36 1/4"	24"	<		44 1/2"	30"
R3"		R3	<u> </u>	R3"	R3"			R3".	}	

# CRESSIDA | LIGHT-STYLE TABLES

DESCRIPTION/MC	DDEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	FULL SOLID SURFACE	W	D	Н	WEIGHT	CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	410 419 579	426 436 602	468 478 695	487 497 722	805 815 1472	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Table										
	CRE4D 181816S	371	385	415	432	566	18	18	16	22	3
//	CRE4D 242416S	412	428	479	498	933	24	24	16	33	5
"    "	CRE4D 363616S	589	612	706	734	1998	36	36	16	65	12
IJ	CRE4D 181821S	379	394	424	441	581	18	18	21	25	4
	CRE4D 242421S	421	438	487	507	942	24	24	21	35	5

## **LEYTON** | LEED CI CREDIT SUMMARY

#### **LEYTON**

#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 34.73%

62.16% Particle Board

27.03% Steel

10.81% Cardboard

POST-CONSUMER
RECYCLED CONTENT = 15.68%

Up to 62.16% of this Leyton product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Leyton products are supplied air-emissions certified. Contact customer service for information.

## FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Leyton and other Krug products can be specified with one of two types of FSC® Certification:



(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



## **LEYTON | TABLES**


DESCRIPTION/MODEL		MAPLE,OAK WALNUT PALETTE LAMINATE	CHERRY ANIGRE SYCAMORE (5 UNIT MINIMUM)	DESIGNER WHITE SOLID SURFACE	W	D	Н	WEIGHT	CUBES
<u></u>	LEY4122412	406	452	601	12	24	12	17.5	.7
	LEY4182412	425	484	719	18	24	12	22	1.1
	LEY4242412	446	519	843	24	24	12	28	1.4
	LEY4302412	467	553	956	30	24	12	32	1.8
L	LEY4362412	487	586	952	36	24	12	37	2.2
	LEY4422412	593	707	1211	42	24	12	41.5	2.5
	LEY4183012	464	533	822	18	30	12	23	1.1
	LEY4243012	488	579	965	24	30	12	28	1.4
	LEY4303012	518	621	1115	30	30	12	33	1.8
	LEY4363012	544	663	1268	36	30	12	37.5	2.2
	LEY4423012	643	778	1419	42	30	12	42.5	2.5
	LEY4182416	436	495	730	18	24	16	27	1.4
	LEY4242416	457	529	854	24	24	16	33	1.8
	LEY4302416	478	564	966	30	24	16	39	2.2
	LEY4362416	498	596	963	36	24	16	45	2.7
	LEY4422416	604	717	1221	42	24	16	51	3.1
	LEY4183016	475	544	833	18	30	16	28	1.4
	LEY4243016	499	589	975	24	30	16	34	1.8
	LEY4303016	528	631	1126	30	30	16	40	2.2
	LEY4363016	554	673	1279	36	30	16	46	2.7
	LEY4423016	653	789	1429	42	30	16	52	3.1

Note: Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 tables (any combination of sizes) per species.

## **ZOLA | LEED CI CREDIT SUMMARY**

## **ZOLA**





PRE-CONSUMER RECYCLED CONTENT = 58.82%

POST-CONSUMER RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

**AIR EMISSIONS** 

All Zola products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola and other Krug products can be specified with one of two types of FSC® Certification:



(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)

(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification)



Contact customer service for further information, pricing and leadtimes.

# **ZOLA | MODULAR LINKING TABLES**

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOR W/BEECH SIDES	P LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	н	WEIGH1	T CLIBE
DECOMIN MOIN			OHEITH	OIDLO	OIDEO	**		- ''	WEIGHT	OODL
	Middle Linking M ZOL4 LKM12	689	722	758	795	12	16	_	22	2.8
	ZOL4 LKM18	728	767	800	843	18	16	_	24	4.5
	ZOL4 LKM24	750	805	824	885	24	16	-	29	5.7
	ORDERING NOT	<b>E</b> : Middle Link	ing Modular Ta	ble ships with 2	KB1 brackets.					
		TABLE SIZE		ID SURFACE UPCHARGE						
		LKM12	221	0. 0					28	2.8
		LKM18	321						33	4.5
		LKM24	342						40	5.7
	Rectangular End	Table Square 0	Corner							
	ZOL4 LKE12	733	772	807	849	12		14.75		2.8
	ZOL4 LKE18	767	805	843	885	18		14.75		4.5
Ĭ ū	ZOL4 LKE24	799	838	880	923	24	16	14.75	5 28	5.7
	ORDERING NOT	<b>E:</b> End Linking	Modular Table	ships with 1 KE	31 bracket.					
		TABLE		D SURFACE						
		SIZE		UPCHARGE						
		LKE12 LKE18	221 321						25 32	2.8 4.5
		LKE24	342						39	5.7
	End Table Round		000	860	005	40	40	4475	- 40	0.5
	ZOL4 ECLKH12 ZOL4 ECLKH18	836 903	869 939	936	895 973	12 18		14.75 14.75		2.5 3
						.0			,	Ü
	ORDERING NOT	E: End Linking	i wodular Table	SIIIPS WILIT I KE	or bracket.					
		TABLE SIZE		D SURFACE UPCHARGE						
		LKH12	221						21	2.5
		LKH18	321						28	3
	Curvilinear 30° Ta	ahla								
	ZOL4 LKC30	711	750	783	824	16	16.5	-	15	2.3
-		TABLE SIZE		D SURFACE UPCHARGE						
		LKC30	356						19	2.3
	Curvilinear 45° Ta ZOL4 LKC45	able 767	805	843	885	16	17	_	17	2.9
	202 : 2:10 :0	707	000	0.10	000	10			• •	2.0
•		TABLE	SOLI	D SURFACE						
		SIZE	TOP	UPCHARGE						
		LKC45	441						24	2.9
	Curvilinear 60° Ta									
	ZOL4 LKC60	799	843	880	928	16	17.5	-	20	3.7
- C		TABLE	SOLI	D SURFACE						
		SIZE		UPCHARGE						
		LKC60	529						20	3.7


**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

## **ZOLA | MODULAR LINKING TABLES**

		BEECH PALETTE	MAPLE	LAMINATE TOP W/BEECH	LAMINATE TOP W/ MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 90° Tab	ole								
	ZOL4 LKC90	894	943	983	1037	16	19	-	24	5.4
		TABLE	SOLID S	URFACE						
		SIZE	TOP UPO	CHARGE						
		LKC90	617						38	5.4
	0 " 000 0 7									
	Curvilinear 90°x2 T ZOL4 LKC90X2	able 1776	1830	1953	2013	16	19	_	55	10
	ZOL4 LNO90XZ	1770	1000	1955	2010	10	13		33	10
		TABLE	SOLID S	LIBEACE						
		SIZE	TOP UP							
		LKC90X2	1301						55	10
	Curvilinear Table									
	ZOL4 LKH12	777	816	856	898	16	19	14.75	18	2.3
	NOTE: Curvilinear	End Round Ta	ble ships with	n 1 KB1 bracket.						
		TABLE	SOLID SI	URFACE						
		SIZE	TOP UPO	CHARGE						_
		LKH12	221					23	2.3	

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

#### **CURVILINEAR TABLE DIMENSIONS**



# **ZOLA** | FREESTANDING TABLES

DECODIDATION	MODEL	BEECH PALETTE	MAPLE CHERRY	W/BEECH	LAMINATE TOP W/ MAPLE/CHERRY	14/	5		WEIGHT	CURE
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D		WEIGHT	CORE
	Square Tables ZOL4 181815 ZOL4 242415	767 827	805 872	843 909	885 958	18 24		14.75 14.75		3 5
<b>.</b>		TABLE SIZE	SOLID SI TOP UPO							
		181815 242415	276 463						34 52	3 5
	Rectangular Table ZOL4 241815 ZOL4 482415	948	839 1006	874 1043	924 1106	24 48		14.75 14.75		4 10
-		TABLE SIZE	SOLID SU TOP UPO							
		241815 482415	397 926					42 67	4 10	
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	816 872 970	867 920 1027	898 958 1067	952 1012 1129	18 24 30	-	14.75 14.75 14.75	23	3 5 8
		TABLE SIZE	SOLID SU							
		18D 24D 30D	298 497 639					23	3 37 75	5 8
	Square Table - Ro	ound Corners								
	ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	889 1000 1099 1578	925 1040 1142 1641	922 1041 1175 1679	959 1083 1222 1746	18 24 24 48	18 24	14.75 14.75 14.75 14.75	25 30	3 4 5 10
		TABLE SIZE	SOLID SU							
		181815 241815 242415 482415	321 428 571 1143						26 31 38 68	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	924 1122 1405	961 1168 1462	1045 1246 1572	1087 1296 1635	24 32 48	24	14.75 14.75 14.75	32	4 7 12
		TABLE SIZE	SOLID SU							
		241815 322415 482915	428 762 1382						27 38 72	4 7 12

#### **ORDERING NOTES**

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15§ is \$816 list for beech, plus \$298 list upcharge for the solid surface option. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


# **ZOLA | FREESTANDING TABLES**

		BEECH		LAMINATE TOP	LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	H V	VEIGHT	CUBE
	Triangular Tables -	Rounded Corr	ners							
	ZOL4 CR45D1815	830	864	842	876	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	943	981	979	1017	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1142	1189	1209	1257	25	29	14.75	27	7
Ų Ų	ZOL4 CR90D1815	1022	1063	1066	1105	17.5	18	14.75	23	3
	ZOL4 CR90D2415	1206	1255	1264	1315	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915	1442	1499	1471	1530	44.5	29	14.75	35	11
		TABLE	SOLID SI	JRFACE						
		SIZE	TOP UPO	CHARGE						
		45D1815	286						21	2.5
		45D2415	500						27	4.5
		45D2915	719						34	7
		90D1815	500						31	3
		90D2415	857						38	7.5
		90D2915	1266						45	11

#### **ORDERING NOTES**


The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed in the Solid Surface Onlay column ie: ZOL4 CR45D1815§ is \$830 list for beech, plus \$286 list upcharge for the solid surface option. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

#### TRIANGULAR TABLE DIMENSIONS



## **SUTTON | LEED CI CREDIT SUMMARY**

## SUTTON



PRE-CONSUMER RECYCLED CONTENT = 75.72%

POST-CONSUMER RECYCLED CONTENT = 10.43%

Up to 5.80% of this Karma product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestry

#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR EMISSIONS**

All Sutton products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Sutton and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.

## **SUTTON**

		(	FINISHES DAK, CHERRY, MAPLE,	DIM	IENSION	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL	=	LAMINATE	WALNUT, ANIGRE	W	D	Н	WEIGHT	FEET
	SUTTON SQUARE							
	SUT4-24-24-16	740	824	24	24	16	48	8
	SUT4-24-24-21	776	861	24	24	21	49	10
	SUT4-30-30-11	832	924	30	30	11	65	7
W    W	SUT4-30-30-16	850	944	30	30	16	69	11
Ш	SUT4-48-24-16	959	1066	48	24	16	83	14
	SUT4-48-24-21	982	1091	48	24	21	84	18
	SUT4-48-30-11	1028	1142	48	30	11	96	11
	SUT4-48-30-16	1051	1167	48	30	16	98	15

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select a finish or laminate for the table

#### STANDARD FINISHES

Sutton is available in Maple, Cherry, Oak, Walnut and Anigre finishes. Oak finishes are available on Rift Oak veneer.

For a complete list of standard wood finishes please see page 4.

#### BASES

Bases are available in silver metallic only.

#### LAMINATE

Sutton is available in laminate. Please seep pricing above.

Please see page 4 for laminate chart.


Laminate is not available on KrugExpress.

#### WOOD SPECIES

Actual wood species available: Cherry, Maple, Rift Oak.

## **VIRTU | LEED CI CREDIT SUMMARY**

## **VIRTU**



PRE-CONSUMER RECYCLED CONTENT = 67.31%

POST-CONSUMER RECYCLED CONTENT = 12.15%

Up to 45.80% of this Virtu product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



FSC\* C021699 The mark of responsible forestry

## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR EMISSIONS**

All Virtu products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Virtu and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



### **VIRTU**

FINISHES OAK, CHERRY, MAPLE,

DESCRIPTION/MODEL		WALNUT, ANIGRE STYLE 1	DIM W	IENSIOI D	NS H	SHIPPING WEIGHT	CUBIC FEET
	VIRTU SQUARE - FROS	TED GLASS TOP					
	VIR4-18-18-21-1	1184	18	18	21	40	8
	VIR4-24-24-16-1	1264	24	24	16	52	13
	VIR4-24-24-21-1	1406	24	24	21	52	13
0	VIR4-30-30-21-1	1707	30	30	21	63	19
Ü	VIR4-36-36-16-1	2029	36	36	16	85	27
	VIR4-42-42-16-1	2218	42	42	16	95	21
	VIR4-48-24-16-1	2417	48	24	16	78	25
	VIRTU ROUND - FROST	TED GLASS TOP					
	VIR4-24D-16-1	1371	24	-	16	52	13
	VIR4-36D-16-1	2427	36	-	16	85	27
	VIR4-24D-21-1	1580	24	-	21	52	13



		- , -	NUT, ANIGRE	,	DIN	/ENSIC	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL	L	STYLE 1	STYLE 2	LAMINATE	W	D	Н	WEIGHT	FEET
	VIRTU SQUARE - WOOI	D TOP							
	VIR4-18-18-21-0	958	1026	1033	18	18	21	40	8
	VIR4-24-24-16-0	1003	1056	1097	24	24	16	52	13
	VIR4-24-24-21-0	1074	1149	1167	24	24	16	52	13
	VIR4-30-30-21-0	1273	1361	1357	30	30	21	63	19
Ū	VIR4-36-36-16-0	1498	1592	1616	36	36	16	85	27
	VIR4-42-42-16-0	2183	2289	2301	42	42	16	95	21
	VIR4-48-24-16-0	2004	2144	2064	48	24	16	78	25
	ORDERING NOTES								
	A Style (1 or 2) must be s	selected and n	oted clearly	on Purchase Or	der.				
	VIRTU ROUND - WOOD	TOP							
	VIR4-24D-16-0	717	767	826	24	-	16	52	13
	VIR4-36D-16-0	1367	1463	1557	36	-	16	85	27
	VIR4-24D-21-0	928	992	1038	24	-	21	52	13

#### **ORDERING NOTES**

A Style (1 or 2) must be selected and noted clearly on Purchase Order.

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select Style 1 or Style 2

#### **CODE DESCRIPTION**

STYLE 1 - Book matched veneer top STYLE 2 - Reverse diamond patterned

veneer top (recommended in a clear or light finish only)

#### **METAL DETAILING**

Metal detailing is available in silver metallic only.

#### GLASS

Glass is available in frosted only. Glass tempered and 8mm thick. Floats on clear rubber bumpers.


#### WOOD SPECIES

Actual wood species available: Cherry, Maple, Rift Oak.

## **MILLENNIUM** | LEED CI CREDIT SUMMARY

#### **MILLENNIUM**





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Millennium product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





FSC\* C021699

# FSC

The mark of responsible forestry



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR EMISSIONS**

All Millennium products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**


In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Millennium and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.

### **MILLENNIUM**

	FINISHES							
			CHERRY, MAPLE	DIM	ENSION	IS	SHIPPING	CUBIC
DESCRIPTION/MODE	L	OAK	WALNUT, ANIGRE	L	W	Н	WEIGHT	FEET
	MILLENNIUM SQUARE, A	ND RECTANG	ile					
	6800-18-18-21	544	625	18	18	21	19	5
	6800-18-18-29	572	660	18	18	29	23	9
	6800-24-18-21	598	694	24	18	21	20	6
	6800-24-24-21	622	710	24	24	21	23	8
	6800-26-26-21	647	734	26	26	21	26	9
$\bigvee$	6800-30-30-16	718	815	30	30	16	34	8
	6800-48-18-16	782	906	48	8	16	36	9
	6800-48-18-29	944	1064	48	18	29	46	15 <sup>^</sup>
	MILLENNIUM ROUND							
	6800-24Dia.	899	1034	24 Dia.	-	21	27	8
	6800-30Dia.	950	1079	30 Dia.	-	16	38	8
	6800-36Dia.	1029	1159	36 Dia.	-	16	42	12

#### MILLENNIUM EDGE DETAIL PROFILES



An edge detail profile must be selected for Millennium occasional tables.

#### **ORDERING NOTES**

Optional laminate inlay available at a 10% upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select and edge detail profile

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

#### **BIRDSEYE MAPLE**

Bookmatched Birdseye Maple Veneer is available on Millenium occasional tables at an upcharge of **F55 list** per square foot. Birdseye Maple is recommended in a clear finish only.

#### LAMINATE INLAY


Optional laminate inlay available at a 10% list upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

#### **WOOD SPECIES**

Actual wood species available: Cherry, Maple Oak.

## PRADO





PRF-CONSUMER RECYCLED CONTENT = 60%

POST-CONSUMER RECYCLED CONTENT = 15%

Up to 88.5% of this Prado product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION







The mark of responsible forestry

#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Prado products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR EMISSIONS

All Prado products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Prado and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.

### **PRADO**

FINISHES								
CHERRY,	MAPLE,							

		WAL	NUT, ANIGRE	Ē	DII	MENSI	IONS	SHIPPING	CUBIC
DESCRIPTION/MODE	L	STYLE 1	STYLE 2	LAMINATE	L	W	Н	WEIGHT	FEET
<u> </u>	PRADO SQUARE AND R	ECTANGULA	R						
	5610-18-18-16	993	1069	993	18	18	16	40	3
	5610-18-18-21	1003	1083	1003	18	18	21	42	4
	5610-18-24-16	1028	1105	1028	18	24	16	47	4
\ \lambda \lambda \ \lambd	5610-18-24-21	1045	1121	1045	18	24	21	49	5
•	5610-24-24-16	1067	1148	1067	24	24	16	53	5
89	5610-24-24-21	1086	1167	1086	24	24	21	55	7
	5610-30-30-16	1106	1209	1106	30	30	16	69	8
	5610-30-30-21	1144	1231	1144	30	30	21	72	11
	5610-36-36-16	1172	1257	1172	36	36	16	88	14
	5610-36-36-21	1189	1279	1189	36	36	21	90	15
	5610-48-24-16	1204	1297	1204	48	24	16	102	11
	5610-48-24-21	1224	1317	1224	48	24	21	108	14
	ORDERING NOTES								
	A Style (1 or 2) must be se	elected and r	noted clearly	on Purchase (	Order				
	A Style (1 of 2) must be si	elected and i	loted clearly	on i dichase (	Jidei.				
	PRADO ROUND								
	5611-18D-16	1115	1198	1115	18 Dia.	-	16	35	3
	5611-18D-21	1144	1231	1144	18 Dia.	-	21	37	4
	5611-24D-16	1183	1269	1183	24 Dia.	-	16	46	5
	5611-24D-21	1204	1294	1204	24 Dia.	-	21	49	7
#  / - J	5611-30D-16	1281	1376	1281	30 Dia.	-	16	59	11
Ĭ.	5611-30D-21	1316	1413	1316	30 Dia.	-	21	63	12
	5611-36D-16	1508	1623	1508	36 Dia.	-	16	74	12
	5611-36D-21	1555	1672	1555	36 Dia.	-	21	79	15
	ORDERING NOTES								
	A Style (1 or 2) must be s	alastad and i	acted clearly	on Durchage	Ordor				
	A Style (1 of 2) Illust be s	elected and i	loted clearly	on Furchase v	order.				
	PRADO OVAL								
	5612-18-24-16	1492	1601	1492	18	24	16	47	5
	5612-18-24-21	1572	1687	1572	18	24	21	49	6
	5612-42-24-16	1804	1943	1804	42	24	16	102	9
	5612-42-24-21	1896	2039	1896	42	24	21	104	14
#    # \									
¥ =									

#### **ORDERING NOTES**

Prado comes with silver metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

#### ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select Style 1 or Style 2
- 3. Select a finish for the table

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### **CODE DESCRIPTION**

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

#### STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

#### **PRADO**


Prado comes with silver metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

#### **WOOD SPECIES**

Actual wood species available: Cherry, Maple.

## **CARLYLE**





PRE-CONSUMER RECYCLED CONTENT = 50%

POST-CONSUMER **RECYCLED CONTENT = 15%** 

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestry

#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR EMISSIONS

All Carlyle products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Carlyle and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.

## **CARLYLE**

		FINISHES					
		CHERRY, MAPLE				SHIPPING	CUBIC
DESCRIPTION/MOD	EL	WALNUT, ANIGRE	W	D	Н	WEIGHT	FEET
	CAR-18-18-24	887	18	18	24	30	5.5
	CAR-24-24-22	957	24	24	22	32	9
	CAR-42-21-16	1193	42	21	16	65	9.9

## ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the wood frame

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

## STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

#### **CARLYLE**

The legs on the Carlyle series feature a silver metallic finish.


#### WOOD SPECIES

Actual wood species available: Cherry, Maple.















All products are air emissions certified and are available as FSC® certified

