

FINISH COLOR MATCHING:

Different wood species offer unique texture and grain. Minor variations in finish color may occur due to the natural characteristics of wood. Paoli carefully selects all material used in every product insuring a commercially acceptable color and finish.

TOPS:

Thermally Fused Laminate (TFL): TFL tops are 1 3/16" thick and feature a 3 ply balanced panel construction with 3mm PVC banded edges with optional Softened (SO) or Blade (BA) profiles. If a Softened (SO) profile is specified it occurs on all four edges. If a Blade (BA) profile is specified it occurs on the user side only. The other three sides have the Softened profile.

High Pressure Laminate (HPL): HPL tops are 1 3/16" thick and feature a 3 ply balanced panel construction with 3mm PVC banded edges with optional Softened (SO) or Blade (BA) profiles. If a Softened (SO) profile is specified it occurs on all four edges. If a Blade (BA) profile is specified it occurs on the user side only. The other three sides have the Softened profile.

Veneer: Veneer tops are 1 3/16" thick and feature a 3 ply balanced panel construction with optional Softened (SO) or Blade (BA) profiles. If a Softened (SO) profile is specified it occurs on all four edges. If a Blade (BA) profile is specified it occurs on the user side only. The other three sides have the Softened profile.

Edges

Thermally Fused Laminate (TFL) or High Pressure Laminate (HPL) Tops: 3MM PVC with Blade or Softened profiles. The underside of the Blade edge profile is dark brown paint for all laminates except white which has a white paint finish on the underside of the Blade edge profile.

Veneer Tops: Available with Blade or Softened profiles. The underside of the Blade edge profile is finished to match the top.

Materials / Finishes

Thermally Fused Laminate: available in Autumn Cherry II, Cafelle, Cordovan Cherry, Shaker Cherry, Sienna Cherry, Harvest Maple, Kensington Maple, Colombian Walnut, Frosty White, Grey Cloud, Monterey Beige & Slate Grey

High Pressure Laminate (Top option only): available in Cafelle, Shaker Cherry, Harvest Maple, Kensington Maple, Colombian Walnut, Frosty White, Grey Cloud, Monterey Beige & Slate Grey

Veneers: available in Autumn on Cherry, Cafelle on Cherry, Caramel on Cherry, Cordovan on Cherry, Shaker on Cherry, Sienna on Cherry, Harvest on Maple, Kensington on Maple & Colombian on Walnut.

BASES

Share tables include metal bases with glides or optional locking casters.

GROMMETS

Grommet cutouts in table surfaces are optional and can be specified in various sizes. Electrical grommet units are specified separately. See the Share accessory section for grommet options

CHASSIS CONSTRUCTION:

Drawer fronts are slip matched cherry or maple veneer, book matched walnut veneer or cherry, maple or walnut TFL. All units are reinforced with cams, dowels, metal brackets and hardwood cleats. All base units have adjustable leveling glides to compensate for uneven floor surfaces. Drawer fronts are full overlay.

MODESTY PANELS

Modesty panels come standard with hinge feature.

DRAWER CONSTRUCTION:

Drawer fronts are attached separately to the fully assembled, four sided, English dovetailed or vinyl wrapped - miter folded drawer boxes.

DRAWER SUSPENSION:

File drawers utilize a heavy duty full extension metal ball bearing slide for smooth operation. Box drawers operate on full extension slides allowing complete access to the drawer.

LOCKING:

Locking is standard on storage and buffet units.

DRAWER HARDWARE:

Six hardware styles are available in Matte Chrome finish. Specify style and finish when ordering.


HINGES

Hinges are European style and are easily adjustable in the field.

Share Finishes

Finishes	Designators				
	OLD	NEW	Veneer (V)	HPL (H)	TFL (L)
Autumn on Cherry	GC	PC211	✓		
Autumn Cherry II	GC	211		✓	✓
Cafelle on Cherry	JC	PC215	✓		
Cafelle	JC	215		✓	✓
Caramel on Cherry	NC	PC235	✓		
Cordovan on Cherry	CC	PC223	✓		
Cordovan Cherry	CC	223			✓
Shaker on Cherry	KC	PC231	✓		
Shaker Cherry	KC	231		✓	✓
Sienna on Cherry	LC	PC227	✓		
Sienna Cherry	LC	227			✓
Harvest on Maple	VM	PM313	✓		
Harvest Maple	VM	313		✓	✓
Kensington on Maple	CM	PM311	✓		
Kensington Maple	CM	311		✓	✓
Colombian on Walnut	CW	PW519	✓		
Colombian Walnut	CW	519		✓	✓
Heights on Walnut		PW535	✓		
Walnut Heights		535		✓	✓
Skyline on Walnut		PW527	✓		
Skyline Walnut		527		✓	✓
Studio on Walnut		PW531	✓		
Studio Teak		531		✓	✓
Frosty White		732		✓	✓
Grey Cloud	YC	736		✓	✓
Monterey Beige	MB	742		✓	✓
Slate Grey		756		✓	✓

Edge Options




Softened (SO)




Blade (BA) - \$100 upcharge


Pull Options




Bead (BD)



Beam (BM)



Cable (CB)



Spline (SP)



Sweep (SW)

Matte Chrome (MC) finish

Grommet Options - \$50 upcharge

Centered:

5" x 4" G0504*

8" x 4" G0804*

Standard C**

Left L**

Right R**

Both B**

All A**

No grommet N

Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18***Option includes grommet sleeve & cover****Base Options**

	Page #s	Café Height Bases	Fixed T Bases	Flip Top Bases	X Bases
Modular Tables	SH5 - SH7		✓		
Round Tables	SH8				✓
Square Tables	SH8				✓
Training Tables	SH12			✓	
Round Café Tables	SH13	✓			
Square Café Tables	SH13	✓			

Café Height Bases

Glide no upcharge CXAG

Fixed T Base

Glide no upcharge TG

Casters locking **\$60** upcharge TC**Flip Top Base**

Glide no upcharge FTG

Casters locking **\$60** upcharge FTC**X Bases**

Glides no upcharge SXAG

Casters locking **\$60** upcharge SXAC**Door Front**

Veneer V

Laminate L __

Drawer Type

Vinyl Wrapped VW

English Dovetail Wood WD **\$100** upcharge per pedestal

see previous page for veneer & laminate options

Lock Key Options


STD - random

OMT - keyed alike - order lock core separately - see page SH20


Table Top Shapes




Rectangular Modular



Arc Modular



Trapezoid Modular



Round




Square

Corner Connecting Tops (no legs)



45 Degree



60 Degree



90 Degree

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Rectangular Modular Tables

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
2448TT	48	24	29	3048TT	48	30	29	List of options pages SH2 - SH3 Modesty Panel pages SH10 - SH11 Power Grommets page SH18
2454TT	54	24	29	3054TT	54	30	29	
2460TT	60	24	29	3060TT	60	30	29	
2466TT	66	24	29	3066TT	66	30	29	
2472TT	72	24	29	3072TT	72	30	29	
				3660TT	60	36	29	
				3672TT	72	36	29	

Specifications

Wire management channel in legs with removable cap
Specify Fixed T-leg with casters or glides - Alloy only

Blade edge \$100 upcharge

Optional locking casters (\$60 upcharge)

Grommet Options - \$50 upcharge -

Centered:

5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18

**Option includes grommet sleeve & cover

SIN # 711-9

Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
Rectangular Modular Tables					
P-SH2448TT- <u> </u>	\$ 927	\$ 717	\$ 694	51	4.5
P-SH2454TT- <u> </u>	\$ 999	\$ 759	\$ 735	55	5
P-SH2460TT- <u> </u>	\$ 1075	\$ 800	\$ 777	62	5.6
P-SH2466TT- <u> </u>	\$ 1131	\$ 817	\$ 793	67	6.1
P-SH2472TT- <u> </u>	\$ 1192	\$ 834	\$ 811	73	6.7
P-SH3048TT- <u> </u>	\$ 1022	\$ 759	\$ 735	59	5.6
P-SH3054TT- <u> </u>	\$ 1103	\$ 823	\$ 800	68	6.2
P-SH3060TT- <u> </u>	\$ 1185	\$ 893	\$ 869	74	6.9
P-SH3066TT- <u> </u>	\$ 1251	\$ 916	\$ 893	81	7.6
P-SH3072TT- <u> </u>	\$ 1323	\$ 945	\$ 922	87	8.2
P-SH3660TT- <u> </u>	\$ 1349	\$ 964	\$ 941	87	8.2
P-SH3672TT- <u> </u>	\$ 1416	\$ 993	\$ 969	100	9.8

Top and Bases are included
Modesty panel - order separately
Shipped K/D

Distance between table legs:
48" table leg distance is 33 $\frac{5}{8}$ "
54" table leg distance is 39 $\frac{5}{8}$ "
60" table leg distance is 45 $\frac{5}{8}$ "
66" table leg distance is 51 $\frac{5}{8}$ "
72" table leg distance is 57 $\frac{5}{8}$ "

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See page SH2 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Edge	Grommet	Base
P-SH2472TT-H.	H742.	SO.	G0504.	TG

Arc Modular Tables

Sizes	Dimensions		
	W	D	H
3048AT	48	24-30	29
3054AT	54	24-30	29
3060AT	60	24-30	29
3066AT	66	24-30	29
3072AT	72	24-30	29

Reference Pages

List of options	pages SH2 - SH3
Modesty Panel	pages SH10 - SH11
Power Grommets	page SH18

Specifications

Wire management channel in legs with removable cap
Specify Fixed T-leg with casters or glides - Alloy only

Blade edge \$100 upcharge

Optional locking casters (\$60 upcharge)

Grommet Options - \$50 upcharge -

Centered:


5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18


**Option includes grommet sleeve & cover

SIN # 711-9

Arc Modular Tables



Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
P-SH3048AT-__	\$ 1103	\$ 811	\$ 800	59	5.6
P-SH3054AT-__	\$ 1192	\$ 887	\$ 869	68	6.2
P-SH3060AT-__	\$ 1279	\$ 964	\$ 939	74	6.9
P-SH3066AT-__	\$ 1356	\$ 992	\$ 969	81	7.6
P-SH3072AT-__	\$ 1422	\$ 1026	\$ 998	87	8.2



Top and Bases are included
Modesty panel - order separately
Shipped K/D

Distance between table legs:
48" table leg distance is 33 $\frac{3}{8}$ "
54" table leg distance is 39 $\frac{5}{8}$ "
60" table leg distance is 45 $\frac{5}{8}$ "
66" table leg distance is 51 $\frac{5}{8}$ "
72" table leg distance is 57 $\frac{5}{8}$ "

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Edge	Grommet	Base
P-SH3066AT-V.	VPW519.	SO.	G0504.	TG

Trapezoid Modular Tables

Sizes	Dimensions		
	W	D	H
2448TP	48	24	29
2460TP	60	24	29
3048TP	48	30	29
3060TP	60	30	29
3672TP	72	36	29

Reference Pages

List of options	pages SH2 - SH3
Modesty Panel	pages SH10 - SH11
Power Grommets	page SH18

Specifications

Wire management channel in legs with removable cap
Specify Fixed T-leg with casters or glides - Alloy only

Blade edge \$100 upcharge

Optional locking casters (\$60 upcharge)

Grommet Options - \$50 upcharge -


Centered:

5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18

**Option includes grommet sleeve & cover

SIN # 711-9

	Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
	P-SH2448TP-__	\$ 900	\$ 752	\$ 729	51	4.5
	P-SH2460TP-__	\$ 1049	\$ 840	\$ 817	60	5.6
	P-SH3048TP-__	\$ 966	\$ 706	\$ 683	60	5.6
	P-SH3060TP-__	\$ 1126	\$ 834	\$ 811	74	6.9
	P-SH3672TP-__	\$ 1354	\$ 934	\$ 910	100	9.8
	Top and Bases are included Modesty panel - order separately P-SH2448TP & P-SH3048TP use P-SH0924__ P-SH2460TP & P-SH3060TP use P-SH0936__ P-SH3672TP use P-SH0948__ Shipped K/D					
	Distance between table legs: 48" table leg distance is 33 3/8" 54" table leg distance is 39 5/8" 60" table leg distance is 45 5/8" 66" table leg distance is 51 5/8" 72" table leg distance is 57 5/8"					

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Edge	Grommet	Base
P-SH3672TP-V.	VPC215.	BA.	N.	TC

Round & Square Tables

Sizes	Dimensions			Sizes	Dimensions		
	W	D	H		W	D	H
3030T	30	30	29	3030ST	30	30	29
3636T	36	36	29	3636ST	36	36	29
4242T	42	42	29	4242ST	42	42	29
4848T	48	48	29	4848ST	48	48	29

Reference Pages

List of options

pages SH2 - SH3

Specifications

Arched tubular X base standard with glides - Alloy only

Optional base with locking casters (**\$60 upcharge**) - Alloy only

Optional locking casters

Blade edge \$100 upcharge

Shipped K/D

SIN # 711-9


Round Tables	Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
	P-SH3030T-__	\$ 1537	\$ 805	\$ 782	39	3.6
	P-SH3636T-__	\$ 1841	\$ 992	\$ 969	41	5
	P-SH4242T-__	\$ 2156	\$ 1224	\$ 1178	53	6.7
	P-SH4848T-__	\$ 2385	\$ 1243	\$ 1218	70	8.7




Top and Bases are included

Specify Material & Finish/Edge/Base

Square Tables



P-SH3030ST-__	\$ 1406	\$ 759	\$ 747	43	3.6
P-SH3636ST-__	\$ 1675	\$ 964	\$ 952	55	5
P-SH4242ST-__	\$ 2019	\$ 1176	\$ 1164	72	6.7
P-SH4848ST-__	\$ 2218	\$ 1195	\$ 1181	89	8.7



Top and Bases are included

Profile on all sides

Specify Material & Finish/Edge/Base

.....Dots in drawing designate side with edge detail.

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base
modelMaterial
& finish

Edge

Grommet

Base

P-SH4242ST-V.

VPC231.

BA.

N.

SXAG

45, 60 & 90 Degree Corner Connecting Tops (No Legs)


Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
2424CT45	24	24	1 $\frac{3}{16}$	2424CT90	24	24	1 $\frac{3}{16}$	List of options	page SH2
3030CT45	30	30	1 $\frac{3}{16}$	3030CT90	30	30	1 $\frac{3}{16}$		
3636CT45	36	36	1 $\frac{3}{16}$	3636CT90	36	36	1 $\frac{3}{16}$		
2424CT60	24	24	1 $\frac{3}{16}$						
3030CT60	30	30	1 $\frac{3}{16}$						
3636CT60	36	36	1 $\frac{3}{16}$						

Specifications

Includes mounting brackets


Blade edge \$50 upcharge

SIN # 711-9

Description / Model		Veneer <u>-V</u>	HPL <u>-H</u>	Laminate <u>-L</u>	Ship wt	Cubes
	45 Degree Corner Connecting Tops (No legs)					
	P-SH2424CT45- <u> </u>	\$ 367	\$ 193	\$ 182	12	1.2
	P-SH3030CT45- <u> </u>	\$ 505	\$ 257	\$ 278	20	1.8
	P-SH3636CT45- <u> </u>	\$ 655	\$ 321	\$ 309	32	2.5


Specify Material & Finish/Edge

60 Degree Corner Connecting Tops (No legs)

	P-SH2424CT60-__	\$ 434	\$ 217	\$ 204	14	1.2
	P-SH3030CT60-__	\$ 571	\$ 279	\$ 268	22	1.8
	P-SH3636CT60-__	\$ 721	\$ 345	\$ 332	34	2.5

Specify Material & Finish/Edge

90 Degree Corner Connecting Tops (No legs)

	P-SH2424CT90-__	\$ 500	\$ 239	\$ 228	16	1.2
	P-SH3030CT90-__	\$ 637	\$ 304	\$ 293	24	1.8
	P-SH3636CT90-__	\$ 789	\$ 362	\$ 356	36	2.5

Specify Material & Finish/Edge

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See page SH2 for a complete list of options**Specify selections, left to right:**Choose base
modelMaterial
& finish

Edge

P-SH2424CT90-H.**H736.****SO**


9" Hinged Modesty Panels

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
0924HMP	22	¾	9	0954HMP	52	¾	9	List of options Tables	page SH2 pages SH5 - SH8 & SH12
0930HMP	28	¾	9	0960HMP	58	¾	9		
0936HMP	34	¾	9	0966HMP	64	¾	9		
0942HMP	40	¾	9	0972HMP	70	¾	9		
0948HMP	46	¾	9						

Specifications

9" high hinged modesty panel

SIN # 711-9

Description / Model		Veneer -V	Laminate -L	Ship wt	Cubes
9" Hinged Modesty Panels					
	P-SH0924HMP-	\$ 326	\$ 164	5	.5
	P-SH0930HMP-	\$ 336	\$ 188	5	.6
	P-SH0936HMP-	\$ 348	\$ 212	7	.7
	P-SH0942HMP-	\$ 371	\$ 237	9	.8
	P-SH0948HMP-	\$ 393	\$ 260	11	1
	P-SH0954HMP-	\$ 406	\$ 285	15	1.1
	P-SH0960HMP-	\$ 433	\$ 309	17	1.2
	P-SH0966HMP-	\$ 491	\$ 333	19	1.3
	P-SH0972HMP-	\$ 576	\$ 358	21	1.4

Specify Material & Finish

Sample model dot.option string / See page SH2 for a complete list of options

Specify selections, left to right:

Choose base
modelMaterial
& finish

P-SH0966HMP-V.

VPM313


9" Hinged Metal Modesty Panels

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
0924HMMP	22	1/8	9	0954HMMP	52	1/8	9	Tables pages SH5 - SH8 & SH12
0930HMMP	28	1/8	9	0960HMMP	58	1/8	9	
0936HMMP	34	1/8	9	0966HMMP	64	1/8	9	
0942HMMP	40	1/8	9	0972HMMP	70	1/8	9	
0948HMMP	46	1/8	9					

Specifications

9" high hinged perforated metal modesty
Alloy only

SIN # 711-9

Description / Model		List Price	Ship wt	Cubes
9" Hinged Metal Modesty Panels				
	P-SH0924HMMP	\$ 291	3	.6
	P-SH0930HMMP	\$ 314	4	.8
	P-SH0936HMMP	\$ 336	5	.9
	P-SH0942HMMP	\$ 365	6	1.1
	P-SH0948HMMP	\$ 393	7	1.2
	P-SH0954HMMP	\$ 422	8	1.4
	P-SH0960HMMP	\$ 450	9	1.5
	P-SH0966HMMP	\$ 479	10	1.7
	P-SH0972HMMP	\$ 522	11	1.8

Sample model dot.option string

Specify selections, left to right:

Choose base
model

P-SH0924HMMP

Flip Top Rectangular Training Tables

Sizes	Dimensions		
	W	D	H
2448TTR	48	24	29
2454TTR	54	24	29
2460TTR	60	24	29
2466TTR	66	24	29
2472TTR	72	24	29

Reference Pages

List of options	pages SH2 - SH3
Modesty Panel	pages SH10 - SH11
Power Grommets	page SH18

Specifications

Flip top base with release handles for nesting - Alloy only

Blade edge \$100 upcharge

Optional locking casters (\$60 upcharge)

Wire management channel in leg with removable cap

Grommet Options - \$50 upcharge -


Centered:

5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18

**Option includes grommet sleeve & cover

SIN # 711-9

Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
Flip Top Rectangular Training Tables					
 P-SH2448TTR-	\$ 1318	\$ 1121	\$ 1097	51	4.5
P-SH2454TTR-	\$ 1334	\$ 1137	\$ 1115	55	5.1
P-SH2460TTR-	\$ 1346	\$ 1150	\$ 1115	62	5.6
P-SH2466TTR-	\$ 1361	\$ 1162	\$ 1126	67	6.1
P-SH2472TTR-	\$ 1373	\$ 1173	\$ 1137	73	6.7

Top and Bases are included

Modesty panel - order separately

Shipped K/D

Distance between table legs:

48" table leg distance is 33 $\frac{5}{8}$ "

54" table leg distance is 39 $\frac{5}{8}$ "

60" table leg distance is 45 $\frac{5}{8}$ "

66" table leg distance is 51 $\frac{5}{8}$ "

72" table leg distance is 57 $\frac{5}{8}$ "

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Grommet Base

P-SH2454TTR-V. VPC211. SO. G0504. FTC

Round & Square Café Tables

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
3000CTT	30	30	42	3030CTT	30	30	42	List of options	pages SH2 - SH3
3600CTT	36	36	42	3636CTT	36	36	42		
4200CTT	42	42	42	4242CTT	42	42	42		
4800CTT	48	48	42	4848CTT	48	48	42		

Specifications



Arched X base - Alloy only

Glide (CXAG) base only


Blade edge \$100 upcharge

Shipped K/D

SIN # 711-9

	Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
	P-SH3000CTT-_	\$ 1537	\$ 805	\$ 782	43	3.6
	P-SH3600CTT-_	\$ 1953	\$ 1109	\$ 1086	55	5
	P-SH4200CTT-_	\$ 2271	\$ 1320	\$ 1322	72	6.7
	P-SH4800CTT-_	\$ 2498	\$ 1364	\$ 1340	89	8.7
	Top and Bases are included					
	Specify Material & Finish/Edge/Base					

Square Café Tables

	P-SH3030CTT-<u> </u>	\$ 1515	\$ 876	\$ 864	45	3.6
	P-SH3636CTT-<u> </u>	\$ 1820	\$ 1082	\$ 1051	57	5
	P-SH4242CTT-<u> </u>	\$ 2133	\$ 1297	\$ 1262	74	6.7
	P-SH4848CTT-<u> </u>	\$ 2332	\$ 1316	\$ 1302	91	8.7
	Top and Bases are included Profile on all sides					
	Specify Material & Finish/Edge/Base					

.....Dots in drawing designate side with edge detail.

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base
modelMaterial
& finish

Edge

Base

P-SH4800CTT-L.

L311.

BA.

CXAG


Presentation Board & Wall Mounted White Boards

Sizes	Dimensions		
	W	D	H
4848VB	48	4	48
4848WB	48	3	48
6048WB	60	3	48

Reference Pages

List of options page SH2

SIN # 711-9

Presentation Board	Description / Model	Veneer -V	Laminate -L	Ship wt	Cubes
	P-SH4848VB-	\$ 3946	\$ 3177	139	11.6
	White surface (non-magnetic) serves as dry erase markerboard or projector screen Tackable surface on each door Markers & erasers not included Accepts pads 22"W x 40"H maximum				

Specify Material & Finish

Wall Mounted White Board	Description / Model	List Price	Ship wt	Cubes
	P-SH4848WB	\$ 907	45	4.3
	P-SH6048WB	\$ 1135	75	6.3
	White porcelain with aluminum frame, includes 4 markers & eraser Aluminum frame finish: Alloy			

Sample model dot.option string / See page SH2 for a complete list of options

Specify selections, left to right:

Choose base
modelMaterial
& finish**P-SH4848VB-L.****L531**

Buffets & Lectern


Sizes	Dimensions		
	W	D	H
2472	72	24	36
1830	30	18½	47½

Reference Pages

List of options


pages SH2 - SH3

SIN # 711-9


Description / Model	Veneer / Veneer	HPL / Veneer	Laminate / Laminate	Ship wt	Cubes
Flat screen buffet (screen lowers)					
 P-SH2472WBP-__	\$ 6253	\$ 5133	\$ 5023	390	48
Softened edge only 4 hinged doors - 3 compartments Outside cabinets - 3 shelves; 2 adjustable I.D. 16⅞"W x 12½"D x 32"H Center cabinet - 3 shelves; 2 adjustable I.D. 35"W x 12½"D x 32"H TV up to 42" Motorized lift with wired remote					

Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key

Buffet

 P-SH2472WBO-__	\$ 3981	\$ 3310	\$ 3200	360	48
Softened edge only 4 hinged doors - 3 compartments Outside cabinets - 3 shelves; 2 adjustable I.D. 16⅞"W x 22¼"D x 32"H Center cabinet - 3 shelves; 2 adjustable I.D. 35"W x 22¼"D x 32"H					

Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key

Description / Model	Veneer -V	Laminate -L	Ship wt	Cubes
Fixed Height Lectern				
 P-SH1830FLC-__	\$ 2520	\$ 1636	160	18.5
Top portion: 16"W x 13⅜"D x 7"H 4 shelves; 3 adjustable Access doors on front side for wire management Two grommets inside to allow wires to run full height of lectern Locking casters				

Specify Material & Finish

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:	Top Material & finish	Chassis Material & finish	Edge	Pull	Door finish	Lock Key
P-SH2472WBO-LL.	L223.	L223.	SO.	BMMC.	L726.	STD

Storage Buffet

Sizes	Dimensions		
	W	D	H
2436ST1	36	24	36
2454ST1	54	24	36
2472ST1	72	24	36

Reference Pages

List of options

pages SH2 - SH3


Specifications


Softened edge only


Vented backs are optional: No vent (NV), Yes vent (YV)

For optional AV rack system, see www.middleatlantic.com

SIN # 711-9

Storage Buffet	Description / Model	Veneer / Veneer	HPL / Veneer	Laminate / Laminate	Ship wt	Cubes
	P-SH2436ST1-__	\$ 2844	\$ 2388	\$ 2278	175	20.6
	2 hinged doors; 1 adjustable shelves					
Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key/Vent						

Storage Buffet	Description / Model	Veneer / Veneer	HPL / Veneer	Laminate / Laminate	Ship wt	Cubes
	P-SH2454ST1-__	\$ 3289	\$ 2756	\$ 2645	234	30
	3 hinged doors; 2 adjustable shelves					
Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key/Vent						

Storage Buffet	Description / Model	Veneer / Veneer	HPL / Veneer	Laminate / Laminate	Ship wt	Cubes
	P-SH2472ST1-__	\$ 3756	\$ 3130	\$ 3020	355	40
	4 hinged doors; 2 adjustable shelves					
Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key/Vent						

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:	Top Material & finish	Chassis Material & finish	Edge	Pull	Door finish	Lock Key	Vent
P-SH2472ST1-HV.	H215.	VPM311.	BA.	BDMC.	VPC215.	STD.	YV

Storage Buffet & Serving Cart

Sizes	Dimensions		
	W	D	H
2436ST2	36	24	36
2454ST2	54	24	36
2472ST2	72	24	36
2448HC	48	24	36

Reference Pages




List of options

pages SH2 - SH3

Specifications

Buffet - **Softened edge only**Buffet - **Vented backs are optional:** No vent (NV), Yes vent (YV)Buffet - For optional AV rack system, see www.middleatlantic.com

SIN # 711-9

	Description / Model	Veneer / Veneer	HPL / Veneer	Laminate / Laminate	Ship wt	Cubes
	P-SH2436ST2-__	\$ 3009	\$ 2553	\$ 2444	185	20.6
	1 drawer, 2 hinged doors; 1 adjustable shelf					
	Specify Material & Top Finish/Chassis Finish/Edge/Pull/Drawer Type/Door Finish/Lock Key/Vent					
	P-SH2454ST2-__	\$ 3453	\$ 2921	\$ 2811	244	30
	1 drawer, 3 hinged doors; 3 adjustable shelves					
	Specify Material & Top Finish/Chassis Finish/Edge/Pull/Drawer Type/Door Finish/Lock Key/Vent					
	P-SH2472ST2-__	\$ 3920	\$ 3294	\$ 3185	365	40
	1 drawer, 4 hinged doors; 3 adjustable shelves					
	Specify Material & Top Finish/Chassis Finish/Edge/Pull/Drawer Type/Door Finish/Lock Key/Vent					
	P-SH2448HC-__	\$ 3871	\$ 3705	\$ 3596	285	27
	Hinged doors 2 shelves; 1 adjustable Tablet slide in right side panel Alloy handle on each side panel I.D. 40½"W x 19¼"D x 8"H - upper compartment I.D. 36½"W x 18½"D x 20"H - interior cabinet Twin wheel casters					
	Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key					

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options


Specify selections, left to right:	Top Material & finish	Chassis Material & finish	Edge	Pull	Door finish	Lock Key
Choose base model						
P-SH2448HC-LL.	L527.	L726.	SO.	SWMC.	L726.	OMT

Accessories & Power Grommets

Sizes	Dimensions	
	W	D
0505GM	5	5
0804RP	8¼	4¾
0504RP	5¾	4¼

SIN # 711-9

Description / Model		List Price	Ship wt	Cubes
---------------------	--	------------	---------	-------

Accessories
Ganging Module**P-SH0505GM**

\$ 80


2.5

.13

Ganging bracket with 4 rosette thumb screws

Power Grommets

Retractable power/data center

**P-EC0804RP-72C**

\$ 202

5

.21

P-EC0804RP-120C


\$ 223

8

.21

2-15 amp simplex
 72" cord for P-EC0804RP-72C
 120" cord for P-EC0804RP-120C
 Requires 4" x 8" rectangular cut out
 Two data openings
 Order data separately

Retractable power/data center - hardwire

**P-EC0804RP-72H**


\$ 243

5

.21

2-15 amp simplex with hardwire 72" conduit
 Requires 4" x 8" rectangular cut out
 Two data openings
 Order data separately

Retractable power center

**P-EC0504RP-72C**

\$ 155

5

.15

P-EC0504RP-120C

\$ 166

8






.15

2-15 amp simplex
 72" cord for P-EC0504RP-72C
 120" cord for P-EC0504RP-120C
 Requires 3¾" x 5" cutout

Daisy Chains & Cable Grip

Sizes	Dimensions		
	W	D	
0804IQ	8¼	4¾	
0504IQ	5¾	4¼	
KTCG135	5½	2½	1½

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
Daisy Chain				
Retractable power/data center - Interlink IQ				
	P-EC0804IQ	\$ 274	10	.21
	2-15 amp simplex Compatible with IQ system Requires 4" x 8" rectangular cut out Two data openings Order data separately			
Retractable power center - Interlink IQ				
	P-EC0504IQ	\$ 191	8	.15
	2-15 amp simplex Compatible with IQ system Requires 3¾" x 5" cutout			
Power Infeed - Interlink IQ				
	P-EC-PI-IQ	\$ 347	8	.25
	Power Infeed Interlink IQ 120" cord			
Power Jumper - Interlink IQ				
	P-EC-J36-IQ	\$ 59	2	.25
	Power Jumper Interlink IQ 36" Jumper			
135MM Cable Grip				
	P-KTCG135	\$ 27	1	.8
	Black only			

Locks

Specifications

Key numbers available for locks are X100T-X150T.

SIN # 711-9				
	Description / Model	List Price	Ship wt	Cubes
Locks				
Lock Core Matte Chrome	P-PCMC	\$ 12	1	.10
SIN #711-8	Specify Key Number			
Master Key	P-PMK	\$ 5	1	.10
Change Key	P-PCK	\$ 10	1	.10

Key numbers available for locks are X100T-X150T. Please calculate the total number of locks you need to order. Then calculate how many must be keyed alike. Select the same key number for each of the locks you would like to be keyed alike.

For example, if you need 15 locks ordered for your office with five keyed alike for one office and 10 keyed alike for another office, it would look like this: 5 - P-PCMB.X101T, 10 – P-PCMB.X102T

Sample model dot.option string

Specify selections, left to right:

Choose base model

Key Number

P-PCMC.

X108T

Share Space Product Features

Frame - constructed of welded high strength low alloy steel with durable powder coat finish tubing for lasting durability with polished aluminum alloy joints and a durable engineered urethane flex joint.

Seat - upholstered with contoured 2" maximum resiliency foam for maximum comfort and a tailored upholstered look. Seat incorporates a flip up design for compact nesting.

Back - constructed of an engineered plastic with a unique woven breathable mesh fabric creating a comfort pocket and uses a unique flex joint attachment for additional comfort and flex.

Arm version - uses engineered durable plastic arms attached to polished Aluminum Alloy posts which create a flip up arm design for compact nesting.

Uses black open wheel all surface casters for easy mobility.

Upholstered using foam that complies with CAL117.

Stacks 4 high

Nests

Meets or exceeds ANSI/BIFMA performance standards



Fabric

Select pattern & color - see pages VII - XIV



Flammability Code
For Cal 133 add 'FC'
to the model #

example: P-1790FC

Cal 133 upcharge on guest seating is \$75

Model Description / Dimensions / Fabric Grade & Prices

Share Space

P-1790

A	B/COM	C	D	E	F	G	H	I	J	leather		
595	615	635	655	676	701	751	801	871	927	K	L	M
										N/A	N/A	N/A



descriptions: nest, stack, flex back, without arms

dimensions:

width	24	i.d. width	23½
depth	24	i.d. depth	18
height	36	i.d. height	17½
seat ht	18½	com ydg	0.8
arm ht	n/a	col sq ft	18.4
ship wt	26	cubes	12.8

options:

foot: caster (C) no upcharge
glide (G) no upcharge

back: mesh back (M) no upcharge

frame: alloy (AL) no upcharge



offered in all standard finishes

NOT ON CONTRACT

Specify Foot/Back/Fabric/Frame

P-1791

A	B/COM	C	D	E	F	G	H	I	J	leather		
626	646	666	686	707	732	782	832	902	958	K	L	M
										N/A	N/A	N/A



descriptions: nest, stack, flex back, with arms

dimensions:

width	24	i.d. width	19½
depth	24	i.d. depth	18
height	36	i.d. height	17½
seat ht	18½	com ydg	0.8
arm ht	8½	col sq ft	18.4
ship wt	29	cubes	12.8

options:

foot: caster (C) no upcharge
glide (G) no upcharge

back: mesh back (M) no upcharge

frame: alloy (AL) no upcharge



offered in all standard finishes

NOT ON CONTRACT

Specify Foot/Back/Fabric/Frame

Specify selections, left to right:

	Base Model	Foot	Back	Fabric	Frame
(Standard)	P-1790.	C.	M.	—.	AL
(Cal 133)	P-1790FC.	C.	M.	—.	AL