Name	Weather Seal Blok-	Guard & Graffiti Cor	ntrol II	1.0
Product ID	40193	Classification	09 96 23.00 Finishes: Graffiti- Resistant Coatings	Health Product
Website	prosoco.com/Products/a2cb15	544-f840-4106-a412-4d118a3	_	DECLARATION
Manufacturer Address	PROSOCO 3741 Greenway Circle Lawrence, Kansas 66046	Contact Name Title Phone Email	Dwayne Fuhlhage Sustainability and Environmen Director 785-830-7300 dwayne.fuhlhage@prosoco.com	
Description	weatherproofing concrete bloc exterior masonry surfaces from Blok-Guard® & Graffiti Control	k and other porous masonry n graffiti attacks without alterin Il also protects exterior walls o g Defacer Eraser [®] Graffiti Wipo	is a clear-drying, water-based silicor naterials. Blok-Guard [®] & Graffiti Con g the natural appearance. exposed to normal weathering. Graff e. Blok-Guard [®] & Graffiti Control II is	itrol II protects interior and
Release Date Expiry Date HPD URL	2014-04-22 2017-04-22 http://tool.hpdcollaborative.org ads/files/hpds/106/1065- 20140422171018.pdf	Self-declared Second Party Third Party	Certifier Certificate #	
Residuals Disclosure Measured 100 ppm Measured 1000 pp Predicted by proces As per MSDS (1,000) Not disclosed Other	n (ideal) m ss chemistry	Full Disclosure of II Full Disclosure of II Disclosure Notes	ntentional Ingredients Ye	es
WATER , Silicic acid c	compound , Siloxanes and Silicone		, Triethoxyoctylsilane , Alcohols, C12 y-terminated , Dodecyl alcohol, etho	
Hazards ☐ PBT (Persistent Bioaccumulative Toxic) ☐ Cancer ☐ Gene Mutation	☐ Development ☐ N ☐ Reproductive ☐ N ☐ Endocrine ☐ S	leurotoxicity ☐ Land lammal ☐ Phys kin or Eye ☐ Glob	score - List Translator Possible Ben toxicity	chmark 1
Total VOC Content Material (g/L) Regulatory (g/L) Notes		s the product contain exem there VOC-free tints availab		
Certifications + Com	pliance Not tested	VOC Co	ontent Not tested	

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an "open standard" developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; **RC**: Recycled Content, **PC**: Post Consumer, **PI**: Post Industrial (Pre-consumer), **BO**: Both; **Nano**: comprised of nanoscale particles or nanotechnology

	CAS RN	% weight	GS	RC	Nano	Role
Hazard A	Warning A	Warning A				
Hazard B	Warning I	3				
Hazard C	Warning (Warning C				
Hazard D	Warning I	Warning D				
Hazard E	Warning I	Warning E				
Notes						
VATER	7732-18- 5	90 - 95 %		N	N	Carrier Solvent
None found	No warning	No warnings found on HPD Priority lists				
ilicic acid compound	216689- 57-5	3 - 7 %		N	N	Functional reactiv
None found	No warning	No warnings found on HPD Priority lists				
Exact percentage withheld as Prosoco's Intellectual Property						
		4 5 0/	LT-	N	N	Functional reactive
iloxanes and Silicones, di-Me, hydroxy-terminated	70131- 67-8	1 - 5 %	U			water repellent
			U) Prior	rity lists	water repellent
None found	67-8		U) Prior	ity lists	water repellent
None found Exact ingredient percentage withheld as Prosoco's Intellectual Property Triethoxyoctylsilane	67-8		U) Prior	nity lists	
None found Exact ingredient percentage withheld as Prosoco's Intellectual Property	67-8 No warning	gs found o	U on HPD LT- U	N	N	Functional reactiv
None found Exact ingredient percentage withheld as Prosoco's Intellectual Property riethoxyoctylsilane None found	67-8 No warning 2943-75- 1	gs found o	U on HPD LT- U	N	N	Functional reactiv
None found Exact ingredient percentage withheld as Prosoco's Intellectual Property riethoxyoctylsilane	67-8 No warning 2943-75- 1	gs found o	U on HPD LT- U	N	N	Functional reactiv

Exact ingredient percentage withheld as Prosoco's Intellectual Property						
Siloxanes and Silicones, di-Me, polymers with 3-[(2-aminoethyl)amino]propyl silsesquioxanes, hydroxy-terminated	68554- 54-1	0.1 - 1	LT- U	N	N	Functional reactive water repellent
None found	No warnings found on HPD Priority lists					
Exact ingredient percentage withheld as Prosoco's Intellectual Property						
Dodecyl alcohol, ethoxylated	9002-92-	R	LT- P1			Unknown
MULTIPLE	VwVwS: Class 2 Hazard to Waters					
Unintentional and nonfunctional ingredient as a component of a raw material. The act in the use pattern as the product is applied to concrete or masonry substrates.	quatic toxicity	GreenSc	reen B	enchn	nark 1 w	varnings are not relevant

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

Туре	Standard or Certification	Certifier or Laboratory					
	Certifying Party	Issue Date	Expiry Date	Certificate URL			
	Applicable Facilities						
	Notes						
VOC Emissions	N/A						
VOC Content	Not tested						
VOO OOMON	Not tooled						
Recycled Content	Not tested						
Other							

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration				
Condition when required or recommended and/or other notes					

NOTES

This product is classified as a Low Solids Coating in regulatory systems incorporated by reference in LEED 2009, LEED v4, CALGreen, IgCC, ICC-700 and in all related building codes. The regulatory category limit is 120 g/L as calculated or measured with inclusion of water as the carrier solvent. This product is generally for exterior use and does not require CDPH 01350 testing for conformance to LEED 2009 Healthcare exterior or LEED v4 Healthcare or Schools exterior EQ credit.