


Name	Metronome Conference			
Product ID	Metronome Conference Table	Classification	12 51 00.00 Furnishings: Office Furniture	
Website	www.nienkamper.com/products.aspx?id=230			
Manufacturer Address	Nienkamper 257 Finchdene Square Toronto, ON M1X 1B9 Canada	Contact Name Title Phone Email	Jeremy Gibson Designer 416-298-5700 jeremyg@nienkamper.com	
Description	Metronome™ is a collection of tables built on a structural system that is sculptural, stable and capable of a broad range of application requirements. From small meeting tables and individual desks to large scale boardroom tables, Metronome™ is a systems driven table collection that easily responds to any working environment.			

Release Date	2014-10-07	<input checked="" type="checkbox"/> Self-declared <input type="checkbox"/> Second Party <input type="checkbox"/> Third Party	Certifier Certificate #
Expiry Date	2017-10-07		
HPD URL	https://tool.hpdcollaborative.org/uploads/files/hpds/933/2097-20141007144012.pdf		

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure <input type="checkbox"/> Measured 100 ppm (ideal) <input type="checkbox"/> Measured 1000 ppm <input type="checkbox"/> Predicted by process chemistry <input checked="" type="checkbox"/> As per MSDS (1,000 & 10,000 ppm) <input type="checkbox"/> Not disclosed <input type="checkbox"/> Other	Full Disclosure of Intentional Ingredients Full Disclosure of Known Hazards Disclosure Notes	<input type="checkbox"/> Yes <input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> No
---	---	--	--

Contents in Descending Order of Quantity

Undisclosed (Medium Density Fiber Board) , ALUMINUM , Cellulose , Steel , NYLON , POLYMETHYL METHACRYLATE (PMMA) , POLYVINYL ACETATE (PVA)

Hazards <input type="checkbox"/> PBT (Persistent Bioaccumulative Toxic) <input type="checkbox"/> Cancer <input type="checkbox"/> Gene Mutation	<input type="checkbox"/> Development <input type="checkbox"/> Reproductive <input checked="" type="checkbox"/> Endocrine <input checked="" type="checkbox"/> Respiratory	Highest concern GreenScreen score - List Translator Possible Benchmark 1 <input type="checkbox"/> Neurotoxicity <input type="checkbox"/> Mammal <input type="checkbox"/> Skin or Eye <input type="checkbox"/> Aquatic toxicity	<input type="checkbox"/> Land toxicity <input checked="" type="checkbox"/> Physical hazard <input type="checkbox"/> Global warming <input type="checkbox"/> Ozone depletion	<input type="checkbox"/> Multiple <input checked="" type="checkbox"/> Unknown
--	---	---	--	--

Total VOC Content Material (g/L) Regulatory (g/L)	N/A N/A	Does the product contain exempt VOCs? Are there VOC-free tints available?	<input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> N/A	<input type="checkbox"/> Yes <input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> No
Notes					

Certifications + Compliance			
VOC Emissions	GreenGuard - Indoor Air Quality Certified Eco-Certified Composite (ECC) Standard - CPA 4-11	VOC Content	N/A
Sustainable forestry	Forest Stewardship Council (FSC) - Chain of Custody (COC)	Composite Wood	Eco-Certified Composite (ECC) Standard - CPA 4-11

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an “open standard” developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level. Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.
GS: GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
Hazard A	Warning A					
Hazard B	Warning B					
Hazard C	Warning C					
Hazard D	Warning D					
Hazard E	Warning E					
Notes						
Undisclosed (Medium Density Fiber Board)	Unknown	61.75 - 81.6 %		PI	N	Laminate Worksurfaces: Core material
Unknown	Not disclosed					
MDf consist's of 99.9% wood fiber which is 100% post industrial recycled. The binding agent is Formaldehyde CAS# 50-00-0						
ALUMINUM	7429-90-5	25 %	LT-P1	PI	N	Structural rail support and bases
ENDOCRINE	TEDX: Potential Endocrine Disruptor					
RESPIRATORY	AOEC: Asthmagen (ARs) - sensitizer-induced - inhalable forms only					
FLAMMABLE	EU H-Statements: H228 Flammable solid					
REACTIVE	EU H-Statements: H261 In contact with water releases flammable gases					
Table size vary from 36"W x 72"L to 72"W x 240" long. The aluminum makes up a large % of weight on smaller tables.						
Cellulose	9004-34-6	1.95 - 2.55 %		PC	N	Laminate Worksurfaces: decorative finish
None found	No warnings found on HPD Priority lists					
High pressure Laminate(HPL) is the decorative surface on the worksurface top. The adhesive to attach the HPL to the MDF surface is listed under its own heading as an intentional content. HPL is made up of the following as stated in the manufactures MSDS. Cellulose 9004-34-6 25% – 85% Formaldehyde Resins 10% – 50% Polyester Resin 0 %– 15% *WARNING: This product contains a chemical known to the State of California to cause cancer. Formaldehyde (CAS 50-00-0) in trace amounts.						
Steel	12597-69-2	1 - 3 %		BO	N	Cold Rolled Steel: Generic Commodity Material
None found	No warnings found on HPD Priority lists					

ArcelorMittal 22 Gauge Cold Rolled CQ Steel						
NYLON	63428-83-1	1 %		U	U	Levelers on the table
None found	No warnings found on HPD Priority lists					
POLYMETHYL METHACRYLATE (PMMA)	9011-14-7	0.65 - 0.85 %	LT-U	U	Y	Laminate Worksurfaces: Decorative Edge treatment
RESPIRATORY	AOEC: Asthmagen (ARs) - sensitizer-induced					
An acrylic edge banding which is adhered to the MDF with glue. The glue material is listed as a separate line item.						
POLYVINYL ACETATE (PVA)	9003-20-7	0.33 - 0.85 %	LT-U	PC	U	Laminate Worksurfaces: Binder to attach HPL to MDF
None found	No warnings found on HPD Priority lists					
Glue to attach HPL to MDF. This is done in our manufacturing plant.						

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).
Applicable facilities = Manufacturing sites to which testing applies.

Type	Standard or Certification			Certifier or Laboratory
	Certifying Party	Issue Date	Expiry Date	Certificate URL
	Applicable Facilities			
	Notes			
VOC Emissions	GreenGuard - Indoor Air Quality Certified			GreenGuard Environmental Institute (GEI)
	3rd party independent certification	2008-09-19	2015-09-19	file:///C:/Users/jeremyg/Downloads/Certificate_24449.pdf
	Nienkamper- 257 Finchdene Square			
	This applies for Metronome tables and all laminate worksurfaces			
VOC Emissions	Eco-Certified Composite (ECC) Standard - CPA 4-11			Composite Panel Association (CPA)
	2nd party industry based certification	2012-03-26		www.flakeboard.com/docs/certificates/ECC_032612_SaultSteMarie.pdf
	Flakeboard's Sualt Ste-Marie plant			
	This applies to the Flakeboard MDF only which is used as the core material and makes up 95% of the weight			
VOC Content	N/A			
Recycled	Not tested			

Content				
Sustainable forestry	Forest Stewardship Council (FSC) - Chain of Custody (COC)			Rainforest Alliance Smartwood Program
	3rd party independent certification	2013-10-14	2018-10-13	https://tool.hpdcollaborative.org/uploads/files/certifications/933/1412693422.pdf
	Nienkamper 257 Finchdene Square Toronto, ON			
Composite Wood	Eco-Certified Composite (ECC) Standard - CPA 4-11			Composite Panel Association (CPA)
	2nd party industry based certification	2012-03-26		www.flakeboard.com/docs/certificates/ECC_032612_SaultSteMarie.pdf
	Flakeboard's Sualt Ste-Marie plant			
	This applies to the Flakeboard MDF only which is used as the core material and makes up 95% of the weight			

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration
Condition when required or recommended and/or other notes	

NOTES