

ENTERPRISES, LLC

Totally Carpet Specs

Style Name Timber
Style Number 1027

Pattern Repeat 7.2" W x 16.7" L

Tufted Yarn Weight 35 oz Gauge 1/10

Construction Tip-Sheared Enhanced Loop Face Yarn 100% Solution-Dyed Nylon

Yarn Spec Twisted & heatset for high performance
Tufts per Sq. Inch 150 (Gauge x Stitch Rate x Tufts/Stitch)

Pile Height 0.187

Primary Backing 4 oz Woven Polypropylene

Secondary Backing High Performance Backing System with 18x5

Lino ActionBac

Tile Backing Vinyl composite with recycled content

Width Broadloom 12'

Tile Size 24" x 24"

Treatments Commercial carpet soil protection & static control

Post Installation Protection Plastic protection is prohibited. It causes

discoloration and accelerated soiling. Craft paper,

corrugated box material or masonite

are recommended.

Broadloom Adhesive Totally Premium Broadloom Adhesive

Tile Adhesive Totally Premium Tile Adhesive Flammability Passes Class 1 (ASTM E-648)

Electrostatic Propensity Passes AATCC - 134 @ 3.5 KV or less

Dye Lot Size Unlimited

Custom Colors & Weight Please Inquire
Origin Made in USA

LEED Contributes to Leed Credits

CRI Green Label Plus

Warranty Tile: limited lifetime warranty.

Broadloom: 10 year limited warranty

OTALLY

ENTERPRISES, LLC

OTALLY

ENTERPRISES, LLC