


FALCONTM

TABLE BASES

WORKBOOK/PRICE LIST January 2015



200 SERIES



FEATURES

- Cast iron base
- 18 gauge steel tubing column
- 2 MPT (Molded Plastic Glides) on end bases
- 4 MPT (Molded Plastic Glides) on all other bases

OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footing (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
203-522*	5x19.5	12	3	15	28.5	113	166	228	281	336
204-522*	5x19.5	12	4	16	28.5	120	174	228	299	336
203-22	22	12	3	18	28.5	134	223	302	412	485
204-22	22	12	4	19	28.5	141	227	302	451	542
203-30	30	12	3	23	28.5	148	241	346	428	521
204-30	30	12	4	24	28.5	157	244	356	467	572
203-2230	22x30	12	3	21	28.5	142	233	333	411	502
204-2230	22x30	12	4	22	28.5	151	243	342	449	550
204-36	36	24	4	42	28.5	241	335	469	633	684
SF203-30 o	30	12	3	28	40.5	368	459	573	685	787

* = End Base

o = Stand up with 15" footing

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	200 Series
18 x 18	N/A
24 x 24	203-22
24 x 30	203-22
24 x 36	203-2230
24 x 42	203-2230
24 x 48	203-2230 s
24 x 60	203-522 +
24 x 72	203-522 +
24 x 84	204-22 +
24 x 96	204-22 +
30 x 30	203-22
30 x 36	203-2230
30 x 42	203-2230

Top Size	200 Series
30 x 48	203-522 +
30 x 60	203-522 +
30 x 72	204-522 + s
30 x 84	204-22 +
30 x 96	204-22 +
36 x 36	204-30
36 x 42	204-2230
36 x 48	204-522 +
36 x 60	204-2230 +
36 x 72	204-2230 + s
36 x 84	204-2230 + s
36 x 96	204-2230 + s
42 x 42	204-36

Top Size	200 Series
48 x 48	204-36
60 x 60	N/A
18 Round	N/A
24 Round	203-22
30 Round	203-22
30 Round	SF203-30
36 Round	204-30
36 Round	SF203-30
42 Round	204-30 s
48 Round	204-36
51 Round	204-36
54 Round	204-36
60 Round	204-36

s = 15" cast iron spider recommended

+ = Two bases per top required


400 SERIES



22 x 22
30 x 30



22 x 30



22x22
30x30

22 x 30

FEATURES

- Cast Iron Baseplate
- Powdercoat Finish
- 16 GA 3" Round Steel Column
- 10 x 10 Steel Spider, Black
- MPT1 Nylon Glides

OPTIONS

- \$27 Upcharge, per base set up
- \$5 Super Leveler Glides
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/counter height 34.75" (CH)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 16.75" (C)
- \$166 Per column standard height with wire management
- \$214 Per column/up to 40.75" greater than standard height with wire management
- \$198 Per column/wheelchair height 30" with wire management
- \$188 Per column/cocktail height 16.75" with wire management

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3
403-22	22 x 22	15	3	31	28	308	314	330
403-30	30 x 30	15	3	36	28	356	364	382
403-2230	22 x 30	15	3	34	28	324	330	349

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.

(Larger or heavier tops may cause instability).

Top Size	400 Series
30 Round	403-22
36 Round	403-22
42 Round	403-30
30 x 30	403-22
36 x 36	403-30
42 x 42	403-30

+ = Two bases per top required

Top Size	400 Series
24 x 30	403-22
24 x 36	403-22
24 x 42	403-2230
30 x 36	403-22
30 x 42	403-2230
30 x 60	403-22 +

++ = Three bases per top required

Top Size	400 Series
30 x 72	403-22 +
30 x 84	403-22 +
30 x 96	403-22 +
30 x 108	403-22 ++
30 x 120	403-22 ++
30 x 144	403-22 ++
36 x 42	403-2230
36 x 48	403-22 +
36 x 54	403-22 +
36 x 60	403-30 +
36 x 72	403-30 +
36 x 84	403-30 +
36 x 96	403-30 +
36 x 108	403-30 ++
36 x 120	403-30 ++
36 x 144	403-30 ++

600 SERIES



18 RD
22 RD
30 RD

FEATURES

- Cast iron base
- 18 gauge steel tubing column
- 5MPT/Molded Plastic Glides

OPTIONS

- \$27 Upcharge, per base set up (only available for Grades 1 & 2 finishes)
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footing (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
603-18	18	12	3	28	28.5	172	189	293	417	491
604-18	18	12	4	30	28.5	179	197	300	424	500
603-22	22	12	3	41	28.5	219	245	351	510	528
604-22	22	12	4	43	28.5	227	252	358	518	536
604-30	30	15	4	77	28.5	413	438	670	791	856
SF603-22 o	22	15	3	44	40.5	438	455	584	628	755

o = Stand up with 15" footing

700 SERIES



22x22
27x27

6x20

FEATURES

- Cast iron base
- 18 ga. steel tubing column
- End Bases/2 each MPT Molded Plastic Glides
- All other/3 each MPT Molded Plastic Glides

OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
703-620*	6x20	12	3	15	28.5	114	120	N/A	N/A	N/A
704-620*	6x20	12	4	16	28.5	123	129	N/A	N/A	N/A
703-22	22	12	3	25	28.5	159	166	N/A	N/A	N/A
704-22	22	12	4	26	28.5	175	185	N/A	N/A	N/A
703-27	27	12	3	29	28.5	183	195	N/A	N/A	N/A
704-27	27	12	4	30	28.5	194	204	N/A	N/A	N/A

* = End Base

Optional heights not available

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	600 Series	700 Series	Top Size	600 Series	700 Series	Top Size	600 Series	700 Series
18 x 18	603-18	N/A	30 x 48	603-18 +	704-620 +	48 x 48	604-30	N/A
24 x 24	603-18	703-22	30 x 60	603-18 +	704-620 +	60 x 60	604-30	N/A
24 x 30	603-18	703-22	30 x 72	603-18 +	704-620 +	18 Round	603-18	N/A
24 x 36	603-22	704-27	30 x 84	604-18 +	704-22 +	24 Round	603-18	703-22
24 x 42	604-22	703-620 +	30 x 96	604-22 +	704-27 +	30 Round	603-18	703-22
24 x 48	603-18 +	704-620 +	36 x 36	604-22	704-27	30 Round	SF603-22	704-22
24 x 60	603-18 +	704-620 +	36 x 42	604-30	703-620 +	36 Round	603-22	703-27
24 x 72	603-18 +	704-620 +	36 x 48	604-30	704-620 +	36 Round	SF603-22	704-27
24 x 84	603-18 +	704-620 +	36 x 60	604-30	704-620 + s	42 Round	604-30	N/A
24 x 96	603-18 +	704-620 +	36 x 72	604-22 + s	704-620 + s	48 Round	604-30	N/A
30 x 30	603-18	703-22	36 x 84	604-22 + s	704-27 + s	51 Round	604-30	N/A
30 x 36	603-22	703-27	36 x 96	604-22 + s	704-27 + s	54 Round	604-30	N/A
30 x 42	604-22	703-620+	42 x 42	604-30	N/A	60 Round	604-30	N/A


s = 15" cast iron spider recommended

+ = Two bases per top required


800 SERIES



22 x 22
28 x 28



3 x 22



22 x 22
28 x 28



3 x 22

FEATURES

- Powdercoat Finish
- 16 GA Steel Round Column
- 10 x 10 Steel Spider, Black
- Cast Iron Baseplate, Powdercoat Finish
- MPT1 Nylon Glides

OPTIONS

- \$27 Upcharge, per base set up
- \$5 Super Leveler Glides
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/counter height 34.75" (CH)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 16.75" (C)
- \$166 Per column standard height with wire management
- \$214 Per column/up to 40.75" greater than standard height with wire management
- \$198 Per column/wheelchair height 30" with wire management
- \$188 Per column/cocktail height 16.75" with wire management

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3
802-22	22 x 22	15	2	40	27.75	310	316	332
802-28	28 x 28	15	2	53	27.75	329	336	355
802-322	3 x 22	15	2	23	27.75	297	303	319

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	800 Series
30 Round	802-22
36 Round	802-28
42 Round	802-28
30 x 30	802-22
36 x 36	802-28
42 x 42	802-28

Top Size	800 Series
24 x 30	802-22
24 x 36	802-22
24 x 48	802-322 +
24 x 54	802-322 +
24 x 60	802-322 +
24 x 72	802-322 +
24 x 84	802-322 +
24 x 96	802-322 +
24 x 108	802-322 ++
24 x 120	802-322 ++
24 x 144	802-322 ++
30 x 36	802-22
30 x 48	802-322 +
30 x 54	802-322 +
30 x 60	802-322 +

Top Size	800 Series
30 x 72	802-322 +
30 x 84	802-322 +
30 x 96	802-322 +
30 x 108	802-322 ++
30 x 120	802-322 ++
30 x 144	802-322 ++
36 x 48	802-322 +
36 x 54	802-322 +
36 x 60	802-322 +
36 x 72	802-322 +
36 x 84	802-322 +
36 x 96	802-322 +
36 x 108	802-322 ++
36 x 120	802-322 ++
36 x 144	802-322 ++

+ = Two bases per top required

++ = Three bases per top required

900 SERIES



18 RD
22 RD
30 RD

FEATURES

- Cast iron base
- 18 ga. steel tubing column
- 5MPT/Molded Plastic Glides

OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footing (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
903-18	18	12	3	32	28.5	194	218	309	437	514
904-18	18	12	4	35	28.5	203	228	318	473	515
903-22	22	12	3	47	28.5	253	293	382	542	562
904-22	22	12	4	49	28.5	261	301	391	542	570
904-30	30	15	4	82	28.5	425	472	605	804	869
SF903-22 o	22	15	3	60	40.75	473	521	618	759	1,070

o = Stand up with 15" footing

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	700 Series	900 Series
18 x 18	N/A	903-18
24 x 24	703-22	903-18
24 x 30	703-22	903-18
24 x 36	704-27	903-22
24 x 42	703-620 +	904-22
24 x 48	704-620 +	904-22 s
24 x 60	704-620 +	903-18 +
24 x 72	704-620 +	903-18 +
24 x 84	704-620 +	903-18 + s
24 x 96	704-620 +	903-18 + s
30 x 30	703-22	903-18
30 x 36	703-27	903-22
30 x 42	703-620+	904-22


Top Size	700 Series	900 Series
30 x 48	704-620 +	903-18 +
30 x 60	704-620 +	903-18 +
30 x 72	704-620 +	903-18 +
30 x 84	704-22 +	904-22 +
30 x 96	704-27 +	904-22 +
36 x 36	704-27	904-22
36 x 42	703-620 +	904-30
36 x 48	704-620 +	904-3
36 x 60	704-620 + s	904-18 +
36 x 72	704-620 + s	904-22 + s
36 x 84	704-27 + s	94-22 + s
36 x 96	704-27 + s	904-22 + s
42 x 42	N/A	904-30

Top Size	700 Series	900 Series
48 x 48	N/A	904-30
60 x 60	N/A	N/A
18 Round	N/A	903-18
24 Round	703-22	903-18
30 Round	703-22	SF903-22/903-18
30 Round	704-22	904-18
36 Round	703-27	SF903-22/903-22
36 Round	704-27	904-22
42 Round	N/A	904-30
48 Round	N/A	904-30
51 Round	N/A	904-30
54 Round	N/A	904-30
60 Round	N/A	904-30

s = 15" cast iron spider recommended

+ = Two bases per top required

1400 SERIES



24x24

FEATURES

- Cast iron base
- Cast iron column
- 4 non standard glides
- Optional heights not available

OPTIONS

\$27 Upcharge, per base set up


Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
1404-24	24	17	4	57	28.75	400	411	470	678	696
1404-24C*	24	17	4	52	21	379	390	445	634	658
SUB1404-24**	24	17	4	68	41	451	460	516	701	727

* = Cocktail Height

** = Bar Height 41" OAH

Footring not available

1500 SERIES



18x18
22x22
26x26
30x30
40x40

22x30

FEATURES

- Wood base
- Wood column
- Specify maple or oak species
- 4" MPT molded plastic glides
- Optional heights not available

OPTIONS

\$27 Upcharge, per base set up

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
1506-18	18	11	6	23	27.5	543	N/A	N/A	N/A	N/A
1506-22	22	11	6	26	27.5	809	N/A	N/A	N/A	N/A
1506-26	26	11	6	28	27.5	849	N/A	N/A	N/A	N/A
1507-30	30	11	7	29	27.5	886	N/A	N/A	N/A	N/A
1509-40	40	24	9	46	27.5	1,133	N/A	N/A	N/A	N/A
1506-2230	22x30	11	6	28	27.5	831	N/A	N/A	N/A	N/A

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.


Top Size	1400 Series	1500 Series
18 x 18	N/A	1506-18
24 x 24	1404-24	1506-18
24 x 30	1404-24	1506-22
24 x 36	1404-24	1506-2230
24 x 42	1404-24	1506-2230
24 x 48	1404-24	1506-2230
24 x 60	1404-24 +	1506-18 +
24 x 72	1404-24 +	1506-18 +
24 x 84	1404-24 +	1506-22 +
24 x 96	1404-24 +	1506-22 +
30 x 30	1404-24	1506-22
30 x 36	1404-24	1506-2230
30 x 42	1404-24	1506-2230

Top Size	1400 Series	1500 Series
30 x 48	1404-24	1506-2230
30 x 60	1404-24 +	1506-22 +
30 x 72	1404-24 +	1506-22 +
30 x 84	1404-24 +	1506-26 +
30 x 96	1404-24 +	1506-26 +
36 x 36	1404-24	1506-26
36 x 42	1404-24	1507-30
36 x 48	1404-24	1507-30
36 x 60	1404-24 +	1506-26 +
36 x 72	1404-24 +	1506-26 +
36 x 84	1404-24 +	1506-26 +
36 x 96	1404-24 +	15056-26 +
42 x 42	1404-24	1507-30

Top Size	1400 Series	1500 Series
48 x 48	1404-24	1507-30
60 x 60	N/A	1509-40
18 Round	N/A	1506-18
24 Round	N/A	1506-18
30 Round	1404-24	1506-22
36 Round	1404-24	1506-26
42 Round	1404-24	1507-30
48 Round	1404-24	1507-30
51 Round	1404-24	1509-40
54 Round	1404-24	1509-40
60 Round	N/A	1509-40

+ = Two bases per top required

1600 SERIES



16 RD
24 RD

FEATURES

- Cast iron base
- Cast iron column
- 5 non standard glides
- Optional heights not available

OPTIONS

\$27 Upcharge, per base set up


Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
1604-16	16	17	4	43	28.5	308	320	434	646	667
1604-16C*	16	17	4	40	19.25	290	317	403	605	625
1604-24	24	17	4	70	28.5	442	465	627	899	929
SUB1604-24**	24	17	4	79	41	513	537	694	965	993

* = Cocktail Height

** = Bar Height 41" OAH

Footring not available

1900 SERIES



18x18
24x24
32x32
40x40

22x30

3x24

FEATURES

- base
- 2" 15 ga./3" 18 ga. steel tubing column
- End Base/2 each RCT2 rubber cushion glides
- All others/4 each RCT2 rubber cushion glides

OPTIONS

\$27 Upcharge, per base set up
 \$23 Upcharge for 15" spider
 \$48 Per column/up to 40.75" greater than standard height (STU)
 \$48 Per column/wheelchair height 30" (W)
 \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
1902-324*	3x24	15	2	19	28.5	128	136	160	212	232
1902-18	18	12	2	18	28.5	135	140	163	249	270
1902-24	25	12	2	24	28.5	153	162	220	306	333
1902-32	32	15	2	33	28.5	188	200	270	346	376
1902-2230	22x30	15	2	30	28.5	175	186	254	325	354
1903-40	40	24	3	56	28.5	351	378	454	595	631

* = End Base

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	1600 Series	1900 Series
18 x 18	1604-16	1902-18
24 x 24	1604-16	1902-18
24 x 30	1604-16	1902-24
24 x 36	1604-16	1902-2230
24 x 42	1604-16 +	1902-2230
24 x 48	1604-16 +	1902-2230
24 x 60	1604-16 +	1902-324 +
24 x 72	1604-16 +	1902-324 +
24 x 84	1604-16 +	1902-324 +
24 x 96	1604-16 +	1902-324 +
30 x 30	1604-16	1902-24
30 x 36	1604-16	1902-2230
30 x 42	1604-24	1902-2230



Top Size	1600 Series	1900 Series
30 x 48	1604-16 +	1902-324 +
30 x 60	1604-16 +	1902-324 +
30 x 72	1604-16 +	1902-324 +
30 x 84	1604-16 +	1902-324 +
30 x 96	1604-16 +	1902-324 +
36 x 36	1604-24	1902-32
36 x 42	1604-24	1902-32
36 x 48	1604-16 +	1902-324 +
36 x 60	1604-16 +	1902-324 +
36 x 72	1604-16 +	1902-324 +
36 x 84	1604-16 +	1902-324 +
36 x 96	1604-16 +	1902-324 +
42 x 42	1604-24	1902-32

Top Size	1600 Series	1900 Series
48 x 48	1604-24	1902-32
60 x 60	N/A	1903-40
18 Round	1604-18	1902-18
24 Round	1604-16	1902-18
30 Round	1604-16	1902-24
36 Round	1604-24	1902-32
42 Round	1604-24	1902-32
48 Round	1604-24	1902-32
51 Round	1604-24	1903-40
54 Round	1604-24	1903-40
60 Round	1604-16 ++	1903-40

+ = Two bases per top required

++ = Three bases per top required

2400 SERIES



FEATURES

- Cast iron base
- 2" 15 ga./3" 18 ga. steel tubing column
- End Base/2 each RCT2 rubber cushion glides
- All other/4 each RCT2 rubber cushion

OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
2402-216*	2x16	12	2	14	28.25	138	148	201	205	243
2402-222*	2x22	15	2	21	28.25	144	153	205	211	250
24022-232**	2x32	12	2	30	28.25	336	349	422	495	544
2402-18	18	12	2	24	28.25	221	229	296	300	338
2402-22	22	12	2	28	28.25	226	240	308	325	359
2402-28	28	15	2	34	28.25	283	302	380	399	454
2402-2228	22x28	15	2	33	28.25	260	280	358	380	424
2403-36	36	24	3	53	28.25	435	463	541	577	633
24035-36***	36	12	3	64	28.25	861	901	1,021	1,144	1,254

* = End Base

** = Double column end base

*** = Five column base

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.

(Larger or heavier tops may cause instability).

Top Size	2400 Series
18 x 18	2402-18
24 x 24	2402-22
24 x 30	2402-22
24 x 36	2402-2228
24 x 42	2402-2228
24 x 48	2402-2228
24 x 60	2402-222 +
24 x 72	2402-222 +
24 x 84	2402-18 +
24 x 96	2402-18 +
30 x 30	2402-22
30 x 36	2402-2228
30 x 42	2402-2228

Top Size	2400 Series
30 x 48	2402-222 +
30 x 60	2402-222 +
30 x 72	2402-222 +
30 x 84	2402-222 +
30 x 96	2402-222 +
36 x 36	2402-28
36 x 42	2402-28
36 x 48	2402-222 +
36 x 60	2402-222 +
36 x 72	2402-222 +
36 x 84	2402-222 +
36 x 96	2402-222 +
42 x 42	2403-36


Top Size	2400 Series
48 x 48	24035-36
60 x 60	24035-36
18 Round	2402-18
24 Round	2402-22
30 Round	2402-22
36 Round	2402-28
42 Round	2402-28
48 Round	2403-36
51 Round	2403-36
54 Round	24035-36
60 Round	24035-36

+ = Two bases per top required

2500 SERIES



24 x 24



24 x 24

FEATURES

- Cast Iron Baseplate, Powdercoat Finish
- Aluminum Accent Collar in Powdercoat or Polished Aluminum
- 16 GA 2.5" Round Steel Column
- 10 x 10 Steel Spider, Black
- MPT1 Nylon Glides

OPTIONS

- \$27 Upcharge, per base set up
- \$5 Super Leveler Glides
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/counter height 34.75" (CH)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 16.75" (C)
- \$166 Per column standard height with wire management
- \$214 Per column/up to 40.75" greater than standard height with wire management
- \$198 Per column/wheelchair height 30" with wire management
- \$188 Per column/cocktail height 16.75" with wire management

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3
2503-24	24 x 24	15	2.5	61	27.5	735	750	790

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.

(Larger or heavier tops may cause instability).

Top Size	2500 Series
36 Round	2503-24
42 Round	2503-24
48 Round	2503-24
36 x 36	2503-24
42 x 42	2503-24
48 x 48	2503-24


Top Size	2500 Series
30 x 48	2503-24 +
30 x 54	2503-24 +
30 x 60	2503-24 +

Top Size	2500 Series
30 x 72	2503-24 +
30 x 84	2503-24 +
30 x 96	2503-24 +
30 x 108	2503-24 ++
30 x 120	2503-24 ++
30 x 144	2503-24 ++
36 x 48	2503-24 +
36 x 54	2503-24 +
36 x 60	2503-24 +
36 x 72	2503-24 +
36 x 84	2503-24 +
36 x 96	2503-24 +
36 x 108	2503-24 ++
36 x 120	2503-24 ++
36 x 144	2503-24 ++

+ = Two bases per top required

++ = Three bases per top required

2700 SERIES



20 RD
24 RD
30 RD

FEATURES

- Cast iron base
- 2" 15 ga./3" 18 ga. steel tubing column
- 5RCT2 rubber cushion glides

OPTIONS

- \$27 Upcharge, per base set up
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footring (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
2702-20	20	15	2	40	27.75	214	251	340	423	486
2703-20	20	15	3	41	27.75	226	260	349	437	494
2704-20	20	15	4	42	27.75	240	272	361	448	517
2702-24	24	15	2	43	27.75	240	279	378	475	525
2703-24	24	15	3	44	27.75	252	290	398	494	552
2704-24	24	15	4	45	27.75	259	306	415	525	582
2703-30	30	24	3	64	27.75	397	442	570	786	837
2704-30	30	24	4	65	27.75	405	452	576	793	842
SF2703-24 o	24	15	3	49	40	470	508	615	711	767

o = Stand up with 15" footring

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.

(Larger or heavier tops may cause instability).


Top Size	2700 Series
18 x 18	N/A
24 x 24	2703-20
24 x 30	2703-20
24 x 36	2703-20
24 x 42	2704-20
24 x 48	2704-20
24 x 60	2702-20 +
24 x 72	2702-20 +
24 x 84	2702-20 +
24 x 96	2702-20 +
30 x 30	2703-24
30 x 36	2703-24
30 x 42	2703-24
30 x 48	2702-20 +

Top Size	2700 Series
30 x 60	2702-20 +
30 x 72	2703-20 +
30 x 84	2703-20 +
30 x 96	2703-20 +
36 x 36	2703-24
36 x 42	2703-30
36 x 48	2703-30
36 x 60	2703-30
36 x 72	2703-24 +
36 x 84	2703-24 +
36 x 96	2703-24 +
42 x 42	2703-30
48 x 48	2704-30
60 x 60	N/A

Top Size	2700 Series
18 Round	N/A
24 Round	2703-20
30 Round	2702-24
30 Round	2703-24
30 Round	SF2703-24
36 Round	2703-24
36 Round	SF2703-24
42 Round	2703-30
48 Round	2704-30
51 Round	2704-30
54 Round	2704-30
60 Round	2704-30

+ = Two bases per top required

3300 SERIES



14 RD
17 RD
22 RD
30 RD

FEATURES

- Cast iron base
- 2" 15 ga./3" & 4" 18 ga. steel tubing column
- 5RCT rubber cushion glides

OPTIONS


- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
3302-14	14	12	2	20	29.75	170	221	282	366	425
3302-17	17	15	2	37	29.75	197	240	318	425	498
3303-22	22	15	3	50	29.75	282	343	410	556	599
3304-30	30	15	4	87	29.75	495	562	688	943	960
SF3303-22 o	22	15	3	55	42	500	543	620	772	817

o = Stand up with 15" footing

3302-14 Maximum top size recommended 24" (round only)

4100 SERIES



17 RD
22 RD
30 RD

FEATURES

- Cast iron base
- 2" 15 ga./3" & 4" 18 ga. steel tubing column
- 5RCT rubber cushion glides

OPTIONS

- \$27 Upcharge, per base set up
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footing (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
4102-17	17	15	2	27	29.25	201	252	301	391	482
4103-22	22	15	3	42	29.25	255	317	405	480	561
4104-30	30	15	4	92	29.25	480	544	648	771	866
SF4103-22 o	22	15	3	47	41.5	474	534	573	696	752

o = Standup with 15" footing

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).



Top Size	3300 Series	4100 Series
18 x 18	3302-17	4102-17
24 x 24	3302-17	4102-17
24 x 30	3302-17	4102-17
24 x 36	3303-22	4103-22
24 x 42	3303-22	4103-22
24 x 48	3302-17 +	4103-22
24 x 60	3302-17 +	4102-17 +
24 x 72	3302-17 +	4102-17 +
24 x 84	3302-17 +	4102-17 +
24 x 96	3302-17 +	4102-17 +
30 x 30	3303-22	4103-22
30 x 36	3303-22	4103-22
30 x 42	3303-2	4103-22

Top Size	3300 Series	4100 Series
30 x 48	3302-17 +	4102-17 +
30 x 60	3302-17 +	4102-17 +
30 x 72	3302-17 +	4102-17 +
30 x 84	3302-17 +	4102-17 +
30 x 96	3302-17 +	4102-17 +
36 x 36	3303-22	4103-22
36 x 42	3303-22	4103-22
36 x 48	3304-30	4104-30
36 x 60	3304-30	4104-30
36 x 72	3303-22 +	4103-22 +
36 x 84	3303-22 +	4103-22 +
36 x 96	3303-22 +	4103-22 +
42 x 42	3304-30	4104-30

Top Size	3300 Series	4100 Series
48 x 48	3304-30	4104-30
18 Round	3302-14	4102-17
24 Round	3302-17	4102-17
30 Round	3302-17	4102-17
36 Round	3303-22	4103-22
36 Round	SF3303-22	SF4103-22
42 Round	3304-30	4104-30
48 Round	3304-30	4104-30
51 Round	3304-30	4104-30
54 Round	3304-30	4104-30
60 Round	3304-30	4104-30

+ = Two bases per top required

4300 SERIES



FEATURES

- Cast iron base
- 2" 15 ga. steel tube column
- End Base/2 each RCT2 rubber cushion glides
- All others/4 each RCT2 rubber cushion glides

OPTIONS

- \$27 Upcharge, per base set up
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
4302-322*	3x22	15	2	19	27.5	175	185	214	254	297
4302-18	18	15	2	23	27.5	203	212	273	380	422
4302-22	22	15	2	25	27.5	226	234	297	388	424
4302-30	30	15	2	28	27.5	254	267	351	503	547
4302-2230	22x30	15	2	35	27.5	327	340	423	576	622
43024-40**	40	15	2	73	27.5	696	729	896	1,229	1,326

* = End Base

** = Four Column Base

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.

(Larger or heavier tops may cause instability).

Top Size	4300 Series
18 x 18	4302-18
24 x 24	4302-22
24 x 30	4302-22
24 x 36	4302-2230
24 x 42	4302-2230
24 x 48	4302-2230
24 x 60	4302-322 +
24 x 72	4302-322 +
24 x 84	4302-18 +
24 x 96	4302-18 +
30 x 30	4302-22
30 x 36	4302-2230
30 x 42	4302-2230

Top Size	4300 Series
30 x 48	4302-322 +
30 x 60	4302-322 +
30 x 72	4302-322 +
30 x 84	4302-322 +
30 x 96	4302-22 +
36 x 36	4302-30
36 x 42	4302-30
36 x 48	4302-30
36 x 60	4302-322 +
36 x 72	4302-22 +
36 x 84	4302-2230 +
36 x 96	4302-2230 +
42 x 42	4302-30

Top Size	4300 Series
48 x 48	43024-40
60 x 60	43024-40
18 Round	4302-18
24 Round	4302-18
30 Round	4302-22
36 Round	4302-30
42 Round	4302-30
48 Round	4302-30
51 Round	4302-30
54 Round	43024-40
60 Round	43024-40

+ = Two bases per top required



4400 SERIES

FEATURES

- Cast iron base
- 18 ga. steel tubing column
- End Base/2 each RCT2 rubber cushion glides
- All others/5 each RCT2 rubber cushion glides

OPTIONS

- \$25 Upcharge, per base set up
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footing (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)



Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
4403-16	16	15	3	31	29	210	255	311	N/A	N/A
4403-22	22	15	3	44	29	281	330	431	N/A	N/A
4404-30	30	24	4	85	29	522	579	690	N/A	N/A
4403-522*	5x22	15	3	23	29	188	233	299	N/A	N/A
4403-1622	16x22	15	3	37	29	366	410	477	N/A	N/A
44032-2230**	22x30	12	3	68	29	542	587	654	N/A	N/A
SF4403-22 o	22	15	3	49	41.25	503	546	614	N/A	N/A

o = Stand up with 15" footing

* = End Base

** = Two Column Base

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.

(Larger or heavier tops may cause instability).


Top Size	4400 Series
18 x 18	4403-16
24 x 24	4403-16
24 x 30	4403-16
24 x 36	4403-1622
24 x 42	4403-522 +
24 x 48	4403-522 +
24 x 60	4403-522 +
24 x 60	4403-1622 +
24 x 72	4403-522 +
24 x 72	4403-1622 +
24 x 84	4403-522 +
24 x 84	4403-1622 +
24 x 96	4403-522 +
24 x 96	4403-1622 +
30 x 30	4403-22
30 x 36	4403-1622
30 x 42	4403-522 +
30 x 48	4403-522 +

Top Size	4400 Series
30 x 48	44032-2230
30 x 60	4403-522 +
30 x 60	4403-1622 +
30 x 60	44032-2230
30 x 72	4403-522 +
30 x 72	4403-1622 +
30 x 72	44032-2230
30 x 84	4403-522 +
30 x 84	4403-1622 +
30 x 96	4403-522 +
30 x 96	4403-1622 +
36 x 36	4403-22
36 x 42	44032-2230
36 x 48	4403-522 +
36 x 48	44032-2230
36 x 60	4403-522 +
36 x 60	4403-1622 +
36 x 72	4403-522 +

Top Size	4400 Series
36 x 72	4403-1622 +
36 x 84	4403-522 +
36 x 84	4403-1622 +
36 x 96	4403-522 +
36 x 96	4403-1622 +
36 x 96	44032-2230 +
42 x 42	4404-30
48 x 48	4404-30
60 x 60	N/A
18 Round	4403-16
24 Round	4403-16
30 Round	4403-16
36 Round	4403-22
42 Round	4404-30
48 Round	4404-30
51 Round	4404-30
54 Round	4404-30
60 Round	4404-30

+ = Two bases per top required

4800 SERIES



18 RD
22 RD
30 RD

FEATURES

- Cast iron base
- 2" 15 ga./3" 18 ga. steel tubing column
- 5 RCT2 rubber cushion glides


OPTIONS

- \$27 Upcharge, per base set up
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footing (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
4802-18	18	15	2	27	28	170	211	283	384	452
4802-22	22	15	3	42	28	221	265	353	478	543
4803-30	28	15	3	92	28	375	426	532	708	765
SF4803-22 o	30	24	3	47	40.75	497	551	658	814	894

o = Stand up with 15" footing

4900 SERIES



22x22
26x26

32x32

FEATURES

- Cast iron base
- Cast iron column
- 3" 18 ga. steel tubing column
- 22" and 26" / 3 RCT2 rubber cushion glides
- 32" / 4 RCT2 rubber cushion glides

OPTIONS

- \$27 Upcharge, per base set up

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
4903-22	22	17	3.5	44	28.75	308	318	414	585	605
4903-26	26	17	3.5	47	28.75	350	361	465	656	678
4904-32	32	17	4.5	65	28.75	398	416	541	819	843
4904-32W*	32	17	4.5	68	30.5	482	502	625	898	925

* = Wheelchair height 30.5" (OAH)

Optional heights not available

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	4800 Series	4900 Series	Top Size	4800 Series	4900 Series	Top Size	4800 Series	4900 Series
18 x 18	4802-18	N/A	30 x 48	4802-30	4904-32	48 x 48	4803-30	4904-32
24 x 24	4802-18	4903-22	30 x 60	4802-22 +	4903-22 +	60 x 60	N/A	N/A
24 x 30	4802-22	4903-22	30 x 72	4802-22 +	4903-22 +	18 Round	4802-18	N/A
24 x 36	4802-22	4903-26	30 x 84	4802-22 +	4903-22 +	24 Round	4802-18	4903-22
24 x 42	4802-18 +	N/A	30 x 96	4802-22 ++	4903-26 +	30 Round	4802-22	4903-22
24 x 48	4802-18 +	N/A	36 x 36	4802-22	4904-32	36 Round	4802-22	4903-26
24 x 60	4802-18 +	4903-22 +	36 x 42	4803-30	4904-32	42 Round	4802-22	4904-32
24 x 72	4802-18 +	4903-22 +	36 x 48	4803-30	4904-32	48 Round	4803-30	4904-32
24 x 84	4802-18 +	4903-22 +	36 x 60	4802-22 +	4903-22 +	51 Round	4803-30	4904-32
24 x 96	4802-18 ++	4903-22 +	36 x 72	4802-22 +	4903-22 +	54 Round	4803-30	4904-32
30 x 30	4802-22	4903-22	36 x 84	4802-22 +	4903-26 +	60 Round	4803-30	4904-32
30 x 36	4802-22	4903-26	36 x 96	4802-22 +	4903-26 +			
30 x 42	4802-22	4904-32	42 x 42	4803-30	4904-32			

+ = Two bases per top required

++ = Three bases per top required

5400 SERIES



FEATURES

- Cast Iron Base
- 2" 15 ga./3" 18 ga. steel tubing column glides
- 4 RCT2 rubber cushion

OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
5402-1216	12x16	12	2	32	28.25	262	294	N/A	N/A	N/A
5402-1216N	12x16	10	2	33	28.25	262	294	N/A	N/A	N/A
5403-1622	16x22	12	3	42	28.25	298	332	N/A	N/A	N/A
5403-1622N	16x22	10	3	43	28.25	298	332	N/A	N/A	N/A

N denotes offset column

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	5400 Series	5400N Series
18 x 18	5402-1216	5402-1216N
24 x 24	5402-1216	5402-1216N
24 x 30	5403-1622	5403-1622N
24 x 36	5403-1622	N/A
24 x 42	5403-1622 s	N/A
24 x 48	5403-1622 s	5402-1216N +
24 x 60	5402-1216 +	5402-1216N +
24 x 72	5402-1216 +	5402-1216N +
24 x 84	5402-1216 +	5402-1216N +
24 x 96	5402-1216 +	5402-1216N +
30 x 30	5403-1622	5403-1622N
30 x 36	5403-1622	N/A
30 x 42	5403-1622	N/A


Top Size	5400 Series	5400N Series
30 x 48	5403-1622	5402-1216N +
30 x 60	5403-1622 +	5403-1622N +
30 x 72	5403-1622 +	N/A
30 x 84	5403-1622 +	N/A
30 x 96	5403-1622 s	N/A
36 x 36	5403-1622 s	N/A
36 x 42	5402-1216 +	N/A
36 x 48	5402-1216 +	N/A
36 x 60	5402-1216 +	5403-1622N +
36 x 72	5403-1622 +	N/A
36 x 84	5403-1622 +	N/A
36 x 96	5403-1622 +	N/A
42 x 42	N/A	N/A

Top Size	5400 Series	5400N Series
48 x 48	N/A	N/A
60 x 60	N/A	N/A
18 Round	5402-1216	N/A
24 Round	5402-1216	N/A
30 Round	5403-1622	N/A
36 Round	5403-1622	N/A
42 Round	N/A	N/A
48 Round	N/A	N/A
51 Round	N/A	N/A
54 Round	N/A	N/A
60 Round	N/A	N/A

s = 15" cast iron spider recommended

+ = Two bases per top required

6600 Scallop



18 RD
22 RD
28 RD

FEATURES

- Cast iron base
- 18 ga. steel tubing column
- 5 RCT2 rubber cushion glides
- Unpolished collar, available in standard powdercoat colors


OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footing (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
6603-18	18	12	3	27	28.25	332	347	N/A	N/A	N/A
6603-22	22	12	3	37	28.25	362	382	N/A	N/A	N/A
6603-28	28	15	3	57	28.25	541	572	N/A	N/A	N/A
SF6603-22 o	22	12	3	42	40.75	581	610	N/A	N/A	N/A

o = Stand up with 15" footing

6700 Stepped



18 RD
22 RD
28 RD

FEATURES

- Cast iron base
- 18 ga. steel tubing column
- 5 RCT2 rubber cushion glides
- Unpolished collar, available in standard powdercoat colors

OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footing (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
6703-18	18	12	3	27	28.25	332	347	N/A	N/A	N/A
6703-22	22	12	3	37	28.25	362	382	N/A	N/A	N/A
6703-28	28	15	3	57	28.25	541	572	N/A	N/A	N/A
SF6703-22 o	22	12	3	42	40.75	581	610	N/A	N/A	N/A

o = Stand up with 15" footing

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	6600 Series	6700 Series
18 x 18	6603-18	6703-18
24 x 24	6603-18	6703-18
24 x 30	6603-18	6703-18
24 x 36	6603-22	6703-22
24 x 42	6603-22	6703-22
24 x 48	6603-18+	6703-18 +
24 x 60	6603-18+	6703-18 +
24 x 72	6603-18+	6703-18 +
24 x 84	6603-18 + s	6703-18 + s
24 x 96	6603-18 + s	6703-18 + s
30 x 30	6603-18	6703-18
30 x 36	6603-22	6703-22
30 x 42	6603-22	6703-22


Top Size	6600 Series	6700 Series
30 x 48	6603-18 +	6703-18 +
30 x 60	6603-18 +	6703-18
30 x 72	6603-18 +	6703-18
30 x 84	6603-18 + s	6703-22
30 x 96	6603-18 + s	6703-22
36 x 36	6603-22	6703-18 +
36 x 42	6603-22	6703-18 +
36 x 48	6603-28	6703-18 +
36 x 60	6603-22 +	6703-18 + s
36 x 72	6603-22 +	6703-18 + s
36 x 84	6603-22 +	6703-18
36 x 96	6603-22 +	6703-22
42 x 42	6603-28	6703-22

Top Size	6600 Series	6700 Series
48 x 48	6603-28	6703-28
60 x 60	N/A	N/A
18 Round	6603-18	6703-18
24 Round	6603-18	6703-18
30 Round	6603-18/SF6603-22	6703-18/SF6703-22
36 Round	6603-22/SF6603-22	6703-22/SF6703-22
42 Round	6603-28	6703-28
48 Round	6603-28	6703-28
51 Round	6603-28	6703-28
54 Round	6603-28	6703-28
60 Round	6603-28	6703-28

s = 15" cast iron spider recommended

+ = Two bases per top required

6800 Rocket



18 RD
22 RD
28 RD

FEATURES

- Cast Iron Base
- 18 gauge steel tubing column
- 5 RCT2 rubber cushion glides
- Unpolished collar, available in standard powdercoat colors

OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footing (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
6803-18	18	12	3	27	28.25	332	347	N/A	N/A	N/A
6803-22	22	12	3	37	28.25	362	382	N/A	N/A	N/A
6803-28	28	15	3	57	28.25	541	572	N/A	N/A	N/A
SF6803-22 o	22	12	3	42	40.75	581	610	N/A	N/A	N/A

o = Stand up with 15" footing

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.


(Larger or heavier tops may cause instability).

Top Size	6800 Series
18 x 18	6803-18
24 x 24	6803-18
24 x 30	6803-18
24 x 36	6803-22
24 x 42	6803-22
24 x 48	6803-18 +
24 x 60	6803-18 +
24 x 72	6803-18 +
24 x 84	6803-18 + s
24 x 96	6803-18 + s
30 x 30	6803-18
30 x 36	6803-22
30 x 42	6803-22

Top Size	6600 Series
30 x 48	6803-18 +
30 x 60	6803-18 +
30 x 72	6803-18 +
30 x 84	6803-18 + s
30 x 96	6803-18 + s
36 x 36	6803-22
36 x 42	6803-22
36 x 48	6803-28
36 x 60	6803-22 +
36 x 72	6803-22 +
36 x 84	6803-22 +
36 x 96	6803-22 +
42 x 42	6803-28

Top Size	6600 Series
48 x 48	6803-28
60 x 60	N/A
18 Round	6803-18
24 Round	6803-18
30 Round	6803-18/SF6803-22
36 Round	6803-22/SF6803-22
42 Round	6803-28
48 Round	6803-28
51 Round	6803-28
54 Round	6803-28
60 Round	6803-28

7100 SERIES



FEATURES

- Cast iron base
- 2" 15 ga./3" 18 ga. steel tubing column
- End Base/2 each nylon glides with ABS plastic adjustable knobs glides
- All others/4 each nylon glides with ABS plastic adjustable knobs glides
- Knobs available in black, fog, stop red, or yellow

OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
7102-218*	2x18	12	2	12	27.5	140	142	190	209	262
7102-222*	2x22	12	2	15	27.5	163	165	212	232	290
7102-228*	2x28	15	2	22	27.5	212	215	275	298	354
7102-18	18	12	2	15	27.5	191	195	229	264	336
7102-24	24	15	2	24	27.5	243	249	289	351	421
7103-32	32	15	3	30	27.5	308	316	384	426	537

* = End Base

7600 SERIES



FEATURES

- Cast iron base
- 3" 18 ga. steel tubing column
- 4 RCT2 rubber cushion glides

OPTIONS

- \$27 Upcharge, per base set up
- \$23 Upcharge for 15" spider
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$317 Per base/stand up height with footring (SF)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
7603-622*	6x22	12	3	24	29	270	293	N/A	N/A	N/A
7603-22	22	12	3	30	29	338	366	N/A	N/A	N/A
7603-28	28	12	3	36	29	363	393	N/A	N/A	N/A
7603-32	32	15	3	44	29	367	408	N/A	N/A	N/A
7603-2232	22x32	15	3	37	29	375	432	N/A	N/A	N/A

* = End Base

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	7100 Series	7600 Series	Top Size	7100 Series	7600 Series	Top Size	7100 Series	7600 Series
18 x 18	7102-18	N/A	30 x 48	7102-228 +	7603-622 +	48 x 48	N/A	7603-32
24 x 24	7102-18	7603-22	30 x 60	7102-228 +	7603-622 +	60 x 60	7102-222 ^	N/A
24 x 30	7102-24	7603-22	30 x 72	7102-228 +	7603-622 + s	18 Round	7102-18	N/A
24 x 36	7102-24	7603-2232	30 x 84	7102-228 +	7603-22 +	24 Round	7102-18	7603-22
24 x 42	7102-222 +	7603-2232	30 x 96	7102-228 +	7603-22 +	28 Round	N/A	7603-22
24 x 48	7102-222 +	7603-2232	36 x 36	7103-32	7603-28	30 Round	7102-24	7603-22
24 x 60	7102-222 +	7603-622 +	36 x 42	7103-32	7603-2232	36 Round	7103-32	7603-28
24 x 72	7102-222 +	7603-622 +	36 x 48	7102-228 +	7603-622 +	42 Round	7103-32	7603-28
24 x 84	7102-222 +	7603-22 +	36 x 60	7102-228 +	7603-622 +	48 Round	7103-32	7603-32
24 x 96	7102-222 +	7603-22 +	36 x 72	7102-228 +	7603-28 +	51 Round	N/A	7603-32
30 x 30	7102-24	7603-22	36 x 84	7102-228 +	7603-28 +	54 Round	7102-218 ^ s	7603-22 ^ s
30 x 36	7102-24	7603-28	36 x 96	7102-228 +	7603-28 +	60 Round	7102-218 ^ s	7603-22 ^ s
30 x 42	7102-228 +	7603-2232	42 x 42	7103-32	7603-32			

s = 15" cas iron spider recommended

+ = Two bases per top required

^ = Four bases per top required

7700 SERIES




FEATURES

- Powdercoat Finishes
- 14 GA Steel Square Column
- MIPT Glides
- 10 x 10 Steel Spider, Black

OPTIONS

- Additional heights available
- Also available with four square legs
- Super Leveler Glides

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3
7743-1624	16 x 24	10	3 x 3	84	27.4	637	646	661
7743-1636	16 x 36	10	3 x 3	142	27.4	901	916	940
7743-22	22 x 22	10	3 x 3	70	27.4	756	765	786
7743-30	30 x 30	10	3 x 3	112	27.4	956	997	1,026



Top Size	7700 Series
42	7743-30
48	7743-30
54	7743-30
36 x 36	7743-22
42 x 42	7743-30
48 x 48	7743-30
54 x 54	7743-30

Top Size	7700 Series
24 x 30	7743-1624
24 x 36	7743-1624
24 x 42	7743-1624
24 x 48	7743-1636
24 x 54	7743-1636
24 x 60	7743-1624 +
24 x 72	7743-1624 +
24 x 84	7743-1624 +
24 x 96	7743-1624 +
24 x 108	7743-1624 +
24 x 120	7743-1624 ++
24 x 144	7743-1624 ++
30 x 30	7743-22
30 x 36	7743-22
30 x 42	7743-1624
30 x 48	7743-1624
30 x 54	7743-1624
30 x 60	7743-1624 +

Top Size	7700 Series
30 x 72	7743-1624 +
30 x 84	7743-1624 +
30 x 96	7743-1624 +
30 x 108	7743-1624 ++
30 x 120	7743-1624 ++
30 x 144	7743-1624 ++
36 x 36	7743-22
36 x 42	7743-1624
36 x 48	7743-1636
36 x 54	7743-1636
36 x 60	7743-1624 +
36 x 72	7743-1624 +
36 x 84	7743-1624 +
36 x 96	7743-1624 +
36 x 108	7743-1624 ++
36 x 120	7743-1624 ++
36 x 144	7743-1624 ++
48 x 96	7743-1636 +

+ = Two bases per top required

++ = Three bases per top required

7900 SERIES



FEATURES

- Cast aluminum base
- Aluminum tubing column
- Cast aluminum spider
- 7932-24: 3 black plastic glides
- 7942-24 & 7942-24SU*: 4 black plastic glides

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
7932-24	24	20.5	3	11	28	260	N/A	N/A	N/A	N/A
7942-24	26	20.5	3	13	28	292	N/A	N/A	N/A	N/A
7942-24SU*	25	20.5	3	15	42.5	342	N/A	N/A	N/A	N/A

* = 42" OAH available only for 24" round or 24" x 24" square tops. No optional heights available

J11 SERIES



FEATURES

- Steel spinning base
- Steel column
- Steel spider
- Welded construction
- 5 molded plastic glides
- Shipped assembled

OPTIONS

- \$5 Per glide, upgrade to automatic stabilizing glides
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
J11-18	18	10x10	2.5	40	27.5	491	501	513	643	806
J11-22	22	10x10	2.5	45	27.5	530	541	555	759	873
J11-26	26	10x10	3	50	27.5	589	603	615	847	886

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).


Top Size	7900 Series	J11 Series
18 x 18	N/A	N/A
24 x 24	7932-24/ 7942-24su	J11-18
24 x 30	7932-24	J11-22
24 x 36	7942-24	J11-22
24 x 42	N/A	N/A
24 x 48	N/A	N/A
24 x 60	N/A	J11-18 +
24 x 72	N/A	J11-18 +
24 x 84	N/A	J11-18 +
24 x 96	N/A	J11-18 +
30 x 30	7942-24	J11-22
30 x 36	7942-24	J11-22
30 x 42	N/A	N/A

Top Size	7900 Series	J11 Series
30 x 48	N/A	J11-26
30 x 60	N/A	J11-18 +
30 x 72	N/A	J11-18 +
30 x 84	N/A	J11-18 +
30 x 96	N/A	J11-18 +
36 x 36	N/A	J11-22
36 x 42	N/A	N/A
36 x 48	N/A	J11-26
36 x 60	N/A	J11-22 +
36 x 72	N/A	J11-22 +
36 x 84	N/A	J11-22 +
36 x 96	N/A	J11-22 +
42 x 42	N/A	J11-22

Top Size	7900 Series	J11 Series
48 x 48	N/A	J11-26
60 x 60	N/A	N/A
18 Round	N/A	N/A
24 Round	7932-24/ 7942-24su	J11-18
28 Round	7942-24	J11-18
30 Round	7942-24	J11-18
36 Round	N/A	J11-22
42 Round	N/A	J11-22
48 Round	N/A	J11-26
51 Round	N/A	J11-26
54 Round	N/A	N/A
60 Round	N/A	N/A


+ = Two bases per top required

J30 SERIES



38x38
4 Column

18x18
26x26
32x32



18x26
18x32
26x32
26x38

2x14
2x18
2x24

2x32
2x38

FEATURES

- Steel base
- Steel column
- Steel spider
- Welded construction
- End base/2 each molded plastic glides
- All others/4 each molded plastic glides
- J30-38Q ship unassembled, all others ship assembled

OPTIONS

- \$5 Per glide, upgrade to automatic stabilizing glides
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
J30-14T*	2x14	10x10	1.8	28	27.5	265	268	271	331	379
J30-18T*	2x18	10x10	1.8	31	27.5	272	276	279	338	390
J30-18X	18x18	10x10	2.3	32	27.5	533	538	544	666	766
J30-24T*	2x24	10x10	1.8	33	27.5	286	293	295	351	404
J30-26X	26x26	10x10	2.3	35	27.5	559	567	572	690	791
J30-1826X	18x26	10x10	2.3	33	27.5	546	556	561	679	780
J30-1832X	18x32	10x10	3.5	35	27.5	561	573	579	692	795
J30-2632X	26x32	10x10	3.5	37	27.5	575	581	589	706	811
J30-32X	32x32	10x10	3.5	39	27.5	575	588	593	706	811
J30-2638X	26x38	10x10	3.5	41	27.5	631	650	657	823	934
J30-32TT*	2x32	10x10	1.8	50	27.5	308	310	314	402	463
J30-38Q**	38x38	14x14	1.8	60	27.5	1,009	1,028	1,034	1,295	1,490
J30-38TT*	2x38	10x10	1.8	58	27.5	316	324	328	447	525

T* = End Base

TT* = Two column and base

Q** = Four column base

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).



Top Size	J30 Series
18 x 18	J30-18X
24 x 24	J30-18X
24 x 30	J30-1826X
24 x 36	J30-1832X
24 x 42	J30-18T+/J30-1832X
24 x 48	J30-18T +
24 x 60	J30-18T +
24 x 72	J30-18T +
24 x 84	J30-18T +
24 x 96	J30-18T +
30 x 30	J30-26X
30 x 36	J30-2632X
30 x 42	J30-2638X

Top Size	J30 Series
30 x 48	J30-2638X
30 x 60	J30-24T +
30 x 72	J30-24T +
30 x 84	J30-24T +
30 x 96	J30-24T +
36 x 36	J30-32X
36 x 42	J30-2632X
36 x 48	J30-2638X
36 x 60	J30-24T +
36 x 72	J30-24T +
36 x 84	J30-24T +
36 x 96	J30-24T +
42 x 42	J30-32X

Top Size	J30 Series
48 x 48	J30-38Q
60 x 60	J30-38Q
18 Round	J30-18X
24 Round	J30-18X
30 Round	J30-26X
36 Round	J30-32X
42 Round	J30-32X
48 Round	J30-38Q
51 Round	J30-38Q
54 Round	J30-38Q
60 Round	J30-38Q

+ = Two bases per top required

J81 SERIES



18x18
24x24
30x30
36x36
42x42

18x24
18x30
24x30
24x36



2x18
2x24

2x32
2x38

FEATURES

- Steel base
- Steel column
- Steel spider
- Welded construction
- End base/2 each molded plastic glides
- All others/4 each molded plastic glides
- Shipped assembled

OPTIONS

- \$5 Per glide, upgrade to automatic stabilizing glides
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
J81-18X	18	10x10	2.5	36	27.5	615	620	631	748	858
J81-24X	24	10x10	2.5	39	27.5	643	649	658	775	892
J81-30X	30	10x10	3.5	42	27.5	662	668	680	795	913
J81-36X	36	10x10	3.5	45	27.5	793	804	815	990	1,140
J81-42X	42	10x10	3.5	48	27.5	874	884	896	1,072	1,232
J81-1824X	18x24	10x10	2.5	37	27.5	629	638	645	762	874
J81-1830X	18x30	10x10	3.5	40	27.5	636	649	659	776	894
J81-2430X	24x30	10x10	3.5	42	27.5	651	668	680	795	913
J81-2436X	24x36	10x10	3.5	45	27.5	684	701	713	858	986
J81-18T*	2x18	10x10	2.5	40	27.5	310	317	322	374	437
J81-24T*	2x24	10x10	2.5	42	27.5	327	331	336	395	454
J81-32TT*	2x32	10x10	1.8	44	27.5	353	356	361	449	517
J81-38TT*	2x38	10x10	1.8	50	27.5	368	374	379	494	570

T* = End Base

TT* = Two column end base

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.
(Larger or heavier tops may cause instability).


Top Size	J81 Series
18 x 18	J81-18X
24 x 24	J81-18X
24 x 30	J81-1824X
24 x 36	J81-1830X
24 x 42	N/A
24 x 48	J81-18T +
24 x 60	J81-18T +
24 x 72	J81-18T +
24 x 84	J81-18T +
24 x 96	J81-18T +
30 x 30	J81-24X
30 x 36	J81-2430X

Top Size	J81 Series
30 x 42	J81-2436X
30 x 48	J81-2436X
30 x 60	J81-24T +
30 x 72	J81-24T +
30 x 84	J81-24T +
30 x 96	J81-24T +
36 x 36	J81-30X
36 x 42	J81-24T +
36 x 48	J81-2436X
36 x 60	J81-24T +
36 x 72	J81-24T +
36 x 84	J81-24

Top Size	J81 Series
36 x 96	J81-24T +
42 x 42	J81-36X
48 x 48	J81-42X
60 x 60	J81-42X
24 Round	J81-18X
30 Round	J81-24X
36 Round	J81-30X
42 Round	J81-30X
48 Round	J81-36X
51 Round	J81-36X
54 Round	J81-42X
60 Round	J81-42X

+ = Two bases per top required

J91 SERIES



18 RD
22 RD
26 RD

FEATURES


- Steel base
- Steel column
- Steel spider
- Welded construction
- 5 each molded plastic glides
- Shipped assembled

OPTIONS

- \$5 Per glide, upgrade to automatic stabilizing glides
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
J91-18	18	10x10	3.5	40	27.5	714	723	734	849	976
J91-22	22	10x10	3.5	45	27.5	762	772	784	927	1,066
J91-26	26	10x10	3.5	50	27.5	917	931	943	1,115	1,286

69A5 SERIES



18 RD
22 RD
28 RD

FEATURES

- Cast iron base.
- Maple wood column
- Standard wood finish
- 5 RCT2 rubber cushion glides.

OPTIONS

- \$23 Upcharge for 15" spider

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
69A5-18	18	12	3	30	27.75	706	722	N/A	N/A	N/A
69A5-22	22	12	3	40	27.75	782	805	N/A	N/A	N/A
69A5-28	28	15	3	60	27.75	974	997	N/A	N/A	N/A
SU69A5-22 o	22	12	3	43	42	952	976	N/A	N/A	N/A
SU69A5-28 o	28	15	3	63	42	1,148	1,172	N/A	N/A	N/A

o = Stand up, no footing

Optional heights not available

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).


Top Size	J91 Series	69A5 Series
18 x 18	N/A	69A5-18
24 x 24	J91-18	69A5-18
24 x 30	J91-22	69A5-18
24 x 36	J91-22	69A5-22
24 x 42	N/A	69A5-22
24 x 48	N/A	69A5-18 +
24 x 60	J91-18+	69A5-18 +
24 x 72	J91-18+	69A5-18 +
24 x 84	J91-18+	69A5-18 +
24 x 96	J91-18+	69A5-18 +
30 x 30	J91-18	69A5-18
30 x 36	J91-22	69A5-22

Top Size	J91 Series	69A5 Series
30 x 42	J91-26	69A5-22
30 x 48	J91-26	69A5-28
30 x 60	J91-18 +	69A5-18 +
30 x 72	J91-18 +	69A5-18 +
30 x 84	J91-18 +	69A5-22 +
30 x 96	J91-18 +	69A5-22 +
36 x 36	J91-22	69A5-22
36 x 42	N/A	69A5-22
36 x 48	J91-26	69A5-28
36 x 60	J91-22 +	69A5-22 +
36 x 72	J91-22 +	69A5-22 +
36 x 84	J91-22 +	69A5-28 +

Top Size	J91 Series	69A5 Series
36 x 96	J91-22 +	69A5-28 +
42 x 42	J91-22	69A5-28
48 x 48	J91-26	69A5-28
18 Round	N/A	69A5-18
24 Round	J91-18	69A5-18
30 Round	J91-18	SU69A5-22 / 69A5-18
36 Round	J91-22	SU69A5-28 / 69A5-22
42 Round	J91-26	69A5-28
48 Round	J91-26	69A5-28
51 Round	N/A	N/A
54 Round	N/A	N/A
60 Round	N/A	N/A

+ = Two bases per top required

69B5 SERIES



18 RD
22 RD
28 RD

FEATURES

- Cast iron base
- Maple wood column
- Standard wood finish
- 5 RCT2 rubber cushion glides


OPTIONS

\$23 Upcharge for 15" spider

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
69B5-18	18	12	3	30	27.75	627	642	N/A	N/A	N/A
69B5-22	22	12	3	40	27.75	701	725	N/A	N/A	N/A
69B5-28	28	15	3	60	27.75	890	913	N/A	N/A	N/A

Optional heights not available

69C5 SERIES



18 RD
22 RD
28 RD

FEATURES

- Cast iron base
- Cast iron column
- 5 RCT2 rubber cushion glides

OPTIONS

\$23 Upcharge for 15" spider

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Polished Chrome
69C5-18	18	12	3	35	27.75	356	375	N/A	N/A	N/A
69C5-22	22	12	3	45	27.75	431	459	N/A	N/A	N/A
69C5-28	28	15	3	55	27.75	619	658	N/A	N/A	N/A

Optional heights not available

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).


Top Size	69B5 Series	69C5 Series
18 x 18	69B5-18	69C5-18
24 x 24	69B5-18	69C5-18
24 x 30	69B5-18	69C5-18
24 x 36	69B5-22	69C5-22
24 x 42	69B5-22	69C5-22
24 x 48	69B5-18 +	69C5-18 +
24 x 60	69B5-18 +	69C5-18 +
24 x 72	69B5-18 +	69C5-18 +
24 x 84	69B5-18 +	69C5-18 +
24 x 96	69B5-18 +	69C5-18 +
30 x 30	69B5-18	69C5-18
30 x 36	69B5-22	69C5-22

Top Size	69B5 Series	69C5 Series
30 x 42	69B5-22	69C5-22
30 x 48	69B5-28	69C5-28
30 x 60	69B5-18 +	69C5-18 +
30 x 72	69B5-18 +	69C5-18 +
30 x 84	69B5-22 +	69C5-22 +
30 x 96	69B5-22 +	69C5-22 +
36 x 36	69B5-22	69CA5-22
36 x 42	69B5-22	69C5-22
36 x 48	69B5-28	69C5-28
36 x 60	69B5-22 +	69C5-22 +
36 x 72	69B5-22 +	69C5-22 +
36 x 84	69B5-28 +	69C5-28 +

Top Size	69B5 Series	69C5 Series
36 x 96	69B5-28 +	69C5-28 +
42 x 42	69B5-28	69C5-28
48 x 48	69B5-28	69C5-28
60 x 60	N/A	N/A
24 Round	69B5-18	69C5-18
30 Round	69B5-18	69C5-18
36 Round	69B5-22	69C5-22
42 Round	69B5-28	69C5-28
48 Round	69B5-28	69C5-28
51 Round	N/A	N/A
54 Round	N/A	N/A
60 Round	N/A	N/A

+ = Two bases per top required

Pin Leg w/ Welded Spider - no accents



FEATURES

- 18 ga. steel tubing column
- 1 rubber cushion glide
- 4" x 6" Welded 4YG welded plate spider

OPTIONS

- \$5 Per glide, upgrade to automatic stabilizing glides
- \$46 Per column/up to 40.75" greater than standard height (STU)
- \$46 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
PL23	N/A	N/A	3	7	28	185	185	185	228	N/A

Pin Leg

PL66



PL67



PL68



FEATURES

- 18 ga. steel column
- 1 MPT, molded plastic glide, MPT1
- Cast iron accent collar, unpolished
- Accent collar in Grade 1 and 2 only, column may be plated

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
PL66SS*	6	12	3	10	28	259	262	262	316	Quote
PL66CS*	6	10	3	11	28	259	262	262	316	Quote
PL67SS**	5	12	3	10	28	259	262	262	316	Quote
PL67CS**	5	10	3	11	28	259	262	262	316	Quote
PL68SS***	5	12	3	10	28	259	262	262	316	Quote
PL68CS***	5	10	3	11	28	259	262	262	316	Quote

* = Scallop accent ** = Stepped accent *** = Rocket asscent SS = Standard Spider CS = Corner Spider



PL67 5"

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS. (Larger or heavier tops may cause instability).

Top Size	PL23/PL SS Series	PL CS Series
18 x 18	N/A	N/A
24 x 24	N/A	N/A
24 x 30	N/A	N/A
24 x 36	N/A	N/A
24 x 42	N/A	N/A
24 x 48	N/A	N/A
24 x 60	N/A	N/A
24 x 72	N/A	N/A
24 x 84	N/A	N/A
24 x 96	N/A	N/A
30 x 30	N/A	PLCS ^
30 x 36	N/A	PLCS ^
30 x 42	N/A	PLCS ^

Top Size	PL23/PL SS Series	PL CS Series
30 x 48	N/A	PLCS ^
30 x 60	N/A	PLCS ^
30 x 72	N/A	PLCS ^
30 x 84	N/A	PLCS ^
30 x 96	N/A	PLCS ^
36 x 36	PL23 ^/PLSS ^	PLCS ^
36 x 42	PL23 ^/PLSS ^	PLCS ^
36 x 48	PL23 ^/PLSS ^	PLCS ^
36 x 60	PL23 ^/PLSS ^	PLCS ^
36 x 72	PL23 ^/PLSS ^	PLCS ^
36 x 84	PL23 ^/PLSS ^	PLCS ^
36 x 96	PL23 ^/PLSS ^	PLCS ^
42 x 42	PL23 ^/PLSS ^	PLCS ^

Top Size	PL23/PL SS Series	PL CS Series
48 x 48	PL23 ^/PLSS ^	PLCS ^
60 x 60	PL23 ^/PLSS ^	PLCS ^
18 Round	N/A	N/A
24 Round	N/A	N/A
30 Round	N/A	N/A
36 Round	N/A	PLCS ^
42 Round	N/A	PLCS ^
48 Round	PL23 ^/PLSS ^	PLCS ^
51 Round	PL23 ^/PLSS ^	PLCS ^
54 Round	PL23 ^/PLSS ^	PLCS ^
60 Round	PL23 ^/PLSS ^	PLCS ^

^ = Four bases per top required

P900 Permanent Mount



FEATURES

- Cast iron with steel spinning cover
- 14 ga. steel tubing column
- Top: Maximum, size for one base is 30" x 42"
- Attaching hardware not included with base
- Shipped knocked down only

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
P-900	7.5	12	3	13	28.5	258	260	324	349	368

Pin Leg




FEATURES

- Square steel tubing construction
- Floor mounted
- Use with cantilever base or angle iron when additional support is required

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
PL1	N/A	N/A	1.25	5	28	93	99	99	131	141

Use with cantilever base or angle iron when additional support is required


Cantilever



FEATURES

- Square steel tubing construction
- Price includes angle iron bracket
- Top: 2305-22: 22" up to 30"
2305-34: 34" up to 54"

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3	Polished Chrome	Satin Chrome
2305-22	N/A	N/A	2	8		207	207	207	N/A	N/A
2305-34	N/A	N/A	2	10		238	238	238	N/A	N/A



Cantilever Base Blocking Plan

SYNTECH 250X-22 SERIES



22 x 22

FEATURES

- Cast Iron Baseplate, Powdercoat Finish
- 16 GA 3" Round Steel Column
- 15 x 15 Cast Iron
- MIPT Glides

OPTIONS

- \$27 Upcharge, per base set up
- \$48 Per column/up to 40.75" greater than standard height (STU)
- \$48 Per column/counter height 34.75" (CH)
- \$48 Per column/wheelchair height 30" (W)
- \$19 Per column/cocktail height 18" (C)
- \$166 Per column standard height with wire management
- \$214 Per column/up to 40.75" greater than standard height with wire management
- \$198 Per column/wheelchair height 30" with wire management
- \$188 Per column/cocktail height 16.75" with wire management
- \$317 Per base/Stand up height with footing

Catalog Number	Base Spread	Spider Spread	Col. Dia.	Apprx WT	Overall Height	Grade 1	Grade 2	Grade 3
250X-22	22 x 22	15	3	33	27.75	400	461	482

RECOMMENDED BASE BY TABLE TOP SIZE USING STANDARD FALCON CORE TOPS.

(Larger or heavier tops may cause instability).

Top Size	250X-22 Series
24 Round	250X-22
30 Round	250X-22
36 Round	250X-22
24 x 24	250X-22
30 x 30	250X-22
36 x 36	250X-22

Top Size	250X-22 Series
24 x 30	250X-22
24 x 36	250X-22
24 x 42	N/A
24 x 48	250X-22 +
24 x 54	250X-22 +
24 x 60	250X-22 +
24 x 72	250X-22 +
24 x 84	250X-22 +
24 x 96	250X-22 +
24 x 108	250X-22 ++
24 x 120	250X-22 ++
24 x 144	250X-22 ++

Top Size	250X-22 Series
30 x 30	250X-22
30 x 36	250X-22
30 x 42	N/A
30 x 48	802-322 +
30 x 54	802-322 +
30 x 60	802-322 +
30 x 72	250X-22 +
30 x 84	250X-22 +
30 x 96	250X-22 +
30 x 108	250X-22 ++
30 x 120	250X-22 ++
30 x 144	250X-22 ++

Top Size	250X-22 Series
36 x 36	250X-22
36 x 42	N/A
36 x 48	250X-22 ++
36 x 54	250X-22 ++
36 x 60	250X-22 ++
36 x 72	250X-22 ++
36 x 84	250X-22 ++
36 x 96	250X-22 ++
36 x 108	250X-22 ++
36 x 120	802-322 ++
36 x 144	802-322 ++
48 x 96	802-32 +

+ = Two bases per top required

++ = Three bases per top required