

FALCONTM

MATSTM TABLES

WORKBOOK/PRICE LIST January 2015

DELIVERED TO ZONE 1, ADD + 4% DELIVERED TO ZONE 2





MATS: MULTIPLE APPLICATION TABLE SYSTEMS

Contents

Portable

- 19 Lightweight Folding
- 21 Shapes and Configurations

Freestanding

- 22 Freestanding Stationary
- 24 Pedestal and Pin Leg Tables
- 25 Lift and Flip Options
- 26 Portable and Freestanding Table Options

Lecture

- 27 Lecture Hall

Shared Leg

- 28 Stationary Tables
- 30 Screen Groups
- 33 Modesty Panels and ADA Compliance

Custom Capabilities and Planner

- 34 Turn Your Vision Into Reality™
- 35 MATS Project Planner and Checklist


Ordering Information and Power Solution

- 36 Ordering Guidelines
- 37 MATS Power Solution

Edges and Colors

- 38 Edge Profiles, Colors and Laminates
- 38 Finishes

PORTABLE Lightweight Folding



RECTANGLE



Table Size A x B	Apprx WT	Cantilever Leg	T-mold Vinyl 1357	Urethane 4157	Urethane 4167
24 x 42	58	20FC ⁺	1,162	1,421	
24 x 48	62	20FC ⁺	1,172	1,439	
24 x 60	72	20FC ⁺	1,196	1,469	
24 x 72	78	20FC ⁺	1,215	1,508	
30 x 42	62	20FC ⁺	1,172	1,439	
30 x 48	68	20FC ⁺	1,196	1,469	
30 x 60	78	20FC ⁺	1,215	1,508	
30 x 72	86	20FC ⁺	1,276	1,598	
36 x 60	86	N/A ⁺	1,459	#VALUE!	
36 x 72	94	N/A ⁺	1,749	#VALUE!	

• **4157 edge on one B side. Other sides are flat urethane (4167).**

• ⁺ Available with symmetrical leg (20FS), same price.

• WM1 wire modesty gallery available on all cantilever tables, add \$368 each.

• WM1 wire modesty gallery available only on 30" and 36" symmetrical tables (20FS), add \$346 each.


LEG OPTIONS



Cantilever Leg
20FC



Symmetrical Leg
20FS



Optional Removable Modesty Wire Gallery

- Metal/mesh housing that holds the power distribution unit and electrical/communication wires. (WM1).
- **Contact Sales or Customer Service for detailed electrical options.**


PORTABLE Lightweight Folding**TRAPEZOID**

Table Size A x B x C	Apprx WT	Symmetrical Leg	T-mold Vinyl 1357	Urethane 4167
30 x 60 x 30	60	20FS	1,439	1,652

- Symmetrical leg only.


**HALF ROUND**

Table Size A x B x C	Apprx WT	Cantilever Leg	T-mold Vinyl 1357	Urethane 4157
25 x 50 x 78	52	20FC	1,413	1,616
31 x 62 x 97	67	20FC	1,511	1,760
24 x 48 x 75	50	20FC**	1,470	1,681
30 x 60 x 94	65	20FC**	1,572	1,830

- 4157 edge on one C side. Other sides are flat urethane (4167).

- Cantilever leg only.

- **Allows for racetrack configuration w/o 2" center slot when ganged with rectangles.


**QUARTER CIRCLE CRESCENT**

Table Size A x B x C	Apprx WT	Cantilever Leg	T-mold Vinyl 1357	Urethane 4157
36R x 24 x 56	52	20FC	1,413	1,616
48R x 24 x 75	65	20FC	1,511	1,760
36R x 30 x 56	54	20FC	1,457	1,673
48R x 30 x 75	70	20FC	1,554	1,815

- 4157 edge on one C side. Other sides are flat urethane (4167).


- Cantilever leg only.

LEG OPTIONS

Cantilever Leg
20FC



Symmetrical Leg
20FS

**Ganging Device**

All trapezoid, half round and quarter circle crescent tables include one set of gangers, which ship installed. Order additional ganging devices for the tables to be connected.

Drawing noting ganger placement required.

NOTE • Wood edges standard in Maple. Other species available, call for quote.

• WM1 wire modesty gallery not available.

PORTABLE Shapes and Configurations

SHAPES



Rectangle



Trapezoid



Half Round



Crescent




Quarter Round
Connector




30° Connector. Also available in:
15°, 45°, 60°, and straight

CONFIGURATIONS




Round




Circle




Hexagon-6




Hexagon-2




Horseshoe



Racetrack



Open Racetrack




Classroom



Enclosed U

FREESTANDING Stationary



RECTANGLE



Table Size A x B	Apprx WT	Cantilever Leg	T-mold Vinyl 1350	Urethane 4150	Urethane 4160	Wood 2300
18 x 42	25	20TC	950	#VALUE!		1,121
18 x 48	27	20TC	957	#VALUE!		1,135
18 x 60	34	20TC	977	#VALUE!		1,159
18 x 72	41	20TC	993	#VALUE!		1,184
24 x 42	68	20TC	990	1,212		1,167
24 x 48	72	20TC	996	1,232		1,184
24 x 60	88	20TC	1,017	1,276		1,208
24 x 72	99	20TC	1,035	1,283		1,232
30 x 42	77	20TC+	996	1,232		1,184
30 x 48	82	20TC+	1,017	1,276		1,208
30 x 60	101	20TC+	1,035	1,283		1,232
30 x 72	115	20TC+	1,085	1,368		1,308

• 4150 edge on B side only. Other sides are flat urethane (4160).

• * Also available with symmetrical leg (20TS), same price.

• WM1 wire modesty gallery available, \$377 per table.


LEG OPTIONS



Cantilever Leg
20TC



Symmetrical Leg
20TS




Optional Removable Modesty Wire Gallery

- Metal/mesh housing that holds the power distribution unit and electrical/communication wires. (WM1).
- Contact Sales or Customer Service for detailed electrical options.

NOTE • Wood edges standard in Maple. Other species available, call for quote.

FREESTANDING Stationary




TRAPEZOID

Table Size A x B x C	Apprx WT	Symmetrical Leg	T-mold Vinyl 1350	Urethane 4160	Wood 2300
30 x 60 x 30	79	20TS	1,219	1,524	1,436



- Symmetrical leg only.




HALF ROUND

Table Size A x B x C	Apprx WT	Cantilever Leg	T-mold Vinyl 1350	Urethane 4150	Wood 2300
25 x 50 x 78	62	20TC	1,198	1,457	1,405
31 x 62 x 97	83	20TC	1,285	1,584	1,524
24 x 48 x 75	59	20TC**	1,331	1,513	1,462
30 x 60 x 94	79	20TC**	1,336	1,645	1,584



- 4150 edge on C side only. Other sides are flat urethane (4160).
- Cantilever leg only.
- **Allows for racetrack configuration w/o 2" center slot when ganged with rectangles




QUARTER CIRCLE CRESCENT

Table Size A x B x C	Apprx WT	Cantilever Leg	T-mold Vinyl 1350	Urethane 4150	Wood 2300
36R x 24 x 56	61	20TC	1,198	1,457	1,405
48R x 24 x 75	77	20TC	1,285	1,584	1,524
36R x 30 x 56	67	20TC	1,238	1,507	1,448
48R x 30 x 75	87	20TC	1,320	1,633	1,530



- 4150 edge on C side only. Other sides are flat urethane (4160).
- Cantilever leg only.


LEG OPTIONS



Cantilever Leg
20TC



Symmetrical Leg
20TS



Ganging Device

All trapezoid, half round and quarter circle crescent tables include one set of gangers, which ship installed. Order additional ganging devices for the tables to be connected.

Drawing noting ganger placement required.

NOTE • Wood edges standard in Maple. Other species available, call for quote.

• WM1 wire modesty gallery not available

FREESTANDING Pedestal and Pin Leg

PEDESTAL BASE



SQUARE


Table Size	Apprx WT	Model	T-mold Vinyl 1350	Urethane 4160	Wood 2300
30 x 30	50	20TX	491	771	703
36 x 36	64	20TX	614	879	788
42 x 42	83	20TX	768	976	843



ROUND

Table Size	Apprx WT	Model	T-mold Vinyl 1350	Urethane 4160	Wood 2300
30Rd	43	20TX	502	952	735
36Rd	55	20TX	627	994	986
42Rd	70	20TX	776	1,143	1,038
48Rd	79	20TX	930	1,194	1,248

• △ 4150 edge also available, same price.



RECTANGLE

Table Size	Apprx WT	Model	T-mold Vinyl 1350	Urethane 4160	Wood 2300
30 x 42	64	20TX	602	883	764
30 x 48	73	20TX	752	928	801

PIN LEG BASE



SQUARE


Table Size	Apprx WT	Model	T-mold Vinyl 1350	Urethane 4160	Wood 2300
48 x 48	122	20TP	1,158	1,474	1,253



ROUND

Table Size	Apprx WT	Model	T-mold Vinyl 1350	Urethane 4160	Wood 2300
48Rd	104	20TP	1,185	1,497	1,509
54Rd	122	20TP	1,417	1,732	1,732
60Rd	141	20TP	1,461	1,773	1,957

BASES



Pedestal Base









Pin Leg Base

• Wood edges standard in Maple. Other species available, call for quote.

FREESTANDING Lift Mechanisms & Flip Tops Options

MODEL	DESCRIPTION	PRICE
20TC2IL	Manual/Incremental - Lift Mechanism <ul style="list-style-type: none">• Available on MATS fixed base rectangles.• Not available on pin leg tables or pedestal bases, folding legs, or tables with casters, or modesty panels.• Wire Manager does not move up with table top.• Incremental Manual Pin Adjustment - adjustable from 29" to 40" in 1" increments.• Maximum weight with lift mechanism engaged: 300lbs.• Left mechanism are not gangable.• Weight: 1 lb.	661
FTD3	Flip Top Mechanism <ul style="list-style-type: none">• Fixed Base Tables only - Pedestal Base.• For use with Falcon table tops only.• Maximum table tops for use: 42" square, 48" round, 30" x 48" rectangle.• 10 gauge steel.• Weight: 6 lbs.	202

PORTABLE AND FREESTANDING OPTIONS

	MODEL	DESCRIPTION	PRICE
	GA2	Ganging Device <ul style="list-style-type: none"> • One set per top required, ships installed. • Include ganger placement drawing with your order 	148
	WM1	Wire Modesty Gallery <ul style="list-style-type: none"> • Available on fixed and folding base tables. • Remove gallery before folding table • Color: Black • 7.089" High • Weight: 8lb (4kg) 	395
	UG1	Upper Modesty Panel with $\frac{3}{4}$" T-Mold Edge <ul style="list-style-type: none"> • Removable clamp on attachment • Specify length of table • Weight: 12 lb (6kg) 	314
	CC1	Cable Clip - Adjustable <ul style="list-style-type: none"> • Includes: 2 clips and 2 mounting screws 	26
	TT203042	Set Up Aid Tilt Truck - Rectangles <ul style="list-style-type: none"> • Maximum Capacity: 5 Tables & 6 wire modesty galleries • Finish: CP001MS Matte Black • Carpet: Grey • Casters: 2 locking, 2 swivel • Size: 30" X 42" (76.2 cm X 106.7 cm) • Truck slots are designed to hold modesty panels • Weight: 140lb (64kg) 	2,761
	CS5	Casters (2 locking / 2 non-locking per table) <ul style="list-style-type: none"> • Not for use with pin leg units or units with upper cabinets • Must be specified at the time of order • Leg is shortened to accommodate caster height • Set of 4 	139

LECTURE Features & Benefits



Attached Chair and Table Features



Access to data and power



Sturdy base for support



U.L. approved electrical system



Verona Seating by Falcon



Reva Seating by Thonet

Both seating units feature 360° Rotation -
Self Returning Swivel Seat and Swing Design

Attached Table Features



Perforated Steel Modesty



Contoured Steel Modesty



Laminated Modesty Panel

NOTE • Contact your sales representative for more information.

SHARED LEG 29" Height Basic Stationary Tables**41S - FREESTANDING/STARTER**

Top Size	Apprx WT	Model	Laminate/ PVC 4720	Urethane 4150
24 x 30	69	41S29	1,038	1,167
24 x 36	76	41S29	1,081	1,216
24 x 42	82	41S29	1,143	1,232
24 x 48	88	41S29	1,190	1,297
24 x 54	100	41S29	1,271	1,466
24 x 60	106	41S29	1,315	1,525
24 x 72	122	41S29	1,452	1,689
30 x 30	77	41S29	1,060	1,192
30 x 36	84	41S29	1,109	1,251
30 x 42	92	41S29	1,175	1,322
30 x 48	99	41S29	1,224	1,384
30 x 54	112	41S29	1,311	1,499
30 x 60	119	41S29	1,357	1,557
30 x 72	138	41S29	1,504	1,726



- 4720 edge on user side only. Other sides are flat PVC.
- 4150 edge on user side only. Other sides are flat urethane (4160).

**42A - ADD ON**

Top Size	Apprx WT	Model	Laminate/ PVC 4720	Urethane 4150
24 x 30	56	42A29	821	951
24 x 36	63	42A29	864	1,000
24 x 42	69	42A29	926	1,081
24 x 48	75	42A29	975	1,129
24 x 54	87	42A29	1,052	1,251
24 x 60	93	42A29	1,101	1,310
24 x 72	109	42A29	1,238	1,473
30 x 30	63	42A29	847	977
30 x 36	71	42A29	894	1,038
30 x 42	78	42A29	960	1,109
30 x 48	85	42A29	1,010	1,170
30 x 54	98	42A29	1,099	1,283
30 x 60	106	42A29	1,143	1,342
30 x 72	124	42A29	1,288	1,508

- 4720 edge on user side only. Other sides are flat PVC.
- 4150 edge on user side only. Other sides are flat urethane (4160).

- Also available in 27" Keyboard height and 38" Stand up height.
- Contact Customer Service or Sales for more information.

NOTE • Basic Table includes top, cantilever legs, technology support gallery, and one right hand grommet (up to 48"), two grommets, right and left (over 48").

SHARED LEG 29" Height Corner Stationary Table




41S - CORNER CHAMFER, FREESTANDING/STARTER

Top Size	Apprx WT	Model	Laminate/ PVC 4720	Urethane 4150
48 x 48 x 24 x 24	128	41S29	2,690	2,738
48 x 48 x 30 x 30	149	41S29	2,892	2,942



- 4720 edge on user side only. Other sides are flat PVC.
- 4150 edge on user side only. Other sides are flat urethane (4160).



42A - CORNER CHAMFER, ADD ON

Top Size	Apprx WT	Model	Laminate/ PVC 4720	Urethane 4150
48 x 48 x 24 x 24	115	42A29	2,155	2,229
48 x 48 x 30 x 30	135	42A29	2,187	2,257

- 4720 edge on user side only. Other sides are flat PVC.
- 4150 edge on user side only. Other sides are flat urethane (4160).

- Also available in 27" Keyboard height and 38" Stand Up height.
- Contact Customer Service or Sales for more information.





Shared Leg Tables - 29" Height Basic Stationary Tables



Wire Management Gallery

NOTE • Basic Corner Table includes top, pin legs, and cantilever legs, technology support galleries, and one center grommet.

SCREEN GROUPS In-Line Screen Grouping



41LD - FREESTANDING/STARTER

Table Size	Screen Size	11" Height	17" Height
24 x 30	19 x 30	517	600
24 x 36	19 x 36		
24 x 42	19 x 42		
30 x 30	25 x 30		
30 x 36	25 x 36		
30 x 42	25 x 42		
24 x 48	19 x 48	550	645
24 x 54	19 x 54		
24 x 60	19 x 60		
30 x 48	25 x 48		
30 x 54	25 x 54		
30 x 60	25 x 60		
24 x 72	19 x 72	580	674
30 x 72	25 x 72		



42LD - ADD ON

Table Size	Screen Size	11" Height	17" Height
24 x 30	19 x 30	372	429
24 x 36	19 x 36		
24 x 42	19 x 42		
30 x 30	25 x 30		
30 x 36	25 x 36		
30 x 42	25 x 42		
24 x 48	19 x 48	404	474
24 x 54	19 x 54		
24 x 60	19 x 60		
30 x 48	25 x 48		
30 x 54	25 x 54		
30 x 60	25 x 60		
24 x 72	19 x 72	434	504
30 x 72	25 x 72		

NOTE • Freestanding/Starter Screen Grouping includes:

Back Screen
Two Divider Screens
Brackets


• Add On includes:

Back Screen
One divider screen
Hardware



In-Line Screen Grouping

SCREEN GROUPS Back-to-Back Screen Grouping



41BD - FREESTANDING/STARTER

Table Size	Screen Size	11" Height	17" Height
24 x 30	19 x 30	858	990
24 x 36	19 x 36		
24 x 42	19 x 42		
30 x 30	25 x 30		
30 x 36	25 x 36		
30 x 42	25 x 42		
24 x 48	19 x 48	893	1,035
24 x 54	19 x 54		
24 x 60	19 x 60		
30 x 48	25 x 48		
30 x 54	25 x 54		
30 x 60	25 x 60		
24 x 72	19 x 72	924	1,065
30 x 72	25 x 72		



42BD - ADD ON

Table Size	Screen Size	11" Height	17" Height
24 x 30	19 x 30	569	648
24 x 36	19 x 36		
24 x 42	19 x 42		
30 x 30	25 x 30		
30 x 36	25 x 36		
30 x 42	25 x 42		
24 x 48	19 x 48	604	694
24 x 54	19 x 54		
24 x 60	19 x 60		
30 x 48	25 x 48		
30 x 54	25 x 54		
30 x 60	25 x 60		
24 x 72	19 x 72	631	724
30 x 72	25 x 72		

NOTE • Freestanding/Starter includes:

Back Screen
Four Divider Screens
Brackets


• Add On includes:

Back Screen
Two Divider Screens
Hardware



Back-to-Back Screen Grouping

SCREEN GROUPS Corner Screen Grouping



41LC - FREESTANDING/STARTER




Table Size	Screen Size	11" Height	17" Height
24 x 48	48 x 48	436	507
30 x 48	48 x 48	436	507

42LC - ADD ON




Table Size	Screen Size	11" Height	17" Height
24 x 48	48 x 48	436	507
30 x 48	48 x 48	436	507

SCREEN GROUPS Back-to-Back Corner Screen Grouping

41S - FREESTANDING/STARTER




Table Size	Screen Size	11" Height	17" Height
24 x 48	48 x 48 x 48	668	774
30 x 48	48 x 48 x 48	668	774

42A - ADD ON




Table Size	Screen Size	11" Height	17" Height
24 x 48	48 x 48 x 48	668	774
30 x 48	48 x 48 x 48	668	774

- NOTE**
- **Freestanding/Starter and Add On Corner Screen Grouping includes:**
Two Back Screens
Brackets
 - **Freestanding/Starter and Add On Back-to-Back Corner Screen Grouping includes:**
Three Back Screens
Brackets
 - **Corner screens are for use on 41S and 42A Corner Tables.**



Corner Screen Grouping

STARTER & ADD ON MODESTY PANELS Lower Modesty Panels



FOR FREESTANDING UNITS

Table Widths	Catalog Number	Price
30, 36, 42	MODP2	241
48, 54, 60	MODP2	298
72	MODP2	312
Table width - Corner 48 (2 panels)	MODP2C	507



FOR STARTER & END OF RUN


Table Widths	Catalog Number	Price
30, 36, 42	MODPS	241
48, 54, 60	MODPS	298
72	MODPS	312
Table width - Corner 48 (2 panels)	MODPSC	507



FOR ADD ON UNITS

Table Width	Catalog Number	Price
30, 36, 42	MODPA	241
48, 54, 60	MODPA	298
72	MODPA	312
Table width - Corner 48 (2 panels)	MODPAC	507

ADA COMPLIANCE Wheelchair Adapter Kits



FOR 29" H TABLES

Catalog Number	WCK49 Price
WCK49	523


When ordering, note table length and width.
Only available on 30" deep tables.

NOTE • Wheel Chair Adapter Kit includes Black Laminate ADA Compliance Kit and attaching hardware.

• Lower Modesty Panel available in Matte Black laminate.



Lower Modesty Panel



TURN YOUR VISION INTO REALITY™

If you don't see the product that you are looking for to fit a special space or design, don't panic. We offer total custom manufacturing capabilities.

We can work with almost any material, finish, and specification to fit any need. Send us a photograph, CAD drawing, or sketch and we will do everything possible to turn your vision into reality.

We offer full custom capabilities

- Training rooms, lecture halls, computer labs, testing stations, and classrooms
- Custom shapes and sizes to fit unique applications or ideas
- Speciality power solutions
- Built in or reconfigurable products
- Custom laminates and special finishes available

MATS PROJECT PLANNER AND CHECKLIST

We have found that the following information is key to helping you determine what product is best for your application needs, as well as helping to insure the smoothest possible on-time delivery and installation of your project. We have provided the following tool to assist you in your project planning.

	Name/Address	Phone	Email	Fax	Comments
Step One Document and share key contact information with all parties at the earliest possible stage and keep it updated.					
1. Dealer Contacts					
Sales Manager	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	_____
Sales Representative	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	_____
Accounts Payable	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	_____
Logistics/Install Manager	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	_____
2. Designer Contact	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	_____
3. COM Vendor contact	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	_____
4. Manufacturer's Project Coordinator	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	_____
5. Facility Manager or Site Representative	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	_____
6. Facility Address	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD	_____

Name/Address	Comments	Name/Address	Comments
Step Two Define user needs			
1. Identified number of users per room?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____	1. New construction or existing?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
2. Identified number of users per table?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____	2. Do we need a floor plan?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
3. What functions do users need and what are they denied?		3. Do we have the key information for space access?	
Power	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____	Doorway Dimensions	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Data	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____	Corridor Dimensions	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Mobility	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____	Loading Docks/Height	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Access	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____	Freight Elevators/Size/Restrictions	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Change of use	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____	Hours Available for Install	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
ADA	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____	4. Will the space need to be reconfigurable?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Privacy	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____	5. What is primary use for the space?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
		6. Are casters required?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
		7. Is there a need for carts?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
		8. Is there a room configuration layout?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
		9. Are drawings/plans current and approved?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____

Step Four Details for Product Specifications

1. Table Tops	
Shapes/Dimensions	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Quantity	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Top Surface Material	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Edge Material	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Edge Profile	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Gangers/Placement Drawing	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Connectors	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
2. Bases (Columns And Feet)	
Style	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Are they appropriate for selected tops?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Finishes	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Collar Color	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Any Weight Issues	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
ADA Requirements	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
3. Lower Modesty Panels and Privacy Screens	
Dimensions	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Materials	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Edge Color	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
4. Power And Data Requirements - See ordering and power in this workbook, contact your sales representative or customer service for detailed assistance	
5. Other Options	
Casters	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Table Trucks	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Optional Wire Galleries	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
6. Are there any unusual requirements which may delay the project?	
Is the client aware of this potential?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____

Step Five Checkstep

1. Does the product specification meet with the needs of the end users as specified above and if not, is the client aware of this?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
2. Have you reviewed Falcon's complementary seating products for these tables, such as Verona or Sienna?	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
3. Do we have final sign off on specifications and are all of the key elements in place for	
A successful installation	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Credit approved or deposit received	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
COM ship to address provided to vendor	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
COM materials received from vendor	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Order acknowledgement been reviewed for accuracy	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Pricing confirmed	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
Terms agreed upon	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____

Step Six Dates

1. Identify target delivery date	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
2. Identify target installation date	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____
3. Identify target completion date	<input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> TBD _____

ORDERING INFORMATION

Visit **falconproducts.com** for Terms and Conditions.

SPECIFY THE FOLLOWING	PORTABLE TABLES - FOLDING (20FC/20FS)	FREESTANDING TABLES (20TC/20TS)	SHARED LEG TABLES (41S/42A)	SCREEN GROUPS
Standard Features				
Quantity	•	•	•	•
Catalog Number	•	•	•	•
Dimensions: Length, Width, Height (if applicable)	•	•	•	•
Edge Color/Finish	•	•	•	•
Wood Edge Species*		•		
Laminate **	•	•	•	•
Metal Finish	•	•	•	
Accent Collar Color	•	•	•	
Optional Accessories				
WM1 Wire Modesty Gallery	•	•		
Electrical	•	•	•	
Lift Mechanism		•		
Adjustable Height Option		•		
Connectors	•	•		
Gangers - Include Placement Drawings	•	•		
Upper Modesty Panel	•	•		
Cable Clip	•	•	•	
Tilt Truck	•			
Casters	•	•		
Grommets	•	•		

*Wood edges standard in Maple. Other species available, call for quote.

**Laminate: Manufacturer, pattern, color and number

All Products FOB: Newport, TN

Small Order Charge

Orders with a combined Net price under \$1,000 will be subject to a
Special Handling Charge of \$125 Net. One charge per order.

NOTE • Please see back cover for complementary seating products.

MATS POWER SOLUTIONS

DEFINE YOUR APPLICATION

We have a variety of power solutions appropriate for any of your power requirements. Please take a moment to evaluate your project and complete the following check list. It will help determine which power solution best fits your needs. After you have answered these questions, contact your sales representative, or customer service representative, who will assist you with the specific details for adding the power option to your table order.

My client is powering more than one table (Y/N)

- _____ Our plan calls for less than 16 users per row
- _____ I need data brought into the tables
- _____ I need power at the top surface
- _____ I need power accessible below the table for CPU's to plug into
- _____ The room is permanent and will not be reconfigured
- _____ The room will have bolt down tables
- _____ Power is currently available in the wall
- _____ Power is currently available in the floor
- _____ New construction, power can be located anywhere
- _____ What is the desired table length
- _____ How many users per table

What will be plugged into each table:

- _____ Number of Computers
- _____ Number of Monitors
- _____ Number of Printers or other equipment
- _____ Does the building have 15 amp power available (Y/N)
- _____ Does the building have 20 amp power available (Y/N)

SOLUTIONS


I. Simple Power

Simple power is defined as a 15 amp plug that is inserted into a standard outlet. Each electrical component in the table would plug directly into the floor or wall. This power is commonly used with conference tables or very small training rooms.

II. Table Top Daisy Chain Power

This power allows you run rows of tables in a training room. Up to 16 users can generally be provided with power from one access point. If there are more than 16 users, additional access points must be designated. The type of power can be applied using one of the following options.

- a. Interlink:**
- i. 12 amp system rating with 15 amp power cord.
 - ii. Up to 8 duplexes devices such as Miniports.
 - iii. Meets UL 962.



- b. Interconnect:**
- i. 8 wire, 4-circuit system or 4 wire 2 circuit system depending on power need.
 - ii. 20 amp system rating.
 - iii. UL 183.
 - iv. Must be hard wired to the building or utilize quick connect.
 - v. Building must be wired for 20 amp rating.



III. Fully Integrated Power within the Wire Manager and Table Top

This solution allows for computer rooms to power a CPU, monitor, printer, etc. from underneath the table surface as well as power other ancillary equipment from the top surface. It allows for long runs of power with the ability to segregate for clean circuits.

- i. 20 amp single circuit solution that utilizes a 20 amp plug.
- ii. 2 circuit system that is rated at 20 amps per circuit or a total of 40 amps which requires hardwiring to the building.
- iii. 4 circuit system that is rated at 20 amps per circuit or a total of 80 amps which requires hardwiring to the building.
- iv. UL1286 rated.
- v. Building must be wired for 20 amp rating.



**Information is for planning purpose only.
Contact a licensed electrician to ensure
required building codes are met.**

EDGES AND COLORS Table Edges and Laminates

EDGE PROFILES



4720

- Clean sloped post form laminate edge
- 1 1/4" thick top
- Sloped edge on user side, other three edges flat PVC
- Flat edges allow tables to be ganged
- Perfect for high use applications
- Wide variety of standard laminate options
- Special laminates also available
- Suitable for use with divider screens



4150/4157

- Urethane sloped edge (user side)
- 2 1/2" X 1 1/4"
- 4160/4167 flat urethane edge on other three sides
- Flat sides allow tables to be ganged
- Extremely durable edge for high use applications
- Suitable for use with divider screens
- Five standard color options
- Variety of additional color options available



4160/4167

- Flat urethane edge
- 1/4" X 1 1/4"
- Extremely durable
- Flat edge allows tables to be ganged
- Variety of additional color options available




1350

- Vinyl T mold
- 1/4" X 1 1/4"
- Decorative ribbed profile
- Low cost alternative
- Flat profile allows tables to be ganged
- Variety of additional color options available

MOST POPULAR EDGE COLORS

Color Name	Code
Bark	41
Black	1
Dark Grey	23
Graphite	42
Light Grey	12



To view all available colors for each edge, visit falconproducts.com

4720 POSTFORM LAMINATE TOPS

Laminate - Grade 1 (standard) Normal Lead Times

The following laminates are available for 4720 Postform tops in standard lead time. For lead times on additional laminate choices, contact sales or customer service, 800-873-3252.

Formica

FO515	Graphite Grafix
FO912	Storm
FO503	Stone Grafix
FO961	Fog
FO507	Folkstone Grafix
FO920	Almond
FO5904	Wild Cherry
FO756	Natural Maple

TABLE SURFACE LAMINATE

Listed below are our most popular laminates, which are available at standard pricing and lead times.

Formica

Solid Color Portfolio (Matte Finish)
Patterns
Formations Collection
Woodgrains

If you would like to see an expanded offering, please visit Formica's web site at formica.com.

You may also call Formica at
1-800-FORMICA for samples.

Should you require additional options, see selections at nevamar.com and wilsonartcontract.com. When you have made your selections, contact sales or customer service for pricing and lead time assistance. If the pricing or lead times are not to your satisfaction, we will be happy to help you reselect.

If your project requires something more unique, we can provide laminate from any manufacturer, including custom laminates. Please contact sales or customer service for assistance with pricing, lead times, and minimum order requirements.

EDGES AND COLORS Finishes

WOOD EDGE PROFILE



2300

- Maple species wood edge
- 1/4" X 1 1/4"
- Flat profile allows tables to be ganged
- Available in any standard wood finish
- Optional custom finishes also available
- Additional wood species also available

WOOD FINISHES


Standard Woodtone	Code
Natural	WBF110
Golden	WBF112
Medium Oak	WBF122
Chestnut	WBF124
Medium Brown Mahogany	WBF126
Dark Walnut	WBF128
Light Cherry	WBF131
Amber Cherry	WBF134
Royal Mahogany	WBF136
Black	WBF154

- Standard Finish (lacquer) is WBF wood finish with semi-gloss lacquer. No upcharge.
- Wood finishes will vary due to inconsistencies in lumber and moisture; therefore we assume no responsibility for matches to exact tones. When matching the laminate patterns containing large variations in color, stain will be matched with harmonizing tone.
- Custom finishes and color matches are available with an upcharge. Sample of finish will be required for matching prior to production. Should matching require brushing, glazing, or hand wiping additional charges may apply. Factory may require a sample before quoting. See WBF Wood Finishes swatchcard for sample of finishes.

METAL FINISHES: POWDERCOAT

Powdercoat Colors	Polished Casting
Fog	CP012S
Matte Black	CP001MS
Storm	CP023S

- All tables are priced in any Grade 3 powdercoat
- See finish card or visit falconproducts.com for additional standard and nonstandard color choices



Fog

Matte Black

Storm



Shown with 1350 Series edge in Black, laminate top in Almond, and legs in Matte Black finish.