



LOGICMEET TABLE SERIES

Pricing & Specification Guide
Effective January 5, 2015

HBF MAILING ADDRESS

PO BOX 8
HICKORY, NC 28603-0008

HBF SHIPPING ADDRESS

900 - 12TH STREET DRIVE NW
HICKORY, NC 28601-4763

TEL 855.HBF.2020

FAX 828.485.2690

HBFSERVICE@HBF.COM

HBFORDERS@HBF.COM

REFERENCE	2-32
Overview	2
Scope of Line	3
Materials and Finishes	5
Product Material Options Overview	6-7
How to Specify	8
Edge Details	10
Locks and Keying	11
Tech Specs	12
Height Reference	17
Top Shapes and Grain Direction	18
Product Reference	22
Floor Monument Locations	30
Base Cover Integration	31
TYPICALS	35-42
Meeting Rooms	36
Staff Rooms	38
Video Conference Room	40
Boardroom	41
TABLE TOPS	43-60
Round	44
Rectangular	46
Arched Boat	52
Video Conference	58
TECHNOLOGY	61-72
Powered Grommet & MediaConnect Tech Units	62
Single Space AAP	66
Double Space AAP	69
Miscellaneous Accessories	71
TABLE BASES	73-84
Intersecting Panel Base	74
Drum Base	76
Panel Base	78
Base Covers	82
CREDENZAS	85-91
Conference Cabinets	86
Conference Cabinets with Suspended Buffet Shelf	88
ANCILLARY PRODUCTS	92-94
Presentation Cabinet	92
Carts	93
Lecterns	94
WEIGHTS + CUBES	98

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

FINISH

TECHNOLOGY CUTOUT

Indicate type as part of model #

--	--	--


OPTION OVERVIEW

TYPE

W	Wood
L	Laminate
S	Solid Surface
G	Glass



Wood, Laminate, Solid Surface Edge Detail



Back-painted Glass
Edge Detail

WOOD TOPS

LOGICmeet Wood Veneer Conference tops come standard with a 1/2" thick hardwood edgeband, mitered on the corners. Please see page 12 for details.

LAMINATE / SOLID SURFACE / GLASS TOPS


LOGICmeet Conference tops are available in 4 materials: wood, laminate, solid surface, and glass. Wood, laminate, and solid surface tops come standard in a knife edge with an integral finger route.

TECHNOLOGY CUTOUT


There are a variety of cutout option sets for the different size tops in the LOGICmeet Conference series. Please see the corresponding cut out matrices for each size top and if cut outs are desired, order the technology separately on the specified page.

TABLE TOPS

Rectangular



Arched Boat



Video




Round




BASES FOR RECTANGULAR, ARCHED BOAT AND VIDEO TOPS

Panel Base




BASES FOR ROUND TOPS

Intersecting Panel Base





Drum Base




CREDENZAS & ANCILLARY

Conference Cabinets

Conference Cabinets
with Suspended Shelf

Presentation Cabinet



Mobile Buffet Cart




Mobile Media Cart



Lectern




Lectern with Shroud




TECHNOLOGY


MediaConnect Tech Unit – Closed




MediaConnect Tech Unit – Open




MediaConnect Tech Unit – Front View




Power Grommet – Closed



Power Grommet – Open



Power Grommet – Front View



VENEER 1	PLAIN SLICED MAPLE	
	Natural Maple	NE800
	Honey Maple	NE873
	PLAIN SLICED CHERRY	
	Wheat Cherry	NC706
	Light Cherry	NC701
	Canyon Cherry	NC744
	Burnished Cherry	NC777
	Medium Brown Cherry	NC215
	Chestnut Cherry	NC293
	Dark Red Cherry	NC511
	Chicory Cherry	NC284
	PLAIN SLICED WALNUT	
	Light Roast Walnut	NT601
	Coffee Walnut	NT615
	Sumatra Walnut	NT693
	Charcoal Grey Walnut	NT637
	Dark Roast Walnut	NT684
	Nutmeg Walnut	NT629
	Ebony Walnut	**NT509
VENEER 2	QUARTER SLICED MAPLE	
	Natural Maple	QE800
	Honey Maple	QE873
	QUARTER SLICED CHERRY	
	Wheat Cherry	QC706
	Light Cherry	QC701
	Canyon Cherry	QC744
	Burnished Cherry	QC777
	Medium Brown Cherry	QC215
	Chestnut Cherry	QC293
	Dark Red Cherry	QC511
	Chicory Cherry	QC284
	QUARTER SLICED WALNUT	
	Light Roast Walnut	QT601
	Coffee Walnut	QT615
	Sumatra Walnut	QT693
	Charcoal Grey Walnut	QT637
	Dark Roast Walnut	QT684
	Nutmeg Walnut	QT629
	Ebony Walnut	**QT509
	RIFT CUT OAK	
	Light Rift Oak	RF301
	Dark Rift Oak	RF331
	Mocha	RF230

** Ebony Walnut Veneer only available on wood bases

PAINT	Muslin	WPML
	Soft White - Designer White	WPSW
	Loft - Grey Cloud	WPLF

Note: Painted wood finishes are not available for conference tops

LAMINATES	WOODGRAIN	
	Bourbon Cherry	PL701
	Shaker Cherry	PL7935
	Williamsburg Cherry	PL215
	Empire Mahogany	PL511
	Natural Maple	PL800
	Walnut Heights	PL7965
	Columbian Walnut	PL7943
	Skyline Walnut	PL7964
	Cafelle	PL7933
	Beigewood	PLBW
	Leave Likatre	PLWP120
	Looks Likatre	PLWP110
	Appears Likatre	PLWP115
	SOLID	
	Designer White	PLWH
	Carnation White	PLSW806
	Eggshell White	PLSW803
	Whitestone	PLML
	Greystone	PLLF
	Loft - Grey Cloud	PL15034
	Cocoa Brown	PL15037

* See Technical Specifications for laminate manufacturer cross reference.

SOLID SURFACE		
	Alabaster White	SAW
GLASS	Caffe	GCF
	Designer White	GWH
	Muslin	GML
	Black	GBK
	Pearl	GPR

FSC PRODUCT

HBF holds Forest Stewardship Council® (FSC) Chain-of-Custody Certification® (SCS-COC-002143). This certification agreement allows HBF to offer FSC® certified veneer or core on a project specific basis.

An upcharge of 5% list per unit for conference products, will apply to all FSC specified units. For FSC Certified Product add "FSC" to beginning of finish option code. (Example: FSCNC701)

CUSTOM FINISHES	An upcharge of 10% Net per unit for conference products, with a minimum upcharge of \$500 Net per order, will apply for any custom wood veneer finish.	
-----------------	--	--


MAPLE



NE800
Natural Maple

NE873
Honey Maple

PAINTED WOOD FINISHES



WPSW
Designer White
(Soft White)

WPLF
Loft-Grey Cloud

WPML
Muslin

Note: Painted wood finishes are not available for conference tops

CHERRY



NC701
Light Cherry

NC744
Canyon Cherry

NC215
Med. Brown Cherry

NC511
Dark Red Cherry

NC706
Wheat Cherry

NC777
Burnished Cherry

NC293
Chestnut Cherry

NC284
Chicory Cherry

WALNUT



NT629
Nutmeg Walnut

NT615
Coffee Walnut

NT637
Charcoal Grey Walnut

NT684
Dark Roast Walnut

NT601
Light Roast Walnut

NT693
Sumatra Walnut

WOOD LAMINATES



PLBW
Beigewood

PL7965
Walnut Heights

PL7943
Columbian Walnut

PL7964
Skyline Walnut

PL7933
Cafelle

PL800
Natural Maple

PL701
Bourbon Cherry

PL7935
Shaker Cherry



PL215
Williamsburg Cherry

PL511
Empire Mahogany

PLWP120
Leave Likatre

PLWP110
Looks Likatre

PLWP115
Appears Likatre

SOLID LAMINATESPLSW806
Carnation WhitePLSW803
Eggshell WhitePLML
WhitestonePL15034
Loft-Grey CloudPL15037
Cocoa BrownPLWH
Designer WhitePLLF
Greystone

POWDER COATSSP
Satin PewterLG
Light GreyBL
Black

SOLID SURFACESSAW
Alabaster White

BACK PAINTED GLASSGWH
Designer WhiteGPR
PearlGML
MuslinGCF
CaffèGBK
Black

Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance, the final finish color, texture and grain may vary from one furniture piece to another, even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.

All HBF products are standard in a 30° sheen.


The finishes shown above are for reference only. For approval prior to placing your order, please request actual finish sample.

HOW TO ORDER
LOGICMEET TABLES

HBf's LOGICmeet Conference tables are available in a wide variety of shapes and sizes designed to fulfill a multitude of conferencing requirements from informal meeting areas to the executive boardroom.

STEP 1
SELECT SHAPE

Select the table shapes that meets your requirements.




STEP 2
SELECT SIZE

Select the table size that fits the footprint of the conference area.

Round	Rectangular						Video
36	42x72	48x72	54x120	60x120	66x216	72x216	42x60x108
42	42x84	48x84	54x144	60x144	66x240	72x240	48x72x144
48	42x96	48x96	54x168	60x168	66x264	72x264	
54	42x108	48x108	54x192	60x192	66x288	72x288	
60	42x120	48x120	54x216	60x216			
66		48x144	54x240	60x240			
72		48x168		60x264			
		48x192		60x288			

STEP 3
SELECT
TOP MATERIAL



STEP 4
SELECT TOP FINISH

LOGICmeet Conference tables are available in a variety of finishes and materials. Please see page 7 for specific option codes for veneer, laminate, solid surface, and glass tops.

STEP 5**SELECT TECHNOLOGY
CUTOUTS**

HBF's LOGICmeet Conference tables offer a choice in technology integration. When specifying a table top, use the top's corresponding cut-out matrix to see the available cut-outs for that size. LOGICmeet tables are available with some or all of the options below depending on the top size:

GN – No Grommet on the table

GCR – 1 Centered Round Grommet (for Round Table Tops only)

1CM – 1 Centered MediaConnect Unit in the center of the table

2EM – 2 Equally Spaced MediaConnect Units on the table

3EM – 3 Equally Spaced MediaConnect Units on the table

4EM – 4 Equally Spaced MediaConnect Units on the table

STEP 6**SELECT TECHNOLOGY
INTEGRATION**

After choosing the cut-outs desired for the table top, use the matrix to determine how many technology units need to be ordered to be integrated into the table. MediaConnect Tech Units are available with an aluminum door or wood door for use on wood, laminate, and solid surface tops. They are also available with a satin pewter powder coat door for use on glass tops. Use the diagrams on the corresponding MediaConnect Tech Unit pages to determine what Extron plates can be fit into the unit. Extron plates are available in single or double space AAP models.

For more information on the Extron plates, please use the given Extron part number to locate the plate on Extron's website at: www.extron.com

STEP 7**SELECT BASE**

HBF's LOGICmeet round tables are available with either an intersecting panel base or a drum base. Intersecting panel bases are available in metal or wood, and drum bases are available in paint or wood. Base models are made for use with specific top sizes, so please be aware of those sizes noted on the pages.

Conference table panel bases are available in metal or wood. As with the round table tops, these bases are to be used with certain size tops, and should be ordered based on the "For use w/ top size" column noted on each page.

For example: HB1BSP2472-M is a metal panel base for use with rectangular and arched boat table tops. This is noted as "For use w/ top size 42/48 x 72." This means that this base model can be specified with either a 42 x 72 table top or a 48 x 72 table top.

Additionally, the number of bases are called out on the panel base pages. When ordering, please refer to page 30 if you need floor monument dimensions based on top sizes. Panel bases come standard with a thin profile base cover. Base covers are also available in 3 ½" and 7" sizes to allow for floor monuments to act as wire managers. Refer to LOGICmeet product reference pages for dimensions and more information.

All LOGICmeet tops, with the exception of glass tops have a finger-pull recessed on the bottom of the edge detail.

WOOD VENEER TOPS



Wood veneer tops are available in plain sliced or quarter sliced maple, cherry, or walnut, as well as rift cut oak. Please see page 12 for more details.

LAMINATE TOPS




Laminate tops are available in woodgrain and solid colors. Please see page 12 for more details and page 16 for laminate manufacturer cross reference.

SOLID SURFACE TOPS



Solid surface tops are available standard with Alabaster White. Please see page 12 for more details.

BACK-PAINTED GLASS TOPS



Back-painted glass tops are available in 5 standard colors: Caffè, White, Muslin, Black or Pearl. Please see page 12 for more details.

**FACTORY INSTALLED
LOCKS**

Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

OPTION 1	option code
SILVER RANDOM KEYS	RMS
BLACK RANDOM KEYS	RMB
OPTION 2	specify a number between
SILVER DESIGNATED KEYS	FT100TAS - FT150TAS
BLACK DESIGNATED KEYS	FT100TA - FT150TA

**FIELD INSTALLED
LOCKS**

Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$5 list per lock core.

	model number	option code
SILVER DESIGNATED KEYS	HK1LCKFLD	100TAS-150TAS
BLACK DESIGNATED KEYS	HK1LCKFLD	100TA-150TA

VENEERS

LogicMeet tables are offered in 4 natural wood species: Cherry, Maple, Walnut or Oak veneer. All exposed wood surfaces utilize select Plain Sliced Cherry, Maple, Walnut veneers or premium Quarter Cut Cherry, Maple, Walnut or Rift Cut Oak veneers. These veneers are carefully selected and slip matched to assure balance and consistency throughout the product. All solid wood edgebands are species matched except for Rift Cut Oak which is paired with solid Ash hardwoods.

WOOD TABLE TOPS

Wood veneer tops feature a balanced 3-ply construction and are comprised of a premium 1" thick MDF substrate. Wood veneer tops are faced with premium veneer and backed with a polymer resin impregnated moisture resistant material. All hardwood edgebands are 1/2" thick, mitered on the corners. LogicMeet is standard with a knife edge profile. The bottom of the top is machined on all sides with an integral finger route. Multi-piece tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the tops end to end.

LAMINATE TABLE TOPS

Laminate tops feature a balanced 3-ply construction and are 1" thick. Tops are constructed of MDF substrate, faced with high pressure vertical grade laminate and backed with phenolic backer material. All laminate tops have a 2mm matching vinyl edgeband on all sides. LogicMeet is standard with a knife edge profile. The bottom of the top is machined on all sides with an integral finger route. Multi-piece tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the tops end to end.

Wood grain laminates have been selected because they are good matches to some HBF standard wood finishes, they are not exact matches. HBF does not guarantee an exact wood finish match to the plastic laminates. Please check with an HBF sales representative for samples of both the wood and laminate for color comparison before ordering.

To clean the surface, use a damp cloth or sponge and a mild soap or detergent. For complete Care and Maintenance instructions please visit the Wilsonart or Pionite web sites listed below.

Wilsonart laminate tops feature a 0.030" thick, Type 335 high pressure vertical grade Wilsonart laminate. For complete Wilsonart technical specifications please refer to the Wilsonart website at <http://www.wilsonartcontract.com/Technical/>

Pionite laminate tops feature a 0.028" thick, Type F28 high pressure vertical grade Pionite Laminate. For complete Pionite technical specifications please refer to the Pionite website at http://www.pionite.com/pionite/pages_pionite/pionite_specs.html

SOLID SURFACE TABLE TOPS

Solid surface tops are 1 1/4" thick. Tops are constructed with 1/2" solid surface material applied to a premium 3/4" plywood with adhesive. The exposed plywood on the bottom of the top is painted black. The standard knife profile is solid surface material and includes a machined integral finger route on all sides. Multi-piece solid surface tops are connected with alignment pins and steel mechanical fasteners for horizontal and vertical alignment to firmly connect the sub tops end to end.

GLASS TABLE TOPS

LogicMeet table tops are also available with a back painted glass top available in 5 standard colors. Glass table tops are 1 1/2" thick. The back painted glass top is 1/2" thick low iron tempered with the top surface soft acid etched. Glass edge is square, aris polished. The plywood sub top is 1" thick, faced and backed with a phenolic backer for a balanced construction. Sub top edges are beveled and painted black. Multi-piece glass sub tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the sub tops end to end.

METAL PANEL AND INTERSECTING BASES

LogicMeet metal panel bases are constructed of a welded metal tubular steel internal frame assembly which is covered in formed sheet metal and then powder coated. The bottom of the frame includes threaded inserts for glides with 1 1/8" of vertical adjustment. A steel top plate is welded to the frame assembly to attach the base to the table top. Steel frame sides include standoff bushings for attachment of removable covers. Wire management covers are punched with keyhole slots to provide a connection point to the internal

frame. Internal frame includes threaded steel inserts for support beam attachment.

WOOD PANEL AND INTERSECTING BASES

LogicMeet wood panel bases are balanced 5-ply construction and are 1 1/4" thick, comprised of particleboard. The internal panel is externally banded with profiled solid hardwood bands. The bottom of the internal panel includes threaded steel glide plates and glides with 1 1/8" of vertical adjustment. A steel top plate is attached to the internal wood panel to attach the base to the table top. Wood frame includes standoff bushings for attachment of removable covers. Wire management covers include machined keyhole slots to provide a connection point to the internal frame. The internal wood panel is machined and includes steel threaded inserts for attachment of the aluminum beams and removable wire management covers.

BEAM SUPPORT UNDERSTRUCTURE

LogicMeet panel base assemblies include dual beam construction. A powder coated extruded aluminum beam assembly (6 1/2" h x 1.5" w) spans between the bases to provide support to the table top over long spans. The extruded aluminum beam is connected to the bases with steel screws and threaded inserts located in the frame. The extruded aluminum beam profile includes a notch for the connection of plastic wire management clip. Wire management clips are included with the beam assembly. The bottom of the beam is covered with a 1/2" thick MDF balanced 3 ply panel, faced and backed with a polymer resin impregnated moisture resistant material. Cover attaches to the bottom of the beam with nylon thumb screws. The beam, wire management clips and cover provide an area to neatly house all the electrical and data wires under the table top. When a wood base assembly is specified, a matching 3/4" wood veneer panel is applied to the exterior of the frame.

See base ordering pages for number of frame sections. Longer frames ship in multiple sections. Be sure to note the length of frames and sections to accommodate any building logistical issues. Multiple section frames are field assembled.

WOOD DRUM BASES

Inner material consists of a wood composite tube. Top and bottom panels are a 3/4" particleboard glued and pinned to the composite tube. Top and bottom panels include appropriate cutouts for routing wires from the top to the floor for wire management models. The cylinder core is faced with a 2-ply material utilizing an outer plain sliced select veneer on a 1/28" poplar cross band. This 2-ply face material is attached to the cylinder core with permanent bond PVA glue. A 3/4" sub-top is attached to the base with screws and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of adjustment are included for leveling.

CONFERENCE CABINETS

Conference cabinet suspended tops are the same construction as table tops with two exceptions; glass tops do not include subtop and tops do not include an integral finger route. All credenza tops are 1 piece. See table tops for additional technical specifications.

All chassis are constructed of balanced 3-ply particleboard panels, 1" thick exterior panels and 3/4" vertical divider are securely fastened together using glued fluted dowels. Bottom panel attached with dowels and pocket bore screws. Adjustable shelves are balanced 5-ply, 1" thick particleboard internally crossbanded with veneer face and backer. Shelves are adjustable height on shelf pins.

Credenzas are available with hinged or sliding doors. Hinged door units include fully adjustable, 100° swing, self closing hinges. Sliding door units include an integrated track roller system.

Credenza legs are constructed of a welded metal tubular steel internal frame assembly which is covered in formed sheet metal and then powder coated. The bottom of the frame includes threaded inserts for glides with 1 1/8" of vertical adjustment. A steel top plate is welded to the assembly to attach the leg base to the bottom of the Credenza.

Credenza suspended shelf risers are constructed of a welded metal tubular steel internal frame assembly which is covered in formed sheet metal and then powder coated. The riser is connected to the top of the credenza with threaded inserts welded to the interior of the riser and is attached with steel fasteners. A steel top plate is welded to the assembly to attach the top of the riser to the suspended shelf.

WALL MOUNT PRESENTATION CABINET

Wall mount presentation cabinet is constructed of balanced 3 ply, $\frac{3}{4}$ " thick particleboard panels. Internal frame is constructed of balanced $\frac{3}{4}$ ", black melamine panels. External door and side panels are constructed of balanced $\frac{3}{4}$ " particleboard, faced and backed with veneer. Cabinet is held together with glued fluted dowels, wood cleats and mechanical fasteners. Back panel is faced with a writable laminate material and backed with a phenolic backer. Doors slide open horizontally on progressive steel ball bearing slides. Includes pull down projection screen, an integrated plastic pencil lip to retain marker and a marker/eraser kit. Cabinet is wall mounted. Ensure walls are properly blocked for the weight of the cabinet. Wall mounting brackets included, installers are responsible for selecting and providing the correct fasteners for wall conditions.

CHART RAIL

Chart rail is powder coated extruded aluminum, 5"d x 120"l x 1 $\frac{3}{4}$ "h and is attached to the wall with a wall mounting bracket. Chart rail can be cut to length in the field to accommodate various dimensional needs. Ends of chart rail are covered by steel powered coated end caps, field installed with supplied mechanical fasteners. Wall mounting brackets included, installers are responsible for selecting and providing the correct fasteners for wall conditions.

MOBILE BUFFET CART

Buffet carts are constructed of balanced 3 ply, $\frac{3}{4}$ " thick particleboard panels. Cabinet is held together with glued fluted dowels and mechanical fasteners. The bottom of the cabinet is supported by a welded metal tubular steel frame assembly. The corners of the assembly are tapped to accommodate a 3 $\frac{3}{16}$ " dual wheel locking caster. Hinged doors include fully adjustable, 100° swing, self closing hinges. Unit includes (2) extendable steel wire frame baskets. Optional locks are available.

MOBILE MEDIA CART

Media carts are constructed of balanced 3 ply, $\frac{3}{4}$ " thick particleboard panels. Cabinet is held together with glued fluted dowels and mechanical fasteners. The back of the cabinet includes a perforated powder coated formed sheet metal cover. The bottom of the cabinet is supported by a welded metal tubular steel frame assembly. The corners of the assembly are tapped to accommodate a 3 $\frac{3}{16}$ " dual wheel locking caster. Each unit includes an adjustable shelf that is $\frac{3}{4}$ " thick particleboard, 3-ply balanced construction, veneer face and backer. Shelves are adjustable height on shelf pins. Hinged door version includes fully adjustable, 100° swing, self closing hinges. Optional locks are available on door units.

LECTERN

Lecterns are constructed of balanced 3 ply, $\frac{3}{4}$ " thick particleboard panels. Cabinet is held together with glued fluted dowels and mechanical fasteners. The bottom of the cabinet is supported by a welded metal tubular steel frame assembly. The corners of the assembly are tapped to accommodate a 3 $\frac{3}{16}$ " dual wheel locking caster or nylon glides. Hinged doors include fully adjustable, 100° swing, self closing hinges. Internal panels are cut short to allow vertical wire management in the lectern. The angled 5° degree presentation platform top is supported by round steel powder coated standoffs and includes a pencil lip to provide a stop for papers and pens. The front of the lectern beneath the angled platform and the top of the enclosed cabinet is wrapped in a powder coated formed steel shroud. The lectern also includes a sliding cup holder that can be extended from the left or right position. Lecterns include optional locks and a technology package (microphone, gooseneck light, power/data unit).

Microphone manufacturer is audio-technica. The 18.94" version of the U857Q, the U857QL cardioid condenser quick-mount gooseneck microphone is designed to plug directly into a panel or desk-mounted XLR-type connector. The microphone offers unsurpassed immunity from radio frequency. It features an ultra-flexible small-diameter gooseneck and accepts interchangeable elements, available in cardioid, hypercardioid, omnidirectional and UniLine® line cardioid polar patterns. Equipped with self-contained electronics, the phantom-powered microphone also offers an 80 Hz low-cut UniSteep® filter that reduces pickup of low-frequency ambient noise. For complete specifications reference, http://www.audio-technica.com/cms/wired_mics/a4b81557c190ae16/index.html

Gooseneck light is a Littlite (IS #2-LED) L-18-LED with bottom mount cord for a clean, cord free installation. Littlite LED lampset includes three-way rotary switch enables user to toggle between white light and red light output. Littlite lampsets have a twelve-

inch cord set terminating in a 2.1mm socket. GXF-10 power supply (included) has a six-foot cable terminating in a 2.1mm plug. For complete specifications reference, <http://www.littlite.com/products/product/164>

Power/data unit is 4 7/16"D x 8 5/16"W, silver clear anodized aluminum finish. Unit includes a 6'-ft, 15 amp standard plug-in power cord, (2) electrical outlets and (2) voice/data openings. Voice/data communication adapter kit included. Cover is touch latch and remains open during use. Unit is field installed. UL Listed. Note: voice/data jacks not included.

Units with an external shroud are constructed of balanced 3 ply, 3/4" thick particleboard panels or fused acrylic panels. Shrouds are fastened to the internal cabinet with (4) round steel powder coated stand offs.

MEDIACONNECT PORTS

Recessed in table top, unit is 6 1/2"d x 8 1/2"w, silver finish. Cover flips up to access power and data ports. Veneer, laminate and solid surface table tops are available with a silver anodized aluminum door, aluminum door with veneer insert or aluminum door with solid surface insert. Glass table tops can only be specified with an aluminum powder coated door unit, specifically designed for glass tops.

Each powder coated sheet metal enclosure is rated for 15 amp, 125 volt with circuit breaker. Units can be specified with 10' grounded standard plug or 6' hardwire conduit option. Units include (4) electrical outlets and (2) double space Extron AAP plates or (4) single space Extron AAP plates. Numerous jack options available, see ordering page for available options. Unit is field installed. UL Listed.

ROUND POWER/DATA

Recessed in table top, unit is 3 7/8" diameter with a brushed aluminum finish. Each machined aluminum enclosure contains a simplex power receptacle, HDMI connector, VGA connector, 3.5mm audio connector and an RJ45 cat 5E connector. Unit only available with a 10' grounded standard plug. Unit is field installed. UL Listed – 12 amp. Units can be specified for veneer, laminate, solid surface or glass table tops

POWER CABLE KIT

Convenient way to connect all power cords to a single power source. Unit includes 10' power in feed conduit. The power cable kit is rated for 20 amps per circuit allowing the use of 2 circuits with 2 line conductors, 1 neutral and 1 ground. The line conductors, neutral and ground are all 12 AWG. The kit can be wired in both single and 3-phase configurations, 240/ 120V, 208/ 120V, respectively. UL Listed, to be installed by certified electrician.

LOCKS

Brushed nickel or black face locks are optional on all standard height and buffet height credenza units. Locks specified on the buffet credenza are located on the lower hinged doors only; sliding doors are non-locking. Lock plugs are either factory or field installed.

KEYING

Keying is available either factory or field installed. Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS-150TAS for silver lock core and 100TA-150TA for black lock cores. All keys are solid brass. When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit. A lock master key and lock cylinder package must be specified separately to install the lock cylinders in the field. The master key provides the ability for lock cylinders to be easily installed and removed in the field.

TRASH CAN ACCESSORY

3.5 gallon, black rubber trash can. Unit connects to back side of credenza door with sheet metal mounting bracket.

WOOD FINISH

All HBF tops feature a 20 sheen, open pore, water based, UV cured low-emitting finish. The open pore finish accentuates the natural texture of the wood. All non-writing surfaces (modesty panels) receive an application of 30 sheen, low-emitting, conversion varnish finish. Both processes enhance the beauty of the natural wood and ensure the depth, clarity, color consistency and durability throughout the life of the product.

CLEANING WOOD

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax or silicone, which can produce an oily film or haze.

CLEANING LAMINATE

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax or silicone, which can produce an oily film or haze.


LAMINATE








Cross Reference

DESCRIPTION	OPTION CODE	MANUFACTURER	PART #
Bourbon Cherry	PL701	Wilsonart	11034-07
Shaker Cherry	PL7935	Wilsonart	7935-7
Williamsburg Cherry	PL215	Wilsonart	7936K-07
Empire Mahogany	PL511	Wilsonart	7122K-07
Natural Maple	PL800	Wilsonart	11021-38
Walnut Heights	PL7965	Wilsonart	7965K-78
Columbian Walnut	PL7943	Wilsonart	7943-7
Skyline Walnut	PL7964	Wilsonart	7964K-78
Cocoa Brown	PL15037	Wilsonart	15037
Cafelle	PL7933	Wilsonart	7933K-78
Beigewood	PLBW	Wilsonart	7850-60
Leave Likatre	PLWP120	Pionite	WP120
Looks Likatre	PLWP110	Pionite	WP110
Appears Likatre	PLWP115	Pionite	WP115
Designer White	PLWH	Wilsonart	D354-60
Carnation White	PLSW806	Pionite	SW806
Eggshell White	PLSW803	Pionite	SW803
Whitestone	PLML	Wilsonart	10809-60
Greystone	PLLF	Wilsonart	10811-60
Loft - Grey Cloud	PL15034	Wilsonart	15034

NOTE: All heights in this section include glides.

HEIGHT REFERENCE




BREADTH OF LINE						
288" W						
264" W						
240" W						
216" W						
192" W						
168" W						
144" W						
120" W						
108" W						
96" W						
84" W						
72" W						
	42" D	48" D	54" D	60" D	66" D	72" D

Note: Lines above represent number of sections per table top.


BREADTH OF LINE

Primary Use:

Conference room table tops for board rooms, staff conference rooms, and meeting rooms.




Rectangular




Arched Boat

Grain Direction:

All wood, solid surface, and glass LogicMeet tops run short grain, grain running depth of top.
For laminate, please reference grain direction column in table on right side of page.

**Example:**

Grain Running Depth of Top


**Example:**

Grain Running Width of Top


d x w	seating capacity	# of top sections	wood, solid surface & glass grain direction	laminate grain direction
42 x 72	4-6	1	depth	width
42 x 84	6-8	1	depth	width
42 x 96	6-8	1	depth	width
42 x 108	6-8	1	depth	width
42 x 120	8-10	1	depth	width
48 x 72	4-6	1	depth	width
48 x 84	6-8	1	depth	width
48 x 96	6-8	1	depth	width
48 x 108	8-10	1	depth	width
48 x 120	8-10	1	depth	width
48 x 144	10-12	2	depth	width
48 x 168	12-14	2	depth	width
48 x 192	14-16	2	depth	width
54 x 120	8-10	3	depth	width
54 x 144	10-12	3	depth	width
54 x 168	12-14	4	depth	width
54 x 192	14-16	4	depth	width
54 x 216	16-18	5	depth	width
54 x 240	16-18	5	depth	width
60 x 120	8-10	3	depth	width
60 x 144	10-12	3	depth	width
60 x 168	12-14	4	depth	width
60 x 192	14-16	4	depth	width
60 x 216	16-18	5	depth	width
60 x 240	18-20	5	depth	width
60 x 264	20-22	6	depth	width
60 x 288	22-24	6	depth	width
66 x 216	16-18	5	depth	depth
66 x 240	18-20	5	depth	depth
66 x 264	20-22	6	depth	depth
66 x 288	22-24	6	depth	depth
72 x 216	16-18	5	depth	depth
72 x 240	18-20	5	depth	depth
72 x 264	20-22	6	depth	depth
72 x 288	22-24	6	depth	depth

BREADTH OF LINE

VIDEO
CONFERENCE



ROUND



Note: Lines above represent number of sections per table top.


BREADTH OF LINE

Primary Use:

Conference room table tops for video conference, meeting rooms, and small staff conference rooms.

Grain Direction:


All wood, solid surface, and glass LogicMeet tops run short grain, grain running depth of top. For laminate, please reference grain direction column in table below.



VIDEO CONFERENCE	d1 x d2 x w	seating capacity	# of top sections	wood, solid surface, & glass grain direction	laminate grain direction
	42 x 60 x 108	8-10	2	depth	depth
	48 x 72 x 144	10-12	3	depth	width


Primary Use:

Conference room table tops for video conference, meeting rooms, and small staff conference rooms.




ROUND	diameter	seating capacity	# of top sections	wood, solid surface, & glass grain direction	laminate grain direction
	36	3-4	1	depth	depth
	42	3-5	1	depth	depth
	48	3-5	1	depth	depth
	54	5-6	2	depth	depth
	60	5-7	2	depth	depth
	66	5-7	2	depth	depth
	72	6-8	2	depth	depth


METAL PANEL BASE DIMENSIONS FOR USE WITH 42/48" TOPS




Thin Metal Base Cover – End Base




Thin Metal Base Cover – Center Base




3 1/2" Metal Base Cover – End Base




3 1/2" Metal Base Cover – Center Base



7" Metal Base Cover – End Base





7" Metal Base Cover – Center Base





 = Wire Management Opening

WOOD PANEL BASE DIMENSIONS FOR USE WITH 42/48" TOPS





Thin Wood Base Cover – End Base

Thin Wood Base Cover – Center Base





3 1/2" Wood Base Cover – End Base

3 1/2" Wood Base Cover – Center Base











7" Wood Base Cover – End Base

7" Wood Base Cover – Center Base





■ = Wire Management Opening

METAL PANEL BASE DIMENSIONS FOR USE WITH 54/60" TOPS




 = Wire Management Opening


WOOD PANEL BASE DIMENSIONS FOR USE WITH 54/60" TOPS




Thin Wood Base Cover – End Base




Thin Wood Base Cover – Center Base




3 1/2" Wood Base Cover – End Base




3 1/2" Wood Base Cover – Center Base



7" Wood Base Cover – End Base










7" Wood Base Cover – Center Base




 = Wire Management Opening

METAL PANEL BASE DIMENSIONS FOR USE WITH 66/72" TOPS




■ = Wire Management Opening


WOOD PANEL BASE DIMENSIONS FOR USE WITH 66/72" TOPS




Thin Wood Base Cover – End Base




Thin Wood Base Cover – Center Base




3 1/2" Wood Base Cover – End Base




3 1/2" Wood Base Cover – Center Base



7" Wood Base Cover – End Base




7" Wood Base Cover – Center Base




■ = Wire Management Opening


INTERSECTING PANEL BASE DIMENSIONS FOR USE WITH ROUND TABLE TOPS




DRUM BASE DIMENSIONS FOR USE WITH ROUND TABLE TOPS




Standard




Wire Access Door




36/42/48" Base



54/60" Base



66/72" Base





■ = Wire Management Opening

PANEL BASE

Primary Use:


Conference room table tops for video conference, meeting rooms, and small staff conference rooms.



	d x w	center of base A	center of base B	center of base C	center of base D	center of base E
RECTANGULAR AND ARCHED BOAT TOPS	42 x 72	19 9/16	-	-	-	52 7/16
	42 x 84	19 9/16	-	-	-	64 7/16
	42 x 96	19 9/16	-	-	-	76 7/16
	42 x 108	19 9/16	-	-	-	88 7/16
	42 x 120	19 9/16	-	-	-	100 7/16
	48 x 72	19 9/16	-	-	-	52 7/16
	48 x 84	19 9/16	-	-	-	64 7/16
	48 x 96	19 9/16	-	-	-	76 7/16
	48 x 108	19 9/16	-	-	-	88 7/16
	48 x 120	19 9/16	-	-	-	100 7/16
	48 x 144	19 9/16	-	-	-	124 7/16
	48 x 168	19 9/16	-	84	-	148 7/16
	48 x 192	19 9/16	-	96	-	172 7/16
	54 x 120	19 9/16	-	-	-	100 7/16
	54 x 144	19 9/16	-	-	-	124 7/16
	54 x 168	19 9/16	-	84	-	148 7/16
	54 x 192	19 9/16	-	96	-	172 7/16
	54 x 216	19 9/16	-	108	-	196 7/16
	54 x 240	19 9/16	-	120	-	220 7/16
	60 x 120	19 9/16	-	-	-	100 7/16
	60 x 144	19 9/16	-	-	-	124 7/16
	60 x 168	19 9/16	-	84	-	148 7/16
	60 x 192	19 9/16	-	96	-	172 7/16
	60 x 216	19 9/16	-	108	-	196 7/16
	60 x 240	19 9/16	-	120	-	220 7/16
	60 x 264	19 9/16	94 1/2	-	169 1/2	244 7/16
	60 x 288	19 9/16	102 1/2	-	185 1/2	268 7/16
	66 x 216	19 9/16	-	108	-	196 7/16
	66 x 240	19 9/16	-	120	-	220 7/16
	66 x 264	19 9/16	94 1/2	-	169 1/2	244 7/16
	66 x 288	19 9/16	102 1/2	-	185 1/2	268 7/16
	72 x 216	19 9/16	-	108	-	196 7/16
	72 x 240	19 9/16	-	120	-	220 7/16
	72 x 264	19 9/16	94 1/2	-	169 1/2	244 7/16
	72 x 288	19 9/16	102 1/2	-	185 1/2	268 7/16
VIDEO CONFERENCE TOPS	d1 x d2 x w					
	42 x 60 x 108	19 9/16	-	-	-	88 7/16
	48 x 72 x 144	19 9/16	-	-	-	124 7/16

All LOGICmeet bases are available with 2 base cover options:

1. Option 1 – standard thin 1" base covers




Top: HB1TRT60192-W
Base: HB1BSP32192-W
Base Covers: HB1BCV1-W (qty 4)

2. Option 2 – no base covers. Covers required – ordered separately.

When the no base covers option is selected the base will not include covers and covers **MUST** be ordered separately. This option allows the covers to be specified in 1", 3 1/2" or 7" widths to accommodate floor monuments and hide wiring. The end bases have 1 removable inward facing interchangeable cover and the center bases have 2 removable interchangeable covers. Metal and wood base covers can be used interchangeably. Reference page 82 for total # of bases required by of table top.


NOTE: Base MUST be specified with covers or unfinished interior of base will be visible.



Top: HB1TRT60192-W
Base: HB1BSP32192-W
Base Covers: HB1BCV3-W (qty 4)



Top: HB1TRT60192-W
Base: HB1BSP32192-W
Base Covers: HB1BCV1-W (qty 2)
HB1BCV7-W (qty 2)



Top: HB1TRT60192-W
Base: HB1BSP32192-W
Base Covers: HB1BCV7-W (qty 4)





Top: HB1TRT72264-W
Base: HB1BSP42264-W
Base Covers: HB1BCV1-W (qty 2)
HB1BCV7-W (qty 4)



[illegible]




TYPICALS	35-42
Meeting Rooms	36
Staff Rooms	38
Video Conference Room	40
Boardroom	41




Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	44	HB1TRD48-W	48" Round Table Top	2,217	2,383	1	2,217	2,383
B	77	HK1BSD18-W	18" Wide Drum Base	1,232	1,325	1	1,232	1,385
C	87	HB1CCL2049-WW	49" Conference Cabinet with Wood Doors	4,420	4,752	1	4,420	4,752
Total							7,869	8,460




Item	Page	Model	Description	List	Quantity	Ext. List
A	52	HB1TAB4272-L	42" x 72" Arched Boat Laminate Table	2,068	1	2,068
B	78	HB1BSP2472-M	Metal Panel Base for 42" x 72" Table	2,013	1	2,013
C	89	HB1CCLS2240-WWL	40" Conference Cabinet with Laminate Shelf	3,648	1	3,648
Total						7,729





Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	48	HB1TRT54144-G	54" x 144" Glass Rect Table with 2 Cutouts	11,612	11,612	1	11,612	11,612
B	63	HK1MC-GHW	MediaConnect Hardwire Unit for Glass Tops	1,165	1,165	2	2,330	2,330
C	79	HB1BSP32144-W	Wood Base for 54" x 144" Table Top	4,803	5,164	1	4,803	5,164
D	91	HB1CCLS2276-WWG	76" Wood Conf Cabinet with Glass Shelf	8,518	8,518	1	8,518	8,518
Total							27,263	27,624



Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	48	HB1TRT60192-W	60" x 192" Rect Table with 1 Cutout	11,357	12,209	1	11,357	12,209
B	63	HK1MC-GHW	MediaConnect Hardwire Unit for Glass Tops	1,165	1,165	1	1,165	1,165
C	79	HB1BSP32192-W	Wood Base for 60" x 192" Table Top	6,731	7,235	1	6,731	7,235
D	94	HB1LCTS-W	Lectern with Wood Shroud	6,079	6,534	1	6,079	6,534
Total							25,332	27,143



Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	58	HB1TVC4872144-W	48"/72" x 144" Video Table	8,594	9,238	1	8,594	9,238
B	81	HB1BSPV32144-W	Wood Panel Base for Video Table	5,342	5,743	1	5,342	5,743
C	92	HB1CPC48	48" Wall Mount Presentation Cabinet	4,633	4,981	1	4,633	4,981
D	87	HB1CCL2072-WW	72" Wood Conference Cabinet with Bar Pull	5,624	6,047	1	5,624	6,047
Total							24,193	26,009




Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	56	HB1TRT72288-W	72" x 288" Rect Table with 4 Cutouts	20,853	22,417	1	20,853	22,417
B	63	HK1MC-ASP	MediaConnect Aluminum Door, Softwire Plug	1,196	1,196	4	4,784	4,784
C	79	HB1BSP42288-W	Wood Panel Base for 72" x 288" Table Top	13,902	14,945	1	13,902	14,945
D	92	HB1CPC48	48" Wall Mount Presentation Cabinet	4,633	4,981	1	4,633	4,981
E	94	HB1LCT	Lectern	5,062	5,441	1	5,062	5,441
F	93	HB1CBC-WW	Mobile Buffet Cart, Wood Top	4,499	4,836	1	4,499	4,836
Total							53,733	57,404

[illegible]



TABLE TOPS	42-60
Round	44
Rectangular	46
Arched Boat	52
Video Conference	58



Model	Dimensions DIA	List Price Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
HB1TRD36- 	36	1,661	1,786	1,150	3,257	3746	3,257
HB1TRD42- 	42	1,834	1,971	1,168	3,488	4011	3,488
HB1TRD48- 	48	2,283	2,454	1,598	4,338	4989	4,338
HB1TRD54- 	54	2,669	2,868	1,802	5,110	5877	5,110
HB1TRD60- 	60	3,053	3,282	2,491	6,761	7775	6,761
HB1TRD66- 	66	3,869	4,159	2,786	7,673	8824	7,673
HB1TRD72- 	72	5,023	5,400	3,516	9,544	10976	9,544

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER + TYPE	FINISH	TECHNOLOGY CUTOUT
Indicate type as part of model #	See page 5	(Insert option from shaded area on next page)
W = wood L = laminate S = solid surface G = glass		


Example Order String: HB1TRD36-W.NC701.GN

ROUND TABLE TOPS

technology cut-out option	cut-out option code	description	36 DIAMETER	42 DIAMETER	48 DIAMETER	54 DIAMETER	60 DIAMETER	66 DIAMETER	72 DIAMETER	technology model # required	quantity
	GN	No Grommet	•	•	•	•	•	•	•	N/A	N/A
	GCR	Round Grommet	•	•	•	•	•	•	•	HK1PG-____	1
	1CM	1 Centered MediaConnect unit				•	•	•	•	HK1MC-____	1

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 62-65.

42" and 48" Rectangular Table Tops



42" TOPS



Model		Dimensions		List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
		OD	OW							
HB1TRT4272-		42	72	2,778	2,986	1,884	4,900	5635	4,900	
HB1TRT4284-		42	84	3,111	3,344	2,111	5,489	6312	5,489	
HB1TRT4296-		42	96	3,484	3,745	2,364	6,147	7069	6,147	
HB1TRT42108-		42	108	3,771	4,054	2,541	6,886	7919	6,886	
HB1TRT42120-		42	120	4,183	4,497	2,841	7,908	9094	7,908	

48" TOPS



HB1TRT4872- 	4872	3,274	3,519	2,292	5,652	6500	5,652
HB1TRT4884- 	4884	3,666	3,941	2,567	6,332	7282	6,332
HB1TRT4896- 	4896	4,107	4,415	2,875	7,091	8155	7,091
HB1TRT48108- 	48108	4,599	4,944	3,220	7,941	9132	7,941
HB1TRT48120- 	48120	5,062	5,441	3,434	9,091	10455	9,091
HB1TRT48144- 	48144	6,316	6,789	4,421	11,216	12898	11,216
HB1TRT48168- 	48168	7,589	8,158	5,312	14,267	16407	14,267
HB1TRT48192- 	48192	9,583	10,301	6,708	17,756	20419	17,756

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE
Indicate type as part of model #

W

 = wood

L

 = laminate

S

 = solid surface

G

 = glass



FINISH
See page 5

TECHNOLOGY CUTOUT
(Insert option from shaded area on next page)

•

•

Example Order String: HB1TRT4272-W.NC701.GN


technology cut-out option	cut-out option code	description	42" DEPTH TOPS					48" DEPTH TOPS								technology model # required	quantity
			42 x 72	42 x 84	42 x 96	42 x 108	42 x 120	48 x 72	48 x 84	48 x 96	48 x 108	48 x 120	48 x 144	48 x 168	48 x 192		
	GN	No Grommet	•	•	•	•	•	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	•	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Unit			•	•	•			•	•	•	•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Unit					•					•	•	•	•	HK1MC-____	3
	4EM	4 Equally Spaced MediaConnect Unit												•	•	HK1MC-____	4

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 63-65.

54" and 60" Rectangular Table Tops

LOGICMEET TABLE SERIES

HBF



54" TOPS



Model	Dimensions		List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
	OD	OW							
HB1TRT54120- 	54	120	4,929	5,298	3,294	9,331	10731	9,331	
HB1TRT54144- 	54	144	6,521	7,010	4,456	11,960	13754	11,960	
HB1TRT54168- 	54	168	7,841	8,428	5,362	15,254	17542	15,254	
HB1TRT54192- 	54	192	8,851	9,515	6,047	16,978	19525	16,978	
HB1TRT54216- 	54	216	9,881	10,623	6,740	18,977	21824	18,977	
HB1TRT54240- 	54	240	11,616	12,487	7,930	21,639	24885	21,639	

60" TOPS



HB1TRT60120-	60	120	6,233	6,700	4,363	10,763	12377	10,763
HB1TRT60144-	60	144	7,420	7,977	5,195	13,750	15813	13,750
HB1TRT60168-	60	168	8,897	9,565	6,228	17,491	20115	17,491
HB1TRT60192-	60	192	10,096	10,853	7,068	19,483	22405	19,483
HB1TRT60216-	60	216	11,357	12,209	7,950	21,783	25050	21,783
HB1TRT60240-	60	240	13,290	14,286	9,303	24,866	28596	24,866
HB1TRT60264-	60	264	16,156	17,368	11,310	27,898	32083	27,898
HB1TRT60288-	60	288	18,581	19,974	13,006	32,083	36895	32,083

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

= wood
 = laminate
 = solid surface
 = glass

FINISH



See page 5

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)





Example Order String: HB1TRT54120-W.NC701.GN

technology cut-out option	cut-out option code	description	54" DEPTH TOPS						60" DEPTH TOPS						technology model # required	quantity		
			54 x 120	54 x 144	54 x 168	54 x 192	54 x 216	54 x 240	60 x 120	60 x 144	60 x 168	60 x 192	60 x 216	60 x 240			60 x 264	60 x 288
	GN	No Grommet	•	•	•	•	•	•		•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•		•	•	•	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Unit	•	•	•	•	•	•		•	•	•	•	•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Unit	•	•	•	•	•	•		•	•	•	•	•	•	•	HK1MC-____	3
	4EM	4 Equally Spaced MediaConnect Unit			•	•	•	•				•	•	•	•	•	HK1MC-____	4

NOTE : Above options are for cut-out only, technology ports ordered separately on pages 63-65.



66" and 72" Rectangular Table Tops

	Model	Dimensions		List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
		OD	OW							
66" TOPS 	HB1TRT66216- 	66	216	11,668	12,542	10,029	23,809	27380	23,809	
	HB1TRT66240- 	66	240	13,662	14,687	11,746	26,214	30146	26,214	
	HB1TRT66264- 	66	264	16,833	18,096	13,187	29,876	34357	29,876	
	HB1TRT66288- 	66	288	17,694	19,021	15,165	34,357	39511	34,357	
72" TOPS 	HB1TRT72216- 	72	216	13,243	14,237	11,477	27,161	31235	27,161	
	HB1TRT72240- 	72	240	15,447	16,606	13,388	29,969	34464	29,969	
	HB1TRT72264- 	72	264	18,133	19,494	15,715	34,193	39322	34,193	
	HB1TRT72288- 	72	288	20,853	22,417	18,072	39,322	45220	39,322	

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____


MODEL NUMBER + TYPE	FINISH	TECHNOLOGY CUTOUT
Indicate type as part of model #	See page 5	(Insert option from shaded area on next page)
W = wood L = laminate S = solid surface G = glass		

Example Order String: HB1TRT66216-W.NC701.GN

technology cut-out option	cut-out option code	description	66" DEPTH TOPS				72" DEPTH TOPS				technology model # required	quantity
			66 x 216	66 x 240	66 x 264	66 x 288	72 x 216	72 x 240	72 x 264	72 x 288		
	GN	No Grommet	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-____	3
	4EM	4 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-____	4

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 63-65.

42" and 48" Arched Boat Table Tops

	Model		Dimensions	OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
 42" TOPS	HB1TAB4272-			42	72	2,999	3,224	2,130	5,538	6369	5,538	
	HB1TAB4284-			42	84	3,360	3,612	2,386	6,203	7133	6,203	
	HB1TAB4296-			42	96	3,763	4,045	2,672	6,946	7988	6,946	
	HB1TAB42108-			42	108	4,073	4,378	2,870	7,780	8947	7,780	
	HB1TAB42120-			42	120	4,518	4,857	3,210	8,936	10276	8,936	
 48" TOPS	HB1TAB4872-			48	72	3,536	3,801	2,590	6,388	7346	6,388	
	HB1TAB4884-			48	84	3,959	4,257	2,901	7,154	8227	7,154	
	HB1TAB4896-			48	96	4,436	4,768	3,248	8,012	9214	8,012	
	HB1TAB48108-			48	108	4,967	5,339	3,638	8,974	10320	8,974	
	HB1TAB48120-			48	120	5,299	5,696	3,880	10,273	11814	10,273	
	HB1TAB48144-			48	144	6,821	7,333	4,996	12,674	14575	12,674	
	HB1TAB48168-			48	168	8,575	9,218	6,003	16,121	18539	16,121	
	HB1TAB48192-			48	192	10,827	11,640	7,580	20,064	23074	20,064	


PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE	FINISH	TECHNOLOGY CUTOUT
Indicate type as part of model #	See page 5	(Insert option from shaded area on next page)
W = wood		
L = laminate		
S = solid surface		
G = glass		

Example Order String: HB1TAB4272-W.NC701.GN

technology cut-out option	cut-out option code	description	42" DEPTH TOPS					48" DEPTH TOPS							technology model # required	quantity	
			42 x 72	42 x 84	42 x 96	42 x 108	42 x 120	48 x 72	48 x 84	48 x 96	48 x 108	48 x 120	48 x 144	48 x 168			48 x 192
	GN	No Grommet	•	•	•	•	•		•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•		•	•	•	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Unit			•	•	•			•	•	•	•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Unit					•					•	•	•	•	HK1MC-____	3
	4EM	4 Equally Spaced MediaConnect Unit												•	•	HK1MC-____	4

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 63-65.

	Model	Dimensions	OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
 54" TOPS	HB1TAB54120- 		54	120	5,569	5,987	3,721	10,544	12126	10,544	
	HB1TAB54144- 		54	144	7,368	7,921	5,036	13,515	15542	13,515	
	HB1TAB54168- 		54	168	8,860	9,524	6,059	17,237	19823	17,237	
	HB1TAB54192- 		54	192	10,003	10,753	6,833	19,185	22063	19,185	
	HB1TAB54216- 		54	216	11,166	12,004	7,616	21,444	24661	21,444	
	HB1TAB54240- 		54	240	13,126	14,111	8,961	24,452	28120	24,452	
 60" TOPS	HB1TAB60120- 		60	120	7,044	7,572	4,931	12,162	13986	12,162	
	HB1TAB60144- 		60	144	8,386	9,015	5,870	15,538	17869	15,538	
	HB1TAB60168- 		60	168	10,054	10,808	7,038	19,764	22729	19,764	
	HB1TAB60192- 		60	192	11,410	12,266	7,986	28,257	25320	28,257	
	HB1TAB60216- 		60	216	12,833	13,795	8,982	24,615	28307	24,615	
	HB1TAB60240- 		60	240	15,018	16,144	10,512	28,099	32314	28,099	
	HB1TAB60264- 		60	264	18,257	19,627	12,780	31,524	36253	31,524	
	HB1TAB60288- 		60	288	20,996	22,570	14,697	36,253	41691	36,253	

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____


MODEL NUMBER + TYPE	FINISH	TECHNOLOGY CUTOUT
Indicate type as part of model #	See page 5	(Insert option from shaded area on next page)
W = wood		
L = laminate		
S = solid surface		
G = glass		

Example Order String: HB1TAB54120-W.NC701.GN

technology cut-out option	cut-out option code	description	54" DEPTH TOPS						60" DEPTH TOPS								technology model # required	quantity
			54 x 120	54 x 144	54 x 168	54 x 192	54 x 216	54 x 240	60 x 120	60 x 144	60 x 168	60 x 192	60 x 216	60 x 240	60 x 264	60 x 288		
	GN	No Grommet	•	•	•	•	•	•	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	HK1MC-____	3
	4EM	4 Equally Spaced MediaConnect Unit			•	•	•	•			•	•	•	•	•	•	HK1MC-____	4

NOTE : Above options are for cut-out only, technology ports ordered separately on pages 63-65.

66" and 72" Arched Boat Table Tops



66" TOPS




Model	Dimensions		List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
	OD	OW							
HB1TAB66216- 	66	216	13,185	14,174	11,332	26,904	30940	26,904	
HB1TAB66240- 	66	240	15,439	16,596	13,272	29,622	34065	29,622	
HB1TAB66264- 	66	264	19,023	20,450	14,902	33,760	38824	33,760	
HB1TAB66288- 	66	288	19,993	21,493	17,137	38,824	44648	38,824	
HB1TAB72216- 	72	216	14,965	16,087	12,969	30,691	35295	30,691	
HB1TAB72240- 	72	240	17,455	18,765	15,128	33,864	38944	33,864	
HB1TAB72264- 	72	264	20,490	22,027	17,758	38,639	44435	38,639	
HB1TAB72288- 	72	288	23,563	25,330	20,421	44,434	51099	44,434	

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER + TYPE	FINISH	TECHNOLOGY CUTOUT
Indicate type as part of model #	See page 5	(Insert option from shaded area on next page)
W = wood		
L = laminate		
S = solid surface		
G = glass		

Example Order String: HB1TAB66216-W.NC701.GN

technology cut-out option	cut-out option code	description	66" DEPTH TOPS				72" DEPTH TOPS				technology model # required	quantity
			66 x 216	66 x 240	66 x 264	66 x 288	72 x 216	72 x 240	72 x 264	72 x 288		
	GN	No Grommet	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-____	3
	4EM	4 Equally Spaced MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-____	4

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 63-65.

	Model		Dimensions		List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
			OD	OW							
	HB1TVC4260108-		42/60	108	5,253	5,647	4,397	9,387	10795	9,387	
	HB1TVC4872144-		48/72	144	8,594	9,238	7,200	15,329	17628	15,329	

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER + TYPE	FINISH	TECHNOLOGY CUTOUT
Indicate type as part of model #	See page 5.	(Insert option from shaded area on next page)
W = wood		
L = laminate		
S = solid surface		
G = glass		

Example Order String: HB1TVC4260108-W.NC701.GN

VIDEO TABLE TOPS

technology cut-out option	cut-out option code	description	VIDEO TABLE TOPS		technology model # required	quantity
			42 x 60 x 108	48 x 72 x 144		
	GN	No Grommet	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Unit	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Unit		•	HK1MC-___	3

NOTE : Above options are for cut-out only, technology ports ordered separately on pages 63-65.




This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



TECHNOLOGY	61-72
Powered Grommet & MediaConnect Tech Units	62
Single Space AAP	66
Double Space AAP	69
Miscellaneous Accessories	71

	Model	Description	Dimensions DIA	OW	List Price
SOFTWARE	HK1PG-SP	Brushed Aluminum	4 1/4	6 1/4	1,196

- For use on wood, laminate, solid surface, and glass round tops



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HK1PG-SP



	Model	Description	Dimensions		List Price
			OD	OW	Metal
HARDWIRE	HK1MC-AHW	Aluminum Door	11 1/4	10 1/4	1,196

- For use on wood, laminate, and solid surface tops only

SOFTWARE	HK1MC-ASP	Aluminum Door	11 1/4	10 1/4	1,196
----------	-----------	---------------	--------	--------	--------------




- For use on wood, laminate, and solid surface tops only

HARDWIRE	HK1MC-GHW	Satin Pewter Powder Coat Door	11 1/4	10 1/4	1,165
----------	-----------	-------------------------------	--------	--------	--------------

- For use on glass tops only

SOFTWARE	HK1MC-GSP	Satin Pewter Powder Coat Door	11 1/4	10 1/4	1,165
----------	-----------	-------------------------------	--------	--------	--------------

- For use on glass tops only



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER




Example Order String: HK1MC-AHW

	Model	Description	Dimensions		List Price	Veneer 1	Veneer 2
			OD	OW			
HARDWIRE	HKIMC-WHW	Wood Door	11 1/4	10 1/4	1,430		1,537

- For use on wood, laminate, and solid surface tops only

SOFTWARE	HK1MC-WSP	Wood Door	11 1/4	10 1/4	1,430		1,537
----------	-----------	-----------	--------	--------	--------------	--	--------------

- For use on wood, laminate, and solid surface tops only



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER	FINISH
	See page 5

Example Order String: HKIMC-WHW.NC701




	Model	Description	Dimensions		List Price Solid Surface
			OD	OW	
HARDWIRE	HK1MC-SHW	Solid Surface Door	11 1/4	10 1/4	1,326

- For use on wood, laminate, and solid surface tops only

SOFTWARE	HK1MC-SSP	Solid Surface Door	11 1/4	10 1/4	1,326
----------	-----------	--------------------	--------	--------	--------------

- For use on wood, laminate, and solid surface tops only



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER	SOLID SURFACE COLOR
	See page 5

Example Order String: HK1MC-SHW.SAW

	Model	List Price
	HK17009011	40
	• Blank • Extron Part Number: 70-090-11	
	HK17010113	133
	• (1) Audio • (1) VGA F-F • Extron Part Number: 70-101-13	
	HK17010173	158
	• Labeled (1) Audio • (1) VGA F-F • Extron Part Number: 70-101-73	
	HK17010111	133
	• (1) Audio F-F • Extron Part Number: 70-101-11	
	HK17041111	92
	• (1) RJ11 Phone F-F • Extron Part Number: 70-411-11	



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HK17009011




	Model	List Price
	HK17049111	133
	• (2) RJ45 Data F-F • Extron Part Number: 70-491-11	
	HK17049112	184
	• (2) RJ45 Data F-Punchdown for CAT6 AMP • Extron Part Number: 70-491-12	
	HK17049113	184
	• (2) RJ45 Data F-Punchdown for CAT6 SIEMON • Extron Part Number: 70-491-13	
	HK17049114	184
	• (2) RJ45 Data F-Punchdown for CAT6 Otronics • Extron Part Number: 70-491-14	
	HK17049115	184
	• (2) RJ45 Data F-Punchdown for CAT6 Leviton • Extron Part Number: 70-491-15	

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HK17049111

	Model	List Price
	HK17049116 • (2) RJ45 Data F-Punchdown for CAT6 Panduit • Extron Part Number: 70-491-16	184
	HK17016111 • (1) Audio • (1) VGA • Extron Part Number: 70-161-11	265
	HK17061602 • HDMI Plate F/F • Extron Part Number: 70-616-02	139
	HK17055111 • One 15 pin HD female to five BNC on 8-12" S • Extron Part Number: 70-551-11	189
	HK17067712 • One DisplayPort Female to One DisplayPort Female on 10" Pigtail • Extron Part Number: 70-677-12	139
	HK17045412 • Two USB A Female to Two USB A Female on 10" Pigtails • Extron Part Number: 70-454-12	139



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER




Example Order String: HK17049116





	Model	List Price
	HK17010314 • Two XLR 3-pin Female to Solder cups • Extron Part Number: 70-103-14	122
	HK17046411 • Two Fiber SC Female to Female Barrels • Extron Part Number: 70-464-11	156
	HK170107602 • (1) HDMI, (1) VGA, (1) Audio, (1) USB • Female to Female on 10" Pigtails • Extron Part Number: 70-1076-02	364

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HK17010314

	Model	List Price
	HK17009012 • Blank • Extron Part Number: 70-090-12	46
	HK17010011 • (2) RJ45 Data F-F • Extron Part Number: 70-100-11	123
	HK17014712 • Extender AAP (1) Audio • (1) VGA • Extron Part Number: 70-147-12	969
	HK17026701 • Cable Pass Through Set • This is a set of Extron Part Numbers: - Left Black: 70-270-01 - Right Black: 70-267-01	219



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HK17009012



	Model	Dimensions OD	OW	List Price
POWER CABLE KIT	HK1PWRKT6		172	380
	• Power Cable Kit with 6 outlets			
				
POWER CABLE KIT	HK1PWRKT12		244	671
	• Power Cable Kit with 12 outlets			
				
TRASH CAN	HK1TRASH	8 1/2	11 1/2	130
	• Credenza Trash Can Accessory • Includes sheet metal mounting bracket			

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER




Example Order String: HK1PWRKT6

[illegible]



TABLE BASES	73-84
Intersecting Panel Base	74
Drum Base	76
Panel Base	78
Base Covers	82

Intersecting Panel Base – Metal
for use with Round Table Tops

	Model	For use w/ top size	Dimensions OD	OW	List Price Metal
24" BASE	HB1BSI24-M	42, 48	28	28	1,446
					
32" BASE	HB1BSI32-M	54, 60	36	36	2,254
					
42" BASE	HB1BSI42-M	66, 72	46	46	3,181
					




NOTE : Intersecting Panel Base not available for use with 36" Round Table Tops

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

Example Order String: HB1BSI24-M



	Model	For use w/ top size	Dimensions		List Price	Veneer 1	Veneer 2
			OD	OW			
24" BASE	HB1BSI24-W	42, 48	28	28	1,523	1,637	
							
32" BASE	HB1BSI32-W	54, 60	36	36	2,372	2,550	
							
42" BASE	HB1BSI42-W	66, 72	46	46	3,349	3,600	
							


NOTE : Intersecting Panel Base not available for use with 36" Round Table Tops


PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH
	See page 5.

Example Order String: HB1BSI24-W.NC701

Drum Base – Painted
for use with Round Table Tops

	Model	For use w/ top size	Dimensions OD	OW	List Price Painted
STANDARD 	HK1BSD18-P	36, 42, 48	18	20	1,142
	HK1BSD24-P	54, 60	24	26	1,518
	HK1BSD36-P	66, 72	36	38	1,976

WIRE ACCESS DOOR 	HK1BSDA18-P	36, 42, 48	18	20	2,025
	HK1BSDA24-P	54, 60	24	26	2,482
	HK1BSDA36-P	66, 72	36	38	2,940

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____


MODEL NUMBER


PAINT COLOR
See page 5

•

Example Order String: HK1BSD18-P.WPML



	Model	For use w/ top size	Dimensions OD	OW	List Price Veneer 1	Veneer 2
STANDARD 	HK1BSD18-W	36, 42, 48	18	20	1,270	1,366
	HK1BSD24-W	54, 60	24	26	1,687	1,814
	HK1BSD36-W	66, 72	36	38	2,196	2,361

WIRE ACCESS DOOR 	HK1BSDA18-W	36, 42, 48	18	20	2,250	2,418
	HK1BSDA24-W	54, 60	24	26	2,758	2,965
	HK1BSDA36-W	66, 72	36	38	3,268	3,513

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

FINISH



See page 5

Example Order String: HK1BSD18-W.NC701

Panel Base – Metal
for use with Rectangular and Arched Boat Table Tops

LOGICMEET TABLE SERIES

HB F

	Model	For use w/ top size	# of bases	# of covers	Dimensions OD	OW	List Price Metal	
	FOR 42" AND 48" TOPS	HB1BSP2472-M	42/48 X 72	2	2	28	37 7/8	2,074
		HB1BSP2484-M	42/48 X 84	2	2	28	49 7/8	2,322
		HB1BSP2496-M	42/48 X 96	2	2	28	61 7/8	2,601
		HB1BSP24108-M	42/48 X 108	2	2	28	73 7/8	2,913
		HB1BSP24120-M	42/48 X 120	2	2	28	85 7/8	3,108
		HB1BSP24144-M	42/48 X 144	2	2	28	109 7/8	4,000
		HB1BSP24168-M	42/48 X 168	3	4	28	133 7/8	4,806
		HB1BSP24192-M	42/48 X 192	3	4	28	157 7/8	6,068
	FOR 54" AND 60" TOPS	HB1BSP32120-M	54/60 X 120	2	2	36	85 7/8	3,948
		HB1BSP32144-M	54/60 X 144	2	2	36	109 7/8	4,700
		HB1BSP32168-M	54/60 X 168	3	4	36	133 7/8	5,635
		HB1BSP32192-M	54/60 X 192	3	4	36	157 7/8	6,395
		HB1BSP32216-M	54/60 X 216	3	4	36	181 7/8	7,193
		HB1BSP32240-M	54/60 X 240	3	4	36	205 7/8	8,417
		HB1BSP32264-M	54/60 X 264	4	6	36	229 7/8	10,233
		HB1BSP32288-M	54/60 X 288	4	6	36	253 7/8	11,768
	FOR 66" AND 72" TOPS	HB1BSP42216-M	66/72 X 216	3	4	46	181 7/8	8,388
		HB1BSP42240-M	66/72 X 240	3	4	46	205 7/8	9,783
		HB1BSP42264-M	66/72 X 264	4	6	46	229 7/8	11,484
		HB1BSP42288-M	66/72 X 288	4	6	46	153 7/8	13,207

NOTES:

- If choosing NBM2, NBM4, or NBM6 (no base covers), covers MUST be ordered separately on page 82
- Please note how many covers are required for each model, as you MUST specify the appropriate TCM or NBM option for that model, for that order to be completed properly.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

PANEL BASE COVERS

For Tables with 2 Bases (72" - 144" Table Tops):

TCM2 - two thin profile satin pewter metal base covers included
NBM2 - no base covers (deduct \$200 and order covers separately on page 82)



For Tables with 3 Bases (168" - 240" Table Tops):

TCM4 - four thin profile satin pewter metal base covers included
NBM4 - no base covers (deduct \$400 and order covers separately on page 82)

For Tables with 4 Bases (264" - 288" Table Tops):

TCM6 - six thin profile satin pewter metal base covers included
NBM6 - no base covers (deduct \$600 and order covers separately on page 82)

Example Order String: HB1BSP2472-M.TCM2

	Model	For use w/ top size	# of bases	# of covers	Dimensions OD	OW	List Price Veneer 1	Veneer 2
FOR 42" AND 48" TOPS 	HB1BSP2472-W	42/48 X 72	2	2	28	37 7/8	2,183	2,346
	HB1BSP2484-W	42/48 X 84	2	2	28	49 7/8	2,444	2,627
	HB1BSP2496-W	42/48 X 96	2	2	28	61 7/8	2,738	2,943
	HB1BSP24108-W	42/48 X 108	2	2	28	73 7/8	3,066	3,296
	HB1BSP24120-W	42/48 X 120	2	2	28	85 7/8	3,271	3,516
	HB1BSP24144-W	42/48 X 144	2	2	28	109 7/8	4,211	4,527
	HB1BSP24168-W	42/48 X 168	3	4	28	133 7/8	5,060	5,439
	HB1BSP24192-W	42/48 X 192	3	4	28	157 7/8	6,388	6,867
FOR 54" AND 60" TOPS 	HB1BSP32120-W	54/60 X 120	2	2	36	85 7/8	4,156	4,468
	HB1BSP32144-W	54/60 X 144	2	2	36	109 7/8	4,947	5,319
	HB1BSP32168-W	54/60 X 168	3	4	36	133 7/8	5,931	6,376
	HB1BSP32192-W	54/60 X 192	3	4	36	157 7/8	6,731	7,235
	HB1BSP32216-W	54/60 X 216	3	4	36	181 7/8	7,571	8,139
	HB1BSP32240-W	54/60 X 240	3	4	36	205 7/8	8,860	9,524
	HB1BSP32264-W	54/60 X 264	4	6	36	229 7/8	10,771	11,579
	HB1BSP32288-W	54/60 X 288	4	6	36	253 7/8	12,387	13,316
FOR 66" AND 72" TOPS 	HB1BSP42216-W	66/72 X 216	3	4	46	181 7/8	8,829	9,491
	HB1BSP42240-W	66/72 X 240	3	4	46	205 7/8	10,298	11,071
	HB1BSP42264-W	66/72 X 264	4	6	46	229 7/8	12,089	12,996
	HB1BSP42288-W	66/72 X 288	4	6	46	153 7/8	13,902	14,945

NOTES:

- If choosing NBW2, NBW4, or NBW6 (no base covers), covers MUST be ordered separately on page 82
- Please note how many covers are required for each model, as you MUST specify the appropriate TCW or NBW option for that model, for that order to be completed properly.

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

FINISH

PANEL BASE COVERS

See page 5

For Tables with 2 Bases (72" - 144" Table Tops):
 TCW2 - two thin profile wood base covers included
 NBW2 - no base covers (deduct \$300 and order covers separately on page 82)


For Tables with 3 Bases (168" - 240" Table Tops):
 TCW4 - four thin profile wood base covers included
 NBW4 - no base covers (deduct \$600 and order covers separately on page 82)

For Tables with 4 Bases (264" - 288" Table Tops):
 TCW6 - six thin profile wood base covers included
 NBW6 - no base covers (deduct \$900 and order covers separately on page 82)

Example Order String: HB1BSP2472-W.NC701.TCW2

Panel Base – Metal
for use with Video Conference Table Topss

Model	For use w/ top size	# of bases	# of covers	Dimensions OD	OW	List Price Metal
HB1BSPV24108-M	66 X 108	2	2	28	73 7/8	3,146
HB1BSPV32144-M	84 X 144	2	2	36	109 7/8	5,075



- NOTES:
- If choosing NBM2 (no base covers), covers MUST be ordered separately on page 82


PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	PANEL BASE COVERS
	For Tables with 2 Bases (108" - 144" Table Tops): TCM2 - two thin profile satin pewter metal base covers included NBM2 - no base covers (deduct \$200 and order covers separately on page 82)
	•

Example Order String: HB1BSPV24108-M.TCM2



Model	For use w/ top size	# of bases	# of covers	Dimensions		List Price	Veneer 1	Veneer 2
				OD	OW			
HB1BSPV24108-W	66 X 108	2	2	28	73 7/8	3,331	3,331	3,560
HB1BSPV32144-W	84 X 144	2	2	36	109 7/8	5,342	5,342	5,743



NOTES:

- If choosing NBW2 (no base covers), covers MUST be ordered separately on page 82

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

FINISH

PANEL BASE COVERS

See page 5

For Tables with 2 Bases (108" - 144" Table Tops):

TCW2 - two thin profile wood base covers included

NBW2 - no base covers (deduct \$300 and order covers separately on page 82)

 • •

Example Order String: HB1BSPV24108-W.NC701.TCW2

Base Covers
Optional Covers for Ordering





	Model	Dimensions	Metal OD	Metal OW	Wood OD	Wood OW	List Price	Metal	Veneer 1	Veneer 2
1" COVER 	HB1BCV1- 		1	12	1	14	359		456	490
3-1/2" COVER 	HB1BCV3- 		3 5/8	12	3 13/16	14	520		911	980
7" COVER 	HB1BCV7- 		6 7/8	12	7	14	712		1,019	1,096

Cover Matrix for Panel Bases used on Conference Table Tops

Top Size	# of Bases	# of Covers Required
72	2	2
84	2	2
96	2	2
108	2	2
120	2	2
144	2	2
168	3	4
192	3	4
216	3	4
240	3	4
264	4	6
288	4	6

- NOTES:
- A metal cover may be used on either a wood or metal base
 - A wood cover may be used on either a wood or metal base

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE	FINISH
Indicate type as part of model #	See page 5
	Finish option not required
	when choosing metal
	base covers
 = metal	
 = wood	
	• 


Example Order String: HB1BCV1-M

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



CREDENZAS	85-91
Conference Cabinets	86
Conference Cabinets with Suspended Buffet Shelf	88
ANCILLARY PRODUCTS	92-94
Presentation Cabinet	92
Carts	93
Lecterns	94

	Model	Dimensions			Number of Doors	List Price	Veneer 1	Veneer 2
		OD	OW	OH				
	ACRYLIC W/ OVAL PULL HB1CCL2036-WY	19 1/2	36	29 1/2	2	3,994	4,293	
	HB1CCL2049-WY	19 1/2	49	29 1/2	2	5,008	5,383	
	HB1CCL2072-WY	19 1/2	72	29 1/2	3	6,186	6,650	
	HB1CCL2096-WY	19 1/2	96	29 1/2	4	7,777	8,361	


- Locks not available on acrylic door models

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER	FINISH
	See page 5

Example Order String: HB1CCL2036-WY.NC701

	Model	Dimensions OD	OW	OH	Number of Doors	List Price Veneer 1	Veneer 2
WOOD W/ BAR PULL	HB1CCL2036-WW	19 1/2	36	29 1/2	2	3,631	3,903
	HB1CCL2049-WW	19 1/2	49	29 1/2	2	4,553	4,894
	HB1CCL2072-WW	19 1/2	72	29 1/2	3	5,624	6,047
	HB1CCL2096-WW	19 1/2	96	29 1/2	4	7,070	7,600



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

Indicate type as part of model #

FINISH

See page 5

LOCKS

LY - locks yes
LN - locks no


KEYING

FL - field installed locks
RMS - random silver
RMB - random black
FT100TAS-FT150TAS - factory installed silver
FT100TA-FT150TA - factory installed black
 • • •

Example Order String: HB1CCL2036-WW.NC701.LY.FL


Conference Cabinets with Suspended Shelf
Wood Tops

	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
ACRYLIC DOORS W/OVAL PULL AND WOOD TOP	HB1CCLS2240-WYW	21 1/2	40	34 5/8	4,593		4,937
	HB1CCLS2253-WYW	21 1/2	53	34 5/8	5,760		6,191
	HB1CCLS2276-WYW	21 1/2	76	34 5/8	7,424		7,980
	HB1CCLS22100-WYW	21 1/2	100	34 5/8	9,332		10,032



• Locks not available on acrylic door models

WOOD DOORS W/BAR PULL AND WOOD TOP	HB1CCLS2240-WWW	21 1/2	40	34 5/8	4,175		4,488
	HB1CCLS2253-WWW	21 1/2	53	34 5/8	5,235		5,628
	HB1CCLS2276-WWW	21 1/2	76	34 5/8	6,749		7,255
	HB1CCLS22100-WWW	21 1/2	100	34 5/8	8,484		9,121




PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	LOCKS	KEYING
	See page 5	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black


Example Order String: HB1CCLS2240-WYW.NC701.LY.FL

	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
ACRYLIC DOORS	HB1CCLS2240-WYL	21 1/2	40	34 5/8	4,133		4,443
W/OVAL PULL AND	HB1CCLS2253-WYL	21 1/2	53	34 5/8	5,183		5,572
LAMINATE TOP	HB1CCLS2276-WYL	21 1/2	76	34 5/8	6,681		7,182
	HB1CCLS22100-WYL	21 1/2	100	34 5/8	8,399		9,029



- Locks not available on acrylic door models

WOOD DOORS	HB1CCLS2240-WWL	21 1/2	40	34 5/8	3,758		4,039
W/BAR PULL AND	HB1CCLS2253-WWL	21 1/2	53	34 5/8	4,712		5,066
LAMINATE TOP	HB1CCLS2276-WWL	21 1/2	76	34 5/8	6,074		6,529
	HB1CCLS22100-WWL	21 1/2	100	34 5/8	7,636		8,209



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

FINISH

LAMINATE

LOCKS

KEYING

See page 5

See page 5

LY - locks yes
LN - locks no


FL - field installed locks
RMS - random silver
RMB - random black
FT100TAS-FT150TAS - factory installed silver
FT100TA-FT150TA - factory installed black

• • • • •

Example Order String: HB1CCLS2240-WYL.NC701.PLWH.LY.FL


Conference Cabinets with Suspended Shelf
Solid Surface Tops

	Model	Dimensions			List Price	Veneer 1	Veneer 2	Solid Surface Premium
		OD	OW	OH				
ACRYLIC DOORS	HB1CCLS2240-WYS	21 1/2	40	34 1/8	5,970	6,418	6866	
W/OVAL PULL AND	HB1CCLS2253-WYS	21 1/2	53	34 1/8	7,487	8,049	8610	
SOLID SURFACE TOP	HB1CCLS2276-WYS	21 1/2	76	34 1/8	9,650	10,374	11098	
	HB1CCLS22100-WYS	21 1/2	100	34 1/8	12,132	13,042	13952	



• Locks not available on acrylic door models

WOOD DOORS	HB1CCLS2240-WWS	21 1/2	40	34 1/8	5,428	5,834	6242	
W/BAR PULL AND	HB1CCLS2253-WWS	21 1/2	53	34 1/8	6,806	7,316	7827	
SOLID SURFACE TOP	HB1CCLS2276-WWS	21 1/2	76	34 1/8	8,773	9,432	10089	
	HB1CCLS22100-WWS	21 1/2	100	34 1/8	11,029	11,856	12683	




PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	SOLID SURFACE	LOCKS	KEYING
	See page 5	See page 5	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black


Example Order String: HB1CCLS2240-WYS.NC701.SAW.LY.FL

	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
ACRYLIC DOORS	HB1CCLS2240-WYG	21 1/2	40	34 7/8	5,970		6,418
W/OVAL PULL AND	HB1CCLS2253-WYG	21 1/2	53	34 7/8	7,487		8,049
GLASS TOP	HB1CCLS2276-WYG	21 1/2	76	34 7/8	9,650		10,374
	HB1CCLS22100-WYG	21 1/2	100	34 7/8	12,132		13,042



- Locks not available on acrylic door models

WOOD DOORS	HB1CCLS2240-WWG	21 1/2	40	34 7/8	5,428		5,834
W/BAR PULL AND	HB1CCLS2253-WWG	21 1/2	53	34 7/8	6,806		7,316
GLASS TOP	HB1CCLS2276-WWG	21 1/2	76	34 7/8	8,773		9,432
	HB1CCLS22100-WWG	21 1/2	100	34 7/8	11,029		11,856



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

FINISH

GLASS

LOCKS

KEYING

See page 5

See page 5

LY - locks yes
LN - locks no

FL - field installed locks
RMS - random silver
RMB - random black
FT100TAS-FT150TAS - factory installed silver
FT100TA-FT150TA - factory installed black

_____ • _____ • _____ • _____ • _____

Example Order String: HB1CCLS2240-WYG.NC701.GCF.LY.FL

	Model	Dimensions			List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium
		OD	OW	OW						
MOBILE BUFFET CART	HB1CBC-W	22 3/16	42	36	4,499	4,836	4,049	5,849	6726	



MEDIA CART	HB1CMC-W	22 1/2	28 5/8	35 7/8	3,824	4,111				
------------	----------	--------	--------	--------	-------	-------	--	--	--	--

OPEN FRONT



NOTES:

- Media Cart is only available in Wood

MEDIA CART	HB1CMCD-W	22 1/2	28 5/8	35 7/8	4,446	4,780				
------------	-----------	--------	--------	--------	-------	-------	--	--	--	--

WOOD DOORS



NOTES:

- Media Cart is only available in Wood

NOTE:

Laminate option only required when choosing Mobile Buffet Cart with laminate top.

Solid Surface option only required when choosing Mobile Buffet Cart with solid surface top.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood top
L = laminate top
S = solid surface top

FINISH

See page 5

LAMINATE

See page 5

SOLID SURFACE

See page 5

LOCKS

LY - locks yes
LN - locks no

KEYING

FL - field installed locks
RMS - random silver
RMB - random black
FT100TAS-FT150TAS - factory installed silver
FT100TA-FT150TA - factory installed black


_____ . _____ . _____ . _____ . _____ . _____

Example Order String: HB1CBC-WW.NC701.LY.FL


	Model	Dimensions				List Price	Veneer 1	Veneer 2
		OD	OW	OH				
LECTERN	HB1LCT	26 1/2	25 3/4	40 3/16		5,062		5,441



LECTERN W/WOOD SHROUD	HB1LCTS-W	27 5/16	29 3/4	46 1/16		6,079		6,534
-----------------------	-----------	---------	--------	---------	--	--------------	--	--------------



LECTERN W/ALABASTER WHITE SOLID SURFACE SHROUD	HB1LCTS-Y	27 5/16	29 3/4	46 1/16		6,941		7,462
--	-----------	---------	--------	---------	--	--------------	--	--------------



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER	FINISH	LOCKS	KEYING	TECHNOLOGY OPTION	BASE FOOT
	See page 5	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black	LTY Technology Yes – Microphone, Goose-neck Light, Power/Data Unit (+\$1,450) LTN Technology No	GLD - base with glides CST - base with locking casters

Example Order String: HB1LCT.NC701.LY.FL.LTY.GLD

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1BCV1-M	12 LBS.	0.7	82
HB1BCV1-W	17 LBS.	0.9	82
HB1BCV3-M	13 LBS.	1.3	82
HB1BCV3-W	22 LBS.	1.5	82
HB1BCV7-M	14 LBS.	2.0	82
HB1BCV7-W	25 LBS.	2.2	82
HB1BSI24-M	124 LBS.	17.4	74
HB1BSI24-W	95 LBS.	17.4	75
HB1BSI32-M	144 LBS.	27.5	74
HB1BSI32-W	105 LBS.	27.5	75
HB1BSI42-M	172 LBS.	43.4	74
HB1BSI42-W	115 LBS.	43.4	75
HB1BSP24108-M	181 LBS.	12.0	78
HB1BSP24108-W	158 LBS.	12.0	79
HB1BSP24120-M	189 LBS.	12.7	78
HB1BSP24120-W	168 LBS.	12.7	79
HB1BSP24144-M	197 LBS.	14.1	78
HB1BSP24144-W	188 LBS.	14.1	79
HB1BSP24168-M	285 LBS.	15.8	78
HB1BSP24168-W	254 LBS.	15.8	79
HB1BSP24192-M	301 LBS.	16.5	78
HB1BSP24192-W	275 LBS.	16.5	79
HB1BSP2472-M	157 LBS.	10.0	78
HB1BSP2472-W	128 LBS.	10.0	79
HB1BSP2484-M	165 LBS.	10.6	78
HB1BSP2484-W	138 LBS.	10.6	79
HB1BSP2496-M	173 LBS.	11.3	78
HB1BSP2496-W	148 LBS.	11.3	79
HB1BSP32120-M	241 LBS.	18.0	78
HB1BSP32120-W	189 LBS.	18.0	79
HB1BSP32144-M	261 LBS.	20.4	78
HB1BSP32144-W	214 LBS.	20.4	79
HB1BSP32168-M	361 LBS.	20.9	78
HB1BSP32168-W	286 LBS.	20.9	79
HB1BSP32192-M	384 LBS.	22.1	78
HB1BSP32192-W	311 LBS.	22.1	79
HB1BSP32216-M	404 LBS.	23.3	78
HB1BSP32216-W	336 LBS.	23.3	79
HB1BSP32240-M	224 LBS.	24.4	78
HB1BSP32240-W	360 LBS.	24.4	79
HB1BSP32264-M	526 LBS.	27.4	78
HB1BSP32264-W	432 LBS.	27.4	79
HB1BSP32288-M	546 LBS.	28.2	78
HB1BSP32288-W	456 LBS.	28.2	79
HB1BSP42216-M	514 LBS.	30.5	78
HB1BSP42216-W	391 LBS.	30.5	79
HB1BSP42240-M	536 LBS.	32.1	78
HB1BSP42240-W	419 LBS.	32.1	79
HB1BSP42264-M	671 LBS.	35.1	78
HB1BSP42264-W	504 LBS.	35.1	79
HB1BSP42288-M	695 LBS.	36.2	78
HB1BSP42288-W	532 LBS.	36.2	79

MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1BSPV24108-M	181 LBS.	12.0	80
HB1BSPV24108-W	158 LBS.	12.0	81
HB1BSPV32144-M	261 LBS.	20.4	80
HB1BSPV32144-W	214 LBS.	20.4	81
HB1CBC-WL	110 LBS.	25.5	93
HB1CBC-WS	145 LBS.	25.1	93
HB1CBC-WW	110 LBS.	25.5	93
HB1CCL2036-WW	131 LBS.	16.5	87
HB1CCL2036-WY	131 LBS.	16.5	86
HB1CCL2049-WW	168 LBS.	22.0	87
HB1CCL2049-WY	168 LBS.	22.0	86
HB1CCL2072-WW	131 LBS.	31.7	87
HB1CCL2072-WY	131 LBS.	31.7	86
HB1CCL2096-WW	289 LBS.	41.9	87
HB1CCL2096-WY	289 LBS.	41.9	86
HB1CCLS22100-WWG	391 LBS.	54.2	91
HB1CCLS22100-WWL	338 LBS.	54.9	89
HB1CCLS22100-WWS	346 LBS.	55.3	90
HB1CCLS22100-WWW	338 LBS.	54.9	88
HB1CCLS22100-WYG	391 LBS.	54.2	91
HB1CCLS22100-WYL	338 LBS.	54.9	89
HB1CCLS22100-WYS	346 LBS.	55.3	90
HB1CCLS22100-WYW	338 LBS.	54.9	88
HB1CCLS2240-WWG	192 LBS.	22.6	91
HB1CCLS2240-WWL	172 LBS.	22.9	89
HB1CCLS2240-WWS	174 LBS.	23.1	90
HB1CCLS2240-WWW	172 LBS.	22.9	88
HB1CCLS2240-WYG	192 LBS.	22.6	91
HB1CCLS2240-WYL	172 LBS.	22.9	89
HB1CCLS2240-WYS	174 LBS.	23.1	90
HB1CCLS2240-WYW	172 LBS.	22.9	88
HB1CCLS2253-WWG	237 LBS.	29.5	91
HB1CCLS2253-WWL	209 LBS.	29.9	89
HB1CCLS2253-WWS	214 LBS.	30.1	90
HB1CCLS2253-WWW	209 LBS.	29.9	88
HB1CCLS2253-WYG	237 LBS.	29.5	91
HB1CCLS2253-WYL	209 LBS.	29.9	89
HB1CCLS2253-WYS	214 LBS.	30.1	90
HB1CCLS2253-WYW	209 LBS.	29.9	88
HB1CCLS2276-WWG	315 LBS.	41.6	91
HB1CCLS2276-WWL	275 LBS.	42.1	89
HB1CCLS2276-WWS	271 LBS.	42.4	90
HB1CCLS2276-WWW	275 LBS.	42.1	88
HB1CCLS2276-WYG	315 LBS.	41.6	91
HB1CCLS2276-WYL	275 LBS.	42.1	89
HB1CCLS2276-WYS	271 LBS.	42.4	90
HB1CCLS2276-WYW	275 LBS.	42.1	88
HB1CHTR120-A	28 LBS.	2.7	92
HB1CHTREND-A	11 LBS.	0.1	92
HB1CMCD-W	108 LBS.	18.1	93
HB1CMC-W	93 LBS.	18.1	93
HB1CPC48	167 LBS.	13.1	92



MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1LCT	116 LBS.	21.2	94
HB1LCTS-W	168 LBS.	28.2	94
HB1LCTS-Y	187 LBS.	28.2	94
HB1TAB42108-G	337 LBS.	11.6	52
HB1TAB42108-L	123 LBS.	11.6	52
HB1TAB42108-S	253 LBS.	11.6	52
HB1TAB42108-W	123 LBS.	11.6	52
HB1TAB42120-G	369 LBS.	12.8	52
HB1TAB42120-L	135 LBS.	12.8	52
HB1TAB42120-S	276 LBS.	12.8	52
HB1TAB42120-W	135 LBS.	12.8	52
HB1TAB4272-G	241 LBS.	7.8	52
HB1TAB4272-L	85 LBS.	7.8	52
HB1TAB4272-S	185 LBS.	7.8	52
HB1TAB4272-W	85 LBS.	7.8	52
HB1TAB4284-G	273 LBS.	9.1	52
HB1TAB4284-L	98 LBS.	9.1	52
HB1TAB4284-S	207 LBS.	9.1	52
HB1TAB4284-W	98 LBS.	9.1	52
HB1TAB4296-G	305 LBS.	10.3	52
HB1TAB4296-L	110 LBS.	10.3	52
HB1TAB4296-S	230 LBS.	10.3	52
HB1TAB4296-W	110 LBS.	10.3	52
HB1TAB48108-G	379 LBS.	13.1	52
HB1TAB48108-L	139 LBS.	13.1	52
HB1TAB48108-S	283 LBS.	13.1	52
HB1TAB48108-W	139 LBS.	13.1	52
HB1TAB48120-G	416 LBS.	14.5	52
HB1TAB48120-L	153 LBS.	14.5	52
HB1TAB48120-S	309 LBS.	14.5	52
HB1TAB48120-W	153 LBS.	14.5	52
HB1TAB48144-G	490 LBS.	17.4	52
HB1TAB48144-L	182 LBS.	17.4	52
HB1TAB48144-S	361 LBS.	17.4	52
HB1TAB48144-W	182 LBS.	17.4	52
HB1TAB48168-G	564 LBS.	20.2	52
HB1TAB48168-L	210 LBS.	20.2	52
HB1TAB48168-S	413 LBS.	20.2	52
HB1TAB48168-W	210 LBS.	20.2	52
HB1TAB48192-G	638 LBS.	23.0	52
HB1TAB48192-L	239 LBS.	23.0	52
HB1TAB48192-S	465 LBS.	23.0	52
HB1TAB48192-W	239 LBS.	23.0	52
HB1TAB4872-G	269 LBS.	8.9	52
HB1TAB4872-L	96 LBS.	8.9	52
HB1TAB4872-S	204 LBS.	8.9	52
HB1TAB4872-W	96 LBS.	8.9	52
HB1TAB4884-G	305 LBS.	10.3	52
HB1TAB4884-L	110 LBS.	10.3	52
HB1TAB4884-S	231 LBS.	10.3	52
HB1TAB4884-W	110 LBS.	10.3	52
HB1TAB4896-G	342 LBS.	11.7	52

MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1TAB4896-L	125 LBS.	11.7	52
HB1TAB4896-S	257 LBS.	11.7	52
HB1TAB4896-W	125 LBS.	11.7	52
HB1TAB54120-G	463 LBS.	16.2	54
HB1TAB54120-L	171 LBS.	16.2	54
HB1TAB54120-S	342 LBS.	16.2	54
HB1TAB54120-W	171 LBS.	16.2	54
HB1TAB54144-G	546 LBS.	19.4	54
HB1TAB54144-L	203 LBS.	19.4	54
HB1TAB54144-S	401 LBS.	19.4	54
HB1TAB54144-W	203 LBS.	19.4	54
HB1TAB54168-G	629 LBS.	22.6	54
HB1TAB54168-L	235 LBS.	22.6	54
HB1TAB54168-S	459 LBS.	22.6	54
HB1TAB54168-W	235 LBS.	22.6	54
HB1TAB54192-G	712 LBS.	25.7	54
HB1TAB54192-L	268 LBS.	25.7	54
HB1TAB54192-S	518 LBS.	25.7	54
HB1TAB54192-W	268 LBS.	25.7	54
HB1TAB54216-G	796 LBS.	28.9	54
HB1TAB54216-L	300 LBS.	28.9	54
HB1TAB54216-S	577 LBS.	28.9	54
HB1TAB54216-W	300 LBS.	28.9	54
HB1TAB54240-G	879 LBS.	32.1	54
HB1TAB54240-L	332 LBS.	32.1	54
HB1TAB54240-S	636 LBS.	32.1	54
HB1TAB54240-W	332 LBS.	32.1	54
HB1TAB60120-G	510 LBS.	17.9	54
HB1TAB60120-L	189 LBS.	17.9	54
HB1TAB60120-S	375 LBS.	17.9	54
HB1TAB60120-W	189 LBS.	17.9	54
HB1TAB60144-G	602 LBS.	21.4	54
HB1TAB60144-L	225 LBS.	21.4	54
HB1TAB60144-S	440 LBS.	21.4	54
HB1TAB60144-W	225 LBS.	21.4	54
HB1TAB60168-G	695 LBS.	24.9	54
HB1TAB60168-L	261 LBS.	24.9	54
HB1TAB60168-S	405 LBS.	24.9	54
HB1TAB60168-W	261 LBS.	24.9	54
HB1TAB60192-G	787 LBS.	28.4	54
HB1TAB60192-L	296 LBS.	28.4	54
HB1TAB60192-S	571 LBS.	28.4	54
HB1TAB60192-W	296 LBS.	28.4	54
HB1TAB60216-G	880 LBS.	31.9	54
HB1TAB60216-L	332 LBS.	31.9	54
HB1TAB60216-S	637 LBS.	31.9	54
HB1TAB60216-W	332 LBS.	31.9	54
HB1TAB60240-G	973 LBS.	35.4	54
HB1TAB60240-L	368 LBS.	35.4	54
HB1TAB60240-S	702 LBS.	35.4	54
HB1TAB60240-W	368 LBS.	35.4	54
HB1TAB60264-G	1065 LBS.	38.9	54

MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1TAB60264-L	404 LBS.	38.9	54
HB1TAB60264-S	767 LBS.	38.9	54
HB1TAB60264-W	404 LBS.	38.9	54
HB1TAB60288-G	1158 LBS.	42.4	54
HB1TAB60288-L	439 LBS.	42.4	54
HB1TAB60288-S	833 LBS.	42.4	54
HB1TAB60288-W	439 LBS.	42.4	54
HB1TAB66216-G	964 LBS.	35.0	56
HB1TAB66216-L	364 LBS.	35.0	56
HB1TAB66216-S	696 LBS.	35.0	56
HB1TAB66216-W	364 LBS.	35.0	56
HB1TAB66240-G	1066 LBS.	38.8	56
HB1TAB66240-L	404 LBS.	38.8	56
HB1TAB66240-S	768 LBS.	38.8	56
HB1TAB66240-W	404 LBS.	38.8	56
HB1TAB66264-G	1168 LBS.	42.6	56
HB1TAB66264-L	443 LBS.	42.6	56
HB1TAB66264-S	840 LBS.	42.6	56
HB1TAB66264-W	443 LBS.	42.6	56
HB1TAB66288-G	1270 LBS.	46.5	56
HB1TAB66288-L	482 LBS.	46.5	56
HB1TAB66288-S	912 LBS.	46.5	56
HB1TAB66288-W	482 LBS.	46.5	56
HB1TAB72216-G	1049 LBS.	38.0	56
HB1TAB72216-L	397 LBS.	38.0	56
HB1TAB72216-S	756 LBS.	38.0	56
HB1TAB72216-W	397 LBS.	38.0	56
HB1TAB72240-G	1160 LBS.	42.2	56
HB1TAB72240-L	439 LBS.	42.2	56
HB1TAB72240-S	834 LBS.	42.2	56
HB1TAB72240-W	439 LBS.	42.2	56
HB1TAB72264-G	1272 LBS.	46.4	56
HB1TAB72264-L	482 LBS.	46.4	56
HB1TAB72264-S	913 LBS.	46.4	56
HB1TAB72264-W	482 LBS.	46.4	56
HB1TAB72288-G	1383 LBS.	50.5	56
HB1TAB72288-L	525 LBS.	50.5	56
HB1TAB72288-S	992 LBS.	50.5	56
HB1TAB72288-W	525 LBS.	50.5	56
HB1TRD36-G	127 LBS.	3.5	44
HB1TRD36-L	38 LBS.	3.5	44
HB1TRD36-S	113 LBS.	3.5	44
HB1TRD36-W	38 LBS.	3.5	44
HB1TRD42-G	152 LBS.	4.7	44
HB1TRD42-L	48 LBS.	4.7	44
HB1TRD42-S	133 LBS.	4.7	44
HB1TRD42-W	48 LBS.	4.7	44
HB1TRD48-G	181 LBS.	6.0	44
HB1TRD48-L	60 LBS.	6.0	44
HB1TRD48-S	157 LBS.	6.0	44
HB1TRD48-W	60 LBS.	6.0	44
HB1TRD54-G	215 LBS.	7.5	44
HB1TRD54-L	73 LBS.	7.5	44

MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1TRD54-S	184 LBS.	7.5	44
HB1TRD54-W	73 LBS.	7.5	44
HB1TRD60-G	253 LBS.	9.2	44
HB1TRD60-L	88 LBS.	9.2	44
HB1TRD60-S	215 LBS.	9.2	44
HB1TRD60-W	88 LBS.	9.2	44
HB1TRD66-G	295 LBS.	11.0	44
HB1TRD66-L	104 LBS.	11.0	44
HB1TRD66-S	249 LBS.	11.0	44
HB1TRD66-W	104 LBS.	11.0	44
HB1TRD72-G	340 LBS.	13.0	44
HB1TRD72-L	122 LBS.	13.0	44
HB1TRD72-S	286 LBS.	13.0	44
HB1TRD72-W	122 LBS.	13.0	44
HB1TRT42108-G	369 LBS.	11.6	46
HB1TRT42108-L	135 LBS.	11.6	46
HB1TRT42108-S	276 LBS.	11.6	46
HB1TRT42108-W	135 LBS.	11.6	46
HB1TRT42120-G	405 LBS.	12.8	46
HB1TRT42120-L	149 LBS.	12.8	46
HB1TRT42120-S	301 LBS.	12.8	46
HB1TRT42120-W	149 LBS.	12.8	46
HB1TRT4272-G	262 LBS.	7.8	46
HB1TRT4272-L	94 LBS.	7.8	46
HB1TRT4272-S	200 LBS.	7.8	46
HB1TRT4272-W	94 LBS.	7.8	46
HB1TRT4284-G	298 LBS.	9.1	46
HB1TRT4284-L	107 LBS.	9.1	46
HB1TRT4284-S	225 LBS.	9.1	46
HB1TRT4284-W	107 LBS.	9.1	46
HB1TRT4296-G	333 LBS.	10.3	46
HB1TRT4296-L	121 LBS.	10.3	46
HB1TRT4296-S	250 LBS.	10.3	46
HB1TRT4296-W	121 LBS.	10.3	46
HB1TRT48108-G	416 LBS.	13.1	46
HB1TRT48108-L	153 LBS.	13.1	46
HB1TRT48108-S	308 LBS.	13.1	46
HB1TRT48108-W	153 LBS.	13.1	46
HB1TRT48120-G	457 LBS.	14.5	46
HB1TRT48120-L	169 LBS.	14.5	46
HB1TRT48120-S	337 LBS.	14.5	46
HB1TRT48120-W	169 LBS.	14.5	46
HB1TRT48144-G	539 LBS.	17.4	46
HB1TRT48144-L	201 LBS.	17.4	46
HB1TRT48144-S	395 LBS.	17.4	46
HB1TRT48144-W	201 LBS.	17.4	46
HB1TRT48168-G	621 LBS.	20.2	46
HB1TRT48168-L	233 LBS.	20.2	46
HB1TRT48168-S	453 LBS.	20.2	46
HB1TRT48168-W	233 LBS.	20.2	46
HB1TRT48192-G	703 LBS.	23.0	46
HB1TRT48192-L	264 LBS.	23.0	46
HB1TRT48192-S	511 LBS.	23.0	46



MODEL NUMBER	WEIGHT	CUBES	PAGE	MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1TRT48192-W	264 LBS.	23.0	46	HB1TRT60216-G	972 LBS.	31.9	48
HB1TRT4872-G	293 LBS.	8.9	46	HB1TRT60216-L	368 LBS.	31.9	48
HB1TRT4872-L	105 LBS.	8.9	46	HB1TRT60216-S	702 LBS.	31.9	48
HB1TRT4872-S	222 LBS.	8.9	46	HB1TRT60216-W	368 LBS.	31.9	48
HB1TRT4872-W	105 LBS.	8.9	46	HB1TRT60240-G	1075 LBS.	35.4	48
HB1TRT4884-G	334 LBS.	10.3	46	HB1TRT60240-L	408 LBS.	35.4	48
HB1TRT4884-L	121 LBS.	10.3	46	HB1TRT60240-S	774 LBS.	35.4	48
HB1TRT4884-S	251 LBS.	10.3	46	HB1TRT60240-W	408 LBS.	35.4	48
HB1TRT4884-W	121 LBS.	10.3	46	HB1TRT60264-G	1178 LBS.	38.9	48
HB1TRT4896-G	375 LBS.	11.7	46	HB1TRT60264-L	447 LBS.	38.9	48
HB1TRT4896-L	137 LBS.	11.7	46	HB1TRT60264-S	847 LBS.	38.9	48
HB1TRT4896-S	280 LBS.	11.7	46	HB1TRT60264-W	447 LBS.	38.9	48
HB1TRT4896-W	137 LBS.	11.7	46	HB1TRT60288-G	1281 LBS.	42.4	48
HB1TRT54120-G	509 LBS.	16.2	48	HB1TRT60288-L	487 LBS.	42.4	48
HB1TRT54120-L	189 LBS.	16.2	48	HB1TRT60288-S	920 LBS.	42.4	48
HB1TRT54120-S	374 LBS.	16.2	48	HB1TRT60288-W	487 LBS.	42.4	48
HB1TRT54120-W	189 LBS.	16.2	48	HB1TRT66216-G	1066 LBS.	35.0	50
HB1TRT54144-G	601 LBS.	19.4	48	HB1TRT66216-L	404 LBS.	35.0	50
HB1TRT54144-L	225 LBS.	19.4	48	HB1TRT66216-S	768 LBS.	35.0	50
HB1TRT54144-S	439 LBS.	19.4	48	HB1TRT66216-W	404 LBS.	35.0	50
HB1TRT54144-W	225 LBS.	19.4	48	HB1TRT66240-G	1179 LBS.	38.8	50
HB1TRT54168-G	694 LBS.	22.6	48	HB1TRT66240-L	447 LBS.	38.8	50
HB1TRT54168-L	261 LBS.	22.6	48	HB1TRT66240-S	848 LBS.	38.8	50
HB1TRT54168-S	505 LBS.	22.6	48	HB1TRT66240-W	447 LBS.	38.8	50
HB1TRT54168-W	261 LBS.	22.6	48	HB1TRT66264-G	1293 LBS.	42.6	50
HB1TRT54192-G	786 LBS.	25.7	48	HB1TRT66264-L	491 LBS.	42.6	50
HB1TRT54192-L	296 LBS.	25.7	48	HB1TRT66264-S	928 LBS.	42.6	50
HB1TRT54192-S	570 LBS.	25.7	48	HB1TRT66264-W	491 LBS.	42.6	50
HB1TRT54192-W	296 LBS.	25.7	48	HB1TRT66288-G	1406 LBS.	46.5	50
HB1TRT54216-G	879 LBS.	28.9	48	HB1TRT66288-L	535 LBS.	46.5	50
HB1TRT54216-L	332 LBS.	28.9	48	HB1TRT66288-S	1008 LBS.	46.5	50
HB1TRT54216-S	635 LBS.	28.9	48	HB1TRT66288-W	535 LBS.	46.5	50
HB1TRT54216-W	332 LBS.	28.9	48	HB1TRT72216-G	1160 LBS.	38.0	50
HB1TRT54240-G	971 LBS.	32.1	48	HB1TRT72216-L	439 LBS.	38.0	50
HB1TRT54240-L	368 LBS.	32.1	48	HB1TRT72216-S	834 LBS.	38.0	50
HB1TRT54240-S	701 LBS.	32.1	48	HB1TRT72216-W	439 LBS.	38.0	50
HB1TRT54240-W	368 LBS.	32.1	48	HB1TRT72240-G	1283 LBS.	42.2	50
HB1TRT60120-G	561 LBS.	17.9	48	HB1TRT72240-L	487 LBS.	42.2	50
HB1TRT60120-L	209 LBS.	17.9	48	HB1TRT72240-S	922 LBS.	42.2	50
HB1TRT60120-S	411 LBS.	17.9	48	HB1TRT72240-W	487 LBS.	42.2	50
HB1TRT60120-W	209 LBS.	17.9	48	HB1TRT72264-G	1407 LBS.	46.4	50
HB1TRT60144-G	663 LBS.	21.4	48	HB1TRT72264-L	535 LBS.	46.4	50
HB1TRT60144-L	249 LBS.	21.4	48	HB1TRT72264-S	1009 LBS.	46.4	50
HB1TRT60144-S	484 LBS.	21.4	48	HB1TRT72264-W	535 LBS.	46.4	50
HB1TRT60144-W	249 LBS.	21.4	48	HB1TRT72288-G	1531 LBS.	50.5	50
HB1TRT60168-G	766 LBS.	24.9	48	HB1TRT72288-L	583 LBS.	50.5	50
HB1TRT60168-L	288 LBS.	24.9	48	HB1TRT72288-S	1097 LBS.	50.5	50
HB1TRT60168-S	556 LBS.	24.9	48	HB1TRT72288-W	583 LBS.	50.5	50
HB1TRT60168-W	288 LBS.	24.9	48	HB1TVC4260108-G	382 LBS.	16.2	58
HB1TRT60192-G	869 LBS.	28.4	48	HB1TVC4260108-L	165 LBS.	16.2	58
HB1TRT60192-L	328 LBS.	28.4	48	HB1TVC4260108-S	307 LBS.	16.2	58
HB1TRT60192-S	629 LBS.	28.4	48	HB1TVC4260108-W	165 LBS.	16.2	58
HB1TRT60192-W	328 LBS.	28.4	48	HB1TVC4872144-G	591 LBS.	25.5	58

MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1TVC4872144-L	258 LBS.	25.5	58
HB1TVC4872144-S	470 LBS.	25.5	58
HB1TVC4872144-W	258 LBS.	25.5	58
HK17009011	1 LBS.	0.1	66
HK17009012	1 LBS.	0.1	70
HK17010011	1 LBS.	0.1	70
HK17010111	1 LBS.	0.1	66
HK17010113	1 LBS.	0.1	66
HK17010173	1 LBS.	0.1	66
HK17010314	1 LBS.	0.1	69
HK170107602	1 LBS.	0.1	69
HK17014712	1 LBS.	0.1	70
HK17016111	1 LBS.	0.1	68
HK17026701	1 LBS.	0.1	70
HK17041111	1 LBS.	0.1	66
HK17045412	1 LBS.	0.1	68
HK17046411	1 LBS.	0.1	69
HK17049111	1 LBS.	0.1	67
HK17049112	1 LBS.	0.1	67
HK17049113	1 LBS.	0.1	67
HK17049114	1 LBS.	0.1	67
HK17049115	1 LBS.	0.1	67
HK17049116	1 LBS.	0.1	68
HK17055111	1 LBS.	0.1	68
HK17061602	1 LBS.	0.1	68
HK17067712	1 LBS.	0.1	68
HK1BSD18-P	220 LBS.	8.7	76
HK1BSD18-W	220 LBS.	8.7	77
HK1BSD24-P	230 LBS.	14.2	76
HK1BSD24-W	230 LBS.	14.2	77
HK1BSD36-P	265 LBS.	28.9	76
HK1BSD36-W	265 LBS.	28.9	77
HK1BSDA18-P	220 LBS.	8.7	76
HK1BSDA18-W	220 LBS.	8.7	77
HK1BSDA24-P	230 LBS.	14.2	76
HK1BSDA24-W	230 LBS.	14.2	77
HK1BSDA36-P	265 LBS.	28.9	76
HK1BSDA36-W	265 LBS.	28.9	77
HK1MC-AHW	12 LBS.	1.1	63
HK1MC-ASP	12 LBS.	1.1	63
HK1MC-GHW	12 LBS.	1.1	63
HK1MC-GSP	12 LBS.	1.1	63
HK1MC-SHW	12 LBS.	1.1	65
HK1MC-SSP	12 LBS.	1.1	65
HK1MC-WHW	12 LBS.	1.1	64
HK1MC-WSP	12 LBS.	1.1	64
HK1PG-SP	7 LBS.	0.3	62
HK1PWRKT12	8 LBS.	5.0	71
HK1PWRKT6	5 LBS.	5.0	71
HK1TRASH	5 LBS.	1.4	71