



HP-2 INDIRECT/DIRECT LIGHTING FACTS^{CM} LABEL



Data based on 4' luminaire.

HP-2 ID SO/SO 3500K

 lighting facts [®] <small>A Program of the U.S. DOE</small>		Finelite, Inc.
Light Output (Lumens)	2812	
Watts	35.3	
Lumens per Watt (Efficacy)	79.7	
Color Accuracy		85
<small>Color Rendering Index (CRI)</small>		
Light Color		3480 (Bright White)
<small>Correlated Color Temperature (CCT)</small>		
		
Warranty**		Yes
<small>All results, except LED Lumen Maintenance, are according to IESNA LM-79-2008: Approved Method for the Electrical and Photometric Testing of Solid-State Lighting. The U.S. Department of Energy (DOE) verifies product test data and results.</small>		
** See www.lightingfacts.com/products for details.		
<small>Registration Number: D1QF-B4AIR (11/3/2014) Model Number: Hp-2 ID-X-SO-SO-3500K Type: Luminaire - Linear</small>		

HO - High Output
SO - Standard Output

HP-2 ID HO/HO 3500K

 lighting facts [®] <small>A Program of the U.S. DOE</small>		Finelite, Inc.
Light Output (Lumens)	4984	
Watts	72.9	
Lumens per Watt (Efficacy)	68.4	
Color Accuracy		85
<small>Color Rendering Index (CRI)</small>		
Light Color		3467 (Bright White)
<small>Correlated Color Temperature (CCT)</small>		
		
Warranty**		Yes
<small>All results, except LED Lumen Maintenance, are according to IESNA LM-79-2008: Approved Method for the Electrical and Photometric Testing of Solid-State Lighting. The U.S. Department of Energy (DOE) verifies product test data and results.</small>		
** See www.lightingfacts.com/products for details.		
<small>Registration Number: D1QF-3GVA3X (11/3/2014) Model Number: HP-2 ID-X-HO-HO-3500K Type: Luminaire - Linear</small>		