




XPECT COLLECTION
SPECIFICATION GUIDE & LIST PRICES

April 1, 2014
Updated January 6, 2016

TUOHY

XPECT COLLECTION


TYPICALS	AK4	BASE L/T PANELS	AK19
INTRODUCTION/OPTIONS	AK6	MODESTY PANELS	AK20
EDGE DETAILS	AK7	BOOKCASES	AK20
KNOB & PULL HARDWARE	AK8	PEDESTALS	AK20
TABLE-DESKS	AK10	HUTCHES	AK24
DESKS	AK11	WALL HUTCHES	AK27
RUNOFFS	AK14	HUTCHES, SLIDING GLASS DOORS	AK28
BRIDGES	AK16	HUTCH SHELVES	AK31
DIVIDER PANELS	AK17	FABRIC PANELS, WALL HUNG	AK31
SURROUND PANELS	AK17	WALL PANELS	AK32
CREDENZA TOPS	AK18	WALL PANEL SHELVES	AK32
TOP-TO-TOWER CONNECTION	AK18	TOWERS	AK33
TOP SUPPORT KEELS	AK19		
POST-LEGS	AK19		



X-A

Hutch72: Sliding2 90, Fabric Back Panel
Tower 72/24: Cabinet RH 18
CredenzaTop24: 90
Base L-Panel LH 18x24, Unfinished Back
Ped24: 2BF 18, Unfinished Back
Ped24: 2F 18, Unfinished Back
Bridge24: 48
Desk/Bullet: Post-TBase 72x36


Product Number	List Price	Qty
LLQF-90-15-72	5992	1
LPC-18-24-72	2401	1
LF-90-24	1142	1
LHLU-18-24	496	1
LKFU-18-24	1673	1
LKEU-18-24	1556	1
LCF-48-24	1470	1
LACJ-72-36	3080	1
Total:	17810	



X-B

Tower 85/24: Garment LH 24
Hutch85: Cabinet2 90, Fabric Back Panel
Hutch Shelf 90 for Standard Hutch
Tower 85/24: Cabinet DBL 36
CredenzaTop24: 90
Base L-Panel LH 36x24
Modesty-Panel: 18
Ped24: 2F 18, Unfinished Back
Ped24: 2BF 18, Unfinished Back
Runoff36 Top: LH 54
Modesty-Panel: 36 Finished Back
Ped36: 2BF 18 Finished Back


LPE-24-24-85	2831	1
LLHF-90-15-85	4167	1
LLWS-90-15	792	1
LPD-36-24-85	4035	1
LF-90-24	1142	1
LHLU-36-24	558	1
LJU-18	370	1
LKEU-18-24	1556	1
LKFU-18-24	1673	1
LBA-54-36	1215	1
LJF-36	485	1
LKFF-18-36	2072	1
Total:	20896	



X-C

Tower 85/24: Garment: Cab 36
WallHutch: WoodShelf2 90
Fabric Wall Panel: 90 for Wall Hutch
CredenzaTop24: 90
Ped24: 2BF 18, Unfinished Back
Ped24: 2LatF 30, Unfinished Back
Top-to-Tower Connector
Runoff36/P: Post-Leg LH 66

LPH-36-24-85	4559	1
LME-90-15-30.6	2769	1
LN-90-23.4	572	1
LF-90-24	1142	1
LKFU-18-24	1977	1
LKEU-30-24	1805	1
LFB	42	1
LBD-66-36	3169	1
Total:	16035	




X-Dx

Hutch72: WoodShelving3 36
Hutch72: Sliding1 72 2-Doors, Fabric BP
Hutch Shelf 72 for Standard Hutch
CredenzaTop24: 108
Ped24: 2LatF 36, Unfinished Back
Ped24: 2BF 18, Unfinished Back
PedMobile18: 2BF 18
Modesty-Panel: 36
Base L-Panel RH 18x24, Unfinished Back
Runoff36 Top: RH 54
Post2 Legs

LLJ-36-15-72	1536	1
LLPF-72-15-72	4723	1
LLWS-72-15	715	1
LF-108-24	1300	1
LKEU-36-24	1910	1
LKFU-18-24	1673	1
LKFM-18-18	1848	1
LJU-36	441	1
LHRU-18-24	496	1
LBB-54-36	1215	1
7VMUA92	541	1
Total:	16398	

Specify: Product Number, Quantity
Tagging
Wood Finish
Hardware Finish
Edge Detail


Totals are extended sums.
Prices listed in Wood1 Finishes.



X-G

Runoff36/Bullet: Post-Leg 60
Base L-Panel LH 18x24
Ped24: 2BF 18
Ped24: 2F 18
CredenzaTop24: 90
Hutch72: Cabinet1 90, Wood Back Panel
Tower 72/24: Cabinet RH 18


Product Number	List Price	Qty
LBC-60-36	2431	1
LHLU-18-24	496	1
LKFU-18-24	1673	1
LKEU-18-24	1556	1
LF-90-24	1142	1
LLBW-90-15-72	3341	1
LPC-18-24-72	2401	1
Total:	13040	



X-3

Runoff36/P: Post-Leg LH 66
Base L-Panel LH 18x24
Ped24: 2LatB/LatF 36
CredenzaTop24: 90
Hutch72: WoodShelving3 36


LBD-66-36	3169	1
LHLU-18-24	496	1
LKFU-36-24	2090	1
LF-90-24	1142	1
LLJ-36-15-72	1536	1
Total:	8433	



X-4

Desk/Bullet: Post-TBase 72x36
Bridge24: 48
Base L-Panel LH 18x24
Ped24: 2LatF 36
CredenzaTop24: 90
WallHutch: WoodShelf1 90

LACJ-72-36	3080	1
LCF-48-24	1470	1
LHLU-18-24	496	1
LKEU-36-24	1910	1
LF-90-24	1142	1
LMA-90-15-18	2208	1
Total:	10306	



X-H

Ped24: 2LatF 36, Unfinished Back
Ped24: 2LatB/LatF 36, Unfinished Back
Modesty-Access: 36
Ped24: 2LatF 36, Unfinished Back
CredenzaTop24: 108
CredenzaTop24: 36
Ped36: Cabinet RH 12, Finished Back
Runoff Desk Top: LH 54
Wall Panel WoodGr1 36w 1.5d x 43.6h
Wall Panel WoodGr1 36w 1.5d x 43.6h
Wall Panel WoodGr1 36w 1.5d x 43.6h
Wall Panel WoodGr1 36w 1.5d x 43.6h
Wall Panel Shelf 105w 11.25d 43.7h (3-in from LH edge)
Wall Panel Shelf 33w 11.25d 43.7h (3-in from RH edge)
Wall Panel Shelf 105w 11.25d 57.6h (3-in from LH edge)
Wall Panel Shelf 33w 11.25d 57.6h (3-in from RH edge)

LKEU-36-24	1910	1
LKFU-36-24	2090	1
LJR-36	528	1
LKEU-36-24	1910	1
LF-108-24	1300	1
LF-36-24	756	1
LKCF-12-36	1586	1
LBA-54-36	1215	1
LWP72D-36	1043	1
LWP72D-36	1043	1
LWP72D-36	1043	1
LWP72D-36	1043	1
LWS105L-43.7	1114	1
LWS33R-43.7	793	1
LWS105L-57.6	1114	1
LWS33R-57.6	793	1
Total:	19281	



Specify: Product Number, Quantity
Tagging
Wood Finish
Hardware Finish
Edge Detail

Totals are extended sums.
Prices listed in Wood1 Finishes.

OPTIONS

Wood Species/Finish


Units can be specified in standard TUOHY Wood Finishes, Solid Colors, or any combination thereof. Exotic veneers and sketch-face patterns may be applied on a quote basis.

Parametrics

Xpect products are parametrically specified. You are not restricted to the sizes listed in this price list. Call out the nominal dimension that you desire, TUOHY will calculate the appropriate edge overhangs based upon the style you select. There is no surcharge, just use the price for the next larger unit.

Example: LAAA-76-34 is a 76 wide x 34 deep rectangular 2 box/file-2 box/file desk. The price would be the same as a LAAA-78-36, which is the next size larger in both width and depth.

The following dimensions are fixed and cannot be changed:
Pedestal heights are 28.4 inches tall
Drawer style pedestals are available in 18, 30, 36 inches widths only.



Lap Drawers

Finishes Available:

Lap Drawer 24 inch Face	All TUOHY Wood Colors (Face only)	L70MKA00	567
Lap Drawer 24 inch Face w. Liner	All TUOHY Wood Colors (Face only)	L70MKA01	673
Lap Dwr Rear Fascia-4 ft/Field Cut	All TUOHY Wood Colors	L70PCF00	240
Lap Drawer 24 inch Face, Encased	All TUOHY Wood Colors (Face+case)	L70MKA02	839

Additional Notes

- ! All dimensions are nominal.
- ! All prices are based on Wood1 finishes and include freight.
- ! All drawer pedestals are standard with locks. Locks are optional on Hutches and Towers.
- ! Towers, Peds: Unfinished Back-ends overlay the back; Finished Back-back overlaying the ends.
- ! Refer to the General Information section of the TUOHY List Price Schedule for additional:
 - Specification Information
 - Terms & Conditions
 - Warranty
 - Power Management
 - Undershelf Lights
 - Locks
 - Pencil Trays
 - Keyboard Mechanisms

PRIVATE OFFICE: XPECT



EDGE DETAILS

2mm Veneer Edges
Applied to all edges.

Solid Wood Edges
Applied to user and visitor edges only;
Square-cut, 2mm veneer on ends.

50 Square All-Veneer
(0.08-in overhang)



58 Square
(0.08-in overhang)



55 Concave
(0.08-in overhang)



57 Soft Bevel
(0.34-in overhang)



56 Bullnose
(0.87-in overhang)



Note:
The overhang dimensions shown
on this page are per affected edge.
Dimensions listed in this price list do
not include the edge overhang; make
allowances accordingly.



KNOB & PULL HARDWARE

Drawer knobs and pulls will be centered on all drawer fronts, except as noted.
Door knobs and pulls will be mounted opposite the hinge side in all instances.

100 Recessed Wood



575 Nickel Matte

Pulls are mounted LEFT on drawers faces 18-inches wide or less.



- 671 Chrome Polished
- 673 Brass Polished
- 674 Black
- 675 Nickel Satin



820 Resin Stainless



KNOB & PULL HARDWARE
(continued)

Drawer knobs and pulls will be centered on all drawer fronts, except as noted.
Door knobs and pulls will be mounted opposite the hinge side in all instances.

830 Resin Stainless

Pulls will be mounted
RIGHT on drawers faces
18-inches wide or less.



840 Resin Stainless






851 Chrome Polished
856 Stainless Steel



900 Resin Stainless



Table-Desks



				Product No.	List \$	Product No.	List \$
Open Leg	w	d	29.9h	Open Leg			
Table Rectangle 60x24	60	24		LQCG-60-24	2377		
Table Rectangle 60x30	60	30		LQCG-60-30	2419		
Table Rectangle 66x30	66	30		LQCG-66-30	2471		
Table Rectangle 72x30	72	30		LQCG-72-30	2520		
Table Rectangle 78x30	78	30		LQCG-78-30	2574		
Table Rectangle 60x36	60	36		LQCG-60-36	2674		
Table Rectangle 66x36	66	36		LQCG-66-36	2749		
• Table Rectangle 72x36	72	36		LQCG-72-36	2825		
Table Rectangle 78x36	78	36		LQCG-78-36	2896		
With Modesty Panel	w	d	29.9h	Half Modesty Panel		Full Modesty Panel	
Table/Modesty Rectangle 60x24	60	24		LQCJ-60-24	2579	LQCH-60-24	2629
Table/Modesty Rectangle 60x30	60	30		LQCJ-60-30	2624	LQCH-60-30	2674
Table/Modesty Rectangle 66x30	66	30		LQCJ-66-30	2680	LQCH-66-30	2732
Table/Modesty Rectangle 72x30	72	30		LQCJ-72-30	2735	LQCH-72-30	2789
Table/Modesty Rectangle 78x30	78	30		LQCJ-78-30	2799	LQCH-78-30	2855
Table/Modesty Rectangle 60x36	60	36		LQCJ-60-36	2876	LQCH-60-36	2926
Table/Modesty Rectangle 66x36	66	36		LQCJ-66-36	2959	LQCH-66-36	3011
• Table/Modesty Rectangle 72x36	72	36		LQCJ-72-36	3040	LQCH-72-36	3094
Table/Modesty Rectangle 78x36	78	36		LQCJ-78-36	3121	LQCH-78-36	3176
Track Top	w	d	29.9h	Open Leg			
Table Track 72x30	72	30		LQFG-72-30	4552		
Table Track 78x30	78	30		LQFG-78-30	4635		
• Table Track 72x36	72	36		LQFG-72-36	4635		
Table Track 78x36	78	36		LQFG-78-36	4718		

+ Options/Parameters:

Width range: 60-78

Depth range: 24-36

Finish variables are top, modesty panel.

! Notes:

Tops are 1.5 inches thick; specify any Xpect edge detail.




Leg finish is Resin Brushed Aluminum.

Specify: Product Number, Quantity
Tagging
Wood Finish
Hardware Finish
Edge Detail

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Desks, Double Pedestal



Rectangular Top —	w	d	29.9h	Product No.	List \$
Desk 60x24	60	24		LAA?-60-24	4082
Desk 60x30	60	30		LAA?-60-30	4296
Desk 66x30	66	30		LAA?-66-30	4367
Desk 72x30	72	30		LAA?-72-30	4449
Desk 78x30	78	30		LAA?-78-30	4515
Desk 84x30	84	30		LAA?-84-30	4606
Desk 60x36	60	36		LAA?-60-36	4540
Desk 66x36	66	36		LAA?-66-36	4615
• Desk 72x36	72	36		LAA?-72-36	4711
Desk 78x36	78	36		LAA?-78-36	4790
Desk 84x36	84	36		LAA?-84-36	4893
Desk 90x36	90	36		LAA?-90-36	4992

D-Top —	w	d	29.9h	Product No.	List \$
Desk/D 60x24	60	30		LAB?-60-24	4513
Desk/D 60x30	60	36		LAB?-60-30	4724
Desk/D 66x30	66	36		LAB?-66-30	4801
Desk/D 72x30	72	36		LAB?-72-30	4894
Desk/D 78x30	78	36		LAB?-78-30	4967
Desk/D 84x30	84	36		LAB?-84-30	5064
Desk/D 60x36	60	42		LAB?-60-36	4992
Desk/D 66x36	66	42		LAB?-66-36	5079
• Desk/D 72x36	72	42		LAB?-72-36	5181
Desk/D 78x36	78	42		LAB?-78-36	5270
Desk/D 84x36	84	42		LAB?-84-36	5381
Desk/D 90x36	90	42		LAB?-90-36	5492

Overhang-Top —	w	d	29.9h	Product No.	List \$
Desk/Overhang 60x30	60	36		LAE?-60-30	4347
Desk/Overhang 66x30	66	36		LAE?-66-30	4426
Desk/Overhang 72x30	72	36		LAE?-72-30	4522
Desk/Overhang 78x30	78	36		LAE?-78-30	4605
Desk/Overhang 84x30	84	36		LAE?-84-30	4709
Desk/Overhang 60x36	60	42		LAE?-60-36	4592
Desk/Overhang 66x36	66	42		LAE?-66-36	4676
• Desk/Overhang 72x36	72	42		LAE?-72-36	4786
Desk/Overhang 78x36	78	42		LAE?-78-36	4877
Desk/Overhang 84x36	84	42		LAE?-84-36	4992
Desk/Overhang 90x36	90	42		LAE?-90-36	5110

? Specify configuration (user's left-right) by modifying the Product Number:

For 2BF-2BF, change the 4th digit from ? to A.

For 2F-2F, change the 4th digit from ? to B.

For 2BF-2F, change the 4th digit from ? to C.

For 2F-2BF, change the 4th digit from ? to D.

+ Options/Parametrics:

Width range: 60-90 (peds are 18w fixed —top and modesty panel change). Ex: LAAA-62.25-30 \$4240.

Depth range: 24-36 (drawer depths will be 20 or 30). Ex: LAAA-74-34.5 \$4650.

Maximum of 3 surface grommets may be used; see Options and surcharges.

Finish variables are top, faces, backs, modesty panel.

! Notes:

Modesty panel is inset 0.75 inch.

D-Tops and Overhang-Tops have a 6 inch visitor's overhang.

Face locks are included as standard

Tops have Flush-Cut Ends.




Specify: Product Number, Quantity
Tagging
Wood Finish
Hardware Finish
Edge Detail

• Denotes Item is illustrated.
— Includes locks.

Prices listed in Wood1 Finishes.

AK11

Desks, Single Pedestal



Product No. List \$

Rectangular Top ↯	w	d	29.9h		
Desk1 60x24	60	24		LAA?-60-24	3304
Desk1 60x30	60	30		LAA?-60-30	3491
Desk1 66x30	66	30		LAA?-66-30	3557
Desk1 72x30	72	30		LAA?-72-30	3639
Desk1 78x30	78	30		LAA?-78-30	3707
Desk1 60x36	60	36		LAA?-60-36	3712
Desk1 66x36	66	36		LAA?-66-36	3787
• Desk1 72x36	72	36		LAA?-72-36	3878
Desk1 78x36	78	36		LAA?-78-36	3956

D-Top ↯	w	d	29.9h		
Desk1/D 60x30	60	36		LAB?-60-30	3921
Desk1/D 66x30	66	36		LAB?-66-30	3996
Desk1/D 72x30	72	36		LAB?-72-30	4085
Desk1/D 78x30	78	36		LAB?-78-30	4158
Desk1/D 60x36	60	42		LAB?-60-36	3712
Desk1/D 66x36	66	42		LAB?-66-36	4247
• Desk1/D 72x36	72	42		LAB?-72-36	4348
Desk1/D 78x36	78	42		LAB?-78-36	4434

Overhang-Top ↯	w	d	29.9h		
Desk1/Overhang 60x30	60	36		LAE?-60-30	3543
Desk1/Overhang 66x30	66	36		LAE?-66-30	3618
Desk1/Overhang 72x30	72	36		LAE?-72-30	3713
Desk1/Overhang 78x30	78	36		LAE?-78-30	3793
Desk1/Overhang 60x36	60	42		LAE?-60-36	3763
Desk1/Overhang 66x36	66	42		LAE?-66-36	3848
• Desk1/Overhang 72x36	72	42		LAE?-72-36	3951
Desk1/Overhang 78x36	78	42		LAE?-78-36	4045

? Specify configuration (user's left-right) by modifying the Product Number:

For LBase-2BF, change the 4th digit from ? to E.

For LBase-2F, change the 4th digit from ? to F.

For 2BF-LBase, change the 4th digit from ? to G.

For 2F-LBase, change the 4th digit from ? to H.

+ Options/Parametrics:

Width range: 60-78, peds are 18 inches fixed width—top and modesty panel change.

Depth range: 24-36, drawer depths will be 20 or 30.

Maximum of 3 surface grommets may be used; see Options and surcharges.

Finish variables are top, faces, backs, modesty panel.

! Notes:

Modesty panel is inset 0.75 inch.

D-Tops and Overhang-Tops have a 6 inch front (visitor's) overhang.

Face locks are included as standard

Tops have Flush-Cut Ends.


Specify: Product Number, Quantity
Tagging
Wood Finish
Hardware Finish
Edge Detail

• Denotes Item is illustrated..
↯ Includes locks.

Prices listed in Wood1 Finishes.

TUOHY

Desks, Bullet-Top



Post-Leg & T-Base ‡	w	d	29.9h	Product No.	List \$
Desk/Bullet: Post-TBase 60x24	60	24		LACJ-60-24	2624
Desk/Bullet: Post-TBase 66x30	66	30		LACJ-66-30	2886
Desk/Bullet: Post-TBase 72x30	72	30		LACJ-72-30	2944
• Desk/Bullet: Post-TBase 72x36	72	36		LACJ-72-36	3080
Desk/Bullet: Post-TBase 78x36	78	36		LACJ-78-36	3135
Desk/Bullet: Post-TBase 84x36	84	36		LACJ-84-36	3226

+ Options/Parametrics:


Width range: 60-84

Depth range: 24-36

Metal post leg is available in MRB Resin Black or MRSA Resin Satin Aluminum.

Finish variable is the top.

Desks, P-Top



Post & T-Base ‡	w	d	29.9h	Product No.	List \$
Desk/P: Post-TBase 60x24	60	30		LADK-60-24	3261
Desk/P: Post-TBase 66x30	66	36		LADK-66-30	3506
Desk/P: Post-TBase 72x30	72	36		LADK-72-30	3529
Desk/P: Post-TBase 72x36	72	42		LADK-72-36	3842
Desk/P: Post-TBase 78x36	78	42		LADK-78-36	3867
Desk/P: Post-TBase 84x36	84	42		LADK-84-36	3917
Desk/P: TBase-Post 60x24	60	30		LADJ-60-24	3261
Desk/P: TBase-Post 66x30	66	36		LADJ-66-30	3506
Desk/P: TBase-Post 72x30	72	36		LADJ-72-30	3529
• Desk/P: TBase-Post 72x36	72	42		LADJ-72-36	3842
Desk/P: TBase-Post 78x36	78	42		LADJ-78-36	3867
Desk/P: TBase-Post 84x36	84	42		LADJ-84-36	3917

+ Options/Parametrics:

Width range: 60-84

Depth range: 24-42

Metal post leg is available in MRB Resin Black or MRSA Resin Satin Aluminum.

Finish variable is the top.

! Notes (all items this page):

Tops have a Flush-Cut End.







Specify: Product Number, Quantity
Tagging
Wood Finish
Hardware Finish
Edge Detail

- Denotes Item is illustrated.
- ‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

AK13

Runoffs, Rectangular Top Only



		Product No.	List \$	Product No.	List \$
Credenza Depths	w	1.5th	18d Top	24d Top	
Runoff Cred Top: LH 42	42		LBA-42-18	880	LBA-42-24 950
Runoff Cred Top: LH 48	48		LBA-48-18	923	LBA-48-24 999
• Runoff Cred Top: LH 54	54		LBA-54-18	953	LBA-54-24 1038
Runoff Cred Top: LH 60	60		LBA-60-18	989	LBA-60-24 1106
Runoff Cred Top: LH 72	72		LBA-72-18	1068	LBA-72-24 1191
Runoff Cred Top: LH 84	84		LBA-84-18	1151	LBA-84-24 1297
Runoff Cred Top: LH 90	90		LBA-90-18	1248	LBA-90-24 1393
Runoff Cred Top: LH 108	108		LBA-108-18	1404	LBA-108-24 1546
Runoff Cred Top: LH 120	120		LBA-120-18	1540	LBA-120-24 1685
Runoff Cred Top: RH 42	42		LBB-42-18	880	LBB-42-24 950
Runoff Cred Top: RH 48	48		LBB-48-18	923	LBB-48-24 999
Runoff Cred Top: RH 54	54		LBB-54-18	953	LBB-54-24 1038
Runoff Cred Top: RH 60	60		LBB-60-18	989	LBB-60-24 1106
Runoff Cred Top: RH 72	72		LBB-72-18	1068	LBB-72-24 1191
Runoff Cred Top: RH 84	84		LBB-84-18	1151	LBB-84-24 1297
Runoff Cred Top: RH 90	90		LBB-90-18	1248	LBB-90-24 1393
Runoff Cred Top: RH 108	108		LBB-108-18	1404	LBB-108-24 1546
Runoff Cred Top: RH 120	120		LBB-120-18	1540	LBB-120-24 1685
Desk Depths	w	1.5th	30d Top	36d Top	
Runoff Desk Top: LH 42	42		LBA-42-30	1014	LBA-42-36 1082
Runoff Desk Top: LH 48	48		LBA-48-30	1076	LBA-48-36 1151
• Runoff Desk Top: LH 54	54		LBA-54-30	1127	LBA-54-36 1215
Runoff Desk Top: LH 60	60		LBA-60-30	1173	LBA-60-36 1300
Runoff Desk Top: LH 72	72		LBA-72-30	1308	LBA-72-36 1432
Runoff Desk Top: LH 84	84		LBA-84-30	1440	LBA-84-36 1565
Runoff Desk Top: LH 90	90		LBA-90-30	1536	LBA-90-36 1680
Runoff Desk Top: LH 108	108		LBA-108-30	1691	LBA-108-36 1834
Runoff Desk Top: LH 120	120		LBA-120-30	1828	LBA-120-36 1976
Runoff Desk Top: RH 42	42		LBB-42-30	1014	LBB-42-36 1082
Runoff Desk Top: RH 48	48		LBB-48-30	1076	LBB-48-36 1151
Runoff Desk Top: RH 54	54		LBB-54-30	1127	LBB-54-36 1215
Runoff Desk Top: RH 60	60		LBB-60-30	1173	LBB-60-36 1300
Runoff Desk Top: RH 72	72		LBB-72-30	1308	LBB-72-36 1432
Runoff Desk Top: RH 84	84		LBB-84-30	1440	LBB-84-36 1565
Runoff Desk Top: RH 90	90		LBB-90-30	1536	LBB-90-36 1680
Runoff Desk Top: RH 108	108		LBB-108-30	1691	LBB-108-36 1834
Runoff Desk Top: RH 120	120		LBB-120-30	1828	LBB-120-36 1976

+ Options/Parametrics:

Width range: 18-120

Depth range: 18-36

! Notes:

See page 321 for Post-Legs that may be used with Runoff Tops shown above.

The recommended maximum open span under tops is 54 inches use legs, bases & pedestals accordingly.

Tops are Edge Detail Front Only (Flush-Cut End/Back).

Specify: Product Number, Quantity
Tagging
Wood Finish
Hardware Finish
Edge Detail


• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

TUOHY

Product No. List \$

Runoffs, Rectangular Top Only (cont.)



48d Top	w	48d 1.5th		
Runoff48 Top: LH 42	42		LBA-42-48	1138
Runoff48 Top: LH 48	48		LBA-48-48	1184
• Runoff48 Top: LH 54	54		LBA-54-48	1229
Runoff48 Top: LH 60	60		LBA-60-48	1275
Runoff48 Top: LH 72	72		LBA-72-48	1387
Runoff48 Top: LH 84	84		LBA-84-48	1476

+ Options/Parametrics:

Width range: 42-84

Depth range: 36-48


! Notes:

See page 321 for Post-Legs that may be used with Runoff Tops shown above.

The maximum open span under tops is 54 inches; use legs, bases and pedestals accordingly.

Tops have Edge Detail Front and Back (Flush-Cut End).

Runoffs, Bullet-Shape



30d Bullet w. Post-Leg ‡	w	30d 29.9h		
Runoff30/Bullet: Post-Leg 48	48		LBC-48-30	2199
Runoff30/Bullet: Post-Leg 54	54		LBC-54-30	2249
Runoff30/Bullet: Post-Leg 60	60		LBC-60-30	2306
Runoff30/Bullet: Post-Leg 66	66		LBC-66-30	2354
Runoff30/Bullet: Post-Leg 72	72		LBC-72-30	2417

36d Bullet w. Post-Leg ‡	w	36d 29.9h		
Runoff36/Bullet: Post-Leg 48	48		LBC-48-36	2302
Runoff36/Bullet: Post-Leg 54	54		LBC-54-36	2381
• Runoff36/Bullet: Post-Leg 60	60		LBC-60-36	2431
Runoff36/Bullet: Post-Leg 66	66		LBC-66-36	2510
Runoff36/Bullet: Post-Leg 72	72		LBC-72-36	2580


+ Options/Parametrics:

Width range: 48-72

Depth range: 30-36

Metal post leg is available in MRB Resin Black or MRSA Resin Satin Aluminum.

Runoffs, P-Shape



36d P-Shape w. Post-Leg ‡	w	36d 29.9h		
Runoff30/P: Post-Leg LH 66	66		LBD-66-30	3030
Runoff30/P: Post-Leg LH 72	72		LBD-72-30	3096
Runoff30/P: Post-Leg RH 66	66		LBE-66-30	3030
Runoff30/P: Post-Leg RH 72	72		LBE-72-30	3096

42d P-Shape w. Post-Leg ‡	w	42d 29.9h		
• Runoff36/P: Post-Leg LH 66	66		LBD-66-36	3169
Runoff36/P: Post-Leg LH 72	72		LBD-72-36	3257
Runoff36/P: Post-Leg RH 66	66		LBE-66-36	3169
Runoff36/P: Post-Leg RH 72	72		LBE-72-36	3257

+ Options/Parametrics:

Width range: 48-72

Depth range: 30-36



Metal post leg is available in MRB Resin Black or MRSA Resin Satin Aluminum.

Specify: Product Number, Quantity
Tagging
Wood Finish
Hardware Finish
Edge Detail

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Bridges



			Product No.	List \$	Product No.	List \$
18d ‡	w	18d 29.9h	Top Only		With Fixed Panel	
Bridge18: 36	36		LCD-36-18	905	LCF-36-18	1247
Bridge18: 42	42		LCD-42-18	943	LCF-42-18	1308
Bridge18: 48	48		LCD-48-18	986	LCF-48-18	1384
Bridge18: 54	54		LCD-54-18	1017	LCF-54-18	1450
24d ‡	w	24d 29.9h				
Bridge24: 36	36		LCD-36-24	971	LCF-36-24	1314
Bridge24: 42	42		LCD-42-24	1013	LCF-42-24	1382
• Bridge24: 48	48		LCD-48-24	1068	LCF-48-24	1470
Bridge24: 54	54		LCD-54-24	1112	LCF-54-24	1542
30d ‡	w	30d 29.9h				
Bridge30: 36	36		LCD-36-30	1034	LCF-36-30	1379
Bridge30: 42	42		LCD-42-30	1088	LCF-42-30	1453
Bridge30: 48	48		LCD-48-30	1150	LCF-48-30	1554
Bridge30: 54	54		LCD-54-30	1203	LCF-54-30	1634

+ Options/Parametrics:

Width range: 36-54

Depth range: 18-30

Finish variables are top, mod panel.

! Notes:


Finished modesty panel.

Width is nominal; accommodates hutch sitting on desk-bridge-credenza combination.

Modesty panel is designed to screw to two L-Panels.

Tops have Edge Detail Front Only.

Bridges, Removable Access Panel



18d ‡	w	18d 29.9h	Unfinished Back	
Bridge18/Access: 36	36		LCR-36-18	1377
Bridge18/Access: 42	42		LCR-42-18	1435
Bridge18/Access: 48	48		LCR-48-18	1494
Bridge18/Access: 54	54		LCR-54-18	1546
24d ‡	w	24d 29.9h	Unfinished Back	
Bridge24/Access: 36	36		LCR-36-24	1441
Bridge24/Access: 42	42		LCR-42-24	1507
• Bridge24/Access: 48	48		LCR-48-24	1580
Bridge24/Access: 54	54		LCR-54-24	1641
30d ‡	w	30d 29.9h	Unfinished Back	
Bridge30/Access: 36	36		LCR-36-30	1507
Bridge30/Access: 42	42		LCR-42-30	1580
Bridge30/Access: 48	48		LCR-48-30	1661
Bridge30/Access: 54	54		LCR-54-30	1731

+ Options/Parametrics:

Width range: 36-54

Depth range: 18-30

Finish variables are top, access panel.

! Notes:

Unfinished back on access panel.

Width is nominal; accommodates hutch sitting on desk-bridge-credenza combination.

Access panel has 2.5 inches clearance under top.

Access panel sits out from the wall 3 inches and is attached with Velcro to two spacers.

Spacers are designed to screw between two L-Panels.


Tops have Edge Detail Front Only.

Specify: Product Number
Quantity
Tagging
Wood Finish
Edge Detail

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Divider Panels



	Prod. Prefix	Width Codes and List \$											
1.5th 12.125h		18	24	30	36	45	48	54	60	72	84	90	108
Fabric-Fabric	LWDFFF	966	1023	1096	1171	1271	1320	1395	1468	1617	1764	1839	2084
Glass-Glass	LWDGGG	1160	1321	1469	1617	1829	1914	2063	2210	2510	2806	2954	3422
Metal-Metal	LWDMMM	863	887	926	966	1015	1047	1087	1126	1206	1286	1327	1470
Wood-Fabric	LWDWFF	886	917	964	1011	1072	1107	1155	1201	1298	1392	1440	1605
Wood-Glass	LWDWGG	983	1066	1150	1234	1349	1404	1489	1573	1743	1912	1997	2274
Wood-Metal	LWDWMM	834	848	878	908	943	970	1002	1031	1092	1153	1183	1298
Wood-Wood	LWDWWW	805	810	831	853	872	894	915	936	979	1019	1041	1126

> To Specify Divider Panels:

Determine the Product No. for each set by selecting the appropriate Product Prefix and appending the desired Width Code.
Tag the furniture item/location that is to receive each Divider Panel.

+ Options/Parametrics:

Widths: 12-108. Replace item number width code with actual dimension use next larger std size for pricing.

! Notes:

All Divider Panels are 1.5 inches thick exposed surfaces have finished veneers.


Wood veneers are all Wood1 species and solid paint colors inquire regarding other species/colors.

Fabric is an overlay, COM selection must be suitable for vertical/panel applications.

Glass is an overlay, 4mm thick, back-painted.

Metal is an overlay, MRBS Resin Brushed Steel.

Surround Panels



	Prod. Prefix	Width Codes and List \$											
1.5th 42h		18	24	30	36	45	48	54	60	72	84	90	108
Fabric-Fabric	LWXFF	1062	1175	1285	1399	1544	1631	1740	1853	2078	2302	2415	2807
Glass-Glass	LWXGG	1258	1434	1611	1789	2031	2151	2326	2503	2858	3213	3390	3978
Metal-Metal	LWXMM	960	1037	1114	1194	1287	1358	1432	1512	1667	1824	1903	2192
Wood-Fabric	LWXWF	982	1068	1152	1238	1343	1418	1500	1587	1759	1928	2015	2328
Wood-Glass	LWXWG	1079	1197	1315	1434	1588	1679	1793	1912	2149	2385	2503	2914
Wood-Metal	LWXWM	931	1000	1067	1137	1216	1282	1346	1416	1553	1689	1759	2020
Wood-Wood	LWXWW	902	962	1019	1079	1145	1204	1261	1321	1439	1556	1616	1848

> To Specify Surround Panels:

Determine the Product No. for each set by selecting the appropriate Product Prefix and appending the desired Width Code.
Tag the furniture item/location that is to receive each Surround Panel.

+ Options/Parametrics:

Width range: 18-108

! Notes:

All Surround Panels are 1.5 inches thick exposed surfaces have finished veneers.

Wood veneers are all Wood1 species and solid paint colors inquire regarding other species/colors.

Fabric is an overlay, COM selection must be suitable for vertical/panel applications.

Glass is an overlay, 4mm thick, back-painted.

Metal is an overlay, MRBS Resin Brushed Steel.




Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

AK17

Credenza Tops



Rectangular 15d	w	15d	1.5th	Product No.	List \$
CredenzaTop15: 18	18			LF-18-15	638
CredenzaTop15: 30	30			LF-30-15	676
CredenzaTop15: 36	36			LF-36-15	705
CredenzaTop15: 48	48			LF-48-15	758
CredenzaTop15: 54	54			LF-54-15	785
CredenzaTop15: 60	60			LF-60-15	815
CredenzaTop15: 66	66			LF-66-15	840
CredenzaTop15: 72	72			LF-72-15	872
CredenzaTop15: 78	78			LF-78-15	898
CredenzaTop15: 84	84			LF-84-15	935
CredenzaTop15: 90	90			LF-90-15	963
CredenzaTop15: 108	108			LF-108-15	1069
CredenzaTop15: 120	120			LF-120-15	1128

Rectangular 24d	w	24d	1.5th	Product No.	List \$
CredenzaTop24: 18	18			LF-18-24	641
CredenzaTop24: 30	30			LF-30-24	714
CredenzaTop24: 36	36			LF-36-24	756
CredenzaTop24: 48	48			LF-48-24	838
CredenzaTop24: 54	54			LF-54-24	869
CredenzaTop24: 60	60			LF-60-24	917
CredenzaTop24: 66	66			LF-66-24	957
CredenzaTop24: 72	72			LF-72-24	1003
CredenzaTop24: 78	78			LF-78-24	1042
CredenzaTop24: 84	84			LF-84-24	1104
CredenzaTop24: 90	90			LF-90-24	1142
CredenzaTop24: 108	108			LF-108-24	1300
CredenzaTop24: 120	120			LF-120-24	1441

Rectangular 30d	w	30d	1.5th	Product No.	List \$
CredenzaTop30: 18	18			LF-18-30	722
CredenzaTop30: 30	30			LF-30-30	810
CredenzaTop30: 36	36			LF-36-30	851
CredenzaTop30: 48	48			LF-48-30	942
CredenzaTop30: 54	54			LF-54-30	988
CredenzaTop30: 60	60			LF-60-30	1046
CredenzaTop30: 66	66			LF-66-30	1092
CredenzaTop30: 72	72			LF-72-30	1145
CredenzaTop30: 78	78			LF-78-30	1188
CredenzaTop30: 84	84			LF-84-30	1236
CredenzaTop30: 90	90			LF-90-30	1286
CredenzaTop30: 108	108			LF-108-30	1490
CredenzaTop30: 120	120			LF-120-30	1667

+ Options/Parametrics:

Width range: 18-120

Depth range: 15-30


! Notes:

This listing is of credenza tops only.

The recommended maximum open span under tops is 54 inches; use bases/pedestals accordingly.

Tops have Edge Detail Front Only.

Top-to-Tower Connector



For All Top Depths ‡	1w	d	1h	Product No.	List \$
Top-to-Tower Connector		6		LGB	42

! Notes:

Pair of steel brackets in MRB Resin Black, flush-mounted to end/bottom of top.

Unsupported spans of 54 inches or more will also require a Credenza Support Keel.


Specify: Product Number
Quantity
Tagging
Wood Finish
Edge Detail

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

TUOHY

Top Support Keels



	Product No.	List \$	Product No.	List \$
†	w	2d	1h	MRB Resin Black Finish
Top Support Keel: 52	52			LG-52 248
Top Support Keel: 58	58			LG-58 255
Top Support Keel: 64	64			LG-64 258
Top Support Keel: 70	70			LG-70 263
Top Support Keel: 82	82			LG-82 268
• Top Support Keel: 88	88			LG-88 273

! Notes:

Required for unsupported work surface spans of 54 inches or more.

Unit is a MRB Resin Black, 1 x 2 steel tube screwed to the underside of the work surface.

Post-Legs



For Credenza and Runoff Tops	w	d	28.4h		
Post-Legs (Pair)	2.2	Diam		7VMUA92	541


! Notes:

Remember when using Post-Legs that the maximum unsupported work surface span is 54 inches.

Metal finish is MRBA Resin Brushed Aluminum.

Includes wire management.

Base L/T Panels



L-Panel LH ‡	w	d	28.4h	Unfinished Back	Finished Back
Base L-Panel LH 18x15	18	15		LHLU-18-15 469	LHLF-18-15 495
• Base L-Panel LH 18x24	18	24		LHLU-18-24 496	LHLF-18-24 524
Base L-Panel LH 18x30	18	30		LHLU-18-30 531	LHLF-18-30 560
Base L-Panel LH 18x36	18	36		LHLU-18-36 567	LHLF-18-36 595
Base L-Panel LH 24x15	24	15		LHLU-24-15 502	LHLF-24-15 538
Base L-Panel LH 24x24	24	24		LHLU-24-24 525	LHLF-24-24 562
Base L-Panel LH 24x30	24	30		LHLU-24-30 550	LHLF-24-30 586
Base L-Panel LH 24x36	24	36		LHLU-24-36 576	LHLF-24-36 611
Base L-Panel LH 36x15	36	15		LHLU-36-15 532	LHLF-36-15 588
Base L-Panel LH 36x24	36	24		LHLU-36-24 558	LHLF-36-24 613
Base L-Panel LH 36x30	36	30		LHLU-36-30 583	LHLF-36-30 638
Base L-Panel LH 36x36	36	36		LHLU-36-36 608	LHLF-36-36 663

L-Panel RH ‡	w	d	28.4h	Unfinished Back	Finished Back
Base L-Panel RH 18x15	18	15		LHRU-18-15 469	LHRF-18-15 495
• Base L-Panel RH 18x24	18	24		LHRU-18-24 496	LHRF-18-24 524
Base L-Panel RH 18x30	18	30		LHRU-18-30 531	LHRF-18-30 560
Base L-Panel RH 18x36	18	36		LHRU-18-36 567	LHRF-18-36 595
Base L-Panel RH 24x15	24	15		LHRU-24-15 502	LHRF-24-15 538
Base L-Panel RH 24x24	24	24		LHRU-24-24 525	LHRF-24-24 562
Base L-Panel RH 24x30	24	30		LHRU-24-30 550	LHRF-24-30 586
Base L-Panel RH 24x36	24	36		LHRU-24-36 576	LHRF-24-36 611
Base L-Panel RH 36x15	36	15		LHRU-36-15 532	LHRF-36-15 588
Base L-Panel RH 36x24	36	24		LHRU-36-24 558	LHRF-36-24 613
Base L-Panel RH 36x30	36	30		LHRU-36-30 583	LHRF-36-30 638
Base L-Panel RH 36x36	36	36		LHRU-36-36 608	LHRF-36-36 663

T-Panel ‡	w	d	28.4h	Unfinished Back	Finished Back
Base T-Panel 18x9	18	9		LHTU-18-9 460	LHTF-18-9 488
• Base T-Panel 36x9	36	9		LHTU-36-9 520	LHTF-36-9 576

+ Options/Parametrics:

Width range: 15-36

Depth range: 15-36 (L-Panels); 9-18 (T-Panels)

! Notes:



Units are available LH or RH with finished or unfinished backs.

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Modesty Panels



			Product No.	List \$	Product No.	List \$
Fixed ‡	w	1d 28.4h	Unfinished Back		Finished Back	
Modesty-Panel: 18	18		LJU-18	370	LJF-18	389
Modesty-Panel: 24	24		LJU-24	395	LJF-24	422
Modesty-Panel: 30	30		LJU-30	417	LJF-30	454
• Modesty-Panel: 36	36		LJU-36	441	LJF-36	485
Modesty-Panel: 42	42		LJU-42	460	LJF-42	518
Modesty-Panel: 48	48		LJU-48	487	LJF-48	551
Modesty-Panel: 54	54		LJU-54	511	LJF-54	584
Modesty-Panel: 72	72		LJU-72	581	LJF-72	683
Access/Removable ‡	w	2d 25.9h	Unfinished Back			
Modesty-Access: 18	18		LJR-18	460		
Modesty-Access: 24	24		LJR-24	483		
Modesty-Access: 30	30		LJR-30	508		
• Modesty-Access: 36	36		LJR-36	528		
Modesty-Access: 42	42		LJR-42	553		
Modesty-Access: 48	48		LJR-48	580		
Modesty-Access: 54	54		LJR-54	601		
Modesty-Access: 72	72		LJR-72	668		

+ Options/Parametrics:

Width range: 18-72

! Notes:

Units are exact width with two mounting strips for attachment to L-Panels or Pedestals.

Clearance on Access/Removable Panels is 2.5 inches below work surface and 3 inches from wall.

Bookcases





15d 29.9h Wood1	w	# Sections	Unfinished Back		Finished Back	
Bookcase 30	30	1	LKXU-30	2027	LKXF-30	2109
Bookcase 36	36	1	LKXU-36	2114	LKXF-36	2210
Bookcase 48	48	2	LKXU-48	2429	LKXF-48	2554
Bookcase 54	54	2	LKXU-54	2546	LKXF-54	2684
Bookcase 60	60	2	LKXU-60	2640	LKXF-60	2792
• Bookcase 72	72	2	LKXU-72	2765	LKXF-72	2930
Bookcase 81	81	3	LKXU-81	3099	LKXF-81	3292
Bookcase 90	90	3	LKXU-90	3192	LKXF-90	3398
Bookcase 108	108	3	LKXU-108	3486	LKXF-108	3742

! Notes:

Shelf support/dividers have a Resin Brushed Steel finish.

Pedestals, Shelving



Shelving	w	d 28.4h	Unfinished Back		Finished Back	
• Ped15: Shelving 18	18	15	LKAU-18-15	882	LKAF-18-15	918
• Ped15: Shelving 30	30	15	LKAU-30-15	1072	LKAF-30-15	1134
• Ped15: Shelving 36	36	15	LKAU-36-15	1171	LKAF-36-15	1241
• Ped24: Shelving 18	18	24	LKAU-18-24	992	LKAF-18-24	1026
• Ped24: Shelving 30	30	24	LKAU-30-24	1219	LKAF-30-24	1278
• Ped24: Shelving 36	36	24	LKAU-36-24	1339	LKAF-36-24	1409
Ped30: Shelving 18	18	30	LKAU-18-30	1071	LKAF-18-30	1106
Ped30: Shelving 30	30	30	LKAU-30-30	1314	LKAF-30-30	1374
Ped30: Shelving 36	36	30	LKAU-36-30	1447	LKAF-36-30	1515
Ped36: Shelving 18	18	36	LKAU-18-36	1150	LKAF-18-36	1184
Ped36: Shelving 30	30	36	LKAU-30-36	1423	LKAF-30-36	1484
Ped36: Shelving 36	36	36	LKAU-36-36	1562	LKAF-36-36	1633

+ Options/Parametrics:

Width range: 12-36

Depth range: 15-36

Finish variables are back (full units only) and shelf.

! Notes:

Units include one adjustable, removable shelf.

Units over 18 wide have inlaid bands on shelf for additional strength.



For additional flat shelves, see listing on opposite page.

Specify: Product Number
Quantity
Tagging
Wood Finish• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

TUOHY

Pedestals, Cabinet



				Product No.	List \$	Product No.	List \$
LH Cabinet ↯	w	d	28.4h	Unfinished Back		Finished Back	
• Ped24: Cabinet LH 12	12	24		LKBU-12-24	1343	LKBF-12-24	1378
Ped30: Cabinet LH 12	12	30		LKBU-12-30	1455	LKBF-12-30	1490
Ped36: Cabinet LH 12	12	36		LKBU-12-36	1551	LKBF-12-36	1586
• Ped15: Cabinet LH 18	18	15		LKBU-18-15	1229	LKBF-18-15	1264
Ped24: Cabinet LH 18	18	24		LKBU-18-24	1314	LKBF-18-24	1347
Ped30: Cabinet LH 18	18	30		LKBU-18-30	1374	LKBF-18-30	1408
Ped36: Cabinet LH 18	18	36		LKBU-18-36	1437	LKBF-18-36	1472
• Ped15: Cabinet LH 24	24	15		LKBU-24-15	1358	LKBF-24-15	1403
• Ped24: Cabinet LH 24	24	24		LKBU-24-24	1464	LKBF-24-24	1509
Ped30: Cabinet LH 24	24	30		LKBU-24-30	1531	LKBF-24-30	1576
Ped36: Cabinet LH 24	24	36		LKBU-24-36	1603	LKBF-24-36	1649
RH Cabinet ↯	w	d	28.4h	Unfinished Back		Finished Back	
Ped24: Cabinet RH 12	12	24		LKCU-12-24	1343	LKCF-12-24	1378
Ped30: Cabinet RH 12	12	30		LKCU-12-30	1455	LKCF-12-30	1490
Ped36: Cabinet RH 12	12	36		LKCU-12-36	1551	LKCF-12-36	1586
Ped15: Cabinet RH 18	18	15		LKCU-18-15	1229	LKCF-18-15	1264
Ped24: Cabinet RH 18	18	24		LKCU-18-24	1314	LKCF-18-24	1347
Ped30: Cabinet RH 18	18	30		LKCU-18-30	1374	LKCF-18-30	1408
Ped36: Cabinet RH 18	18	36		LKCU-18-36	1437	LKCF-18-36	1472
Ped15: Cabinet RH 24	24	15		LKCU-24-15	1358	LKCF-24-15	1403
Ped24: Cabinet RH 24	24	24		LKCU-24-24	1464	LKCF-24-24	1509
Ped30: Cabinet RH 24	24	30		LKCU-24-30	1531	LKCF-24-30	1576
Ped36: Cabinet RH 24	24	36		LKCU-24-36	1603	LKCF-24-36	1649
Double Cabinet ↯	w	d	28.4h	Unfinished Back		Finished Back	
Ped15: DblCabinet 24	24	15		LKDU-24-15	1450	LKDF-24-15	1499
• Ped15: DblCabinet 30	30	15		LKDU-30-15	1545	LKDF-30-15	1599
• Ped15: DblCabinet 36	36	15		LKDU-36-15	1647	LKDF-36-15	1715
Ped24: DblCabinet 24	24	24		LKDU-24-24	1556	LKDF-24-24	1602
Ped24: DblCabinet 30	30	24		LKDU-30-24	1659	LKDF-30-24	1715
• Ped24: DblCabinet 36	36	24		LKDU-36-24	1778	LKDF-36-24	1846
Ped30: DblCabinet 24	24	30		LKDU-24-30	1622	LKDF-24-30	1670
Ped30: DblCabinet 30	30	30		LKDU-30-30	1730	LKDF-30-30	1786
Ped30: DblCabinet 36	36	30		LKDU-36-30	1860	LKDF-36-30	1927
Ped36: DblCabinet 24	24	36		LKDU-24-36	1696	LKDF-24-36	1743
Ped36: DblCabinet 30	30	36		LKDU-30-36	1811	LKDF-30-36	1865
Ped36: DblCabinet 36	36	36		LKDU-36-36	1941	LKDF-36-36	2009

+ Options/Parametrics:

Width range: 12-24 on Cabinets, 24-36 on Double Cabinets.

Depth range: 15-36

Finish variables are back, shelf, face.

For ventilation slots, specify Option VS; add \$279.



! Notes:

Locks are included on all pedestals.

Units include one adjustable, removable shelf.

Units over 18 wide have inlaid bands on shelf for additional strength.

Additional Flat Shelves



Open Shelves↯	15d	24d	30d	36d
Flat Shelf 12w	LKAS-12-15 176	LKAS-12-24 193	LKAS-12-30 205	LKAS-12-36 215
Flat Shelf 18w	LKAS-18-15 190	LKAS-18-24 215	LKAS-18-30 232	LKAS-18-36 250
Flat Shelf 24w	LKAS-24-15 205	LKAS-24-24 238	LKAS-24-30 260	LKAS-24-36 284
Flat Shelf 30w	LKAS-30-15 218	LKAS-30-24 260	LKAS-30-30 289	LKAS-30-36 317
Flat Shelf 36w	LKAS-36-15 232	LKAS-36-24 284	LKAS-36-30 317	LKAS-36-36 351

+ Options/Parametrics:

For use in Cabinet units, change the 3rd digit from A to D; no price change.

! Notes:

Be sure to identify which shelving or cabinet pedestals are to receive these shelves.









Specify: Product Number
Quantity
Tagging
Wood Finish
Hardware Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

AK21

Pedestals, Drawer



		Product No.	List \$	Product No.	List \$
18d ~	w 18d 28.4h	Unfinished Back		Finished Back	
• Ped18: 2F 18	18	LKEU-18-18	1528	LKEF-18-18	1597
• Ped18: 2BF 18	18	LKFU-18-18	1621	LKFF-18-18	1693
• Ped18: 4B 18	18	LKGU-18-18	1806	LKGF-18-18	1878
• Ped18: 2LatF 30	30	LKEU-30-18	1747	LKEF-30-18	1853
• Ped18: 2LatB/LatF 36	36	LKEU-36-18	1850	LKEF-36-18	1979
• Ped18: 2LatB/LatF 30	30	LKFU-30-18	1914	LKFF-30-18	2043
• Ped18: 2LatB/LatF 36	36	LKFU-36-18	2022	LKFF-36-18	2151

24d ~	w 24d 28.4h	Unfinished Back		Finished Back	
• Ped24: 2F 18	18	LKEU-18-24	1556	LKEF-18-24	1625
• Ped24: 2BF 18	18	LKFU-18-24	1673	LKFF-18-24	1744
• Ped24: 4B 18	18	LKGU-18-24	1865	LKGF-18-24	1937
• Ped24: Trash/Recycle 18	18	LKLU-18-24	1733	LKLF-18-24	1862
• Ped24: 2LatF 30	30	LKEU-30-24	1805	LKEF-30-24	1909
• Ped24: 2LatB/LatF 36	36	LKEU-36-24	1910	LKEF-36-24	2040
• Ped24: 2LatB/LatF 30	30	LKFU-30-24	1977	LKFF-30-24	2104
• Ped24: 2LatB/LatF 36	36	LKFU-36-24	2090	LKFF-36-24	2221

30d ~	w 30d 28.4h	Unfinished Back		Finished Back	
• Ped30: 2F 18	18	LKEU-18-30	1614	LKEF-18-30	1686
• Ped30: 2BF 18	18	LKFU-18-30	1738	LKFF-18-30	1807
• Ped30: 4B 18	18	LKGU-18-30	1937	LKGF-18-30	2010
• Ped30: 2LatF 30	30	LKEU-30-30	1876	LKEF-30-30	1980
• Ped30: 2LatB/LatF 36	36	LKEU-36-30	1986	LKEF-36-30	2115
• Ped30: 2LatB/LatF 30	30	LKFU-30-30	2054	LKFF-30-30	2180
• Ped30: 2LatB/LatF 36	36	LKFU-36-30	2172	LKFF-36-30	2300

36d ~	w 36d 28.4h	Unfinished Back		Finished Back	
• Ped36: 2F 18	18	LKEU-18-36	1857	LKEF-18-36	1930
• Ped36: 2BF 18	18	LKFU-18-36	2001	LKFF-18-36	2072
• Ped36: 4B 18	18	LKGU-18-36	2234	LKGF-18-36	2308

+ Options/Parametrics:

Widths 18, 30 and 36 only.

Depth range: 18-36 (18w units); 18-30 (30, 36w units)

Finish variables are back, face.

! Notes:

Locks are included on all pedestals.

Drawers are 0.5 Birch with dovetailed corners.

Drawer bottoms are 0.25 inch thick dadoed into drawer sides.

Slides are ball bearing full extension.

Box drawers include drawer dividers.

File drawers include Pendaflax file hanging system.

Units through 22 deep have a 15 deep drawer with front to back filing only.

Units 22.1 through 32.9 deep have a 20 deep drawer.


Units 33 deep and more have a 30 deep drawer.

Specify: Product Number
Quantity
Tagging
Wood Finish
Hardware Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

Pedestals, Mobile



	Product No.	List \$	Product No.	List \$
Mobile →	18w	d	27.2h	Finished Back
PedMobile18: 2BF 18		18d	LKFM-18-18	1848
PedMobile24: 2BF 18		24d	LKFM-18-24	1902
PedMobile30: 2BF 18		30d	LKFM-18-30	1964


+ Options/Parametrics:

Widths: 18 only.
Depth range: 18-30
Finish variables are face and back.

! Notes:

Locks are included on all pedestals.
Drawers are 0.5 Birch with dovetailed corners.
Drawer bottoms are 0.25 inch thick dadoed into drawer sides.
Slides are ball bearing full extension.
Box drawers include drawer dividers.
File drawers include Pendaflex file hanging system.
Units under 22 deep have a 15 deep drawer with front to back filing only.
Units over 22 deep and under 33 deep have a 20 deep drawer.


Pedestals, Drawer/Cabinet



Lateral Box/ Double Cabinet →	w	d	28.4h	Unfinished Back	Finished Back
Ped18: LatB/DbiCab 30	30	18		LKHU-30-18	1811 LKHF-30-18 1865
Ped18: LatB/DbiCab 36	36	18		LKHU-36-18	1962 LKHF-36-18 2030
• Ped24: LatB/DbiCab 30	30	24		LKHU-30-24	1899 LKHF-30-24 1954
• Ped24: LatB/DbiCab 36	36	24		LKHU-36-24	2066 LKHF-36-24 2132
Ped30: LatB/DbiCab 30	30	30		LKHU-30-30	1982 LKHF-30-30 2038
Ped30: LatB/DbiCab 36	36	30		LKHU-36-30	2162 LKHF-36-30 2227

Options/Parametrics and Notes: See below.

Pedestals42, Drawer



Files, Top Required →	w	d	42h	Unfinished Back
• Ped18: 3F 18	18	18		LKJU-18-18 2087
Ped18: 3LatF 30	30	18		LKJU-30-18 2420
Ped18: 3LatF 36	36	18		LKJU-36-18 2573
Ped24: 3F 18	18	24		LKJU-18-24 2127
• Ped24: 3LatF 30	30	24		LKJU-30-24 2507
Ped24: 3LatF 36	36	24		LKJU-36-24 2667
Ped30: 3F 18	18	30		LKJU-18-30 2221
Ped30: 3LatF 30	30	30		LKJU-30-30 2611
• Ped30: 3LatF 36	36	30		LKJU-36-30 2777
Ped36: 3F 18	18	36		LKJU-18-36 2585

+ Options/Parametrics:

Widths as listed only.
Depth range: 18-36 (18w units); 18-30 (30, 36w units).
Finish variables are back, face, shelf on units with cabinet doors, otherwise face only.
To include Anti-Tilt Mechanisms, specify Option AT; add \$498.

! Notes:

Drawer Pedestals42 must be secured on location to the wall; otherwise, specify Option AT above.
Locks are included on all pedestals.
Drawers are 0.5 Birch with dovetailed corners.
Drawer bottoms are 0.25 inch thick dadoed into drawer sides.
Slides are ball bearing full extension.
Box drawers include drawer dividers.
File drawers include Pendaflex file hanging system.
Units through 22 deep have a 15 deep drawer with front-to-back filing only.
Units 22.1 through 32.9 deep have a 20 deep drawer.
Units 33 deep or more have a 30 deep drawer.




Specify: Product Number
Quantity
Tagging
Wood Finish
Hardware Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

AK23

Hutches, Wood Shelving1



					Product No.	List \$	Product No.	List \$
42.1h (72h installed)	w	15d	Shv	COM	Fabric Back Panel		Wood Back Panel	
• Hutch72: WoodShelving1 18	18		1\0	1.3	LLAF-18-15-72	1759	LLAW-18-15-72	1345
• Hutch72: WoodShelving1 36	36		0\1	1.8	LLAF-36-15-72	2030	LLAW-36-15-72	1587
• Hutch72: WoodShelving1 54	54		1\1	2	LLAF-54-15-72	2481	LLAW-54-15-72	2010
• Hutch72: WoodShelving1 72	72		0\2	2.3	LLAF-72-15-72	2805	LLAW-72-15-72	2307
• Hutch72: WoodShelving1 90	90		1\2	2.8	LLAF-90-15-72	3124	LLAW-90-15-72	2596
• Hutch72: WoodShelving1 108	108		0\3	3.2	LLAF-108-15-72	3467	LLAW-108-15-72	2916

+ Options/Parametrics:

Width range: 18-108

Depth range: 15-18; for depths over 15 add \$1.20 per inch of width (Ex: LLAW-108-18-72 = \$3046).

Height range: 36.1-42.1 (66-72 installed)

! Notes:

Units under 42.1h (72h installed) have an A grade top surface.

Units at 42.1h (72h installed) have a 3 grade top surface.

The shelving area opening remains constant at 14.6 high.

Units have an unfinished back and are designed to go up against a wall.

Fabric/Wood Back Panels are removable for wire access and management.

The back of the units have cord access slots located 2.5 up from the bottom.


The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Dividers: None through 36w; one at 36.1-72w; two at 72.1w or more.

Finish variables are back, removable back.

Fabric Panels on units over 96w are produced in two sections.

Hutches, Wood Shelving Full Height



26.1h (56h installed)	w	15d	Shv		Wood Back Panel	
• Hutch56: WoodShelving2 18	18		2\0		LLJ-18-15-56	985
• Hutch56: WoodShelving2 36	36		0\2		LLJ-36-15-56	1149

42.1h (72h installed)	w	15d	Shv		Wood Back Panel	
• Hutch72: WoodShelving3 18	18		3\0		LLJ-18-15-72	1195
• Hutch72: WoodShelving3 36	36		0\3		LLJ-36-15-72	1536

55.1h (85h installed)	w	15d	Shv		Wood Back Panel	
• Hutch85: WoodShelving4 18	18		4\0		LLJ-18-15-85	1360
• Hutch85: WoodShelving4 36	36		0\4		LLJ-36-15-85	1847

+ Options/Parametrics:

Width range: 18-36

Depth range: 15-18; for depths over 15 add \$1.70 per inch of width (Ex: LLJ-36-18-85 = \$1908).

Height range: 24.1-55.1 (54-85 installed)

Finish variables are back, shelves.

! Notes:

Units under 42.1h (72h installed) have an A grade top surface.

Units 42.1h (72h installed) and higher have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.

Number of adjustable shelves varies approximately on 14 inch openings.


Fabric Panels on units over 96w are produced in two sections.

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

Hutches, Cabinet1



	42.1h (72h installed)	w	15d	Shv	COM	Fabric Back Panel	Wood Back Panel
• Hutch72: Cabinet1 24	24	24	0\1	1.8	LLBF-24-15-72	2169	LLBW-24-15-72 1747
• Hutch72: Cabinet1 36	36	36	0\1	1.8	LLBF-36-15-72	2367	LLBW-36-15-72 1927
• Hutch72: Cabinet1 54	54	54	1\1	2	LLBF-54-15-72	2953	LLBW-54-15-72 2487
• Hutch72: Cabinet1 72	72	72	0\2	2.3	LLBF-72-15-72	3411	LLBW-72-15-72 2918
• Hutch72: Cabinet1 90	90	90	1\2	2.8	LLBF-90-15-72	3862	LLBW-90-15-72 3341
• Hutch72: Cabinet1 108	108	108	0\3	3.2	LLBF-108-15-72	4342	LLBW-108-15-72 3794

+ Options/Parametrics:

Width range: 24-108

Depth range: 15-18; for depths over 15 add \$1.20 per inch of width (Ex: LLBW-108-18-72 = \$3924).

Height range: 30.1-42.1h (60-72 installed)

Finish variables are back, removable back, face.

! Notes:

Units under 42.1h (72h installed) have an A grade top surface.

Units 42.1h (72h installed) have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.

The shelving area opening remains constant at 14.6 high.

Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.

The back of the units have cord access slots located 2.5 up from the bottom.

The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Units 24 through 42 wide have two doors.

Units 42.1 through 60 wide have three doors.


Units 60.1 through 78 wide have four doors.

Units 78.1 through 90 wide have five doors.

Units over 90 wide have six doors.

Fabric Panels on units over 96w are produced in two sections.

Hutches, Cabinet2



	55.1h (85 installed)	w	15d	Shv	COM	Fabric Back Panel	Wood Back Panel
• Hutch85: Cabinet2 24	24	24	0\2	1.8	LLHF-24-15-85	2324	LLHW-24-15-85 1904
• Hutch85: Cabinet2 36	36	36	0\2	1.8	LLHF-36-15-85	2660	LLHW-36-15-85 2223
• Hutch85: Cabinet2 54	54	54	2\2	2	LLHF-54-15-85	3163	LLHW-54-15-85 2699
• Hutch85: Cabinet2 72	72	72	0\4	2.3	LLHF-72-15-85	3667	LLHW-72-15-85 3173
• Hutch85: Cabinet2 90	90	90	2\4	2.8	LLHF-90-15-85	4167	LLHW-90-15-85 3648

+ Options/Parametrics:

Width range: 24-90

Depth range: 15-18; for depths over 15 add \$2.30 per inch of width (Ex: LLHW-90-18-85 = \$3855).

Height range: 50.1-55.1h (80-85 installed)

Finish variables are back, removable back, face.

! Notes:

Units have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.

The shelving area opening remains constant at 29.2 high.

Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.

The back of the units have cord access slots located 2.5 up from the bottom.

The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Units 24 through 42 wide have two doors.

Units 42.1 through 60 wide have three doors.

Units 60.1 through 78 wide have four doors.

Units 78.1 through 90 wide have five doors.




Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

Hutches, Full Height Cabinet



				Product No.	List \$
26.1h (56 installed)	w	15d	Shv	Wood Back Panel	
Hutch56: Cabinet2 LH 18	18		2\0	LLK-18-15-56	1266
• Hutch56: Cabinet2 RH 18	18		2\0	LLL-18-15-56	1266
Hutch56: Cabinet2 36	36		0\2	LLM-36-15-56	1649
42.1h (72 installed)	w	15d	Shv	Wood Back Panel	
Hutch72: Cabinet3 LH 18	18		3\0	LLK-18-15-72	1516
• Hutch72: Cabinet3 RH 18	18		3\0	LLL-18-15-72	1516
• Hutch72: Cabinet3 36	36		0\3	LLM-36-15-72	2087
55.1h (85 installed)	w	15d	Shv	Wood Back Panel	
Hutch85: Cabinet4 LH 18	18		4\0	LLK-18-15-85	1720
• Hutch85: Cabinet4 RH 18	18		4\0	LLL-18-15-85	1720
• Hutch85: Cabinet4 36	36		0\4	LLM-36-15-85	2471

+ Options/Parametrics:
Width range: 18-36
Depth range: 15-18; for depths over 15 add \$1.70 per inch of width (Ex: LLM-36-18-85 = \$2532).
Height range: 24.1-55.1 (54-85 installed)
Finish variables are back, face.

! Notes:
Units under 42.1h (72h installed) have an A grade top surface.
Units 42.1h (72h installed) and higher have a 3 grade top surface.
Units have an unfinished back and are designed to go up against a wall.
Number of adjustable shelves varies approximately on 14 inch openings.


Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.



Wall Hutches, Shelving & Cabinet



18h (Wall Cleat Included)	w	15dSgl\Tbl Shelf	Wall Hutch	Product No.	List \$
• WallHutch: WoodShelf1 18	18	1\0	LMA-18-15-18	964	
• WallHutch: WoodShelf1 36	36	0\1	LMA-36-15-18	1199	
• WallHutch: WoodShelf1 72	72	0\2	LMA-72-15-18	1898	
• WallHutch: WoodShelf1 90	90	0\3	LMA-90-15-18	2208	
• WallHutch: WoodShelf1 108	108	0\3	LMA-108-15-18	2590	
30.6h (Wall Cleat Included)	w	15dSgl\Tbl Shelf	Wall Hutch	Product No.	List \$
• WallHutch: WoodShelf2 18	18	2\0	LME-18-15-30.6	1216	
• WallHutch: WoodShelf2 36	36	0\2	LME-36-15-30.6	1529	
• WallHutch: WoodShelf2 72	72	0\4	LME-72-15-30.6	2355	
• WallHutch: WoodShelf2 90	90	0\6	LME-90-15-30.6	2769	

+ Options/Parametrics:

Width range: 18-108 for WoodShelf1, 18-90 for WoodShelf2

Depth range: 15-18; for depths over 15 add \$1.20 per inch of width (Ex: LME-90-18-30.6 = \$).

Heights are fixed at 18 or 30.6


Finish variable is the back.

! Notes:

Units have a 2 grade top surface.

Dividers: None through 36w; one at 36.1-72w; two at 72.1w or more.

Wall-mount cleats are included for field installation; wall hutches must be screwed through the back into the wall cleat.



18h (Wall Cleat Included)	w	15dSgl\Tbl Shelf	Wall Hutch	Product No.	List \$
• WallHutch: Cabinet1 LH 18	18	1\0	LMC-18-15-18	1091	
• WallHutch: Cabinet1 RH 18	18	1\0	LMD-18-15-18	1091	
• WallHutch: Cabinet1 36	36	0\1	LMB-36-15-18	1621	
• WallHutch: Cabinet1 54	54	1\1	LMB-54-15-18	2175	
• WallHutch: Cabinet1 72	72	0\2	LMB-72-15-18	2626	
• WallHutch: Cabinet1 90	90	1\2	LMB-90-15-18	3078	
• WallHutch: Cabinet1 108	108	0\3	LMB-108-15-18	3547	
30.6h (Wall Cleat Included)	w	15dSgl\Tbl Shelf	Wall Hutch	Product No.	List \$
• WallHutch: Cabinet2 LH 18	18	2\0	LMF-18-15-30.6	1464	
• WallHutch: Cabinet2 RH 18	18	2\0	LMG-18-15-30.6	1464	
• WallHutch: Cabinet2 36	36	0\2	LMH-36-15-30.6	1933	
• WallHutch: Cabinet2 54	54	2\2	LMH-54-15-30.6	2595	
• WallHutch: Cabinet2 72	72	0\4	LMH-72-15-30.6	3169	
• WallHutch: Cabinet2 90	90	2\4	LMH-90-15-30.6	3738	

+ Options/Parametrics:

Width range: 18-108 for Cabinet 1, 18-90 for Cabinet 2.

Depth range: 15-18; for depths over 15 add \$1.20 per inch of width (Ex: LMH-90-18-30.6 = \$3846).

Heights are fixed at 18 and 30.6.

Finish variables are back, removable back, face.

! Notes:

Units have a 2 grade top surface.

Wall-mount cleats are included for field installation; hutches must be screwed through the back into the wall cleat.

Units 24 through 42 have two doors.

Units 42.1 through 60 have three doors.

Units 60.1 through 78 have four doors.

Units 78.1 through 90 have five doors.

Units over 90 wide have six doors.




Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

Hutches, Sliding Glass Doors 72/1



	42.1h (72h installed)	w	15d	Shv	COM	Fabric Back Panel	Wood Back Panel
• Hutch72: Sliding1	36 2 Doors	36		1x1	1.8	LLNF-36-15-72	2993 LLNW-36-15-72 2549
• Hutch72: Sliding1	54 2 Doors	54		1x2	2	LLNF-54-15-72	3994 LLNW-54-15-72 3523
• Hutch72: Sliding1	72 2 Doors	72		1x2	2.3	LLNF-72-15-72	4505 LLNW-72-15-72 4005
• Hutch72: Sliding1	72 4 Doors	72		1x2	2.3	LLPF-72-15-72	4723 LLPW-72-15-72 4225
• Hutch72: Sliding1	90 2 Doors	90		1x2	2.8	LLNF-90-15-72	5012 LLNW-90-15-72 4486
• Hutch72: Sliding1	90 4 Doors	90		1x2	2.8	LLPF-90-15-72	5230 LLPW-90-15-72 4701

+ Options/Parametrics:

Width range: 30-90

Depth range: 15-18; for depths over 15 add \$1.20 per inch of width (Ex: LLPW-90-18-72 = \$4809).

Height range: 30.1-42.1h (60-72 installed)

Finish variables are back, removable back.

! Notes:

Sliding doors are frosted glass.

Satin anodized aluminum finish on hardware and apron.

Units under 42.1h (72h installed) have an A grade top surface.

Units 42.1h (72h installed) have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.


The shelving area opening remains constant at 14.6 high.

Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.

The back of the units have cord access slots located 2.5 up from the bottom.

The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Hutches, Sliding Glass Doors 72/2



	42.1h (72h installed)	w	15d	Shv	COM	Fabric Back Panel	Wood Back Panel
• Hutch72: Sliding2	36 2 Doors	36		2x1	1.8	LLQF-36-15-72	3385 LLQW-36-15-72 2942
• Hutch72: Sliding2	54 2 Doors	54		2x2	2	LLQF-54-15-72	4580 LLQW-54-15-72 4110
• Hutch72: Sliding2	72 2 Doors	72		2x2	2.3	LLQF-72-15-72	5285 LLQW-72-15-72 4790
• Hutch72: Sliding2	72 4 Doors	72		2x2	2.3	LLRF-72-15-72	5508 LLRW-72-15-72 5010
• Hutch72: Sliding2	90 2 Doors	90		2x4	2.8	LLQF-90-15-72	5992 LLQW-90-15-72 5466
• Hutch72: Sliding2	90 4 Doors	90		2x4	2.8	LLRF-90-15-72	6209 LLRW-90-15-72 5684

+ Options/Parametrics:

Width range: 30-90

Depth range: 15-18; for depths over 15 add \$1.70 per inch of width (Ex: LLRW-90-18-72 = \$5837).

Height range: 30.1-42.1h (60-72 installed)

Finish variables are back, removable back.

! Notes:

Sliding doors are frosted glass.

Units under 42.1h (72h installed) have an A grade top surface.

Units 42.1h (72h installed) have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.

The shelving area opening remains constant at 29.2 high.

Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.


The back of the units have cord access slots located 2.5 up from the bottom.

The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.

Specify: Product Number
Quantity
Tagging
Wood Finish• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Hutches, Sliding Glass Doors 85/2



	55.1h (85 installed)	w	15d	Shv	COM	Fabric Back Panel	Wood Back Panel
• Hutch85: Sliding2 36 2 Doors	36	2x1	1.8	LLQF-36-15-85	3680	LLQW-36-15-85	3237
• Hutch85: Sliding2 54 2 Doors	54	2x2	2	LLQF-54-15-85	4790	LLQW-54-15-85	4320
• Hutch85: Sliding2 72 2 Doors	72	2x2	2.3	LLQF-72-15-85	5539	LLQW-72-15-85	5044
• Hutch85: Sliding2 72 4 Doors	72	2x2	2.3	LLRF-72-15-85	5767	LLRW-72-15-85	5268
• Hutch85: Sliding2 90 2 Doors	90	2x4	2.8	LLQF-90-15-85	6299	LLQW-90-15-85	5773
• Hutch85: Sliding2 90 4 Doors	90	2x4	2.8	LLRF-90-15-85	6515	LLRW-90-15-85	5990

+ Options/Parametrics:

Width range: 30-90

Depth range: 15-18; for depths over 15 add \$1.70 per inch of width (Ex: LLRW-90-18-85 = \$6143).

Height range: 50.1-55.1h (80-85 installed)

Finish variables are back, removable back.

! Notes:

Sliding doors are frosted glass.

Units have a 3 grade top surface.

Units have an unfinished back and are designed to go up against a wall.

The shelving area opening remains constant at 29.2 high.

Units are available with either a COM fabric panel or wood panel. These panels are removable and are used to cover cord access.

The back of the units have cord access slots located 2.5 up from the bottom.

The removable back panel has 0.5 clearance at the bottom and 0.75 clearance at the top.




Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Wall Hutches, Sliding Glass Doors



18h (Wall Cleat Included)	w	15d	Shv	Wall Hutch	Product No.	List \$
• WallHutch Sliding1 36 2 Drs	36		1x1	LMN-36-15-18		2443
• WallHutch Sliding1 54 2 Drs	54		1x2	LMN-54-15-18		3268
• WallHutch Sliding1 72 2 Drs	72		1x2	LMN-72-15-18		3717
• WallHutch Sliding1 72 4 Drs	72		1x2	LMP-72-15-18		3940
• WallHutch Sliding1 90 2 Drs	90		1x2	LMN-90-15-18		4230
• WallHutch Sliding1 90 4 Drs	90		1x2	LMP-90-15-18		4448

+ Options/Parametrics:

Width range: 30-90

Depth range: 15-18; for depths over 15 add \$1.20 per inch of width (Ex: LMP-90-18-18 = \$4556).

Height is fixed at 18.

! Notes:

Sliding doors are frosted glass.

Satin anodized aluminum finish on hardware and apron.

Units have a 2 grade top surface.

Wall-mount cleats are included for field installation; hutches must be screwed through the back into the wall cleat.

30.6h (Wall Cleat Included)	w	15d	Shv	Wall Hutch	Product No.	List \$
• WallHutch Sliding2 36 2 Drs	36		2x1	LMS-36-15-30.6		2658
• WallHutch Sliding2 54 2 Drs	54		2x2	LMS-54-15-30.6		4009
• WallHutch Sliding2 72 2 Drs	72		2x2	LMS-72-15-30.6		4790
• WallHutch Sliding2 72 4 Drs	72		2x2	LMT-72-15-30.6		5010
• WallHutch Sliding2 90 2 Drs	90		2x4	LMS-90-15-30.6		5563
• WallHutch Sliding2 90 4 Drs	90		2x4	LMT-90-15-30.6		5781

+ Options/Parametrics:

Width range: 30-90

Depth range: 15-18; for depths over 15 add \$1.70 per inch of width (Ex: LMT-90-18-30.6 = \$5934).

Height is fixed at 30.6.


! Notes:

Sliding doors are frosted glass.

Satin anodized aluminum finish on hardware and apron.

Units have a 2 grade top surface.

Wall-mount cleats are included for field installation; hutches must be screwed through the back into the wall cleat.




Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Hutch Shelves



		Product No.	List \$	Product No.	List \$
Attaches to All Hutches ‡	w 15d 6h	Standard Hutch		Wall Hutch	
Hutch Shelf 36	36	LLWS-36-15	323	LLWW-36-15	323
Hutch Shelf 54	54	LLWS-54-15	455	LLWW-54-15	455
Hutch Shelf 72	72	LLWS-72-15	715	LLWW-72-15	715
• Hutch Shelf 90	90	LLWS-90-15	792	LLWW-90-15	792
Hutch Shelf 108	108	LLWS-108-15	929	LLWW-108-15	929

+ Options/Parametrics:

Width range: 18-108


Depth range: 15-18; for depths over 15 add \$0.60 per inch of width (Ex: LLWW-108-18 = \$994).

! Notes:

Indicate to which hutch this is to be applied.

Wall Hutches will increase in height by 6 inches.

Fabric Panels, Wall Hung



23.4h (Includes Wall Cleats) ‡	w 23.4h	COM	Wall Hutch		Wall Hutch w Shelf
Fabric Wall Panel: 36	36	1.8	LN-36-23.4	292	LN-36-17.4 292
Fabric Wall Panel: 54	54	2	LN-54-23.4	476	LN-54-17.4 476
Fabric Wall Panel: 72	72	2.3	LN-72-23.4	511	LN-72-17.4 511
• Fabric Wall Panel: 90	90	2.8	LN-90-23.4	572	LN-90-17.4 572
Fabric Wall Panel: 108	108	3.2	LN-108-23.4	621	LN-108-17.4 621

36h (Includes Wall Cleats) ‡	w 36h	COM	Wall Hutch		Wall Hutch w Shelf
Fabric Wall Panel: 36X	36	1.8	LN-36-36	292	LN-30-30 292
Fabric Wall Panel: 54X	54	2	LN-54-36	476	LN-54-30 476
Fabric Wall Panel: 72X	72	2.3	LN-72-36	511	LN-72-30 511
Fabric Wall Panel: 90X	90	2.8	LN-90-36	572	LN-90-30 572
Fabric Wall Panel: 108X	108	3.2	LN-108-36	621	LN-108-30 621

+ Options/Parametrics:

Width range: 18-108

Height range: 18-36

! Notes:

Cord management behind Fabric Panels is feasible.

For use with Wall Hung Hutches.

Fabric Panels for Wall Hutches with Shelf Added will be 6 inches shorter in height.


Fabric Panels on units over 96w are produced in two sections.

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

Wall Panels



	Prod. Prefix	Width Codes and List \$											
Above Credenza/Desk		18	24	30	36	45	48	54	60	72	84	90	108
WallPanel/Cred 42	LWP42D-	756	770	785	823	844	853	890	929	1128	1327	1341	1384
WallPanel/Cred 56	LWP56D-	809	838	867	921	964	1003	1032	1085	1313	1541	1571	1658
WallPanel/Cred 72	LWP72D-	862	906	950	1043	1109	1131	1175	1242	1502	1760	1804	1936
WallPanel/Cred 85	LWP85D-	911	969	1028	1132	1219	1248	1306	1387	1673	1958	2017	2190
Full Height		18	24	30	36	45	48	54	60	72	84	90	108
WallPanel/Full 42	LWP42F-	894	939	1009	1054	1124	1148	1217	1287	1549	1810	1833	1995
WallPanel/Full 56	LWP56F-	946	1006	1091	1152	1244	1274	1359	1443	1735	2025	2062	2269
WallPanel/Full 72	LWP72F-	1000	1075	1175	1251	1364	1402	1502	1600	-	-	-	-
WallPanel/Full 85	LWP85F-	1049	1138	1252	1341	1475	1519	1633	1745	-	-	-	-

> To Specify Wall Panels:

Determine the Product No. for each set by selecting the appropriate Prod. Prefix and appending the desired Width Code.

Order wall panels in L to R order.

Specify wood finish selection, individually or collectively.

! Notes:

All panels are 1.5 inches thick; exposed ends have finished, matching veneers.

Panels have vertical veneers; horizontal veneers are available on request.

Wood veneers shown here are all Wood1 species and solid paint colors; inquire regarding other species/colors.

Use parametrics (see Options below) to reconcile widths with overall width of companion cases and tops.


Customer walls must be adequately constructed to accept wall hung units.

Wall Panels are designed to mount 0.5-in from the floor; avoid use of baseboards or make flush.

+ Options/Parametrics:

Widths: 12-108. Replace item number width code with actual dimension; use next larger std size for pricing.

Wall Panel Shelves



	Prod. Prefix	\$	Prod. Prefix	\$	Prod. Prefix	\$	Prod. Prefix	\$
	Full Width		Indent 3-in Left		Indent 3-in Right		Indent 3-in Both Ends	
Wall Panel Shelf 18	LWS18-	770	LWS18L-	764	LWS18R-	764	LWS18X-	760
Wall Panel Shelf 24	LWS24-	779	LWS24L-	774	LWS24R-	774	LWS24X-	770
Wall Panel Shelf 30	LWS30-	789	LWS30L-	783	LWS30R-	783	LWS30X-	779
Wall Panel Shelf 36	LWS36-	797	LWS36L-	793	LWS36R-	793	LWS36X-	789
Wall Panel Shelf 45	LWS45-	873	LWS45L-	867	LWS45R-	867	LWS45X-	863
Wall Panel Shelf 48	LWS48-	877	LWS48L-	873	LWS48R-	873	LWS48X-	867
Wall Panel Shelf 54	LWS54-	886	LWS54L-	881	LWS54R-	881	LWS54X-	877
Wall Panel Shelf 60	LWS60-	943	LWS60L-	938	LWS60R-	938	LWS60X-	933
Wall Panel Shelf 72	LWS72-	962	LWS72L-	957	LWS72R-	957	LWS72X-	951
Wall Panel Shelf 84	LWS84-	1082	LWS84L-	1077	LWS84R-	1077	LWS84X-	1073
Wall Panel Shelf 90	LWS90-	1091	LWS90L-	1087	LWS90R-	1087	LWS90X-	1082
Wall Panel Shelf 108	LWS108-	1118	LWS108L-	1114	LWS108R-	1114	LWS108X-	1110

> Specify height location by appending height code to item number:

71.4	85
57.6	72
43.7	56
29.8	42
16.0	

! Notes:

All shelves are 11.25d 1.5th with 50 lbs/ft load rating; exposed surfaces have finished veneers.

Wood veneers shown here are all Wood1 species and solid paint colors; inquire regarding other species/colors.

+ Options/Parametrics:

Widths: 12-108. Replace item number width code with actual dimension; use next larger std size for pricing.






Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.
‡ Requires field sub-assembly.

Prices listed in Wood1 Finishes.

TUOHY

Towers, Shelving



	Product No.	List \$
28 high	w d 28h	Unfinished Back
• Tower 28/15: Shelving 18	18 15	LPA-18-15-28 1113
• Tower 28/15: Shelving 30	30 15	LPA-30-15-28 1320
Tower 28/15: Shelving 36	36 15	LPA-36-15-28 1432
Tower 28/24: Shelving 18	18 24	LPA-18-24-28 1230
Tower 28/24: Shelving 30	30 24	LPA-30-24-28 1493
• Tower 28/24: Shelving 36	36 24	LPA-36-24-28 1638
42 high	w d 42h	Unfinished Back
• Tower 42/15: Shelving 18	18 15	LPA-18-15-42 1387
• Tower 42/15: Shelving 30	30 15	LPA-30-15-42 1673
Tower 42/15: Shelving 36	36 15	LPA-36-15-42 1822
Tower 42/24: Shelving 18	18 24	LPA-18-24-42 1574
Tower 42/24: Shelving 30	30 24	LPA-30-24-42 1936
• Tower 42/24: Shelving 36	36 24	LPA-36-24-42 2127
56 high	w d 56h	Unfinished Back
• Tower 56/15: Shelving 18	18 15	LPA-18-15-56 1644
• Tower 56/15: Shelving 30	30 15	LPA-30-15-56 2004
Tower 56/15: Shelving 36	36 15	LPA-36-15-56 2182
Tower 56/24: Shelving 18	18 24	LPA-18-24-56 1890
Tower 56/24: Shelving 30	30 24	LPA-30-24-56 2350
• Tower 56/24: Shelving 36	36 24	LPA-36-24-56 2583
72 high	w d 72h	Unfinished Back
• Tower 72/15: Shelving 18	18 15	LPA-18-15-72 1966
• Tower 72/15: Shelving 30	30 15	LPA-30-15-72 2410
Tower 72/15: Shelving 36	36 15	LPA-36-15-72 2612
Tower 72/24: Shelving 18	18 24	LPA-18-24-72 2308
Tower 72/24: Shelving 30	30 24	LPA-30-24-72 2861
• Tower 72/24: Shelving 36	36 24	LPA-36-24-72 3124
85 high	w d 85h	Unfinished Back
• Tower 85/15: Shelving 18	18 15	LPA-18-15-85 2280
• Tower 85/15: Shelving 30	30 15	LPA-30-15-85 2806
Tower 85/15: Shelving 36	36 15	LPA-36-15-85 3045
Tower 85/24: Shelving 18	18 24	LPA-18-24-85 2709
Tower 85/24: Shelving 30	30 24	LPA-30-24-85 3366
• Tower 85/24: Shelving 36	36 24	LPA-36-24-85 3677

+Options/Parametrics:

Width range: 18-36

Depth range: 15-24

Height range: 28-85

Finish variables are back, shelves.

! Notes:

Number of shelves varies with height of unit: 3 shlvs @ 56h, 4 shlvs @ 72h, and 5 shlvs @ 85h.

Units under 72h have an A grade top surface.

Units 72h and higher have a 3 grade top surface.





Unfinished backs are standard.

Specify: Product Number
Quantity
Tagging
Wood Finish

• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.

Towers, Cabinet Single Door



Product No. List \$

42 high	w	d	42h	Unfinished Back	
Tower 42/15: Cabinet LH 18	18	15		LPB-18-15-42	1573
• Tower 42/15: Cabinet RH 18	18	15		LPC-18-15-42	1573
Tower 42/15: Cabinet LH 24	24	15		LPB-24-15-42	1756
• Tower 42/15: Cabinet RH 24	24	15		LPC-24-15-42	1756
Tower 42/24: Cabinet LH 18	18	24		LPB-18-24-42	1722
• Tower 42/24: Cabinet RH 18	18	24		LPC-18-24-42	1722
Tower 42/24: Cabinet LH 24	24	24		LPB-24-24-42	1959
• Tower 42/24: Cabinet RH 24	24	24		LPC-24-24-42	1959

56 high	w	d	56h	Unfinished Back	
Tower 56/15: Cabinet LH 18	18	15		LPB-18-15-56	1826
• Tower 56/15: Cabinet RH 18	18	15		LPC-18-15-56	1826
Tower 56/15: Cabinet LH 24	24	15		LPB-24-15-56	2066
• Tower 56/15: Cabinet RH 24	24	15		LPC-24-15-56	2066
Tower 56/24: Cabinet LH 18	18	24		LPB-18-24-56	2018
• Tower 56/24: Cabinet RH 18	18	24		LPC-18-24-56	2018
Tower 56/24: Cabinet LH 24	24	24		LPB-24-24-56	2328
• Tower 56/24: Cabinet RH 24	24	24		LPC-24-24-56	2328

72 high	w	d	72h	Unfinished Back	
Tower 72/15: Cabinet LH 18	18	15		LPB-18-15-72	2142
• Tower 72/15: Cabinet RH 18	18	15		LPC-18-15-72	2142
Tower 72/15: Cabinet LH 24	24	15		LPB-24-15-72	2457
• Tower 72/15: Cabinet RH 24	24	15		LPC-24-15-72	2457
Tower 72/24: Cabinet LH 18	18	24		LPB-18-24-72	2401
• Tower 72/24: Cabinet RH 18	18	24		LPC-18-24-72	2401
Tower 72/24: Cabinet LH 24	24	24		LPB-24-24-72	2788
• Tower 72/24: Cabinet RH 24	24	24		LPC-24-24-72	2788

85 high	w	d	85h	Unfinished Back	
Tower 85/15: Cabinet LH 18	18	15		LPB-18-15-85	2447
• Tower 85/15: Cabinet RH 18	18	15		LPC-18-15-85	2447
Tower 85/15: Cabinet LH 24	24	15		LPB-24-15-85	2827
• Tower 85/15: Cabinet RH 24	24	15		LPC-24-15-85	2827
Tower 85/24: Cabinet LH 18	18	24		LPB-18-24-85	2760
• Tower 85/24: Cabinet RH 18	18	24		LPC-18-24-85	2760
Tower 85/24: Cabinet LH 24	24	24		LPB-24-24-85	3231
• Tower 85/24: Cabinet RH 24	24	24		LPC-24-24-85	3231

+ Options/Parametrics:

Width range: 18-24

Depth range: 15-24

Height range: 42-85

Finish variables are back, shelves, faces.

For door locks, specify Option LD; add \$139.

! Notes:

Number of shelves varies with height of unit: 3 shlvs @ 56h, 4 shlvs @ 72h, and 5 shlvs @ 85h.

Units under 72 high have an A grade top surface.

Units 72 high or over have 3 grade top surface.


Unfinished backs are standard.

Specify: Product Number
Quantity
Tagging
Wood Finish
Hardware Finish


• Denotes Item is illustrated.

Prices listed in Wood1 Finishes.


Towers, Cabinet Double Door




	42 high	w	d	42h	Unfinished Back	
• Tower 42/15: Cabinet DBL 24	24	15			LPD-24-15-42	1903
• Tower 42/15: Cabinet DBL 36	36	15			LPD-36-15-42	2208
• Tower 42/24: Cabinet DBL 24	24	24			LPD-24-24-42	2104
• Tower 42/24: Cabinet DBL 36	36	24			LPD-36-24-42	2481



	56 high	w	d	56h	Unfinished Back	
• Tower 56/15: Cabinet DBL 24	24	15			LPD-24-15-56	2210
• Tower 56/15: Cabinet DBL 36	36	15			LPD-36-15-56	2594
• Tower 56/24: Cabinet DBL 24	24	24			LPD-24-24-56	2473
• Tower 56/24: Cabinet DBL 36	36	24			LPD-36-24-56	2935



	72 high	w	d	72h	Unfinished Back	
• Tower 72/15: Cabinet DBL 36	36	15			LPD-36-15-72	3065
• Tower 72/24: Cabinet DBL 36	36	24			LPD-36-24-72	3488



	85 high	w	d	85h	Unfinished Back	
• Tower 85/15: Cabinet DBL 36	36	15			LPD-36-15-85	3525
• Tower 85/24: Cabinet DBL 36	36	24			LPD-36-24-85	4035

+ Options/Parametrics:

Width range: 24-36

Depth range: 15-24

Height range: 42-85

Finish variables are back, shelves, faces.

For door locks, specify Option LD; add \$139.

! Notes:




Number of shelves varies with height of unit: 3 shlvs @ 56h, 4 shlvs @ 72h, and 5 shlvs @ 85h.

Units under 72 high have an A grade top surface.




Units 72 high or over have 3 grade top surface.

Unfinished backs are standard.

Towers, Garment



Towers, Garment-Cabinet



Product No. List \$

56 high	w	d	56h	Unfinished Back
Tower 56/15: Garment LH 18	18	15		LPE-18-15-56 1584
• Tower 56/15: Garment RH 18	18	15		LPF-18-15-56 1584
Tower 56/15: Garment LH 24	24	15		LPE-24-15-56 1865
• Tower 56/15: Garment RH 24	24	15		LPF-24-15-56 1865
Tower 56/24: Garment LH 18	18	24		LPE-18-24-56 1747
• Tower 56/24: Garment RH 18	18	24		LPF-18-24-56 1747
Tower 56/24: Garment LH 24	24	24		LPE-24-24-56 2061
• Tower 56/24: Garment RH 24	24	24		LPF-24-24-56 2061

72 high	w	d	72h	Unfinished Back
Tower 72/15: Garment LH 18	18	15		LPE-18-15-72 1887
• Tower 72/15: Garment RH 18	18	15		LPF-18-15-72 1887
Tower 72/15: Garment LH 24	24	15		LPE-24-15-72 2213
• Tower 72/15: Garment RH 24	24	15		LPF-24-15-72 2213
Tower 72/24: Garment LH 18	18	24		LPE-18-24-72 2104
• Tower 72/24: Garment RH 18	18	24		LPF-18-24-72 2104
Tower 72/24: Garment LH 24	24	24		LPE-24-24-72 2455
• Tower 72/24: Garment RH 24	24	24		LPF-24-24-72 2455

85 high	w	d	85h	Unfinished Back
Tower 85/15: Garment LH 18	18	15		LPE-18-15-85 2219
• Tower 85/15: Garment RH 18	18	15		LPF-18-15-85 2219
Tower 85/15: Garment LH 24	24	15		LPE-24-15-85 2623
• Tower 85/15: Garment RH 24	24	15		LPF-24-15-85 2623
Tower 85/24: Garment LH 18	18	24		LPE-18-24-85 2495
• Tower 85/24: Garment RH 18	18	24		LPF-18-24-85 2495
Tower 85/24: Garment LH 24	24	24		LPE-24-24-85 2939
• Tower 85/24: Garment RH 24	24	24		LPF-24-24-85 2939

56h	w	d	56h	Unfinished Back
• Tower 56/15: Garment:Cab 24	24	15		LPH-24-15-56 2461
Tower 56/15: Cab:Garment 24	24	15		LPG-24-15-56 2461
• Tower 56/15: Garment:Cab 36	36	15		LPH-36-15-56 2856
Tower 56/15: Cab:Garment 36	36	15		LPG-36-15-56 2856
• Tower 56/24: Garment:Cab 24	24	24		LPH-24-24-56 2769
Tower 56/24: Cab:Garment 24	24	24		LPG-24-24-56 2769
• Tower 56/24: Garment:Cab 36	36	24		LPH-36-24-56 3250
Tower 56/24: Cab:Garment 36	36	24		LPG-36-24-56 3250

72h	w	d	72h	Unfinished Back
• Tower 72/15: Garment:Cab 36	36	15		LPH-36-15-72 3478
Tower 72/15: Cab:Garment 36	36	15		LPG-36-15-72 3478
• Tower 72/24: Garment:Cab 36	36	24		LPH-36-24-72 3971
Tower 72/24: Cab:Garment 36	36	24		LPG-36-24-72 3971

85h	w	d	85h	Unfinished Back
• Tower 85/15: Garment:Cab 36	36	15		LPH-36-15-85 4075
Tower 85/15: Cab:Garment 36	36	15		LPG-36-15-85 4075
• Tower 85/24: Garment:Cab 36	36	24		LPH-36-24-85 4667
Tower 85/24: Cab:Garment 36	36	24		LPG-36-24-85 4667

+ Options/Parametrics (all listings this page):
 Width range: 18-24 (Garment) and 24-36 (Garment-Cabinet)
 Depth range: 15-24 Height range: 54-85
 Finish variables are back, shelves, faces.
 For door locks, specify Option LD; add \$139.

! Notes:



Number of shelves varies with height of unit: 3 shlvs @ 56h, 4 shlvs @ 70h, and 5 shlvs @ 85h.
 Units over 80 high get an adjustable shelf above the coat rod.
 Units less than 22 deep get a coat hook instead of a coat rod.
 Units under 72 high have an A grade top surface.
 Units 72 high or over have 3 grade top surface.

Specify: Product Number
 Quantity
 Tagging
 Wood Finish
 Hardware Finish

Prices listed in Wood1 Finishes.

TUOHY

Towers, Cabinet/Drawer



	Product No.	List \$
56h	Unfinished Back	
• Tower 56/18: Cab/LatF 30	LPJ-30-18-56	2597
Tower 56/18: Cab/LatB/LatF 30	LPK-30-18-56	2725
• Tower 56/18: Cab/LatF 36	LPJ-36-18-56	3366
Tower 56/18: Cab/LatB/LatF 36	LPK-36-18-56	3578
Tower 56/24: Cab/LatF 30	LPJ-30-24-56	2776
Tower 56/24: Cab/LatB/LatF 30	LPK-30-24-56	2899
Tower 56/24: Cab/LatF 36	LPJ-36-24-56	3579
• Tower 56/24: Cab/LatB/LatF 36	LPK-36-24-56	3789
72h	Unfinished Back	
• Tower 72/18: Cab/LatF 30	LPJ-30-18-72	3069
Tower 72/18: Cab/LatB/LatF 30	LPK-30-18-72	3197
• Tower 72/18: Cab/LatF 36	LPJ-36-18-72	3878
Tower 72/18: Cab/LatB/LatF 36	LPK-36-18-72	4088
Tower 72/24: Cab/LatF 30	LPJ-30-24-72	3297
Tower 72/24: Cab/LatB/LatF 30	LPK-30-24-72	3425
Tower 72/24: Cab/LatF 36	LPJ-36-24-72	4145
• Tower 72/24: Cab/LatB/LatF 36	LPK-36-24-72	4355

+ Options/Parametrics:

Width range: 30, 36 only

Depth range: 18-24

Height range: 56-72

Finish variables are back, shelves, faces.

For Cabinet/Door Locks, specify Option LD; add \$139.

For Drawer Gang Locks, specify Option LG; add \$192.



! Notes:

Units under 72 high have an A grade top surface.

Units 72 high or over have 3 grade top surface.

Unfinished backs are standard.

Towers, Drawer



	Product No.		List \$
42h (3-Drawer)	w	d	42h
			Unfinished Back
• Tower18: 3F 18	18	18	LPL-18-18-42 2014
Tower18: 3LatF 30	30	18	LPL-30-18-42 2348
Tower18: 3LatF 36	36	18	LPL-36-18-42 2499
Tower24: 3F 18	18	24	LPL-18-24-42 2056
• Tower24: 3LatF 30	30	24	LPL-30-24-42 2434
Tower24: 3LatF 36	36	24	LPL-36-24-42 2591
Tower30: 3F 18	18	30	LPL-18-30-42 2144
Tower30: 3LatF 30	30	30	LPL-30-30-42 2538
• Tower30: 3LatF 36	36	30	LPL-36-30-42 2703
Tower36: 3F 18	18	36	LPL-18-36-42 2511
56h (4-Drawer)	w	d	56h
			Unfinished Back
• Tower18: 4F 18	18	18	LPM-18-18-56 2574
Tower18: 4LatF 30	30	18	LPM-30-18-56 3020
Tower18: 4LatF 36	36	18	LPM-36-18-56 3225
Tower24: 4F 18	18	24	LPM-18-24-56 2629
• Tower24: 4LatF 30	30	24	LPM-30-24-56 3131
Tower24: 4LatF 36	36	24	LPM-36-24-56 3344
Tower30: 4F 18	18	30	LPM-18-30-56 2750
Tower30: 4LatF 30	30	30	LPM-30-30-56 3275
• Tower30: 4LatF 36	36	30	LPM-36-30-56 3494
Tower36: 4F 18	18	36	LPM-18-36-56 3235

+ Options/Parametrics:

Widths 18, 30 and 36 only.

Depth range: 18-36 (18w units); 18-30 (30, 36w units).

Finish variable is face.

To include Anti-Tilt Mechanisms, specify Option AT; add \$498.

! Notes:

Drawer Towers must be secured on location to the wall; otherwise, specify Option AT above.

For Drawer Gang Locks, specify Option LG; add \$192.

Units listed above have finished tops.

Drawers are 0.5 Birch with dovetailed corners.

Drawer bottoms are 0.25 inch thick dadoed into drawer sides.

Slides are ball bearing full extension.

File drawers include Pendaflex file hanging system.

Units under 22 deep have a 15 deep drawer with front-to-back filing only.

Units over 22 deep and under 33 deep have a 20 deep drawer.

Units 33 deep and more have a 30 deep drawer.

Specify: Product Number
Quantity
Tagging
Wood Finish
Hardware Finish

Prices listed in Wood1 Finishes.

TUOHY



