

DUCHÂTEAU®  
F L O O R S

# *Welcome*

Welcome to DuChateau.® Since we first partnered with our master craftsman from Holland, our customers have enthusiastically responded to the quality and passion that drives our company. Today we are thrilled to discover our flooring specified by the most influential designers for residential, hospitality, restaurant, retail, and commercial projects throughout the world. These creative applications continue to inspire us. Please enjoy our latest collections.

A handwritten signature in black ink, appearing to read 'M. Tagle'.

M.Tagle

A handwritten signature in black ink, appearing to read 'B. Buzali'.

B. Buzali









## *Welcome*

About Us	1
Finish & Maintenance	3

## *Collections*

The Chateau Collection®	6
The Vernal Collection®	22
The Terra Collection™	40
The Riverstone Collection™	54
The Vintage Remains Collection™	68
The Heritage Timber Edition™	82
The Fine Sawn Collection™	94
The New Classics Collection™	104
The Palais Collection™	116

## *Info*

Construction	127
Warranty	128
Environment	129





*Artistry.* DuChateau® hardwood flooring reflects passion, art in design, and an appreciation for nature. Designed to reflect the styles found in Europe from centuries ago, DuChateau® wood floors are antique-styled hard-wax oil floors developed in Holland. With natural changing grain patterns and hand-crafted textures, our hardwood flooring creates a time-worn look that showcases the character and longevity of a true vintage hardwood floor.

*Luxury.* Combining old world craftsmanship with luxurious modern design, DuChateau® wood floors' timeless character complements nearly every atmosphere. Whether reflecting personal style in your own home or making a grand statement in a commercial setting, DuChateau® offers options to meet your desires.



## *Innovation.* DuChateau® reinterprets the concept

of hardwood flooring limited only by the imagination of our master craftsman.

Committed to developing hard-wax oiled hardwood flooring products benefiting from the latest advances in styling, technology and innovation, our artistic methods keep us firmly at the forefront of the design industry.

## *Sustainability.* Our core values are to make use

of environmentally friendly methods and renewable forest resources to offer products that are consistently of the highest quality. As a proponent of environmentally friendly harvesting methods, DuChateau® wood floors are FSC® certified and each plank is treated with all-natural, ultra-low VOC hard-wax oil.





## FINISH & MAINTENANCE



### MAINTENANCE PRODUCTS

DuChateau® wood floors are finished with a Hard-Wax Oil that is baked into the floors during manufacturing. For this reason, they must be maintained differently than polyurethane or aluminum-oxide finished floors. DuChateau® Parquet Cleaner is to be used when cleaning all DuChateau® wood floors. It's a concentrate of mild soap and plant oil without any added chemicals that can discolor or damage the natural beauty of your DuChateau® wood floor. Our maintenance oil is a blend of plant oil and natural waxes that act as a moisturizer and protective barrier to the floor while maintaining a natural matte finish.



DuChateau® Parquet Cleaner  
Recommended Products:

*All DuChateau® Hard-Wax Oiled  
wood products.*



DuChateau® Clear Maintenance Oil  
Recommended Products:

*All DuChateau® Hard-Wax Oiled  
wood products.*



DuChateau® White Maintenance Oil  
Recommended Products:

*For periodic brightening of  
DuChateau® White Oil Floors.  
To be applied by a professional.*



## *A European Tradition*

### HARD-WAX OIL FLOORS

One of the first to bring hard-wax oil to the U.S. market, DuChateau® offers excellent durability and renewability while allowing the wood to breathe and live with you. The unique lustrous finish maximizes the wood's natural character and beauty gaining a rich patina and refinement as it ages. As it has been tested with time, a hard-wax oil finished floor will last for generation after generation.

- Traditional floor finish used in Europe for centuries
- Hard-wax oil penetrates into wood fibers and protects from within
- Hard-wax oil integrates with the wood unlike a polyurethane finish
- Environmentally friendly, ultra-low VOC, preservative-free, natural ingredients
- Hard-wax oil is extremely water repellent and is stain-resistant against water, wine, soda, and coffee
- Minimal maintenance—even in high-traffic commercial environments including airports, hotels and restaurants
- Spots and scratches can be minimized and often eliminated with buffing and a small application of our maintenance oil





## *The Chateau Collection®*

The Chateau Collection® creates the same time worn look that showcases the character and longevity of a hardwood floor with natural changing grain patterns exemplifying true vintage artistic design. The ordinary free forming elements of natural wood are what give The Chateau Collection® flooring its unique character and exceptional beauty.

*natural elements, grain patterns*







*natural elements, grain patterns*



white oiled



antique white



st. moritz



natural



olde dutch



windsor



savoy



kasteel




# The Chateau Collection®

NAME	WOOD SPECIES	GRADE	JANKA RATING	TREATMENT	FACE	THICKNESS <sup>*2</sup>	W	L	STYLES
<b>White Oiled</b>	European White Oak	Character	1360	White Oiled	Smooth with Chiseled Edge or Hand Scraped <sup>*1</sup>	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Antique White</b>	European White Oak	Character	1360	White Oiled, Smoked	Smooth with Chiseled Edge or Hand Scraped <sup>*1</sup>	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>St. Moritz</b>	European White Oak	Character	1360	White Limed, White Oiled, Double Smoked, Wire Brushed	Smooth, Wire Brushed with Chiseled Edge	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Natural</b>	European White Oak	Character	1360	Natural Oiled	Smooth with Chiseled Edge or Hand Scraped <sup>*1</sup>	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Olde Dutch</b>	European White Oak	Character	1360	Natural Oiled, Smoked	Smooth with Chiseled Edge or Hand Scraped <sup>*1</sup>	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Windsor</b>	European White Oak	Character	1360	Double Smoked, Natural Oiled	Smooth with Chiseled Edge or Hand Scraped <sup>*1</sup>	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Savoy<sup>*1</sup></b> <small>Crafted per order. Please inquire for details.</small>	European White Oak	Character	1360	Deep Smoked, Carbonized, Natural Oiled	Smooth with Chiseled Edge	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Kasteel</b>	European Walnut	Character	1010	Natural Oiled, Smoked, Wire Brushed	Smooth, Wire Brushed with Chiseled Edge	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics

\*1 These products are available as specialty items and are crafted per order. Please inquire for details.

\*2 Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.

Installation	Glue, Nail, Staple or Float
Trim Pieces	Stairnose, T-Mold, Threshold, Reducer Custom mouldings available upon request
Warranty	Limited Lifetime Structural Integrity 25 Year Residential Surface Finish 3 Year Commercial Surface Finish




Stair Nose

TH 5/8" x W 3 1/2" x L 96"




T-Mold

TH 5/8" x W 2" x L 96"



Baby Threshold

TH 5/8" x W 1" x L 96"



Reducer

TH 5/8" x W 2" x L 96"





CHATEAU

white oiled







WOOD SPECIES: European White Oak

GRADE: Character

JANKA RATING: 1360

TREATMENT: White Oiled

FACE: Smooth with Chiseled Edge or  
Hand Scraped\*<sup>1</sup>

THICKNESS: 3/8" (10mm) Eng./2mm Top Layer\*<sup>1</sup>  
5/8" (15mm) Eng./4mm Top Layer  
3/4" (20mm) Duo/6mm Top Layer\*<sup>1</sup>

WIDTH: 7-7/16" (189mm), 10-1/4"  
(260mm)\*<sup>1</sup>, 12" (305mm)\*<sup>1</sup>

LENGTH: 72" (1830mm)

STYLES: Single Strip Plank  
Palais Parquet  
New Classics Parquet

FINISH: Hard-Wax Oil

SUBSTRATE: Canadian Pine

INSTALLATION: Glue, Nail, Staple or Float

SQ. FT. / BOX: 22.3375

WEIGHT / BOX: 40 lbs.

TRIMS: Stair Nose, T-Mold,  
Threshold, Reducer



WOOD SPECIES: European White Oak

GRADE: Character

JANKA RATING: 1360

TREATMENT: White Oiled, Smoked

FACE: Smooth with Chiseled Edge or  
Hand Scraped\*<sup>1</sup>

THICKNESS: 3/8" (10mm) Eng./2mm Top Layer\*<sup>1</sup>  
5/8" (15mm) Eng./4mm Top Layer  
3/4" (20mm) Duo/6mm Top Layer\*<sup>1</sup>

WIDTH: 7-7/16" (189mm), 10-1/4"  
(260mm)\*<sup>1</sup>, 12" (305mm)\*<sup>1</sup>

LENGTH: 72" (1830mm)

STYLES: Single Strip Plank

Palais Parquet

New Classics Parquet

FINISH: Hard-Wax Oil

SUBSTRATE: Canadian Pine

INSTALLATION: Glue, Nail, Staple or Float

SQ. FT. / BOX: 22.3375

WEIGHT / BOX: 40 lbs.

TRIMS: Stair Nose, T-Mold,  
Threshold, Reducer











WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	White Oiled, White Limed, Double Smoked, Wire Brushed,
FACE:	Smooth, Wire Brushed with Chiseled Edge
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1</sup> , 12" (305mm)* <sup>1</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Natural Oiled
FACE:	Smooth with Chiseled Edge or Hand Scraped* <sup>1</sup>
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1</sup> , 12" (305mm)* <sup>1</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Natural Oiled, Smoked
FACE:	Smooth with Chiseled Edge or Hand Scraped* <sup>1</sup>
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1</sup> , 12" (305mm)* <sup>1</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank, Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.33a75
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Double Smoked, Natural Oiled
FACE:	Smooth with Chiseled Edge or Hand Scraped* <sup>1</sup>
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1</sup> , 12" (305mm)* <sup>1</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank, Palais Parquet, New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





*This product is crafted per order. Please inquire for details.*

WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Deep Smoked, Carbonized, Natural Oiled
FACE:	Smooth with Chiseled Edge
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm) <sup>*1</sup> , 12" (305mm) <sup>*1</sup>
LENGTH:	72" (1830mm)


STYLES:	Single Strip Plank, Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European Walnut
GRADE:	Character
JANKA RATING:	1010
TREATMENT:	Natural Oiled, Smoked, Wire Brushed
FACE:	Smooth, Wire Brushed with Chiseled Edge
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank, Palais Parquet, New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





## *The Vernal Collection®*

The Vernal Collection® brings a new ambiance to hard-wax oiled floors—lustrous and modern yet subtle to create an atmosphere of tranquility and serenity. Offering an exceptional combination of possibilities for all interiors because of its pure and fresh nature, the essence of the Vernal Collection® is select premium grade flooring with minimal natural knots, natural cracks, and vintage wood elements.

*pure, tranquil, serene nature*







*pure, tranquil, serene nature*



vernal white oiled



vernal antique white



como



davos



san tropez



zermatt



lugano



vernal natural




vernal olde dutch



american walnut



mocca



# The Vernal Collection®


NAME	WOOD SPECIES	GRADE	JANKA RATING	TREATMENT	FACE	THICKNESS <sup>*2</sup>	W	L	STYLES
<b>Vernal White Oiled</b>	European White Oak	Select	1360	White Oiled	Smooth with Micro Bevel	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1*3</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1*3</sup> 12" (305mm) <sup>*1*3</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Vernal Antique White</b>	European White Oak	Select	1360	White Oiled, Smoked	Smooth with Micro Bevel	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1*3</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1*3</sup> 12" (305mm) <sup>*1*3</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Como</b>	European White Oak	Select	1360	Natural Oiled, Smoked, Whitewashed, Wire Brushed	Wire Brushed with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Davos</b>	European White Oak	Select	1360	Limed, White Oiled, Double Smoked, Wire Brushed	Wire Brushed with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>San Tropez</b>	European White Oak	Select	1360	Limed, White Oiled, Wire Brushed	Wire Brushed with Micro Bevel	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1*3</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1*3</sup> 12" (305mm) <sup>*1*3</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Zermatt</b>	European White Oak	Select	1360	Natural Oiled, Smoked, Whitewashed, Wire Brushed	Wire Brushed with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Lugano</b>	European White Oak	Select	1360	Limed, White Oiled, Smoked, Wire Brushed	Wire Brushed with Micro Bevel	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1*3</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1*3</sup> 12" (305mm) <sup>*1*3</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Vernal Natural</b>	European White Oak	Select	1360	Natural Oiled	Smooth with Micro Bevel	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1*3</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1*3</sup> 12" (305mm) <sup>*1*3</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Vernal Olde Dutch</b>	European White Oak	Select	1360	Natural Oiled, Smoked	Smooth with Micro Bevel	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1*3</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1*3</sup> 12" (305mm) <sup>*1*3</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>American Walnut</b>	Premium American Walnut	Character	1010	Natural Oiled	Smooth with Micro Bevel	5/8" (15mm) Engineered	7-7/16" (189mm)	86" (2200mm)	Single Strip Plank, Palais, New Classics
<b>Mocca<sup>*1</sup></b> <small>Crafted per order. Please inquire for details.</small>	European White Oak	Select	1360	Deep Smoked, Limed	Smooth with Micro Bevel	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1*3</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1*3</sup> 12" (305mm) <sup>*1*3</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics

\*1 These products are available as specialty items and are crafted per order. Please inquire for details.


\*2 Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.

\*3 Duofloor and wider options are not available in 100% select grade and will have more character or knots than select grade options.


Installation	Glue, Nail, Staple or Float
Trim Pieces	Stairnose, T-Mold, Threshold, Reducer Custom mouldings available upon request
Warranty	Limited Lifetime Structural Integrity 25 Year Residential Surface Finish 3 Year Commercial Surface Finish




**Stair Nose**  
TH 5/8" x W 3 1/2" x L 96"



**T-Mold**  
TH 5/8" x W 2" x L 96"



**Baby Threshold**  
TH 5/8" x W 1" x L 96"



**Reducer**  
TH 5/8" x W 2" x L 96"



WOOD SPECIES:	European White Oak
GRADE:	Select
JANKA RATING:	1360
TREATMENT:	White Oiled
FACE:	Smooth with Micro Bevel
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1*3</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1*3</sup> , 12" (305mm)* <sup>1*3</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European White Oak
GRADE:	Select
JANKA RATING:	1360
TREATMENT:	White Oiled, Smoked
FACE:	Smooth with Micro Bevel
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1*3</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1*3</sup> , 12" (305mm)* <sup>1*3</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





WOOD SPECIES: European White Oak  
 GRADE: Select  
 JANKA RATING: 1360  
 TREATMENT: Smoked, Whitewashed,  
 Natural Oiled, Wire Brushed  
 FACE: Wire Brushed with Micro Bevel  
 THICKNESS: 5/8" (15mm) Eng./4mm Top Layer  
 WIDTH: 7-7/16" (189mm)  
 LENGTH: 72" (1830mm)

STYLES: Single Strip Plank  
 Palais Parquet  
 New Classics Parquet  
 FINISH: Hard-Wax Oil  
 SUBSTRATE: Canadian Pine  
 INSTALLATION: Glue, Nail, Staple or Float  
 SQ. FT. / BOX: 22.3375  
 WEIGHT / BOX: 40 lbs.  
 TRIMS: Stair Nose, T-Mold,  
 Threshold, Reducer



WOOD SPECIES: European White Oak  
 GRADE: Select  
 JANKA RATING: 1360  
 TREATMENT: Limed, White Oiled,  
 Double Smoked, Wire Brushed  
 FACE: Wire Brushed with Micro Bevel  
 THICKNESS: 5/8" (15mm) Eng./4mm Top Layer  
 WIDTH: 7-7/16" (189mm)  
 LENGTH: 72" (1830mm)

STYLES: Single Strip Plank  
 Palais Parquet  
 New Classics Parquet  
 FINISH: Hard-Wax Oil  
 SUBSTRATE: Canadian Pine  
 INSTALLATION: Glue, Nail, Staple or Float  
 SQ. FT. / BOX: 22.3375  
 WEIGHT / BOX: 40 lbs.  
 TRIMS: Stair Nose, T-Mold,  
 Threshold, Reducer







WOOD SPECIES:	European White Oak
GRADE:	Select
JANKA RATING:	1360
TREATMENT:	Limed, White Oiled, Wire Brushed
FACE:	Wire Brushed with Micro Bevel
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1*3</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1*3</sup> , 12" (305mm)* <sup>1*3</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





WOOD SPECIES: European White Oak  
 GRADE: Select  
 JANKA RATING: 1360  
 TREATMENT: Smoked, Whitewashed,  
 Natural Oiled, Wire Brushed  
 FACE: Wire Brushed with Micro Bevel  
 THICKNESS: 5/8" (15mm) Eng./4mm Top Layer  
 WIDTH: 7-7/16" (189mm)  
 LENGTH: 72" (1830mm)

STYLES: Single Strip Plank  
 Palais Parquet  
 New Classics Parquet  
 FINISH: Hard-Wax Oil  
 SUBSTRATE: Canadian Pine  
 INSTALLATION: Glue, Nail, Staple or Float  
 SQ. FT. / BOX: 22.3375  
 WEIGHT / BOX: 40 lbs.  
 TRIMS: Stair Nose, T-Mold,  
 Threshold, Reducer



WOOD SPECIES:	European White Oak
GRADE:	Select
JANKA RATING:	1360
TREATMENT:	Limed, White Oiled, Smoked, Wire Brushed  Wire Brushed with Micro Bevel
FACE:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup>
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1*3</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1*3</sup> , 12" (305mm)* <sup>1*3</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer







VERNAL

lugano





WOOD SPECIES:	European White Oak
GRADE:	Select
JANKA RATING:	1360
TREATMENT:	Natural Oiled
FACE:	Smooth with Micro Bevel
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1*3</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm) <sup>*1*3</sup> , 12" (305mm) <sup>*1*3</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





WOOD SPECIES:	European White Oak
GRADE:	Select
JANKA RATING:	1360
TREATMENT:	Natural Oiled, Smoked
FACE:	Smooth with Micro Bevel
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1*3</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm) <sup>*1*3</sup> , 12" (305mm) <sup>*1*3</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



# VERNAL | american walnut



WOOD SPECIES:	Premium American Walnut
GRADE:	Character
JANKA RATING:	1010
TREATMENT:	Natural Oiled
FACE:	Smooth with Micro Bevel
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	86" (2200mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	26.8532
WEIGHT / BOX:	42 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



*This product is crafted per order. Please inquire for details.*

WOOD SPECIES:	European White Oak	STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
GRADE:	Select	FINISH:	Hard-Wax Oil
JANKA RATING:	1360	SUBSTRATE:	Canadian Pine
TREATMENT:	Deep Smoked, Limed	INSTALLATION:	Glue, Nail, Staple or Float
FACE:	Smooth with Micro Bevel	SQ. FT. / BOX:	22.3375
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1*3</sup>	WEIGHT / BOX:	40 lbs.
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1*3</sup> , 12" (305mm)* <sup>1*3</sup>	TRIMS:	Stair Nose, T-Mold, Threshold, Reducer
LENGTH:	72" (1830mm)		







## *The Terra Collection*<sup>™</sup>

The Terra Collection<sup>™</sup> matches both contemporary and traditional interior designs with its modern dark colors. The unique colors and treatments reflect the unspoiled landscape of the world's vast wilderness. From the lush, fertile volcanic flows, to the barren desert sand dunes, The Terra Collection<sup>™</sup> is innovative, clean, and suited to fit a new generation of floors. The Terra Collection<sup>™</sup> brings the beauty of nature to the comfort of interiors.

*dark colors, unique treatments*





*dark colors, unique treatments*



nile



panga



zimbabwe



greystone



tanzania



madagascar



# The Terra Collection™

NAME	WOOD SPECIES	GRADE	JANKA RATING	TREATMENT	FACE	THICKNESS <sup>*2</sup>	W	L	STYLES
<b>Nile</b>	European Ash	Character	1320	Thermo Treated, White Limed, Natural Oiled, Wire Brushed, Hand Scraped	Wire Brushed, Hand Scraped	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Panga</b>	European Ash	Character	1320	Thermo Treated, Natural Oiled, Wire Brushed	Wire Brushed	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Zimbabwe</b>	Larch	Character	830	Thermo Treated, White Limed, Natural Oiled, Wire Brushed	Wire Brushed	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Greystone</b>	European White Oak	Select	1360	Thermo Treated, White Limed, Natural Oiled, Wire Brushed, Hand Scraped	Wire Brushed, Hand Scraped	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Tanzania</b>	European White Oak	Select	1360	Thermo Treated, White Limed, Natural Oiled, Wire Brushed, Hand Scraped	Wire Brushed, Hand Scraped	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Madagascar</b>	European Oak	Select	1360	Thermo Treated, Natural Oiled, Wire Brushed, Hand Scraped	Wire Brushed, Hand Scraped	3/8" (10mm) Eng./2mm Top Layer <sup>*1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics


\*1 These products are available as specialty items and are crafted per order. Please inquire for details.

\*2 Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.

Installation : *Glue, Nail, Staple or Float*

Trim Pieces : *Stairnose, T-Mold, Threshold, Reducer*  
*Custom mouldings available upon request*

Warranty : *Limited Lifetime Structural Integrity*  
*25 Year Residential Surface Finish*  
*3 Year Commercial Surface Finish*




**Stair Nose**

TH 5/8" x W 3 1/2" x L 96"




**T-Mold**

TH 5/8" x W 2" x L 96"



**Baby Threshold**

TH 5/8" x W 1" x L 96"



**Reducer**

TH 5/8" x W 2" x L 96"





WOOD SPECIES:	European Ash
GRADE:	Character
JANKA RATING:	1320
TREATMENT:	Thermo Treated, White Limed, Natural Oiled, Wire Brushed, Hand Scraped
FACE:	Wire Brushed, Hand Scraped
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European Ash
GRADE:	Character
JANKA RATING:	1320
TREATMENT:	Thermo Treated, Natural Oiled, Wire Brushed
FACE:	Wire Brushed
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer







TERRA

zimbabwe





WOOD SPECIES:	Larch
GRADE:	Character
JANKA RATING:	830
TREATMENT:	Thermo Treated, Natural Oiled, White Limed, Wire Brushed
FACE:	Wire Brushed
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





WOOD SPECIES: European White Oak

GRADE: Select

JANKA RATING: 1360

TREATMENT: Thermo Treated, White Limed,  
Natural Oiled, Wire Brushed,  
Hand Scraped

FACE: Wire Brushed, Hand-Scraped

THICKNESS: 3/8" (10mm) Eng./2mm Top Layer\*<sup>1</sup>  
5/8" (15mm) Eng./4mm Top Layer  
3/4" (20mm) Duo/6mm Top Layer\*<sup>1</sup>

WIDTH: 7-7/16" (189mm), 10-1/4"  
(260mm)\*<sup>1</sup>, 12" (305mm)\*<sup>1</sup>

LENGTH: 72" (1830mm)

STYLES: Single Strip Plank

Palais Parquet

New Classics Parquet

FINISH: Hard-Wax Oil

SUBSTRATE: Canadian Pine

INSTALLATION: Glue, Nail, Staple or Float

SQ. FT. / BOX: 22.3375

WEIGHT / BOX: 40 lbs.

TRIMS: Stair Nose, T-Mold,  
Threshold, Reducer














WOOD SPECIES:	European White Oak
GRADE:	Select
JANKA RATING:	1360
TREATMENT:	Thermo Treated, White Limed, Natural Oiled, Wire Brushed, Hand Scraped
FACE:	Wire Brushed, Hand Scraped
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1</sup> , 12" (305mm)* <sup>1</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





WOOD SPECIES:	European Oak
GRADE:	Select
JANKA RATING:	1360
TREATMENT:	Thermo-Treated, Natural Oiled, Wire Brushed, Hand Scraped
FACE:	Wire Brushed, Hand Scraped
THICKNESS:	3/8" (10mm) Eng./2mm Top Layer* <sup>1</sup> 5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1</sup> , 12" (305mm)* <sup>1</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





## *The Riverstone Collection™*

The Riverstone Collection™ is an evolution of hand-sculpted hardwood flooring that blends beautifully with interiors old and new. Natural distressing and raised knots give the floors a raw and organic contour that feels comforting beneath the feet. While maintaining the elegance that is DuChateau®, The Riverstone Collection™ effortlessly merges modern and rustic design to create a truly original and inspiring floor.

*hand-sculpted, organic contours*







*hand-sculpted, organic contours*



danube



thames



seine



arno



rhine




# The Riverstone Collection™

NAME	WOOD SPECIES	GRADE	JANKA RATING	TREATMENT	FACE	THICKNESS <sup>*2</sup>	W	L	STYLES
<b>Danube</b>	European White Oak	Character	1360	Smoked, Carbonized, FE Treatment, Whitewashed, Wire Brushed	Wire Brushed, Hand Sculpted	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Thames</b>	European White Oak	Character	1360	Carbonized, FE Treatment, Whitewashed, Wire Brushed	Wire Brushed, Hand Sculpted	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Seine</b>	European White Oak	Character	1360	Carbonized, FE Treatment, Wire Brushed	Wire Brushed, Hand Sculpted	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>	7-7/16" (189mm) 10-1/4" (260mm) <sup>*1</sup> 12" (305mm) <sup>*1</sup>	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Arno<sup>*1</sup></b> <small>Crafted per order. Please inquire for details.</small>	European Larch	Character	830	HNA Treatment, Wire Brushed	Wire Brushed, Hand Sculpted	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Rhine<sup>*1</sup></b> <small>Crafted per order. Please inquire for details.</small>	European Walnut	Character	1010	FE Treatment, Wire Brushed	Wire Brushed, Hand Sculpted	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics

\*1 These products are available as specialty items and are crafted per order. Please inquire for details.

\*2 Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.


Installation	Glue, Nail, Staple or Float
Trim Pieces	Stairnose, T-Mold, Threshold, Reducer Custom mouldings available upon request
Warranty	Limited Lifetime Structural Integrity 25 Year Residential Surface Finish 3 Year Commercial Surface Finish




**Stair Nose**  
TH 5/8" x W 3 1/2" x L 96"



**T-Mold**  
TH 5/8" x W 2" x L 96"



**Baby Threshold**  
TH 5/8" x W 1" x L 96"



**Reducer**  
TH 5/8" x W 2" x L 96"









WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Smoked, Carbonized, FE Treatment, Whitewashed, Wire Brushed
FACE:	Wire Brushed, Hand Sculpted
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1</sup> , 12" (305mm)* <sup>1</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer









WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Carbonized, FE Treatment, Whitewashed, Wire Brushed
FACE:	Wire Brushed, Hand Sculpted
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer* <sup>1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm)* <sup>1</sup> , 12" (305mm)* <sup>1</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Carbonized, FE Treatment, Wire Brushed
FACE:	Wire Brushed, Hand Sculpted
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>
WIDTH:	7-7/16" (189mm), 10-1/4" (260mm) <sup>*1</sup> , 12" (305mm) <sup>*1</sup>
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer











*This product is crafted per order. Please inquire for details.*

WOOD SPECIES:	European Larch	STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
GRADE:	Character	FINISH:	Hard-Wax Oil
JANKA RATING:	830	SUBSTRATE:	Canadian Pine
TREATMENT:	HNA Treatment, Wire Brushed	INSTALLATION:	Glue, Nail, Staple or Float
FACE:	Wire Brushed, Hand Sculpted	SQ. FT. / BOX:	22.3375
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer	WEIGHT / BOX:	40 lbs.
WIDTH:	7-7/16" (189mm)	TRIMS:	Stair Nose, T-Mold, Threshold, Reducer
LENGTH:	72" (1830mm)		






*This product is crafted per order. Please inquire for details.*

WOOD SPECIES:	European Walnut
GRADE:	Character
JANKA RATING:	1010
TREATMENT:	FE Treatment, Wire Brushed
FACE:	Hand Sculpted, Wire Brushed
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1829mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer







## *The Vintage Remains Collection*<sup>TM</sup>

The Vintage Remains Collection<sup>TM</sup> honors the look and feel of reclaimed timbers found in dismantled antique structures. A combination of axe texture and unique treatments accentuating the wood's rustic character result in unparalleled elegance and authenticity in an antique reproduction floor.

*dismantled antique structures*





## *dismantled antique structures*



limestone



summer beam



antique joist



burnt rafter



reclaimed ash



smoked mantle



salvaged terra



iron rust





# The Vintage Remains Collection™

NAME	WOOD SPECIES	GRADE	JANKA RATING	TREATMENT	FACE	THICKNESS <sup>*2</sup>	W	L	STYLES
<b>Limestone</b>	European White Oak	Character	1360	Natural Oiled, Smoked, Whitewashed	Axe Treatment with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Summer Beam</b>	European White Oak	Character	1360	Natural Oiled	Axe Treatment with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Antique Joist</b>	European White Oak	Character	1360	Double Smoked, Limed, White Oiled, Wire Brushed	Axe Treatment with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Burnt Rafter</b>	European White Oak	Character	1360	Natural Oiled, Carbonized	Axe Treatment with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Reclaimed Ash</b>	European White Oak	Character	1360	Proprietary Colored Oils, Aged	Axe Treatment, Hand Sculpted with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Smoked Mantle</b>	European White Oak	Character	1360	Proprietary Colored Oils, Aged	Axe Treatment, Hand Sculpted with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Salvaged Terra</b>	European White Oak	Character	1360	Proprietary Colored Oils, Aged	Axe Treatment, Hand Sculpted with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Iron Rust</b>	European White Oak	Character	1360	Proprietary Colored Oils, Aged	Axe Treatment, Hand Sculpted with Micro Bevel	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics


<sup>\*2</sup> Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.

\* To achieve the authentic, reclaimed wood appearance of these floors, high character grade wood and unique styling processes are adopted and may result in occasional chipping or splintering.

Installation : *Glue, Nail, Staple or Float*

Trim Pieces : *Stairnose, T-Mold, Threshold, Reducer*  
*Custom mouldings available upon request*


Warranty : *Limited Lifetime Structural Integrity*  
*25 Year Residential Surface Finish*  
*3 Year Commercial Surface Finish*




**Stair Nose**  
TH 5/8" x W 3 1/2" x L 96"



**T-Mold**  
TH 5/8" x W 2" x L 96"



**Baby Threshold**  
TH 5/8" x W 1" x L 96"



**Reducer**  
TH 5/8" x W 2" x L 96"

# VINTAGE REMAINS | limestone



WOOD SPECIES: European White Oak  
GRADE: Character  
JANKA RATING: 1360  
TREATMENT: Natural Oiled, Smoked,  
Whitewashed  
FACE: Axe Treatment with Micro Bevel  
THICKNESS: 5/8" (15mm) Eng./4mm Top Layer  
WIDTH: 7-7/16" (189mm)  
LENGTH: 72" (1830mm)


STYLES: Single Strip Plank  
Palais Parquet  
New Classics Parquet  
FINISH: Hard-Wax Oil  
SUBSTRATE: Canadian Pine  
INSTALLATION: Glue, Nail, Staple or Float  
SQ. FT. / BOX: 22.3375  
WEIGHT / BOX: 40 lbs.  
TRIMS: Stair Nose, T-Mold,  
Threshold, Reducer



WOOD SPECIES: European White Oak  
GRADE: Character  
JANKA RATING: 1360  
TREATMENT: Natural Oiled  
FACE: Axe Treatment with Micro Bevel  
THICKNESS: 5/8" (15mm) Eng./4mm Top Layer  
WIDTH: 7-7/16" (189mm)  
LENGTH: 72" (1830mm)

STYLES: Single Strip Plank  
Palais Parquet  
New Classics Parquet  
FINISH: Hard-Wax Oil  
SUBSTRATE: Canadian Pine  
INSTALLATION: Glue, Nail, Staple or Float  
SQ. FT. / BOX: 22.3375  
WEIGHT / BOX: 40 lbs.  
TRIMS: Stair Nose, T-Mold,  
Threshold, Reducer





WOOD SPECIES: European White Oak  
GRADE: Character  
JANKA RATING: 1360  
TREATMENT: White Oiled, Limed, Double  
Smoked, Wire Brushed  
FACE: Axe Treatment with Micro Bevel  
THICKNESS: 5/8" (15mm) Eng./4mm Top Layer  
WIDTH: 7-7/16" (189mm)  
LENGTH: 72" (1830mm)

STYLES: Single Strip Plank  
Palais Parquet  
New Classics Parquet  
FINISH: Hard-Wax Oil  
SUBSTRATE: Canadian Pine  
INSTALLATION: Glue, Nail, Staple or Float  
SQ. FT. / BOX: 22.3375  
WEIGHT / BOX: 40 lbs.  
TRIMS: Stair Nose, T-Mold,  
Threshold, Reducer



WOOD SPECIES: European White Oak  
 GRADE: Character  
 JANKA RATING: 1360  
 TREATMENT: Natural Oiled, Carbonized  
 FACE: Axe Treatment with Micro Bevel  
 THICKNESS: 5/8" (15mm) Eng./4mm Top Layer  
 WIDTH: 7-7/16" (189mm)  
 LENGTH: 72" (1830mm)

STYLES: Single Strip Plank  
 Palais Parquet  
 New Classics Parquet  
 FINISH: Hard-Wax Oil  
 SUBSTRATE: Canadian Pine  
 INSTALLATION: Glue, Nail, Staple or Float  
 SQ. FT. / BOX: 22.3375  
 WEIGHT / BOX: 40 lbs.  
 TRIMS: Stair Nose, T-Mold,  
 Threshold, Reducer









WOOD SPECIES: European Oak

GRADE: Character

JANKA RATING: 1360

TREATMENT: Proprietary Colored Oils, Aged

FACE: Axe Treatment, Hand Sculpted  
with Micro Bevel

THICKNESS: 5/8" (15mm) Eng./4mm Top Layer

WIDTH: 7-7/16" (189mm)

LENGTH: 72" (1830mm)

STYLES: Single Strip Plank, Palais  
Parquet, New Classics Parquet

FINISH: Hard-Wax Oil

SUBSTRATE: Canadian Pine

INSTALLATION: Glue, Nail, Staple or Float

SQ. FT. / BOX: 22.3375

WEIGHT / BOX: 40 lbs.

TRIMS: Stair Nose, T-Mold,  
Threshold, Reducer





WOOD SPECIES: European Oak

GRADE: Character

JANKA RATING: 1360

TREATMENT: Proprietary Colored Oils, Aged

FACE: Axe Treatment, Hand Sculpted  
with Micro Bevel

THICKNESS: 5/8" (15mm) Eng./4mm Top Layer

WIDTH: 7-7/16" (189mm)

LENGTH: 72" (1830mm)

STYLES: Single Strip Plank, Palais  
Parquet, New Classics Parquet

FINISH: Hard-Wax Oil

SUBSTRATE: Canadian Pine

INSTALLATION: Glue, Nail, Staple or Float

SQ. FT. / BOX: 22.3375

WEIGHT / BOX: 40 lbs.

TRIMS: Stair Nose, T-Mold,  
Threshold, Reducer





WOOD SPECIES:	European Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Proprietary Colored Oils, Aged
FACE:	Axe Treatment, Hand Sculpted with Micro Bevel
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank, Palais Parquet, New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European Oak	STYLES:	Single Strip Plank, Palais Parquet, New Classics Parquet
GRADE:	Character	FINISH:	Hard-Wax Oil
JANKA RATING:	1360	SUBSTRATE:	Canadian Pine
TREATMENT:	Proprietary Colored Oils, Aged	INSTALLATION:	Glue, Nail, Staple or Float
FACE:	Axe Treatment, Hand Sculpted with Micro Bevel	SQ. FT. / BOX:	22.3375
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer	WEIGHT / BOX:	40 lbs.
WIDTH:	7-7/16" (189mm)	TRIMS:	Stair Nose, T-Mold, Threshold, Reducer
LENGTH:	72" (1830mm)		







## *The Heritage Timber Edition™*

The Heritage Timber Edition™ captures the patina of reclaimed building materials while preserving the integrity of historical structures. Celebrate the original character of recycled wood with artfully distressed surface scrapes, nail holes, notches, and saw kerf marks reminiscent of salvaged textures. The Heritage Timber Edition™ offers incomparable architectural quality combined with modern fabrication of FSC®-certified wood.

*reclaimed patina, salvaged texture*





*reclaimed patina, salvaged texture*



chalk



lintel



slat



trestle



coal



# The Heritage Timber Edition™

NAME	WOOD SPECIES	GRADE	JANKA RATING	TREATMENT	FACE	THICKNESS <sup>2</sup>	W	L	STYLES
<b>Chalk</b>	European White Oak	Character	1360	Smoked, Stained, Natural Oiled, Deep Brushed	Distressed Salvaged Texture	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>1</sup>	7-7/16" (189mm) <i>random width appearance</i>	72" (1830mm)	Single Strip Plank
<b>Lintel</b>	European White Oak	Character	1360	Whitewashed, Natural Oiled, Deep Brushed	Distressed Salvaged Texture	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>1</sup>	7-7/16" (189mm) <i>random width appearance</i>	72" (1830mm)	Single Strip Plank
<b>Slat</b>	European White Oak	Character	1360	Stained, Natural Oiled, Deep Brushed	Distressed Salvaged Texture	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>1</sup>	7-7/16" (189mm) <i>random width appearance</i>	72" (1830mm)	Single Strip Plank
<b>Trestle</b>	European White Oak	Character	1360	Carbonized, Natural Oiled, Deep Brushed	Distressed Salvaged Texture	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>1</sup>	7-7/16" (189mm) <i>random width appearance</i>	72" (1830mm)	Single Strip Plank
<b>Coal</b>	European White Oak	Character	1360	Carbonized, FE Treatment, Natural Oiled, Deep Brushed	Distressed Salvaged Texture	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>1</sup>	7-7/16" (189mm) <i>random width appearance</i>	72" (1830mm)	Single Strip Plank


\*1 These products are available as specialty items and are crafted per order. Please inquire for details.

\*2 Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.

Installation : *Glue, Nail, Staple or Float*

Trim Pieces : *Stairnose, T-Mold, Threshold, Reducer*  
*Custom mouldings available upon request*


Warranty : *Limited Lifetime Structural Integrity*  
*25 Year Residential Surface Finish*  
*3 Year Commercial Surface Finish*




**Stair Nose**  
TH 5/8" x W 3 1/2" x L 96"



**T-Mold**  
TH 5/8" x W 2" x L 96"



**Baby Threshold**  
TH 5/8" x W 1" x L 96"



**Reducer**  
TH 5/8" x W 2" x L 96"





*This product is crafted per order. Please inquire for details.*

WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Smoked, Stained, Natural Oiled, Deep Brushed
FACE:	Distressed Salvaged Texture
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Whitewashed, Natural Oiled, Deep Brushed
FACE:	Distressed Salvaged Texture
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer









WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Stained, Natural Oiled, Deep Brushed
FACE:	Distressed Salvaged Texture
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1829mm)

STYLES:	Single Strip Plank
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer









# HERITAGE TIMBER | trestle



WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Carbonized, Natural Oiled, Deep Brushed
FACE:	Distressed Salvaged Texture
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Carbonized, FE Treatment, Natural Oiled, Deep Brushed
FACE:	Distressed Salvaged Texture
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer 3/4" (20mm) Duo/6mm Top Layer <sup>*1</sup>
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer







## *The Fine Sawn Collection™*

The Fine Sawn Collection™ conveys a statement of fashion and functionality which brings inspiration to any atmosphere. The finishing technique is a fine sawn, contoured distress which accents the floor, brings out a new feel, but still maintains its perfect fit. Prized by interior designers for its unique trend in design, The Fine Sawn Collection™ offers a vintage feel, easy maintenance and an aspect of style well suited for a commercial environment.

*contoured distressing, statement*





*contoured distressing, statement*



fine sawn white oil




fine sawn antique white



fine sawn olde dutch



fine sawn ebony



## The Fine Sawn Collection™


NAME	WOOD SPECIES	GRADE	JANKA RATING	TREATMENT	FACE	THICKNESS <sup>*2</sup>	W	L	STYLES
<b>Fine Sawn White Oil</b>	European White Oak	Character	1360	Sawn Marks, Brushed, Whitewashed, White Oiled	Fine Sawn Contoured Distress	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Fine Sawn Antique White</b>	European White Oak	Character	1360	Sawn Marks, Brushed, Smoked, White Oiled	Fine Sawn Contoured Distress	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Fine Sawn Olde Dutch</b>	European White Oak	Character	1360	Sawn Marks, Brushed, Smoked, Natural Oiled	Fine Sawn Contoured Distress	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics
<b>Fine Sawn Ebony</b>	European White Oak	Character	1360	Sawn Marks, Brushed, Smoked, Blackwashed, Natural Oiled	Fine Sawn Contoured Distress	5/8" (15mm) Eng./4mm Top Layer	7-7/16" (189mm)	72" (1830mm)	Single Strip Plank, Palais, New Classics

\*2 Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.

Installation : *Glue, Nail, Staple or Float*

Trim Pieces : *Stairnose, T-Mold, Threshold, Reducer*  
*Custom mouldings available upon request*


Warranty : *Limited Lifetime Structural Integrity*  
*25 Year Residential Surface Finish*  
*3 Year Commercial Surface Finish*




**Stair Nose**  
TH 5/8" x W 3 1/2" x L 96"



**T-Mold**  
TH 5/8" x W 2" x L 96"



**Baby Threshold**  
TH 5/8" x W 1" x L 96"



**Reducer**  
TH 5/8" x W 2" x L 96"





WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Whitewashed, White Oiled, Brushed, Sawn Marks
FACE:	Fine Sawn Contoured Distress
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Smoked, White Oiled, Brushed, Sawn Marks
FACE:	Fine Sawn Contoured Distress
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer



WOOD SPECIES:	European White Oak
GRADE:	Character
JANKA RATING:	1360
TREATMENT:	Smoked, Natural Oiled, Brushed, Sawn Marks
FACE:	Fine Sawn Contoured Distress
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	7-7/16" (189mm)
LENGTH:	72" (1830mm)

STYLES:	Single Strip Plank Palais Parquet New Classics Parquet
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail, Staple or Float
SQ. FT. / BOX:	22.3375
WEIGHT / BOX:	40 lbs.
TRIMS:	Stair Nose, T-Mold, Threshold, Reducer





WOOD SPECIES: European White Oak  
GRADE: Character  
JANKA RATING: 1360  
TREATMENT: Smoked, Blackwashed, Natural  
Oiled, Brushed, Sawn Marks  
FACE: Fine Sawn Contoured Distress  
THICKNESS: 5/8" (15mm) Eng./4mm Top Layer  
WIDTH: 7-7/16" (189mm)  
LENGTH: 72" (1830mm)

STYLES: Single Strip Plank  
Palais Parquet  
New Classics Parquet  
FINISH: Hard-Wax Oil  
SUBSTRATE: Canadian Pine  
INSTALLATION: Glue, Nail, Staple or Float  
SQ. FT. / BOX: 22.3375  
WEIGHT / BOX: 40 lbs.  
TRIMS: Stair Nose, T-Mold,  
Threshold, Reducer













## *The New Classics Collection™*

The New Classics Collection™ is a restyled floor inspired by the classic parquets of traditional European design. Dating back to medieval times, The New Classics Collection™ flourishes and enjoys a welcome resurgence. Back by popular demand, The New Classics Collection's time-honored artistry and modern performance merge to form a unique new classic wood floor collection.

*restyled classic parquets*





## *restyled classic parquets*



**chevron**

(Shown in Chateau Collection®, Antique White)




**block parquet**

(Shown in Vernal Collection®, Lugano)



**herringbone**

(Shown in Chateau Collection®, Windsor)



**double herringbone**

(Shown in Chateau Collection®, Kasteel)



**random width**

(Shown in Chateau Collection®, Olde Dutch)



**ladder parquet**

(Shown in Vernal Collection®, Lugano)





# The New Classics Collection™

All New Classics Collection™ floors are crafted per order. Please inquire for details.

NAME	WOOD SPECIES	GRADE	JANKA RATING	TREATMENT	FACE	THICKNESS <sup>*2</sup>	W	L	STYLES
<b>Chevron</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer	3-1/2" (89mm)	18" (457mm) 24" (610mm)	New Classics Custom Designs Available
<b>Block Parquet</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer	12" (305mm) 18" (457mm) squares	12" (305mm) 18" (457mm) squares	New Classics Custom Designs Available
<b>Herringbone</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer	3-1/2" (89mm) 5" (127mm)	18" (457mm) 24" (610mm)	New Classics Custom Designs Available
<b>Double Herringbone</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer	3-1/2" (89mm) 5" (127mm)	18" (457mm) 24" (610mm)	New Classics Custom Designs Available
<b>Random Width</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer	4-1/4" (108mm) 6" (152mm) 10-1/4" (260mm)	86" (2200mm)	New Classics Custom Designs Available
<b>Ladder Parquet</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer	10-2/3" (270mm)	74-1/4" (1890mm)	New Classics Custom Designs Available

\*2 Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.

\*4 Not suitable for Heritage Timber Edition™ floors.

Installation	Glue, Nail or Staple
Warranty	Limited Lifetime Structural Integrity 25 Year Residential Surface Finish 3 Year Commercial Surface Finish







NEW CLASSICS

chevron




(Shown in Chateau Collection®, Antique White)

WOOD SPECIES:	All DuChateau® Styles*4	STYLES:	New Classics Parquet Custom Designs Available
GRADE:	Character or Select	FINISH:	Hard-Wax Oil
JANKA RATING:	Varies	SUBSTRATE:	Canadian Pine
TREATMENT:	Varies	INSTALLATION:	Glue, Nail or Staple
FACE:	Varies	SQ. FT. / BOX:	Varies
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer	WEIGHT / BOX:	Varies
WIDTH:	3-1/2" (89mm)		
LENGTH:	18" (457mm), 24" (610mm)		



(Shown in Vernal Collection®, Lugano)

WOOD SPECIES:	All DuChateau® Styles*4	STYLES:	New Classics Parquet Custom Designs Available
GRADE:	Character or Select	FINISH:	Hard-Wax Oil
JANKA RATING:	Varies	SUBSTRATE:	Canadian Pine
TREATMENT:	Varies	INSTALLATION:	Glue, Nail or Staple
FACE:	Varies	SQ. FT. / BOX:	Varies
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer	WEIGHT / BOX:	Varies
WIDTH:	12" (305mm), 18" (457mm) Squares		
LENGTH:	12" (305mm), 18" (457mm) Squares		



(Shown in Chateau Collection®, Windsor)

WOOD SPECIES:	All DuChateau® Styles*4	STYLES:	New Classics Parquet Custom Designs Available
GRADE:	Character or Select	FINISH:	Hard-Wax Oil
JANKA RATING:	Varies	SUBSTRATE:	Canadian Pine
TREATMENT:	Varies	INSTALLATION:	Glue, Nail or Staple
FACE:	Varies	SQ. FT. / BOX:	Varies
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer	WEIGHT / BOX:	Varies
WIDTH:	3-1/2" (89mm), 5" (127mm)		
LENGTH:	18" (457mm), 24" (610mm)		





(Shown in Chateau Collection®, Kasteel)

WOOD SPECIES:	All DuChateau® Styles*4	STYLES:	New Classics Parquet Custom Designs Available
GRADE:	Character or Select	FINISH:	Hard-Wax Oil
JANKA RATING:	Varies	SUBSTRATE:	Canadian Pine
TREATMENT:	Varies	INSTALLATION:	Glue, Nail or Staple
FACE:	Varies	SQ. FT. / BOX:	Varies
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer	WEIGHT / BOX:	Varies
WIDTH:	3-1/2" (89mm), 5" (127mm)		
LENGTH:	18" (457mm), 24" (610mm)		



(Shown in Chateau Collection®, Olde Dutch)

WOOD SPECIES:	All DuChateau® Styles*4	STYLES:	New Classics Parquet Custom Designs Available
GRADE:	Character or Select	FINISH:	Hard-Wax Oil
JANKA RATING:	Varies	SUBSTRATE:	Canadian Pine
TREATMENT:	Varies	INSTALLATION:	Glue, Nail or Staple
FACE:	Varies	SQ. FT. / BOX:	Varies
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer	WEIGHT / BOX:	Varies
WIDTH:	4-1/4" (108mm) 6" (152mm) 10-1/4" (260mm)		
LENGTH:	86" (2200mm)		



(Shown in Vernal Collection®, Lugano)

WOOD SPECIES:	All DuChateau® Styles*4
GRADE:	Character or Select
JANKA RATING:	Varies
TREATMENT:	Varies
FACE:	Varies
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer
WIDTH:	10-2/3" (270mm)
LENGTH:	74-1/2" (1890mm)

STYLES:	New Classics Parquet Custom Designs Available
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail or Staple
SQ. FT. / BOX:	Varies
WEIGHT / BOX:	Varies







## *The Palais Collection™*

The Palais Collection™ celebrates the art form developed by the original parquet masters. In medieval times, parquet floors were highly valued and garnered special attention. Skilled artisans selected hardwoods with the best grains to create eye-pleasing patterns that transcended time and tradition. Our Palais Collection is a renaissance of time-honored artistry blended with modern performance.

*custom medallion parquet panels*





## *custom medallion parquet panels*



**chaumont**

*(Shown in Vernal Collection®, Olde Dutch)*



**tournon**

*(Shown in Vernal Collection®, Como)*



**avignon**

*(Shown in Custom Atelier Color)*



**fountainbleu**

*(Shown in Chateau Collection®, Kasteel)*



**versailles**

*(Shown in Vernal Collection®, Davos)*



**cheverny**

*(Shown in Chateau Collection®, Natural)*





# The Palais Collection™

All Palais Collection™ floors are crafted per order. Please inquire for details.

NAME	WOOD SPECIES	GRADE	JANKA RATING	TREATMENT	FACE	THICKNESS <sup>*2</sup>	W	L	STYLES
<b>Chaumont</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)	36" (914mm) squares	36" (914mm) squares	Palais Custom Designs Available
<b>Tournon</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)	36" (914mm) squares	36" (914mm) squares	Palais Custom Designs Available
<b>Avignon</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)	36" (914mm) squares	36" (914mm) squares	Palais Custom Designs Available
<b>Fountainbleu</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)	36" (914mm) squares	36" (914mm) squares	Palais Custom Designs Available
<b>Versailles</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)	36" (914mm) squares	36" (914mm) squares	Palais Custom Designs Available
<b>Cheverny</b>	All DuChateau® Styles <sup>*4</sup>	Character or Select	Varies	Varies	Varies	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)	36" (914mm) squares	36" (914mm) squares	Palais Custom Designs Available

\*2 Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.

\*4 Not suitable for Heritage Timber Edition™ floors.

Installation	Glue, Nail or Staple
Warranty	Limited Lifetime Structural Integrity
	25 Year Residential Surface Finish
	3 Year Commercial Surface Finish









(Shown in Vernal Collection®, Olde Dutch)

WOOD SPECIES:	All DuChateau® Styles*4	STYLES:	Palais Parquet Custom Designs Available
GRADE:	Character or Select	FINISH:	Hard-Wax Oil
JANKA RATING:	Varies	SUBSTRATE:	Canadian Pine
TREATMENT:	Varies	INSTALLATION:	Glue, Nail or Staple
FACE:	Varies	SQ. FT. / BOX:	9 Sq. Ft. Medallions
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)	WEIGHT / BOX:	Varies
WIDTH:	36" (914mm) Square Custom Sizes Available		
LENGTH:	36" (914mm) Square Custom Sizes Available		



(Shown in Vernal Collection®, Como)

WOOD SPECIES:	All DuChateau® Styles*4
GRADE:	Character or Select
JANKA RATING:	Varies
TREATMENT:	Varies
FACE:	Varies
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)
WIDTH:	36" (914mm) Square Custom Sizes Available
LENGTH:	36" (914mm) Square Custom Sizes Available

STYLES:	Palais Parquet Custom Designs Available
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail or Staple
SQ. FT. / BOX:	9 Sq. Ft. Medallions
WEIGHT / BOX:	Varies



(Shown in Custom Atelier Color)

WOOD SPECIES:	All DuChateau® Styles*4	STYLES:	Palais Parquet Custom Designs Available
GRADE:	Character or Select	FINISH:	Hard-Wax Oil
JANKA RATING:	Varies	SUBSTRATE:	Canadian Pine
TREATMENT:	Varies	INSTALLATION:	Glue, Nail or Staple
FACE:	Varies	SQ. FT. / BOX:	9 Sq. Ft. Medallions
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)	WEIGHT / BOX:	Varies
WIDTH:	36" (914mm) Square Custom Sizes Available		
LENGTH:	36" (914mm) Square Custom Sizes Available		





(Shown in Chateau Collection®, Kasteel)

WOOD SPECIES:	All DuChateau® Styles* <sup>4</sup>
GRADE:	Character or Select
JANKA RATING:	Varies
TREATMENT:	Varies
FACE:	Varies
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)
WIDTH:	36" (914mm) Square Custom Sizes Available
LENGTH:	36" (914mm) Square Custom Sizes Available

STYLES:	Palais Parquet Custom Designs Available
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail or Staple
SQ. FT. / BOX:	9 Sq. Ft. Medallions
WEIGHT / BOX:	Varies



(Shown in Vernal Collection®, Davos)

WOOD SPECIES:	All DuChateau® Styles*4	STYLES:	Palais Parquet Custom Designs Available
GRADE:	Character or Select	FINISH:	Hard-Wax Oil
JANKA RATING:	Varies	SUBSTRATE:	Canadian Pine
TREATMENT:	Varies	INSTALLATION:	Glue, Nail or Staple
FACE:	Varies	SQ. FT. / BOX:	9 Sq. Ft. Medallions
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)	WEIGHT / BOX:	Varies
WIDTH:	36" (914mm) Square Custom Sizes Available		
LENGTH:	36" (914mm) Square Custom Sizes Available		



(Shown in Chateau Collection®, Natural)

WOOD SPECIES:	All DuChateau® Styles*4
GRADE:	Character or Select
JANKA RATING:	Varies
TREATMENT:	Varies
FACE:	Varies
THICKNESS:	5/8" (15mm) Eng./4mm Top Layer (with 2mm backing material)
WIDTH:	36" (914mm) Square Custom Sizes Available
LENGTH:	36" (914mm) Square Custom Sizes Available

STYLES:	Palais Parquet Custom Designs Available
FINISH:	Hard-Wax Oil
SUBSTRATE:	Canadian Pine
INSTALLATION:	Glue, Nail or Staple
SQ. FT. / BOX:	9 Sq. Ft. Medallions
WEIGHT / BOX:	Varies





## DUCHATEAU® ENGINEERED FLOOR CONSTRUCTION

DuChateau® wood floors are truly an antique style floor with knots and cracks indistinguishable from a solid floor. When installed, our engineered floors offers the same look and feel of a solid wood floor, but with the added benefits of quality construction, stability at wide widths and lengths, flexible applications, and resource conservation.

- Top hardwood layer is the same genuine hardwood as in solid hardwood floors
- 4 mm top layer allows sanding three times over floor's lifetime
- Composed of cross-stacked layers that provide stability and resistance to expansion and contraction
- No warping, cupping, or bowing compared to solid wood flooring at same wide widths and long lengths
- Easy to install tongue and groove construction with minimal on-site labor
- Flexible applications on any grade level, over concrete subfloor, or over radiant heat
- Suitable for interior commercial and residential flooring or ceiling and wall panel applications
- Uses 1/4 of the hardwood resources of a solid wood floor and incorporates a renewable substrate

### 3/8" VALUE ENGINEERED<sup>\*1</sup>



### 5/8" QUALITY ENGINEERED



### 3/4" DUOFLOOR<sup>\*1</sup>



<sup>\*1</sup> These products are available as specialty items and are crafted per order. Please inquire for details.

<sup>\*2</sup> Nominal top layer thickness measured prior to finishing processes. Finishing processes such as wire brushing or hand scraping will affect the overall thickness.



## LIFETIME LIMITED STRUCTURAL INTEGRITY WARRANTY\*

DuChateau® Quality Engineered Floors feature a multi-ply cross grain construction made from a durable hardwood substrate that is precision milled for a perfect tongue-and-groove fit. DuChateau® warrants to the original purchaser its products, in their original manufactured condition, to be free from manufacturing defects in milling, dimension, and grade for the lifetime of the floor.

## 25 YEAR RESIDENTIAL SURFACE FINISH LIMITED WARRANTY\*

Quality Engineered Hard-Wax Oil finished floors are warranted by DuChateau® for 25 years from the date of purchase for residential applications. Through proper maintenance, our clear finish won't alter the color of the floor, and the floor won't peel or separate from the top layer. Flooring must be used under normal residential traffic conditions, and proper care and maintenance per instructions provided by DuChateau® must be followed for warranty to be valid. The use of products not approved for DuChateau® hardwood flooring may damage your floor and void the warranty.

## 3 YEAR COMMERCIAL SURFACE FINISH LIMITED WARRANTY\*

Quality Engineered Hard-Wax Oil finished floors are warranted by DuChateau® for 3 years from the date of purchase for commercial applications. Through proper maintenance, our clear finish won't alter the color of the floor, and the floor won't peel or separate from the top layer. Flooring must be used under normal commercial traffic conditions and proper care and maintenance per instructions provided by DuChateau® must be followed for warranty to be valid. The use of products not approved for DuChateau® hardwood flooring may damage your floor and void the warranty.



## FINISHING PROCESS

- ..... Final hard-wax oil
- ..... Fine grain sanding
- ..... Deep hard-wax oil (to seal pores)
- ..... White, black, or natural oil (to accent grain)
- ..... Hardwood surface (thermo-treated, distressed, or wire brushed)

*\*For full warranty and maintenance instructions, please visit our website: [duchateau.com](http://duchateau.com). Other terms, conditions, and exclusions apply. The above is not intended to be a full or complete summary of our warranties and should not be relied on without reviewing the complete text of our warranty.*

Member



**National  
Wood Flooring  
Association**



The mark of  
responsible forestry

## FSC® CERTIFIED WOOD PRODUCT

DuChateau® wood floors are certified to the Forest Stewardship Council® Chain of Custody Standard (FSC®). Ask for FSC® certified products.

FSC® is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Established in 1993 as a response to concerns over global deforestation, FSC® is widely regarded as one of the most important initiatives of the last decade to promote responsible forest management worldwide.

The FSC® label provides a credible link between responsible production and consumption that enables consumers and businesses to make purchasing decisions that benefit people and the environment as well as providing ongoing business value. FSC® provides a certification system with internationally recognized standard-setting, trademark assurance, and accreditation services to companies, organizations and communities interested in responsible forestry.



## CARB CERTIFIED WOOD PRODUCT

All DuChateau® hardwood flooring is CARB Certified. CARB Certification is commitment to producing environmentally sustainable materials.

The world's strictest formaldehyde emission standards for composite wood products took effect in California starting Jan. 1, 2009. This means particleboard, medium density fiberboard (MDF) and hardwood plywood manufactured for sale or use in California must comply with the new California Air Resources Board (CARB) regulations. The Federal EPA is monitoring the CARB rule and conducting its own risk analysis of the dangers of formaldehyde emission levels for implementing a national wood products emission standard in the near future.



## GLOBAL RELEAF® BY AMERICAN FORESTS

DuChateau® is a partner of American Forests, a non-profit organization whose goal is to plant 100 million trees by the year 2020. American Forests works to protect, restore and enhance the natural capital of trees and forests world-wide. DuChateau® Floors allocates a portion of its profits to the Global ReLeaf® campaign by American Forests to plant trees world-wide. In partnership with American Forests, DuChateau® has a promise to its clients, employees, and mother earth:

*"We promise to plant two trees for every tree that we use to produce hardwood flooring."*





## LACEY ACT COMPLIANT

The Lacey Act (16 U.S.C. §§ 3371-3378) legislation requires all importers to declare the species and country of origin of any wood product. The Lacey Act makes it unlawful to import, export, transport, sell, receive, acquire, or purchase in interstate or foreign commerce any wood that comes from illegally logged trees. The Lacey Act is intended to protect forests worldwide from deforestation and prevent illegitimate wood products from entering the United States. The Lacey Act, originally signed into law in 1900, is a conservation law that focuses on the illegal commercial transportation of wildlife and non-native species. In May 2008, a new bill (Section 8204) extended provisions to the Lacey Act to address the global illegal logging trade.

The Lacey Acts creates a fair playing field for wood manufacturers that follow the high level of standards imposed and eradicates illegally logged wood that is often the cause of wood flooring sold below market price.

In an effort to control and eliminate illegally logged trees, DuChateau® Floors supports and abides by the Lacey Act to ensure its customers the best quality wood flooring with environmentally friendly measures. All DuChateau® wood floors are Lacey Act compliant.



## US BUILD GREEN COUNCIL MEMBER

DuChateau® is a member of the U.S. Green Building Council. The U.S. Green Building Council (USGBC) is a 501(c) (3) non-profit organization that certifies sustainable businesses, homes, hospitals, schools, and neighborhoods. The USGBC is dedicated to expanding green building practices and education, with its LEED® (Leadership in Energy and Environmental Design) Green Building Rating System™.

LEED® Green Building Rating System™ is a voluntary, consensus-based national rating system for developing high-performance, sustainable buildings. LEED® addresses all building types and emphasizes state-of-the-art strategies in five areas: sustainable site development, water savings, energy efficiency, materials and resources selection, and indoor environmental quality.

DuChateau® qualifies for LEED® credits. This rating system has become the top choice for all architects, builders, and interior designers who construct using green building practices. DuChateau® also has LEED® AP staff to help with any LEED® consulting.



## DUCHATEAU® LEED® QUALIFIERS

- MR 7 – Certified Sustainably Harvested Wood
- EQ 4.4 – Low Emitting Materials
- MR 6 – Rapidly Renewable Materials



DUCHATEAU.COM  
1.888.DUCHATEAU

*Due to the natural materials and unique finishing processes, DuChateau® wood products may experience tonal and color variation between planks depending on time in or out of the box and conditions such as weather, temperature, location, moisture levels or proper maintenance and installation. To avoid dramatic variation mainly caused by aging, it is recommended installation be completed from the same lot. Every DuChateau® Floor is unique unto itself and may be different than the samples and photographs. Specifications and product availability are subject to change without notice. DuChateau® Floors reserves the right to make changes periodically without notice or obligation and to change or discontinue products. The appearance of colors may vary. All rights reserved. © 2014-1 DuChateau®.*