



CURVA

the beauty within the curve



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- SPECIES (s)**
Defined per Finish (see color chart)
- CUT PATTERN**
Curved
- THICKNESS**
*1-3/16 inches (30.16 mm)
- TILES/BOX**
16
- COLORS**
12 Available
- GRADE**
Aged Character with Knots
- COVERAGE/TILE**
*1.29 sf. (0.120 m²)
- WEIGHT/TILE**
*4.00 lbs. (1.81 kg) • Walnut
*4.40 lbs. (2.00 kg) • White Oak
- INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- SURFACE TEXTURE (st)**
Defined per Finish (see color chart)
- COVERAGE/BOX**
*20.64 sf. (1.92 m²)
- WEIGHT/BOX**
*67.85 lbs. (30.78 kg) • Walnut
*74.25 lbs. (33.68 kg) • White Oak
- INSTALLATION**
Construction Glue & Fine Needle Nails
- *** Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

ICEBERG	TABAK	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com



VERTEX

the balanced perfection of the angle



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- SPECIES (s)**
Defined per Finish (see color chart)
- GRADE**
Aged Character with Knots
- SURFACE TEXTURE (st)**
Defined per Finish (see color chart)
- CUT PATTERN**
Angled
- COVERAGE/TILE**
*1.29 sf. (0.120 m²)
- COVERAGE/BOX**
*20.64 sf. (1.92 m²)
- THICKNESS**
*3/4 inches (19.05 mm)
- WEIGHT/TILE**
*3.05 lbs. (1.38 kg) • Walnut
*3.40 lbs. (1.54 kg) • White Oak
- WEIGHT/BOX**
*52.65 lbs. (23.88 kg) • Walnut
*58.25 lbs. (26.42 kg) • White Oak
- TILES/BOX**
16
- INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- INSTALLATION**
Construction Glue & Fine Needle Nails
- COLORS**
12 Available
- FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- *** Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

ICEBERG	TABAK	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com



PARALLELS

the expression of continuity and precision



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- ◆ **SPECIES (s)**
Defined per Finish
(see color chart)
- ◆ **CUT PATTERN**
Straight
- ◆ **THICKNESS**
*3/4 inches (19.05 mm)
- ◆ **TILES/BOX**
16
- ◆ **COLORS**
12 Available
- ◆ **GRADE**
Aged Character with Knots
- ◆ **COVERAGE/TILE**
*1.29 sf. (0.120 m²)
- ◆ **WEIGHT/TILE**
*3.50 lbs. (1.59 kg) • Walnut
*3.80 lbs. (1.72 kg) • White Oak
- ◆ **INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- ◆ **FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- ◆ **SURFACE TEXTURE (st)**
Defined per Finish
(see color chart)
- ◆ **COVERAGE/BOX**
*20.64 sf. (1.92 m²)
- ◆ **WEIGHT/BOX**
*59.85 lbs. (27.15 kg) • Walnut
*64.65 lbs. (29.32 kg) • White Oak
- * Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

	ICEBERG	TABAK	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com



KUADRA

achieving balanced depth and arrangement



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- SPECIES (s)**
Defined per Finish (see color chart)
- CUT PATTERN**
Straight
- THICKNESS**
*11/16 inches (17.46 mm)
- TILES/BOX**
16
- COLORS**
12 Available
- GRADE**
Aged Character with Knots
- COVERAGE/TILE**
*1.29 sf. (0.120 m²)
- WEIGHT/TILE**
*3.35 lbs. (1.52 kg) • Walnut
*3.85 lbs. (1.75 kg) • White Oak
- INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- SURFACE TEXTURE (st)**
Defined per Finish (see color chart)
- COVERAGE/BOX**
*20.64 sf. (1.92 m²)
- WEIGHT/BOX**
*57.45 lbs. (26.06 kg) • Walnut
*65.45 lbs. (29.69 kg) • White Oak
- INSTALLATION**
Construction Glue & Fine Needle Nails
- *** Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

ICEBERG	TABAK	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com


KRESCENT

defining texture through the negative space of the crescent



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- ◆ **SPECIES (s)**
Defined per Finish
(see color chart)
- ◆ **GRADE**
Aged Character with Knots
- ◆ **SURFACE TEXTURE (st)**
Defined per Finish
(see color chart)
- ◆ **CUT PATTERN**
Curved
- ◆ **COVERAGE/TILE**
*1.29 sf. (0.120 m²)
- ◆ **COVERAGE/BOX**
*20.64 sf. (1.92 m²)
- ◆ **THICKNESS**
*1-3/16 inches (30.16 mm)
- ◆ **WEIGHT/TILE**
*3.95 lbs. (1.79 kg) • Walnut
*4.15 lbs. (1.88 kg) • White Oak
- ◆ **WEIGHT/BOX**
*67.05 lbs. (30.41 kg) • Walnut
*70.25 lbs. (31.86 kg) • White Oak
- ◆ **TILES/BOX**
16
- ◆ **INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- ◆ **INSTALLATION**
Construction Glue &
Fine Needle Nails
- ◆ **COLORS**
12 Available
- ◆ **FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- * Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

ICEBERG	TABAK	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.



For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com

WAVE

a celebration of charging linear motion

Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- ◆ **SPECIES (s)**
Defined per Finish
(see color chart)
- ◆ **CUT PATTERN**
Curved
- ◆ **THICKNESS**
*1-3/16 inches (30.16 mm)
- ◆ **TILES/BOX**
16
- ◆ **COLORS**
12 Available
- ◆ **GRADE**
Aged Character with Knots
- ◆ **COVERAGE/TILE**
*1.29 sf. (0.120 m²)
- ◆ **WEIGHT/TILE**
*3.80 lbs. (1.72 kg) • Walnut
*4.14 lbs. (1.88 kg) • White Oak
- ◆ **INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- ◆ **FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- ◆ **SURFACE TEXTURE (st)**
Defined per Finish
(see color chart)
- ◆ **COVERAGE/BOX**
*20.64 sf. (1.92 m²)
- ◆ **WEIGHT/BOX**
*64.65 lbs. (29.32 kg) • Walnut
*70.12 lbs. (31.81 kg) • White Oak
- ◆ **INSTALLATION**
Construction Glue &
Fine Needle Nails
- * Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

											
ICEBERG	TABAK	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com


ARK CHEVRON

a classic redefined through volume



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- SPECIES (s)**
Defined per Finish
(see color chart)
- CUT PATTERN**
Curved
- THICKNESS**
*1-3/16 inches (30.16 mm)
- SETS/BOX**
16
- COLORS**
12 Available
- GRADE**
Aged Character with Knots
- COVERAGE/TILE**
*1.23 sf. (0.114 m²)
- WEIGHT/TILE**
*4.70 lbs. (2.13 kg) • Walnut
*5.12 lbs. (2.32 kg) • White Oak
- INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- SURFACE TEXTURE (st)**
Defined per Finish
(see color chart)
- COVERAGE/BOX**
*19.68 sf. (1.83 m²)
- WEIGHT/BOX**
*79.05 lbs. (35.86 kg) • Walnut
*85.77 lbs. (38.90 kg) • White Oak
- INSTALLATION**
Construction Glue &
Fine Needle Nails
- *** Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

											
ICEBERG	TABAK	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com


CURVA CHEVRON

a dramatic reinterpretation of the curve



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- ◆ **SPECIES (s)**
Defined per Finish
(see color chart)
- ◆ **CUT PATTERN**
Curved
- ◆ **THICKNESS**
*1-3/16 inches (30.16 mm)
- ◆ **SETS/BOX**
16
- ◆ **COLORS**
12 Available
- ◆ **GRADE**
Aged Character with Knots
- ◆ **COVERAGE/TILE**
*1.23 sf. (0.114 m²)
- ◆ **WEIGHT/TILE**
*3.22 lbs. (1.46 kg) • Walnut
*3.51 lbs. (1.59 kg) • White Oak
- ◆ **INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- ◆ **FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- ◆ **SURFACE TEXTURE (st)**
Defined per Finish
(see color chart)
- ◆ **COVERAGE/BOX**
*19.68 sf. (1.83 m²)
- ◆ **WEIGHT/BOX**
*55.37 lbs. (25.12 kg) • Walnut
*60.01 lbs. (27.22 kg) • White Oak
- ◆ **INSTALLATION**
Construction Glue &
Fine Needle Nails
- * Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

											
ICEBERG	TABAK	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	FINE SAWN	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com



INFUSE

the infusion of positive and negative space



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- ◆ **SPECIES (s)**
Defined per Finish
(see color chart)
- ◆ **CUT PATTERN**
Curved & Straight
- ◆ **THICKNESS**
*1-3/8 inches (34.93 mm)
- ◆ **TILES/BOX**
16
- ◆ **COLORS**
11 Available
- ◆ **GRADE**
Aged Character with Knots
- ◆ **COVERAGE/TILE**
*1.29 sf. (0.120 m²)
- ◆ **WEIGHT/TILE**
*2.50 lbs. (1.13 kg) • Walnut
*2.70 lbs. (1.22 kg) • White Oak
- ◆ **INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- ◆ **FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- ◆ **SURFACE TEXTURE (st)**
Defined per Finish
(see color chart)
- ◆ **COVERAGE/BOX**
*20.64 sf. (1.92 m²)
- ◆ **WEIGHT/BOX**
*43.85 lbs. (19.89 kg) • Walnut
*47.05 lbs. (21.34 kg) • White Oak
- ◆ **INSTALLATION**
Construction Glue &
Fine Needle Nails
- * Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.



ICEBERG



OLDE
DUTCH



SILVER



SAND



SMOKE



LUGANO



NOIR



AMERICAN
WALNUT



BROWN
ASH



GOLDEN
OAK



STOUT

S	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST	FINE SAWN & LIGHT WIRE-BRUSH	FINE SAWN & LIGHT WIRE-BRUSH	FINE SAWN & LIGHT WIRE-BRUSH	FINE SAWN & LIGHT WIRE-BRUSH	FINE SAWN & LIGHT WIRE-BRUSH	FINE SAWN & LIGHT WIRE-BRUSH	FINE SAWN & LIGHT WIRE-BRUSH	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com


KUBIK

linear simplicity at its core



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- SPECIES (s)**
Defined per Finish
(see color chart)
- GRADE**
Aged Character with Knots
- SURFACE TEXTURE (st)**
Defined per Finish
(see color chart)
- CUT PATTERN**
Straight
- COVERAGE/TILE**
*1.29 sf. (0.120 m²)
- COVERAGE/BOX**
*20.64 sf. (1.92 m²)
- THICKNESS**
*15/16 inches (23.81 mm)
- WEIGHT/TILE**
*2.35 lbs. (1.07 kg) • Walnut
*2.55 lbs. (1.16 kg) • White Oak
- WEIGHT/BOX**
*41.45 lbs. (18.80 kg) • Walnut
*44.65 lbs. (20.25 kg) • White Oak
- TILES/BOX**
16
- INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- INSTALLATION**
Construction Glue & Fine Needle Nails
- COLORS**
11 Available
- FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- *** Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

ICEBERG	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com



EDGE

the duality of inverted angles



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- SPECIES (s)**
Defined per Finish (see color chart)
- CUT PATTERN**
Straight & Angled
- THICKNESS**
*15/16 inches (23.81 mm)
- TILES/BOX**
16
- COLORS**
11 Available
- GRADE**
Aged Character with Knots
- COVERAGE/TILE**
*1.29 sf. (0.120 m²)
- WEIGHT/TILE**
*2.35 lbs. (1.07 kg) • Walnut
*2.45 lbs. (1.11 kg) • White Oak
- FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- SURFACE TEXTURE (st)**
Defined per Finish (see color chart)
- COVERAGE/BOX**
*20.64 sf. (1.92 m²)
- WEIGHT/BOX**
*41.45 lbs. (18.80 kg) • Walnut
*43.05 lbs. (19.53 kg) • White Oak
- INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- INSTALLATION**
Construction Glue & Fine Needle Nails
- *** Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.

ICEBERG	OLDE DUTCH	SILVER	SAND	SMOKE	LUGANO	NOIR	AMERICAN WALNUT	BROWN ASH	GOLDEN OAK	STOUT
S WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WHITE OAK	WALNUT	WALNUT	WHITE OAK	WALNUT
ST LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	LIGHT WIRE-BRUSH	SMOOTH	SMOOTH	SMOOTH	SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com



SCALE RECKT

the harmony of overlapping shapes with volume



Luxurious from every angle, DuChâteau Wall Coverings offer refined sophistication and depth to any surface with clean lines and geometric-inspired elegance.

WALL COVERINGS



SPECIFICATIONS & COLORS

- SPECIES (s)**
White Oak or Walnut
(see color chart)
- CUT PATTERN**
Straight
- THICKNESS**
*1-3/16 inches (30.16 mm)
- TILES/BOX**
16
- COLORS**
4 Available
- GRADE**
Aged Character with Knots
- COVERAGE/TILE**
*1.32 sf. (0.123 m²)
- WEIGHT/TILE**
*3.10 lbs. (1.41 kg) • Walnut
*3.38 lbs. (1.53 kg) • White Oak
- INSTALL DIRECTION**
Horizontal, Vertical or Diagonal
- FIRE RESISTANT**
Optional "A Rating" Fire Retardant
- SURFACE TEXTURE (st)**
Smooth
(see color chart)
- COVERAGE/BOX**
*21.12 sf. (1.96 m²)
- WEIGHT/BOX**
*53.45 lbs. (24.24 kg) • Walnut
*57.93 lbs. (26.28 kg) • White Oak
- INSTALLATION**
Construction Glue & Fine Needle Nails
- *** Weight, coverage and dimensions may vary depending on finish and the natural expansion and contraction of wood.



AMERICAN WALNUT



BROWN ASH



GOLDEN OAK



STOUT

S WALNUT

WALNUT

WHITE OAK

WALNUT

ST SMOOTH

SMOOTH

SMOOTH

SMOOTH



DuCHÂTEAU

Product Sample Disclaimer

Created to be a one-of-a-kind piece of nature's artistry, each and every DuChâteau® wood product carries distinct variations in finish, patina, texture, grain and overall character that create the unique diversity and natural elegance of our wall coverings. It is virtually impossible to capture – in a small sample – the entire range of color variation and character that will be present in the wall covering you will receive. To better understand the unique look of a DuChâteau finished wall covering in your space, we recommend consulting your sales representative for more details.

Installation and Performance Disclaimer

Environmental conditions, such as exposure to light, and fluctuations in temperature and humidity, will greatly affect product performance from initial installation throughout its life. Refer to our website for installation guidelines or see your local sales representative for more information on proper steps and specific environmental conditions to successfully install, care for and ensure the lifelong performance of your wall covering.

For more information, please contact us at 1-888-DUCHATEAU or visit duchateau.com