

Section 9

SHOWCASE COLLECTION

PepperMint® & MiniMint®

Freestanding

Wall Mounted

Counter Top

Model No.	Page No.
Freestanding Showcases	
PMS-GL & B	142
PMS-E & E-GL	143
ES, ES-B, ESZ & ESZ-B	146
US	144
USZ & USZ-B	145
Wall Mounted Showcases	
ESW, ESW-Z & ESW-S	147
REW & REW-S	148
PMW & PMW-S	149
MMW & MMW-S	149
Freestanding Counters	
PMC-GL, B	143










OSHDP Seismic Compliant
Anchorage in California



Specifications PepperMint® & MiniMint® Showcase Collection

Aluminum Extrusion Profiles

Mini Quarter Round	Quarter Round	Circular	Elliptical
Model MMW	Model PMC-B PMS-E PMC-GL PMS-E-GL PMS-B PMW PMS-GL	Model US USZ USZ-B	Model ES ESW ES-B ESW-Z ESZ ESW-S ESZ-B REW
			
			

Standard Features

All models are assembled, crated and shipped by truck.

Frame Finishes: Natural Anodized Aluminum or PPP Color. Upcharge for PPP Color.

Glass: Sliding doors, panels and tops: 5/32" thick tempered glass. Gliding or hinged doors, counter & tops: 1/4" thick tempered glass.

Adjustable Shelving: 1/4" thick tempered glass on models thru 42" wide and models 60" to 72" wide with center shelf support. 3/8" thick non-tempered glass on models 48" wide. Exposed edges are polished. Concealed edges cushioned with anti-rattle extrusions.

All Doors: Always on width side of showcase, unless otherwise specified.

Hinged Doors: On all 24" width models. Plate hinges on models with 48" door height or more.

Sliding Doors: On models where door width exceeds 24" and door height is less than 36", except model PMC-GL. Doors slide smoothly in plastic track.

Gliding Doors: On PMS models, doors glide on roller bearings, in an aluminum track.

Locks: Included on all hinged, sliding and gliding doors.


Bottom Shelf: 5/8" thick particle board, melamine finish.

Wall Mounting Cleat/Bracket: Included, with hardware.


Adjustable Foot Glides: Included on freestanding models.

9


Plate Hinge




Sliding Door in Plastic Track



Gliding Door in Aluminum Track



Wall Mount



Panels

Hardboard panels available in any PPP Color. See PPP Color Card.

Fabric Selections: See page 148.

COM: Customer's Own Material. See COM Shipping instructions next page.



Options

Plinths

Optional on models PMS, US and USZ.

Black finish standard.

Adjustable foot glides included. Plinth height adds to total height of case.

	List
2" height	\$ 138
4" height	180
6" height	222

Lockable Casters - 2"

Available on models ES, US, PMS and PMC

Case Width

24" to 48" wide	Set of 4	222
Over 48" to 72" wide	Set of 6	280

Lockable Accessible Storage

Optional on models PMS-B, PMS-E, PMS-E-GL and USZ-B, 24" width or more..... 259

Includes sliding hardboard door panels with integral key lock. Available in any PPP Color. *See PPP Color Card.*

Replacement Lock & Keys

Hinged Doors	46
Sliding Doors	46
Gliding Doors	83

Replacement Shelf Pins

Specify model 8 ea.

Replacement Wall Mount Cleat

Top & bottom brackets - Per Lineal Foot 12

Back Panel

Hardboard back panel: Available in any PPP Color. *See PPP Color Card.*

24" to 48" wide	103
over 48" to 72" wide	136

PPP fabric or COM covered tackable back panel. *See Web.*

24" to 48" wide	153
over 48" to 72" wide	261

Grommets - 2"

Please contact factory to specify location 69

Specials

Custom showcase sizes available. Please submit your requirements.

Shipping Instructions for COM

When ordering material, customer must have supplier of material mark the following information on the outside of the package.

1. Buyer's name.
2. Purchase Order Number to PPP.
3. Purchase Order date.
4. Work Order Number material is to cover.
5. Quantity and model number(s) material is to cover.
6. *Specify fabric direction:* Conventional or Railroad.

All materials to be shipped FREIGHT PREPAID to:

Peter Pepper Products, Inc., 17929 S. Susana Road, Compton, CA 90221.

Responsibility for COM shipments:

- We cannot be held responsible for performance of COM covering materials, nor shall we be held responsible for yields or variations in tone or weaving.
- All responsibility for COM shipments is between the buyer and the source.




Optional Guaranteed Freight Program
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.


Zone 2 @ 8% of List.
Truck Charge \$145 min.



Optional Lighting System Specifications



Halogen Bulb
Approximate Full Scale



PMW-S
Illustrated with optional Recessed Lighting. Linear or Fluorescent Lighting also available on PMW-S & MMW-S

9



Optional Guaranteed Freight Program
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.

Zone 2 @ 8% of List.
Truck Charge \$145 min.

Linear Lighting, Low Voltage Halogen

Incandescent lamps are one of the smallest, hi-intensity light sources available. Spaced 9" to 12" apart, this energy-efficient linear lighting provides multiple-point sources for a brighter, whiter light that gives extraordinary brilliance to the merchandise. Ideal for products, awards, trophies, jewelry and glassware displays.

Mounting

Linear lighting mounted in a 1 1/4" diameter aluminum extrusion at top front of display case, door side unless otherwise specified. The transformer is remotely mounted in base, plinth, soffit or under bottom panel of models PMS-L, PMS-C and PMS-Q.

When ordering models PMS-GL or USZ, specify 4" h or 6" h plinth for transformer mounting area.

Finishes: Natural Anodized Aluminum.

Standard Equipment (UL Listed)

Showcase light, downtube, flex, transformer, switch and 6' power cord.

Lighting Specifications

Bulb: 12 volt, 20 watt, G4 bi-pin.

Transformer: 120 volt, 60 Hz input with 12v AC output. (UL listed)

Recommended Lighting

Case Width	No. of Lamps	List	Case Width	No. of Lamps	List
24"	2	\$ 827	48"	4	\$ 1,176
30"	3	936	60"	4	1,322
36"	3	996	72"	5	1,533
42"	4	1,108			

Custom case lighting on request.

Recessed Lighting, Low Voltage LED

LED lighting system is designed for recessed mounting.

Soffit areas conceal the transformer & fixtures in the top or bottom area of the showcase.

LED lighting provides brighter, whiter light that gives extraordinary brilliance to the merchandise.

Recessed lighting may also be incorporated into custom showcases.

Mounting

The LED fixtures are equally spaced and recessed into the top inside panel of the display area.

Trim ring is 2 3/4" dia. and extends 1/4" below the finished panel. The top inside panel finish is black.

The transformer is remotely mounted in the soffit area. A 10' power cord exits at the top rear panel of the soffit on models ESW-S, PMW-S, MMW-S and REW-S.

On models PMS-E, ESZ, ESZ-B, US, USZ and USZ-B, the cord exits at the bottom of the case.

Not available on Model US (S) Spacer Top.

Finishes

Standard finish: Black. Fixture housings and trim rings are made of high temperature polycarbonate injection molded resin.

The reflector system is made of high-grade aluminum, bright-dipped and anodized for maximum performance. The trim rings have a 3mm thick tempered clear glass lens which meets UL requirements.

Standard Equipment (UL Listed)

12 volt LED lamps, housing with trim rings and transformer with 10' power cord and switch. Additional fixtures available.

Please submit your requirements.

Lighting Specifications

Bulb: 12 volt LEDP module 60WH-3020 @ 2.4 Watts each module uses 24PCS of 5MM LED's.

Color Temp: 6000K White.

Luminous Flux: 150 LM.

Lifespan: Up to 50,000 hours.

Transformer: 120 volt, AC, 12 volt secondary @ 1 amp.

Note

Low voltage LED lamps are low-heat, UV safe and acceptable for museum/archival materials.


Recommended Lighting

Case Width	No. of Lamps	List
24"	2	\$ 492
30" - 36"	3	630
42" - 48"	4	926
60"	5	1,043
72"	6	1,179

Custom case lighting on request.



Optional Lighting System Specifications *(Continued)*



Fluorescent Lighting

Economical and versatile display lighting. Ideal for all displays, including cosmetics, candy and displays that are adversely affected by heat or drying.

Mounting

Mounted in a 1 $\frac{3}{8}$ " x 1 $\frac{3}{8}$ " x length aluminum extrusion at top and front of display case, door side unless otherwise specified.

When ordering models PMS-GL or USZ, specify 4" or 6" plinth for ballast mounting area.

Finishes

Natural Anodized Aluminum.

Standard Equipment (UL Listed)

Showcase light, downtube, flex, ballast, switch and 6' power cord.

Lighting Specifications

Fluorescent tube: T5, 120V, 60Hz, rapid-start, 17-32 watts, 79-90 Lumens per watt, 1" diameter.

Case Width	List
24"	\$ 704
30"	728
36"	770
42"	786
48"	804
60"	836
72"	892

Custom case lighting on request.

Please submit your requirements for **220V** or **277V** applications



**Optional Guaranteed
Freight Program**
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.


Zone 2 @ 8% of List.
Truck Charge \$145 min.



PepperMint® Showcases


Model PMS-GL • All Glass

Model PMS-B • Panel Base




PMS-GL

Illustrated with optional plinth.



PMS-B



PMS-B, 72" w

Illustrated with 2 sets of gliding doors and optional plinth.



Aluminum Quarter Round



Optional Guaranteed Freight Program
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.

Zone 2 @ 8% of List.
Truck Charge \$145 min.

Size W H D	Door Type PMS-GL	Door Type PMS-B	PMS-GL	PMS-B	Upcharge PPP Color Frame	NET Crating Charge	Est. Ship Wt.
24 72 15	Hinged	Hinged	\$ 3,830	\$ 4,045	\$ 383	\$ 253	213*
24 72 18	"	"	4,005	4,210	400	264	234*
24 72 24	"	"	4,358	4,542	436	285	276*
30 72 15	Gliding	Gliding	4,334	4,456	434	274	252*
30 72 18	"	"	4,528	4,635	453	285	275*
30 72 24	"	"	4,916	4,997	492	306	322*
36 36 15	Gliding	Sliding	3,236	2,834	324	230	164*
36 36 18	"	"	3,370	2,949	337	240	180*
36 36 24	"	"	3,633	3,183	366	257	214*
36 72 15	Gliding	Gliding	4,668	4,776	466	292	286*
36 72 18	"	"	4,877	4,971	487	303	313*
36 72 24	"	"	5,298	5,358	530	323	364*
42 72 15	Gliding	Gliding	4,998	5,098	499	309	322*
42 72 18	"	"	5,225	5,305	523	321	350*
42 72 24	"	"	5,681	5,722	567	341	408*
48 72 15	Gliding	Gliding	5,936	5,875	593	326	389*
48 72 18	"	"	6,280	6,171	629	336	427*
48 72 24	"	"	6,971	6,767	698	356	505*
†72 48 18	Gliding	Gliding	6,890	6,886	689	348	401*
†72 60 18	"	"	7,552	7,545	755	375	465*
†72 72 18	"	"	8,591	8,587	860	399	548*
†72 48 24	Gliding	Gliding	7,406	7,325	740	368	467*
†72 60 24	"	"	8,088	8,009	808	393	534*
†72 72 24	"	"	9,239	9,158	925	420	630*

† 72" width models include 2 sets of doors, center frame and center shelf supports.

Options

Plinth: 2" h, 4" h or 6" h. Black finish. See page 139.

Lighting: See pages 140-141.

Lockable Accessible Storage on Model PMS-B..... \$ 259

Hardboard back panel: any PPP Color. Replaces glass. See PPP Color Card.

24" to 48" wide..... 103

Over 48" to 72"..... 136

Shipped by Truck*

To Order Specify

1. Quantity
2. Model PMS-GL or PMS-B
3. Frame Finish Code. Upcharge for PPP Color
4. Size: W x H x D
5. PMS-B Panel Base: PPP Color
6. Add NET Crating Charge
7. Options

Finishes

- RA** Natural Anodized Aluminum
RC PPP Color - Upcharge

See PPP Color Card

Specifications

- Adjustable shelves: ¼" thick tempered glass, ⅜" thick non-tempered glass on 48" wide models.
- Glass shelves included: PMS-GL: 36" h - 2 48" h - 3 60" h - 3 72" h - 4
PMS-B: 36" h - 1 48" h - 2 60" h - 2 72" h - 3
- Doors are on width side of showcase, unless otherwise specified. Door locks included.
- PMS-B models feature 12" h hardboard panel base available in any PPP Color.
- Bottom shelf finish: Black melamine.
- Adjustable foot glides included.



PepperMint® Freestanding Counters & Etageres

Model PMC-GL • All Glass


Model PMS-E-GL • All Glass

Model PMC-B • Panel Base


Model PMS-E • Open Display



PMC-GL




PMC-B



PMS-E-GL, 72" w

Illustrated with Optional Plinth



Aluminum Quarter Round



Optional Guaranteed Freight Program
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.

Zone 2 @ 8% of List.
Truck Charge \$145 min.

PMC-GL & PMC-B • Freestanding Counters

Size W	H	D	PMC-GL	PMC-B	Upcharge PPP Color Frame	NET Crating Charge	Est. Ship Wt.
48	42	20	\$ 4,396	\$ 3,792	\$ 439	\$ 288	275*
48	42	24	4,686	4,031	468	300	309*
† 72	42	24	6,403	5,500	640	353	396*

† 72" width models include 2 sets of doors, center frame and center shelf supports.

Options

Lighting: See pages 140-141.

Hardboard back panel: any PPP Color. Replaces glass. See PPP Color Card.

18" to 48" wide.....\$ 103

Over 48" to 72" wide136

Shipped by Truck*

PMS-E & PMS-E-GL • Freestanding Etageres

Size W	H	D	Door Type PMS-E-GL	PMS-E	PMS-E-GL	Upcharge PPP Color Frame	NET Crating Charge	Est. Ship Wt.
48	84	18	Gliding	\$ 4,383	\$ 6,415	\$ 438	\$ 356	406*
48	84	24	"	4,852	7,002	485	378	491*
† 60	84	18	Gliding	5,756	8,772	575	392	477*
† 60	84	24	"	6,348	9,467	634	413	557*
† 72	84	18	Gliding	6,275	9,575	629	423	586*
† 72	84	24	"	6,949	10,354	694	444	623*

† 60" & 72" width models include center frame and center shelf supports.

† 60" & 72" width GL models include 2 sets of gliding doors.

Options

Plinth: 2" h, 4" h or 6" h. Black finish. See page 139.

Lighting: See pages 140-141.

Lockable Accessible Storage.....\$ 259

Hardboard back panel: any PPP Color. Replaces glass. See PPP Color Card.

18" to 48" wide.....103

Over 48" to 72" wide136

Shipped by Truck*

To Order Specify

1. Quantity
2. Model: PMC-GL, PMC-B, PMS-E or PMS-E-GL
3. Frame Finish Code. Upcharge for PPP Color
4. Size: W x H x D
5. Panel Base: PPP Color (except Model PMC-GL)
6. Add NET Crating Charge
7. Options

Finishes

- RA** Natural Anodized Aluminum
RC PPP Color - Upcharge

See PPP Color Card

Specifications

PMC-GL & PMC-B:

- PMC-GL models: Feature total glass enclosure, includes 2 shelves. Gliding lockable doors. Door locks included.
- PMC-B models: Glass display height of 26". Includes 1 shelf. Sliding lockable doors. Hardboard panel base with accessible locking storage and available in any PPP Color.
- Plinth: 4", black finish. Adjustable foot glides included.
- Tempered glass throughout with flush mounted top glass, 1/4" thick.
- Doors are on width side of showcase, unless otherwise specified. Door locks included.
- Adjustable shelves: 1/4" thick tempered glass, 3/8" thick non-tempered glass on 48" wide models.
- Bottom shelf finish: Black melamine.

PMS-E & PMS-E-GL:

- PMS-E features open frame display. No glass front, sides or back.
- PMS-E-GL features a glass enclosure with top and base panels. Doors are on width side of showcase, unless otherwise specified. Door locks included.
- Hardboard base panel 12" h and top panel 8" h available in any PPP Color.
- Top panel area can accommodate lighting.
For lighting, see pages 140-141.
- Adjustable shelves (3), 3/8" thick non-tempered glass.
- Bottom shelf finish: Black melamine.
- Adjustable foot glides included.



17929 S. Susana Road, Compton, CA 90221 • PHONE 800.496.0204 • PHONE 310.639.0390 • FAX 310.639.6013

www.peterpepper.com • email: info@peterpepper.com

143


PepperMint® Showcases

Model US • All Glass with Wood Tops



US

Shown with Traditional Top Detail and Optional Plinth



Aluminum Circular Frame

Size W	H	D	Door Type	No. of Shelves	All Glass US	Upcharge PPP Color Frame	NET Crating Charge	Est. Ship Wt.
24	72	24	1 Hinged	4	\$ 3,612	\$ 360	\$ 285	278*
30	60	24	2 Hinged	3	4,198	420	285	272*
30	72	24	"	4	4,747	475	306	320*
30	72	30	"	4	5,101	511	321	367*
36	72	18	2 Hinged	4	4,676	468	303	307*
36	72	24	"	4	5,071	506	323	362*
42	72	18	2 Hinged	4	4,962	495	321	345*
42	72	24	"	4	5,396	539	341	402*

Options


Plinth: 2'h, 4'h or 6'h. Black finish. *See page 139.*

Recessed lighting. Plinth required. Not available on (S) Spacer Top. *See page 140.*


Hardboard back panel: any PPP Color. Replaces glass. *See PPP Color Card* \$ 103

Shipped by Truck*


Tops Available



(T) Traditional



(B) Bullnose



(S) Spacer Top
PPP Color Only

To Order Specify

- Quantity
- Model: US
- Frame Finish Code. Upcharge for PPP Color
- Size: W x H x D
- Top Selection: T, B or S
Specify PPP Color for "S" Top
- Top Finish: Wood Finish or PPP Color
- Add NET Crating Charge**
- Options

Finishes

- A PPP Color
- CH Cherry
- LC Light Cherry
- HO Honey
- K Oak
- KS Medium Oak
- MA Natural Maple
- MM Mahogany
- LW Light Walnut
- W Walnut

Frame Finishes

- RA Natural Anodized Aluminum
- RC PPP Color - Upcharge

See PPP Color Card or Web

Specifications

- Hinged, locking door, 1/4" thick tempered glass with polished edge. Door locks included.
- Adjustable shelving: 1/4" thick tempered glass.
- Bottom shelf: Black finish.
- Adjustable foot glides included.



Optional Guaranteed Freight Program
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.


Zone 2 @ 8% of List.
Truck Charge \$145 min.



PepperMint® Showcases


Model USZ • All Glass

Model USZ-B • Panel Base




USZ

Shown with Optional Plinth



USZ-B



Aluminum Circular Frame

Size W	H	D	Door Type	No. of Shelves		All Glass USZ	Panel Base USZ-B	Upcharge PPP Color Frame	NET Crating Charge	Est. Ship Wt.
24	72	18	1 Hinged	4	3	\$ 3,769	\$ 3,970	\$ 376	\$ 264	223*
24	72	24	"	4	3	4,089	4,278	409	285	264*
30	72	18	2 Hinged	4	3	4,819	5,005	482	285	259*
30	72	24	"	4	3	5,171	5,338	516	306	305*
36	72	18	2 Hinged	4	3	5,103	5,284	511	303	294*
36	72	24	"	4	3	5,491	5,647	549	323	344*
42	72	18	2 Hinged	4	3	5,394	5,566	538	321	329*
42	72	24	"	4	3	5,813	5,955	581	341	385*

Options

Plinth: 2'h, 4'h or 6'h. Black finish. See page 139.


Linear and recessed lighting. Requires 4'h or 6'h Plinth. See page 140.

USZ-B Only: Lockable Accessible Storage.....\$ 259

Hardboard back panel: any PPP Color. Replaces glass. See PPP Color Card103

Shipped by Truck*

Top Detail



Aluminum (Z)

To Order Specify

1. Quantity
2. Model: USZ or USZ-B
3. Frame Finish Code. Upcharge for PPP Color
4. Size: W x H x D
5. Panel Base: USZ-B only: PPP Color
6. Add NET Crating Charge
7. Options

Frame Finishes

- RA** Natural Anodized Aluminum
RC PPP Color - Upcharge

See PPP Color Card or Web

Specifications

- USZ model includes top and bottom door locks.
- Hinged, locking doors, 1/4" thick tempered glass with polished edges. Door locks included.
- Adjustable shelves: 1/4" thick tempered glass.
- USZ-B models feature 12" hardboard panel base available in any PPP Color.
- Bottom shelf finish: Black melamine.
- Adjustable foot glides included.



**Optional Guaranteed
Freight Program**
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.

Zone 2 @ 8% of LIST.
Truck Charge \$145 min.






PepperMint® Showcases

Model ES & ESZ • All Glass


Model ES-B & ESZ-B • Panel Base

Size W	H	D	Door Type	No. of Shelves*		All Glass ES	Panel Base ES-B	All Glass ESZ	Panel Base ESZ-B	NET Crating Charge	Est. Ship Wt.
				ES	ES-B ESZ-B						
32	60	9	2 Hinged	3	2	\$ 3,293	\$ 3,124	\$ 3,649	\$ 3,250	\$ 257	207*
32	72	9	2 Hinged	4	3	3,680	3,755	4,037	3,882	282	241*
36	60	9	2 Hinged	3	2	3,414	3,246	3,796	3,381	267	225*
36	72	9	2 Hinged	4	3	3,826	3,899	4,208	4,036	282	262*
42	60	9	2 Hinged	3	2	3,602	3,431	4,013	3,575	285	253*
42	72	9	2 Hinged	4	3	4,046	4,120	4,458	4,263	306	295*


Top Details



ES
(R) Radius Edge



ESZ



Frame Finish
Natural Anodized Aluminum

Options


Hardboard back panel: any PPP Color. Replaces glass. *See PPP Color Card* \$ 103

Recessed Lighting available on ESZ & ESZ-B models. *See page 140.*


Upcharge PPP Color frame 15%

*30" panel base models include one less shelf


Shipped by Truck*




ES



ES-B



ESZ



ESZ-B

To Order Specify

- Quantity
- Model: ES, ESZ, ES-B OR ESZ-B
- Size: W x H x D
- Top Finish: ES and ES-B only, PPP Color or Wood Finish
- Panel Base Height: Models ES-B and ESZ-B, 12" or 30"
- Panel Base Finish: Models ES-B and ESZ-B only
- Add NET Crating Charge**
- Options

Finishes

A	PPP Color	KS	Medium Oak
CH	Cherry	MA	Natural Maple
LC	Light Cherry	MM	Mahogany
HO	Honey	LW	Light Walnut
K	Oak	W	Walnut

See PPP Color Card or Web

Specifications

- Hinged locking doors, 1/4" tempered glass with polished edges. Door locks included.
- ES & ESZ models include top and bottom door locks.
- ES-B & ESZ-B models feature 12"h or 30"h panel base, available in melamine wood finish or any PPP Color.
- Adjustable shelves in 2" increments, 1/4" thick tempered glass.
- Interior Depth: 7 3/4". Interior sides and bottom finish: Cool Grey melamine.
- Base: Black finish. Depth: 16". Width: width of case plus 5". Adjustable foot glides included.



**Optional Guaranteed
Freight Program**
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.

Zone 2 @ 8% of List.
Truck Charge \$145 min.






PepperMint® Wall Mounted Showcases


Model ESW

Model ESW-Z


ESW-S with Lighting Soffit



ESW




ESW-Z



ESW-S

With Recessed Lighting



Side Frame Finish
Natural Anodized Aluminum

Size W	H	D	Door Type	No. of Shelves	ESW-S No. of Lights	ESW	ESW-Z	Lighting Included ESW-S	NET Crating Charge	Est. Ship Wt.
36	24	9	Sliding	1	2	\$ 1,319	\$ 1,557	\$ 2,061	\$ 160	87*
36	36	9	"	2	2	1,728	1,965	2,469	213	121*
36	42	9	"	3	2	1,973	2,213	2,715	222	141*
48	36	9	Sliding	2	3	2,034	2,490	3,129	240	157*
48	42	9	"	3	3	2,323	2,887	3,526	249	183*

Options


PPP Fabric or COM covered tackable back panel \$ 153

Recessed Lighting for Model ESW-S. *See page 140.*

Upcharge PPP Color frame 15%


Shipped by Truck*

Top Details



ESW

(R) Radius Edge



ESW-Z

Soffit Details



ESW-S

To Order Specify

- Quantity
- Model: ESW, ESW-Z or ESW-S
- Size: W x H x D
- ESW Top Finish: PPP Color or Wood
- ESW-S Soffit: PPP Color
- Back Panel: PPP Color
- Add NET Crating Charge
- Options

Finishes

- A PPP Color
- CH Cherry
- LC Light Cherry
- HO Honey
- K Oak
- KS Medium Oak
- MA Natural Maple
- MM Mahogany
- LW Light Walnut
- W Walnut

Fabric Selections - see page 148 – Upcharge

- Guilford of Maine
- Sprite Style 2671
- Lido Style 2858
- Crosstown Style 2526
- COM: Customer's Own Material
- Page 139 for shipping information

See PPP Color Card or Web

Specifications

- Model ESW features top & bottom trim available in wood finish or any PPP Color.
- Model ESW-S features 6" h lighting soffit. Includes recessed low voltage lighting. Soffit panel insert available in any PPP Color.
- Sliding locking doors, 5/32" tempered glass with polished edges. Door locks included.
- Adjustable shelving in 2" increments: 1/4" thick tempered glass, 3/8" thick non-tempered glass on 48" w models.
- Hardboard back panel in any PPP Color.
- Interior sides and bottom shelf finish: Cool Grey melamine. ESW-Z and ESW-S Top, 1/8" Cool Grey MDF.
- Wall mounting cleat/bracket and hardware included.



**Optional Guaranteed
Freight Program**
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.

Zone 2 @ 8% of List.
Truck Charge \$145 min.






PepperMint® Wall Mounted Showcases

Model REW

Model REW-S with Lighting Soffit




REW



REW-S

Shown with 4 recessed lights and 2 sets of sliding doors



Top & Bottom Frame Finish
Natural Anodized Aluminum


Size W	H	D	Door Type	No. of Shelves	REW-S No. of Lights	REW	Lighting Included REW-S	NET Crating Charge	Est. Ship Wt.
48	42	9	Sliding	3	3	\$ 2,704	\$ 3,741	\$ 249	198*
60	42	9	2 Sets Sliding	3	3	3,205	4,383	285	240*
72	36	9	2 Sets Sliding	2	4	3,388	4,626	292	227*
72	42	9	"	3	4	3,782	5,076	306	263*

Options

PPP Fabric or COM covered tackable back panel. (48" width) \$ 153
(Over 48" to 72" width)..... 261

Shipped by Truck*

Side Panel Detail



REW

Top Detail



REW-S

To Order Specify

- Quantity
- Model: REW or REW-S
- Size: W x H x D
- Side Panel Finish: PPP Color or Wood
- Back Panel: PPP Color
- Add NET Crating Charge**
- Options

Side Panel Finishes

- A** PPP Color
- CH** Cherry
- LC** Light Cherry
- HO** Honey
- K** Oak
- KS** Medium Oak
- MA** Natural Maple
- MM** Mahogany
- LW** Light Walnut
- W** Walnut

See PPP Color Card or Web

Fabric Selections - see below - Upcharge

Guilford of Maine
Sprite Style 2671
Lido Style 2858
Crosstown Style 2526
COM: Customer's Own Material
Page 139 for shipping information

Specifications

- Model REW-S includes recessed low voltage lighting.
- Side panels available in wood finish or any Textured PPP Color.
- Hardboard back panel available in any PPP Color.
- Sliding locking doors, 5/32" tempered glass with polished edges. Door locks included.
- Adjustable shelving in 2" increments: 1/4" thick tempered glass, 3/8" thick non-tempered glass on 48" w models.
- Bottom shelf finish: Cool Grey melamine.
- Wall mounting cleat/bracket and hardware included.

Fabric Selections by Guilford of Maine

Sprite Style 2671

- 010 Linen
- 012 Sherbet
- 020 Butter
- 030 Khaki
- 031 Kiwi
- 032 Harvest
- 033 Sky
- 040 Snow

Lido Style 2858

- 024 Oak Bluffs
- 023 Cape May
- 010 Hermosa
- 030 Newport
- 065 Bryce Canyon
- 015 Moonstone
- 019 Balboa
- 031 Smith Point

Crosstown Style 2526

- 010 Cement
- 021 Graphite
- 030 Ray
- 040 Waterfront
- 050 Chamois
- 060 Fieldstone
- 070 Stucco
- 080 Buff

To order samples, visit online sample service: <http://www.guilfordofmaine.com>



**Optional Guaranteed
Freight Program**
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.

Zone 2 @ 8% of List.
Truck Charge \$145 min.




CarbonNeutral.com



PepperMint® & MiniMint® Wall Mounted Showcases

Models PMW & PMW-S with 4" Lighting Soffit

Models MMW & MMW-S with 4" Lighting Soffit




PMW




PMW-S

with 4" Lighting Soffit
Illustrated with optional
recessed lighting.



PMW Frame
Quarter Round



MMW



MMW-S

with 4" Lighting Soffit
Illustrated with optional
recessed lighting.



MMW Frame
Mini Quarter Round



**Optional Guaranteed
Freight Program**
(See page 5 for details)

Zone 1 @ 5% of LIST.
Truck charge \$100 min.

Zone 2 @ 8% of List.
Truck Charge \$145 min.

PepperMint PMW & PMW-S

Size W	H	D	Door Type	Glass Shelves	PMW	PMW-S	Upcharge PPP Color Frame	NET Crating Charge	Est. Ship Wt.
42	36	12	Sliding	2	\$ 2,539	\$ 3,003	\$ 254	\$ 235	157*
42	42	9	Sliding	2	2,669	3,122	267	235	152*
42	42	12	"	2	2,841	3,305	284	246	180*
48	42	9	Sliding	3	3,149	3,629	315	249	187*
48	42	12	"	3	3,412	3,900	341	261	218*

Options

PPP Fabric or COM covered tackable back panel. \$ 153

Models PMW-S & MMW-S features 4" lighting soffit. For optional lighting systems, see pages 140-141.

Shipped by Truck*

MiniMint MMW & MMW-S

Size W	H	D	Door Type	Glass Shelves	MMW	MMW-S	Upcharge PPP Color Frame	NET Crating Charge	Est. Ship Wt.
30	36	7	Sliding	3	\$ 2,061	\$ 2,440	\$ 206	\$ 166	91*
36	30	7	Sliding	2	1,984	2,380	199	166	90*
36	36	7	"	3	2,225	2,620	221	180	106*

Options

PPP Fabric or COM covered tackable back panel. \$ 153

Models PMW-S & MMW-S features 4" lighting soffit. For optional lighting systems, see pages 140-141.

Shipped by Truck*

To Order Specify

- Quantity
- Model: PMW, PMW-S, MMW or MMW-S
- Frame Finish Code. Upcharge for PPP Color
- Size: W x H x D
- Back Panel and/or Soffit: PPP Color
- Add NET Crating Charge**
- Options

Frame Finishes

- RA** Natural Anodized Aluminum
RC PPP Color - Upcharge

Fabric Selections - see page 148

- Upcharge

- Guilford of Maine
Sprite Style 2671
Lido Style 2858
Crosstown Style 2526
COM: Customer's Own Material
Page 139 for shipping information

See PPP Color Card or Web

Specifications

- Models PMW-S and MMW-S feature 4" soffit. Soffit panel insert in any PPP Color.
- Hardboard back panel: any PPP Color.
- Adjustable shelving: 1/4" thick tempered glass, 3/8" thick non-tempered glass on 48" w models.
- Sliding locking doors, 5/32" tempered glass with polished edges. Door locks included.
- Bottom shelf finish: Black melamine.
- Wall mounting cleat/bracket and hardware included.
- For recessed wall mounted showcases, please submit your requirements.



17929 S. Susana Road, Compton, CA 90221 • PHONE 800.496.0204 • PHONE 310.639.0390 • FAX 310.639.6013

www.peterpepper.com • email: info@peterpepper.com

149



PETER PEPPER PRODUCTS



Price List Download at peterpepper.com

