



IFAO.E479773 Light-emitting-diode Recessed Luminaires

[Page Bottom](#)

Light-emitting-diode Recessed Luminaires

[See General Information for Light-emitting-diode Recessed Luminaires](#)

LED WAVES INC

E479773

THE ESQUIRE BUILDING AT 41ST ST
4100 1ST AVENUE. 3RD FLOOR NORTH
BROOKLYN, NY 11232-2022 USA

LED Recessed Luminaire, "Type IC", Model(s) SL1-1x4-30W-yyyK-XY (a), SL1-1x4-36W-yyyK-XY (a), SL1-1x4-40W-yyyK-XY (a), SL1-1x4-52W-yyyK-XY (a), SL1-2x2-30W-yyyK-XY (a), SL1-2x2-36W-yyyK-XY (a), SL1-2x2-40W-yyyK-XY (a), SL1-2x2-52W-yyyK-XY (a), SL1-2x4-40W-yyyK-XY (a), SL1-2x4-52W-yyyK-XY (a), SL1-2x4-60W-yyyK-XY (a)

Light-emitting-diode Type IC Recessed Luminaires, Model(s) SL2-1X4-36W-L-N (b), SL2-1X4-36W-L-D (b)

SL2-2X2-32W-L-N (b), SL2-2X2-32W-L-D (b)

SL2-2x2-40W-K2-L1, SL2-2x2-40W-K2-W1

SL2-2X2-40W-L-N (b), SL2-2X2-40W-L-D (b), SL2-2X2-40W-M-N (b), SL2-2X2-40W-M-D (b)

SL2-2X4-50W-L-N (b), SL2-2X4-50W-L-D (b)

SL2-2x4-65W-K2-L1, SL2-2x4-65W-K2-W1

SL2-2X4-65W-L-N (b), SL2-2X4-65W-L-D (b)

SL3-1x4-36W-D1-L1, SL3-1x4-36W-K1-L1, SL3-2x2-36W-D2-L1, SL3-2x2-36W-K2-L1, SL3-2x2-40W-D2-L1, SL3-2x2-40W-K2-L1, SL3-2x2-55W-K2-L1, SL3-2x4-65W-D2-L1, SL3-2x4-65W-K2-L1, SL3-2x4-72W-D2-L1, SL3-2x4-72W-K2-L1

SL4-2X2-32W-L-N (b), SL4-2X2-32W-L-D (b)

SL4-2X2-40W-L-N (b), SL4-2X2-40W-L-D (b)

SL4-2x2-40W-Q2-W1

(a) - Where yyy represents 3000/4000/5000; X may be F or S; Y may be N or D

(b) - Where L or M refers to LED driver brand: L for Lifud, M for MPH; Where N or D refers to Dimming or not: N for non-dimming, D for dimming.

[Last Updated](#) on 2016-08-08

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".