


Dyna Flood XT QW™



Client:

Project:

Type:

Order Code:

Quantity:

The **Dyna Flood XT QW** is a high output, exterior rated LED flood light. It features unique quad color LEDs, an adjustable head, integral DMX driver and power supply, and an on-board touch sensitive menu. It is the perfect solution for large scale facade lighting and flood illumination.

Specifications


| | |
|--------------------------|--|
| Color | Quad color chip, RGBW (W=6000K) |
| Beam Angle | 10° (standard), 20°, 40°, 70°, 10° x 60° spread lens options |
| Total Lumens | 3300 at RGBW, 6° (Estimated) |
| Center Beam Candela | 98,000 at RGBW, 6° (Estimated) |
| Control | DMX-512, 4 channels |
| Max Fixtures in Series | 32, via DMX-512 |
| Effective Projected Area | TBD |
| Power Consumption | 104W at steady state |
| Operating Voltage | 100-277VAC, 50/60Hz |
| Lumen Maintenance | L70 @ 120,000 Hours (25° C) |
| Finish | Gray (Standard), White or Black (Optional) |
| Housing Material | Die Cast Aluminum, Optional Marine Environment Coating Available |
| Operating Temperature | -40° F to 122° F (-40° C to 50° C) |
| IP Rating | IP66, Wet Location |
| Fixture Connectors | Attached 5' (1.5m) IP 66 AC Power + Signal Cable |
| Warranty | 5 Year Limited Warranty |
| Weight | 23 lbs (10.4 kg) |
| Dimensions | 17.8" x 13.1" x 4.5" (453mm x 333mm x 114mm) |

Certifications




Order Codes

* Indicates Special Order



Optional Items

Beam Accessories




DFXTGSG
Glare shield for Dyna Flood XT - Gray (Standard)

DFXTGSB
Glare shield for Dyna Flood XT - Black

DFXTGSW
Glare shield for Dyna Flood XT - White

DFXTGSC
Glare shield for Dyna Flood XT - Custom Color

Impact Protection




DFXTWGG
Wire guard for Dyna Flood XT - Gray (Standard)

DFXTWGB
Wire guard for Dyna Flood XT - Black

DFXTWGW
Wire guard for Dyna Flood XT - White

DFXTWGC
Wire guard for Dyna Flood XT - Custom Color

Mounting Accessories




TM2
Tenon Mount for 2" pipe - Gray

TM4
Tenon Mount for 4" pipe - Gray



Dyna Flood XT QW™

ACCLAIM
LIGHTING

Dimensions



Wiring



Photometrics

| Color Temp | Lumens | Center Candela | Efficacy (l/pw) | CRI (Ra) | CRI (r9) |
|------------|--------|----------------|-----------------|----------|----------|
| QW | 2717 | 63546 | 25 | 53.1 | -200.6 |