




Automotive LED Interior Lighting



Automotive LED Interior Lighting

SHOWROOM & OFFICE AREA									SERVICE BAY AREA			
SERIES	ASC	PEC	SLI	LPEC	XIRR	ELFP	AUL/AUM	LAD6	PMX	XLHB2	Triumph	EG3
												
DESCRIPTION	Dual Lenses Soft Even Illumination from Ceiling to Floor Low Profile Lens	Direct/Indirect Lighting Balanced Illumination / Low Angle Brightness Control	Indirect Side lit Diodes Open Cavity No Lens	Direct/Indirect Lighting Low Profile for Shallow Plenum Applications	Round Recessed fixture for high mounting heights	Edge-Lit Flat Panel Light	High Bay Lighting with Symmetrical Distribution Shallow Acrylic Prismatic Refractor Multiple Mounting Options and Housing Finish Colors	Direct Lighting 6" Architectural Round Recessed Downlight Open Reflector, White Trim	Excellent High Bay Lighting Shallow Fixture Depth Rugged Fixture with Unique Hinged & Latched Door Frame (Optional)	Linear Design Delivers Efficient, Uniform, High Lumen Output for Most Applications Symmetric, Symmetric w/ Diffused Lens, or Aisle Lighter Distribution	Specification Grade Recseed Troffer Deliver Even illumination and provides Maximun Visual Comfort	Enclosed & Gasketed Wet Location Vaportight
SIZE (FEET)	2 x 4, 2 x 2, 1 x 4	2 x 4, 2 x 2, 1 x 4	2 x 4, 2 x 2	2 x 4, 2 x 2, 1 x 4	2 x 2	2 x 4, 2 x 2, 1 x 4	AUL - 22" Dia. Refractor AUM - 16" Dia. Refractor	6" round	15 11/16 x 48	14 x 47 5/8	2x4, 2x2	4 FT, 8FT
HOUSING DEPTH (INCHES)	3 1/2	5 1/16	3 3/8	3 1/8	3.5	2 3/8"	AUL - 8 1/2 AUM - 6 7/8	7 1/2	4 3/4	4	4	4 1/2
COLOR TEMPERATURE (Nominal)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	50 - (5000K) 40 - (4000K) 35 - (3500K)	AUL Cool White (5000K) Neutral White (4000K) Warm White (3500K) AUM 50 - (5000K) 40 - (4000K) 35 - (3500K) 30 - (3000K)	40 - (4000K) 35 - (3500K) 30 - (3000K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	50 - (5000K) 40 - (4000K)	50 - (5000K) 40 - (4000K) 35 - (3500K) 30 - (3000K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)
LUMEN (Range)	2 x 4: 4630 - 6855 2 x 2: 2875 - 4175 1 x 4: 2890 - 4095	2 x 4: 4860 - 10925 2 x 2: 3490 - 5370 1 x 4: 2950 - 4175	2 x 4: 4004 - 6012 2 x 2: 2408 - 3517	2 x 4: 3530 - 7080 2 x 2: 2880 - 4870 1 x 4: 3050 - 5125	13000 - 19000	2 x 4: 4789 - 4924 2 x 2: 3604 - 3986 1 x 4: 3749 - 4110	AUL - 15489 - 23923 AUM - 8170 - 15734	1321-4103	10335 - 16400	6256 - 42452	2 x 4: 4047 - 9299 2 x 2: 2483- 4650	4FT: 6390 - 7360 8FT: 12048 - 14720
LPW (Max)	2 x 4: 126 2 x 2: 117 1 x 4: 115	2 x 4: 132 2 x 2: 119 1 x 4: 128	2 x 4: 108 2 x 2: 102	2 x 4: 118 2 x 2: 118 1 x 4: 125	131	2 x 4: 109 2 x 2: 110 1 x 4: 1154	AUL - 136 AUM - 146	97	147	124	2 x 4: 110 2 x 2: 110	4FT: 122 8FT: 122
INPUT WATTS (Range)	30-54	29-86	29-59	29 - 46	14-60	36 - 45	AUL - 29 - 88 AUM - 74 - 108	14 - 45	86 - 111	68 -392	27 - 84	60-121
CRI	≥80	≥80	≥80	≥80	≥80	≥80	AUL - ≥80 ; Cool White ≥ 70 AUM - ≥80	≥80	≥80	≥80	≥80	≥80
DIMMING	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CONTROLS	Airlink™ Equiped	Consult Factory	Airlink™ Equiped	Airlink™ Equiped	Consult Factory	Consult Factory	Consult Factory	Consult Factory	Platinum/Gold Mounted in Fixture Occupancy Sensor	Platinum/Gold Using Circuit or Zone Controllers Occupancy Sensor Integral Motion Sensor (IMS)	AirLink™ Enabled	Platinum/Gold Using Circuit or Zone Controllers
DLC		No	No		No			No			No	
WARRANTY	5 Years ●●	5 Years ●●●	5 Years ●●	5 Years ●	5 Years ●●●	5 Years ●	5 Years ●●●	5 Years ●●	5 Years ●	5 Years ●●	5 Years ●●●	5 Years ●●

For a list of the specific products in this series that are DLC listed, please consult the LED section of our website or the Design Lights website at www.designlights.org.

About LSI Industries, Inc.

LSI is a leading manufacturer and supplier of IMAGE-enhancing interior & exterior LED Lighting Fixtures, Lighting Controls, Poles/Brackets and Graphics. LSI utilizes its advanced technological capabilities to develop and sell energy-efficient, innovative products across commercial, industrial, banking, petroleum, quick serve restaurant, and automotive segments, to name a few. Operations span the globe, with concentrations in North America, Latin America and Australia. LSI is traded on NASDAQ under LYTS and can be visited online at <http://www.lsi-industries.com>

LIGHTING
+GRAPHICS
+TECHNOLOGY

|

IMAGE

LSI Graphic Solutions integrates lighting, graphics and technology to engage, guide and connect. Ask your LSI representative about custom architectural fixtures and fixtures with integrated signage & graphics.

