



LED Surface Mount Lighting



LED Surface Mount Lighting

SERIES	S	SDL	W44	WNA	DW	88	LPEC SM	LPRT SM	EG5	EG3	EGW	CRU SM	CRUS SM
													
DESCRIPTION	Multi-Purpose Commercial Grade Strip Light	Multi-Purpose Commercial Grade Lensed Strip Light Suitable for Damp Locations	Multi-Purpose Commercial Grade Wall Bracket	Low Profile Wraparound	Architecturally Designed Dome Wrap	Precision Designed 1x4 Wrap	Direct/Indirect Lighting Low Profile Surface Mount	Low Profile Direct/ Indirect Lighting with Tri-Radius Lens Surface Mount	Enclosed & Gasketed Wet Location Vaportight	Enclosed & Gasketed Wet Location Vaportight	Wide Enclosed & Gasketed Wet Location Vaportight	Multi-Purpose Surface Mount 2 x 2	Multi-Purpose Surface Mount 2 x 2
SIZE	2FT, 4FT, 8FT	2FT, 4FT, 8FT	2FT, 4FT, 8FT	10" x 4FT, 14" x 4FT	4FT	2FT, 4FT, 8FT	2 x 2, 2 x 4	2 x 2, 2 x 4	4FT	4FT, 8FT	4FT	2x2	2x2
COLOR TEMPERATURE (Nominal)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K) Warm White (3500K)	Cool White (5000K) Neutral White (4000K)	Cool White (5000K) Neutral White (4000K)
LUMEN (Range)	2FT: 1570 - 3320 4FT: 3305 - 7995 8FT: 6610 - 15990	2FT: 1490 - 2960 4FT: 3000 - 7225 8FT: 5995 - 14450	2FT: 3353 - 3646 4FT: 4010 - 6095 8FT: 8020 - 12190	10": 4475 - 6340 14": 6785 - 12590	4FT: 5295 - 7100	2FT: 3110 - 3457 4FT: 3250 - 5827 8FT: 6500 - 11654	2 x 2: 2880 - 4870 2 x 4: 3530 - 7080	2 x 2: 2820 - 5060 2 x 4: 3515 - 7110	4FT: 3425 - 4030	4FT: 6390 - 7360 8FT: 12780 - 14720	4FT: 5930 - 22005	18000 - 21900	8842 - 22418
LPW (Max)	2FT: 137 4FT: 146 8FT: 145	2FT: 121 4FT: 133 8FT: 133	2FT: 125 4FT: 141 8FT: 141	10": 123 14": 141	4FT: 133	2FT: 119 4FT: 135 8FT: 135	2 x 2: 118 2 x 4: 118	2 x 2: 124 2 x 4: 122	4FT: 115	4FT: 122 8FT: 122	4FT: 134	134	141
INPUT WATTS (Range)	14 - 114	14 - 114	29 - 86	33 - 89	44 - 58	29 - 43	29 - 60	27 - 58	35	60 - 120	57 - 164	140 - 164	79 - 159
CRI	≥80	≥80	≥80	≥80	≥80	≥80	≥80	≥80	≥80	≥80	≥80	70	70
HOUSING DEPTH	2"	4 1/8"	4 11/16"	2 3/4"	3 3/8"	4 7/16"	3 1/4"	3 1/4"	4 1/4"	4 1/4"	6"	4 1/2"	4 1/2"
DIMMING	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CONTROLS	Consult Factory	Platinum/Gold Using Circuit or Zone Controllers	Consult Factory	Consult Factory	Consult Factory	Consult Factory	Consult Factory	Consult Factory	Consult Factory	Platinum/Gold Using Circuit or Zone Controllers	Platinum/Gold Using Circuit or Zone Controllers	Platinum/Gold Using Circuit or Zone Controllers	Platinum/Gold Using Circuit or Zone Controllers
DLC	No		No	No		No							
WARRANTY	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years

For a list of the specific products in this series that are DLC listed, please consult the LED section of our website or the Design Lights website at www.designlights.org.

About LSI Industries, Inc.

LSI is a leading manufacturer and supplier of IMAGE-enhancing interior & exterior LED Lighting Fixtures, Lighting Controls, Poles/Brackets and Graphics. LSI utilizes its advanced technological capabilities to develop and sell energy-efficient, innovative products across commercial, industrial, banking, petroleum, quick serve restaurant, and automotive segments, to name a few. Operations span the globe, with concentrations in North America, Latin America and Australia. LSI is traded on NASDAQ under LYTS and can be visited online at <http://www.lsi-industries.com>

