## WPMLED LED wall mount luminaire

Technical bulletin

# Lumark

# Traditional style. Remarkable energy savings.

The WPMLED luminaire provides traditional architectural style with high performance energy efficient illumination resulting in significant energy savings. With effective thermal management, the WPMLED luminaire provides glare free, uniform illumination while providing a safe and comfortable visual experience for pathway illumination, building entrances, vehicle ramps, schools, tunnels, stairways and loading docks.



## Superior illumination

The WPMLED luminaire offers a 8,683 lumen package. Offered in brilliant white 5000K and neutral 4000K CCT.

## Significant energy savings

Replaces 320 watt HID fixtures translating to over 84 percent in energy savings over traditional metal halide fixtures, while taking advantage of significant utility rebates.

#### Construction

- Rugged, die-cast aluminum housing
- Hinged, removable door for ease of maintenance
- Three 1/2" threaded conduit entry points for thru-branch wiring
- IP66 Rated
- UL/cUL wet location rated

#### **Optical**

- Replaces 320W metal halide luminaires
- Lumen package 8,683 nominal lumens
- Impact resistant borosilicate refractive glass lens
- Greater than 94 percent lumen maintenance at 50,000 hours
- Available in 4000K CCT, 70 CRI and 5000K CCT, 70 CRI

#### **Electrical**

- 120-277V 50/60Hz, 347V/60Hz
- -40°C to 25°C ambient operating temperature range

#### **Controls**

• Button photocontrol (120-277V)

#### **Options and accessories**

• Galvanized coated steel wire guard option

#### **Mounting**

• J-box or conduit installation

### Warranty

· Five-year warranty

#### **Stock Ordering Information**

Stock Number	Description	UPC Code	HID Replacement
WPMLED-75-GL-UNV	Wal-Pak LED, Borosilicate Glass Door, 8,683 Lumens, 4000K, 76W, 120-277V	080083776382	320W
WPMLED-75-GL-UNV-7050	Wal-Pak LED, Borosilicate Glass Door, 8,818 Lumens, 5000K, 76W, 120-277V	080083776467	320W
WPMLED-75-GL-UNV-PC	Wal-Pak LED, Borosilicate Glass Door, 8,683 Lumens, 4000K, 76W, 120-277V, PC	080083776542	320W
WPMLED-75-GL-347-7050	Wal-Pak LED, Borosilicate Glass Door, 8,813 Lumens, 5000K, 76W, 347V	080083776740	320W
WPMLED-75-GL-347	Wal-Pak LED, Borosilicate Glass Door, 8,683 Lumens, 4000K, 76W, 347V	080083776665	320W
WPMLED-75-GL-347-PC	Wal-Pak LED, Borosilicate Glass Door, 8,683 Lumens, 4000K, 76W, 347V, PC	080083776825	320W

 $\textbf{NOTE:} \ \mathsf{Refer} \ \mathsf{to} \ \mathsf{www.designlights.org} \ \mathsf{for} \ \mathsf{details}.$ 



Eaton 1121 Highway 74 South Peachtree City, GA 30269 P: 770-486-4800 www.eaton.com/lighting

Canada Sales 5925 McLaughlin Road Mississauga, Ontario L5R 1B8 P: 905-501-3000 F: 905-501-3172 © 2017 Eaton All Rights Reserved Printed in USA Publication No. SA514011EN May 1, 2017 3:11 PM Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Product availability, specifications, and compliances are subject to change without notice.