



GSA prices effective April 3, 2017
(based on February 1, 2016, commercial price list)
Published October 2017

Laboratory Furniture Co/Struc® System

General Services Administration Federal Supply Service Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov. For more information on ordering from Federal Supply Schedules, click on the FSS Schedules button at www.fss.gsa.gov.

FSC Group 66, Part II, Section N
FSC Classes 6640
Contract Number: GS-07F-5623R
Contract Period: February 1, 2015, through January 31, 2020

Herman Miller, Inc.
855 East Main Avenue
Zeeland, Michigan 49464
(616) 654 3000 Phone
(616) 654 8278 Fax
HermanMiller.com/government

Business Size: Large

Contract Information

1a. Special Item Numbers (SIN)

566-1: Modular Laboratory Furniture Systems, all product except non-modular Laboratory Tables, see 566-2 below.

566-2: Individual non-modular Laboratory Tables (C4115. and C4215.).

566-5: Workstation Design/Installation option. Including:

Workstation Design/Layout Option: Includes the design/redesign of lab furniture. Design service will be provided by Herman Miller, Inc., or its participating dealer based on a fee of \$65 per hour.

Workstation Furniture and Equipment Installation: Includes delivery coordination of furniture and related equipment, unpacking, inspection, inventory and assembly of furniture components. Pricing shall be negotiated on a project-by-project basis.

Workstation Disassembly and Reinstallation Option: Includes the taking down of installed furniture and related hardware for the purpose of packing and moving or storage. Pricing shall be negotiated on a project-by-project basis.

Workstation Repair: Includes the repair and/or replacement of damaged furniture and related hardware. Pricing shall be negotiated on a project-by-project basis.

1b. Lowest Price Model:

566-1 = C1315.06 \$18.00

566-2 = C4700.2448L \$226.00

1c. Not applicable.

2. Maximum Order.

\$400,000 net product value.

3. Minimum Order.

\$50 net.

4. Geographic Coverage.

48 contiguous states and District of Columbia. Other geographic locations see box below.

5. Production Points.

Zeeland, Michigan, County of Ottawa.

6. Pricing.

Prices shown are list. To calculate contract prices,

\$0-\$25,000 list, deduct 56%, \$25,001 to MO, deduct 58.5%.

7. Quantity Discounts.

Reference item #6.

8. Payment Terms.

Net 30 days.

9a. Government Purchase Cards.

ARE accepted below the micropurchase threshold.

9b. Government Purchase Cards.

ARE accepted above the micropurchase threshold.

10. Foreign Items.

Not applicable.

11a. Time of Delivery.

56 days ARO.

11b. Expedited Delivery.

Select items may be available for expedited delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.

11c. Overnight and 2-Day Delivery.

Select items may be available for overnight or 2-day delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.

11d. Urgent Requirements. Select items may be available for urgent delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.

12. F.O.B. Point. Destination within the 48 contiguous states and Dist. of Columbia.

13a. Order Address. Herman Miller, Inc., Government Customer Care 0161, 855 East Main Avenue, Zeeland, MI 49464.

13b. Order Procedures. For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule home page (www.fss.gsa.gov/schedules).

14. Payment Address. Herman Miller, Inc., 22764 Network Place, Chicago, IL 60673-1227.

15. Warranty Provisions. Herman Miller, Inc., commercial warranty applies.

16. Export Packing Charges. Prices supplied on request.

17. Terms and Conditions of Government Commercial Credit Card Acceptance. None.

18. Terms and Conditions of Rental, Maintenance, and Repair. Not applicable.

19. Terms and Conditions of Installation. Installation services shall be negotiated between ordering agency and Herman Miller local authorized dealer.

20. Terms and Conditions of Repair Parts. Not applicable.

20a. Terms and Conditions for Any Other Services. Services shall be negotiated between ordering agency and Herman Miller local authorized dealer.

21. List of Service and Distribution Points. Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com.

22. List of Participating Dealers. Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com.

23. Preventive Maintenance. Not applicable.

24. Special Attributes. Reconfigurable, renewable.

25. DUNS Number. 0060112801

26. Registered in Central Contractor Registration (CCR) Database.
"Herman Miller, Inc."

Herman Miller Miscellaneous Information:

Federal ID Number: 38-0837640

Commercial and Government Entity Code (CAGE): 40636

	page 2
Introduction	3
Co/Struc® System	5
Structure	5
Work Surfaces	75
Storage	120
Transport	224
Indices	233
By Name	233
By Number	235
Appendices	
20-Day or Less/Assigned Lead-Time Order Information - Healthcare	
Packaging/Keyed-Alike Information-Co/Struc System	
For the latest materials information, refer to the Materials pages on HermanMiller.com.	

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective April 3, 2017, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $1/8$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon will ship in **20 business days or less** after being acknowledged by Herman Miller.


Products and options designated by an are on the assigned lead-time program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Structure

Work Surfaces

Storage

Transport



Product Information

Description

This assembly attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 25 stand-offs, and 5 spacers.


Notes

To attach assembly to wall, order rail hardware (CO28441, or CO28541) separately.

To finish end, order end cap for standard or seismic rail (CO338) separately.

When seismic components are required, order seismic wall rail (CO479) instead of standard rail (CO282).

Dimensions



Specification Information


Step 1.

CO282FF

\$259

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0


**Product Information****Description**

This package contains enough fasteners to install 12' of standard rail.

Package contains 300 fastener sets.

The 3" sheet metal screws with plastic anchors are #14, flat-head, Phillips-drive screws with 1 $\frac{3}{8}$ "-long plastic anchors. The 4" toggle bolts with wall bushings are 1/4-20, flat-head, Phillips-drive toggle bolts.

Specification Information**Step 1.****C028****Step 2. Hardware****441** 3" sheet metal screws with plastic anchors**541** 4" toggle bolts with wall bushings**Prices for Steps 1-2.****C028441** \$216**C028541** \$634




Product Information

Description

This rail attaches to a panel, a module, or wall strips to support Co/Struc hanging components or a storage case in a straight-line configuration. It does not hang directly on a wall. 2 rails are required to hang a locker from an open panel frame or glazed panel.

Dimensions



Specification Information

Step 1.

C1610.

Step 2. Width


24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide

Prices for Steps 1-2.

C1610. 24	\$178
30	\$185
36	\$193
42	\$212
48	\$226
60	\$242

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This aluminum rail attaches to an architectural wall. It holds work tools or accessories and can be field cut to the appropriate width. The rail includes plastic end caps to accommodate 2 field-cut rail sections.

Notes

Customer must supply attachment hardware for wall conditions.

Order rail-mounted accessories separately:


- Chart holder (CT730.)
- Chest tube rack (CT737.)
- Glove box holder (CT726.)
- Sharps container holder (CT734.)
- Supply basket (CT720. or CT722.)
- Suture basket (CT723.)
- Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)
- Utility hook (CT776.)
- Wastebasket and holder (CT728.)

Order work tools separately:

- Arch (Y7150.)
- Diagonal tray (Y7218.)
- Mini-shelf (Y7310.)
- Organizer tray (Y7210.)
- Paper tray (Y7216.)
- Rail divider (Y7320.)
- Vertical tray (Y7217.)

To mount customer-supplied accessories, order rail clamp (CT729.) separately.

Dimensions



Specification Information

Step 1.

C1170.

Step 2. Width


24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
60	60" wide

Prices for Steps 1-2.

C1170. 24	\$88
30	\$106
36	\$122
42	\$132
48	\$143
60	\$164

Step 3. End Cap Finish

LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This aluminum rail attaches to a panel, freestanding module, or wall strips and holds work tools or accessories. It includes steel end caps. Attachment hardware is included.

Notes

Order rail-mounted accessories separately:


- Chart holder (CT730.)
- Chest tube rack (CT737.)
- Glove box holder (CT726.)
- Sharps container holder (CT734.)
- Supply basket (CT720. or CT722.)
- Suture basket (CT723.)
- Tilt-out storage bin (CT9303., CT9304., CT9305., CT9306.)
- Utility hook (CT776.)
- Wastebasket and holder (CT728.)

Order work tools separately:

- Arch (Y7150.)
- Diagonal tray (Y7218.)
- Mini-shelf (Y7310.)
- Organizer tray (Y7210.)
- Paper tray (Y7216.)
- Rail divider (Y7320.)
- Vertical tray (Y7217.)

To mount customer-supplied accessories, order rail clamp (CT729.) separately.

Dimensions



Specification Information

Step 1.

C1172.

Step 2. Width


24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-2.

C1172. 24	\$125
30	\$132
36	\$143
48	\$179

Step 3. End Cap Finish

LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description


This end cap provides a finished end for a standard or seismic wall rail and a positive stop for a locker.

Notes

For areas requiring seismic components, order 1 end cap for each end of rail, and order seismic wall rail (CO479) separately.

For areas not requiring seismic components, order 1 end cap for each end of rail, and order standard rail (CO282) separately.

Dimensions



Specification Information


Step 1.

CO338FF

\$47

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This aluminum rail attaches to a wall and supports Co/Struc hanging components. It includes a 12' rail, a 12' cover strip, a 12' back plate, 26 stand-offs, and 5 spacers.

Notes


Order rail for areas requiring seismic components, when attaching to studs 16" on center, or when attaching to plaster in accordance with OPA-0117 in California.

To meet the conditions of appropriate OPA, refer to the OPA document for specific hardware. For other applications, order rail hardware (CO28441, or CO28541) separately.

Order additional seismic components separately:

- End cap for standard or seismic rail (CO338)


Field drilling is required for proper installation.

Dimensions**Specification Information****Step 1.****CO479FF**

\$384

Step 2. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**


This bracket secures Co/Struc rail-hanging components to an architectural wall. It is designed to be used in areas requiring seismic components. Finish is soft white. Package contains 10.

Notes

Customer must supply required fasteners.

Dimensions**Specification Information****Step 1.****CO569.**

\$210



Product Information

Description

This draw rod connects Action Office® Series 1 or 2 panels or Co/Struc® support panels in a straight line. It has a threaded hole in the draw block for attachment to a seismic floor anchor bracket.

Notes

For Action Office Series 1 panels or Co/Struc support panels, specify height of draw rod to match height of panel.

For Action Office Series 2 panels, specify draw rod as follows:

- 32"-high panel, CO215.27
- 39"-high panel, CO215.34
- 47"-high panel, CO215.42
- 53"-high panel, CO215.48
- 62"-high panel, CO215.57
- 67"-high panel, CO215.62
- 85"-high panel, CO215.80

Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.

Dimensions

Specification Information

Step 1.


CO215.


Step 2. Height

27	27" high
34	34" high
42	42" high
48	48" high
57	57" high
62	62" high
80	80" high

Prices for Steps 1-2.

CO215. 27	\$24
34	\$25
42	\$25
48	\$26
57	\$26
62	\$26
80	\$30





Product Information

Description


This bracket fastens both sides of a module frame to the floor. Each anchor location requires 1 bracket. Finish is light tone. Package contains 10. Hardware to attach module is included. Floor anchor and bolt must be customer supplied.

Notes

Order bracket for areas requiring seismic components.

Lab modules need to be mounted flush for anchor to install.

Dimensions



Specification Information


Step 1.

CO568FF

\$952

Floor Anchor Bracket, Action Office® Series 1

CO481



Product Information

Description

This bracket fastens both sides of an Action Office® Series 1 panel to the floor and is designed for use in areas requiring seismic components.

Finish is light tone. Package contains 10.

Notes

Order the following products separately:

- Draw rod (CO215.)
- Floor anchor adapter kit (CO552.)
- Seismic finished end (A1250.) when using only Action Office Series 2 components
- Seismic hingeable end (AO258.) when using Action Office Series 1 or Co/Struc® components

Customer must supply required bolts and concrete anchors.


Dimensions

Specification Information


Step 1.

CO481


\$351




TOP



SIDE



FRONT



Product Information

Description

This bracket fastens both sides of an Action Office® Series 2 panel to the floor and is designed for use in areas requiring seismic components.

Package contains 10.


Notes

Order the following products separately:

- Draw rod (CO215.)
- Floor anchor adapter kit (CO552.)
- Seismic finished end (A1250.)

Customer must supply required concrete anchors.

Dimensions




Specification Information

Step 1.

CO485

\$780

**Product Information****Description**


This kit replaces the bottom block of an Action Office® Series 1 or 2 spacer or 2-way, 3-way, or 4-way connector. It is designed to be used in areas requiring seismic components and has a threaded hole in the draw block for attachment to a seismic floor anchor bracket. Package contains 10.


Notes

Order floor anchor bracket, Action Office Series 1 (CO481.) or floor anchor bracket, Action Office Series 2 (CO485.) separately.

Dimensions**Specification Information****Step 1.****CO552**

\$194






Product Information

Description

This top cap fits over a standard top cap and spans multiple Action Office® Series 1 or 2 panels. It provides extra rigidity along the panel run. The 12'-long top cap can be field cut to the appropriate length. Attachment hardware is included.

Dimensions




Specification Information

Step 1.


CO553FF	\$504
----------------	-------

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**


This top cap replaces a standard top cap and spans multiple Ethospace® frames. It provides extra rigidity along the frame run. The 12'-long top cap can be field cut to the appropriate length. Attachment hardware is included.

Dimensions**Specification Information****Step 1.****CO554FF**

\$1024

Step 2. Surface Finish


BU	black umber	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This plastic cover snaps onto a wall strip to cover the slots. It helps with infection control in healthcare environments by preventing bacteria and germs from growing in these slots. It is 84" and must be field cut to match the wall strip height. Package contains 6 covers.

Notes


Order wall strips (AO213. or E1130.) separately.

Dimensions**Specification Information****Step 1.**

CO487.	\$428
---------------	-------

Step 2. Finish




BU	black umber	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0

**Product Information****Description**

This open panel has hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately. To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately. To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately. To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions48" HIGH
FRONT80" HIGH
FRONT

Open Support Panel *continued*

Specification Information

Step 1.

C1150.

Step 2. Height

48 48" high

80 80" high

Step 3. Width

12 12" wide

24 24" wide

30 30" wide

36 36" wide


48 48" wide

Prices for Steps 1-3.

	12	24	30	36	48
C1150. 48	\$441	459	492	530	573
80	\$609	647	681	724	789

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This panel has a 48"-high recessed filler and hanger frames at 1" intervals to support components. It can be used as a return panel to stabilize a panel run. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.


To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.



To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions

TOP



SIDE

48" HIGH
FRONT80" HIGH
FRONT

Support Panel *continued*

Specification Information

Step 1.

C1151.

Step 2. Height

48 48" high
80 80" high

Step 3. Width


12 12" wide
24 24" wide
30 30" wide
36 36" wide
48 48" wide

Prices for Steps 1-3.

	12	24	30	36	48
C1151. 48	\$588	729	808	877	987
80	\$787	888	980	1101	1217

Step 4. Surface Finish

HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0



Product Information

Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the floor and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.

For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.




Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.


To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



SIDE

48" HIGH
FRONT80" HIGH
FRONT

Specification Information

Step 1.

C1155.

Step 2. Height

48 48" high

80 80" high

Step 3. Width

24 24" wide

30 30" wide


48 48" wide

Prices for Steps 1-3.

	24	30	48
C1155. 48	\$1070	1184	1411
80	\$1262	1337	1574

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This panel has a vertical raceway for routing and concealing electrical wires and communication cables between the ceiling and a wire chase rail. It has a 48"-high recessed filler, hanger frames at 1" intervals to support components, and 6 knockouts: 3 at the floor level and 3 at 47" above floor level. It cannot accept the 3- or 4-circuit electrical system and cannot be used with an Action Office® Series 2 corner connector.

Notes

To carry different types of electrical power (e.g. regular and emergency power) or to carry electrical power and low-voltage cables, vertical raceway can be divided into separate internal raceways; contact local contractor.

To supply power from both sides of panel, order wire chase rail (C1313. or C1314.) separately and mount 48" above floor.

For power feed to wire chase rail mounted at heights other than 48", field cut removable cover on 1 side of vertical raceway.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach panels of unequal height, order change of height draw rods (AO219.) and change of height panel/panel finished ends (AO272.) separately.

To join 2 support panels of equal or unequal heights at a 90° angle, order 2-way 90° corner connector (C1221.) separately.

To join 3 support panels of equal or unequal heights at a 90° angle, order 3-way 90° corner connector (C1231.) separately.

Dimensions



Specification Information

Step 1.

C1156.

Step 2. Height

48 48" high

80 80" high

Step 3. Width

24 24" wide

30 30" wide


48 48" wide

Prices for Steps 1-3.

	24	30	48
C1156. 48	\$2596	2810	2826
80	\$2842	2968	3073

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

The center point of this 60"-wide panel attaches at a 90° angle to other panels and provides support to a panel run. Each panel has adjustable glides, finished ends, and a 48"-high recessed filler and hanger frames at 1" intervals to support components. The panel has an area between the filler and the rear edge of an attached work surface for passage of wires or tubes.

The panel is available in 2 heights. The 80"-high panel supports a locker; 48"- and 80"-high panels support work surfaces and other 60"-wide components.


Notes

To support locker, order 2 adapter rails (C1610.) separately.



To connect to panel at 90° angle, order draw rod (AO215.) separately.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



TOP

48" HIGH
FRONT80" HIGH
FRONT

Specification Information

Step 1.

C1161.

Step 2. Height

4860 48" high


8060 80" high

Prices for Steps 1-2.

C1161. 4860	\$1649
8060	\$2029

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description



This connector attaches a support panel to a wall or column for a peninsula configuration.

Notes

Order draw rod (AO215.) separately.

Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.

Dimensions



Specification Information

Step 1.

C1211.

Step 2. Height

48 48" high


80 80" high

Prices for Steps 1-2.

C1211. 48	\$292
80	\$349

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This connector joins 2 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.


Notes

Order support panels (C1150., C1151., C1155., C1156.) separately.


Order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.

When connecting panels of unequal heights, specify height of connector to match height of higher panel.

Dimensions



TOP



SIDE

FRONT

Specification Information

Step 1.

C1221.

Step 2. Height

48 48" high


80 80" high

Prices for Steps 1-2.

C1221. 48	\$279
80	\$335

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This connector joins 3 support panels of equal or unequal heights at a 90° angle. It cannot be used with a panel run that supports Action Office® Series 2 work surfaces.


Notes

Order support panels (C1150., C1151., C1155., C1156.) separately.


Order 3 draw rods (AO215.) or 3 seismic draw rods (CO215.) separately.

When connecting panels of unequal heights, specify height of connector to match height of higher panel.

Dimensions



TOP



SIDE

FRONT

Specification Information

Step 1.

C1231.

Step 2. Height

48 48" high


80 80" high

Prices for Steps 1-2.

C1231. 48	\$306
80	\$377

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This 11"-wide connector joins a module to a support panel. It has a removable cover strip that conceals predrilled holes used for attaching connectors.

Notes




To complete shelf surface at end of module run, order shelf end cap (C1510.E or C1511.E) separately.

Order panel connector (C2181.) and 3 draw rods (AO215. or CO215.) separately.

To attach support panel to interface connector (C1261.) of unequal height, order the following products separately:

- Panel connector (C2181.)
- Change of height draw rod (AO219.)
- Change of height panel/panel finished end (AO272.)

Dimensions



Interface Connector *continued***Specification Information**

Step 1.

C1261.

Step 2. Height


4812 48" high**8012** 80" high

Prices for Steps 1-2.

C1261. 4812	\$746
8012	\$910

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0


**Product Information****Description**

This connector attaches a support panel to an interface connector.

Notes

Specify connector height to match panel height.


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions**Specification Information****Step 1.****C1281.****Step 2. Height****48** 48" high**80** 80" high**Prices for Steps 1-2.**

C1281. 48	\$65
80	\$84

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description


This brace provides additional support to a straight panel run that has components hanging on 1 side. It includes a leveling glide.

Notes

To support 24"-deep work surface, specify 21"-wide mid-run support; to support 30"-deep work surface, specify 27"-wide mid-run support.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



Specification Information

Step 1.

C1272.

Step 2. Height

48 48" high

80 80" high

Step 3. Width

21 21" wide


27 27" wide

Prices for Steps 1-3.

	21	27
C1272. 48	\$508	563
80	\$636	663

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description


This brace provides additional support to a straight panel run that has components hanging on both sides. It includes leveling glides.

Notes


To support 24"-deep work surface, specify 41"-wide mid-run support; to support 30"-deep work surface, specify 53"-wide mid-run support. To support 24"-deep work surface on 1 side and 30"-deep work surface on other side, specify 53"-wide mid-run support.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.


Dimensions



TOP




FRONT



41" WIDE

SIDE



53" WIDE

SIDE

Specification Information

Step 1.

C1273.

Step 2. Height

48 48" high

80 80" high

Step 3. Width

41 41" wide


53 53" wide

Prices for Steps 1-3.


	41	53
C1273. 48	\$575	668
80	\$784	874

Step 4. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This 20"-wide aluminum top cap attaches to 2 support panels in a straight connection. It provides additional support for a panel run.

Dimensions

SIDE




FRONT

Specification Information**Step 1.****C1274.20**

\$123

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This 48"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services. The module includes a top shelf and 4 adjustable glides. It has hanger frames at 1" intervals to support components.

Notes

Order access panels separately.

For L, T, or X configuration, order module corner connector separately:


- 2-way connector (C1220.)
- 3-way connector (C1230.)

Order draw rods (A0215.) or seismic draw rods (CO215.) separately.

To attach modules of unequal height, order 2 change of height draw rods (A0219.) and 2 change of height panel/panel finished ends (A0272.) separately.

To enclose the end of a module when a terminal panel (C1122.) is not used, order the end closure assembly (C1451.) separately.

Dimensions



Specification Information

Step 1.

C1112.48

Step 2. Width


24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-2.

C1112.48	24	\$1150
	30	\$1353
	36	\$1380
	48	\$1506

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information

Description

This 80"-high module attaches to a wall or connects to other freestanding modules. It encloses and organizes mechanical services and provides pass-through access. The module includes an interior shelf that is field adjustable to 30", 36", or 48" high. It has hanger frames at 1" intervals to support components and 4 adjustable glides.

Notes

Order access panels separately.

For L, T, or X configuration, order module corner connector separately:

- 2-way connector (C1220.)
- 3-way connector (C1230.)


Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach modules of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the top section of a pass-through module, order the end closure panel (C1450.) and 2 change of height panel/panel finished ends (AO272.) separately.

To enclose the end of a module when a terminal panel (C1122., C1124.) is not used, order the end closure assembly (C1451. or C1452.) separately.

Dimensions



Specification Information

Step 1.

C1114.80

Step 2. Width


24 24" wide
30 30" wide
36 36" wide
48 48" wide

Prices for Steps 1-2.

C1114.80	24	\$1488
	30	\$1646
	36	\$1747
	48	\$1854

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information

Description


This 48"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel includes a top shelf end cap, adjustable glides, and finished ends, and comes in 3 widths.

The 60"- and 72"-wide panel supports hanging components.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Dimensions



Specification Information

Step 1.

C1122.48

Step 2. Width/Position

36L	36" wide and left-hand panel	\$1527
36R	36" wide and right-hand panel	\$1527
60	60" wide	\$1869
72	72" wide	\$2761

Prices for Steps 1-2.


C1122.48	36L	\$1527
	36R	\$1527
	60	\$1869
	72	\$2761

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Pass-Through Module Terminal Panel

C1122.
C1124.



Co/Struc® Structure

Product Information




Description

This 80"-high, hard-surfaced end panel attaches to a freestanding module. It supports a module run or divides space. The panel is available in 3 widths. The 60"- and 72"-wide, full-height panel supports hanging components. Each panel has an interior shelf end cap, adjustable glides, and finished ends.

Notes

To attach terminal panel to module, order 2 draw rods (AO215.) or 2 seismic draw rods (CO215.) separately.

Dimensions



Pass-Through Module Terminal Panel *continued*

Specification Information

Step 1.

C112

Step 2. Height

2.80 full-height

4.80 half-height

Step 3. Width/Position

For full-height (2.80)

60 60" wide

72 72" wide

For half-height (4.80)

36L 36" wide and left-hand panel

36R 36" wide and right-hand panel

60 60" wide

72 72" wide


Prices for Steps 1-3.

C112	2.80	60	\$2389
		72	\$2862

C112	4.80	36L	\$1672
		36R	\$1672
		60	\$2315
		72	\$2854

Step 4. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0


**Product Information****Description**

This 48"-high, 48"-wide laminate panel can be field cut to fit a non-modular space in a run of freestanding modules. It includes 3 top shelf brackets, 2 floor base brackets, and 2 wall-attached wall start connectors. The panel cannot support components.

Notes

To cover both sides of a freestanding module run, specify 2 diplomat panels.


For diplomat panel used with low or pass-through module, order top shelf (C1510.) separately; shelf must be field modified.

Dimensions**Specification Information****Step 1.****C1146.**

\$694

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This 72" high tower encloses services between the ceiling and the top shelf of a low module, the interior shelf of a pass-through module, or a 2- or 3-way module corner connector. It includes a ceiling trim plate. The cover cannot be used with a 4-way module corner connector.

Notes

Order module or connector separately:

- 2-way module corner connector (C1220.)
- 3-way module corner connector (C1230.)
- Low module (C1112.)
- Pass-through module (C1114.)

Dimensions

Specification Information


Step 1.


C1460.

\$679

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0





Product Information

Description

This connector starts a peninsula configuration by attaching a low or pass-through module to a wall or column. It includes a shelf end cap.


Notes

For low module, specify 48"-high wall start; for pass-through module, specify 80"-high wall start.

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

Package does not contain attachment hardware; designer must select fasteners appropriate for wall conditions and installer must field install.

Dimensions



Specification Information

Step 1.

C1212.

Step 2. Height

48 48" high


80 80" high

Prices for Steps 1-2.

C1212. 48	\$519
80	\$559

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information

Description


This connector joins 2 modules of equal or unequal heights at a 90° angle. It includes a top shelf and filler panels to enclose the utility chase.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.

To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

Dimensions



Specification Information

Step 1.

C1220.

Step 2. Height

48 48" high


80 80" high

Prices for Steps 1-2.

C1220. 48	\$1217
80	\$1460

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information


Description

This connector joins 3 modules of equal or unequal heights at 90° angles. It includes a top shelf and filler panels to enclose the utility chase.

Notes

Order draw rods (AO215.) or seismic draw rods (CO215.) separately.
To attach module of unequal height, order 2 change of height draw rods (AO219.) and 2 change of height panel/panel finished ends (AO272.) separately.

Dimensions



Specification Information

Step 1.

C1230.

Step 2. Height

48 48" high


80 80" high

Prices for Steps 1-2.

C1230. 48	\$1217
80	\$1460

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

**Product Information****Description**


This leg provides additional support for normal loading on a low or pass-through module. It has a leveling glide.

Dimensions**Specification Information****Step 1.****C1275.**

\$484

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This kit fastens a module to the floor. It includes a bolt, spacer, and plate. Package contains 10.


Notes


Anchor support kit is not acceptable for seismic anchoring.

Source anchor component separately.


Dimensions**Specification Information****Step 1.****C1276.**

\$276



**Product Information****Description**

This 11"-deep shelf encloses the top of a low module service chase and provides a storage shelf. It has a Chemsurf® surface. The shelf can be drilled for fixtures or piping. It cannot attach to a pass-through module.

Dimensions**Specification Information****Step 1.****C1510.12****Step 2. Width**


12	12" wide
24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-2.

C1510.12	12	\$218
	24	\$292
	30	\$366
	36	\$384
	48	\$395

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information


Description

This 11"-deep shelf fits inside a pass-through module. It encloses the top of a 48"-high service chase and provides a storage shelf. The shelf has a Chemsurf® surface. It can be drilled for fixtures or piping. Attachment hardware is included.

Notes

To install shelf higher than 48", order interior shelf and support kit (C1515.) separately.

Dimensions



Specification Information

Step 1.

C1511.12

Step 2. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-2.


C1511.12	24	\$347
	30	\$387
	36	\$411
	48	\$434

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Shelf End Cap

C1510.
C1511.




Product Information

Description

This cap finishes the end of an interior or top shelf at the connection of a low or pass-through module and an interface connector. It has a Chemsurf® surface. Attachment hardware is included.

Dimensions



Specification Information

Step 1.

C151

Step 2. Depth/Usage

1.E 7" deep for interior shelf

0.E 12" deep for top shelf

Prices for Steps 1-2.

C1511.E \$191

C1510.E \$187


Step 3. Surface Finish

JD warm grey neutral Chemsurf® +\$0


KH light tone Chemsurf® +\$0

KR inner tone light Chemsurf® +\$0

LE soft white Chemsurf® +\$0

**Product Information****Description**

This 11"-deep interior shelf is installed within a pass-through module. Attachment hardware is included.

Dimensions**Specification Information****Step 1.****C1515.12****Step 2. Width**


- 24** 24" wide
- 30** 30" wide
- 36** 36" wide
- 48** 48" wide

Prices for Steps 1-2.

C1515.12	24	\$685
	30	\$739
	36	\$822
	48	\$938

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0



Product Information


Description

This plastic barrier attaches to the back of a top shelf and creates a backsplash. It is used with a module that sits against a wall. The barrier can also compensate for variations in a wall surface. Package contains 4.

Notes

For use with interior shelf, field modify shelf backsplash.

Dimensions



Specification Information

Step 1.

C1520.

Step 2. Width


24	24" wide
30	30" wide
36	36" wide
48	48" wide

Prices for Steps 1-2.


C1520. 24	\$80
30	\$100
36	\$108
48	\$142

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This component fills the space between a work surface and the interior shelf for a pass-through module. It creates a continuous work area. Attachment hardware is included.

Dimensions**Specification Information****Step 1.****C153****Step 2. Usage**

- 0.** for top shelf
- 1.** for interior shelf

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
48	48" wide


Prices for Steps 1-3.

C1530. 24	\$54
30	\$67
36	\$80
48	\$90

C1531. 24	\$55
30	\$79
36	\$91
48	\$104

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This assembly of 2 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down.

The assembly has 2 30"- or 2 42"-high access panels.


Notes

Order low module (C1112.) or pass-through module (C1114.) separately.

For interior shelf mounted at 36" on pass-through module, specify 30"-high assembly.


For interior shelf mounted at 48" on pass-through module, specify 42"-high assembly.

Dimensions




SIDE

FRONT



FRONT



FRONT

Access Panel Assembly *continued*

Specification Information

Step 1.

C1412.

Step 2. Height

30 30" high

42 42" high

Step 3. Width

19 19 $\frac{1}{4}$ " wide

25 25 $\frac{1}{4}$ " wide

31 31 $\frac{1}{4}$ " wide

43 43 $\frac{1}{4}$ " wide

Prices for Steps 1-3.


	19	25	31	43
C1412. 30	\$503	586	612	632
42	\$564	659	720	794

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Combination Access Panel Assembly

C1422.



Product Information




Description

This assembly of 4 access panels attaches to a freestanding module and encloses both sides of the service chase. The panels mount in a flush or recessed position and are removable for service access. Each panel has 2 knockouts (4 per module side) for standard duplex electrical outlets. Brackets and mounting hardware are included. Shipped knocked down. The 24"-high assembly has 4 12"-high access panels; the 42"-high assembly has 2 12"- and 2 30"-high access panels.

Notes

Order low module (C1112.) or pass-through module (C1114.) separately.
For interior shelf mounted 30" high on pass-through module, specify
24"-high assembly.
For interior shelf mounted 48" high on pass-through module, specify
42"-high assembly.

Dimensions



Combination Access Panel Assembly *continued*

Specification Information

Step 1.

C1422.

Step 2. Height

24 24" high
42 42" high

Step 3. Width

19 19 $\frac{1}{4}$ " wide
25 25 $\frac{1}{4}$ " wide
31 31 $\frac{1}{4}$ " wide
43 43 $\frac{1}{4}$ " wide

Prices for Steps 1-3.


	19	25	31	43
C1422. 24	\$1061	1112	1165	1206
42	\$1127	1252	1391	1467

Step 4. Surface Finish

HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0

Low Cup Sink Access Panel Assembly

C1432.



Product Information

Description

This assembly attaches to a pass-through module and creates a low cup sink assembly in the lower service chase. It encloses both sides of the service chase and has removable panels for service access. The assembly includes 4 12"-high access panels, 1 shelf support frame, 1 interior shelf, 1 bottom chase cover, and attachment hardware. Each 12"-high panel has 2 knockouts for standard duplex electrical outlets. The assembly has a 15 1/4" space for a cup sink; this divides the service chase into 2 12" segments. Shipped knocked down.


Notes

Order pass-through module (C1114.) separately.

To enclose service chase of adjacent module, order center closure panel (C1455.1607) separately.

Customer must order sink and fixtures separately and field cut interior shelf to hold sink.

Dimensions



Low Cup Sink Access Panel Assembly *continued*

Specification Information

Step 1.

C1432.42

Step 2. Width


19 19 $\frac{1}{4}$ " wide
25 25 $\frac{1}{4}$ " wide
43 43 $\frac{1}{4}$ " wide

Prices for Steps 1-2.

C1432.42	19	\$1688
	25	\$1842
	43	\$2036

Step 3. Surface Finish

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0


**Product Information****Description**

This 32"-high, 11"-wide panel encloses the top section of a pass-through module.

Notes

Order pass-through module (C1114.) separately.


Order 2 panel/panel change-of-height finished ends (AO272.) separately.

Dimensions**Specification Information****Step 1.****C1450.3211**

\$120

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description


This assembly encloses the end of a module when a terminal panel is not used.

The end closure for a low module has a 48"-high panel and 2 48"-high end caps. The full-height end closure for a pass-through module has an 80"-high panel and 2 80"-high end caps. The half-height end closure for a pass-through module has a 48"-high panel and 2 80"-high end caps.


Notes

Order low module (C1112.) or pass-through module (C1114.) separately.


Dimensions



END CLOSURE
FOR LOW MODULE



FULL-HEIGHT END
CLOSURE FOR PASS-THROUGH MODULE



HALF-HEIGHT END
CLOSURE FOR PASS-THROUGH MODULE

End Closure Assembly *continued***Specification Information**

Step 1.

C145

Step 2. Type


1.4811 end closure for low module
1.8011 full-height end closure for pass-through module
2.8011 half-height end closure for pass-through module

Prices for Steps 1-2.

C1451.4811	\$246
C1451.8011	\$323
C1452.8011	\$241

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This panel attaches to the inside of a module run and encloses the end of a service chase. Attachment hardware is included.


Notes

To enclose service chase on either end of cup sink opening or 14"-high openings created by partial chases at panel connections, order 16"-high panel.


To enclose lower interior module chase, order 43"-high panel.

To enclose upper section of pass-through module, order 32"-high panel.

Dimensions



TOP



SIDE

FRONT

Specification Information

Step 1.

C1455.

Step 2. Height

1607 16" high

3207 32" high

4307 43" high

Prices for Steps 1-2.


C1455. 1607	\$568
3207	\$575
4307	\$579

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Wire Chase Rail

C1313.
C1314.



Product Information

Description

This aluminum rail attaches to 1 side of an equal-width module or support panel and provides 1 or 2 cable management channels. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes


Order connection components separately:

- Wire chase rail bridge (C1326. or C1327.) to connect across mid-run support panel or back side of 3-way connector
- 90° inside corner wire chase rail (C1321. or C1322.) to connect around 90° inside corner



Order wire chase rail covers (C1315., C1316., C1317., or C1318.) and rail end cap (C1331. or C1332.) separately.

Receptacles must be customer supplied.


Dimensions



Double Channel



Single Channel



Specification Information

Step 1.

C131

Step 2. Type

3. double channel
4. single channel

Step 3. Width

24	24" wide
30	30" wide
36	36" wide
42	42" wide A
48	48" wide
60	60" wide
72	72" wide
96	96" wide

Prices for Steps 1-3.

C1313. 24	\$96
30	\$122
36	\$156
42	\$180
48	\$191
60	\$239
72	\$286
96	\$380

C1314. 24	\$50
30	\$65
36	\$82
42	\$92
48	\$99
60	\$124
72	\$146
96	\$197


Step 4. Surface Finish

AN clear anodized aluminum

+\$0

Wire Chase Rail, 90° Inside Corner

C1321.
C1322.



Co/Struc® Structure

Product Information


Description

This aluminum rail attaches to 2 modules or support panels at a 90° inside corner. It cannot be used with an Action Office® Series 1 or 2 connector.

Notes

Rail includes 2 6" mitered corner covers. Order wire chase rail covers to cover the remaining length of each rail (C1315., C1316., C1317., or C1318.) separately.

Dimensions



Specification Information

Step 1.

C132

Step 2. Type

1. double channel
2. single channel

Step 3. Width

24 24" wide
30 30" wide
48 48" wide

Step 4. Depth

For 24" wide (24)

24 24" deep
30 30" deep
48 48" deep

For 30" wide (30)

30 30" deep
48 48" deep

For 48" wide (48)


48 48" deep

Prices for Steps 1-4.

	24	30	48
C1321. 24	\$344	369	440
30	—	\$392	464
48	—	—	\$536
C1322. 24	\$231	247	284
30	—	\$259	296
48	—	—	\$333

Step 5. Surface Finish

AN clear anodized aluminum +\$0



Product Information

Description


This bridge joins wire chase rails across a mid-run support panel or on the back side of a 3-way 90° connector. It allows the continuation of a cable management channel and includes a blank cover. The bridge cannot be used with an Action Office® Series 1 or 2 connector.

Notes


Order 1 of the following products separately:

- 3-way 90° connector (C1231.)
- Mid-run support (C1272. or C1273.)

Dimensions



Double Channel



Single Channel

Specification Information

Step 1.

C132

Step 2. Type

6. double channel
7. single channel


Prices for Steps 1-2.

C1326. \$92


C1327. \$92

Step 3. Surface Finish


AN clear anodized aluminum +\$0

**Product Information****Description**

This end cap finishes the exposed end of a wire chase rail. Package contains 2.

Dimensions

Double Channel



Single Channel


Specification Information**Step 1.****C133****Step 2. Type**

1. double channel
2. single channel

Prices for Steps 1-2.**C1331.** \$83**C1332.** \$83**Step 3. Surface Finish****AN** clear anodized aluminum +\$0

Wire Chase Rail Cover

C1315.
C1316.
C1317.
C1318.


**Product Information****Description**

This cover encloses a wire chase rail.

Notes

Specify type to cover wire chase rail's power and/or data outlets.

Specify covers in 6"- or 12"-wide increments to match rail width.

Dimensions**Specification Information****Step 1.**

C131

Step 2. Type


- 5.06** 6"-wide plain cover
- 5.12** 12"-wide plain cover
- 6.** duplex cutout cover
- 7.** GFI cutout cover
- 8.** gang cover

Prices for Steps 1-2.

C1315.06	\$18
C1315.12	\$22
C1316.	\$25
C1317.	\$26
C1318.	\$26

Step 3. Surface Finish


AN	clear anodized aluminum	+\$0
-----------	-------------------------	------

**Product Information****Description**


This 1½"-wide cover wraps around the outside of a wire chase channel to cover gaps between adjoining channels and covers.

Notes

Order wire chase and covers separately.

Dimensions**Specification Information****Step 1.****C1358.****Step 2. Type****D** double channel**T** triple channel**Prices for Steps 1-2.**

C1358. D	\$26
T	\$38



Product Information

Description

This work surface hangs from a panel, module, or wall strips and is available as laminate or solid surface. The work surface, when supported by work surface supports has a top-loading capacity of up to 200 pounds. The solid surface option, when supported by sink products has a top-loading capacity of 250 pounds. Appropriate sink products and work surface supports must be specified and ordered separately.

Notes

For laminate option (L), order standard duty work surface supports (C2140.S) separately.

For solid surface option (K), order 1 of the following products separately:

- ADA sink support, systems mounted (C2520.)
- Sink module (C2512.)
- Sink unit for storage (C2513.)
- Work surface support, standard duty (C2140.S)

Work surface with solid surface option (K) will not accept a storage case (C5040.) without storage case leg (C5050.).

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.


Work surface with solid surface option (K) has a matte gloss level and includes a backsplash.

When hanging work surface with laminate option (L) from wall strips, order recommended backsplash (C2910.) separately.

Order optional products separately:

- Drawer bearer package (CO228)
- Gripper package (CO266), for laminate (L) option only
- Keyboard/Mouse Support, Adjustable (Y7710.)
- Lockable drawer bearer (CO396)

Dimensions



Specification Information

Step 1.

C2142.

Step 2. Depth

24 24" deep
30 30" deep

Step 3. Width

24 24" wide
30 30" wide
36 36" wide
48 48" wide
60 60" wide
72 72" wide
96 96" wide

Step 4. Material

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), or 60" wide (60)

L laminate
K solid surface

For 72" wide (72) or 96" wide (96)

L laminate

Prices for Steps 1-4.

	L	K
C2142. 24 24	\$106	1356
30	\$132	1575
36	\$180	1976
48	\$242	2236
60	\$353	2677
72	\$442	—
96	\$569	—
30 24	\$113	1519
30	\$164	1763
36	\$206	2209
48	\$337	2491
60	\$479	2979
72	\$589	—
96	\$705	—

Standard-Duty Work Surface

continued


Step 5. Finish

For laminate (L)

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For solid surface (K)

1N	canyon	+\$0
CQ	glacier white	+\$0
QB	bisque	+\$0
1E	flint	+\$50
1S	savannah	+\$50
1U	sahara	+\$50
3I	mojave	+\$50
4I	sandstone	+\$50
IQ	aurora	+\$50
OQ	silt	+\$50
Q1	vanilla	+\$50
7I	raffia	+\$200
BLP	blue pebble	+\$200



Product Information

Description

This work surface is supported by heavy duty work surface supports, allowing it to hang from a panel, module, or wall strips. It has a top-loading capacity of up to 400 pounds. It can hold drawers and includes drawer bearers. Appropriate heavy duty work surface supports must be specified and ordered separately.

The work surface can be specified as laminate, Chemsurf®, stainless steel, Corian®, or phenolic resin. A 51"-wide surface has a 3" overhang on the left or right side to fill the gap created by a mid-run support, C-series 3-way connector, or interface connector. A 96"-wide surface includes 1 additional support bracket. The 24"-wide surface cannot accept components.

Notes

Order heavy duty work surface supports (C2140.H, C2140.W, C214.R) separately.

For stainless steel option (S), order 1 of the following products separately:

- Heavy duty work surface support, with component adapter (C2140.W)
- Heavy duty work surface support, component adapter ready (C2140.R)

Work surface with phenolic resin option (P) or Corian option (K) must use work surface supports (C2140.) heavy duty, with component adaptor (W) or heavy duty, component adaptor ready (R) options.

Finish color on phenolic resin option (P) is black.

Work surface with solid surface option (K) has a matte gloss level.

Work surface with phenolic resin option (P) or Corian option (K) includes a backsplash.

Work surface with phenolic resin option (P) is 1" thick and includes spacers for transitioning to adjacent, non-resin surfaces.

To support a 30" deep work surface installed on wall strips, a storage case (C5040.) with storage case leg (C5050.) is required. Order separately.

When hanging a work surface with laminate option (L) or Chemsurf® option (C) from wall strips, order recommended backsplash (C2910.) separately.

Work surface supports the following quantities of drawers, C frames, or storage cabinets:

- 24" wide: 1 drawer or 1 C frame
- 30", 36" wide: 1 drawer, 1 C frame or 1 storage cabinet
- 48", 51", and 60" wide: 2 drawers, 2 C frames, or 2 storage cabinets
- 72" wide: 3 drawers, 3 C frames, or 3 storage cabinets
- 96" wide: 4 drawers, 4 C frames, or 4 storage cabinets


24"-wide work surface will not accept a storage case (C5040.) or storage unit (C5010.).

Work surface with phenolic resin option (P) or stainless steel option (S) will not accept a keyboard/mouse support, adjustable (Y7710.).

Order optional products separately:

- Drawer (C0207, C0208, or C0209)
- Keyboard tray (Y7710.), except for stainless steel (S) and phenolic resin (P) surfaces
- Pencil drawer (A0480.)
- Storage case (C5040.) and adapter rail (C1610.), except for phenolic resin (P) surfaces
- Storage unit (C5010.) and component adaptor (C2193.)

Dimensions



Heavy-Duty Work Surface *continued***Specification Information**

Step 1.

C2141.

Step 2. Depth

24 24" deep
30 30" deep

Step 3. Width

24 24" wide
30 30" wide
36 36" wide
48 48" wide
5L 51" wide, left overhang
5R 51" wide, right overhang
60 60" wide
72 72" wide
96 96" wide

Step 4. Material

For 24" wide (24), 30" wide (30), 36" wide (36), 48" wide (48), 60" wide (60), or 72" wide (72)

L laminate
C Chemsurf®
S stainless steel **[A]**
P phenolic resin
K corian

For 51" wide, left overhang (5L) or 51" wide, right overhang (5R)

L laminate
C Chemsurf®
S stainless steel **[A]**
P phenolic resin
K corian

For 96" wide (96)

L laminate
C Chemsurf®
S stainless steel **[A]**

Prices for Steps 1-4.

	L	C	S	P	K
C2141. 24 24	\$143	194	1962	695	1151
30	\$153	228	2111	821	1288
36	\$200	290	2522	947	1570
48	\$272	371	3012	1199	2118
5L	\$326	430	3281	1325	2404
5R	\$326	430	3281	1325	2404
60	\$379	479	3926	1388	2406
72	\$469	583	4480	1577	2973
96	\$600	731	5018	—	—
30 24	\$184	219	2209	757	1313
30	\$194	297	2493	947	1473
36	\$264	395	3171	1074	1782
48	\$355	502	3732	1388	2369
5L	\$369	518	4036	1577	2699
5R	\$369	518	4036	1577	2699
60	\$489	636	4791	1640	2692
72	\$600	761	5517	1892	3342
96	\$736	931	5890	—	—

Step 5. Finish

For laminate (L)


HF inner tone light **+\$0**
LT light tone **+\$0**
LU soft white **+\$0**
WN warm grey neutral **+\$0**

For Chemsurf® (C)

JD warm grey neutral Chemsurf® **+\$0**
KH light tone Chemsurf® **+\$0**
KR inner tone light Chemsurf® **+\$0**
LE soft white Chemsurf® **+\$0**

Heavy-Duty Work Surface *continued**For corian (K)*

CQ	glacier white	+\$0
Q1	vanilla	+\$0
QB	bisque	+\$0
1N	canyon	+\$370
1S	savannah	+\$370
1U	sahara	+\$370
3I	mojave	+\$370
4I	sandstone	+\$370
IQ	aurora	+\$370
OQ	silt	+\$370
1E	flint	+\$740
7I	raffia	+\$740
BLP	blue pebble	+\$740



Product Information

Description

This set of supports allows a standard- or heavy duty work surface to hang from a panel, module, or wall strips.

Notes

Supports for standard duty surfaces include the following:

Surface Width—Supports

24"-60" wide—2 supports (1 left and 1 right)

72" wide—3 supports (1 left, 1 middle, and 1 right)

96" wide—4 supports (1 left, 2 middle, and 1 right)

Supports for heavy duty surfaces include the following:

Surface Width—Supports


24"-72" wide—2 supports (1 left and 1 right)

96" wide—3 supports (1 left, 1 middle, and 1 right)

For standard duty option (S), order standard duty work surface (C2142.) separately.

For heavy duty options (H,W, or R), order appropriate heavy duty work surface (C2141.) separately.

Dimensions



Specification Information

Step 1.

C2140.

Step 2. Type

S standard duty

H heavy duty

W heavy duty, with component adaptor

R heavy duty, component adaptor ready

Step 3. Depth

24 for 24"-deep work surface

30 for 30"-deep work surface

Step 4. Width

24 24" wide

30 30" wide

36 36" wide

48 48" wide

60 60" wide

72 72" wide

96 96" wide


Prices for Steps 1-4.

	24	30	36	48	60	72
C2140. S	\$148	148	148	148	148	222
30	\$148	148	148	148	148	222
H 24	\$206	206	206	206	206	206
30	\$221	221	221	221	221	221
W 24	\$373	398	419	440	481	524
30	\$410	435	455	477	518	560
R 24	\$268	268	268	268	268	295
30	\$304	304	304	304	304	336
						96
C2140. S						\$295
30						\$295
H 24						\$309
30						\$331
W 24						\$725
30						\$780
R 24						\$441
30						\$502

Work Surface Support *continued*

Step 5. Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description


This 24"-deep rectangular work surface hangs on a standard rail. It has predrilled holes for hanging drawers, suspended pedestals, or keyboard trays. The work surface can be installed, relocated, or removed without tools and without disturbing other rail components. The support arm finish matches the surface finish.

Notes

Order optional work surface backsplash (C2910) separately.

Order optional keyboard/mouse support, adjustable (Y7710) separately.

Dimensions



Specification Information

Step 1.

C2410.24

Step 2. Width

48 48" wide


72 72" wide

Prices for Steps 1-2.


C2410.24	48	\$908
	72	\$1125

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**


This cover provides a continuous surface for 2 back-to-back squared-edge work surfaces hung on an open panel frame. It is 48" wide but can be field cut to fit a narrower opening.

Dimensions**Specification Information****Step 1.****C2399.48**

\$75

Step 2. Finish

BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This assembly attaches to a support panel, a module, or wall strips and provides support for a C frame and components hanging on the C frame.

Attachment hardware is included. Shipped knocked down.


The assembly holds the following quantities of C frames:

- 24" and 30" wide: 1 C frame
- 48" and 60" wide: 2 C frames
- 72" wide: 3 C frames

Notes

For 51"-wide work surface, order 48"-wide C frame support.

Dimensions



Specification Information

Step 1.

C2192.

Step 2. Work Surface Depth

24	for 24"-deep work surface
30	for 30"-deep work surface

Step 3. Width


24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide
72	72" wide

Prices for Steps 1-3.

	24	30	36	48	60	72
C2192. 24		\$556	561	567	572	577
30		\$612	652	656	661	667

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This kit attaches to a heavy-duty work surface support and allows C frames to hang below the work surface. Attachment hardware is included.

The kit holds the following quantities of C frames or storage units:

- 24" wide: 1 C frame
- 30" wide: 1 C frame or storage unit
- 48" and 60" wide: 2 C frames or storage units
- 72" wide: 3 C frames or storage units
- 96" wide: 4 C frames or storage units

Notes

The kit attaches to a work surface support (C2140.) with heavy duty, component adapter ready option (R).


For 51"-wide work surface, order 48"-wide kit.

96"-wide kit is shipped in 2 pieces.

Order storage components separately:

- C frame (CO205)
- Storage unit (C5010.)

Dimensions



Specification Information

Step 1.

C2193.

Step 2. Width


24	24" wide
30	30" wide
48	48" wide
60	60" wide
72	72" wide
96	96" wide

Prices for Steps 1-2.

C2193. 24	\$150
30	\$179
48	\$225
60	\$270
72	\$318
96	\$407



Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0


**Product Information****Description**

This plastic barrier attaches to the back edge of a C-series rectangular or corner work surface or to a process table and creates a backsplash.

Package contains 6.

Dimensions**Specification Information****Step 1.****C2910.****Step 2. Width****72** 72" wide**Prices for Steps 1-2.****C2910. 72** \$337**Step 3. Surface Finish***For 72" wide (72)*


BK	black	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This component attaches to a Casework work surface. It fills the gap created when Casework base cabinets are placed against terminal panels or wall strips. Package contains 6. Attachment hardware is included.

Notes


Order work surface (CG211. or CG212.) or corner work surface (CG218. or CG219.) separately.

Dimensions**Specification Information****Step 1.****C2920.96**

\$143

Step 2. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**


This side splash attaches to a Co/Struc phenolic resin work surface. It is used at the end of a run or at a corner. The finish is available in black only.

Notes

Order phenolic work surface (C2141) separately.

Dimensions**Specification Information****Step 1.****C2930.****Step 2. Depth****24** 24" deep**30** 30" deep**Step 3. Material****P** phenolic resin**Prices for Steps 1-3.**

	P
C2930. 24	\$321
30	\$345



Product Information

Description

This 48"-wide work surface hangs from modules, C-series support panels, or wall strips and provides additional top-loading capacity. It includes 1 drawer bearer package. The work surface cannot attach to Action Office® Series 1 or Series 2 connectors. Attachment hardware is included.


The work surface has a laminate or Chemsurf® top. The support arm finish matches the surface finish.

Notes


When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.

Order optional keyboard/mouse support, adjustable (Y7710.) separately.


Dimensions



TOP



TOP



FRONT

Heavy-Duty Corner Work Surface

continued

Specification Information

Step 1.

C2215.

Step 2. Depth

2448 24" deep

3048 30" deep

Prices for Steps 1-2.

C2215. 2448	\$744
3048	\$862

Step 3. Surface Finish

Laminate Top

2448 **3048**


HF	inner tone light <input type="checkbox"/>	+\$0	0
LT	light tone <input type="checkbox"/>	+\$0	0
LU	soft white <input type="checkbox"/>	+\$0	0
WN	warm grey neutral <input type="checkbox"/>	+\$0	0

Chemsurf® Top

2448 **3048**

JD	warm grey neutral Chemsurf® <input type="checkbox"/>	+\$167	194
KH	light tone Chemsurf® <input type="checkbox"/>	+\$167	194
KR	inner tone light Chemsurf® <input type="checkbox"/>	+\$167	194
LE	soft white Chemsurf® <input type="checkbox"/>	+\$167	194

Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° Corner Connector



Product Information

Description

This 48"-wide work surface hangs from panels or wall strips connected by an Action Office® Series 1 or 2 90° corner connector. It provides additional top-loading capacity and includes 1 drawer bearer package. The support arm finish matches the surface finish. The work surface cannot attach to a C-series 90° corner connector. Attachment hardware is included.

The work surface has a laminate or Chemsurf® top.


Notes

When hanging work surface from wall strips, order recommended work surface backsplash (C2910.) separately.


Order optional keyboard/mouse support, adjustable (Y7710.) separately.

C2216.


Dimensions



TOP



TOP



FRONT

Heavy-Duty Corner Work Surface,
Action Office® Series 1 or 2 90°
Corner Connector *continued*

Specification Information

Step 1.

C2216.

Step 2. Depth

2448 24" deep

3048 30" deep

Prices for Steps 1-2.

C2216. 2448	\$744
3048	\$862

Step 3. Surface Finish

Laminate Top

2448 3048

HF	inner tone light <input type="checkbox"/>	+\$0	0
LT	light tone <input type="checkbox"/>	+\$0	0
LU	soft white <input type="checkbox"/>	+\$0	0
WN	warm grey neutral <input type="checkbox"/>	+\$0	0


Chemsurf® Top

2448 3048

JD	warm grey neutral Chemsurf® <input type="checkbox"/>	+\$167	194
KH	light tone Chemsurf® <input type="checkbox"/>	+\$167	194
KR	inner tone light Chemsurf® <input type="checkbox"/>	+\$167	194
LE	soft white Chemsurf® <input type="checkbox"/>	+\$167	194

Workstation, Electric Height Adjustment

C4310.



Product Information

Description

This 30"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (C0521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

Order workstation storage components separately:

- Reagent shelf (C4327.)

Order overhead components (to hang on riser frame) separately:


- B-style shelf (C3011.)
- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)
- Shelf unit (C5020. or C5021.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Workstation, Electric Height Adjustment *continued*

Specification Information

Step 1.

C4310.30

Step 2. Width

- 48** 48" wide
- 60** 60" wide
- 72** 72" wide

Step 3. Surface Material

- L** laminate
- C** Chemsurf®

Prices for Steps 1-3.

	L	C
C4310.30	48	\$5919 6195
	60	\$5998 6275
	72	\$6270 6547

Step 4. Casters/Glides

- GA** glides +\$0
- CA** casters +\$370

Step 5. Top/Frame Finish

For laminate (L)


- HF** inner tone light +\$0
- LT** light tone +\$0
- LU** soft white +\$0
- WN** warm grey neutral +\$0

For Chemsurf® (C)

- JD** warm grey neutral Chemsurf® +\$0
- KH** light tone Chemsurf® +\$0
- KR** inner tone light Chemsurf® +\$0
- LE** soft white Chemsurf® +\$0

Workstation, Manual Height Adjustment

C4311.



Product Information

Description

This 30"-deep height-adjustable work station has a laminate or Chemsurf® top. It is pin adjustable in 1" increments and has a 15" travel range from 26½" to 41½". The table has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

A riser frame attaches to the table base to provide upright support for hanging components. The table includes 1 stretcher to support a C frame or storage unit. The 48"-wide workstation has 1 set of drawer bearers; 60"- and 72"-wide workstations have 2 sets of drawer bearers.

Notes

60"- and 72"-wide riser frames require a riser frame divider for overhead storage components. See Co/Struc Planning Guide for information.

Order storage components (to hang on stretcher) separately:

- B-style shelf (C0521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

Order workstation storage components separately:

- Reagent shelf (C4327.)

Order overhead components (to hang on riser frame) separately:


- Equipment rail (C1172.)
- Flat panel mount (C4324.)
- Marker board (C4323.)
- Power strip (C4322.)
- Riser frame divider (C4320.)
- Riser frame end cover (C4321.)

Order Action Office® overhead components separately. See Co/Struc Planning Guide for information.

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Workstation, Manual Height Adjustment *continued*

Specification Information

Step 1.

C4311.30

Step 2. Width

48 48" wide

60" 60" wide

72" 72" wide

Step 3. Surface Material

L laminate

© Chemsurf®

Prices for Steps 1-3.

		L	C
C4311.30	48	\$4500	4801
	60	\$4603	4903
	72	\$4817	5207

Step 4. Casters/Glides

GA	glides	+\$0
CA	casters	+\$370


Step 5. Top/Frame Finish

For laminate (L)		
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

For Chemsurf® (C)		
JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Work Table, Electric Height Adjustment

C4312.



Product Information

Description

This 2-sided, 42"-deep height-adjustable table has a laminate or Chemsurf® top. The electrically driven assembly has a 15" travel range from 26½" to 41½". The table base is equipped with a motor, height-control box, and 8½' power cord. It has a load capacity of 400 pounds when weight is evenly distributed. The table is available with leveling glides or 4" casters with brakes. It is UL listed for the U.S. and Canada. Attachment hardware is included. Shipped knocked down.

The table includes 2 stretchers (one on each side) to support C frames and/or storage units. 48"- and 60"-wide tables have 4 sets of drawer bearers.

Notes




Order storage components separately:

- B-style shelf (CO521.)
- C frame (CO205)
- Drawer (CO207, CO208, or CO209)
- Storage unit (C5010.)

When specifying a Chemsurf® finish, the corresponding frame finish is as follows:

- For warm grey neutral Chemsurf (JD), warm grey neutral (WN) frame.
- For light tone Chemsurf (KH), light tone (LT) frame.
- For inner tone light Chemsurf (KR), inner tone light (HF) frame.
- For soft white Chemsurf (LE), soft white (LU) frame.

Dimensions



Work Table, Electric Height Adjustment *continued*

Specification Information

Step 1.

C4312.42

Step 2. Width

48" 48" wide

60" 60" wide

Step 3. Surface Material

L laminate

© Chemsurf®

Prices for Steps 1-3.

1 6

C4312.42 48 \$5451 5737
60 \$5623 5909

Step 4: Casters/Glides

GA	glides	+\$0
CA	casters	+\$370

Step 5. Top/Frame Finish

For laminate (I)

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0


For Chemsurf® (C)

JD	warm grey neutral Chemsurf®	+\$0
KH	light tone Chemsurf®	+\$0
KR	inner tone light Chemsurf®	+\$0
LE	soft white Chemsurf®	+\$0

Reagent Shelf

C4326.

C4327.


**Product Information****Description**

This metal shelf attaches to a workstation or process table to provide storage for reagents below the surface.



Notes

Order workstation (C4310. or 4311.) separately.


Order process table (C4313.) separately.

Dimensions

For Electric Process Table



For Workstation

**Specification Information****Step 1.****C432****Step 2. Type**

6. for electric process table
7. for workstation

Step 3. Depth

For electric process table (6.)

16 16" deep

For workstation (7.)

18 18" deep

Step 4. Width


48 48" wide
60 60" wide
72 72" wide

Prices for Steps 1-4.

	48	60	72
C4326. 16	\$727	741	790
C4327. 18	\$761	776	828

Step 5. Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This freestanding table base is available at seated height (29" high) and standing height (36" high), has 2 C-legs, a steel modesty panel, and 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is 28 $\frac{3}{4}$ " for a 29" seated-height table base and 35 $\frac{3}{4}$ " for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base. Order casters as a service part.

Clearance from front of table to modesty panel is 24 $\frac{1}{4}$ " for a 30"-deep work surface and 18 $\frac{1}{4}$ " for a 24"-deep work surface.

Order work table surface (C4700.) separately:

- 24" and 30" depths, and 48", 51" (left and right), and 60" widths are compatible with table bases 24" deep x 48" wide.
- 60" wide work table surface overhangs on center of a 48"-wide table base.
- 51" wide (left and right) work table surfaces overhang left or right of a 48"-wide table base.
- Order drawer bearers separately, with work table surface.

Order separately:

• Work table reagent shelf (C4900.).

• Cord cleat (G1331.).


• Cable management trough (AO382.).

To accommodate a refrigerator, a 36"-high table base is recommended.

Refrigerators 21.34" wide or less can be used with 1 set of adjacent drawer bearers for a 3" or 6" drawer (CO207, CO208) only.

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Dimensions



Basic Work Table Base *continued*

Specification Information

Step 1.

C460

Step 2. Glides

G. glides

Step 3. Depth

24 24" deep

Step 4. Width

48 48" wide

Step 5. Height

29 29" high


36 36" high

Prices for Steps 1-5.

	29	36
C460G. 24 48	\$914	965

Step 6. Base/Modesty Panel Finish

HF	inner tone light <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CN	metallic champagne <input type="checkbox"/>	+\$20
MS	metallic silver <input type="checkbox"/>	+\$20



Product Information

Description

This freestanding table base is available at seated height (29" high) and standing height (36" high) and has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

If casters are desired at initial purchase, Options is recommended as a solution to maintain 29" and 36" heights. Casters are also available as a service part if replacing glides with casters is desired in the future.

At lowest glide adjustment, actual height of table with glides and work surface is 28 $\frac{3}{4}$ " for a 29" seated-height table base and 35 $\frac{3}{4}$ " for a 36" standing-height table base. Actual height of table with casters and work surface is 31.4" for a 29" seated-height table base and 38.4" for a 36" standing-height table base.

Order work table surface (C4700.) separately:

- 24" deep x 36" wide base is only compatible with a 24" deep x 36" wide work table surface.
- 24" deep x 48" wide base is compatible with a 24" deep x 48", 51" (left and right), 60" wide work table surface.
- 24" deep x 72" wide base is only compatible with a 24" deep x 72" wide work table surface.
- 30" deep x 36" wide base is only compatible with a 30" deep x 36" wide work table surface.
- 30" deep x 48" wide base is compatible with a 30" deep x 48", 51" (left and right), 60" wide work table surface.
- 30" deep x 48S" wide base is only compatible with a 36" deep x 72" wide work table surface.
- 30" deep x 72" wide base is only compatible with a 30" deep x 72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48"-wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order storage components separately:

- Drawer (CO207, CO208, CO209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (CO205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide x 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.


Order technology support and cord management accessories separately:

- Connect™ - S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.XCM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331.).
- Cable management trough (A0382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C461G.3036; order Y1200.42 for a C461G.3048.

Standard Work Table Base *continued*

Dimensions



Specification Information

Step 1.

C461 A

Step 2. Glides

G. glides A

Step 3. Depth

24 24" deep A**30** 30" deep A

Step 4. Width

For 24" deep (24)

36 36" wide A**48** 48" wide A**72** 72" wide A

For 30" deep (30)

36 36" wide A**48** 48" wide A**72** 72" wide A**48S** 48" wide, symmetrical support A

Step 5. Height

29 29" high A**36** 36" high A

Step 6. Number of Stretchers

For 29" high (29)

A upper placement only A

For 36" high (36)

A upper placement only A**B** upper and lower placement A

Prices for Steps 1-6.

	29A	36A	36B
C461G. 24 36	\$1033	1094	1273
48	\$1043	1106	1282
72	\$1131	1193	1450
30 36	\$1057	1116	1296
48	\$1069	1128	1306
72	\$1156	1218	1474
48S	\$1297	1403	1623

Standard Work Table Base *continued*


Step 7. Base/Stretcher Finish

HF	inner tone light 	+\$0
LT	light tone 	+\$0
LU	soft white 	+\$0
WN	warm grey neutral 	+\$0
CN	metallic champagne 	+\$20
MS	metallic silver 	+\$20

Adjustable Work Table Base

C462C.

C462G.



Product Information

Description

This freestanding 1" pin-adjustable table base has stretchers to support C frames, drawers, and storage units. Table base comes with 1" adjustable glides or 4" locking casters. Base finishes come in both metallic and standard healthcare finishes. Work table surface and available reagent shelf are ordered separately. The table has a load capacity of 500 pounds when weight is evenly distributed. Shipped knocked down.

Notes

Table with glides and work surface adjusts from 27" high to 36" high.

Table with casters adjusts from 30" high to 38" high.

Order work table surface (C4700.) separately:

- 24" deep x 36" wide base is only compatible with a 24" deep x 36" wide work table surface.
- 24" deep x 48" wide base is compatible with a 24" deep x 48", 51" (left and right), 60" wide work table surface.
- 24" deep x 72" wide base is only compatible with a 24" deep x 72" wide work table surface.
- 30" deep x 36" wide base is only compatible with a 30" deep x 36" wide work table surface.
- 30" deep x 48" wide base is compatible with a 30" deep x 48", 51" (left and right), 60" wide work table surface.
- 30" deep x 48S" wide base is only compatible with a 36" deep x 72" wide work table surface.
- 30" deep x 72" wide base is only compatible with a 30" deep x 72" wide work table surface.

60" wide work table surface (C4700.) overhangs on center of a 48"-wide table base.

51" wide (left and right) work table surfaces (C4700.) overhang left or right of a 48"-wide table base.

Order drawer bearers separately, with work table surface (C4700.).

Order storage components separately:

- Drawer (C0207, C0208, C0209).
- Storage unit (C5010.).
- Work table reagent shelf (C4900.).
- C frame (C0205).

Maximum C frames or storage units using maximum number of stretchers and a 36"-high table base:

- For 36"-wide base: 2 C frames or 1 storage unit.
- For 48"-wide base: 4 C frames or 2 storage units.
- For 48S"-wide x 30"-deep base: 8 C frames (4 front/4 back) or 4 storage units.
- For 72"-wide base: 6 C frames or 3 storage units.

For tables adjusted below 32" high, C frames hang from top stretcher only, and storage units cannot mount.


Due to the nature of the paint for metallic finishes (CN, MS), the end finish is more prone to show a light blemish or texture change on the top of the table foot when light hits it directly. This is normal as a result of the metal transition from the weld underneath.

Order technology support and cord management accessories separately:

- Connect™ - S300 (Y1323.xxxxS).
- Flo® single-screen monitor arm (Y91171.CM).
- Flo plus monitor arm assembly (Y91174.xCM).
- Tablet support (Y91173.).
- Laptop mount (Y91177.).
- LE series keyboard solutions (Y7710.1).
- JAW™ adjustable CPU holder assembly (Y91103.).
- Cord cleat (G1331).
- Cable management trough (AO382.).
- Cable trough (Y1200.).

Order Y1200.30 for a C462x.3036; order Y1200.42 for a C462x.3048.

Dimensions



Adjustable Work Table Base

continued

Specification Information

Step 1.

C462

Step 2. Casters/Glides

G. glides

C. casters

Step 3. Depth

24 24" deep

30 30" deep

Step 4. Width

For 24" deep (24)

36 36" wide

48 48" wide

72 72" wide

For 30" deep (30)

36 36" wide

48 48" wide

72 72" wide

48S 48" wide, symmetrical support

Step 5. Number of Stretchers


A upper placement only

B upper and lower placement

Prices for Steps 1-5.

	A	B
C462G. 24 36	\$1645	1831
48	\$1657	1843
72	\$1750	2018
30 36	\$1662	1845
48	\$1672	1858
72	\$1765	2033
48S	\$1912	2149

	A	B
C462C. 24 36	\$1710	1896
48	\$1721	1908
72	\$1815	2083
30 36	\$1725	1909
48	\$1737	1923
72	\$1830	2098
48S	\$1976	2213



Product Information

Description

This work table surface attaches to work table bases (C460G., C461G., C462G., C462C.). Predrilled holes accept drawer bearers ordered with the work surface. Surface material is available in laminate, Chemsurf®, Corian®, or phenolic resin.

Notes

Drawer bearers must be field installed.

Only used on work table bases C460G., C461G., C462G., C462C., ordered separately. See table base information for work surface compatibilities and top load weight capacities.


Work table surface supports the following maximum pairs of drawer bearers (each pair has 1 left and 1 right bearer):

- For 36"-wide table: 1 pair.
- For 48"-wide table: 2 pair.
- For 48S"-wide table: 4 pair (2 pair on either side).
- For 60"-wide table: 2 pair.
- For 72"-wide table: 3 pair.


Phenolic resin is 1" thick. When ordering adjustable work table base (C462C.) with phenolic resin top (C4700.xxxxP) that needs to be level with tables (C462C.) using laminate, Chemsurf, or Corian tops (C4700.L, C4700.K, C4700.C), order phenolic shim service part.

See Co/Struc® System planning guide for capacity information.


Dimensions



Left overhang



Right overhang



Centered

Work Table Surface, Rectangular

continued

Specification Information

Step 1.

C4700.

Step 2. Depth

24 24" deep

30 30" deep

36 36" deep

Step 3. Width

For 24" deep (24)

36 36" wide

48 48" wide

51L 51" wide, left overhang

51R 51" wide, right overhang

60 60" wide

72 72" wide

For 30" deep (30)

36 36" wide

48 48" wide

51L 51" wide, left overhang

51R 51" wide, right overhang

60 60" wide

72 72" wide

For 36" deep (36)

72 72" wide

Step 4. Surface Material

L laminate

C Chemsurf®

K corian

P phenolic resin

Prices for Steps 1-4.

	L	C	K	P
C4700. 24	\$207	272	704	878
48	\$226	297	882	1167
51L	\$286	374	1060	1415
51R	\$286	374	1060	1415
60	\$294	383	1061	1417
72	\$317	470	1240	1708

30	36	\$233	298	832	1083
48		\$261	326	1035	1436
51L		\$321	407	1248	1745
51R		\$321	407	1248	1745
60		\$317	468	1241	1738
72		\$359	501	1450	2096
36	72	\$476	778	1694	3202

Step 5. Top/Edge Finish

For laminate (L)

HF	inner tone light <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0

For laminate (L)

28	canyon <input type="checkbox"/>	+\$0
29	misted <input type="checkbox"/>	+\$0

For Chemsurf® (C)

JD	warm grey neutral Chemsurf® <input type="checkbox"/>	+\$0
KH	light tone Chemsurf® <input type="checkbox"/>	+\$0
KR	inner tone light Chemsurf® <input type="checkbox"/>	+\$0
LE	soft white Chemsurf® <input type="checkbox"/>	+\$0

For corian (K)

CQ	glacier white <input type="checkbox"/>	+\$0
Q1	vanilla <input type="checkbox"/>	+\$0
QB	bisque <input type="checkbox"/>	+\$0
1N	canyon <input type="checkbox"/>	+\$400
1S	savannah <input type="checkbox"/>	+\$400
1U	sahara <input type="checkbox"/>	+\$400
3I	mojave <input type="checkbox"/>	+\$400
4I	sandstone <input type="checkbox"/>	+\$400
IQ	aurora <input type="checkbox"/>	+\$400
OQ	silt <input type="checkbox"/>	+\$400
1E	flint <input type="checkbox"/>	+\$525
7I	raffia <input type="checkbox"/>	+\$525
BLP	blue pebble <input type="checkbox"/>	+\$525

For phenolic resin (P)

BK	black <input type="checkbox"/>	+\$0
-----------	--------------------------------	------

Work Table Surface, Rectangular

continued

Step 6. Pairs of Drawer Bearers

For 36" wide (36)

NB	without drawer bearers	<input type="checkbox"/> A	+\$0
1D	1 pair drawer bearers	<input type="checkbox"/> A	+\$15

For 48" wide (48), 51" wide, left overhang (51L), 51" wide, right overhang (51R), or 60" wide (60)


NB	without drawer bearers	<input type="checkbox"/> A	+\$0
1D	1 pair drawer bearers	<input type="checkbox"/> A	+\$15
2D	2 pair drawer bearers	<input type="checkbox"/> A	+\$30

For 24" deep (24) or 30" deep (30) with 72" wide (72)

NB	without drawer bearers	<input type="checkbox"/> A	+\$0
1D	1 pair drawer bearers	<input type="checkbox"/> A	+\$15
2D	2 pair drawer bearers	<input type="checkbox"/> A	+\$30
3D	3 pair drawer bearers	<input type="checkbox"/> A	+\$45

For 36" deep (36) with 72" wide (72)

NB	without drawer bearers	<input type="checkbox"/> A	+\$0
1D	1 pair drawer bearers	<input type="checkbox"/> A	+\$15
2D	2 pair drawer bearers	<input type="checkbox"/> A	+\$30
3D	3 pair drawer bearers	<input type="checkbox"/> A	+\$45
4D	4 pair drawer bearers	<input type="checkbox"/> A	+\$60



Product Information

Description

This high-pressure laminate shelf attaches to work table bases to provide storage below the surface.

Notes

Compatible with basic work table base (C460G.), standard work table base (C461G.xxxxxxxA), and adjustable work table base with upper stretcher placement only (C462x.xxxxxA).


Compatible only with 36"-high table bases, due to installation clearance needed.

16" deep shelf (C4900.16) is compatible with 24"- and 30"-deep table bases. 18" deep shelf (C4900.18) is compatible with only 30"-deep table bases.

Order warm grey neutral (WN) reagent shelf finish to complement a metallic champagne (CN) table base. Order cool grey neutral (CL) reagent shelf finish to complement a metallic silver (MS) table base.

Reagent shelf (C4900.) rests on table base legs and is not height adjustable.

Dimensions



Specification Information

Step 1.

C4900.

Step 2. Depth

16 16" deep

18 18" deep

Step 3. Width

36 36" wide

48 48" wide

72 72" wide

Step 4. Surface Material


L laminate

Prices for Steps 1-4.

	L
C4900. 16 36	\$365
48	\$412
72	\$597
18 36	\$383
48	\$430
72	\$616

Step 5. Top/Edge Finish

HF	inner tone light <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
CL	cool grey neutral <input type="checkbox"/>	+\$0

**Product Information****Description**


This piece divides a workstation riser frame into smaller sections and provides upright riser support for hanging components. The dividers bolt to the riser frame at predrilled attachment locations. Finish is black.


Notes

Order workstation (C4310. or C4311.) separately.

Dimensions**Specification Information****Step 1.****C4320.**

\$335



**Product Information****Description**


This metal cover finishes the exposed hardware on the end of a riser frame.

Notes

Specify 2 end covers per riser frame.

Specify end cover finish to match the corresponding finish of workstation (C4310. or C4311.) to which cover will be attached.


Order workstation (C4310. or C4311.) separately.

Dimensions**Specification Information****Step 1.****C4321.**

\$87

Step 2. Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This power strip mounts horizontally on hanger clips and provides single-circuit, 15-amp, 100-volt outlets on a riser frame. It has a lighted on/off switch with circuit breaker and an 8' cord. It is UL listed.

Mounting hardware is included.

Power strips have the following number of outlets:

Width—Outlets
 24"—4 outlets
 30"—5 outlets
 36"—6 outlets
 48"—8 outlets
 60"—10 outlets
 72"—12 outlets

Notes


To mount power strip inside riser frame (vertically), specify 36" width.

Specify power strip finish to match the corresponding finish of workstation (C4310. or C4311.) to which it will be attached.

Order workstation (C4310. or C4311.) separately.

For lab modules (C1112., C1114.) and support panels (C1150., C1151.), power strip can be specified as part of the product.

Dimensions



Specification Information

Step 1.

C4322.

Step 2. Width


24 24" wide
30 30" wide
36 36" wide
48 48" wide
60 60" wide
72 72" wide

Prices for Steps 1-2.

C4322. 24	\$375
30	\$403
36	\$433
48	\$446
60	\$503
72	\$533

Step 3. Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**


This 2-sided white board mounts between 2 riser frame dividers or a riser frame and a riser frame divider. Both sides are magnetic with white erasable writing surfaces. Includes a black-texture marker tray on one side only. Mounting hardware is included.


Notes

Order workstation (C4310. or C4311.) separately.

Dimensions**Specification Information****Step 1.****C4323.****Step 2. Width****24** 24" wide**30** 30" wide**36** 36" wide**Prices for Steps 1-2.**

C4323. 24	\$325
30	\$360
36	\$383



**Product Information****Description**


This arm mounts to a workstation riser frame and holds a flat panel display monitor. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards) with a 100 mm or 75 mm mounting pattern. It provides 360° monitor rotation and 60° horizontal and vertical tilt range. Finish is black. Mounting hardware is included. Finish is black.


Notes

Order workstation (C4310. or C4311.) separately.

Dimensions**Specification Information****Step 1.****C4324.**

\$488





Product Information

Description

This component hangs from a module, a support panel, or wall strips and holds a 12"-high sink. It includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.

The module accepts the following cutout dimensions:

Depth:

- 24": 18¹/₄"-deep maximum cutout
- 30": 24¹/₄"-deep maximum cutout

Width:


- 24": 19⁵/₈"-wide maximum cutout
- 30": 25⁵/₈"-wide maximum cutout
- 48": 43⁵/₈"-wide maximum cutout
- 60": 55⁵/₈"-wide maximum cutout

Notes

Sink must be customer supplied and field installed.

Order standard duty work surface (C2142.) with solid surface option (K) separately.

Dimensions



Specification Information

Step 1.

C2512.

Step 2. Depth

24	24" deep
30	30" deep

Step 3. Width


24	24" wide
30	30" wide
36	36" wide
48	48" wide
60	60" wide

Prices for Steps 1-3.

	24	30	36	48	60
C2512. 24	\$495	577	606	634	691
30	\$589	691	728	760	852

Step 4. Surface Finish

91	white	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
HM	natural maple	+\$0
76	light brown walnut	+\$0
HX	aged cherry	+\$0



Product Information

Description

This 24"-deep, 48"-wide structure hangs from 2 24"-wide panels or freestanding modules or from 3 wall strips. It supports drawer storage on the left or right side and a sink unit on the other side. The maximum cutout for the sink is 18 $\frac{1}{4}$ " deep \times 19 $\frac{5}{8}$ " wide. The surface includes a front panel and side panels to conceal the bottom of the sink and left and right work surface supports. Attachment hardware is included. Shipped knocked down.

Notes

Order storage components for open space opposite sink unit separately:


- Drawer bearers (CO228 or CO396)
- Drawer caddy with casters (CO692. or CO693.)
- Gripper package (CO266) and C frame (CO205) for Co/Struc® drawers
- L cart (CO212) and single counter top (CO555) for C frames and drawers when surface is mounted 38" above floor
- Storage case (C5040.2422) and 24"-wide Co/Struc adapter rail (C1610.24)

Sink must be customer supplied and field installed.

Storage unit (C5010.) cannot mount under sink unit.

Order standard duty work surface (C2142.) with solid surface option (K) separately.

Dimensions




Specification Information

Step 1.

C2513.24	\$593
-----------------	-------

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white	+\$75


**Product Information****Description**

This sink support hangs from a module or wall strips. It supports a 5½"-deep sink and a solid surface or alternative material top. The sink support has a 4"-high laminate front trim and a removable front panel to allow access to plumbing. Attachment hardware is included. Shipped knocked down.

Notes

Order standard duty work surface (C2142.) with solid surface option (K) separately.

Sink must be customer supplied and field installed. A Just SL-ADA-1921-A-GR sink, with drain located in rear center, fits in a 24" x 24" sink support.

Dimensions**Specification Information****Step 1.****C2520.****Step 2. Depth**

24 24" deep
30 30" deep

Step 3. Width


24 24" wide
30 30" wide
48 48" wide
60 60" wide

Prices for Steps 1-3.

	24	30	48	60
C2520. 24	\$938	1056	1172	1290
30	\$997	1113	1290	1407

Step 4. Surface Finish

91	white	+\$120
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
HM	natural maple	+\$120
76	light brown walnut	+\$120
HX	aged cherry	+\$120
OG	honey maple	+\$180



Product Information

Description

This cabinet hangs below a heavy-duty work surface or process table. It has 2 side panels, a back panel, and a top and bottom panel.

Notes


Order heavy-duty work surface (C2141.), process table (C4313.), standard work table base (C461G.), adjustable lab work table base (C462G., C462C.), work table (C4312.), or workstation (C4310. or C4311.) separately.

Order shelves (C5015.1622) separately; shelves adjust in 1 $\frac{1}{4}$ " increments.

Order A-size drawers (CO207) or B-size drawers (CO208) and lockable drawer bearer (C5048.) separately.

Order storage unit door (C5016. or C5017.) separately.

Dimensions




Specification Information

Step 1.

C5010.1622	\$598
-------------------	-------

Step 2. Surface Finish



HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$60
91	white	+\$60
HM	natural maple	+\$60
HX	aged cherry	+\$60
OG	honey maple	+\$90

**Product Information****Description**

This shelf mounts inside a storage unit and adjusts in $1\frac{1}{4}$ " increments.

Notes


Order storage unit (C5010.) separately.

Dimensions**Specification Information****Step 1.****C5015.1622**

\$171

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$15
91	white	+\$15
HM	natural maple	+\$15
HX	aged cherry	+\$15
OG	honey maple	+\$25



Product Information

Description

This door attaches to the front of a storage unit. Attachment hardware is included.


Notes

Co/Struc® drawers cannot be specified behind doors.

When specifying 19"- or 22"-high lockable door that has drawers above it, specify interior filler (C5009.) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Left-Hand
Hinges

Right-Hand
Hinges

Specification Information

Step 1.

C501

Step 2. Hinge Location

- 6. left-hand hinges
- 7. right-hand hinges

Step 3. Height

- 1922** 19" high
- 2222** 22" high
- 2522** 25" high

Step 4. Lock

- N** no lock
- L** keyed differently
- K** keyed alike

Prices for Steps 1-4.

	N	L	K
C5016. 1922	\$222	275	275
2222	\$254	308	308
2522	\$297	350	350


	N	L	K
C5017. 1922	\$222	275	275
2222	\$254	308	308
2522	\$297	350	350

Step 5. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$30
91	white	+\$30
HM	natural maple	+\$30
HX	aged cherry	+\$30
OG	honey maple	+\$45

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0



Product Information

Description


This filler mounts inside a storage unit and provides closure to the cabinet below when Co/Struc drawers are installed. It mounts at either 19" or 22" high.

Notes

Order storage unit (C5010.) separately.

Filler is used with A-size drawers (CO207) or B-size drawers (CO208).

Dimensions



Specification Information


Step 1.

C5009.1622

\$171

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$15
91	white	+\$15
HM	natural maple	+\$15
HX	aged cherry	+\$15
OG	honey maple	+\$25

**Product Information****Description**

These drawer bearers attach Co/Struc® A-, B-, or C-size drawers in a storage unit. They have integral stops to prevent drawers from falling when pulled out. Mounting hardware is included. Finish is black. Package contains 1 pair.


Notes


Order A-size drawers (CO207), B-size drawers (CO208), or C-size drawers (CO209) separately.

Can be used with locking or non-locking drawers.

Dimensions**Specification Information****Step 1.****C5048.**

\$72





Product Information

Description

This case mounts under a heavy-duty rectangular or corner work surface. It has 2 side panels, a back panel, and a top and bottom panel. Interior components can be height adjusted in $1\frac{1}{4}$ " increments.

Notes

Order heavy-duty work surface (C2141.) or heavy-duty corner work surface (C2215. or C2216.) separately.


To support case mounted under rectangular work surface, order adapter rail (C1610.). To support case mounted under corner work surface, order corner storage case rail (C1611.) separately.

Order optional products separately:

- Storage case bottle drawer (C5045.)
- Storage case door (C5052. or C5053.)
- Storage case drawer (C5043. or C5044.)
- Storage case pullout shelf (C5042.)
- Storage case shelf (C5041.)

For top slot of case, specify 16" deep drawer or shelf to clear support beam under heavy-duty work surface.

Dimensions



Specification Information

Step 1.

C5040.

Step 2. Depth


2422 23" deep
3022 29" deep

Prices for Steps 1-2.

C5040.	2422	\$676
	3022	\$744

Step 3. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$70
91	white	+\$70
HM	natural maple	+\$70
HX	aged cherry	+\$70
OG	honey maple	+\$105

**Product Information****Description**

This shelf mounts inside a storage case and adjusts in $1\frac{1}{4}$ " increments.

Notes


To clear support beam on heavy-duty work surface, shelf must be positioned at least $2\frac{1}{2}$ " below the surface.

Dimensions**Specification Information****Step 1.****C5041.****Step 2. Depth****2422** 23" deep**3022** 29" deep**Prices for Steps 1-2.**

C5041. 2422	\$194
3022	\$204

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$20
91	white	+\$20
HM	natural maple	+\$20
HX	aged cherry	+\$20
OG	honey maple	+\$30



Product Information


Description

This pullout shelf is $21\frac{1}{4}$ " deep and mounts inside a storage case. It adjusts in $1\frac{1}{4}$ " increments.

Notes

To clear support beam on heavy-duty work surface, shelf must be positioned at least $2\frac{1}{2}$ " below the surface.

Dimensions



Specification Information

Step 1.

C5042.2422

\$290


Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$30
91	white	+\$30
HM	natural maple	+\$30
HX	aged cherry	+\$30
OG	honey maple	+\$45

Storage Case Drawer

C5043.

C5044.



Product Information


Description

This drawer mounts inside a storage case and is available with or without a lock. The 22"-deep drawer cannot be used in the top position of a storage case.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C504

Step 2. Depth

- 3.** 16" deep
- 4.** 22" deep

Step 3. Height

For 16" deep (3.)

- 0422** small, 5" high
- 0822** medium, 7 1/2" high

For 22" deep (4.)

- 0422** small, 5" high
- 0822** medium, 7 1/2" high
- 1222** large, 10" high

Step 4. Lock

- N** no lock
- L** keyed differently
- K** keyed alike

Prices for Steps 1-4.

	N	L	K
C5043. 0422	\$251	415	415
0822	\$314	474	474
C5044. 0422	\$275	363	363
0822	\$330	489	489
1222	\$348	506	506


Step 5. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$40
91	white	+\$40
HM	natural maple	+\$40
HX	aged cherry	+\$40
OG	honey maple	+\$60

Storage Case Drawer *continued*

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0




Product Information

Description

This pullout drawer mounts in a storage case and has a partial-height front for easy access to contents. It includes 3 dividers.

Dimensions



Specification Information

Step 1.

C5045.

Step 2. Height

0822 5" high

1222 7 1/2" high

Prices for Steps 1-2.


C5045. 0822	\$591
1222	\$630

Step 3. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$60
91	white	+\$60
HM	natural maple	+\$60
HX	aged cherry	+\$60
OG	honey maple	+\$90

Step 4. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0


**Product Information****Description**

This divider fits inside a storage case bottle drawer. Finish is soft white.
Package contains 3.

Dimensions**Specification Information****Step 1.****C5049.****Step 2. Height****0824** 5¹/₄" high**1224** 9¹/₈" high**Prices for Steps 1-2.****C5049. 0824****1224**

\$74

\$91



Product Information

Description

This door attaches to the front of a storage case. Attachment hardware is included.


Notes

Co/Struc® storage case drawers and storage case bottle drawers cannot be specified behind doors.

When specifying 17"- or 20"-high lockable door that has drawers above it, specify storage case shelf (C5041) to prevent access to cabinet below.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C505

Step 2. Hinge Location

- 2. left-hand hinges
- 3. right-hand hinges

Step 3. Height

- 1722** 17" high
- 2022** 20" high
- 2522** 25" high

Step 4. Lock

- N** no lock
- L** keyed differently
- K** keyed alike

Prices for Steps 1-4.

	N	L	K
C5052. 1722	\$207	260	260
2022	\$224	277	277
2522	\$283	336	336

C5053. 1722

2022	\$207	260	260
2522	\$224	277	277
2522	\$283	336	336

Step 5. Surface Finish


91	white	+\$30
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
HM	natural maple	+\$30
76	light brown walnut	+\$30
HX	aged cherry	+\$30
OG	honey maple	+\$45

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0

Storage Case Leg

C5050.



Product Information

Description

This leg supports a storage case mounted under a heavy-duty work surface. It provides support when the work surface holds heavy loads. The legs adjust in $1/2"$ increments to allow a work surface height of 34" to 38". Leg finish is medium tone.

Notes

Order storage case (C5040.) separately.



Dimensions


Specification Information

Step 1.

C5050.

\$165





Product Information



Description

This support rail attaches to wall strips or to 24"-wide panels or modules joined by an Action Office® Series 1 or 2 corner connector or a C-series corner connector. It supports a storage case hung from a 48"-wide, 24"-or 30"-deep heavy-duty corner work surface.

Notes

Order storage case (C5040.) separately.

Dimensions



Specification Information


Step 1.

C1611.48

\$223

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description


This unit hangs on a module, support panel, or wall strips above a work surface. It has sliding glass doors. Shipped knocked down.

Notes

Order optional task light separately:

- Utility task light (G6136.)

Dimensions



Specification Information

Step 1.

C5014.16

Step 2. Width


30 30" wide
48 48" wide

Prices for Steps 1-2.

C5014.16	30	\$1127
	48	\$1318

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$110
91	white	+\$110
HM	natural maple	+\$110
HX	aged cherry	+\$110
OG	honey maple	+\$160

**Product Information****Description**


This 3- or 5-shelf unit hangs from a module, panel, or wall strips. It has 9"- or 16"-deep shelves that adjust in 2½" increments. Shelves are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

Notes


For additional shelf, order add-on shelf (C5025.) separately.
To cover shelf unit with dust cover, order add-on shelf (C5025.) and place in top position of unit.
To enclose back of unit, order back panel (C5026.) separately.
To hang unit on architectural wall and enclose back of unit, order shelf unit wall attachment panel (C5036.) separately.
To enclose front of unit, order shelf unit door (C5027., C5028., C5032., C5035., C5037., or C5038.) separately.
To ease cleaning and prevent the stacking of materials on top of shelf unit, order sloped shelf unit top (CO397.) separately.
Order optional task light for 16"-deep unit separately:

- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

To attach task light to slanted shelf, order light bracket (C5051.) separately.

Dimensions

3 Shelves



5 Shelves

Shelf Unit *continued*

Specification Information

Step 1.

C502

Step 2. Shelves/Height

- 0.** 3 shelves and 24" high
- 1.** 5 shelves and 34" high

Step 3. Depth

- 09** 9" deep
- 16** 16" deep

Step 4. Width


- 24** 24" wide
- 30** 30" wide
- 36** 36" wide
- 48** 48" wide

Prices for Steps 1-4.

	24	30	36	48
C5020. 09	\$425	448	458	483
16	\$533	560	592	663
C5021. 09	\$605	625	652	695
16	\$726	776	821	910

Step 5. Side Panel/Shelf Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white	+\$60



Product Information

Description

This unit hangs from 24"-wide panels connected by an Action Office® 2-way 90° connector or wall strips used in a corner position. Shelves adjust in $2\frac{1}{2}$ " increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing. Shipped knocked down.

Notes

For additional shelf in center section, order 24"-wide add-on shelf (C5025.1624). For additional shelf in side section, order 14"-wide add-on shelf (C5025.1614).



To cover back of center unit, order back panel (C5026.) separately.

Order optional 24"-wide task light for center section separately:


- Utility task light (G6136.24)
- Energy-efficient task light (G6120.24)

To attach task light to slanted center shelf, order light bracket (C5051.) separately.

Dimensions



3 Shelves



5 Shelves

Shelf Unit, Diagonal Corner *continued*

Specification Information

Step 1.

C502

Step 2. Shelves/Height

2.1648 3 shelves and 24" high


3.1648 5 shelves and 34" high

Prices for Steps 1-2.

C5022.1648	\$1691
C5023.1648	\$2271

Step 3. Side Panel/Shelf Finish

91	white	+\$160
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description

This 72"-high shelf unit hangs from 24"- or 48"-wide panels connected by 1 or 2 Action Office® 2-way 90° connectors or hangs from wall strips used in 1 or 2 90° corners. Shelves adjust in 2½" increments and are flat or slanted at either 11° or 22° angles for gravity-feed dispensing.



Shipped knocked down.

Notes

For additional shelf, order add-on shelf (C5025.1631) separately.

To cover shelf unit with dust cover, order add-on shelf (C5025.1631) and place in top position of unit.

Dimensions



Specification Information


Step 1.

C5024.1648

\$3092

Step 2. Side Panel/Shelf Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
91	white	+\$300




Product Information

Description

This shelf fits inside a shelf unit, diagonal corner shelf unit, or 90° corner shelf unit. It is used as an additional shelf or dust cover.

Dimensions



Specification Information

Step 1.

C5025.

Step 2. Depth

09 9" deep

16 16" deep

Step 3. Width

For 9" deep (09)

24 22 3/4" wide

30 28 3/4" wide

36 34 3/4" wide

48 46 3/4" wide

For 16" deep (16)

14 13 1/2" wide

24 22 3/4" wide

30 28 3/4" wide

31 30 1/2" wide

36 34 3/4" wide


48 46 3/4" wide

Prices for Steps 1-3.


	14	24	30	31	36	48
C5025. 09		—	\$85	91	—	95
16		\$88	108	111	115	117

Step 4. Shelf Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.

Dimensions**Specification Information****Step 1.****CO39827**

\$124



Product Information


Description

This panel attaches to a 3- or 5-shelf unit or diagonal corner shelf unit and closes the back. The shelf unit's top and bottom shelves must be flat.

Notes

Order shelf unit (C5020. or C5021.) or diagonal corner shelf unit (C5022. or C5023.) separately.

Dimensions



Specification Information

Step 1.

C5026.

Step 2. Height

24 24" high

34 34" high

Step 3. Width

24 22 $\frac{3}{4}$ " wide

30 28 $\frac{3}{4}$ " wide

36 34 $\frac{3}{4}$ " wide

48 46 $\frac{3}{4}$ " wide

Prices for Steps 1-3.

	24	30	36	48
C5026. 24	\$160	173	185	221
34	\$193	211	228	264


Step 4. Surface Finish

HF inner tone light +\$0

LT light tone +\$0

LU soft white +\$0


WN warm grey neutral +\$0

**Product Information****Description**

These brackets fasten a task light to the bottom of an overhead cabinet, a flat or slanted shelf in a 3- or 5-shelf unit, or a center shelf in a diagonal corner shelf unit. Package contains 1 pair. Finish is black.

Notes


For 16"-deep shelf, order energy-efficient task light (G6120.) separately.

Dimensions**Specification Information****Step 1.****C5051.****Step 2. Usage****16** for 16"-deep shelf**Prices for Steps 1-2.****C5051. 16**

\$106

Shelf Unit Door

C5027.
C5028.



Product Information

Description

This 24"-wide door encloses a shelf unit. Attachment hardware is included.


Notes

For 24"-high door, order 3-shelf unit (C5020.) separately.

For 34"-high door, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C502

Step 2. Hinge Location

- 7. left-hand hinges
- 8. right-hand hinges

Step 3. Height

2424 24" high

3424 34" high

Step 4. Lock

- N** no lock
- L** keyed differently
- K** keyed alike

Prices for Steps 1-4.


	N	L	K
C5027. 2424	\$330	427	427
3424	\$435	532	532
C5028. 2424	\$330	427	427
3424	\$435	532	532

Step 5. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$40
91	white	+\$40
HM	natural maple	+\$40
HX	aged cherry	+\$40
OG	honey maple	+\$60

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0



Product Information

Description

These doors enclose a shelf unit. The doors are available with or without a lock. Attachment hardware is included.


Notes

For 24"-high doors, order 3-shelf unit (C5020) separately.

For 34"-high doors, order 5-shelf unit (C5021) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C5032.

Step 2. Height

24 24" high

34 34" high

Step 3. Width

30 30" wide

36 36" wide

48 48" wide

Step 4. Lock

N no lock

L keyed differently

K keyed alike

Prices for Steps 1-4.


	N	L	K
C5032. 24	\$347	444	444
30	\$406	503	503
36	\$499	596	596
48	\$450	547	547
34	\$530	627	627
30	\$695	792	792
36			
48			

Step 5. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$50
91	white	+\$50
HM	natural maple	+\$50
HX	aged cherry	+\$50
OG	honey maple	+\$75

Step 6. Pull Option/Finish

NN	none	+\$0
BK	black	+\$0
NH	brushed nickel	+\$0



Product Information

Description

These doors with glass inserts enclose a shelf unit. The doors are available with or without a lock. Attachment hardware is included.


Notes

For 24"-high doors, order 3-shelf unit (C5020.) separately.

For 34"-high doors, order 5-shelf unit (C5021.) separately.

For keyed-alike locks, order lock plugs separately. See Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C5035.

Step 2. Height

24 24" high

34 34" high

Step 3. Width

30 30" wide

36 36" wide

48 48" wide

Step 4. Lock

N no lock

L keyed differently

K keyed alike

Prices for Steps 1-4.


	N	L	K
C5035. 24 30	\$570	667	667
36	\$622	719	719
48	\$704	801	801
34 30	\$619	716	716
36	\$655	752	752
48	\$719	815	815

Step 5. Surface Finish

HF	inner tone light <input type="checkbox"/>	+\$0
LT	light tone <input type="checkbox"/>	+\$0
LU	soft white <input type="checkbox"/>	+\$0
WN	warm grey neutral <input type="checkbox"/>	+\$0
76	light brown walnut	+\$70
91	white	+\$70
HM	natural maple	+\$70
HX	aged cherry	+\$70
OG	honey maple	+\$105

Step 6. Pull Option/Finish

NN	none <input type="checkbox"/>	+\$0
BK	black <input type="checkbox"/>	+\$0
NH	brushed nickel <input type="checkbox"/>	+\$0



Product Information



Description

This top attaches to a shelf unit. It is sloped to ease cleaning and prevent the stacking of materials on top of the cabinet. Attachment hardware is included.

Notes

Order shelf unit (C5020. or C5021.) separately.

Dimensions



Specification Information

Step 1.

CO397.

Step 2. Depth

09 10¹/₂" deep

16 17" deep

Step 3. Width

24 24" wide

30 30" wide

36 36" wide


48 48" wide

Prices for Steps 1-3.

	24	30	36	48
CO397. 09	\$250	278	301	331
16	\$278	298	331	394

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information


Description

This panel encloses the back of a 3- or 5-shelf unit and allows the shelf unit to hang on an architectural wall.

Notes

Order 3-shelf unit (C5020.) or 5-shelf unit (C5021.) separately.

Dimensions



Specification Information

Step 1.

C5036.

Step 2. Height

24 24" high

34 34" high

Step 3. Width

24 24" wide

30 30" wide

36 36" wide


48 48" wide

Prices for Steps 1-3.

	24	30	36	48
C5036. 24	\$178	199	239	279
34	\$193	206	245	292

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0
76	light brown walnut	+\$25
91	white	+\$25
HM	natural maple	+\$25
HX	aged cherry	+\$25
OG	honey maple	+\$40



Product Information

Description

This 15 1/2"-high shelf with a lip hangs from a standard rail or adapter rail. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

For fully enclosed storage, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.




Order optional add-on shelves of equal depth and width separately:

- Add-on shelf (AO521.1524 or AO521.1548)
- Add-on shelf with lip (C3019.)

Order optional task light separately:

- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

Dimensions



FRONT

Specification Information

Step 1.

CO521.

Step 2. Depth

13 13" deep
16 16" deep

Step 3. Width


24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide

Prices for Steps 1-3.

	24	30	36	42	48
CO521. 13	\$400	410	429	439	462
16	\$554	566	595	609	661

Step 4. Surface Finish

HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0



Product Information

Description

This 15 1/2"-high shelf with a lip hangs from a panel, a freestanding module, or wall strips. It can hold up to 2 add-on shelves. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes

For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

For fully enclosed storage of 24" to 48"-wide shelf, order A-/B-style flipper door back panel (A3390.) and B-style flipper door (A3310., A3312., or A3313.) separately.

Order optional add-on shelves of equal depth and width separately:




- Add-on shelf (A0521.1524 or A0521.1548)
- Add-on shelf with lip (C3019.)

For 60"-wide shelf, order 60"-wide task light.

Order optional task light separately:

- Utility task light (G6136.)
- Energy-efficient task light (G6120.)

Dimensions



FRONT

B-Style Shelf *continued*

Specification Information

Step 1.

C3011.

Step 2. Depth

13 13" deep
16 16" deep

Step 3. Width


24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
60 60" wide

Prices for Steps 1-3.

	24	30	36	42	48	60
C3011. 13	\$226	237	250	261	275	304
16	\$322	334	353	365	401	483

Step 4. Surface Finish

HF inner tone light +\$0
LT light tone +\$0
LU soft white +\$0
WN warm grey neutral +\$0



Product Information

Description

This 16"-deep shelf hangs from a panel, a freestanding module, or wall strips and has a sloped metal top. A filler piece is included for enclosed storage applications. The underside of the shelf accepts a task light. Attachment hardware is included. Shipped knocked down.

Notes


For enclosed storage, order B-style flipper door (A3310., A3312., or A3313.) separately.

To enclose back of shelf, order A-/B-style flipper door back panel (A3390.) separately.


Order optional task light separately:

- Utility task light (G6136.)
- Energy-efficient task light (G6120.)


Dimensions



TOP



SIDE



FRONT

Specification Information

Step 1.

C3091.16

Step 2. Width


24	24" wide
30	30" wide
42	42" wide
48	48" wide

Prices for Steps 1-2.

C3091.16	24	\$444
	30	\$466
	42	\$542
	48	\$568

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



Product Information

Description



This shelf fits into a B-style shelf or B-style rail-hanging shelf to add a second shelf. Attachment hardware is included.

Notes

Order support components separately:

- B-style (C3011) shelf
- B-style (CO521) rail-hanging shelf

Dimensions



Specification Information

Step 1.

C3019.

Step 2. Depth

13 13" deep
16 16" deep

Step 3. Width


24 24" wide
30 30" wide
36 36" wide
42 42" wide
48 48" wide
60 60" wide

Prices for Steps 1-3.

	24	30	36	42	48	60
C3019. 13	\$130	136	152	163	175	196
16	\$190	203	221	233	269	338

Step 4. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**


This 3"-wide clip fastens to the edge of a metal shelf and holds content labels. Stick-on labels can be applied to the front of the clip or slide-in labels can be inserted from the back. Package contains 36 clear clips.


Dimensions**Specification Information**

Step 1.

CO39827

\$124





Product Information

Description

This enclosed storage unit hangs on rails for stationary storage, or it is used with the TR3 cart for mobile storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components.

The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock and has 89 potential user codes and 11 potential supervisor codes. The keyless lock is shipped with 6 AA batteries.

Notes

Order rail components separately:


- Standard rail assembly (CO282)

Order transport/storage components separately:


- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)
- TR3 cart (CO342)

For general information on locks, see Keyed-Alike Information in Appendices.


Dimensions



TOP



SIDE



FRONT

Locker, with Tambour Door *continued*

Specification Information

Step 1.

C0561

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
EL	keyless lock, keyed differently
EK	keyless lock, keyed alike

Prices for Steps 1-2.

C0561 FF	\$1603
FL	\$1747
KA	\$1747
EL	\$2582
EK	\$2582

Step 3. Locker Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Door Finish

3B	beachglass	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0


Step 5. Key Number

For keyed lock, keyed alike (KA) or keyless lock, keyed alike (EK)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0

13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0
30	key number 30	+\$0
31	key number 31	+\$0
32	key number 32	+\$0
33	key number 33	+\$0
34	key number 34	+\$0
35	key number 35	+\$0
36	key number 36	+\$0
37	key number 37	+\$0
38	key number 38	+\$0
39	key number 39	+\$0
40	key number 40	+\$0
41	key number 41	+\$0
42	key number 42	+\$0
43	key number 43	+\$0
44	key number 44	+\$0
45	key number 45	+\$0
46	key number 46	+\$0
47	key number 47	+\$0
48	key number 48	+\$0
49	key number 49	+\$0
50	key number 50	+\$0
51	key number 51	+\$0
52	key number 52	+\$0
53	key number 53	+\$0
54	key number 54	+\$0
55	key number 55	+\$0
56	key number 56	+\$0
57	key number 57	+\$0
58	key number 58	+\$0
59	key number 59	+\$0

60	key number 60	+\$0
61	key number 61	+\$0
62	key number 62	+\$0
63	key number 63	+\$0
64	key number 64	+\$0
65	key number 65	+\$0
66	key number 66	+\$0
67	key number 67	+\$0
68	key number 68	+\$0
69	key number 69	+\$0
70	key number 70	+\$0
71	key number 71	+\$0
72	key number 72	+\$0
73	key number 73	+\$0
74	key number 74	+\$0
75	key number 75	+\$0
76	key number 76	+\$0
77	key number 77	+\$0
78	key number 78	+\$0
79	key number 79	+\$0
80	key number 80	+\$0
81	key number 81	+\$0
82	key number 82	+\$0
83	key number 83	+\$0
84	key number 84	+\$0
85	key number 85	+\$0
86	key number 86	+\$0
87	key number 87	+\$0
88	key number 88	+\$0
89	key number 89	+\$0
90	key number 90	+\$0
91	key number 91	+\$0
92	key number 92	+\$0
93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0



Product Information

Description

This enclosed storage unit hangs on rails for stationary storage, or it is used with the TR3 cart for mobile storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components. Door is hinged at the right.

Available with no lock, keyless, or a keyed lock.

Notes

Door frame color matches locker color.

Order rail components separately:


- Standard rail assembly (CO282)

Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)
- TR3 cart (CO342)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO570

Step 2. Lock

FF	no lock	
FL	keyed lock, keyed differently	
KA	keyed lock, keyed alike	
KP	keyless lock	

Prices for Steps 1-2.

CO570	FF	\$2070
	FL	\$2232
	KA	\$2232
	KP	\$2580

Step 3. Locker Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Door Insert Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0


Step 5. Key Number

For keyed lock, keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0

Locker, with Hinged Door *continued*

17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			



Product Information

Description

This storage unit hangs on rails for stationary storage, or it is used with the TR3 cart for mobile storage. The locker has 20 drawer slots in 3" increments and holds interchangeable components.

Notes

Order rail components separately:


- Standard rail assembly (CO282)

Order transport/storage components separately:

- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Drawer (CO207, CO208, or CO209)
- Pullout catheter rack (CO469.)
- TR3 cart (CO342)

Order optional locker tambour door (CO219) separately.

Dimensions



Specification Information

Step 1.

C0562FF


\$1414

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Locker on Wheel Base, with Tambour Door

CO564



Co/Struc® Storage

Product Information

Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The tambour door slides vertically for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

The locker has the following lock options: no lock, keyed lock, or keyless lock. The keyless lock mounts on the right-hand side and front of the locker. It includes a back-up keyed lock and has 89 potential user codes and 11 potential supervisor codes. The keyless lock is shipped with 6 AA batteries.


Notes

Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Pullout catheter rack (CO469)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Locker on Wheel Base, with Tambour Door *continued*

Specification Information

Step 1.

C0564

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
EL	keyless lock, keyed differently
EK	keyless lock, keyed alike

Prices for Steps 1-2.

C0564 FF	\$2239
FL	\$2348
KA	\$2348
EL	\$3219
EK	\$3219

Step 3. Locker Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Door Finish

3B	beachglass	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0

Step 5. Key Number

For keyed lock, keyed alike (KA) or keyless lock, keyed alike (EK)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0


13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0
30	key number 30	+\$0
31	key number 31	+\$0
32	key number 32	+\$0
33	key number 33	+\$0
34	key number 34	+\$0
35	key number 35	+\$0
36	key number 36	+\$0
37	key number 37	+\$0
38	key number 38	+\$0
39	key number 39	+\$0
40	key number 40	+\$0
41	key number 41	+\$0
42	key number 42	+\$0
43	key number 43	+\$0
44	key number 44	+\$0
45	key number 45	+\$0
46	key number 46	+\$0
47	key number 47	+\$0
48	key number 48	+\$0
49	key number 49	+\$0
50	key number 50	+\$0
51	key number 51	+\$0
52	key number 52	+\$0
53	key number 53	+\$0
54	key number 54	+\$0
55	key number 55	+\$0
56	key number 56	+\$0
57	key number 57	+\$0
58	key number 58	+\$0
59	key number 59	+\$0

Locker on Wheel Base, with
Tambour Door *continued*

60	key number 60	+\$0
61	key number 61	+\$0
62	key number 62	+\$0
63	key number 63	+\$0
64	key number 64	+\$0
65	key number 65	+\$0
66	key number 66	+\$0
67	key number 67	+\$0
68	key number 68	+\$0
69	key number 69	+\$0
70	key number 70	+\$0
71	key number 71	+\$0
72	key number 72	+\$0
73	key number 73	+\$0
74	key number 74	+\$0
75	key number 75	+\$0
76	key number 76	+\$0
77	key number 77	+\$0
78	key number 78	+\$0
79	key number 79	+\$0
80	key number 80	+\$0
81	key number 81	+\$0
82	key number 82	+\$0
83	key number 83	+\$0
84	key number 84	+\$0
85	key number 85	+\$0
86	key number 86	+\$0
87	key number 87	+\$0
88	key number 88	+\$0
89	key number 89	+\$0
90	key number 90	+\$0
91	key number 91	+\$0
92	key number 92	+\$0
93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0

Locker on Wheel Base, with Hinged Door

CO574



Product Information

Description

This enclosed, mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The door is hinged at the right and swings open for access to locker materials. The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

Available with no lock, keyless, or a keyed lock.

Notes


Door frame color matches locker color.

Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Pullout catheter rack (CO469.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO574

Step 2. Lock

FF	no lock
FL	keyed lock, keyed differently
KA	keyed lock, keyed alike
KP	keyless lock

Prices for Steps 1-2.

CO574	FF	\$2835
	FL	\$2995
	KA	\$2995
	KP	\$3345

Step 3. Locker Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Door Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0


Step 5. Key Number

For keyed lock, keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0

Locker on Wheel Base, with Hinged Door *continued*

17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			



Product Information

Description

This mobile storage unit holds interchangeable components to store and transport materials. The locker has 20 drawer slots in 3" increments and a counterweighted base with 5"-diameter casters (2 swivel and 2 swivel with brake). The locker does not include a handle; it is pushed or pulled by grasping the sides. It cannot be linked for multiple towing and cannot be transported in a truck.

Notes


Order internal storage components separately:

- A-, B-, or C-size drawers (CO207, CO208, or CO209)
- C tray/shelf (CO203)
- C wire shelf (CO252)
- Cassette assembly (CO565)
- Pullout catheter rack (CO469.)

Order chest tube rack (CO466) separately.

Order optional locker tambour door (CO219) and locker lock kit (CO277) separately.

Dimensions



Specification Information


Step 1.

CO563FF


\$2213

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**


This vertical door provides closure on a locker. It opens by sliding into the locker bottom.

Dimensions**Specification Information****Step 1.****CO219FF**

\$215

Step 2. Surface Finish

3B	beachglass	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0



Product Information


Description

This door provides closure on a locker. It is hinged at the right.

Attachment hardware included.

Available with no lock, keyless, or a keyed lock.

Dimensions



SIDE

FRONT

Specification Information

Step 1.

CO290

Step 2. Lock

FF	no lock	
FL	keyed lock, keyed differently	
KA	keyed lock, keyed alike	
KP	keyless lock	

Prices for Steps 1-2.

CO290	FF	\$641
	FL	\$806
	KA	\$806
	KP	\$1151

Step 3. Door Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Insert Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
TR	clear	+\$0
WN	warm grey neutral	+\$0


Step 5. Key Number

For keyed lock, keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0

Locker Hinged Door *continued*

17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			



Product Information

Description


This kit includes a lock and converts a locker with tambour door to a lockable storage unit.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Kit must be field installed.

Dimensions



Specification Information

Step 1.

CO277

Step 2. Lock

FF keyed differently

KA keyed alike

Prices for Steps 1-2.

CO277	FF	\$150
	KA	\$150

Step 3. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Key Number

For keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0

28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			



Product Information

Description


This keyless lock converts a locker with tambour door to a lockable storage unit. It mounts on the right-hand side and front of the locker. The keyless lock includes a back-up keyed lock and has 89 potential user codes and 11 potential supervisor codes. The keyless lock is shipped with 6 AA batteries.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Kit must be field installed.

Dimensions



Specification Information

Step 1.

CO279E

Step 2. Lock

L keyed differently
K keyed alike

Prices for Steps 1-2.

CO279E L	\$1023
K	\$1023

Step 3. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Step 4. Key Number

For keyed alike (K)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0

28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			



Product Information

Description

This 92" high, enclosed cabinet attaches to an architectural wall and must stand on the floor. It has a tambour door that slides vertically for access to cabinet materials. The cabinet is available with or without a lock and holds components that support endoscopes and catheters. Attachment hardware is included.


Notes

Order interior components separately:

- Cabinet floor (CV314.)
- Shelf support kit (CV317.)
- Distal tube bracket (CV311.)
- Endoscope bracket (CV310.)

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CV300.9214

Step 2. Lock

For no lock (), skip this step.*

L	keyed differently
K	keyed alike

Prices for Steps 1-2.

CV300.9214	\$2556
CV300.9214 L	\$2713
K	\$2713

Step 3. Surface/Door Finish

LU	soft white	+\$0
-----------	------------	------

Step 4. Key Number


For keyed alike (K)

01	key number 01	+\$0
02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0

Endoscopy/Catheter Cabinet

continued

29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			
75	key number 75	+\$0			



Product Information

Description

This bracket mounts at any height in a cabinet. It has 5 slots and adjustable cradles for vertical storage of endoscopes. Each slot is $3\frac{3}{4}$ " deep. Mounting hardware is included.


Notes

Order following products separately:

- Cabinet (CV300.)
- Distal tube bracket (CV311.)

Recommended installation height is $5\frac{1}{4}$ " below top of cabinet back panel.

Dimensions




Specification Information

Step 1.

CV310.	\$393
---------------	-------

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This bracket mounts at any height in a cabinet. It has 5 slots for vertical storage of an endoscope distal tube. Each slot is $7/8$ " deep. Mounting hardware is included.

Notes

Order following products separately:

- Cabinet (CV300.)
- Endoscope bracket (CV310.)


Recommended installation height is $44\frac{1}{4}$ " below top of cabinet back panel.


Specification Information**Step 1.****CV311.**

\$202

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Dimensions

**Product Information****Description**

This kit allows the use of shelves inside the endoscopy/catheter cabinet. It includes a pair of bearers and spacers.


Notes


Order shelves separately:

- CS tray/shelf (CO204)
- CS wire shelf (CO253)

Dimensions**Specification Information****Step 1.****CV317.**

\$190




**Product Information****Description**

This component provides storage in an endoscopy/catheter cabinet. It has 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.


Notes

Order shelf support kit (CV317) separately.

Tray/shelf surface with raised edges can be configured with subcontainers; order subcontainers separately.

Dimensions

TOP




FRONT

Specification Information**Step 1.****CO204FF**

\$76

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This metal floor encloses the bottom of an endoscopy/catheter cabinet. Attachment hardware is included.

Notes

Order cabinet (CV300.) separately.

Dimensions**Specification Information****Step 1.****CV314.**

\$80

Step 2. Surface Finish**HF** inner tone light

+\$0

LT light tone

+\$0

LU soft white


+\$0

WN warm grey neutral


+\$0




TOP



SIDE



FRONT



Product Information

Description

This frame hangs on a standard rail or adapter rail, or it is supported by an L cart, process table, counter top, or heavy-duty storage work surface. It has 4 slots at 3" intervals to enclose and support storage components and accessories. The C frame cannot mount under a 24"-wide work surface and it is not recommended for overhead storage.

Notes

Order support components separately:

- Adapter rail (C1610.)
- Counter top (CO555, or CO556)
- L cart (CO212)
- Process table (C4115., C4215., or C4313.)
- Lab work table (C461G., C462G., or C462C.)
- Standard rail (CO282)
- Work table (C4312.)
- Workstation (C4310. or C4311.)

Order storage components separately:

- C tray/shelf (CO203)
- Drawer (CO207, CO208, or CO209)

Specification Information


Step 1.

CO205FF	\$207
----------------	-------


Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Dimensions



TOP




SIDE

FRONT

Counter Top

C0555
C0556



Product Information


Description

This surface mounts on a C frame to provide a work surface or storage surface. It includes a gripper package for attaching the top to a C frame. The single or extended counter top fits on 1 C frame. The extended counter top extends 4" past each C frame side.


Notes

Order C frame (C0205) separately.


Dimensions



TOP



SINGLE
FRONT



EXTENDED
FRONT

Specification Information

Step 1.

CO

Step 2. Configuration/Width

555FF single

556FF extended


Prices for Steps 1-2.

C055FF	\$152
---------------	-------

C056FF	\$185
---------------	-------

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**

This lid provides a top for a C frame. It has raised side edges to keep items from sliding off.

Notes


Use lid when storing L cart below 38"-high process table or cantilevered work surface; existing drawer bearers must be removed.

Dimensions**Specification Information****Step 1.****CO201FF**


\$145

Step 2. Surface Finish


HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



TOP



FRONT



Product Information

Description

This component provides storage within a C frame, locker, or interior cabinet adapter. It is designed with 2 usable surfaces: 1 surface has raised edges to prevent items from rolling off; the reverse surface is flat for applications where raised edges would interfere with material storage.


Notes

Order support component separately:


- C frame (CO205)
- Interior cabinet adapter (CG591.)
- Locker or locker on wheel base (CO561, CO562, CO563, or CO564)

Tray/shelf surface with raised edges can be configured with subcontainers or subdivider vane. Order subdivider vane (CO242) or subcontainers separately.

Dimensions



TOP



FRONT

Specification Information


Step 1.

CO203FF


\$97

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

**Product Information****Description**


This component organizes IV bags, forms, tape rolls, and other small items within a drawer or C tray/shelf.

Dimensions**Specification Information****Step 1.****CO242FF**

\$46

Step 2. Surface Finish**LU** soft white

+\$0

**Product Information****Description**

This wire shelf fits into the slots of a C frame, locker, or interior cabinet adapter and stores items requiring air circulation. It cannot be used with a subdivider vane or subdivider.

Notes

Order support component separately:


- C frame (CO205)
- Interior cabinet adapter (CG591)
- Locker or locker on wheel base (CO561, CO562, CO563, or CO564)

Dimensions**Specification Information****Step 1.****CO252FF**

\$125


Step 2. Surface Finish**LU** soft white

+\$0




20-3/4" (527)

TOP



1/2" (13)

FRONT

**Product Information****Description**

This hardware package mounts a C frame under a work surface. 1 gripper package is required to mount each C frame to a work surface. Attachment screws are included.

Notes


C frame cannot mount with grippers under heavy-duty work surface.

Dimensions**Specification Information****Step 1.**


CO266FF	\$58
----------------	------

Step 2. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0



TOP




FRONT

Drawer Caddy with Casters

C0692.

C0693.



Product Information

Description

This mobile caddy fits below a hanging or freestanding work surface. It has full-width pulls, casters, 2 3"-high drawers, 1 6"-high drawer, and 1 9"-high drawer. The drawers can be removed and reconfigured within the caddy or used in other products that accept 20"-wide plastic drawers.


The 9"-high drawer is available with a lock.

Notes

For caddy without drawers, order drawers separately.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

C069

Step 2. Configuration

2.20 no drawers

3.20 drawers

Step 3. Lock

For no lock (*), skip this step.

For no drawers (2.20), skip this step.

For drawers (3.20)

L 9"-high drawer keyed differently

K 9"-high drawer keyed alike

Prices for Steps 1-3.

C0692.20	\$1328
-----------------	--------

C0693.20	\$1768
-----------------	--------

C0693.20 L	\$1867
-------------------	--------

K	\$1867
----------	--------

Step 4. Surface Finish

HF inner tone light	+\$0
----------------------------	------

LT light tone	+\$0
----------------------	------

LU soft white	+\$0
----------------------	------

WN warm grey neutral	+\$0
-----------------------------	------

Step 5. Drawer Finish

For drawers (3.20)

1B khaki	+\$0
-----------------	------

2B juniper	+\$0
-------------------	------

3B beachglass	+\$0
----------------------	------

4B plum	+\$0
----------------	------

5B java	+\$0
----------------	------

5E aquamarine	+\$0
----------------------	------

6F midnight	+\$0
--------------------	------

DA deep blue	+\$0
---------------------	------

HF inner tone light	+\$0
----------------------------	------

LT light tone	+\$0
----------------------	------

LU soft white	+\$0
----------------------	------

VR vivid red	+\$0
---------------------	------

WN warm grey neutral	+\$0
-----------------------------	------

YT yellow	+\$0
------------------	------

ZP terra cotta	+\$0
-----------------------	------

Drawer Caddy with Casters *continued*

Step 6. Key Number							
For 9"-high drawer keyed alike (K)							
01	key number 01	+\$0	46	key number 46	+\$0		
02	key number 02	+\$0	47	key number 47	+\$0		
03	key number 03	+\$0	48	key number 48	+\$0		
04	key number 04	+\$0	49	key number 49	+\$0		
05	key number 05	+\$0	50	key number 50	+\$0		
06	key number 06	+\$0	51	key number 51	+\$0		
07	key number 07	+\$0	52	key number 52	+\$0		
08	key number 08	+\$0	53	key number 53	+\$0		
09	key number 09	+\$0	54	key number 54	+\$0		
10	key number 10	+\$0	55	key number 55	+\$0		
11	key number 11	+\$0	56	key number 56	+\$0		
12	key number 12	+\$0	57	key number 57	+\$0		
13	key number 13	+\$0	58	key number 58	+\$0		
14	key number 14	+\$0	59	key number 59	+\$0		
15	key number 15	+\$0	60	key number 60	+\$0		
16	key number 16	+\$0	61	key number 61	+\$0		
17	key number 17	+\$0	62	key number 62	+\$0		
18	key number 18	+\$0	63	key number 63	+\$0		
19	key number 19	+\$0	64	key number 64	+\$0		
20	key number 20	+\$0	65	key number 65	+\$0		
21	key number 21	+\$0	66	key number 66	+\$0		
22	key number 22	+\$0	67	key number 67	+\$0		
23	key number 23	+\$0	68	key number 68	+\$0		
24	key number 24	+\$0	69	key number 69	+\$0		
25	key number 25	+\$0	70	key number 70	+\$0		
26	key number 26	+\$0	71	key number 71	+\$0		
27	key number 27	+\$0	72	key number 72	+\$0		
28	key number 28	+\$0	73	key number 73	+\$0		
29	key number 29	+\$0	74	key number 74	+\$0		
30	key number 30	+\$0	75	key number 75	+\$0		
31	key number 31	+\$0	76	key number 76	+\$0		
32	key number 32	+\$0	77	key number 77	+\$0		
33	key number 33	+\$0	78	key number 78	+\$0		
34	key number 34	+\$0	79	key number 79	+\$0		
35	key number 35	+\$0	80	key number 80	+\$0		
36	key number 36	+\$0	81	key number 81	+\$0		
37	key number 37	+\$0	82	key number 82	+\$0		
38	key number 38	+\$0	83	key number 83	+\$0		
39	key number 39	+\$0	84	key number 84	+\$0		
40	key number 40	+\$0	85	key number 85	+\$0		
41	key number 41	+\$0	86	key number 86	+\$0		
42	key number 42	+\$0	87	key number 87	+\$0		
43	key number 43	+\$0	88	key number 88	+\$0		
44	key number 44	+\$0	89	key number 89	+\$0		
45	key number 45	+\$0	90	key number 90	+\$0		
			91	key number 91	+\$0		
			92	key number 92	+\$0		

Drawer Caddy with Casters *continued*


93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0

Drawer

CO207

CO208

CO209

**Product Information****Description**

This drawer fits into a locker or C frame and has stops to prevent accidental removal. It can also be mounted under a work surface using drawer bearers, ordered separately. The drawer is available with no lock, a keyed lock, or keyless lock.

Notes


To mount drawer under table or work surface, order drawer bearer package (CO228) or lockable drawer bearer (CO396) separately.

Order optional A-size subcontainer (CO231, CO232, CO233, CO234, CO235, or CO369) or B-size subcontainer (CO236, CO238, or CO240) separately.




Drawer with keyless lock option (KP) cannot be used in locker with tambour door.

Keyed lock is located on right side; keyless lock is located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions

TOP

A SIZE
FRONTB SIZE
FRONTC SIZE
FRONT

Drawer *continued*

Specification Information		Step 5. Key Number	
Step 1.		<i>For keyed alike (KA)</i>	
CO20			
Step 2. Size/Height			
7	a size	01	key number 01
8	b size	02	key number 02
9	c size	03	key number 03
Step 3. Lock		04	key number 04
FF	no lock	05	key number 05
FL	keyed differently	06	key number 06
KA	keyed alike	07	key number 07
KP	keyless lock	08	key number 08
Prices for Steps 1-3.		09	key number 09
CO207	FF	10	key number 10
	FL	11	key number 11
	KA	12	key number 12
	KP	13	key number 13
CO208	FF	14	key number 14
	FL	15	key number 15
	KA	16	key number 16
	KP	17	key number 17
CO209	FF	18	key number 18
	FL	19	key number 19
	KA	20	key number 20
	KP	21	key number 21
Step 4. Surface Finish		22	key number 22
1B	khaki	23	key number 23
2B	juniper	24	key number 24
3B	beachglass	25	key number 25
4B	plum	26	key number 26
5B	java	27	key number 27
5E	aquamarine	28	key number 28
6F	midnight	29	key number 29
DA	deep blue	30	key number 30
HF	inner tone light	31	key number 31
LT	light tone	32	key number 32
LU	soft white	33	key number 33
VR	vivid red	34	key number 34
WN	warm grey neutral	35	key number 35
YT	yellow	36	key number 36
ZP	terra cotta	37	key number 37
		38	key number 38
		39	key number 39
		40	key number 40
		41	key number 41
		42	key number 42
		43	key number 43
		44	key number 44
		45	key number 45


46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			
75	key number 75	+\$0			
76	key number 76	+\$0			
77	key number 77	+\$0			
78	key number 78	+\$0			
79	key number 79	+\$0			
80	key number 80	+\$0			
81	key number 81	+\$0			
82	key number 82	+\$0			
83	key number 83	+\$0			
84	key number 84	+\$0			
85	key number 85	+\$0			
86	key number 86	+\$0			
87	key number 87	+\$0			
88	key number 88	+\$0			
89	key number 89	+\$0			
90	key number 90	+\$0			
91	key number 91	+\$0			
92	key number 92	+\$0			

Drawer with Lockable Lid

CO370

CO372

CO374



Product Information

Description

This drawer has a hinged steel lid that can be locked. The lid can open when the drawer is pulled out to a stop position; the lid cannot be removed.


The drawer is 3", 6", or 9" high.

Notes

For B-size drawer with lockable lid, order A-size subcontainer only. For C-size drawer with lockable lid, order A- or B-size subcontainers only.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CO37

Step 2. Size/Height

0	a size
2	b size
4	c size

Step 3. Lid Lock

FF	keyed differently
KA	keyed alike

Prices for Steps 1-3.

CO370	FF	\$309
	KA	\$309
CO372	FF	\$335
	KA	\$335
CO374	FF	\$366
	KA	\$366

Step 4. Drawer Finish

1B	khaki	+\$0
2B	juniper	+\$0
3B	beachglass	+\$0
4B	plum	+\$0
5B	java	+\$0
5E	aquamarine	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0
YT	yellow	+\$0
ZP	terra cotta	+\$0

Step 5. Lid Finish

LU	soft white	+\$0
-----------	------------	------

Step 6. Key Number

For keyed alike (KA)

01	key number 01	+\$0
02	key number 02	+\$0

Drawer with Lockable Lid *continued*

03	key number 03	+\$0	50	key number 50	+\$0
04	key number 04	+\$0	51	key number 51	+\$0
05	key number 05	+\$0	52	key number 52	+\$0
06	key number 06	+\$0	53	key number 53	+\$0
07	key number 07	+\$0	54	key number 54	+\$0
08	key number 08	+\$0	55	key number 55	+\$0
09	key number 09	+\$0	56	key number 56	+\$0
10	key number 10	+\$0	57	key number 57	+\$0
11	key number 11	+\$0	58	key number 58	+\$0
12	key number 12	+\$0	59	key number 59	+\$0
13	key number 13	+\$0	60	key number 60	+\$0
14	key number 14	+\$0	61	key number 61	+\$0
15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+\$0
17	key number 17	+\$0	64	key number 64	+\$0
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+\$0	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0	74	key number 74	+\$0
28	key number 28	+\$0	75	key number 75	+\$0
29	key number 29	+\$0	76	key number 76	+\$0
30	key number 30	+\$0	77	key number 77	+\$0
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$0	80	key number 80	+\$0
34	key number 34	+\$0	81	key number 81	+\$0
35	key number 35	+\$0	82	key number 82	+\$0
36	key number 36	+\$0	83	key number 83	+\$0
37	key number 37	+\$0	84	key number 84	+\$0
38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0

Drawer with Lockable Lid *continued*


97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0

Locked Drawer with Lid

CO549

CO550

CO551



Product Information

Description

This drawer fits into a locker and has stops to prevent accidental removal. It has a non-removable lid that can open when the drawer is pulled out. The drawer is available with a keyed lock or keyless lock.

Notes


Locked drawer with lid cannot be used with a C frame.

Drawer with keyless lock option (KP) cannot be used in locker with tambour door.


Keyed lock is located on right side; keyless lock is located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.


Dimensions




TOP



A SIZE
FRONT



B SIZE
FRONT



C SIZE
FRONT

Locked Drawer with Lid *continued*

Specification Information

Step 1.

C05

Step 2. Size/Height

49 a size

50 b size

51 c size

Step 3. Drawer Lock

FL keyed differently

KA keyed alike

KP keyless lock

Prices for Steps 1-3.

C0549	FL	\$312
	KA	\$312
	KP	\$730

C0550	FL	\$337
	KA	\$337
	KP	\$755

C0551	FL	\$368
	KA	\$368
	KP	\$786

Step 4. Drawer Finish

1B	khaki	+\$0
2B	juniper	+\$0
3B	beachglass	+\$0
4B	plum	+\$0
5B	java	+\$0
5E	aquamarine	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0
YT	yellow	+\$0
ZP	terra cotta	+\$0

Step 5. Drawer Key Number

For keyed alike (KA)

01	key number 01	+\$0
-----------	---------------	------

02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0
30	key number 30	+\$0
31	key number 31	+\$0
32	key number 32	+\$0
33	key number 33	+\$0
34	key number 34	+\$0
35	key number 35	+\$0
36	key number 36	+\$0
37	key number 37	+\$0
38	key number 38	+\$0
39	key number 39	+\$0
40	key number 40	+\$0
41	key number 41	+\$0
42	key number 42	+\$0
43	key number 43	+\$0
44	key number 44	+\$0
45	key number 45	+\$0
46	key number 46	+\$0
47	key number 47	+\$0
48	key number 48	+\$0

Locked Drawer with Lid *continued*

49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			
75	key number 75	+\$0			
76	key number 76	+\$0			
77	key number 77	+\$0			
78	key number 78	+\$0			
79	key number 79	+\$0			
80	key number 80	+\$0			
81	key number 81	+\$0			
82	key number 82	+\$0			
83	key number 83	+\$0			
84	key number 84	+\$0			
85	key number 85	+\$0			
86	key number 86	+\$0			
87	key number 87	+\$0			
88	key number 88	+\$0			
89	key number 89	+\$0			
90	key number 90	+\$0			
91	key number 91	+\$0			
92	key number 92	+\$0			
93	key number 93	+\$0			
94	key number 94	+\$0			
95	key number 95	+\$0			

Step 6. Lid Finish


LU	soft white	+\$0
-----------	------------	------

Locked Drawer with Lockable Lid

CO371

CO373

CO375



Product Information

Description

This drawer fits into a locker and has stops to prevent accidental removal. It has a lockable, non-removable lid that can open when the drawer is pulled out. The drawer is available with a keyed lock or keyless lock.

Notes


Locked drawer with lockable lid cannot be used with a C frame.

Drawer with keyless lock option (KP) cannot be used in locker with tambour door.


Keyed lock is located on right side; keyless lock is located on left side.

For general information on locks, see Keyed-Alike Information in Appendices.


Dimensions




TOP



A SIZE
FRONT



B SIZE
FRONT



C SIZE
FRONT

Locked Drawer with Lockable Lid

continued

Specification Information

Step 1.

CO37

Step 2. Size/Height

- 1** a size
- 3** b size
- 5** c size

Step 3. Drawer/Lid Lock

- FF** keyed differently
- KA** keyed alike
- KP** keyless lock

Prices for Steps 1-3.

CO371	FF	\$400
	KA	\$400
	KP	\$819

CO373	FF	\$426
	KA	\$426
	KP	\$844

CO375	FF	\$456
	KA	\$456
	KP	\$875

Step 4. Drawer Finish

1B	khaki	+\$0
2B	juniper	+\$0
3B	beachglass	+\$0
4B	plum	+\$0
5B	java	+\$0
5E	aquamarine	+\$0
6F	midnight	+\$0
DA	deep blue	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
VR	vivid red	+\$0
WN	warm grey neutral	+\$0
YT	yellow	+\$0
ZP	terra cotta	+\$0

Step 5. Drawer Key Number

For keyed alike (KA)

01	key number 01	+\$0
-----------	---------------	------

02	key number 02	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number 06	+\$0
07	key number 07	+\$0
08	key number 08	+\$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+\$0
13	key number 13	+\$0
14	key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
29	key number 29	+\$0
30	key number 30	+\$0
31	key number 31	+\$0
32	key number 32	+\$0
33	key number 33	+\$0
34	key number 34	+\$0
35	key number 35	+\$0
36	key number 36	+\$0
37	key number 37	+\$0
38	key number 38	+\$0
39	key number 39	+\$0
40	key number 40	+\$0
41	key number 41	+\$0
42	key number 42	+\$0
43	key number 43	+\$0
44	key number 44	+\$0
45	key number 45	+\$0
46	key number 46	+\$0
47	key number 47	+\$0
48	key number 48	+\$0

Locked Drawer with Lockable Lid


continued

49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0	01	key number 01	+\$0
60	key number 60	+\$0	02	key number 02	+\$0
61	key number 61	+\$0	03	key number 03	+\$0
62	key number 62	+\$0	04	key number 04	+\$0
63	key number 63	+\$0	05	key number 05	+\$0
64	key number 64	+\$0	06	key number 06	+\$0
65	key number 65	+\$0	07	key number 07	+\$0
66	key number 66	+\$0	08	key number 08	+\$0
67	key number 67	+\$0	09	key number 09	+\$0
68	key number 68	+\$0	10	key number 10	+\$0
69	key number 69	+\$0	11	key number 11	+\$0
70	key number 70	+\$0	12	key number 12	+\$0
71	key number 71	+\$0	13	key number 13	+\$0
72	key number 72	+\$0	14	key number 14	+\$0
73	key number 73	+\$0	15	key number 15	+\$0
74	key number 74	+\$0	16	key number 16	+\$0
75	key number 75	+\$0	17	key number 17	+\$0
76	key number 76	+\$0	18	key number 18	+\$0
77	key number 77	+\$0	19	key number 19	+\$0
78	key number 78	+\$0	20	key number 20	+\$0
79	key number 79	+\$0	21	key number 21	+\$0
80	key number 80	+\$0	22	key number 22	+\$0
81	key number 81	+\$0	23	key number 23	+\$0
82	key number 82	+\$0	24	key number 24	+\$0
83	key number 83	+\$0	25	key number 25	+\$0
84	key number 84	+\$0	26	key number 26	+\$0
85	key number 85	+\$0	27	key number 27	+\$0
86	key number 86	+\$0	28	key number 28	+\$0
87	key number 87	+\$0	29	key number 29	+\$0
88	key number 88	+\$0	30	key number 30	+\$0
89	key number 89	+\$0	31	key number 31	+\$0
90	key number 90	+\$0	32	key number 32	+\$0
91	key number 91	+\$0	33	key number 33	+\$0
92	key number 92	+\$0	34	key number 34	+\$0
93	key number 93	+\$0	35	key number 35	+\$0
94	key number 94	+\$0	36	key number 36	+\$0
95	key number 95	+\$0	37	key number 37	+\$0

Locked Drawer with Lockable Lid

continued

38	key number 38	+\$0	85	key number 85	+\$0
39	key number 39	+\$0	86	key number 86	+\$0
40	key number 40	+\$0	87	key number 87	+\$0
41	key number 41	+\$0	88	key number 88	+\$0
42	key number 42	+\$0	89	key number 89	+\$0
43	key number 43	+\$0	90	key number 90	+\$0
44	key number 44	+\$0	91	key number 91	+\$0
45	key number 45	+\$0	92	key number 92	+\$0
46	key number 46	+\$0	93	key number 93	+\$0
47	key number 47	+\$0	94	key number 94	+\$0
48	key number 48	+\$0	95	key number 95	+\$0
49	key number 49	+\$0	96	key number 96	+\$0
50	key number 50	+\$0	97	key number 97	+\$0
51	key number 51	+\$0	98	key number 98	+\$0
52	key number 52	+\$0	99	key number 99	+\$0
53	key number 53	+\$0			
54	key number 54	+\$0			
55	key number 55	+\$0			
56	key number 56	+\$0			
57	key number 57	+\$0			
58	key number 58	+\$0			
59	key number 59	+\$0			
60	key number 60	+\$0			
61	key number 61	+\$0			
62	key number 62	+\$0			
63	key number 63	+\$0			
64	key number 64	+\$0			
65	key number 65	+\$0			
66	key number 66	+\$0			
67	key number 67	+\$0			
68	key number 68	+\$0			
69	key number 69	+\$0			
70	key number 70	+\$0			
71	key number 71	+\$0			
72	key number 72	+\$0			
73	key number 73	+\$0			
74	key number 74	+\$0			
75	key number 75	+\$0			
76	key number 76	+\$0			
77	key number 77	+\$0			
78	key number 78	+\$0			
79	key number 79	+\$0			
80	key number 80	+\$0			
81	key number 81	+\$0			
82	key number 82	+\$0			
83	key number 83	+\$0			
84	key number 84	+\$0			

**Product Information****Description**



This clear lid fits on a Co/Struc drawer and provides top closure.


Notes

Order drawer (CO207, CO208, or CO209) separately.


Dimensions**Specification Information****Step 1.****CO508.20**

\$133




**Product Information****Description**

This package is used to mount a nonlocking drawer under a work surface. The drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.

Dimensions

TOP




FRONT

Specification Information**Step 1.****CO228FF**


\$31

Step 2. Surface Finish**BK black**

+\$0

**Product Information****Description**


This component is used to mount a drawer with lock under a work surface. The lockable drawer bearer has integral stops to prevent drawers from falling when pulled out. Mounting hardware is included.

Dimensions**Specification Information****Step 1.****CO396FF**

\$71

Step 2. Surface Finish**BK** black

+\$0

**Product Information****Description**

This assembly holds drawers in place on an L cart and indicates that the drawers are unaltered. It must be used with 2 C frames.

Notes

Order breakaway tabs (CT709.) separately.

Specification Information**Step 1.****CO473FF**

\$295


Step 2. Surface Finish**LU** soft white

+\$0

Label Clip

CO274

CO462




Product Information

Description

This clip snaps onto a drawer, tray/shelf, or flipper to hold content labels. The clip accepts pressure-sensitive labels from the front or slide-in labels from the back. Finish is clear. Package contains 12 clips; labels not included.

Dimensions



Specification Information

Step 1.

CO

Step 2. Width

27427 6" wide

462 19" wide


Prices for Steps 1-2.

CO27427

\$26

CO462

\$48



Product Information





Description

This assembly fits inside a locker or C frame or fits below a work surface with a drawer bearer. It has a wire cassette, cassette bins, and subdividers. The assembly fills 2 slots in a locker or C frame.

Notes

Order optional cassette cover (CO566) separately.

Dimensions



Specification Information

Step 1.


CO565FF

\$462

Step 2. Surface Finish

LU soft white


+\$0

**Product Information****Description**


This cover fits on a cassette assembly and provides top closure.

Notes

Order cassette assembly (CO565) separately.

Dimensions

TOP




FRONT

Specification Information**Step 1.****CO566FF**

\$102

Step 2. Surface Finish**LU** soft white


+\$0

**Product Information****Description**


This bin fits inside a cassette assembly. Package contains 10 bins, 20 dividers, and 10 label clips.

Notes

Order cassette assembly (CO565) separately.

Dimensions

BIN TOP



BIN FRONT


Specification Information**Step 1.****CO567FF**

\$163

Step 2. Surface Finish**LU** soft white

+\$0

Dispensing Rail

C0365
C0366
C0367
C0368**Product Information****Description**

This rail attaches to a panel, a freestanding module, or wall strips to support subcontainers at a 15° angle for gravity-feed dispensing.

Package contains 2.

The A-size rail holds A-size subcontainers; the B-size rail holds B-size subcontainers.

Notes

Dispensing rails hold the following number of subcontainers:

A-Size Rail Width—Number of Subcontainers

24"—5 A-1, A-2, A-3 or A-4

24"—2 A-5

24"—10 A-8

48"—10 A-1, A-2, A-3, or A-4

48"—5 A-5

48"—20 A-8

B-Size Rail Width—Number of Subcontainers

24"—5 B-1 or B-3

24"—2 B-5





48"—10 B-1 or B-3

48"—5 B-5

Order optional A-size subcontainer (C0231, C0232, C0233, C0234,

C0235, or C0369) or B-size subcontainer (C0236, C0238, or C0240)

separately.

Dimensions

Specification Information

Step 1.

CO36

Step 2. Size/Width

- 5FF** a size and 24" wide
- 6FF** a size and 48" wide
- 7FF** b size and 24" wide
- 8FF** b size and 48" wide


Prices for Steps 1-2.

CO365FF	\$327
CO366FF	\$431
CO367FF	\$363
CO368FF	\$436

Step 3. Surface Finish

LU	soft white	+\$0
-----------	------------	------

Subcontainer



CO231
CO232
CO233
CO234
CO235
CO236
CO238
CO240
CO369

Product Information

Description

This storage container fits into a drawer or onto a dispensing rail to organize and store small items. Package contains 12.

The A-size subcontainer is used with an A-size drawer (without lid) or A-size dispensing rail. It is $2\frac{3}{16}$ " high; depth and width dimensions are:

Type—Depth—Width

A-1— $4\frac{9}{16}$ "— $4\frac{9}{16}$ "

A-2— $9\frac{3}{16}$ "— $4\frac{9}{16}$ "

A-3— $13\frac{13}{16}$ "— $4\frac{9}{16}$ "

A-4— $18\frac{7}{16}$ "— $4\frac{9}{16}$ "

A-5— $9\frac{3}{16}$ "— $9\frac{3}{16}$ "

A-8— $13\frac{13}{16}$ "— $2\frac{1}{4}$ "

The B-size subcontainer is used with a B-size drawer (without lid), B-size dispensing rail, or C-size drawer. It is $5\frac{3}{16}$ " high; depth and width dimensions are:

Type—Depth—Width

B-1— $4\frac{9}{16}$ "— $4\frac{9}{16}$ "

B-3— $13\frac{13}{16}$ "— $4\frac{9}{16}$ "


B-5— $9\frac{3}{16}$ "— $9\frac{3}{16}$ "

Notes



Order following products separately:

- Drawer (CO207, CO208, or CO209)
- Dispensing rail (CO365, CO366, CO367, or CO368)

Dimensions



TOP

A-SIZE
FRONTB-SIZE
FRONT

Subcontainer *continued*

Specification Information

Step 1.

CO

Step 2. Size

231FF a-1
232FF a-2
233FF a-3
234FF a-4
235FF a-5
369FF a-8
236FF b-1
238FF b-3
240FF b-5


Prices for Steps 1-2.

CO231FF	\$71
CO232FF	\$71
CO233FF	\$78
CO234FF	\$78
CO235FF	\$78
CO369FF	\$73
CO236FF	\$78
CO238FF	\$107
CO240FF	\$107

Step 3. Surface Finish

LU	soft white	+\$0
-----------	------------	------

A-Size Drawer Organizer Kit



CO540
CO541
CO542
CO543
CO544
CO545

Product Information

Description

This kit fits inside an A-size drawer (without lid) and has 6 combinations of subcontainers and subcontainer dividers.

A-size subcontainer is $2\frac{3}{16}$ " high. Width and depth dimensions are:

Type—Width—Depth

A-1— $4\frac{9}{16}$ "— $4\frac{9}{16}$ "

A-2— $4\frac{9}{16}$ "— $9\frac{3}{16}$ "


A-3— $4\frac{9}{16}$ "— $13\frac{13}{16}$ "

A-4— $4\frac{9}{16}$ "— $18\frac{7}{16}$ "

A-5— $9\frac{3}{16}$ "— $9\frac{3}{16}$ "

A-8— $2\frac{1}{4}$ "— $13\frac{13}{16}$ "

Dimensions



Specification Information

Step 1.

CO54

Step 2. Components

OFF 4 a-3 subcontainers, 6 a-3 dividers

1FF 1 a-3 subcontainer, 6 a-8 subcontainers, 2 a-3 dividers, 7 a-8 dividers

2FF 2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

3FF 3 a-3 subcontainers, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers

4FF 4 a-2 subcontainers, 1 a-4 subcontainer, 8 a-3 dividers

5FF 2 a-1 subcontainers, 2 a-3 subcontainers, 1 a-5 subcontainer, 4 a-3 dividers

Prices for Steps 1-2.

CO540FF	\$65
CO541FF	\$69
CO542FF	\$69
CO543FF	\$65
CO544FF	\$65
CO545FF	\$65

Step 3. Surface Finish


LU soft white

+\$0

B-Size Drawer Organizer Kit

CO546

CO547



Product Information

Description

This kit fits inside a B-size drawer (without lid) or C-size drawer and has 2 combinations of subcontainers and subcontainer dividers.

The B-size subcontainer is $5\frac{3}{16}$ " high. Width and depth dimensions are:


Type—Width—Depth

B-1— $4\frac{9}{16}$ "— $4\frac{9}{16}$ "

B-3— $4\frac{9}{16}$ "— $13\frac{13}{16}$ "

B-5— $9\frac{3}{16}$ "— $9\frac{3}{16}$ "

Dimensions



Specification Information

Step 1.

CO54

Step 2. Components

6FF 4 b-3 subcontainers, 4 b-3 dividers

7FF 2 b-1 subcontainers, 2 b-3 subcontainers, 1 b-5 subcontainer, 4 b-3 dividers

Prices for Steps 1-2.

CO546FF \$80

CO547FF \$80

Step 3. Surface Finish


LU soft white +\$0

Subcontainer Divider

C0378

C0379

C0380




Product Information

Description


This divider fits into subcontainers to separate and organize stored items. A divider can be adjusted by sliding it to the desired position. The divider is not available for A-5 and B-5 subcontainers. Package contains 12.

The divider for an A-8 subcontainer is $1\frac{5}{8}$ " high and $2\frac{1}{8}$ " wide; the divider for an A-1, A-2, A-3, or A-4 subcontainer is $1\frac{5}{8}$ " high and $4\frac{1}{4}$ " wide; and the divider for a B-1 or B-3 subcontainer is 4" high and $4\frac{1}{4}$ " wide.

Dimensions



SIDE



FRONT

Specification Information

Step 1.

C03

Step 2. Usage

78FF for a-8 subcontainer

79FF for a-1, a-2, a-3, or a-4 subcontainers

80FF for b-1 or b-3 subcontainers

Prices for Steps 1-2.

C0378FF	\$66
----------------	------

C0379FF	\$66
----------------	------

C0380FF	\$68
----------------	------


Step 3. Surface Finish

LU soft white	+\$0
----------------------	------

Subcontainer Handle

CO376

CO377



Product Information

Description

This snap-on handle has a surface for identification labels in a picking station. It also can convert a small or large subcontainer into a drawer when used on the flat surface of a C tray. The handle cannot be used with a subcontainer in an A-size drawer. Package contains 12.


Notes

Handle accepts following label:

- 2 $\frac{1}{8}$ "-wide handle: $\frac{3}{4}$ " x 1" gummed label
- 4 $\frac{1}{2}$ "-wide handle: $\frac{3}{4}$ " x 3" drop-in label

For 4 $\frac{1}{2}$ "-wide handle, order label (CO459) separately.

Dimensions



Specification Information

Step 1.

CO37

Step 2. Width

6FF 2 $\frac{1}{8}$ " wide

7FF 4 $\frac{1}{2}$ " wide


Prices for Steps 1-2.

CO376FF \$34

CO377FF \$42

Step 3. Surface Finish

LU soft white +\$0

**Product Information****Description**


This label slides into a 4½"-wide subcontainer handle. Package contains 100 cards with 10 perforated labels per card (1000 labels total).

Specification Information


Step 1.


CO459

\$28

**Product Information****Description**

This flag snaps onto subcontainers that are hung from a dispensing rail. It provides a visible surface for identification labels. Package contains 12. The flag for an A-8 subcontainer is $1\frac{1}{4}$ " wide; the flag for an A-3 or B-3 subcontainer is $3\frac{1}{2}$ " wide.

Dimensions**Specification Information****Step 1.****C038****Step 2. Usage****1FF** for a-8 subcontainer**2FF** for a-3 or b-3 subcontainer**Prices for Steps 1-2.****C0381FF** \$97**C0382FF** \$108**Step 3. Surface Finish****LU** soft white +\$0




Product Information

Description

This 20"-wide, powder-coated wire rack fits into the slots of a locker to organize catheters. It is available with 3 or 4 independent, pullout slides. Each pullout slide has 4 prongs, 4 side label clips, and 1 front label holder. Each prong holds up to 10 catheters. Finish is soft white.

Dimensions



Specification Information

Step 1.

CO469.20


Step 2. Slides

03 3 slides

04 4 slides

Prices for Steps 1-2.

CO469.20	03	\$714
	04	\$795




Product Information

Description

This height-adjustable laptop cart delivers point-of-care technology and holds a 17" laptop. The surface provides security by locking a laptop into place during use. The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray. Shipped fully assembled. The surface is Cloud Surf laminate; the base finish is polished aluminum.

Dimensions



Specification Information

Step 1.

CO600.

Step 2. Power Option

N no power strip
P power strip

Step 3. Bar Code Scanner Holder

N no bar code scanner holder
B bar code scanner holder

Step 4. Utility Basket


N no utility basket
U utility basket

Step 5. Drawer

N no drawer
D drawer

Prices for Steps 1-5.

	NN	ND	UN	UD
CO600. N N	\$2597	2968	2794	3165
B	\$2696	3067	2893	3263
P N	\$2926	3296	3123	3493
B	\$3025	3395	3222	3592




Product Information

Description

This height-adjustable cart delivers point-of-care technology. It holds a flat panel monitor arm and includes a 10"-wide column-mounted CPU holder with straps. The arm meets VESA standards (Video Electronic Standards Association - Mounting Interface Standards). The cart holds a maximum of 30 pounds and has 4"-high casters; 2 locking and 2 nonlocking. It has an 18" height-adjustment range and is adjusted with a paddle on the front of the surface. The cart includes a swivel mouse tray and 2 plates: 75mm and 100mm. Shipped fully assembled.

The surface is Cloud Surf laminate; the base finish is polished aluminum; and the CPU holder is black.

Dimensions



Specification Information

Step 1.

CO601.

Step 2. Power Option

N no power strip
P power strip

Step 3. Bar Code Scanner Holder

N no bar code scanner holder
B bar code scanner holder

Step 4. Utility Basket


N no utility basket
U utility basket

Step 5. Drawer

N no drawer
D drawer

Prices for Steps 1-5.


	NN	ND	UN	UD
CO601. N N	\$2597	2968	2794	3165
B	\$2696	3067	2893	3263
P N	\$2926	3296	3123	3493
B	\$3025	3395	3222	3592


**Product Information****Description**

This hospital-grade power cord has a 1.5' coiled cord that extends to 7.5'. Finish is black.


Dimensions**Specification Information****Step 1.****CO602.**

\$169




**Product Information****Description**

This perforated basket attaches to the column of a laptop or flat-panel cart and holds a utility basket. It can be used to hold charts, paper products, and other supplies. Finish is black.

Dimensions**Specification Information****Step 1.****CO605.**


\$218

**Product Information****Description**


This holder attaches to the surface of a laptop or flat-panel cart. It manages cables and wires and includes reusable cable ties. Finish is black.

Notes


Laptop-cart cable manager has 1 solid holder. Flat-panel-cart cable manager has 2 pieces that attach to each side of the flat-screen arm holder and go down through the work surface.

Dimensions

01




02

**Specification Information****Step 1.****CO608.****Step 2. Usage**

01 for laptop cart
02 for flat panel cart

Prices for Steps 1-2.

CO608. 01	\$158
02	\$158




Product Information


Description

This cart is used to maneuver and transport lockers. It has a foot-activated lever that lifts a locker from a rail to a cart or from a cart to a rail. The cart also has a towing handle and a train connector for linking multiple carts. A maximum of 3 carts can be linked when pulled manually; a maximum of 7 carts can be linked when pulled with a tug. Shipped knocked down.

Dimensions



TOP



Specification Information

Step 1.


CO342FF

\$2051

Step 2. Surface Finish

HF inner tone light

+\$0



Product Information

Description

This mobile cart has a platform, 4 rail profiles for hanging frames, and 4 casters (2 swivel and 2 swivel with brake). It is available in 2 versions: the standard L cart has $4\frac{3}{4}$ " hard-rubber zinc casters; the MRI-compatible cart has $5\frac{1}{2}$ " stainless-steel casters and labels to identify the cart as MRI compatible and is suitable for MRI machines up to 3.0 Tesla power.

Co/Struc® Transport

Notes


To hang drawer or shelf storage components, order C frame (CO205) separately.

For MRI-compatible cart, specify C lid (CO201FF) for the top. Do not specify drawers with lock plugs.





For standard L cart, order optional components separately:

- Breakaway lock assembly (CO473)

Dimensions



TOP

STANDARD
SIDESTANDARD
FRONTMRI
SIDEMRI
FRONT

Specification Information

Step 1.

CO212

Step 2. Application

FF standard

Prices for Steps 1-2.

CO212 FF \$704

Step 3. Surface Finish

HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grey neutral	+\$0

Index by Product Name

Co/Struc® System	
2-Way 90° Corner Connector	page(s) 32
2-Way Module Corner Connector	49
3-Way 90° Corner Connector	33
3-Way Module Corner Connector	50
A-Size Drawer Organizer Kit	217
Access Panel Assembly	59
ADA Sink Support, Systems Mounted	119
Adapter Rail	7
Add-On Shelf with Lip	154
Add-On Shelf, Shelf Unit	141
Adjustable Work Table Base	106
Anchor Support Kit	52
B-Size Drawer Organizer Kit	218
B-Style Rail-Hanging Shelf	150
B-Style Shelf	151
B-Style Shelf with Sloped Top	153
Backsplash Filler	87
Basic Work Table Base	101
Bottle Drawer Divider	131
Breakaway Lock Assembly	208
C Frame	182
C Frame Support	84
C Lid	184
C Tray/Shelf	185
C Wire Shelf	187
Cabinet Floor	181
Cable Manager	228
Cassette Assembly	210
Cassette Bin	212
Cassette Cover	211
Ceiling Entry Support Panel	27
Center Closure Panel	68
Clear Lid	206
Coiled Power Cord	226
Combination Access Panel Assembly	61
Component Adapter Kit	85
Counter Top	183
CS Tray/Shelf	180
Diplomat Panel	46
Dispensing Rail	213
Distal Tube Bracket	178
Draw Rod, Seismic	13
Drawer	192
Drawer Bearer Package	206
Drawer Caddy with Casters	189

Drawer with Lockable Lid	195
End Cap for Standard or Seismic Rail	10
End Closure Assembly	66
End Closure Panel	65
Endoscope Bracket	177
Endoscopy/Catheter Cabinet	175
Equipment Rail, Systems Mounted	9
Equipment Rail, Wall Mounted	8
Filler Extrusion	58
Flat Panel Cart	225
Flat Panel Mount	116
Floor Anchor Adapter Kit	17
Floor Anchor Bracket, Action Office® Series 1	15
Floor Anchor Bracket, Action Office® Series 2	16
Floor Anchor Bracket, Co/Struc® Lab Module	14
Floor Entry Support Panel	25
Frame Stiffener, Ethospace® Top Cap	19
Gripper Package	188
Heavy-Duty Corner Work Surface	89
Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2 90° Corner Connector	91
Heavy-Duty Work Surface	77
Interface Connector	34
Interior Filler	123
Interior Shelf	54
Interior Shelf and Support Kit	56
L Cart	230
Label Clip	209
Laptop Cart	224
Light Bracket	144
Lockable Drawer Bearer	124, 207
Locked Drawer with Lid	198
Locked Drawer with Lockable Lid	201
Locker	161
Locker Hinged Door	169
Locker Lock Kit	171
Locker Lock Kit, Keyless	173
Locker on Wheel Base	167
Locker on Wheel Base, with Hinged Door	165
Locker on Wheel Base, with Tambour Door	162
Locker Tambour Door	168
Locker, with Hinged Door	159
Locker, with Tambour Door	156
Low Cup Sink Access Panel Assembly	63
Low Module	40
Low Module Terminal Panel	43

Index by Product Name *continued*

Marker Board	115
Mid-Run Support, Double Sided	38
Mid-Run Support, Single Sided	37
Module Support Leg	51
Module Wall Start	48
Open Support Panel	21
Panel Connector	36
Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	18
Panel Wall Start	31
Pass-Through Cover	83
Pass-Through Module	41
Pass-Through Module Terminal Panel	44
Power Strip	114
Process Table, Electric Height Adjustment	99
Pullout Catheter Rack	223
Rail-Hanging Work Surface	82
Rail Hardware	6
Reagent Shelf	100
Riser Frame Divider	112
Riser Frame End Cover	113
Shelf Backsplash	57
Shelf End Cap	55
Shelf Label Clip	142, 155
Shelf Support Kit	179
Shelf Unit	136
Shelf Unit Back Panel	143
Shelf Unit Door	145
Shelf Unit Double Doors	146
Shelf Unit Double Glass Doors	147
Shelf Unit Wall Attachment Panel	149
Shelf Unit, 90° Corner	140
Shelf Unit, Diagonal Corner	138
Sink Module	117
Sink Unit for Storage	118
Sloped Shelf Unit Top	148
Standard-Duty Work Surface	75
Standard Rail	5
Standard Work Table Base	103
Storage Case	125
Storage Case Bottle Drawer	130
Storage Case Door	132
Storage Case Drawer	128
Storage Case Leg	133
Storage Case Pullout Shelf	127
Storage Case Rail, Corner	134
Storage Case Shelf	126
Storage Unit	120
Storage Unit Door	122
Storage Unit Shelf	121
Storage Unit with Sliding Doors	135
Subcontainer	215
Subcontainer Divider	219
Subcontainer Handle	220
Subcontainer Handle Label	221
Subcontainer Label Flag	222
Subdivider Vane	186
Support Panel	23
Support Panel Top Cap	39
Terminal Panel	29
Top Shelf	53
TR3 Cart	229
Utility Basket	227
Vertical Chase Cover	47
Wall Anchor Bracket	12
Wall Rail, Seismic	11
Wall Strip Cover	20
Wire Chase Overlay	74
Wire Chase Rail	69
Wire Chase Rail Bridge	71
Wire Chase Rail Cover	73
Wire Chase Rail End Cap	72
Wire Chase Rail, 90° Inside Corner	70
Work Surface Backsplash	86
Work Surface Sidesplash, Resin	88
Work Surface Support	80
Work Table Reagent Shelf	111
Work Table Surface, Rectangular	108
Work Table, Electric Height Adjustment	97
Workstation, Electric Height Adjustment	93
Workstation, Manual Height Adjustment	95

Index by Product Number

C1112. Low Module	page(s) 40	C1460. Vertical Chase Cover	47
C1114. Pass-Through Module	41	C1510. Shelf End Cap	55
C1122. Low Module Terminal Panel	43	C1510. Top Shelf	53
C1122. Pass-Through Module Terminal Panel	44	C1511. Interior Shelf	54
C1124.		C1511. Shelf End Cap	55
C1146. Diplomat Panel	46	C1515. Interior Shelf and Support Kit	56
C1150. Open Support Panel	21	C1520. Shelf Backsplash	57
C1151. Support Panel	23	C1530. Filler Extrusion	58
C1155. Floor Entry Support Panel	25	C1531.	
C1156. Ceiling Entry Support Panel	27	C1610. Adapter Rail	7
C1161. Terminal Panel	29	C1611. Storage Case Rail, Corner	134
C1170. Equipment Rail, Wall Mounted	8	C2140. Work Surface Support	80
C1172. Equipment Rail, Systems Mounted	9	C2141. Heavy-Duty Work Surface	77
C1211. Panel Wall Start	31	C2142. Standard-Duty Work Surface	75
C1212. Module Wall Start	48	C2192. C Frame Support	84
C1220. 2-Way Module Corner Connector	49	C2193. Component Adapter Kit	85
C1221. 2-Way 90° Corner Connector	32	C2215. Heavy-Duty Corner Work Surface	89
C1230. 3-Way Module Corner Connector	50	C2216. Heavy-Duty Corner Work Surface, Action Office® Series 1 or 2	
C1231. 3-Way 90° Corner Connector	33	90° Corner Connector	91
C1261. Interface Connector	34	C2399. Pass-Through Cover	83
C1272. Mid-Run Support, Single Sided	37	C2410. Rail-Hanging Work Surface	82
C1273. Mid-Run Support, Double Sided	38	C2512. Sink Module	117
C1274. Support Panel Top Cap	39	C2513. Sink Unit for Storage	118
C1275. Module Support Leg	51	C2520. ADA Sink Support, Systems Mounted	119
C1276. Anchor Support Kit	52	C2910. Work Surface Backsplash	86
C1281. Panel Connector	36	C2920. Backsplash Filler	87
C1313. Wire Chase Rail	69	C2930. Work Surface Sidesplash, Resin	88
C1314.		C3011. B-Style Shelf	151
C1315. Wire Chase Rail Cover	73	C3019. Add-On Shelf with Lip	154
C1316.		C3091. B-Style Shelf with Sloped Top	153
C1317.		C4310. Workstation, Electric Height Adjustment	93
C1318.		C4311. Workstation, Manual Height Adjustment	95
C1321. Wire Chase Rail, 90° Inside Corner	70	C4312. Work Table, Electric Height Adjustment	97
C1322.		C4313. Process Table, Electric Height Adjustment	99
C1326. Wire Chase Rail Bridge	71	C4320. Riser Frame Divider	112
C1327.		C4321. Riser Frame End Cover	113
C1331. Wire Chase Rail End Cap	72	C4322. Power Strip	114
C1332.		C4323. Marker Board	115
C1358. Wire Chase Overlay	74	C4324. Flat Panel Mount	116
C1412. Access Panel Assembly	59	C4326. Reagent Shelf	100
C1422. Combination Access Panel Assembly	61	C4327.	
C1432. Low Cup Sink Access Panel Assembly	63	C460G. Basic Work Table Base	101
C1450. End Closure Panel	65	C461G. Standard Work Table Base	103
C1451. End Closure Assembly	66	C462C. Adjustable Work Table Base	106
C1452.		C462G.	
C1455. Center Closure Panel	68	C4700. Work Table Surface, Rectangular	108

Index by Product Number *continued*

C4900. Work Table Reagent Shelf	111
C5009. Interior Filler	123
C5010. Storage Unit	120
C5014. Storage Unit with Sliding Doors	135
C5015. Storage Unit Shelf	121
C5016. Storage Unit Door	122
C5017.	
C5020. Shelf Unit	136
C5021.	
C5022. Shelf Unit, Diagonal Corner	138
C5023.	
C5024. Shelf Unit, 90° Corner	140
C5025. Add-On Shelf, Shelf Unit	141
C5026. Shelf Unit Back Panel	143
C5027. Shelf Unit Door	145
C5028.	
C5032. Shelf Unit Double Doors	146
C5035. Shelf Unit Double Glass Doors	147
C5036. Shelf Unit Wall Attachment Panel	149
C5040. Storage Case	125
C5041. Storage Case Shelf	126
C5042. Storage Case Pullout Shelf	127
C5043. Storage Case Drawer	128
C5044.	
C5045. Storage Case Bottle Drawer	130
C5048. Lockable Drawer Bearer	124
C5049. Bottle Drawer Divider	131
C5050. Storage Case Leg	133
C5051. Light Bracket	144
C5052. Storage Case Door	132
C5053.	
CO201 C Lid	184
CO203 C Tray/Shelf	185
CO204 CS Tray/Shelf	180
CO205 C Frame	182
CO207 Drawer	192
CO208	
CO209	
CO212 LCart	230
CO215. Draw Rod, Seismic	13
CO219 Locker Tambour Door	168
CO228 Drawer Bearer Package	206

CO231 Subcontainer	215
CO232	
CO233	
CO234	
CO235	
CO236	
CO238	
CO240	
CO242 Subdivider Vane	186
CO252 C Wire Shelf	187
CO266 Gripper Package	188
CO274 Label Clip	209
CO277 Locker Lock Kit	171
CO279 Locker Lock Kit, Keyless	173
CO282 Standard Rail	5
CO284 Rail Hardware	6
CO285	
CO290 Locker Hinged Door	169
CO338 End Cap for Standard or Seismic Rail	10
CO342 TR3 Cart	229
CO365 Dispensing Rail	213
CO366	
CO367	
CO368	
CO369 Subcontainer	215
CO370 Drawer with Lockable Lid	195
CO371 Locked Drawer with Lockable Lid	201
CO372 Drawer with Lockable Lid	195
CO373 Locked Drawer with Lockable Lid	201
CO374 Drawer with Lockable Lid	195
CO375 Locked Drawer with Lockable Lid	201
CO376 Subcontainer Handle	220
CO377	
CO378 Subcontainer Divider	219
CO379	
CO380	
CO381 Subcontainer Label Flag	222
CO382	
CO396 Lockable Drawer Bearer	207
CO397. Sloped Shelf Unit Top	148
CO398 Shelf Label Clip	142, 155
CO459 Subcontainer Handle Label	221
CO462 Label Clip	209
CO469. Pullout Catheter Rack	223
CO473 Breakaway Lock Assembly	208
CO479 Wall Rail, Seismic	11

Index by Product Number *continued*

CO481	Floor Anchor Bracket, Action Office® Series 1	15
CO485	Floor Anchor Bracket, Action Office® Series 2	16
CO487.	Wall Strip Cover	20
CO508.	Clear Lid	205
CO521.	B-Style Rail-Hanging Shelf	150
CO540	A-Size Drawer Organizer Kit	217
CO541		
CO542		
CO543		
CO544		
CO545		
CO546	B-Size Drawer Organizer Kit	218
CO547		
CO549	Locked Drawer with Lid	198
CO550		
CO551		
CO552	Floor Anchor Adapter Kit	17
CO553	Panel Stiffener, Action Office® Series 1 or Series 2 Top Cap	18
CO554	Frame Stiffener, Ethospace® Top Cap	19
CO555	Counter Top	183
CO556		
CO561	Locker, with Tambour Door	156
CO562	Locker	161
CO563	Locker on Wheel Base	167
CO564	Locker on Wheel Base, with Tambour Door	162
CO565	Cassette Assembly	210
CO566	Cassette Cover	211
CO567	Cassette Bin	212
CO568	Floor Anchor Bracket, Co/Struc® Lab Module	14
CO569.	Wall Anchor Bracket	12
CO570	Locker, with Hinged Door	159
CO574	Locker on Wheel Base, with Hinged Door	165
CO600.	Laptop Cart	224
CO601.	Flat Panel Cart	225
CO602.	Coiled Power Cord	226
CO605.	Utility Basket	227
CO608.	Cable Manager	228
CO692.	Drawer Caddy with Casters	189
CO693.		
CV300.	Endoscopy/Catheter Cabinet	175
CV310.	Endoscope Bracket	177
CV311.	Distal Tube Bracket	178
CV314.	Cabinet Floor	181
CV317.	Shelf Support Kit	179

20-Day or Less/Assigned Lead-Time Order Information – Healthcare

20-Day or Less/Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number: (616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

Packaging/Keyed-Alike Information – Co/Struc® System

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Keyed-Alike Locks

All components with locks may be specified keyed alike.

Keyed-alike Co/Struc® components with a “CO” or “CV” prefix will be shipped with lock plugs installed. Mobile Technology Support products (CO600, CO601, and CO606) cannot be ordered keyed alike.

Keyed-alike Co/Struc components with a “C” prefix will be shipped with lock chassis installed. Lock plugs will be shipped separately, tagged for product and location as specified. Installation of lock plugs will be on-site according to instructions provided. Herman Miller, Inc., will not be responsible for lock plug installation.

To order keyed-alike locks for “C” prefix components, specify keyed alike. Then place a separate order for plugs and locks:

1. List plug part number and key number (232092-XXX); select a key number (or numbers) between 226 and 324.
2. List quantity of locks per key number.
3. Indicate this is a no charge order.

Keyed-alike locks are field installed.

A Medeco master key can be used to open any lock on Co/Struc components with a “CO” or “CV” prefix, except for Mobile Technology Support products CO600, CO601, and CO606. Customers interested in ordering master keys should contact Customer Care with a written request. To remove lock plugs from existing components, loosen the hex nut inside the product and remove the plug. These locks are available in key numbers 01 through 99. To remove lock plugs from locker with electronic lock, remove the cover from the e-lock mounting plate (be careful not to separate battery wires from unit). Next, loosen the hex nut inside the cover and remove the plug.

A Hudson master key can be used to open any lock on Co/Struc components with a “C” prefix. To remove lock plugs from existing components, a removal key or lock change tool is required. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care with a written request. Locks for “C” prefix components are available in key numbers 226 through 324 but are ordered as key numbers 01 through 99. Use the following chart to cross-reference the number selection.

“C” lock order numbers	Actual “C” lock plug numbers	“C” lock order numbers	Actual “C” lock plug numbers
1	226	51	276
2	227	52	277
3	228	53	278
4	229	54	279
5	230	55	280
6	231	56	281
7	232	57	282
8	233	58	283
9	234	59	284
10	235	60	285
11	236	61	286
12	237	62	287
13	238	63	288
14	239	64	289
15	240	65	290
16	241	66	291
17	242	67	292
18	243	68	293
19	244	69	294
20	245	70	295
21	246	71	296
22	247	72	297
23	248	73	298
24	249	74	299
25	250	75	300
26	251	76	301
27	252	77	302
28	253	78	303
29	254	79	304
30	255	80	305
31	256	81	306
32	257	82	307
33	258	83	308
34	259	84	309
35	260	85	310
36	261	86	311
37	262	87	312
38	263	88	313
39	264	89	314
40	265	90	315
41	266	91	316
42	267	92	317
43	268	93	318
44	269	94	319
45	270	95	320
46	271	96	321
47	272	97	322
48	273	98	323
49	274	99	324
50	275		

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2017 Herman Miller, Inc., Zeeland, Michigan

® HermanMiller, Aeron, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Eames, Embody, Equa 2, Egon 3, Ethospace, Exclave, Fine-Tune, FlexFront, Formcoat, Ground Cloth, Herman Miller Healthcare, Layout Studio, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Resolve, Sayl, Setu, Thrive, Tu, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ AireWeave, Bubbletack, Cellular Suspension, Compass, Connect, DOT, Durawrap, Everywhere, Flex-Edge, Hopsak 2, Iota, Keyless Entry, Latitude, Lyris 2, Motia, Multiscrim, Nelson, Renew, Stackable, Swoop, TriFlex, Twist, and Verus are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

® Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Place Textiles® is a registered trademark of Place Textiles.