

TECHNICAL CHARACTERISTICS OF PRODUCT

The characteristics of the product specified in this technical report meet the specification and test methods according to norm ASTM requirements.

PRODUCT SPECIFICATION

Reference	Color By Numbers Series 10X30
Nominal Size (N)	10 cm x 30 cm
Work Size (W)	100 mm x 300 mm
Thickness	7,0 mm
Water Absorption	BIII (>10%)
Shade Variation	V1
Application Joint	2,0 mm
Coverage Area	1,02 m ² /cx
Number of pieces per box	34

Check if the product is adequate for the planned installation area according to the room application table:

CODE	APPLICATION ROOM
LA	Residencial bathrooms.
LB	Residential areas, bedrooms and kitchens with no access to the street and LA spaces.
LC	Commercial areas without access to the street, garages, porches and residential areas with access to the street, and LB and LA spaces.
LD	Commercial areas with access to the street and LA, LB, and LA spaces.
LE	Sidewalks and outside flat areas and LD, LC, LB and LA spaces.
LP	Pools.
LF	Façades.

PHYSICAL PROPERTIES

Breaking strength (lbf)	≥ 125
Water Absorption (%)	10-20

CHEMICAL PROPERTIES

Stain Resistance

Class A

Attention:

Sand may produce scratches on any type of surface covering (stone, wood, vinyl or ceramic tiles). Therefore, ceramic tiles are not warranted against scratches, especially concerning glossy surface products.

Special care is recommended during the application and its use. In residential areas, we recommend to protect the base of furniture and appliances.

October 31, 2013.
Cocal do Sul – SC – Brazil

A handwritten signature in dark ink, appearing to read "Jaime Batista", written over a horizontal line.

Jaime Batista
Gerente de Engenharia

A handwritten signature in dark ink, appearing to read "Angela Waterkemper Vieira", written over a horizontal line.

Angela Waterkemper Vieira
Analista Desenvolvimento de Processos