


CREATION LIVING

 Compact Tile	 Compact Plank	PUR+	 100% recyclable	FloorScore™	USA STOCK
---	---	-------------	---	--------------------	------------------

GERFLOR USA'S CREATION LIVING LVT is a 2mm thick, low-traffic luxury vinyl tile with micro-beveled edges, available in both plank and tile format. Realistic wood and stone designs are printed in high definition on tear-resistant film, protected by a 12 mil transparent wearlayer, and supported by a compact backing made of 100% recycled materials. Creation Living is naturally antibacterial and 99% effective against the spread of infection by ISO 22196 standards. The PUR+ Surface Treatment allows for easy maintenance without waxing.

Creation Living is low VOC (TVOC after 28day < 100µg/m³), 100% allergen-free, and REACH compliant.



COLOR TONE VARIATION LEGEND

New Color Tone Variation icons indicate whether the design has light-, medium- or high- contrast effect.



Light










Medium



High



















EXCLUSIVE EMBOSSINGS FOR MORE REALISTIC APPEARANCE

NATURAL 	STAMPED 	GENUINE 	HAMMERED 
BRUSHED 	STONE 	SAW EFFECT 	






CREATION LIVING

 Compact Tile
  Compact Plank
 PUR+
 100% recyclable
 FloorScore™
USA STOCK

PLANKS

 7.244" x 48" 0737 Alamo Ash	 7.244" x 48" 0490 Boogie	 6" x 36" 0447 Amabor	 7.244" x 48" 0738 Alamo Sand	 6" x 36" 0493 Flamenco	 7.244" x 54" 0749 Bostonian
 4.5" x 24" 0741 Timber Rust	 4.5" x 24" 0742 Timber Camel	 7.244" x 48" 0740 Royal Oak Coffee	 7.244" x 48" 0739 Royal Oak Gold	 6" x 36" 0498 Tango	 6" x 36" 0265 Morris
 6" x 36" 0488 Folk	 6" x 36" 0504 Twist	 7.244" x 48" 0588 Bossa Nova	 6" x 36" 0347 Ballerina	 6" x 36" 0441 Honey Oak	 6" x 36" 0349 Mazurka

TILES

 7.244" x 48" 0586 Tamoure	 12" x 24" 0744 Carrare	 12" x 24" 0414 Soprano	 24" x 24" 0751 Durango Taupe	 24" x 24" 0373 Sliver City	 18" x 36" 0746 Pashmina Storm
--	--	--	---	--	---

CREATION LIVING



DESCRIPTION	STANDARDS	REQUIREMENTS	CREATION LIVING
PRODUCT DESCRIPTION			Micro-beveled Luxury Vinyl Tiles and Planks for low-traffic applications
Reference Specification	ASTM F1700		CLASS III TYPE B
Surface Treatment / Maintenance	—		PUR+
Backing	ASTM F 1303		100% made from recycled material
Gauge Total Thickness	ASTM F386		0.080" (2.0 mm)
Wearlayer Thickness	ASTM F410		12mil (0.3 mm)
Plank and tile sizes	—		4.5" X 24"; 6" X 36"; 7.244" X 48"; 7.244" x 54" 12" x 24"; 24" x 24"; 18" x 36"
Weight	—		0.7 lbs/sqf (3.46kg/sqm)
PERFORMANCE			
Indentation – Residual (75 lbs)	ASTM 1914	≤ -8%	Meets requirements
Static Load (250 psi)	ASTM F970	≤ 0.005 in.	Meets requirements
Coefficient of Friction	ASTM D2047		0.65 (Dry) / 0.72 (Wet)
Impact insulation class (IIC)	ASTM E989 (ASTM E492)		40dB
Chemical & Stain Resistance (5 min and 24 hours)	ASTM F925		Meets requirements
Fire rating	ASTM E648	Class I	Class 1
Smoke Density (Flaming and non Flaming)	ASTM E662		Meets requirements
ENVIRONMENT HEALTH & SAFETY			
Naturally antibacterial; Combats MRSA, E. coli, and S. aureus*	ISO 22196	—	Inhibits spread of infections at 99%
Allergen Free			100% allergen free
Plant Certifications			ISO 14001, ISO 9001
Production Waste			100% manufacturing waste recycled
End of life			100% recyclable
MATERIALS & RESOURCES: BUILDING PRODUCT DISCLOSURE & OPTIMIZATION (BPDO)			
Sourcing of Raw Materials: Recycled content	MR 4 LEED v3 or Sourcing LEED v4		45%
Restriction Use of Harmful Chemicals	Materials LEED v4		100% REACH compliant
Environmental Product Declaration (EPD)	EPD LEED v4		Available upon request
Health Product Declaration (HPD)	Materials LEED v4		Self declared
MATERIALS & RESOURCES: INDOOR ENVIRONMENTAL QUALITY (IEQ)			
TVOC after 28 days	ISO 16000-6		<100 µg/m3
WARRANTY	10-year limited manufacturer warranty when installed in accordance with Gerflor's installation instructions on gerflorusa.com.		

* The implementation of an effective cleaning method is the best defense against the spread of infections.

CREATION LIVING PACKAGING DETAILS				
FORMAT OF PLANKS / TILES		NUMBER OF UNITS PER BOX	COVERAGE PER BOX	
CM	INCH		SQ M	SQ FT
11.4 x 61	4.5" X 24"	48	3.34	35.95
15.2 x 91.4	6" x 36"	24	3.34	35.95
18.4 x 121.9	7.244" x 48"	15	3.37	36.27
18.4 x 137.1	7.244" x 54"	12	3.03	32.61
30.5x61	12" x 24"	18	3.34	35.95
61 x 61	24" x 24"	9	3.34	35.95
45.7 x 91.4	18" x 36"	8	3.34	35.95



NO heavy metals,
CMR 1, or CMR 2



ISO 22196