
CONFERENCE TABLE BASES

CONFERENCE TABLE BASES

SQUARE BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable which are quarter cut walnut
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel

CYLINDER BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable which are quarter cut walnut
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- Wire access door is hinged with touch latch

PANEL BASE KITS AND THICK PANELS

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable which are quarter cut walnut
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel
- Panel base kit features two support rails that run from base to base

FINISH APPLICATION

- Veneer tops are finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

METAL BASES

- Bases are formed metal with a powder coat finish in four colors
- Both mobile and fixed height bases are available
- Mobile bases have locking casters
- Glides are standard on fixed height bases
- Oval wire management cutout optional on some bases for an additional upcharge

TABLE BASE GUIDE CAN BE FOUND ON PAGES 30-51

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable

LAMINATE COLORS


WOODGRAIN LAMINATES

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
791	Palisander
792	Sable
793	Acorn


SOLID LAMINATES

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

BASE DETAIL OPTIONS




Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)



Captivate (P4)
(wood only)

EPIC BASE DETAIL



FOOT COLORS (EPIC ONLY)

FR462	Cinder
FR501	Platinum Metallic
FR503	Satin Nickel Metallic

METAL BASE COLUMN PAINT COLORS

265	Polished
405	Designer White
462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

METAL BASE FOOT PAINT COLORS


265	Polished
405	Designer White
462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

METAL BASE COLUMN WIRE MANAGEMENT

- Ellipse shaped wire management cutout optional

CUL	Cutouts, Upper & Lower
CU	Cutout, Upper
X	No Cutout

\$25 list upcharge for cutout



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Finish/Laminate: Must specify Honey (HN/HN2), Amber (MC) or Cordovan (CW)

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

SAMPLE MODEL NUMBERS:

BW-16 CW
10N1628SQBW P3 MH
10N1628SQBL P1 MH

To You In
10
DAYS
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

CYLINDER BASE (NO WIRE ACCESS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
WOOD			D	W	H	A	KW		
			DI		H				
BW-16	16" Diameter	\$ 1066	16	—	27¾	—	—	145 lbs.	5.3
QBW-18	18" Diameter	1190	18	—	27¾	—	—	160 lbs.	5.3
BW-18	18" Diameter	1190	18	—	27¾	—	—	160 lbs.	5.3
BW-24	24" Diameter	1230	24	—	27¾	—	—	180 lbs.	7.2
LAMINATE									
BP-16	16" Diameter	\$ 636	16	—	27¾	—	—	145 lbs.	5.3
QBP-18	18" Diameter	790	18	—	27¾	—	—	160 lbs.	5.3
BP-18	18" Diameter	790	18	—	27¾	—	—	160 lbs.	5.3
BP-24	24" Diameter	913	24	—	27¾	—	—	180 lbs.	7.2

- Do not specify base detail
- Bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Adjustable glides standard

CYLINDER BASE WITH WIRE ACCESS




Basic (P1)

WOOD									
10N1628CYBW	16" Diameter	\$ 1756	16	—	27¾	—	—	145 lbs.	6.3
10N1828CYBW	18" Diameter	1902	18	—	27¾	—	—	150 lbs.	5.3
10N2428CYBW	24" Diameter	2049	24	—	27¾	—	—	180 lbs.	7.2
LAMINATE									
10N1628CYBL	16" Diameter	\$ 1230	16	—	27¾	—	—	145 lbs.	6.3
10N1828CYBL	18" Diameter	1376	18	—	27¾	—	—	150 lbs.	5.3
10N2428CYBL	24" Diameter	1814	24	—	27¾	—	—	180 lbs.	7.2

- Only the Basic (P1) option is available
- Bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

SOFTENED SQUARE BASE (NO WIRE ACCESS)



			D	W	H	A	KW		
BW-1616	Wood	\$ 969	16	16	27½	—	—	140 lbs.	5.3


- Do not specify base detail
- Base is weighted for stabilization
- Reference pages 30-51 for table base guide
- AD Almond, PB Portobello and 792 Sable not available

CONFERENCE TABLE BASES

Specify selections, left to right:

BASE MODEL	BASE DETAIL	FOOT COLOR (Epic only)	FINISH (wood only)	LAMINATE (laminate only)
P1 Basic P2 Barrington P3 Escalade P4 Captivate		FR462 Cinder FR501 Platinum Metallic FR503 Satin Nickel Metallic	AC Autumn AD Almond CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural PB Portobello TF Truffle 792 Sable	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello PT Portico SK Skyline SM Sonoma TF Truffle
BW-16			CW	

EPIC SQUARE BASE (NO WIRE ACCESS)



MODEL NO./DESCRIPTION

WOOD


MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N1628SQBXW 16" Square	\$ 1287	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXW 18" Square	1304	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXW 24" Square	1364	24	24	28	—	—	180 lbs.	7.2

LAMINATE


25N1628SQBXL 16" Square	\$ 734	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXL 18" Square	885	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXL 24" Square	1022	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Adjustable glides standard


SQUARE BASE (NO WIRE ACCESS)




Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)



Captivate (P4)
(wood only)

WOOD

10N1628SQBXW 16" Square	\$ 1160	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXW 18" Square	1175	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXW 24" Square	1230	24	24	28	—	—	180 lbs.	7.2

LAMINATE

10N1628SQBXL 16" Square	\$ 655	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXL 18" Square	790	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXL 24" Square	913	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Adjustable glides standard

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit

SAMPLE MODEL NUMBER:

BW-2427S CW


DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

To You In
10
DAYS
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

EPIC SQUARE BASE WITH WIRE ACCESS



MODEL NO./DESCRIPTION

LIST
PRICE

DIMENSIONS
D W H

A KW

CARTONED
WEIGHT

CUBIC
FEET

WOOD


25N1628SQBW	16" Square	\$ 1493	16	16	28	—	—	145 lbs.	5.3
25N1828SQBW	18" Square	1655	18	18	28	—	—	150 lbs.	6.3
25N2428SQBW	24" Square	1818	24	24	28	—	—	180 lbs.	7.2

LAMINATE


25N1628SQBL	16" Square	\$ 1050	16	16	28	—	—	145 lbs.	5.3
25N1828SQBL	18" Square	1278	18	18	28	—	—	150 lbs.	6.3
25N2428SQBL	24" Square	1573	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening


SQUARE BASE WITH WIRE ACCESS




Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)



Captivate (P4)
(wood only)

WOOD

10N1628SQBW	16" Square	\$ 1346	16	16	28	—	—	145 lbs.	5.3
10N1828SQBW	18" Square	1492	18	18	28	—	—	150 lbs.	6.3
10N2428SQBW	24" Square	1639	24	24	28	—	—	180 lbs.	7.2

LAMINATE

10N1628SQBL	16" Square	\$ 936	16	16	28	—	—	145 lbs.	5.3
10N1828SQBL	18" Square	1140	18	18	28	—	—	150 lbs.	6.3
10N2428SQBL	24" Square	1405	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

CONFERENCE TABLE BASES

Specify selections, left to right:

BASE MODEL	BASE DETAIL	FOOT COLOR (Epic only)	FINISH (wood only)	LAMINATE (laminate only)
P1 Basic	FR462 Cinder	AC Autumn	AC2 Autumn 2	405 Designer White
P2 Barrington	FR501 Platinum Metallic	AD Almond	AD Almond	417 Mojave
P3 Escalade	FR503 Satin Nickel Metallic	CL Caramel	CL Caramel	418 Mouse
P4 Captivate		CW Cordovan	CW Cordovan	419 Wallaby
		DW Judicial	DW Judicial	425 Shadow
		HN Honey	HN2 Honey 2	440 Cloud
		IM Brighton	IM Brighton	461 Graphite
		MC Amber	MC Amber	462 Cinder
		MH Mocha	MH Mocha	478 Platinum Grey
		NM Natural	NM Natural	488 Frosty White
		PB Portobello	PB Portobello	491 Designer White Linear
		TF Truffle	PT Portico	492 Cinder Linear
		792 Sable	SK Skyline	791 Palisander
			SM Sonoma	792 Sable
			TF Truffle	793 Acorn
BW-2427S			CW	

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
WOOD QUEEN ANNE BASE	TBW-4	Wood	\$ 1302	—	38	27¾	—	—	35 lbs.	25.0
	• Available in Judicial, Cordovan, Mocha or Truffle • Do not specify base detail • Reference pages 30-51 for table base guide • Cannot be used with grommet or cutout options on conference tops • Not to be used with 48" square tops									
NYLON QUEEN ANNE BASE	TB-4P	Nylon	\$ 460	—	30½	27	—	—	35 lbs.	25.0
	• Available in Judicial, Cordovan or Mocha • Do not specify base detail • Reference pages 30-51 for table base guide • Cannot be used with grommet or cutout options on conference tops • Not to be used with 48" square or round tops									
THIN PANEL BASE	QBW-2427S	Wood	\$ 531	2	24	27½	—	—	37 lbs.	1.7
	BW-2427S	Wood	531	2	24	27½	—	—	37 lbs.	1.7
	QBP-2427S	Laminate	217	1½	24	27½	—	—	37 lbs.	1.7
	BP-2427S	Laminate	217	1½	24	27½	—	—	37 lbs.	1.7
	• Do not specify base detail • Reference pages 30-51 for table base guide • Not to be used with a 48" x 240", 216", 144", or 120" top that has a grommet cutout • Laminate base comes with additional angle bracket for installation									
CURVED PANEL BASE	BP-2427C	Laminate	\$ 364	2	22¾	27½	—	—	39 lbs.	2.9
	• Do not specify base detail • Reference pages 30-51 for table base guide									

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit


SAMPLE MODEL NUMBERS:

10N1828PNW P3 DW
10N1828PNL P1 MC

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC
THICK PANEL BASE
WITH WIRE ACCESS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
WOOD									
25N1828PNW	18"	\$ 1493	8	18	27¾	—	—	73 lbs.	5.3
25N2428PNW	24"	1687	8	24	27¾	—	—	95 lbs.	7.0
LAMINATE									
25N1828PNL	18"	\$ 1017	8	18	27¾	—	—	73 lbs.	5.3
25N2428PNL	24"	1178	8	24	27¾	—	—	95 lbs.	7.0

• Reference pages 30-51 for table base guide


CONFERENCE TABLE BASES

WOOD/LAMINATE

CONFERENCE TABLE BASES


Specify selections, left to right:

BASE MODEL	BASE DETAIL	FOOT COLOR (Epic only)	FINISH (wood only)	LAMINATE (laminite only)
	P1 Basic P2 Barrington P3 Escalade P4 Captivate	FR462 Cinder FR501 Platinum Metallic FR503 Satin Nickel Metallic	AC Autumn AD Almond CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural PB Portobello TF Truffle 792 Sable	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello PT Portico SK Skyline SM Sonoma TF Truffle
10N1828PNW			DW	


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
	WOOD									
	10N1828PNW 18"	\$ 1346	8	18	27¾	—	—	—	73 lbs.	5.3
	10N2428PNW 24"	1522	8	24	27¾	—	—	—	95 lbs.	7.0
	LAMINATE									
	10N1828PNL 18"	\$ 907	8	18	27¾	—	—	—	73 lbs.	5.3
	10N2428PNL 24"	1054	8	24	27¾	—	—	—	95 lbs.	7.0

• Reference pages 30-51 for table base guide


Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)



Captivate (P4)
(wood only)

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit


SAMPLE MODEL NUMBERS:

10N72PNKW P4 AC
10N72PNKL P1 AC

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)







MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
WOOD										
25N72PNKW	For 72" Top	\$	3207	18	47	27¾	—	33	145 lbs.	5.3
25N84PNKW	For 84" Top		3272	18	53	27¾	—	39	150 lbs.	5.3
25N96PNKW	For 96" Top		3337	18	59	27¾	—	45	150 lbs.	5.3
25N120PNKW	For 120" Top		4739	18	91	27¾	—	69¾	170 lbs.	6.2
25N144PNKW	For 144" Top		4868	18	107	27¾	—	85¾	175 lbs.	6.2
25N168PNKW	For 168" Top		6232	18	136¾	27¾	—	108½	195 lbs.	7.9
25N192PNKW	For 192" Top		6362	18	154¾	27¾	—	126½	200 lbs.	7.9
25N216PNKW	For 216" Top		6491	18	172¾	27¾	—	144½	210 lbs.	8.2
25N240PNKW	For 240" Top		6621	18	190¾	27¾	—	162½	210 lbs.	8.2
LAMINATE										
25N72PNKL	For 72" Top	\$	2490	18	47	27¾	—	33	145 lbs.	5.3
25N84PNKL	For 84" Top		2555	18	53	27¾	—	39	150 lbs.	5.3
25N96PNKL	For 96" Top		2622	18	59	27¾	—	45	150 lbs.	5.3
25N120PNKL	For 120" Top		3408	18	91	27¾	—	69¾	170 lbs.	6.2
25N144PNKL	For 144" Top		3539	18	107	27¾	—	85¾	175 lbs.	6.2
25N168PNKL	For 168" Top		4457	18	136¾	27¾	—	108½	195 lbs.	7.9
25N192PNKL	For 192" Top		4589	18	154¾	27¾	—	126½	200 lbs.	7.9
25N216PNKL	For 216" Top		4719	18	172¾	27¾	—	144½	210 lbs.	8.2
25N240PNKL	For 240" Top		4850	18	190¾	27¾	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 30-51 for table base guide
- Modified width is available; refer to the chart on page 14 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

Specify selections, left to right:

BASE MODEL	BASE DETAIL	FOOT COLOR (Epic only)	MODIFIED WIDTH	FINISH (wood only)	LAMINATE (laminate only)
	P1 Basic P2 Barrington P3 Escalade P4 Captivate	FR462 Cinder FR501 Platinum Metallic FR503 Satin Nickel Metallic		AC Autumn AD Almond CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural PB Portobello TF Truffle 792 Sable	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello PT Portico SK Skyline SM Sonoma TF Truffle
10N72PNKW	P4			AC	

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)  Basic (P1)	WOOD								
	10N72PNKW For 72" Top	\$ 2891	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKW For 84" Top	2950	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKW For 96" Top	3009	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKW For 120" Top	4272	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKW For 144" Top	4390	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKW For 168" Top	5619	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKW For 192" Top	5735	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKW For 216" Top	5853	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKW For 240" Top	5970	18	190¾	27¾	—	162½	210 lbs.	8.2
 Barrington (P2) (wood only)	LAMINATE								
	10N72PNKL For 72" Top	\$ 2224	18	47	27¾	—	33	145 lbs.	5.3
	10N84PNKL For 84" Top	2284	18	53	27¾	—	39	150 lbs.	5.3
	10N96PNKL For 96" Top	2340	18	59	27¾	—	45	150 lbs.	5.3
	10N120PNKL For 120" Top	3044	18	91	27¾	—	69¾	170 lbs.	6.2
	10N144PNKL For 144" Top	3160	18	107	27¾	—	85¾	175 lbs.	6.2
	10N168PNKL For 168" Top	3980	18	136¾	27¾	—	108½	195 lbs.	7.9
	10N192PNKL For 192" Top	4096	18	154¾	27¾	—	126½	200 lbs.	7.9
	10N216PNKL For 216" Top	4214	18	172¾	27¾	—	144½	210 lbs.	8.2
	10N240PNKL For 240" Top	4330	18	190¾	27¾	—	162½	210 lbs.	8.2
 Escalade (P3) (wood only)	• Base kit includes amount of bases required to support conference top and horizontal supports • Horizontal support rails will match finish/laminate of panel bases • 72", 84" and 96" base kits will have 2 panel bases • 120" and 144" base kits will have 3 panel bases • 168", 192", 216" and 240" base kits will have 4 panel bases • Some assembly required • Adjustable glides standard • Bases have wire access for access to floor mounted electrical • Reference pages 30-51 for table base guide • Modified width is available; refer to the chart on page 14 for conference top sizing • When using with a modified sized top, specify base kit with modified width to match modified top width								
 Captivate (P4) (wood only)									

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit


SAMPLE MODEL NUMBERS:

10N60144PNKW P4 AC
10N60144PNKL P1 AC

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
WOOD									
25N60144PNKW	For 144" Top	\$ 6328	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKW	For 168" Top	8102	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKW	For 192" Top	8270	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKW	For 216" Top	8438	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKW	For 240" Top	8608	24	190¾	27¾	—	162½	243 lbs.	8.3
LAMINATE									
25N60144PNKL	For 144" Top	\$ 4601	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKL	For 168" Top	5795	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKL	For 192" Top	5966	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKL	For 216" Top	6135	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKL	For 240" Top	6305	24	190¾	27¾	—	162½	243 lbs.	8.3


- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 30-51 for table base guide
- Modified width is available; refer to the chart on page 14 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES


Specify selections, left to right:

BASE MODEL	BASE DETAIL	FOOT COLOR (Epic only)	MODIFIED WIDTH	FINISH (wood only)	LAMINATE (laminate only)
	P1 Basic P2 Barrington P3 Escalade P4 Captivate	FR462 Cinder FR501 Platinum Metallic FR503 Satin Nickel Metallic		AC Autumn AD Almond CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural PB Portobello TF Truffle 792 Sable	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello PT Portico SK Skyline SM Sonoma TF Truffle 405 Designer White 417 Mojave 418 Mouse 419 Wallaby 425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear 791 Palisander 792 Sable 793 Acorn
10N60144PNKW	P4			AC	


THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)




Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)



Captivate (P4)
(wood only)

MODEL NO./DESCRIPTION

WOOD

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
10N60144PNKW For 144" Top	\$ 5706	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKW For 168" Top	7306	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKW For 192" Top	7457	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKW For 216" Top	7609	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKW For 240" Top	7760	24	190¾	27¾	—	162½	243 lbs.	8.3

LAMINATE





MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
10N60144PNKL For 144" Top	\$ 4109	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKL For 168" Top	5174	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKL For 192" Top	5326	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKL For 216" Top	5478	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKL For 240" Top	5630	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 30-51 for table base guide
- Modified width is available; refer to the chart on page 14 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter



	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	DOUBLE DORIC BASE								
	CBW3428TT Black Metal	\$ 537	8	30	28	—	—	29 lbs.	2.8
	- Some assembly is required - Features side holes at the top and bottom of each leg for wire management - Reference pages 30-51 for table base guide								
	2-PRONG BASE								
	CBV2928P2BP	\$ 246	—	29	28	—	—	22 lbs.	1.5
	- Reference pages 30-51 for table base guide - Some assembly required - Optional upper and lower (CUL) base column wire management - Specify base column and base foot paint colors								
	H-STYLE LEG BASE								
	CBW3428H Black Metal	\$ 374	6	29 ¹ / ₄	28	—	—	17 lbs.	3.4
	Reference pages 30-51 for table base guide								
	COLUMN LEG STATIC								
	CBV0228COBP	\$ 100	2	—	27 ³ / ₄	—	—	6 lbs.	0.6
	- Adjustable glide standard - Reference pages 30-51 for table base guide - Optional upper and lower (CUL) base column wire management								
	COLUMN LEG MOBILE								
	CBV0228COBMP	\$ 120	2	—	27 ³ / ₄	—	—	6 lbs.	0.6
	- Dual wheel locking caster - Some assembly required - Reference pages 30-51 for table base guide - Optional upper and lower (CUL) base column wire management								

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:


CBV2828P4BP CUL 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
	CBV2828P4BP	\$ 316	—	28	28	—	—	32 lbs.	1.4	
	CBV3428P4BP	412	—	34	28	—	—	32 lbs.	2.5	
	• Reference pages 30-51 for table base guide • Some assembly required • Optional upper and lower (CUL) base column wire management • Specify base column and base foot paint colors									
	BW-4	Black Metal with Wood Caps	\$ 417	—	32½	27½	—	—	21 lbs.	3.0
	• Specify wood finish after model number • Reference pages 30-51 for table base guide									
	CBV4028XBP	\$ 697	—	38½	27¾	—	—	36 lbs.	12.0	
	CBV3228XBP	521	—	31½	27¾	—	—	33 lbs.	12.0	
	CBV2728XBP	443	—	27½	27¾	—	—	33 lbs.	12.0	
	• Adjustable glides standard • Some assembly required • Reference pages 30-51 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors									


CONFERENCE TABLE BASES

DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
X BASE WORKSURFACE HEIGHT, MOBILE 	CBV4028XBMP	\$ 727	—	38 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	36 lbs.	12.0
	CBV3228XBMP	560	—	31 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0
	CBV2728XBMP	476	—	27 $\frac{3}{16}$	27 $\frac{3}{4}$	—	—	33 lbs.	12.0

- Dual wheel locking casters
- Some assembly required
- Reference pages 30-51 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors

			DI	W	H				
X BASE WORKSURFACE HEIGHT, WIRE MANAGEMENT 	CBV4728XB	Cinder	\$ 779	4	47	27 $\frac{3}{4}$	—	—	55 lbs. 15.0
	CBV4728XS	Platinum Metallic	779	4	47	27 $\frac{3}{4}$	—	—	55 lbs. 15.0
	CBV4728XN	Satin Nickel Metallic	779	4	47	27 $\frac{3}{4}$	—	—	55 lbs. 15.0

- Base can be used with 54" and 60" round or square conference tops
- Adjustable glides are standard
- Some assembly required
- 4" column has hole through center to allow wire access and can be used with the G10 and NACG10EL Conference Grommet

X BASE COUNTER HEIGHT 	CBV3235XBP	\$ 726	2 $\frac{1}{2}$	32	33 $\frac{1}{16}$	—	—	32 lbs.	12.0
	CBV2735XBP	617	2 $\frac{1}{2}$	27 $\frac{3}{16}$	33 $\frac{1}{16}$	—	—	32 lbs.	12.0



- Adjustable glides standard
- Some assembly required
- Reference pages 30-51 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBERS:

CBV4028XBMP CU 265 462
CBV3241XBP X 462 462


	MODEL NO./DESCRIPTION	LIST PRICE		DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
X BASE BAR HEIGHT 	CBV3241XBP	\$	798	2½	32	40⅞	—	—	—	33 lbs.	14.0
	CBV2741XBP		679	2½	27⅞	40⅞	—	—	—	33 lbs.	14.0
	• Adjustable glides standard • Some assembly required • Reference pages 30-51 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors										
ADJUSTABLE HEIGHT BASE MOBILE 	CBV3226XBAB Cinder	\$	1756	2½	32	26-40⅞	—	—	—	33 lbs.	12.0
	CBV3226XBAS Platinum Metallic		1756	2½	32	26-40⅞	—	—	—	33 lbs.	12.0
	CBV3226XBAN Satin Nickel Metallic		1756	2½	32	26-40⅞	—	—	—	33 lbs.	12.0
	• Some assembly required • Paddle arm release allows pneumatic adjustment • Locking casters only • Reference pages 30-51 for table base guide										

CONFERENCE TABLE BASES

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


UMBRELLA BASE FIXED



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
CBV2728U4SB	Cinder	\$ 902	30	30	27½	—	—		32 lbs.	10.3
CBV2728U4SS	Platinum Metallic	902	30	30	27½	—	—		32 lbs.	10.3
CBV2728U4SN	Satin Nickel Metallic	902	30	30	27½	—	—		32 lbs.	10.3

- Some assembly required
- 4 leveling glides


UMBRELLA BASE MOBILE



CBV2728U4MB	Cinder	\$ 902	30	30	27½	—	—		32 lbs.	10.3
CBV2728U4MS	Platinum Metallic	902	30	30	27½	—	—		32 lbs.	10.3
CBV2728U4MN	Satin Nickel Metallic	902	30	30	27½	—	—		32 lbs.	10.3

- Some assembly required
- 4 locking casters

UMBRELLA BASE ADJUSTABLE HEIGHT MOBILE



CBV2742U4AMB	Cinder	\$ 1572	30	30	25½-41½	—	—		36 lbs.	10.3
CBV2742U4AMS	Platinum Metallic	1572	30	30	25½-41½	—	—		36 lbs.	10.3
CBV2742U4AMN	Satin Nickel Metallic	1572	30	30	25½-41½	—	—		36 lbs.	10.3




- Some assembly required
- Release paddle to adjust height
- 4 locking casters

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:




CBV2715DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE OCCASIONAL TABLE HEIGHT 	CBV2715DRNBP	\$ 667	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	504	3	22	16	—	—	43 lbs.	1.9
	• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 530-531 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT 	CBV2715DSQBP	\$ 777	3	27 ³ / ₁₆	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	613	3	22	16	—	—	50 lbs.	1.9
	• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 530-531 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
DISC BASE WORKSURFACE HEIGHT 	CBV2728DRNBP	\$ 711	3	27 ³ / ₁₆	27 ⁷ / ₁₆	—	—	73 lbs.	2.8
	CBV2228DRNBP	531	3	22	27 ⁷ / ₁₆	—	—	56 lbs.	2.8
	• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 530-531 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8" • Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic • Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic								

CONFERENCE TABLE BASES

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width
- DI Diameter

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
SOFT SQUARE BASE WORKSURFACE HEIGHT 	CBV2728DSQBP	\$ 820	3	27 ³ / ₁₆	27 ⁷ / ₁₆	—	—	84 lbs.	2.8
	CBV2228DSQBP	641	3	22	27 ⁷ / ₁₆	—	—	63 lbs.	2.8
DISC BASE COUNTER HEIGHT 	CBV2735DRNBP	\$ 767	3	27 ³ / ₁₆	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	740	3	22	35	—	—	58 lbs.	3.4
SOFT SQUARE BASE COUNTER HEIGHT 	CBV2735DSQBP	\$ 877	3	27 ³ / ₁₆	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	849	3	22	35	—	—	65 lbs.	3.4

- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 530-531 in the Casegoods Book 2 Price List
- Glide adjustment of +/- 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 530-531 in the Casegoods Book 2 Price List
- Glide adjustment of +/- 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 530-531 in the Casegoods Book 2 Price List
- Glide adjustment of +/- 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic


TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:


CBV2740DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
DISC BASE BAR HEIGHT	CBV2740DRNBP	\$ 820	3	27 $\frac{3}{4}$	40 $\frac{3}{4}$	—	—	—	76 lbs.	3.8
	CBV2240DRNBP	792	3	22	40 $\frac{3}{4}$	—	—	—	59 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 530-531 in the Casegoods Book 2 Price List
- Glide adjustment of +/- $\frac{1}{8}$ "
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	\$ 929	3	27 $\frac{3}{4}$	40 $\frac{3}{4}$	—	—	—	87 lbs.	3.8
	CBV2240DSQBP	902	3	22	40 $\frac{3}{4}$	—	—	—	66 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 530-531 in the Casegoods Book 2 Price List
- Glide adjustment of +/- $\frac{1}{8}$ "
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

CONFERENCE TABLE BASES

METAL