
CONFERENCE TABLE TOPS

ARROWOOD CONFERENCE TOP SPECIFICATIONS

TOPS

- Arrowood Veneer (31N) models feature 1¾" or 1½" slipmatched cherry and maple, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim profile
- Arrowood Laminate (21N) models feature 1¾" TFL (thermally fused laminate) with mitered rim
- Size modifications available at no upcharge; many Arrowood conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Sheen (wood only)
6. Finish/Laminate

ARROWOOD SHAPES AND SIZES



SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

31N ARROWOOD VENEER TOP OPTIONS

WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

TOP SHEEN OPTIONS

R	Standard
N	Matte/Satin

RIM PROFILE



21N ARROWOOD LAMINATE TOP OPTIONS

LAMINATE COLORS

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
CL	Caramel	PB	Portobello
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	791	Palisander
IM	Brighton	792	Sable
MC	Amber	793	Acorn

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 16-17 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details


Cutout Option for One Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location


CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)




NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

ARROWOOD SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 57 for options and upcharge
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit


SAMPLE MODEL NUMBERS:

31NN3636SQW G10C N NM
31NN3636SQLW G10C MC

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
ARROWOOD SQUARE TOP	30" SQUARE	1$\frac{1}{8}$" TOP THICKNESS								
	31NN3030SQW	Wood	\$ 905	30	30	1 $\frac{1}{8}$	—	—	33 lbs.	2.0
	31NN3030SQLW	Laminate/Wood	905	30	30	1 $\frac{1}{8}$	—	—	33 lbs.	2.0
	36" SQUARE									
	31NN3636SQW	Wood	\$ 1065	36	36	1 $\frac{1}{8}$	—	—	45 lbs.	2.4
	31NN3636SQLW	Laminate/Wood	1065	36	36	1 $\frac{1}{8}$	—	—	45 lbs.	2.4
	42" SQUARE									
	31NN4242SQW	Wood	\$ 1194	42	42	1 $\frac{1}{8}$	—	—	61 lbs.	3.2
	31NN4242SQLW	Laminate/Wood	1194	42	42	1 $\frac{1}{8}$	—	—	61 lbs.	3.2
	48" SQUARE									
	31NN4848SQW	Wood	\$ 1328	48	48	1 $\frac{1}{8}$	—	—	79 lbs.	4.2
	31NN4848SQLW	Laminate/Wood	1328	48	48	1 $\frac{1}{8}$	—	—	79 lbs.	4.2
	54" SQUARE									
	31NN5454SQW	Wood	\$ 1560	54	54	1 $\frac{1}{8}$	—	—	121 lbs.	6.9
	31NN5454SQLW	Laminate/Wood	1560	54	54	1 $\frac{1}{8}$	—	—	121 lbs.	6.9
	60" SQUARE									
	31NN6060SQW	Wood	\$ 1791	58 $\frac{1}{2}$	58 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	150 lbs.	8.3
	31NN6060SQLW	Laminate/Wood	1791	58 $\frac{1}{2}$	58 $\frac{1}{2}$	1 $\frac{1}{8}$	—	—	150 lbs.	8.3




ARROWOOD SQUARE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (31N only)	LAMINATE (21N only)
	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello SM Sonoma TF Truffle 791 Palisander 792 Sable 793 Acorn
31NN3636SQW	G10C	N	NM	

ARROWOOD SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE			D	W	H				
1 3/16" TOP THICKNESS									
31N3030SQW	Wood	\$ 806	30	30	1 3/16	—	—	33 lbs.	2.0
31N3030SQLW	Laminate/Wood	806	30	30	1 3/16	—	—	33 lbs.	2.0
21N3030SQL	Laminate	417	30	30	1 3/16	—	—	33 lbs.	2.0
36" SQUARE									
31N3636SQW	Wood	\$ 949	36	36	1 3/16	—	—	42 lbs.	2.4
31N3636SQLW	Laminate/Wood	949	36	36	1 3/16	—	—	42 lbs.	2.4
21N3636SQL	Laminate	490	36	36	1 3/16	—	—	42 lbs.	2.4
42" SQUARE									
31N4242SQW	Wood	\$ 1079	42	42	1 3/16	—	—	58 lbs.	3.2
31N4242SQLW	Laminate/Wood	1079	42	42	1 3/16	—	—	58 lbs.	3.2
21N4242SQL	Laminate	702	42	42	1 3/16	—	—	58 lbs.	3.2
48" SQUARE									
31N4848SQW	Wood	\$ 1213	48	48	1 3/16	—	—	76 lbs.	4.2
31N4848SQLW	Laminate/Wood	1213	48	48	1 3/16	—	—	76 lbs.	4.2
21N4848SQL	Laminate	963	48	48	1 3/16	—	—	76 lbs.	4.2

CONFERENCE TABLE TOPS

ARROWOOD

ARROWOOD RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

31NN48216RTW CUT-G15LR X X R MH
31NN48216RTLW X X X CW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
ARROWOOD RECTANGLE TOP	36" x 72"	1¹/₆" TOP THICKNESS								
	31NN3672RTW	Wood	\$ 1688	36	72	1 ¹ / ₆	—	—	136 lbs.	6.3
	31NN3672RTLW	Laminate/Wood	1688	36	72	1 ¹ / ₆	—	—	136 lbs.	6.3
	42" x 84"									
	31NN4284RTW	Wood	\$ 1994	42	84	1 ¹ / ₆	—	—	180 lbs.	8.3
	31NN4284RTLW	Laminate/Wood	1994	42	84	1 ¹ / ₆	—	—	180 lbs.	8.3
	48" x 96"									
	31NN4896RTW	Wood	\$ 2297	48	96	1 ¹ / ₆	—	—	233 lbs.	10.5
	31NN4896RTLW	Laminate/Wood	2297	48	96	1 ¹ / ₆	—	—	233 lbs.	10.5
	48" x 120"									
	31NN48120RTW	Wood	\$ 3135	48	120	1 ¹ / ₆	—	—	279 lbs.	10.6
	31NN48120RTLW	Laminate/Wood	3135	48	120	1 ¹ / ₆	—	—	279 lbs.	10.6
	48" x 144"									
	31NN48144RTW	Wood	\$ 3885	48	144	1 ¹ / ₆	—	—	332 lbs.	12.5
	31NN48144RTLW	Laminate/Wood	3885	48	144	1 ¹ / ₆	—	—	332 lbs.	12.5
	48" x 168"									
	31NN48168RTW	Wood	\$ 4471	48	168	1 ¹ / ₆	—	—	385 lbs.	14.3
	31NN48168RTLW	Laminate/Wood	4471	48	168	1 ¹ / ₆	—	—	385 lbs.	14.3
	48" x 192"									
	31NN48192RTW	Wood	\$ 5055	48	192	1 ¹ / ₆	—	—	438 lbs.	16.2
	31NN48192RTLW	Laminate/Wood	5055	48	192	1 ¹ / ₆	—	—	438 lbs.	16.2
	48" x 216"									
	31NN48216RTW	Wood	\$ 5642	48	216	1 ¹ / ₆	—	—	524 lbs.	20.0
	31NN48216RTLW	Laminate/Wood	5642	48	216	1 ¹ / ₆	—	—	524 lbs.	20.0
	48" x 240"									
	31NN48240RTW	Wood	\$ 6227	48	240	1 ¹ / ₆	—	—	571 lbs.	22.0
	31NN48240RTLW	Laminate/Wood	6227	48	240	1 ¹ / ₆	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

ARROWOOD RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN (wood tops only)	FINISH (31N only)	LAMINATE (21N only)
	G10C Center	CUT-G16C Center	X	No Modified Depth	X	No Modified Width	R Standard	AC Autumn	AC2 Autumn 2
	G10E End	CUT-G16E End					N Matte/Satin	CL Caramel	AD Almond
	G10LR Left, Right	CUT-G16LR Left, Right						CW Cordovan	CL Caramel
	G10A All	CUT-G16A All						DW Judicial	CW Cordovan
	G10CE Center, End	CUT-G16CE Center, End						HN Honey	DW Judicial
	CUT-G15C Center	X	No Grommet					IM Brighton	HN2 Honey 2
	CUT-G15E End							MC Amber	IM Brighton
	CUT-G15LR Left, Right							MH Mocha	MC Amber
	CUT-G15A All							NM Natural	MH Mocha
	CUT-G15CE Center, End							TF Truffle	NM Natural
31NN48216RTW	CUT-G15LR				X		R	MH	PB Portobello
									SM Sonoma
									TF Truffle
									791 Palisander
									792 Sable
									793 Acorn

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
ARROWOOD RECTANGLE TOP (CONTINUED)									
60" x 144"									
1 1/8" TOP THICKNESS									
31NN60144RTW	Wood	\$ 5049	58 1/2"	144"	1 1/8"	—	—	412 lbs.	18.0
31NN60144RTLW	Laminate/Wood	5049	58 1/2"	144"	1 1/8"	—	—	412 lbs.	18.0
60" x 168"									
31NN60168RTW	Wood	\$ 5812	58 1/2"	168"	1 1/8"	—	—	480 lbs.	22.5
31NN60168RTLW	Laminate/Wood	5812	58 1/2"	168"	1 1/8"	—	—	480 lbs.	22.5
60" x 192"									
31NN60192RTW	Wood	\$ 6574	58 1/2"	192"	1 1/8"	—	—	539 lbs.	29.0
31NN60192RTLW	Laminate/Wood	6574	58 1/2"	192"	1 1/8"	—	—	539 lbs.	29.0
60" x 216"									
31NN60216RTW	Wood	\$ 7333	58 1/2"	216"	1 1/8"	—	—	647 lbs.	31.0
31NN60216RTLW	Laminate/Wood	7333	58 1/2"	216"	1 1/8"	—	—	647 lbs.	31.0
60" x 240"									
31NN60240RTW	Wood	\$ 8093	58 1/2"	240"	1 1/8"	—	—	706 lbs.	34.0
31NN60240RTLW	Laminate/Wood	8093	58 1/2"	240"	1 1/8"	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

BARRINGTON CONFERENCE TOP SPECIFICATIONS

TOPS

- 1½" bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Size modifications available at no upcharge; many Barrington conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Sheen (wood only)
6. Finish/Laminate

BARRINGTON SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"


WOOD FINISHES

CW	Cordovan
DW	Judicial
MH	Mocha
TF	Truffle

TOP SHEEN OPTIONS

R	Standard
N	Matte/Satin

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 16-17 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details


Cutout Option for One Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location


CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)




NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

BARRINGTON ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 63 for options and upcharge
- Reference pages 30-51 for table base guide

BASE MODEL KEY


W Wood Unit
LW Laminate Top/Wood Rim

SAMPLE MODEL NUMBERS:

50NN36RDW X N DW
50NN3636SQW X N MH

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON ROUND TOP 	30" ROUND	1¹/₆" TOP THICKNESS		DI		H				
	50NN30RDW	Wood	\$ 1192	30	—	1 ¹ / ₆	—	—	33 lbs.	2.0
	50NN30RDLW	Laminate/Wood	1192	36	—	1 ¹ / ₆	—	—	33 lbs.	2.0
	36" ROUND									
	50NN36RDW	Wood	\$ 1404	36	—	1 ¹ / ₆	—	—	45 lbs.	2.4
	50NN36RDLW	Laminate/Wood	1404	36	—	1 ¹ / ₆	—	—	45 lbs.	2.4
	42" ROUND									
	50NN42RDW	Wood	\$ 1534	42	—	1 ¹ / ₆	—	—	61 lbs.	3.2
	50NN42RDLW	Laminate/Wood	1534	42	—	1 ¹ / ₆	—	—	61 lbs.	3.2
	48" ROUND									
	50NN48RDW	Wood	\$ 1897	48	—	1 ¹ / ₆	—	—	79 lbs.	4.2
	50NN48RDLW	Laminate/Wood	1897	48	—	1 ¹ / ₆	—	—	79 lbs.	4.2
	54" ROUND									
	50NN54RDW	Wood	\$ 2313	54	—	1 ¹ / ₆	—	—	121 lbs.	6.9
	50NN54RDLW	Laminate/Wood	2313	54	—	1 ¹ / ₆	—	—	121 lbs.	6.9
	60" ROUND									
	50NN60RDW	Wood	\$ 2549	58 ¹ / ₂	—	1 ¹ / ₆	—	—	150 lbs.	8.3
	50NN60RDLW	Laminate/Wood	2549	58 ¹ / ₂	—	1 ¹ / ₆	—	—	150 lbs.	8.3

BARRINGTON SQUARE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle
50NN36RDW	X	N	DW

BARRINGTON SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 1/16" TOP THICKNESS			D	W	H				
50NN3030SQW	Wood	\$ 1192	30	30	1 1/16	—	—	33 lbs.	2.0
50NN3030SQLW	Laminate/Wood	1192	30	30	1 1/16	—	—	33 lbs.	2.0
36" SQUARE									
50NN3636SQW	Wood	\$ 1404	36	36	1 1/16	—	—	45 lbs.	2.4
50NN3636SQLW	Laminate/Wood	1404	36	36	1 1/16	—	—	45 lbs.	2.4
42" SQUARE									
50NN4242SQW	Wood	\$ 1534	42	42	1 1/16	—	—	61 lbs.	3.2
50NN4242SQLW	Laminate/Wood	1534	42	42	1 1/16	—	—	61 lbs.	3.2
48" SQUARE									
50NN4848SQW	Wood	\$ 1897	48	48	1 1/16	—	—	79 lbs.	4.2
50NN4848SQLW	Laminate/Wood	1897	48	48	1 1/16	—	—	79 lbs.	4.2
54" SQUARE									
50NN5454SQW	Wood	\$ 2313	54	54	1 1/16	—	—	121 lbs.	6.9
50NN5454SQLW	Laminate/Wood	2313	54	54	1 1/16	—	—	121 lbs.	6.9
60" SQUARE									
50NN6060SQW	Wood	\$ 2549	58 1/2	58 1/2	1 1/16	—	—	150 lbs.	8.3
50NN6060SQLW	Laminate/Wood	2549	58 1/2	58 1/2	1 1/16	—	—	150 lbs.	8.3

CONFERENCE TABLE TOPS

BARRINGTON

BARRINGTON RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 63 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

50NN48216RTW CUT-G15A X X R DW
50NN48216RTLW CUT-G15A X X DW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON RECTANGLE TOP	36" x 72"	1¹/₆" TOP THICKNESS								
	50NN3672RTW	Wood	\$ 2192	36	72	1 ¹ / ₆	—	—	136 lbs.	6.3
	50NN3672RTLW	Laminate/Wood	2192	36	72	1 ¹ / ₆	—	—	136 lbs.	6.3
	42" x 84"									
	50NN4284RTW	Wood	\$ 2585	42	84	1 ¹ / ₆	—	—	180 lbs.	8.3
	50NN4284RTLW	Laminate/Wood	2585	42	84	1 ¹ / ₆	—	—	180 lbs.	8.3
	48" x 96"									
	50NN4896RTW	Wood	\$ 2977	47 ¹ / ₆	96	1 ¹ / ₆	—	—	233 lbs.	10.5
	50NN4896RTLW	Laminate/Wood	2977	47 ¹ / ₆	96	1 ¹ / ₆	—	—	233 lbs.	10.5
	48" x 120"									
	50NN48120RTW	Wood	\$ 4066	47 ¹ / ₆	120	1 ¹ / ₆	—	—	279 lbs.	10.6
	50NN48120RTLW	Laminate/Wood	4066	47 ¹ / ₆	120	1 ¹ / ₆	—	—	279 lbs.	10.6
	48" x 144"									
	50NN48144RTW	Wood	\$ 5038	47 ¹ / ₆	144	1 ¹ / ₆	—	—	332 lbs.	12.5
	50NN48144RTLW	Laminate/Wood	5038	47 ¹ / ₆	144	1 ¹ / ₆	—	—	332 lbs.	12.5
	48" x 168"									
	50NN48168RTW	Wood	\$ 5800	47 ¹ / ₆	168	1 ¹ / ₆	—	—	385 lbs.	14.3
	50NN48168RTLW	Laminate/Wood	5800	47 ¹ / ₆	168	1 ¹ / ₆	—	—	385 lbs.	14.3
	48" x 192"									
	50NN48192RTW	Wood	\$ 6557	47 ¹ / ₆	192	1 ¹ / ₆	—	—	438 lbs.	16.2
	50NN48192RTLW	Laminate/Wood	6557	47 ¹ / ₆	192	1 ¹ / ₆	—	—	438 lbs.	16.2
	48" x 216"									
	50NN48216RTW	Wood	\$ 7315	47 ¹ / ₆	216	1 ¹ / ₆	—	—	524 lbs.	20.0
	50NN48216RTLW	Laminate/Wood	7315	47 ¹ / ₆	216	1 ¹ / ₆	—	—	524 lbs.	20.0
	48" x 240"									
	50NN48240RTW	Wood	\$ 8075	47 ¹ / ₆	240	1 ¹ / ₆	—	—	571 lbs.	22.0
	50NN48240RTLW	Laminate/Wood	8075	47 ¹ / ₆	240	1 ¹ / ₆	—	—	571 lbs.	22.0


- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

BARRINGTON RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN (wood tops only)	FINISH
	G10C Center	CUT-G16C Center	X	No Modified Depth	X	No Modified Width	R Standard	CW Cordovan
	G10E End	CUT-G16E End					N Matte/Satin	DW Judicial
	G10LR Left, Right	CUT-G16LR Left, Right						MH Mocha
	G10A All	CUT-G16A All						TF Truffle
	G10CE Center, End	CUT-G16CE Center, End						
	CUT-G15C Center	X	No Grommet					
	CUT-G15E End							
	CUT-G15LR Left, Right							
	CUT-G15A All							
	CUT-G15CE Center, End							
50NN48216RTW	CUT-G15A			X	X		R	DW

BARRINGTON RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"			D	W	H				
1 1/16" TOP THICKNESS									
50NN60144RTW	Wood	\$ 6548	58 3/4"	143 3/4"	1 1/16"	—	—	412 lbs.	18.0
50NN60144RTLW	Laminate/Wood	6548	58 3/4"	143 3/4"	1 1/16"	—	—	412 lbs.	18.0
60" x 168"									
50NN60168RTW	Wood	\$ 7538	58 3/4"	168"	1 1/16"	—	—	480 lbs.	22.5
50NN60168RTLW	Laminate/Wood	7538	58 3/4"	168"	1 1/16"	—	—	480 lbs.	22.5
60" x 192"									
50NN60192RTW	Wood	\$ 8523	58 3/4"	192"	1 1/16"	—	—	539 lbs.	29.0
50NN60192RTLW	Laminate/Wood	8523	58 3/4"	192"	1 1/16"	—	—	539 lbs.	29.0
60" x 216"									
50NN60216RTW	Wood	\$ 9512	58 3/4"	216"	1 1/16"	—	—	647 lbs.	31.0
50NN60216RTLW	Laminate/Wood	9512	58 3/4"	216"	1 1/16"	—	—	647 lbs.	31.0
60" x 240"									
50NN60240RTW	Wood	\$ 10498	58 3/4"	240"	1 1/16"	—	—	706 lbs.	34.0
50NN60240RTLW	Laminate/Wood	10498	58 3/4"	240"	1 1/16"	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

BARRINGTON BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 63 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim

SAMPLE MODEL NUMBERS:

50NN48216BTW G10A X X N CW
50NN48216BTLW G10A X X CW

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
BARRINGTON BOAT TOP	36" x 72"	1¹/₆" TOP THICKNESS								
	50NN3672BTW	Wood	\$ 2366	36	72	1 ¹ / ₆	—	—	136 lbs.	6.3
	50NN3672BTLW	Laminate/Wood	2366	36	72	1 ¹ / ₆	—	—	136 lbs.	6.3
	42" x 84"									
	50NN4284BTW	Wood	\$ 2755	42	84	1 ¹ / ₆	—	—	180 lbs.	8.3
	50NN4284BTLW	Laminate/Wood	2755	42	84	1 ¹ / ₆	—	—	180 lbs.	8.3
	48" x 96"									
	50NN4896BTW	Wood	\$ 3146	47 ¹ / ₂	96	1 ¹ / ₆	—	—	233 lbs.	10.5
	50NN4896BTLW	Laminate/Wood	3146	47 ¹ / ₂	96	1 ¹ / ₆	—	—	233 lbs.	10.5
	48" x 120"									
	50NN48120BTW	Wood	\$ 4418	47 ¹ / ₂	120	1 ¹ / ₆	—	—	279 lbs.	10.6
	50NN48120BTLW	Laminate/Wood	4418	47 ¹ / ₂	120	1 ¹ / ₆	—	—	279 lbs.	10.6
	48" x 144"									
	50NN48144BTW	Wood	\$ 5379	47 ¹ / ₂	144	1 ¹ / ₆	—	—	332 lbs.	12.5
	50NN48144BTLW	Laminate/Wood	5379	47 ¹ / ₂	144	1 ¹ / ₆	—	—	332 lbs.	12.5
	48" x 168"									
	50NN48168BTW	Wood	\$ 6133	47 ¹ / ₂	168	1 ¹ / ₆	—	—	385 lbs.	14.3
	50NN48168BTLW	Laminate/Wood	6133	47 ¹ / ₂	168	1 ¹ / ₆	—	—	385 lbs.	14.3
	48" x 192"									
	50NN48192BTW	Wood	\$ 6885	47 ¹ / ₂	192	1 ¹ / ₆	—	—	438 lbs.	16.2
	50NN48192BTLW	Laminate/Wood	6885	47 ¹ / ₂	192	1 ¹ / ₆	—	—	438 lbs.	16.2
	48" x 216"									
	50NN48216BTW	Wood	\$ 7636	47 ¹ / ₂	216	1 ¹ / ₆	—	—	524 lbs.	20.0
	50NN48216BTLW	Laminate/Wood	7636	47 ¹ / ₂	216	1 ¹ / ₆	—	—	524 lbs.	20.0
	48" x 240"									
	50NN48240BTW	Wood	\$ 8386	47 ¹ / ₂	240	1 ¹ / ₆	—	—	571 lbs.	22.0
	50NN48240BTLW	Laminate/Wood	8386	47 ¹ / ₂	240	1 ¹ / ₆	—	—	571 lbs.	22.0


- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

BARRINGTON BOAT TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN (wood tops only)	FINISH
	G10C Center	CUT-G16C Center	X	No Modified Depth	X	No Modified Width	R Standard	CW Cordovan
	G10E End	CUT-G16E End					N Matte/Satin	DW Judicial
	G10LR Left, Right	CUT-G16LR Left, Right						MH Mocha
	G10A All	CUT-G16A All						TF Truffle
	G10CE Center, End	CUT-G16CE Center, End						
	CUT-G15C Center	X	No Grommet					
	CUT-G15E End							
	CUT-G15LR Left, Right							
	CUT-G15A All							
	CUT-G15CE Center, End							
50NN48216BTW	G10A			X	X		N	CW

BARRINGTON BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"			D	W	H				
1 1/16" TOP THICKNESS									
50NN60144BTW	Wood	\$ 6991	58%	143 1/2"	1 1/16"	—	—	412 lbs.	18.0
50NN60144BTLW	Laminate/Wood	6991	58%	143 1/2"	1 1/16"	—	—	412 lbs.	18.0
60" x 168"									
50NN60168BTW	Wood	\$ 7974	58%	168"	1 1/16"	—	—	480 lbs.	22.5
50NN60168BTLW	Laminate/Wood	7974	58%	168"	1 1/16"	—	—	480 lbs.	22.5
60" x 192"									
50NN60192BTW	Wood	\$ 8951	58%	192"	1 1/16"	—	—	539 lbs.	29.0
50NN60192BTLW	Laminate/Wood	8951	58%	192"	1 1/16"	—	—	539 lbs.	29.0
60" x 216"									
50NN60216BTW	Wood	\$ 9927	58%	216"	1 1/16"	—	—	647 lbs.	31.0
50NN60216BTLW	Laminate/Wood	9927	58%	216"	1 1/16"	—	—	647 lbs.	31.0
60" x 240"									
50NN60240BTW	Wood	\$ 10902	58%	240"	1 1/16"	—	—	706 lbs.	34.0
50NN60240BTLW	Laminate/Wood	10902	58%	240"	1 1/16"	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CAPTIVATE CONFERENCE TOP SPECIFICATIONS

TOPS

- 1¾" or 1⅝" slipmatched cherry and maple veneer or HPL (high pressure laminate)
- Mitered wood rim with two rim profile options
- Size modifications available at no upcharge; many Captivate conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Modified Depth
5. Modified Width
6. Sheen (wood models)
7. Finish/Laminate

CAPTIVATE SHAPES AND SIZES



SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

TOP SHEEN OPTIONS

R	Standard
N	Matte/Satin

RIM PROFILE



Oblique (TA)



Slide (TB)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 16-17 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details


Cutout Option for One Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location


CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)




NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

CAPTIVATE SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 71 for options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim


SAMPLE MODEL NUMBERS:

36N3636SQW TA X N AC
36N3636SQLW TA G10C MH

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

CAPTIVATE SQUARE TOP




MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
30" SQUARE								
				1 1/8" TOP THICKNESS				
36N3030SQ2W Wood	\$ 1591	30	30	1 1/8	—	—	33 lbs.	2.0
36N3030SQ2LW Laminate/Wood	1591	30	30	1 1/8	—	—	33 lbs.	2.0
36" SQUARE								
36N3636SQ2W Wood	\$ 1872	36	36	1 1/8	—	—	45 lbs.	2.4
36N3636SQ2LW Laminate/Wood	1872	36	36	1 1/8	—	—	45 lbs.	2.4
42" SQUARE								
36N4242SQ2W Wood	\$ 2017	42	42	1 1/8	—	—	61 lbs.	3.2
36N4242SQ2LW Laminate/Wood	2017	42	42	1 1/8	—	—	61 lbs.	3.2
48" SQUARE								
36N4848SQ2W Wood	\$ 2448	48	48	1 1/8	—	—	79 lbs.	4.2
36N4848SQ2LW Laminate/Wood	2448	48	48	1 1/8	—	—	79 lbs.	4.2
54" SQUARE								
36N5454SQ2W Wood	\$ 2680	54	54	1 1/8	—	—	121 lbs.	6.9
36N5454SQ2LW Laminate/Wood	2680	54	54	1 1/8	—	—	121 lbs.	6.9
60" SQUARE								
36N6060SQ2W Wood	\$ 2911	58 1/2	58 1/2	1 1/8	—	—	150 lbs.	8.3
36N6060SQ2LW Laminate/Wood	2911	58 1/2	58 1/2	1 1/8	—	—	150 lbs.	8.3

CAPTIVATE SQUARE TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
	TA Oblique TB Slide	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N3636SQW	TA	X	N	AC

CAPTIVATE SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE			D	W	H				
1 1/2" TOP THICKNESS									
36N3030SQW	Wood	\$ 1493	30	30	1 1/2	—	—	33 lbs.	2.0
36N3030SQLW	Laminate/Wood	1493	30	30	1 1/2	—	—	33 lbs.	2.0
36" SQUARE									
36N3636SQW	Wood	\$ 1756	37 1/4	37 1/4	1 1/2	—	—	42 lbs.	2.4
36N3636SQLW	Laminate/Wood	1756	37 1/4	37 1/4	1 1/2	—	—	42 lbs.	2.4
42" SQUARE									
36N4242SQW	Wood	\$ 1900	42	42	1 1/2	—	—	58 lbs.	3.2
36N4242SQLW	Laminate/Wood	1900	42	42	1 1/2	—	—	58 lbs.	3.2
48" SQUARE									
36N4848SQW	Wood	\$ 2333	48	48	1 1/2	—	—	76 lbs.	4.2
36N4848SQLW	Laminate/Wood	2333	48	48	1 1/2	—	—	76 lbs.	4.2

CONFERENCE TABLE TOPS

CAPTIVATE

CAPTIVATE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 71 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

36N48216RTW TB CUT-G16LR X X R CL
36N48216RTLW TB CUT-G16LR X X AC

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CAPTIVATE RECTANGLE TOP	36" x 72"	1$\frac{1}{16}$" TOP THICKNESS								
	36N3672RTW	Wood	\$ 2882	35 $\frac{1}{4}$	71 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	136 lbs.	6.3
	36N3672RTLW	Laminate/Wood	2882	35 $\frac{1}{4}$	71 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	136 lbs.	6.3
	42" x 84"									
	36N4284RTW	Wood	\$ 3244	41 $\frac{1}{4}$	83 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
	36N4284RTLW	Laminate/Wood	3244	41 $\frac{1}{4}$	83 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	180 lbs.	8.3
	48" x 96"									
	36N4896RTW	Wood	\$ 3604	47 $\frac{1}{4}$	95 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	233 lbs.	10.5
	36N4896RTLW	Laminate/Wood	3604	47 $\frac{1}{4}$	95 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	233 lbs.	10.5
	48" x 120"									
	36N48120RTW	Wood	\$ 4979	47 $\frac{1}{4}$	119 $\frac{1}{4}$	1 $\frac{1}{16}$	—	—	279 lbs.	10.6
	36N48120RTLW	Laminate/Wood	4979	47 $\frac{1}{4}$	119 $\frac{1}{4}$	1 $\frac{1}{16}$	—	—	279 lbs.	10.6
	48" x 144"									
	36N48144RTW	Wood	\$ 6160	47 $\frac{1}{4}$	143 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	332 lbs.	12.5
	36N48144RTLW	Laminate/Wood	6160	47 $\frac{1}{4}$	143 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	332 lbs.	12.5
	48" x 168"									
	36N48168RTW	Wood	\$ 7666	47 $\frac{1}{4}$	167 $\frac{1}{4}$	1 $\frac{1}{16}$	—	—	385 lbs.	14.3
	36N48168RTLW	Laminate/Wood	7666	47 $\frac{1}{4}$	167 $\frac{1}{4}$	1 $\frac{1}{16}$	—	—	385 lbs.	14.3
	48" x 192"									
	36N48192RTW	Wood	\$ 8778	47 $\frac{1}{4}$	191 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	438 lbs.	16.2
	36N48192RTLW	Laminate/Wood	8778	47 $\frac{1}{4}$	191 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	438 lbs.	16.2
	48" x 216"									
	36N48216RTW	Wood	\$ 9890	47 $\frac{1}{4}$	215 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	524 lbs.	20.0
	36N48216RTLW	Laminate/Wood	9890	47 $\frac{1}{4}$	215 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	524 lbs.	20.0
	48" x 240"									
	36N48240RTW	Wood	\$ 11004	47 $\frac{1}{4}$	239 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	571 lbs.	22.0
	36N48240RTLW	Laminate/Wood	11004	47 $\frac{1}{4}$	239 $\frac{1}{8}$	1 $\frac{1}{16}$	—	—	571 lbs.	22.0


• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CAPTIVATE RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN (wood tops only)	FINISH
	TA Oblique TB Slide	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End		CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet		X No Modified Depth	X No Modified Width	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N48216RTW	TB	CUT-G16LR				X	X	R	CL

CAPTIVATE RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"			D	W	H				
1 1/8" TOP THICKNESS									
36N60144RTW	Wood	\$ 8006	59 1/4	143 1/8	1 1/8	—	—	412 lbs.	18.0
36N60144RTLW	Laminate/Wood	8006	59 1/4	143 1/8	1 1/8	—	—	412 lbs.	18.0
60" x 168"									
36N60168RTW	Wood	\$ 9965	59 1/4	167 1/4	1 1/8	—	—	480 lbs.	22.5
36N60168RTLW	Laminate/Wood	9965	59 1/4	167 1/4	1 1/8	—	—	480 lbs.	22.5
60" x 192"									
36N60192RTW	Wood	\$ 11412	59 1/4	191 1/8	1 1/8	—	—	539 lbs.	29.0
36N60192RTLW	Laminate/Wood	11412	59 1/4	191 1/8	1 1/8	—	—	539 lbs.	29.0
60" x 216"									
36N60216RTW	Wood	\$ 12858	59 1/4	215 1/8	1 1/8	—	—	647 lbs.	31.0
36N60216RTLW	Laminate/Wood	12858	59 1/4	215 1/8	1 1/8	—	—	647 lbs.	31.0
60" x 240"									
36N60240RTW	Wood	\$ 14307	59 1/4	239 1/8	1 1/8	—	—	706 lbs.	34.0
36N60240RTLW	Laminate/Wood	14307	59 1/4	239 1/8	1 1/8	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CASBAH CONFERENCE TOP SPECIFICATIONS

TOPS

- 1¾" slipmatched cherry and maple veneer on square tops
- 1¾" slipmatched cherry and maple veneer on rectangle tops
- Wood rim with softened edge profile
- Recessed façade available with Reed or Flat profiles
- Reed only available on wood façade models for a 10% list upcharge
- Flat profile is available in wood finishes, Satin Nickel Metallic, Cinder or Platinum Metallic painted MDF
- Recessed façade is ¾" thick x 1½" tall and is 26% from bottom of façade to floor
- Size modifications available at no upcharge; many Casbah conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Façade Profile (wood only)
3. Grommet
4. Modified Depth
5. Modified Width
6. Sheen
7. Finish
8. Paint Color (painted only)

CASBAH SHAPES AND SIZES



SQUARE

42" x 42"
48" x 48"



RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"

WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

TOP SHEEN OPTIONS

R	Standard
N	Matte/Satin

FAÇADE PROFILES

FL	Flat
RE	Reed (+10% list upcharge)

Softened Wood Rim
with Reed Façade (RE)Softened Wood Rim
with Flat Façade (FL)PAINT COLORS
(FLAT FAÇADE)

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 16-17 for grommet locations


NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details



Cutout Option for One Touch Double Pivoting
Power Grommet

\$25 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15


NACG15EL, NACG15ELH, NACG15ELB, and
NACG15ELHB (Sold Separately)NACG152ELS, NACG152ELHS, NACG152ELB,
and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

NACG162ELS, NACG162ELHS,
NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

CASBAH SQUARE TOPS

PRODUCT SPECIFICATIONS

- Reed profile available on wood façade models for a 10% list upcharge
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 77 for options and upcharge
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 77 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY


W Wood Unit
WP Wood Unit/Painted Façade

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

38N4848SQW RE G10C R AC
38N3672RT2W RE G10A X X R CW
38N48192RT2WP CUT-G16LR R X X CL 503


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
	42" SQUARE									
	1 3/16" TOP THICKNESS									
	38N4242SQW	Wood Façade	\$ 1975	42 1/16	42 1/16	2 1/16	—	—	104 lbs.	6.9
	38N4242SQWP	Painted Façade	1975	42 1/16	42 1/16	2 1/16	—	—	104 lbs.	6.9
	48" SQUARE									
	38N4848SQW	Wood Façade	\$ 2425	48 1/16	48 1/16	2 1/16	—	—	131 lbs.	8.7
	38N4848SQWP	Painted Façade	2425	48 1/16	48 1/16	2 1/16	—	—	131 lbs.	8.7

CASBAH RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	GROMMET/CUTOUT OPTION	MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH	PAINT COLOR (painted only)
	FL Flat RE Reed	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End	CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet	X No Modified Depth	X No Modified Width	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
38N4848SQW	RE	G10C			R	AC	462 Cinder 501 Platinum 503 Metallic Satin Nickel Metallic

CASBAH RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"			D	W	H				
1 1/8" TOP THICKNESS									
38N3672RT2W	Wood Façade	\$ 2997	36 1/8"	71 1/8"	3 1/8"	—	—	146 lbs.	9.7
38N3672RT2WP	Painted Façade	2997	36 1/8"	71 1/8"	3 1/8"	—	—	146 lbs.	9.7
42" x 84"									
38N4284RT2W	Wood Façade	\$ 3371	42 1/8"	84"	3 1/8"	—	—	185 lbs.	12.2
38N4284RT2WP	Painted Façade	3371	42 1/8"	84"	3 1/8"	—	—	185 lbs.	12.2
48" x 96"									
38N4896RT2W	Wood Façade	\$ 3747	48 1/8"	95 7/8"	3 1/8"	—	—	247 lbs.	16.3
38N4896RT2WP	Painted Façade	3747	48 1/8"	95 7/8"	3 1/8"	—	—	247 lbs.	16.3
48" x 120"									
38N48120RT2W	Wood Façade	\$ 5179	48 1/8"	120"	3 1/8"	—	—	299 lbs.	16.3
38N48120RT2WP	Painted Façade	5179	48 1/8"	120"	3 1/8"	—	—	299 lbs.	16.3
48" x 144"									
38N48144RT2W	Wood Façade	\$ 6404	48 1/8"	143 3/8"	3 1/8"	—	—	351 lbs.	19.2
38N48144RT2WP	Painted Façade	6404	48 1/8"	143 3/8"	3 1/8"	—	—	351 lbs.	19.2
48" x 168"									
38N48168RT2W	Wood Façade	\$ 7971	48 1/8"	168 1/8"	3 1/8"	—	—	404 lbs.	22.2
38N48168RT2WP	Painted Façade	7971	48 1/8"	168 1/8"	3 1/8"	—	—	404 lbs.	22.2
48" x 192"									
38N48192RT2W	Wood Façade	\$ 9131	48 1/8"	192 1/8"	3 1/8"	—	—	457 lbs.	25.1
38N48192RT2WP	Painted Façade	9131	48 1/8"	192 1/8"	3 1/8"	—	—	457 lbs.	25.1
48" x 216"									
38N48216RT2W	Wood Façade	\$ 10303	48 1/8"	216"	3 1/8"	—	—	556 lbs.	21.0
38N48216RT2WP	Painted Façade	10303	48 1/8"	216"	3 1/8"	—	—	556 lbs.	21.0
48" x 240"									
38N48240RT2W	Wood Façade	\$ 11464	48 1/8"	240"	3 1/8"	—	—	592 lbs.	24.0
38N48240RT2WP	Painted Façade	11464	48 1/8"	240"	3 1/8"	—	—	592 lbs.	24.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CLEVER CONFERENCE TOP SPECIFICATIONS

TOPS

- 1½" slipmatched cherry and maple or bookmatched walnut veneer or 1" TFL (thermally fused laminate)
- 1¾" slipmatched cherry and maple or bookmatched walnut veneer
- Medium density fiber board with finished knife edge profile
- Size modifications available at no upcharge; many Clever conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Sheen (wood models)
6. Finish/Laminate

CLEVER SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



RACETRACK

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

TOP SHEEN OPTIONS

R	Standard
N	Matte/Satin

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 16-17 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details


Cutout Option for One Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location


CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB
(Sold Separately)




NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB
(Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

CLEVER ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on 1½" round and square tops are G10C and CUT-G15C, reference page 81 for grommet options and upcharge
- Grommet option available on 1½" and 1" round tops is G10C, reference page 81 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY


W Wood Unit
LW Laminate Top

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

SAMPLE MODEL NUMBERS:


CLNN36RDW G10C N MH
CLNN3636SQW X R CW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
CONFERENCE TABLE TOPS CLEVER 	CLEVER ROUND TOP									
	30" ROUND	1½" TOP THICKNESS		DI		H				
	CLNN30RDW	Wood	\$ 1165	30	—	1½	—	—	33 lbs.	2.0
	36" ROUND									
	CLNN36RDW	Wood	\$ 1372	36	—	1½	—	—	45 lbs.	2.4
	42" ROUND									
	CLNN42RDW	Wood	\$ 1666	42	—	1½	—	—	61 lbs.	3.2
	48" ROUND									
	CLNN48RDW	Wood	\$ 1960	48	—	1½	—	—	79 lbs.	4.2
	54" ROUND									
	CLNN54RDW	Wood	\$ 2195	54	—	1½	—	—	121 lbs.	6.9
	60" ROUND									
	CLNN60RDW	Wood	\$ 2430	58½	—	1½	—	—	150 lbs.	8.3
	30" ROUND	1½" TOP THICKNESS								
	CLN30RDW	Wood	\$ 1065	30	—	1½	—	—	33 lbs.	2.0
	36" ROUND									
	CLN36RDW	Wood	\$ 1252	36	—	1½	—	—	42 lbs.	2.4
	42" ROUND									
	CLN42RDW	Wood	\$ 1549	42	—	1½	—	—	58 lbs.	3.2
	48" ROUND									
	CLN48RDW	Wood	\$ 1844	48	—	1½	—	—	76 lbs.	4.2
	30" ROUND	1" TOP THICKNESS								
	CLN30RDLW	Laminate	\$ 999	30	—	1	—	—	33 lbs.	2.0
	36" ROUND									
	CLN36RDLW	Laminate	\$ 1175	36	—	1	—	—	42 lbs.	2.4
	42" ROUND									
	CLN42RDLW	Laminate	\$ 1454	42	—	1	—	—	58 lbs.	3.2
	48" ROUND									
	CLN48RDLW	Laminate	\$ 1731	48	—	1	—	—	76 lbs.	4.2

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
CLNN36RDW	G10C	N	IMH

CLEVER SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 1/16" TOP THICKNESS			D	W	H				
CLNN3030SQW	Wood	\$ 1165	30	30	1 1/16	—	—	33 lbs.	2.0
36" SQUARE									
CLNN3636SQW	Wood	\$ 1372	36	36	1 1/16	—	—	45 lbs.	2.4
42" SQUARE									
CLNN4242SQW	Wood	\$ 1666	42	42	1 1/16	—	—	61 lbs.	3.2
48" SQUARE									
CLNN4848SQW	Wood	\$ 1960	48	48	1 1/16	—	—	79 lbs.	4.2
54" SQUARE									
CLNN5454SQW	Wood	\$ 2195	54	54	1 1/16	—	—	121 lbs.	6.9
60" SQUARE									
CLNN6060SQW	Wood	\$ 2430	58 1/2	58 1/2	1 1/16	—	—	150 lbs.	8.3

CLEVER RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 81 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY


W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

CLNN48216RTW CUT-G16C X X R MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
CLEVER RECTANGLE TOP 	36" x 72"	1½" TOP THICKNESS								
	CLNN3672RTW	Wood	\$ 2132	36	72	1½	—	—	136 lbs.	6.3
	42" x 84"									
	CLNN4284RTW	Wood	\$ 2524	42	84	1½	—	—	180 lbs.	8.3
	48" x 96"									
	CLNN4896RTW	Wood	\$ 2919	48	96	1½	—	—	233 lbs.	10.5
	48" x 120"									
	CLNN48120RTW	Wood	\$ 4007	48	120	1½	—	—	279 lbs.	10.6
	48" x 144"									
	CLNN48144RTW	Wood	\$ 4978	48	144	1½	—	—	332 lbs.	12.5
	48" x 168"									
	CLNN48168RTW	Wood	\$ 5739	48	168	1½	—	—	385 lbs.	14.3
	48" x 192"									
	CLNN48192RTW	Wood	\$ 6497	48	192	1½	—	—	438 lbs.	16.2
	48" x 216"									
	CLNN48216RTW	Wood	\$ 7255	48	216	1½	—	—	524 lbs.	20.0
	48" x 240"									
	CLNN48240RTW	Wood	\$ 8015	48	240	1½	—	—	571 lbs.	22.0


• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CLEVER RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH
	G10C Center	CUT-G16C Center	X	No Modified Depth	X	No Modified Width	R Standard	AC Autumn
	G10E End	CUT-G16E End					N Matte/Satin	CL Caramel
	G10LR Left, Right	CUT-G16LR Left, Right						CW Cordovan
	G10A All	CUT-G16A All						DW Judicial
	G10CE Center, End	CUT-G16CE Center, End						HN Honey
	CUT-G15C Center	X	No Grommet					IM Brighton
	CUT-G15E End							MC Amber
	CUT-G15LR Left, Right							MH Mocha
	CUT-G15A All							NM Natural
	CUT-G15CE Center, End							TF Truffle
CLNN48216RTW	CUT-G16C			X	X		R	MH

CLEVER RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"			D	W	H				
1 1/16" TOP THICKNESS									
CLNN60144RTW	Wood	\$ 6488	58 1/2"	144"	1 1/16"	—	—	412 lbs.	18.0
60" x 168"									
CLNN60168RTW	Wood	\$ 7478	58 1/2"	168"	1 1/16"	—	—	480 lbs.	22.5
60" x 192"									
CLNN60192RTW	Wood	\$ 8464	58 1/2"	192"	1 1/16"	—	—	539 lbs.	29.0
60" x 216"									
CLNN60216RTW	Wood	\$ 9450	58 1/2"	216"	1 1/16"	—	—	647 lbs.	31.0
60" x 240"									
CLNN60240RTW	Wood	\$ 10437	58 1/2"	240"	1 1/16"	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CLEVER BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 81 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CLNN48216BTW X X X N DW
CLNN48216BTW CUT-G16C X X R HN


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
	36" x 72"	1¹/₁₆" TOP THICKNESS								
	CLNN3672BTW	Wood	\$ 2305	36	72	1 ¹ / ₁₆	—	—	136 lbs.	6.3
	42" x 84"									
	CLNN4284BTW	Wood	\$ 2697	42	84	1 ¹ / ₁₆	—	—	180 lbs.	8.3
	48" x 96"									
	CLNN4896BTW	Wood	\$ 3085	48	96	1 ¹ / ₁₆	—	—	233 lbs.	10.5
	48" x 120"									
	CLNN48120BTW	Wood	\$ 4359	48	120	1 ¹ / ₁₆	—	—	279 lbs.	10.6
	48" x 144"									
	CLNN48144BTW	Wood	\$ 5319	48	144	1 ¹ / ₁₆	—	—	332 lbs.	12.5
	48" x 168"									
	CLNN48168BTW	Wood	\$ 6076	48	168	1 ¹ / ₁₆	—	—	385 lbs.	14.3
48" x 192"										
CLNN48192BTW	Wood	\$ 6825	48	192	1 ¹ / ₁₆	—	—	438 lbs.	16.2	
48" x 216"										
CLNN48216BTW	Wood	\$ 7577	48	216	1 ¹ / ₁₆	—	—	524 lbs.	20.0	
48" x 240"										
CLNN48240BTW	Wood	\$ 8329	48	240	1 ¹ / ₁₆	—	—	571 lbs.	22.0	

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CLEVER BOAT TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH
	G10C Center	CUT-G16C Center	X	No Modified Depth	X	No Modified Width	R Standard	AC Autumn
	G10E End	CUT-G16E End					N Matte/Satin	CL Caramel
	G10LR Left, Right	CUT-G16LR Left, Right						CW Cordovan
	G10A All	CUT-G16A All						DW Judicial
	G10CE Center, End	CUT-G16CE Center, End						HN Honey
	CUT-G15C Center	X	No Grommet					IM Brighton
	CUT-G15E End							MC Amber
	CUT-G15LR Left, Right							MH Mocha
	CUT-G15A All							NM Natural
	CUT-G15CE Center, End							TF Truffle
CLNN48216BTW	X			X	X		N	DW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
	60" x 144"	1 1/8" TOP THICKNESS								
	CLNN60144BTW	Wood	\$ 6932	58%	144	1 1/8"	—	—	412 lbs.	18.0
	60" x 168"									
	CLNN60168BTW	Wood	\$ 7913	58%	168	1 1/8"	—	—	480 lbs.	22.5
	60" x 192"									
	CLNN60192BTW	Wood	\$ 8890	58%	192	1 1/8"	—	—	539 lbs.	29.0
	60" x 216"									
	CLNN60216BTW	Wood	\$ 9866	58%	216	1 1/8"	—	—	647 lbs.	31.0
	60" x 240"									
	CLNN60240BTW	Wood	\$ 10844	58%	240	1 1/8"	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CLEVER RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 81 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CLNN48216RCW X N MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
CLEVER RACETRACK TOP 	36" x 72"	1 1/8" TOP THICKNESS								
	CLNN3672RCW	Wood	\$ 2330	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	CLNN4284RCW	Wood	\$ 2724	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	CLNN4896RCW	Wood	\$ 3118	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	CLNN48120RCW	Wood	\$ 4403	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	CLNN48144RCW	Wood	\$ 5374	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	CLNN48168RCW	Wood	\$ 6137	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	CLNN48192RCW	Wood	\$ 6895	48	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"									
	CLNN48216RCW	Wood	\$ 7653	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	CLNN48240RCW	Wood	\$ 8411	48	240	1 1/8	—	—	571 lbs.	22.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CLEVER RACETRACK TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH
	G10C Center	CUT-G16C Center	X	No Modified Depth	X	No Modified Width	R Standard	AC Autumn
	G10E End	CUT-G16E End					N Matte/Satin	CL Caramel
	G10LR Left, Right	CUT-G16LR Left, Right						CW Cordovan
	G10A All	CUT-G16A All						DW Judicial
	G10CE Center, End	CUT-G16CE Center, End						HN Honey
	CUT-G15C Center	X	No Grommet					IM Brighton
	CUT-G15E End							MC Amber
	CUT-G15LR Left, Right							MH Mocha
	CUT-G15A All							NM Natural
	CUT-G15CE Center, End							TF Truffle
CLNN48216RCW	X			X	X		N	MH

CLEVER RACETRACK TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"			D	W	H				
1 1/16" TOP THICKNESS									
CLNN60144RCW	Wood	\$ 7002	58 1/2"	144"	1 1/16"	—	—	412 lbs.	18
60" x 168"									
CLNN60168RCW	Wood	\$ 7994	58 1/2"	168"	1 1/16"	—	—	480 lbs.	22.5
60" x 192"									
CLNN60192RCW	Wood	\$ 8981	58 1/2"	192"	1 1/16"	—	—	539 lbs.	29.0
60" x 216"									
CLNN60216RCW	Wood	\$ 9967	58 1/2"	216"	1 1/16"	—	—	647 lbs.	31.0
60" x 240"									
CLNN60240RCW	Wood	\$ 10953	58 1/2"	240"	1 1/16"	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

EPIC CONFERENCE TOP SPECIFICATIONS

TOPS

- Laminate surfaces are 1¾" or 1½" HPL (high pressure laminate), and feature a 3mm PVC or wood rim or a knife rim profile
- Veneer surfaces are 1¾" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on all sides
- Refer to page 91 for rim profiles and colors
- Size modifications available at no upcharge; many Epic conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

EPIC SHAPES AND SIZES




ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter
- 54" Diameter
- 60" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



RACETRACK

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable

TOP SHEEN OPTIONS

R	Standard
N	Matte/Satin

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	791	Palisander*
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Not available on occasional tables

- CSL available; see page 8 for program details and upcharge

SOLID LAMINATE

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE*

809	Tungsten Evolv
814	White Tigris
818	Crisp Linen
819	Flax Gauze
820	Paloma Bisque
821	Elemental Concrete
822	Smoke Quarstone
874	Bronze Legacy

RIM PROFILES

PVC RIM


AC2	Autumn 2	PT	Portico	461	Graphite
AD	Almond	SK	Skyline	462	Cinder
CL	Caramel	SM	Sonoma	478	Platinum Grey
CW	Cordovan	TF	Truffle	488	Frosty White
DW	Judicial	405	Designer White	491	Designer White Linear
HN2	Honey 2	417	Mojave	492	Cinder Linear
IM	Brighton	418	Mouse	791	Palisander
MC	Amber	419	Wallaby	792	Sable
MH	Mocha	425	Shadow	793	Acorn
NM	Natural	440	Cloud		
PB	Portobello				

WOOD RIM


AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable



Softened PVC (V)



Knife (K)



Softened Wood (F)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 16-17 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details


Cutout Option for One Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location


CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB
(Sold Separately)




NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB
(Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 91 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC ROUND TOP SOFTENED RIM 	30" ROUND			DI		H				
	1 1/16" TOP THICKNESS									
	25NN30RDW	Wood	\$ 1182	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
	25NN30RDL	Laminate	695	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
	36" ROUND									
	25NN36RDW	Wood	\$ 1390	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
	25NN36RDL	Laminate	818	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
	42" ROUND									
	25NN42RDW	Wood	\$ 1687	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
	25NN42RDL	Laminate	1120	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
	48" ROUND									
	25NN48RDW	Wood	\$ 2058	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2
	25NN48RDL	Laminate	1494	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2
	54" ROUND									
	25NN54RDW	Wood	\$ 2291	54 1/16"	—	1 1/16"	—	—	121 lbs.	6.9
	25NN54RDL	Laminate	1727	54 1/16"	—	1 1/16"	—	—	121 lbs.	6.9
	60" ROUND									
	25NN60RDW	Wood	\$ 2522	60 1/16"	—	1 1/16"	—	—	150 lbs.	8.3
	25NN60RDL	Laminate	1961	60 1/16"	—	1 1/16"	—	—	150 lbs.	8.3

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color
6. Worksurface Sheen (wood models)

SAMPLE MODEL NUMBERS:

25NN36RDW F X N MC
25NN36RDL V461 X 461

For options, see page 91

**EPIC ROUND TOP
SOFTENED RIM**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND 1 1/4" TOP THICKNESS			D	W	H				
25N30RDW	Wood	\$ 1083	30 1/4"	—	1 1/4"	—	—	33 lbs.	2.0
25N30RDL	Laminated	595	30 1/4"	—	1 1/4"	—	—	33 lbs.	2.0
36" ROUND									
25N36RDW	Wood	\$ 1273	36 1/4"	—	1 1/4"	—	—	40 lbs.	2.4
25N36RDL	Laminated	701	36 1/4"	—	1 1/4"	—	—	40 lbs.	2.4
42" ROUND									
25N42RDW	Wood	\$ 1572	42 1/4"	—	1 1/4"	—	—	61 lbs.	3.2
25N42RDL	Laminated	1002	42 1/4"	—	1 1/4"	—	—	61 lbs.	3.2
48" ROUND									
25N48RDW	Wood	\$ 1942	48 1/4"	—	1 1/4"	—	—	79 lbs.	4.2
25N48RDL	Laminated	1377	48 1/4"	—	1 1/4"	—	—	79 lbs.	4.2

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 91 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

- W Wood Unit
- L Laminate Unit


DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

CONFERENCE TABLE TOPS

EPIC

EPIC ROUND TOP
KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
30" ROUND			1¹/₆" TOP THICKNESS						
			DI		H				
25NN30RDWK	Wood	\$ 1536	30 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	33 lbs.	2.0
25NN30RDLK	Laminate	904	30 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	33 lbs.	2.0
36" ROUND									
25NN36RDWK	Wood	\$ 1807	36 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	40 lbs.	2.4
25NN36RDLK	Laminate	1063	36 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	40 lbs.	2.4
42" ROUND									
25NN42RDWK	Wood	\$ 2194	42 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	61 lbs.	3.2
25NN42RDLK	Laminate	1454	42 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	61 lbs.	3.2
48" ROUND									
25NN48RDWK	Wood	\$ 2675	48 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	79 lbs.	4.2
25NN48RDLK	Laminate	1942	48 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	79 lbs.	4.2
54" ROUND									
25NN54RDWK	Wood	\$ 2978	54 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	121 lbs.	6.9
25NN54RDLK	Laminate	2247	54 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	121 lbs.	6.9
60" ROUND									
25NN60RDWK	Wood	\$ 3279	60 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	150 lbs.	8.3
25NN60RDLK	Laminate	2550	60 ¹ / ₁₆	—	1 ¹ / ₁₆	—	—	150 lbs.	8.3


TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color
6. Worksurface Sheen (wood models)

SAMPLE MODEL NUMBERS:

25N36RDWK F X N MC
25N36RDLK V461 X 461

For options, see page 91

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
EPIC ROUND TOP KNIFE RIM 	30" ROUND									
	1 1/16" TOP THICKNESS									
	25N30RDWK	Wood	\$ 1408	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
	25N30RDLK	Laminated	775	30 1/16"	—	1 1/16"	—	—	33 lbs.	2.0
	36" ROUND									
	25N36RDWK	Wood	\$ 1656	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
	25N36RDLK	Laminated	912	36 1/16"	—	1 1/16"	—	—	40 lbs.	2.4
	42" ROUND									
	25N42RDWK	Wood	\$ 2043	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
	25N42RDLK	Laminated	1303	42 1/16"	—	1 1/16"	—	—	61 lbs.	3.2
	48" ROUND									
	25N48RDWK	Wood	\$ 2526	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2
	25N48RDLK	Laminated	1790	48 1/16"	—	1 1/16"	—	—	79 lbs.	4.2

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 91 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide


BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
30" SQUARE									
1 1/16" TOP THICKNESS									
25NN3030SQW	Wood	\$ 1182	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
25NN3030SQL	Laminate	695	30 1/16	30 1/16	1 1/16	—	—	33 lbs.	2.0
36" SQUARE									
25NN3636SQW	Wood	\$ 1390	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
25NN3636SQL	Laminate	818	36 1/16	36 1/16	1 1/16	—	—	45 lbs.	3.0
42" SQUARE									
25NN4242SQW	Wood	\$ 1687	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
25NN4242SQL	Laminate	1120	42 1/16	42 1/16	1 1/16	—	—	59 lbs.	3.8
48" SQUARE									
25NN4848SQW	Wood	\$ 2058	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
25NN4848SQL	Laminate	1494	48 1/16	48 1/16	1 1/16	—	—	76 lbs.	4.5
54" SQUARE									
25NN5454SQW	Wood	\$ 2291	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
25NN5454SQL	Laminate	1727	54 1/16	54 1/16	1 1/16	—	—	121 lbs.	6.9
60" SQUARE									
25NN6060SQW	Wood	\$ 2522	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3
25NN6060SQL	Laminate	1961	58 1/16	58 1/16	1 1/16	—	—	150 lbs.	8.3

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color
6. Worksurface Sheen (wood models)

SAMPLE MODEL NUMBERS:

25NN3636SQW F G10C N TF
25NN3636SQL V405 G10C 405

For options, see page 91

EPIC SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 1/4" TOP THICKNESS			D	W	H				
25N3030SQW	Wood	\$ 1083	30 1/4"	30 1/4"	1 1/4"	—	—	33 lbs.	2.0
25N3030SQL	Laminated	595	30 1/4"	30 1/4"	1 1/4"	—	—	33 lbs.	2.0
36" SQUARE									
25N3636SQW	Wood	\$ 1273	36 1/4"	36 1/4"	1 1/4"	—	—	45 lbs.	3.0
25N3636SQL	Laminated	701	36 1/4"	36 1/4"	1 1/4"	—	—	45 lbs.	3.0
42" SQUARE									
25N4242SQW	Wood	\$ 1572	42 1/4"	42 1/4"	1 1/4"	—	—	59 lbs.	3.8
25N4242SQL	Laminated	1002	42 1/4"	42 1/4"	1 1/4"	—	—	59 lbs.	3.8
48" SQUARE									
25N4848SQW	Wood	\$ 1942	48 1/4"	48 1/4"	1 1/4"	—	—	76 lbs.	4.5
25N4848SQL	Laminated	1377	48 1/4"	48 1/4"	1 1/4"	—	—	76 lbs.	4.5

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 91 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide


BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
30" SQUARE									
1 1/8" TOP THICKNESS									
25NN3030SQWK	Wood	\$ 1536	30 1/8"	30 1/8"	1 1/8"	—	—	33 lbs.	2.0
25NN3030SQLK	Laminate	904	30 1/8"	30 1/8"	1 1/8"	—	—	33 lbs.	2.0
36" SQUARE									
25NN3636SQWK	Wood	\$ 1807	36 1/8"	36 1/8"	1 1/8"	—	—	45 lbs.	3.0
25NN3636SQLK	Laminate	1063	36 1/8"	36 1/8"	1 1/8"	—	—	45 lbs.	3.0
42" SQUARE									
25NN4242SQWK	Wood	\$ 2194	42 1/8"	42 1/8"	1 1/8"	—	—	59 lbs.	3.8
25NN4242SQLK	Laminate	1454	42 1/8"	42 1/8"	1 1/8"	—	—	59 lbs.	3.8
48" SQUARE									
25NN4848SQWK	Wood	\$ 2675	48 1/8"	48 1/8"	1 1/8"	—	—	76 lbs.	4.5
25NN4848SQLK	Laminate	1942	48 1/8"	48 1/8"	1 1/8"	—	—	76 lbs.	4.5
54" SQUARE									
25NN5454SQWK	Wood	\$ 2978	54 1/8"	54 1/8"	1 1/8"	—	—	121 lbs.	6.9
25NN5454SQLK	Laminate	2247	54 1/8"	54 1/8"	1 1/8"	—	—	121 lbs.	6.9
60" SQUARE									
25NN6060SQWK	Wood	\$ 3279	58 3/8"	58 3/8"	1 1/8"	—	—	150 lbs.	8.3
25NN6060SQLK	Laminate	2550	58 3/8"	58 3/8"	1 1/8"	—	—	150 lbs.	8.3

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminated models)
4. Grommet
5. Veneer Top Finish/Laminated Top Color
6. Worksurface Sheen (wood models)

SAMPLE MODEL NUMBERS:

25NN3636SQWK F G10C N TF
25NN3636SQLK V405 G10C 405

For options, see page 91

EPIC SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 1/8" TOP THICKNESS			D	W	H				
25N3030SQWK	Wood	\$ 1408	30 1/8"	30 1/8"	1 1/8"	—	—	33 lbs.	2.0
25N3030SQLK	Laminated	775	30 1/8"	30 1/8"	1 1/8"	—	—	33 lbs.	2.0
36" SQUARE 1 1/8" TOP THICKNESS									
25N3636SQWK	Wood	\$ 1656	36 1/8"	36 1/8"	1 1/8"	—	—	45 lbs.	3.0
25N3636SQLK	Laminated	912	36 1/8"	36 1/8"	1 1/8"	—	—	45 lbs.	3.0
42" SQUARE									
25N4242SQWK	Wood	\$ 2043	42 1/8"	42 1/8"	1 1/8"	—	—	59 lbs.	3.8
25N4242SQLK	Laminated	1303	42 1/8"	42 1/8"	1 1/8"	—	—	59 lbs.	3.8
48" SQUARE									
25N4848SQWK	Wood	\$ 2526	48 1/8"	48 1/8"	1 1/8"	—	—	76 lbs.	4.5
25N4848SQLK	Laminated	1790	48 1/8"	48 1/8"	1 1/8"	—	—	76 lbs.	4.5

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide


BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 72"									
1 1/8" TOP THICKNESS									
25NN3672RTW	Wood	\$ 2169	36	72	1 1/8	—	—	136 lbs.	6.3
25NN3672RTL	Laminate	1605	36	72	1 1/8	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RTW	Wood	\$ 2558	42	84	1 1/8	—	—	180 lbs.	8.3
25NN4284RTL	Laminate	1997	42	84	1 1/8	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RTW	Wood	\$ 2948	48	96	1 1/8	—	—	233 lbs.	10.5
25NN4896RTL	Laminate	2393	48	96	1 1/8	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RTW	Wood	\$ 4026	48	120	1 1/8	—	—	279 lbs.	10.6
25NN48120RTL	Laminate	3480	48	120	1 1/8	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RTW	Wood	\$ 4986	48	144	1 1/8	—	—	332 lbs.	12.5
25NN48144RTL	Laminate	4451	48	144	1 1/8	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RTW	Wood	\$ 5742	48	168	1 1/8	—	—	385 lbs.	14.3
25NN48168RTL	Laminate	5212	48	168	1 1/8	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RTW	Wood	\$ 6492	48	192	1 1/8	—	—	438 lbs.	16.2
25NN48192RTL	Laminate	5971	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN48216RTW F G10LR X X N CW
25NN48216RTL V480 G10LR 480

**EPIC RECTANGLE TOP
SOFTENED RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
48" x 216"									
1 1/8" TOP THICKNESS									
25NN48216RTW	Wood	\$ 7244	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216RTL	Laminate	6732	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RTW	Wood	\$ 7995	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240RTL	Laminate	7495	48	240	1 1/8	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RTW	Wood	\$ 6484	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
25NN60144RTL	Laminate	5787	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RTW	Wood	\$ 7464	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
25NN60168RTL	Laminate	6777	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RTW	Wood	\$ 8439	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
25NN60192RTL	Laminate	7761	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RTW	Wood	\$ 9417	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
25NN60216RTL	Laminate	8753	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RTW	Wood	\$ 10394	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
25NN60240RTL	Laminate	9745	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide


BASE MODEL KEY

- W Wood Unit
- LW Laminate Top/Wood Rim
- L Laminate Unit

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

EPIC RECTANGLE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
36" x 72"									
1 1/8" TOP THICKNESS									
25NN3672RTWK	Wood	\$ 2820	36	72	1 1/8	—	—	136 lbs.	6.3
25NN3672RTLK	Laminate	2087	36	72	1 1/8	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RTWK	Wood	\$ 3326	42	84	1 1/8	—	—	180 lbs.	8.3
25NN4284RTLK	Laminate	2597	42	84	1 1/8	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RTWK	Wood	\$ 3832	48	96	1 1/8	—	—	233 lbs.	10.5
25NN4896RTLK	Laminate	3110	48	96	1 1/8	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RTWK	Wood	\$ 5234	48	120	1 1/8	—	—	279 lbs.	10.6
25NN48120RTLK	Laminate	4525	48	120	1 1/8	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RTWK	Wood	\$ 6482	48	144	1 1/8	—	—	332 lbs.	12.5
25NN48144RTLK	Laminate	5786	48	144	1 1/8	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RTWK	Wood	\$ 7463	48	168	1 1/8	—	—	385 lbs.	14.3
25NN48168RTLK	Laminate	6776	48	168	1 1/8	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RTWK	Wood	\$ 8441	48	192	1 1/8	—	—	438 lbs.	16.2
25NN48192RTLK	Laminate	7763	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

SAMPLE MODEL NUMBERS:

25NN3672RTWK K G10LR X N CL
25NN3672RTLK K425 G10LR X 425

For options, see page 91

**EPIC RECTANGLE TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
48" x 216"									
1 1/8" TOP THICKNESS									
25NN48216RTWK	Wood	\$ 9417	48	216	1 1/8	—	—	524 lbs.	20.0
25NN48216RTLK	Laminate	8753	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RTWK	Wood	\$ 10394	48	240	1 1/8	—	—	571 lbs.	22.0
25NN48240RTLK	Laminate	9745	48	240	1 1/8	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RTWK	Wood	\$ 8429	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
25NN60144RTLK	Laminate	7521	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RTWK	Wood	\$ 9703	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
25NN60168RTLK	Laminate	8810	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RTWK	Wood	\$ 10971	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
25NN60192RTLK	Laminate	10090	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RTWK	Wood	\$ 12243	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
25NN60216RTLK	Laminate	11378	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RTWK	Wood	\$ 13513	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
25NN60240RTLK	Laminate	12667	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC BOAT TOP SOFTENED RIM 	36" x 72"									
	1 1/8" TOP THICKNESS									
	25NN3672BTW	Wood	\$ 2342	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672BTL	Laminate	1785	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284BTW	Wood	\$ 2727	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284BTL	Laminate	2175	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896BTW	Wood	\$ 3113	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896BTL	Laminate	2565	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120BTW	Wood	\$ 4375	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120BTL	Laminate	3838	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144BTW	Wood	\$ 5325	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144BTL	Laminate	4799	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168BTW	Wood	\$ 6072	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168BTL	Laminate	5553	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192BTW	Wood	\$ 6817	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192BTL	Laminate	6304	48	192	1 1/8	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

SAMPLE MODEL NUMBERS:

25NN3672BTW F G10LR X N CW
25NN3672BTL V480 G10LR 480

For options, see page 91

EPIC BOAT TOP
SOFTENED RIM
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
48" x 216"										
1 1/8" TOP THICKNESS										
25NN48216BTW	Wood	\$ 7560	48	216	1 1/8	—	—		524 lbs.	20.0
25NN48216BTL	Laminate	7045	48	216	1 1/8	—	—		524 lbs.	20.0
48" x 240"										
25NN48240BTW	Wood	\$ 8305	48	240	1 1/8	—	—		571 lbs.	22.0
25NN48240BTL	Laminate	7806	48	240	1 1/8	—	—		571 lbs.	22.0
60" x 144"										
25NN60144BTW	Wood	\$ 6923	58 1/2	144	1 1/8	—	—		412 lbs.	18.
25NN60144BTL	Laminate	6236	58 1/2	144	1 1/8	—	—		412 lbs.	18.0
60" x 168"										
25NN60168BTW	Wood	\$ 7894	58 1/2	168	1 1/8	—	—		480 lbs.	22.5
25NN60168BTL	Laminate	7218	58 1/2	168	1 1/8	—	—		480 lbs.	22.5
60" x 192"										
25NN60192BTW	Wood	\$ 8863	58 1/2	192	1 1/8	—	—		539 lbs.	29.0
25NN60192BTL	Laminate	8195	58 1/2	192	1 1/8	—	—		539 lbs.	29.0
60" x 216"										
25NN60216BTW	Wood	\$ 9829	58 1/2	216	1 1/8	—	—		647 lbs.	31.0
25NN60216BTL	Laminate	9159	58 1/2	216	1 1/8	—	—		647 lbs.	31.0
60" x 240"										
25NN60240BTW	Wood	\$ 10796	58 1/2	240	1 1/8	—	—		706 lbs.	34.0
25NN60240BTL	Laminate	10148	58 1/2	240	1 1/8	—	—		706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC BOAT TOP KNIFE RIM 	36" x 72"									
	1 1/8" TOP THICKNESS									
	25NN3672BTWK	Wood	\$ 3044	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672BTLK	Laminate	2322	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284BTWK	Wood	\$ 3545	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284BTLK	Laminate	2827	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896BTWK	Wood	\$ 4047	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896BTLK	Laminate	3335	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120BTWK	Wood	\$ 5688	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120BTLK	Laminate	4989	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144BTWK	Wood	\$ 6923	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144BTLK	Laminate	6237	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168BTWK	Wood	\$ 7896	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168BTLK	Laminate	7218	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192BTWK	Wood	\$ 8863	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192BTLK	Laminate	8195	48	192	1 1/8	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:


1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN48216BTWK K G10A X X N AC
25NN48216BTLK K461 G10A X X 461

EPIC BOAT TOP
KNIFE RIM
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
48" x 216"		1 1/16" TOP THICKNESS							
25NN48216BTWK	Wood	\$ 9829	48	216	1 1/16	—	—	524 lbs.	20.0
25NN48216BTLK	Laminate	9159	48	216	1 1/16	—	—	524 lbs.	20.0
48" x 240"									
25NN48240BTWK	Wood	\$ 10796	48	240	1 1/16	—	—	571 lbs.	22.0
25NN48240BTLK	Laminate	10150	48	240	1 1/16	—	—	571 lbs.	22.0
60" x 144"									
25NN60144BTWK	Wood	\$ 8998	58 1/2	144	1 1/16	—	—	412 lbs.	18.0
25NN60144BTLK	Laminate	8107	58 1/2	144	1 1/16	—	—	412 lbs.	18.0
60" x 168"									
25NN60168BTWK	Wood	\$ 10263	58 1/2	168	1 1/16	—	—	480 lbs.	22.5
25NN60168BTLK	Laminate	9384	58 1/2	168	1 1/16	—	—	480 lbs.	22.5
60" x 192"									
25NN60192BTWK	Wood	\$ 11520	58 1/2	192	1 1/16	—	—	539 lbs.	29.0
25NN60192BTLK	Laminate	10652	58 1/2	192	1 1/16	—	—	539 lbs.	29.0
60" x 216"									
25NN60216BTWK	Wood	\$ 12777	58 1/2	216	1 1/16	—	—	647 lbs.	31.0
25NN60216BTLK	Laminate	11907	58 1/2	216	1 1/16	—	—	647 lbs.	31.0
60" x 240"									
25NN60240BTWK	Wood	\$ 14035	58 1/2	240	1 1/16	—	—	706 lbs.	34.0
25NN60240BTLK	Laminate	13192	58 1/2	240	1 1/16	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC RACETRACK TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"			D	W	H				
1 1/8" TOP THICKNESS									
25NN3672RCW	Wood	\$ 2366	36	72	1 1/8	—	—	136 lbs.	6.3
25NN3672RCL	Laminate	1804	36	72	1 1/8	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RCW	Wood	\$ 2755	42	84	1 1/8	—	—	180 lbs.	8.3
25NN4284RCL	Laminate	2197	42	84	1 1/8	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RCW	Wood	\$ 3146	48	96	1 1/8	—	—	233 lbs.	10.5
25NN4896RCL	Laminate	2590	48	96	1 1/8	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RCW	Wood	\$ 4418	48	120	1 1/8	—	—	279 lbs.	10.6
25NN48120RCL	Laminate	3876	48	120	1 1/8	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RCW	Wood	\$ 5379	48	144	1 1/8	—	—	332 lbs.	12.5
25NN48144RCL	Laminate	4846	48	144	1 1/8	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RCW	Wood	\$ 6134	48	168	1 1/8	—	—	385 lbs.	14.3
25NN48168RCL	Laminate	5610	48	168	1 1/8	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RCW	Wood	\$ 6886	48	192	1 1/8	—	—	438 lbs.	16.2
25NN48192RCL	Laminate	6368	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN48216RCW F G10LR X X N DW
25NN48216RCL V405 G10LR X X 405

EPIC RACETRACK TOP
SOFTENED RIM
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"			D	W	H				
1 1/16" TOP THICKNESS									
25NN48216RCW	Wood	\$ 7638	48	216	1 1/16	—	—	524 lbs.	20.0
25NN48216RCL	Laminate	7116	48	216	1 1/16	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RCW	Wood	\$ 8388	48	240	1 1/16	—	—	571 lbs.	22.0
25NN48240RCL	Laminate	7884	48	240	1 1/16	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RCW	Wood	\$ 6992	58 3/4	144	1 1/16	—	—	412 lbs.	18.0
25NN60144RCL	Laminate	6299	58 3/4	144	1 1/16	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RCW	Wood	\$ 7975	58 3/4	168	1 1/16	—	—	480 lbs.	22.5
25NN60168RCL	Laminate	7291	58 3/4	168	1 1/16	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RCW	Wood	\$ 8952	58 3/4	192	1 1/16	—	—	539 lbs.	29.0
25NN60192RCL	Laminate	8278	58 3/4	192	1 1/16	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RCW	Wood	\$ 9927	58 3/4	216	1 1/16	—	—	647 lbs.	31.0
25NN60216RCL	Laminate	9252	58 3/4	216	1 1/16	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RCW	Wood	\$ 10903	58 3/4	240	1 1/16	—	—	706 lbs.	34.0
25NN60240RCL	Laminate	10250	58 3/4	240	1 1/16	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
EPIC RACETRACK TOP KNIFE RIM 	36" x 72"	1 1/8" TOP THICKNESS								
	25NN3672RCWK	Wood	\$ 3075	36	72	1 1/8	—	—	136 lbs.	6.3
	25NN3672RCLK	Laminate	2343	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	25NN4284RCWK	Wood	\$ 3581	42	84	1 1/8	—	—	180 lbs.	8.3
	25NN4284RCLK	Laminate	2856	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	25NN4896RCWK	Wood	\$ 4089	48	96	1 1/8	—	—	233 lbs.	10.5
	25NN4896RCLK	Laminate	3368	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	25NN48120RCWK	Wood	\$ 5744	48	120	1 1/8	—	—	279 lbs.	10.6
	25NN48120RCLK	Laminate	5038	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	25NN48144RCWK	Wood	\$ 6993	48	144	1 1/8	—	—	332 lbs.	12.5
	25NN48144RCLK	Laminate	6301	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	25NN48168RCWK	Wood	\$ 7975	48	168	1 1/8	—	—	385 lbs.	14.3
	25NN48168RCLK	Laminate	7291	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	25NN48192RCWK	Wood	\$ 8952	48	192	1 1/8	—	—	438 lbs.	16.2
	25NN48192RCLK	Laminate	8278	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

SAMPLE MODEL NUMBERS:

25NN3672RCWK K G10A X N CW
25NN3672RCLK K425 G10A X CW

For options, see page 91

**EPIC RACETRACK TOP
KNIFE RIM
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216" 1 1/16" TOP THICKNESS			D	W	H				
25NN48216RCWK	Wood	\$ 9929	48	216	1 1/16	—	—	524 lbs.	20.0
25NN48216RCLK	Laminate	9252	48	216	1 1/16	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RCWK	Wood	\$ 10903	48	240	1 1/16	—	—	571 lbs.	22.0
25NN48240RCLK	Laminate	10250	48	240	1 1/16	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RCWK	Wood	\$ 9090	58%	144	1 1/16	—	—	412 lbs.	18.0
25NN60144RCLK	Laminate	8190	58%	144	1 1/16	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RCWK	Wood	\$ 10367	58%	168	1 1/16	—	—	480 lbs.	22.5
25NN60168RCLK	Laminate	9480	58%	168	1 1/16	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RCWK	Wood	\$ 11636	58%	192	1 1/16	—	—	539 lbs.	29.0
25NN60192RCLK	Laminate	10761	58%	192	1 1/16	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RCWK	Wood	\$ 12906	58%	216	1 1/16	—	—	647 lbs.	31.0
25NN60216RCLK	Laminate	12027	58%	216	1 1/16	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RCWK	Wood	\$ 14176	58%	240	1 1/16	—	—	706 lbs.	34.0
25NN60240RCLK	Laminate	13325	58%	240	1 1/16	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

ESCALADE CONFERENCE TOP SPECIFICATIONS

TOPS

- 1½" slipmatched cherry or maple and bookmatched walnut veneer
- Mitered wood rim
- Size modifications available at no upcharge; many Escalade conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:


1. Model Number
2. Grommet
3. Modified Depth
4. Modified Width
5. Sheen
6. Finish

ESCALADE SHAPES AND SIZES



ROUND

- 30" Diameter
- 36" Diameter
- 42" Diameter
- 48" Diameter




SQUARE

- 30" x 30"
- 36" x 36"
- 42" x 42"
- 48" x 48"
- 54" x 54"
- 60" x 60"



RECTANGLE

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"



BOAT

- 36" x 72", 42" x 84"
- 48" x 96", 120", 144", 168", 192", 216" and 240"
- 60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

TOP SHEEN OPTIONS

R	Standard
N	Matte/Satin

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 16-17 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details


Cutout Option for One Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location


CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB
(Sold Separately)




NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB
(Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

ESCALADE ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 113 for options and upcharge
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit


DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

SAMPLE MODEL NUMBERS:

ECN42RDW G10C R DW
ECN3636SQW X N MH

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
ESCALADE ROUND TOP		DI		H				
30" ROUND 1¹/₆" TOP THICKNESS								
ECN30RDW Wood	\$ 1342	30 ¹ / ₆	—	1 ¹ / ₆	—	—	33 lbs.	2.0
36" ROUND								
ECN36RDW Wood	\$ 1581	36 ¹ / ₆	—	1 ¹ / ₆	—	—	45 lbs.	2.4
42" ROUND								
ECN42RDW Wood	\$ 1781	42 ¹ / ₆	—	1 ¹ / ₆	—	—	74 lbs.	4.0
48" ROUND								
ECN48RDW Wood	\$ 2186	48 ¹ / ₆	—	1 ¹ / ₆	—	—	94 lbs.	5.1




ESCALADE SQUARE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN	FINISH
ECN42RDW	G10C CUT-G15C X Center Center No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	G10C	R	DW

ESCALADE SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 1/8" TOP THICKNESS			D	W	H				
ECN3030SQW	Wood	\$ 1342	30 1/8"	30 1/8"	1 1/8"	—	—	33 lbs.	2.0
36" SQUARE									
ECN3636SQW	Wood	\$ 1581	36 1/8"	36 1/8"	1 1/8"	—	—	45 lbs.	2.4
42" SQUARE									
ECN4242SQW	Wood	\$ 1781	42 1/8"	42 1/8"	1 1/8"	—	—	61 lbs.	3.2
48" SQUARE									
ECN4848SQW	Wood	\$ 2186	48 1/8"	48 1/8"	1 1/8"	—	—	79 lbs.	4.2
54" SQUARE									
ECN5454SQW	Wood	\$ 2417	54 1/8"	54 1/8"	1 1/8"	—	—	121 lbs.	6.9
60" SQUARE									
ECN6060SQW	Wood	\$ 2649	60 1/8"	60 1/8"	1 1/8"	—	—	150 lbs.	8.3

CONFERENCE TABLE TOPS

ESCALADE

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 113 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY


W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

ECN3672RTW X X N MH
ECN60144RTW CUT-G15A X X N CL

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
CONFERENCE TABLE TOPS ESCALADE 	ESCALADE RECTANGLE TOP									
	36" x 72"	1 1/8" TOP THICKNESS								
	ECN3672RTW	Wood	\$ 2705	35 1/4	71 1/8	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	ECN4284RTW	Wood	\$ 3032	42 1/8	84 3/8	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	ECN4896RTW	Wood	\$ 3357	47 1/4	95 1/8	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	ECN48120RTW	Wood	\$ 4609	47 1/4	119 1/4	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	ECN48144RTW	Wood	\$ 5722	47 1/4	143 3/8	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	ECN48168RTW	Wood	\$ 7066	47 1/4	167 1/4	1 1/8	—	—	385 lbs.	14.4
	48" x 192"									
	ECN48192RTW	Wood	\$ 8003	47 1/4	191 1/4	1 1/8	—	—	438 lbs.	16.3
	48" x 216"									
	ECN48216RTW	Wood	\$ 8941	47 1/4	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"									
	ECN48240RTW	Wood	\$ 9879	47 1/4	240	1 1/8	—	—	571 lbs.	22.0


• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

ESCALADE RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION		MODIFIED DEPTH (see page 14 for available sizes)		MODIFIED WIDTH (see page 14 for available sizes)		SHEEN	FINISH
	G10C Center	CUT-G16C Center	X	No Modified Depth	X	No Modified Width	R Standard	AC Autumn
	G10E End	CUT-G16E End					N Matte/Satin	CL Caramel
	G10LR Left, Right	CUT-G16LR Left, Right						CW Cordovan
	G10A All	CUT-G16A All						DW Judicial
	G10CE Center, End	CUT-G16CE Center, End						HN Honey
	CUT-G15C Center	X No Grommet						IM Brighton
	CUT-G15E End							MC Amber
	CUT-G15LR Left, Right							MH Mocha
	CUT-G15A All							NM Natural
	CUT-G15CE Center, End							TF Truffle
ECN3672RTW	X		X		X		N	MH

ESCALADE RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"			D	W	H				
1 1/16" TOP THICKNESS									
ECN60144RTW	Wood	\$ 7439	58 1/2"	143 1/2"	1 1/16"	—	—	412 lbs.	18.0
60" x 168"									
ECN60168RTW	Wood	\$ 9185	58 1/2"	167 1/4"	1 1/16"	—	—	480 lbs.	22.5
60" x 192"									
ECN60192RTW	Wood	\$ 10403	58 1/2"	191 1/4"	1 1/16"	—	—	539 lbs.	29.0
60" x 216"									
ECN60216RTW	Wood	\$ 11623	58 1/2"	216"	1 1/16"	—	—	647 lbs.	31.0
60" x 240"									
ECN60240RTW	Wood	\$ 12843	58 1/2"	240"	1 1/16"	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

ESCALADE BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 113 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit


DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

ECN3672BTW X X N MH
ECN60144BTW CUT-G15A X X N NM

ESCALADE BOAT TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
36" x 72" 1 1/8" TOP THICKNESS								
ECN3672BTW Wood	\$ 2895	36	72	1 1/8	—	—	136 lbs.	6.3
42" x 84"								
ECN4284BTW Wood	\$ 3244	42	84	1 1/8	—	—	180 lbs.	8.3
48" x 96"								
ECN4896BTW Wood	\$ 3593	48	96	1 1/8	—	—	233 lbs.	10.5
48" x 120"								
ECN48120BTW Wood	\$ 4932	48	120	1 1/8	—	—	279 lbs.	10.6
48" x 144"								
ECN48144BTW Wood	\$ 6124	48	144	1 1/8	—	—	332 lbs.	12.5
48" x 168"								
ECN48168BTW Wood	\$ 7560	48	168	1 1/8	—	—	385 lbs.	14.3
48" x 192"								
ECN48192BTW Wood	\$ 8561	48	192	1 1/8	—	—	438 lbs.	16.2
48" x 216"								
ECN48216BTW Wood	\$ 9566	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"								
ECN48240BTW Wood	\$ 10571	48	240	1 1/8	—	—	571 lbs.	22.0


- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

ESCALADE BOAT TOPS

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION		MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH
	G10C Center	CUT-G16C Center	X No Modified Depth	X No Modified Width	R Standard	AC Autumn
	G10E End	CUT-G16E End			N Matte/Satin	CL Caramel
	G10LR Left, Right	CUT-G16LR Left, Right				CW Cordovan
	G10A All	CUT-G16A All				DW Judicial
	G10CE Center, End	CUT-G16CE Center, End				HN Honey
	CUT-G15C Center	X No Grommet				IM Brighton
	CUT-G15E End					MC Amber
	CUT-G15LR Left, Right					MH Mocha
	CUT-G15A All					NM Natural
	CUT-G15CE Center, End					TF Truffle
ECN3672BTW	X		X	X	N	MH

ESCALADE BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"			D	W	H				
1 1/8" TOP THICKNESS									
ECN60144BTW	Wood	\$ 7960	58 1/2"	144"	1 1/8"	—	—	412 lbs.	18.0
60" x 168"									
ECN60168BTW	Wood	\$ 9828	58 1/2"	168"	1 1/8"	—	—	480 lbs.	22.5
60" x 192"									
ECN60192BTW	Wood	\$ 11132	58 1/2"	192"	1 1/8"	—	—	539 lbs.	29.0
60" x 216"									
ECN60216BTW	Wood	\$ 12437	58 1/2"	216"	1 1/8"	—	—	647 lbs.	31.0
60" x 240"									
ECN60240BTW	Wood	\$ 13740	58 1/2"	240"	1 1/8"	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

FLOURISH CONFERENCE TOP SPECIFICATIONS

TOPS

- 1½" slipmatched cherry and maple veneer or 1" TFL (thermally fused laminate)
- Medium density fiberboard with profiled rim profile
- Grain direction runs left-to-right unless otherwise noted

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen (wood models)
5. Finish/Laminate

FLOURISH SHAPES AND SIZES



ROUND
 42" Diameter


WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

TOP SHEEN OPTIONS

- R Standard
- N Matte/Satin

RIM PROFILES



GROMMET OPTIONS

Conference table tops are available with grommet options to accommodate electrical and data management solutions. If no grommet is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C Center



- Reference pages 16-17 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

FLOURISH ROUND TOPS

PRODUCT SPECIFICATIONS

- Grommet option available is G10C, reference page 121 for grommet options and upcharge
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top

SAMPLE MODEL NUMBER:

19N42RDW G10C R TD AC

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	42" ROUND	1½" TOP THICKNESS		DI	W	H				
	19N42RDW	Wood	\$ 880	42	—	1½	—	—	54 lbs.	3.2
	42" ROUND	1" TOP THICKNESS								
	19N42RDLW	TFL	\$ 782	42	—	1	—	—	54 lbs.	3.2

Specify selections, left to right:

BASE MODEL	RIM PROFILE	GROMMET OPTION	SHEEN	FINISH
	TC Fluted TD Eased	G10C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
19N42RDW	TD	G10C	R	AC

UNIVERSAL CONFERENCE TOP SPECIFICATIONS

CP TOPS

- 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ " HPL (high pressure laminate)
- HPL flat rim profile

CCW TOPS

- Veneer surfaces are 1 $\frac{3}{8}$ " plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), or plain sliced bookmatched walnut veneer (Cordovan, Judicial)
- Veneer surfaces feature wood rim with five profile options
- Laminate/wood models are 1 $\frac{3}{8}$ " or 1 $\frac{1}{2}$ " HPL (high pressure laminate) that feature wood rim with five profile options

CORIAN SOLID SURFACE TOPS

- 1 $\frac{1}{2}$ " Corian solid surface
- Knife rim profile
- Grommet cutouts not available
- Available in standard or matte/satin sheen

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER CP TOPS, SPECIFY:

1. Model Number
2. Grommet
3. Laminate


TO ORDER CCW TOPS, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen (wood models)
5. Laminate Top Color/Wood Top Finish
6. Rim Finish (laminate/wood models)

TO ORDER SOLID SURFACE TOPS, SPECIFY:


1. Model Number
2. Sheen
3. Solid Surface Color

UNIVERSAL SHAPES AND SIZES




ROUND

24" Diameter (solid surface only)
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SQUARE

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"




SOFT SQUARE

(solid surface only)
24" x 24"
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



RACETRACK

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:
Rim Profile: Self (J) for CCW, Flat (E) for CP
Grommet not included
Sheen: Standard
Laminate/Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

UNIVERSAL

CP TOP OPTIONS

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

CP RIM PROFILE



Flat (E)

CCW TOP OPTIONS

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

WOOD RIM

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

CCW RIM PROFILES



Radius (A)



Reed (M)



Bullnose (D)



Softened (F)



Self (J)
(all wood models only)

SOLID SURFACE TOP OPTIONS

CORIAN COLORS

7101 Bisque (Grade A)
7201 Glacier White (Grade A)
7301 Concrete (Grade C)
7302 Deep Night Sky (Grade C)

CORIAN RIM PROFILE



TOP SHEEN OPTIONS

R Standard
N Matte/Satin

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 16-17 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details


Cutout Option for One Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location


CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)




NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

UNIVERSAL ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 127 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


SAMPLE MODEL NUMBERS:

CCW36RD2W	D	G10C	N	NM
CCW60RD2LW	F	G10C	805	CL
CP-54E	G10C	461		

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

UNIVERSAL ROUND TOP





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
30" ROUND									
1 1/8" TOP THICKNESS			DI		H				
CCW30RD2W	Wood-J Rim	\$ 607	30	—	1 1/8	—	—	33 lbs.	2.0
CCW30RD2W	Wood-A,M,D,F Rim	1065	30	—	1 1/8	—	—	33 lbs.	2.0
CCW30RD2LW	Laminate/Wood-A,M,D,F Rim	1065	30	—	1 1/8	—	—	33 lbs.	2.0
CP-30E	Laminate-E Rim	349	30	—	1 1/8	—	—	33 lbs.	2.0
36" ROUND									
CCW36RD2W	Wood-J Rim	\$ 714	36	—	1 1/8	—	—	56 lbs.	3.1
CCW36RD2W	Wood-A,M,D,F Rim	1252	36	—	1 1/8	—	—	56 lbs.	3.1
CCW36RD2LW	Laminate/Wood-A,M,D,F Rim	1252	36	—	1 1/8	—	—	56 lbs.	3.1
CP-36E	Laminate-E Rim	410	36	—	1 1/8	—	—	56 lbs.	3.1
42" ROUND									
QCCW42RD2W	Wood-J Rim	\$ 868	42	—	1 1/8	—	—	74 lbs.	4.0
CCW42RD2W	Wood-J Rim	868	42	—	1 1/8	—	—	74 lbs.	4.0
CCW42RD2W	Wood-A,M,D,F Rim	1549	42	—	1 1/8	—	—	74 lbs.	4.0
CCW42RD2LW	Laminate/Wood-A,M,D,F Rim	1549	42	—	1 1/8	—	—	74 lbs.	4.0
QCP-42E	Laminate-E Rim	472	42	—	1 1/8	—	—	74 lbs.	4.0
CP-42E	Laminate-E Rim	472	42	—	1 1/8	—	—	74 lbs.	4.0
48" ROUND									
CCW48RD2W	Wood-J Rim	\$ 1102	48	—	1 1/8	—	—	94 lbs.	5.1
CCW48RD2W	Wood-A,M,D,F Rim	1916	48	—	1 1/8	—	—	94 lbs.	5.1
CCW48RD2LW	Laminate/Wood-A,M,D,F Rim	1916	48	—	1 1/8	—	—	94 lbs.	5.1
CP-48E	Laminate-E Rim	540	48	—	1 1/8	—	—	79 lbs.	4.2
54" ROUND									
CCW54RD2W	Wood-J Rim	\$ 1338	54	—	1 1/8	—	—	121 lbs.	6.9
CCW54RD2W	Wood-A,M,D,F Rim	2150	54	—	1 1/8	—	—	121 lbs.	6.9
CCW54RD2LW	Laminate/Wood-A,M,D,F Rim	2150	54	—	1 1/8	—	—	121 lbs.	6.9
CP-54E	Laminate-E Rim	775	54	—	1 1/8	—	—	121 lbs.	6.9
60" ROUND									
CCW60RD2W	Wood-J Rim	\$ 1571	58%	—	1 1/8	—	—	150 lbs.	8.3
CCW60RD2W	Wood-A,M,D,F Rim	2383	58%	—	1 1/8	—	—	150 lbs.	8.3
CCW60RD2LW	Laminate/Wood-A,M,D,F Rim	2383	58%	—	1 1/8	—	—	150 lbs.	8.3
CP-60E	Laminate-E Rim	1009	58%	—	1 1/8	—	—	150 lbs.	8.3

UNIVERSAL ROUND TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminare or laminate/wood only)	RIM FINISH (laminare/wood only)
	A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 425 Shadow AD Almond* 440 Cloud CL Caramel 461 Graphite CW Cordovan 462 Cinder DW Judicial 478 Platinum Grey HN2 Honey 2 488 Frosty White IM Brighton 491 Designer White Linear MC Amber 492 Cinder Linear MH Mocha 791 Palisander* NM Natural 792 Sable* PB Portobello* 793 Acorn* PT Portico* 809 Tungsten Evolv** SK Skyline* 814 White Tigris** SM Sonoma* 818 Crisp Linen** TF Truffle 819 Flax Gauze** 405 Designer White 820 Paloma Bisque** 417 Mojave 821 Elemental Concrete** 418 Mouse 822 Smoke Quarstone** 419 Wallaby 874 Bronze Legacy**	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
CCW36RD2W	D	G10C	N	NM		

*Only available on laminate models
**Only available on laminate/wood models

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNIVERSAL ROUND TOP 	30" ROUND 1 1/2" TOP THICKNESS		DI		H				
	CCW30WSRNW Wood-J Rim	\$ 557	30	—	1 1/2	—	—	33 lbs.	2.0
	CP-WS30E Laminate-E Rim	298	30	—	1 1/2	—	—	33 lbs.	2.0
	36" ROUND								
	CCW36WSRNW Wood-J Rim	\$ 655	36	—	1 1/2	—	—	42 lbs.	2.4
	CP-WS36E Laminate-E Rim	351	36	—	1 1/2	—	—	42 lbs.	2.4
	42" ROUND								
	CCW42WSRNW Wood-J Rim	\$ 810	42	—	1 1/2	—	—	58 lbs.	3.2
	CP-WS42E Laminate-E Rim	413	42	—	1 1/2	—	—	58 lbs.	3.2
	48" ROUND								
UNIVERSAL CORIAN ROUND TOP 	24" ROUND 1 1/2" TOP THICKNESS GRADE A GRADE C		DI		H				
	10N24RDS Corian Solid Surface	\$ 1471 \$ 1695	24	—	1 1/2	—	—	26 lbs.	1.3
	30" ROUND								
	10N30RDS Corian Solid Surface	\$ 1880 \$ 2230	30	—	1 1/2	—	—	41 lbs.	1.9
	36" ROUND								
	10N36RDS Corian Solid Surface	\$ 2343 \$ 2847	36	—	1 1/2	—	—	59 lbs.	2.7
	42" ROUND								
	10N42RDS Corian Solid Surface	\$ 2859 \$ 3545	42	—	1 1/2	—	—	80 lbs.	3.5
	48" ROUND								
	10N48RDS Corian Solid Surface	\$ 3452 \$ 4348	48	—	1 1/2	—	—	105 lbs.	4.5
	54" ROUND								
	10N54RDS Corian Solid Surface	\$ 4072 \$ 5206	54	—	1 1/2	—	—	133 lbs.	5.7
	60" ROUND								
	10N60RDS Corian Solid Surface	\$ 4748 \$ 6148	58 1/2	—	1 1/2	—	—	165 lbs.	6.9

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases

UNIVERSAL SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 127 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide


DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

CCW5454SQW	A	X	R	CW
CCW5454SQLW	M	X	461	CL
CP-SQ54E	G10C	461		

UNIVERSAL SQUARE TOP





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
30" SQUARE									
1$\frac{1}{16}$" TOP THICKNESS									
CCW3030SQW	Wood-J Rim	\$ 607	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
CCW3030SQW	Wood-A,M,D,F Rim	1065	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
CCW3030SQLW	Laminate/Wood-A,M,D,F Rim	1065	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
CP-SQ30E	Laminate-E Rim	349	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
36" SQUARE									
CCW3636SQW	Wood-J Rim	\$ 714	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
CCW3636SQW	Wood-A,M,D,F Rim	1252	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
CCW3636SQLW	Laminate/Wood-A,M,D,F Rim	1252	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
CP-SQ36E	Laminate-E Rim	410	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
42" SQUARE									
CCW4242SQW	Wood-J Rim	\$ 868	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
CCW4242SQW	Wood-A,M,D,F Rim	1549	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
CCW4242SQLW	Laminate/Wood-A,M,D,F Rim	1549	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
CP-SQ42E	Laminate-E Rim	472	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
48" SQUARE									
CCW4848SQW	Wood-J Rim	\$ 1102	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
CCW4848SQW	Wood-A,M,D,F Rim	1916	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
CCW4848SQLW	Laminate/Wood-A,M,D,F Rim	1916	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
CP-SQ48E	Laminate-E Rim	540	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
54" SQUARE									
CCW5454SQW	Wood-J Rim	\$ 1338	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
CCW5454SQW	Wood-A,M,D,F Rim	2150	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
CCW5454SQLW	Laminate/Wood-A,M,D,F Rim	2150	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
CP-SQ54E	Laminate-E Rim	775	54	54	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
60" SQUARE									
CCW6060SQW	Wood-J Rim	\$ 1571	58 $\frac{1}{2}$	58 $\frac{1}{2}$	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
CCW6060SQW	Wood-A,M,D,F Rim	2383	58 $\frac{1}{2}$	58 $\frac{1}{2}$	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
CCW6060SQLW	Laminate/Wood-A,M,D,F Rim	2383	58 $\frac{1}{2}$	58 $\frac{1}{2}$	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
CP-SQ60E	Laminate-E Rim	1009	58 $\frac{1}{2}$	58 $\frac{1}{2}$	1 $\frac{1}{16}$	—	—	121 lbs.	6.9

UNIVERSAL SQUARE TOPS


Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminated or laminate/wood only)	RIM FINISH (laminated/wood only)	
	A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond* CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello* PT Portico* SK Skyline* SM Sonoma* TF Truffle 405 Designer White 417 Mojave 418 Mouse 419 Wallaby	425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear 791 Palisander* 792 Sable* 793 Acorn* 809 Tungsten Evolv** 814 White Tigris** 818 Crisp Linen** 819 Flax Gauze** 820 Paloma Bisque** 821 Elemental Concrete** 822 Smoke Quarstone** 874 Bronze Legacy**	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
CCW5454SQW	A	X	R	CW			

*Only available on laminate models
**Only available on laminate/wood models

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	30" SQUARE	1 1/8" TOP THICKNESS								
	CCW3030WSSQW	Wood-J Rim	\$ 557	30	30	1 1/8	—	—	33 lbs.	2.0
	CP-WSSQ30E	Laminate-E Rim	298	30	30	1 1/8	—	—	33 lbs.	2.0
	36" SQUARE									
	CCW3636WSSQW	Wood-J Rim	\$ 655	36	36	1 1/8	—	—	42 lbs.	2.4
	CP-WSSQ36E	Laminate-E Rim	351	36	36	1 1/8	—	—	42 lbs.	2.4
	42" SQUARE									
	CCW4242WSSQW	Wood-J Rim	\$ 810	42	42	1 1/8	—	—	58 lbs.	3.2
	CP-WSSQ42E	Laminate-E Rim	413	42	42	1 1/8	—	—	58 lbs.	3.2
	48" SQUARE									
	CCW4848WSSQW	Wood-J Rim	\$ 1045	48	48	1 1/8	—	—	76 lbs.	4.2
	CP-WSSQ48E	Laminate-E Rim	482	48	48	1 1/8	—	—	76 lbs.	4.2

UNIVERSAL CORIAN SOFT SQUARE TOP



24" SOFT SQUARE	1 1/2" TOP THICKNESS		GRADE A	GRADE C						
10N2424SSQS	Corian Solid Surface	\$ 1471	\$ 1695	24	24	1 1/2	—	—	38 lbs.	1.3
30" SOFT SQUARE										
10N3030SSQS	Corian Solid Surface	\$ 1880	\$ 2230	30	30	1 1/2	—	—	57 lbs.	1.9
36" SOFT SQUARE										
10N3636SSQS	Corian Solid Surface	\$ 2343	\$ 2847	36	36	1 1/2	—	—	79 lbs.	2.7
42" SOFT SQUARE										
10N4242SSQS	Corian Solid Surface	\$ 2859	\$ 3545	42	42	1 1/2	—	—	105 lbs.	3.5
48" SOFT SQUARE										
10N4848SSQS	Corian Solid Surface	\$ 3452	\$ 4348	48	48	1 1/2	—	—	135 lbs.	4.5
54" SOFT SQUARE										
10N5454SSQS	Corian Solid Surface	\$ 4072	\$ 5206	54	54	1 1/2	—	—	169 lbs.	5.6
60" SOFT SQUARE										
10N6060SSQS	Corian Solid Surface	\$ 4748	\$ 6148	58%	58%	1 1/2	—	—	206 lbs.	6.9

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

CCW48144RT2W	J	CUT-G15LR	R	DW
CCW48144RT2LW	M	CUT-G15CE	CW	CW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
	36" x 72"								
	1 1/8" TOP THICKNESS								
	CCW3672RT2W	Wood-J Rim	\$ 1467	36	72	1 1/8	—	136 lbs.	6.3
	CCW3672RT2W	Wood-A,M,D,F Rim	2025	36	72	1 1/8	—	136 lbs.	6.3
	CCW3672RT2LW	Laminate/Wood-A,M,D,F Rim	2025	36	72	1 1/8	—	136 lbs.	6.3
	CP-S72E	Laminate-E Rim	570	36	72	1 1/8	—	136 lbs.	6.3
	42" x 84"								
	CCW4284RT2W	Wood-J Rim	\$ 1748	42	84	1 1/8	—	180 lbs.	8.3
	CCW4284RT2W	Wood-A,M,D,F Rim	2411	42	84	1 1/8	—	180 lbs.	8.3
	CCW4284RT2LW	Laminate/Wood-A,M,D,F Rim	2411	42	84	1 1/8	—	180 lbs.	8.3
	CP-S84E	Laminate-E Rim	646	42	84	1 1/8	—	180 lbs.	8.3
	48" x 96"								
	CCW4896RT2W	Wood-J Rim	\$ 2027	48	96	1 1/8	—	233 lbs.	10.5
	CCW4896RT2W	Wood-A,M,D,F Rim	2800	48	96	1 1/8	—	233 lbs.	10.5
	CCW4896RT2LW	Laminate/Wood-A,M,D,F Rim	2800	48	96	1 1/8	—	233 lbs.	10.5
	CP-S96E	Laminate-E Rim	721	48	96	1 1/8	—	233 lbs.	10.5
	48" x 120"								
	CCW48120RT2W	Wood-J Rim	\$ 2802	48	120	1 1/8	—	279 lbs.	10.6
	CCW48120RT2W	Wood-A,M,D,F Rim	3866	48	120	1 1/8	—	279 lbs.	10.6
	CCW48120RT2LW	Laminate/Wood-A,M,D,F Rim	3866	48	120	1 1/8	—	279 lbs.	10.6
	CP-S120E	Laminate-E Rim	1035	48	120	1 1/8	—	279 lbs.	10.6
	48" x 144"								
	CCW48144RT2W	Wood-J Rim	\$ 3493	48	144	1 1/8	—	332 lbs.	12.5
	CCW48144RT2W	Wood-A,M,D,F Rim	4818	48	144	1 1/8	—	332 lbs.	12.5
	CCW48144RT2LW	Laminate/Wood-A,M,D,F Rim	4818	48	144	1 1/8	—	332 lbs.	12.5
	CP-S144E	Laminate-E Rim	1245	48	144	1 1/8	—	332 lbs.	12.5

UNIVERSAL RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminated or laminate/wood only)	RIM FINISH (laminated/wood only)
	A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond* CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello* PT Portico* SK Skyline* SM Sonoma* TF Truffle 405 Des. White 417 Mojave 418 Mouse 419 Wallaby	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
CCW48144RT2W	J	CUT-G15LR	R	DW		

*Only available on laminate models
**Only available on laminate/wood models

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
UNIVERSAL RECTANGLE TOP (CONTINUED)	48" x 168"		1½" TOP THICKNESS							
	CCW48168RT2W	Wood-J Rim	\$ 4007	48	168	1½	—	—	385 lbs.	14.4
	CCW48168RT2W	Wood-A,M,D,F Rim	5565	48	168	1½	—	—	385 lbs.	14.4
	CCW48168RT2LW	Laminate/Wood-A,M,D,F Rim	5565	48	168	1½	—	—	385 lbs.	14.4
	CP-S168E	Laminate-E Rim	1655	48	168	1½	—	—	385 lbs.	14.4
48" x 192"										
CCW48192RT2W	Wood-J Rim	\$ 4542	48	192	1½	—	—	438 lbs.	16.3	
CCW48192RT2W	Wood-A,M,D,F Rim	6310	48	192	1½	—	—	438 lbs.	16.3	
CCW48192RT2LW	Laminate/Wood-A,M,D,F Rim	6310	48	192	1½	—	—	438 lbs.	16.3	
CP-S192E	Laminate-E Rim	2065	48	192	1½	—	—	438 lbs.	16.3	
48" x 216"										
CCW48216RT2W	Wood-J Rim	\$ 5186	48	216	1½	—	—	524 lbs.	20.0	
CCW48216RT2W	Wood-A,M,D,F Rim	7199	48	216	1½	—	—	524 lbs.	20.0	
CCW48216RT2LW	Laminate/Wood-A,M,D,F Rim	7199	48	216	1½	—	—	524 lbs.	20.0	
CP-S216E	Laminate-E Rim	2475	48	216	1½	—	—	524 lbs.	20.0	
48" x 240"										
CCW48240RT2W	Wood-J Rim	\$ 5830	48	240	1½	—	—	571 lbs.	22.0	
CCW48240RT2W	Wood-A,M,D,F Rim	7956	48	240	1½	—	—	571 lbs.	22.0	
CCW48240RT2LW	Laminate/Wood-A,M,D,F Rim	7956	48	240	1½	—	—	571 lbs.	22.0	
CP-S240E	Laminate-E Rim	2885	48	240	1½	—	—	571 lbs.	22.0	

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide


DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CCW60216RT2W F CUT-G16A N DW
CCW60216RT2LW F CUT-G16A 802 MH

UNIVERSAL RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"			D	W	H				
1$\frac{1}{16}$" TOP THICKNESS									
CCW60144RT2W	Wood-J Rim	\$ 4889	58%	144	1 $\frac{1}{16}$	—	—	412 lbs.	18.0
CCW60144RT2W	Wood-A,M,D,F Rim	6430	58%	144	1 $\frac{1}{16}$	—	—	412 lbs.	18.0
CCW60144RT2LW	Laminate/Wood-A,M,D,F Rim	6430	58%	144	1 $\frac{1}{16}$	—	—	412 lbs.	18.0
CP-S60144E	Laminate-E Rim	1618	58%	144	1 $\frac{1}{16}$	—	—	412 lbs.	18.0
60" x 168"									
CCW60168RT2W	Wood-J Rim	\$ 5610	58%	168	1 $\frac{1}{16}$	—	—	480 lbs.	22.5
CCW60168RT2W	Wood-A,M,D,F Rim	7421	58%	168	1 $\frac{1}{16}$	—	—	480 lbs.	22.5
CCW60168RT2LW	Laminate/Wood-A,M,D,F Rim	7421	58%	168	1 $\frac{1}{16}$	—	—	480 lbs.	22.5
CP-S60168E	Laminate-E Rim	2152	58%	168	1 $\frac{1}{16}$	—	—	480 lbs.	22.5
60" x 192"									
CCW60192RT2W	Wood-J Rim	\$ 6360	58%	192	1 $\frac{1}{16}$	—	—	539 lbs.	29.0
CCW60192RT2W	Wood-A,M,D,F Rim	8406	58%	192	1 $\frac{1}{16}$	—	—	539 lbs.	29.0
CCW60192RT2LW	Laminate/Wood-A,M,D,F Rim	8406	58%	192	1 $\frac{1}{16}$	—	—	539 lbs.	29.0
CP-S60192E	Laminate-E Rim	2685	58%	192	1 $\frac{1}{16}$	—	—	539 lbs.	29.0
60" x 216"									
CCW60216RT2W	Wood-J Rim	\$ 7260	58%	216	1 $\frac{1}{16}$	—	—	647 lbs.	31.0
CCW60216RT2W	Wood-A,M,D,F Rim	9393	58%	216	1 $\frac{1}{16}$	—	—	647 lbs.	31.0
CCW60216RT2LW	Laminate/Wood-A,M,D,F Rim	9393	58%	216	1 $\frac{1}{16}$	—	—	647 lbs.	31.0
CP-S60216E	Laminate-E Rim	3217	58%	216	1 $\frac{1}{16}$	—	—	647 lbs.	31.0
60" x 240"									
CCW60240RT2W	Wood-J Rim	\$ 8163	58%	240	1 $\frac{1}{16}$	—	—	706 lbs.	34.0
CCW60240RT2W	Wood-A,M,D,F Rim	10378	58%	240	1 $\frac{1}{16}$	—	—	706 lbs.	34.0
CCW60240RT2LW	Laminate/Wood-A,M,D,F Rim	10378	58%	240	1 $\frac{1}{16}$	—	—	706 lbs.	34.0
CP-S60240E	Laminate-E Rim	3749	58%	240	1 $\frac{1}{16}$	—	—	706 lbs.	34.0

UNIVERSAL RECTANGLE TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION				SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminare or laminate/wood only)				RIM FINISH (laminare/wood only)
	A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C G10E G10LR G10A G10CE CUT-G15C CUT-G15E CUT-G15LR CUT-G15A CUT-G15CE	Center End Left, Right All Center, End Center End Left, Right All Center, End	CUT-G16C CUT-G16E CUT-G16LR CUT-G16A CUT-G16CE X 								

*Only available on laminated models

**Only available on laminated/wood models

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS


- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

SAMPLE MODEL NUMBERS:

CCW48144BTW J G10A R HN
CCW48144BTLW A X HN HN

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
UNIVERSAL BOAT TOP 	36" x 72"								
	1 1/8" TOP THICKNESS								
	CCW3672BTW Wood-J Rim	\$ 1591	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672BTW Wood-A,M,D,F Rim	2198	36	72	1 1/8	—	—	136 lbs.	6.3
	CCW3672BTLW Laminate/Wood-A,M,D,F Rim	2198	36	72	1 1/8	—	—	136 lbs.	6.3
	CP-B72E Laminate-E Rim	605	36	72	1 1/8	—	—	130 lbs.	6.3
	42" x 84"								
	CCW4284BTW Wood-J Rim	\$ 1870	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284BTW Wood-A,M,D,F Rim	2581	42	84	1 1/8	—	—	180 lbs.	8.3
	CCW4284BTLW Laminate/Wood-A,M,D,F Rim	2581	42	84	1 1/8	—	—	180 lbs.	8.3
	CP-B84E Laminate-E Rim	685	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"								
	CCW4896BTW Wood-J Rim	\$ 2147	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896BTW Wood-A,M,D,F Rim	2962	48	96	1 1/8	—	—	233 lbs.	10.5
	CCW4896BTLW Laminate/Wood-A,M,D,F Rim	2962	48	96	1 1/8	—	—	233 lbs.	10.5
	CP-B96E Laminate-E Rim	767	48	96	1 1/8	—	—	223 lbs.	10.5
	48" x 120"								
	CCW48120BTW Wood-J Rim	\$ 3051	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120BTW Wood-A,M,D,F Rim	4214	48	120	1 1/8	—	—	279 lbs.	10.6
	CCW48120BTLW Laminate/Wood-A,M,D,F Rim	4214	48	120	1 1/8	—	—	279 lbs.	10.6
	CP-B120E Laminate-E Rim	1105	48	120	1 1/8	—	—	269 lbs.	10.6
	48" x 144"								
	CCW48144BTW Wood-J Rim	\$ 3735	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144BTW Wood-A,M,D,F Rim	5155	48	144	1 1/8	—	—	332 lbs.	12.5
	CCW48144BTLW Laminate/Wood-A,M,D,F Rim	5155	48	144	1 1/8	—	—	332 lbs.	12.5
	CP-B144E Laminate-E Rim	1342	48	144	1 1/8	—	—	322 lbs.	12.5


- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminated or laminate/wood only)	RIM FINISH (laminated/wood only)
	A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond* CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello* PT Portico* SK Skyline* SM Sonoma* TF Truffle 405 Des. White 417 Mojave 418 Mouse 419 Wallaby	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
CCW48144BTW	J	G10A	R	HN		

*Only available on laminate models
**Only available on laminate/wood models

UNIVERSAL BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 168"								
1 1/4" TOP THICKNESS								
CCW48168BTW Wood-J Rim	\$ 4242	48	168	1 1/4	—	—	385 lbs.	14.3
CCW48168BTW Wood-A,M,D,F Rim	5896	48	168	1 1/4	—	—	385 lbs.	14.3
CCW48168BTLW Laminate/Wood-A,M,D,F Rim	5896	48	168	1 1/4	—	—	385 lbs.	14.3
CP-B168E Laminate-E Rim	1752	48	168	1 1/4	—	—	385 lbs.	14.3
48" x 192"								
CCW48192BTW Wood-J Rim	\$ 4775	48	192	1 1/4	—	—	438 lbs.	16.2
CCW48192BTW Wood-A,M,D,F Rim	6634	48	192	1 1/4	—	—	438 lbs.	16.2
CCW48192BTLW Laminate/Wood-A,M,D,F Rim	6634	48	192	1 1/4	—	—	438 lbs.	16.2
CP-B192E Laminate-E Rim	2161	48	192	1 1/4	—	—	438 lbs.	16.2
48" x 216"								
CCW48216BTW Wood-J Rim	\$ 5413	48	216	1 1/4	—	—	524 lbs.	20.0
CCW48216BTW Wood-A,M,D,F Rim	7518	48	216	1 1/4	—	—	524 lbs.	20.0
CCW48216BTLW Laminate/Wood-A,M,D,F Rim	7518	48	216	1 1/4	—	—	524 lbs.	20.0
CP-B216E Laminate-E Rim	2572	48	216	1 1/4	—	—	524 lbs.	20.0
48" x 240"								
CCW48240BTW Wood-J Rim	\$ 6050	48	240	1 1/4	—	—	571 lbs.	22.0
CCW48240BTW Wood-A,M,D,F Rim	8270	48	240	1 1/4	—	—	571 lbs.	22.0
CCW48240BTLW Laminate/Wood-A,M,D,F Rim	8270	48	240	1 1/4	—	—	571 lbs.	22.0
CP-B240E Laminate-E Rim	2980	48	240	1 1/4	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide


DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

SAMPLE MODEL NUMBERS:

- CCW60216BTW D X N CL
- CCW60216BTLW D X 425 MH

UNIVERSAL BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"			D	W	H				
1 1/8" TOP THICKNESS									
CCW60144BTW	Wood-J Rim	\$ 5225	58%	144	1 1/8	—	—	412 lbs.	18.0
CCW60144BTW	Wood-A,M,D,F Rim	6874	58%	144	1 1/8	—	—	412 lbs.	18.0
CCW60144BTLW	Laminate/Wood-A,M,D,F Rim	6874	58%	144	1 1/8	—	—	412 lbs.	18.0
CP-B60144E	Laminate-E Rim	1745	58%	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"									
CCW60168BTW	Wood-J Rim	\$ 5939	58%	168	1 1/8	—	—	480 lbs.	22.5
CCW60168BTW	Wood-A,M,D,F Rim	7856	58%	168	1 1/8	—	—	480 lbs.	22.5
CCW60168BTLW	Laminate/Wood-A,M,D,F Rim	7856	58%	168	1 1/8	—	—	480 lbs.	22.5
CP-B60168E	Laminate-E Rim	2277	58%	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"									
CCW60192BTW	Wood-J Rim	\$ 6687	58%	192	1 1/8	—	—	539 lbs.	29.0
CCW60192BTW	Wood-A,M,D,F Rim	8832	58%	192	1 1/8	—	—	539 lbs.	29.0
CCW60192BTLW	Laminate/Wood-A,M,D,F Rim	8832	58%	192	1 1/8	—	—	539 lbs.	29.0
CP-B60192E	Laminate-E Rim	2809	58%	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"									
CCW60216BTW	Wood-J Rim	\$ 7578	58%	216	1 1/8	—	—	647 lbs.	31.0
CCW60216BTW	Wood-A,M,D,F Rim	9808	58%	216	1 1/8	—	—	647 lbs.	31.0
CCW60216BTLW	Laminate/Wood-A,M,D,F Rim	9808	58%	216	1 1/8	—	—	647 lbs.	31.0
CP-B60216E	Laminate-E Rim	3342	58%	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"									
CCW60240BTW	Wood-J Rim	\$ 8471	58%	240	1 1/8	—	—	706 lbs.	34.0
CCW60240BTW	Wood-A,M,D,F Rim	10785	58%	240	1 1/8	—	—	706 lbs.	34.0
CCW60240BTLW	Laminate/Wood-A,M,D,F Rim	10785	58%	240	1 1/8	—	—	706 lbs.	34.0
CP-B60240E	Laminate-E Rim	3874	58%	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION				SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminates or laminate/wood only)				RIM FINISH (laminates/wood only)
	A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End		CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet		R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond* CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello* PT Portico* SK Skyline* SM Sonoma* TF Truffle 405 Des. White 417 Mojave 418 Mouse 419 Wallaby	425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear 791 Palisander* 792 Sable* 793 Acorn* 809 Tungsten Evolv** 814 White Tigris** 818 Crisp Linen** 819 Flax Gauze** 820 Paloma Bisque** 821 Elemental Concrete** 822 Smoke Quarstone** 874 Bronze Legacy**		AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	
CCW60216BTW	D	X			N		CL					

*Only available on laminated models

**Only available on laminated/wood models

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CCW3672RC2W F G10LR R DW
CCW3672RC2LW A G10C CW CW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H						
UNIVERSAL RACETRACK TOP	36" x 72"	1$\frac{1}{16}$" TOP THICKNESS							
	CCW3672RC2W	Wood-J Rim	\$ 1608	36	72	1 $\frac{1}{16}$	—	136 lbs.	6.3
	CCW3672RC2W	Wood-A,M,D,F Rim	2221	36	72	1 $\frac{1}{16}$	—	136 lbs.	6.3
	CCW3672RC2LW	Laminate/Wood-A,M,D,F Rim	2221	36	72	1 $\frac{1}{16}$	—	136 lbs.	6.3
	CP-R72E	Laminate-E Rim	636	36	72	1 $\frac{1}{16}$	—	124 lbs.	6.3
	42" x 84"								
	CCW4284RC2W	Wood-J Rim	\$ 1889	42	84	1 $\frac{1}{16}$	—	180 lbs.	8.3
	CCW4284RC2W	Wood-A,M,D,F Rim	2607	42	84	1 $\frac{1}{16}$	—	180 lbs.	8.3
	CCW4284RC2LW	Laminate/Wood-A,M,D,F Rim	2607	42	84	1 $\frac{1}{16}$	—	180 lbs.	8.3
	CP-R84E	Laminate-E Rim	726	42	84	1 $\frac{1}{16}$	—	180 lbs.	8.3
	48" x 96"								
	QCCW4896RC2W	Wood-J Rim	\$ 2169	48	96	1 $\frac{1}{16}$	—	233 lbs.	10.5
	CCW4896RC2W	Wood-J Rim	2169	48	96	1 $\frac{1}{16}$	—	233 lbs.	10.5
	CCW4896RC2W	Wood-A,M,D,F Rim	2993	48	96	1 $\frac{1}{16}$	—	233 lbs.	10.5
	CCW4896RC2LW	Laminate/Wood-A,M,D,F Rim	2993	48	96	1 $\frac{1}{16}$	—	233 lbs.	10.5
	QCP-R96E	Laminate-E Rim	816	48	96	1 $\frac{1}{16}$	—	213 lbs.	10.5
	CP-R96E	Laminate-E Rim	816	48	96	1 $\frac{1}{16}$	—	213 lbs.	10.5
	48" x 120"								
	CCW48120RC2W	Wood-J Rim	\$ 3082	48	120	1 $\frac{1}{16}$	—	279 lbs.	10.6
	CCW48120RC2W	Wood-A,M,D,F Rim	4255	48	120	1 $\frac{1}{16}$	—	279 lbs.	10.6
	CCW48120RC2LW	Laminate/Wood-A,M,D,F Rim	4255	48	120	1 $\frac{1}{16}$	—	279 lbs.	10.6
	CP-R120E	Laminate-E Rim	1186	48	120	1 $\frac{1}{16}$	—	258 lbs.	10.6
	48" x 144"								
	CCW48144RC2W	Wood-J Rim	\$ 3772	48	144	1 $\frac{1}{16}$	—	311 lbs.	12.5
	CCW48144RC2W	Wood-A,M,D,F Rim	5207	48	144	1 $\frac{1}{16}$	—	311 lbs.	12.5
	CCW48144RC2LW	Laminate/Wood-A,M,D,F Rim	5207	48	144	1 $\frac{1}{16}$	—	311 lbs.	12.5
	CP-R144E	Laminate-E Rim	1434	48	144	1 $\frac{1}{16}$	—	311 lbs.	12.5

UNIVERSAL RACETRACK TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION				SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminato or laminato/wood only)				RIM FINISH (laminato/wood only)
	A Radius D Bullnose F Softened M Reed J Self (wood only)	G10C G10E G10LR G10A G10CE CUT-G15C CUT-G15E CUT-G15LR CUT-G15A CUT-G15CE	Center End Left, Right All Center, End Center End Left, Right All Center, End	CUT-G16C CUT-G16E CUT-G16LR CUT-G16A CUT-G16CE X	Center End Left, Right All Center, End No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond* CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello* PT Portico* SK Skyline* SM Sonoma* TF Truffle 405 Des. White 417 Mojave 418 Mouse 419 Wallaby	425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear 791 Palisander* 792 Sable* 793 Acorn* 809 Tungsten Evolv** 814 White Tigris** 818 Crisp Linen** 819 Flax Gauze** 820 Paloma Bisque** 821 Elemental Concrete** 822 Smoke Quarstone** 874 Bronze Legacy**	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle		
CCW3672RC2W	F	G10LR				R	DW					

*Only available on laminate models
**Only available on laminate/wood models

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNIVERSAL RACETRACK TOP (CONTINUED) 	48" x 168"								
	1 1/8" TOP THICKNESS								
	CCW48168RC2W Wood-J Rim	\$ 4285	48	168	1 1/8	—	—	365 lbs.	14.4
	CCW48168RC2W Wood-A,M,D,F Rim	5956	48	168	1 1/8	—	—	365 lbs.	14.4
	CCW48168RC2LW Laminate/Wood-A,M,D,F Rim	5956	48	168	1 1/8	—	—	365 lbs.	14.4
	CP-R168E Laminate-E Rim	1844	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"								
	CCW48192RC2W Wood-J Rim	\$ 4823	48	192	1 1/8	—	—	418 lbs.	16.3
	CCW48192RC2W Wood-A,M,D,F Rim	6700	48	192	1 1/8	—	—	418 lbs.	16.3
	CCW48192RC2LW Laminate/Wood-A,M,D,F Rim	6700	48	192	1 1/8	—	—	418 lbs.	16.3
	CP-R192E Laminate-E Rim	2254	48	192	1 1/8	—	—	438 lbs.	16.2
	48" x 216"								
	CCW48216RC2W Wood-J Rim	\$ 5468	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RC2W Wood-A,M,D,F Rim	7595	48	216	1 1/8	—	—	524 lbs.	20.0
	CCW48216RC2LW Laminate/Wood-A,M,D,F Rim	7595	48	216	1 1/8	—	—	524 lbs.	20.0
	CP-R216E Laminate-E Rim	2663	48	216	1 1/8	—	—	524 lbs.	20.0
	48" x 240"								
	CCW48240RC2W Wood-J Rim	\$ 6112	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RC2W Wood-A,M,D,F Rim	8352	48	240	1 1/8	—	—	571 lbs.	22.0
	CCW48240RC2LW Laminate/Wood-A,M,D,F Rim	8352	48	240	1 1/8	—	—	571 lbs.	22.0
	CP-R240E Laminate-E Rim	3072	48	240	1 1/8	—	—	571 lbs.	22.0

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CCW60240RC2W J CUT-G16A N AC
CCW60240RC2LW A CUT-G16A 403 CW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
UNIVERSAL RACETRACK TOP (CONTINUED) 	60" x 144"								
					1 1/8" TOP THICKNESS				
	CCW60144RC2W	Wood-J Rim	\$ 5278	58%	144	1 1/8	—	—	412 lbs. 18.0
	CCW60144RC2W	Wood-A,M,D,F Rim	6943	58%	144	1 1/8	—	—	412 lbs. 18.0
	CCW60144RC2LW	Laminate/Wood-A,M,D,F Rim	6943	58%	144	1 1/8	—	—	412 lbs. 18.0
	CP-R60144E	Laminate-E Rim	1865	58%	144	1 1/8	—	—	412 lbs. 18.0
	60" x 168"								
	CCW60168RC2W	Wood-J Rim	\$ 6000	58%	168	1 1/8	—	—	480 lbs. 22.5
	CCW60168RC2W	Wood-A,M,D,F Rim	7936	58%	168	1 1/8	—	—	480 lbs. 22.5
	CCW60168RC2LW	Laminate/Wood-A,M,D,F Rim	7936	58%	168	1 1/8	—	—	480 lbs. 22.5
	CP-R60168E	Laminate-E Rim	2398	58%	168	1 1/8	—	—	480 lbs. 22.5
	60" x 192"								
	CCW60192RC2W	Wood-J Rim	\$ 6753	58%	192	1 1/8	—	—	539 lbs. 29.0
	CCW60192RC2W	Wood-A,M,D,F Rim	8922	58%	192	1 1/8	—	—	539 lbs. 29.0
	CCW60192RC2LW	Laminate/Wood-A,M,D,F Rim	8922	58%	192	1 1/8	—	—	539 lbs. 29.0
	CP-R60192E	Laminate-E Rim	2929	58%	192	1 1/8	—	—	539 lbs. 29.0
	60" x 216"								
	CCW60216RC2W	Wood-J Rim	\$ 7654	58%	216	1 1/8	—	—	647 lbs. 31.0
	CCW60216RC2W	Wood-A,M,D,F Rim	9908	58%	216	1 1/8	—	—	647 lbs. 31.0
	CCW60216RC2LW	Laminate/Wood-A,M,D,F Rim	9908	58%	216	1 1/8	—	—	647 lbs. 31.0
	CP-R60216E	Laminate-E Rim	3462	58%	216	1 1/8	—	—	647 lbs. 31.0
	60" x 240"								
	CCW60240RC2W	Wood-J Rim	\$ 8555	58%	240	1 1/8	—	—	706 lbs. 34.0
	CCW60240RC2W	Wood-A,M,D,F Rim	10893	58%	240	1 1/8	—	—	706 lbs. 34.0
	CCW60240RC2LW	Laminate/Wood-A,M,D,F Rim	10893	58%	240	1 1/8	—	—	706 lbs. 34.0
	CP-R60240E	Laminate-E Rim	3996	58%	240	1 1/8	—	—	706 lbs. 34.0

UNIVERSAL RACETRACK TOPS

Specify selections, left to right:

BASE MODEL	RIM PROFILE (CCW only)	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (wood tops only)	LAMINATE (laminate or laminate/wood only)	RIM FINISH (laminate/wood only)
A Radius	G10C Center	CUT-G16C Center	R Standard	AC Autumn	AC2 Autumn 2 425 Shadow	AC Autumn
D Bullnose	G10E End	CUT-G16E End	N Matte/Satin	CL Caramel	AD Almond* 440 Cloud	CL Caramel
F Softened	G10LR Left, Right	CUT-G16LR Left, Right		CW Cordovan	CL Caramel 461 Graphite	CW Cordovan
M Reed	G10A All	CUT-G16A All		DW Judicial	CW Cordovan 462 Cinder	DW Judicial
J Self (wood only)	G10CE Center, End	CUT-G16CE Center, End		HN Honey	DW Judicial 478 Platinum Grey	HN Honey
	CUT-G15C Center	X No Grommet		IM Brighton	HN2 Honey 2 488 Frosty White	IM Brighton
	CUT-G15E End			MC Amber	IM Brighton 491 Designer White Linear	MC Amber
	CUT-G15LR Left, Right			MH Mocha	MC Amber 492 Cinder Linear	MH Mocha
	CUT-G15A All			NM Natural	MH Mocha 791 Palisander*	NM Natural
	CUT-G15CE Center, End			TF Truffle	NM Natural 792 Sable*	TF Truffle
					PB Portobello* 793 Acorn*	
					PT Portico* 809 Tungsten Evolv**	
					SK Skyline* 814 White Tigris**	
					SM Sonoma* 818 Crisp Linen**	
					TF Truffle 819 Flax Gauze**	
					405 Des. White 820 Paloma Bisque**	
					417 Mojave 821 Elemental Concrete**	
					418 Mouse 822 Smoke Quarstone**	
					419 Wallaby 874 Bronze Legacy**	
CCW60240RC2W	J	CUT-G16A	N	AC		

*Only available on laminate models

**Only available on laminate/wood models

CONFERENCE TABLE TOPS

UNIVERSAL

WAVEWORKS CONFERENCE TOP SPECIFICATIONS

TOPS

- Veneer surfaces are 1¾" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim profile
- Laminate surfaces are 1¾" or 1½" HPL (high pressure laminate)
- Veneer surfaces feature a wood rim with six rim profile options
- Laminate surfaces feature a 3mm PVC rim
- Laminate/wood models are 1¾" or 1½" HPL (high pressure laminate) that feature wood rim with six rim profiles
- Size modifications available at no upcharge; many WaveWorks conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen


POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

WAVEWORKS SHAPES AND SIZES



ROUND

30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter




SQUARE

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"




RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



RACETRACK

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WAVEWORKS

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable

TOP SHEEN OPTIONS

R	Standard
N	Matte/Satin

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico*
SK	Skyline*
SM	Sonoma*
TF	Truffle
791	Palisander*
792	Sable
793	Acorn*

SOLID LAMINATE

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

809	Tungsten Evolv
814	White Tigris
818	Crisp Linen
819	Flax Gauze
820	Paloma Bisque
821	Elemental Concrete
822	Smoke Quarstone
874	Bronze Legacy

*Not available on laminate/wood models

• CSL available; see page 8 for program details and upcharge

RIM PROFILES

PVC RIM

AC2	Autumn 2	405	Designer White
AD	Almond	417	Mojave
CL	Caramel	418	Mouse
CW	Cordovan	419	Wallaby
DW	Judicial	425	Shadow
HN2	Honey 2	440	Cloud
IM	Brighton	461	Graphite
MC	Amber	462	Cinder
MH	Mocha	478	Platinum Grey
NM	Natural	488	Frosty White
PB	Portobello	491	Designer White Linear
PT	Portico	492	Cinder Linear
SK	Skyline	791	Palisander
SM	Sonoma	792	Sable
TF	Truffle	793	Acorn

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable



Softened Wood (F)



Reed Wood (R)



Cove Wood (P)



Zip Wood (Z)



Concave Wood (C)



Step Wood (T)



Softened PVC (V)



Reed PVC (N)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

\$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



- Reference pages 16-17 for grommet locations




NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details


Cutout Option for One Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout location


CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB
(Sold Separately)




NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB
(Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

WAVEWORKS ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 147 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
 LW Laminate Top/Wood Rim
 L Laminate Unit

SAMPLE MODEL NUMBERS:

WW48RDW R X N MH
 WW48RDL V MH G10C MH
 WW48RDLW R X MH MH

DIMENSION KEY

D Depth
 W Width
 H Height
 A Overhang: Approach Side
 KW Kneespace Width
 DI Diameter


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
WAVEWORKS ROUND TOP	30" ROUND	1$\frac{1}{16}$" TOP THICKNESS		DI		H				
	WWN30RDW	Wood	\$ 1182	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN30RDLW	Laminate/Wood	1182	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	WWN30RDL	Laminate	695	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	36" ROUND									
	WWN36RDW	Wood	\$ 1390	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	2.4
	WWN36RDLW	Laminate/Wood	1390	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	2.4
	WWN36RDL	Laminate	818	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	40 lbs.	2.4
	42" ROUND									
	WWN42RDW	Wood	\$ 1687	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.2
	WWN42RDLW	Laminate/Wood	1687	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.2
	WWN42RDL	Laminate	1120	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	54 lbs.	3.2
	48" ROUND									
	WWN48RDW	Wood	\$ 2058	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
	WWN48RDLW	Laminate/Wood	2058	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
	WWN48RDL	Laminate	1494	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
	54" ROUND									
	WWN54RDW	Wood	\$ 2291	54 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
	WWN54RDLW	Laminate/Wood	2291	54 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
	WWN54RDL	Laminate	1727	54 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	121 lbs.	6.9
	60" ROUND									
	WWN60RDW	Wood	\$ 2522	58 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
	WWN60RDLW	Laminate/Wood	2522	58 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	150 lbs.	8.3
	WWN60RDL	Laminate	1961	58 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	150 lbs.	8.3

- Zip profile does not run out on round tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Top Sheen (wood models)
6. Laminate Top Color/Wood Top Finish
7. Wood Rim Finish (combo models)

For options, see pages 146-147

WAVEWORKS ROUND TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	30" ROUND	1 1/4" TOP THICKNESS		D	W	H				
	WW30RDW	Wood	\$ 1083	30 1/4"	—	1 1/4"	—	—	33 lbs.	2.0
	WW30RDLW	Laminate/Wood	1083	30 1/4"	—	1 1/4"	—	—	33 lbs.	2.0
	WW30RDL	Laminate	595	30 1/4"	—	1 1/4"	—	—	33 lbs.	2.0
36" ROUND										
	WW36RDW	Wood	\$ 1273	36 1/4"	—	1 1/4"	—	—	42 lbs.	3.0
	WW36RDLW	Laminate/Wood	1273	36 1/4"	—	1 1/4"	—	—	42 lbs.	3.0
	WW36RDL	Laminate	701	36 1/4"	—	1 1/4"	—	—	42 lbs.	3.0
42" ROUND										
	WW42RDW	Wood	\$ 1572	42 1/4"	—	1 1/4"	—	—	58 lbs.	3.8
	WW42RDLW	Laminate/Wood	1572	42 1/4"	—	1 1/4"	—	—	58 lbs.	3.8
	WW42RDL	Laminate	1002	42 1/4"	—	1 1/4"	—	—	58 lbs.	3.8
48" ROUND										
	WW48RDW	Wood	\$ 1942	48 1/4"	—	1 1/4"	—	—	76 lbs.	4.5
	WW48RDLW	Laminate/Wood	1942	48 1/4"	—	1 1/4"	—	—	76 lbs.	4.5
	WW48RDL	Laminate	1377	48 1/4"	—	1 1/4"	—	—	76 lbs.	4.5

• Zip profile does not run out on round tops

PRODUCT SPECIFICATIONS

- ### BASE MODEL KEY

SAMPLE MODEL NUMBERS:

DIMENSION KEY

WAVEWORKS SQUARE TOP



30" SQUARE 1 $\frac{9}{16}$ " TOP THICKNESS

**LIST
PRICE**

DIMENSIONS

D W H A KW

CARTONED CUBIC

WEIGHT FEET

36" SQUARE

42" SQUARE

48" SQUARE

54" SQUARE

60" SQUARE


WWN6060SQW	Wood	\$ 2522	58%	58%	1%	—	—	150 lbs.	8.3
WWN6060SQLW	Laminate/Wood	2522	58%	58%	1%	—	—	150 lbs.	8.3
WWN6060SQL	Laminate	1961	58%	58%	1%	—	—	150 lbs.	8.3

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Top Sheen (wood models)
6. Laminated Top Color/Wood Top Finish
7. Wood Rim Finish (combo models)

For options, see pages 146-147

WAVEWORKS SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
30" SQUARE		1 3⁄8" TOP THICKNESS								
WW3030SQW	Wood	\$ 1083	30 1⁄8"	30 1⁄8"	1 3⁄8"	—	—	33 lbs.	2.0	
WW3030SQLW	Laminate/Wood	1083	30 1⁄8"	30 1⁄8"	1 3⁄8"	—	—	33 lbs.	2.0	
WW3030SQL	Laminate	595	30 1⁄8"	30 1⁄8"	1 3⁄8"	—	—	33 lbs.	2.0	
36" SQUARE										
WW3636SQW	Wood	\$ 1273	36 1⁄8"	36 1⁄8"	1 3⁄8"	—	—	45 lbs.	3.0	
WW3636SQLW	Laminate/Wood	1273	36 1⁄8"	36 1⁄8"	1 3⁄8"	—	—	45 lbs.	3.0	
WW3636SQL	Laminate	701	36 1⁄8"	36 1⁄8"	1 3⁄8"	—	—	45 lbs.	3.0	
42" SQUARE										
WW4242SQW	Wood	\$ 1572	42 1⁄8"	42 1⁄8"	1 3⁄8"	—	—	59 lbs.	3.8	
WW4242SQLW	Laminate/Wood	1572	42 1⁄8"	42 1⁄8"	1 3⁄8"	—	—	59 lbs.	3.8	
WW4242SQL	Laminate	1002	42 1⁄8"	42 1⁄8"	1 3⁄8"	—	—	59 lbs.	3.8	
48" SQUARE										
WW4848SQW	Wood	\$ 1942	48 1⁄8"	48 1⁄8"	1 3⁄8"	—	—	76 lbs.	4.5	
WW4848SQLW	Laminate/Wood	1942	48 1⁄8"	48 1⁄8"	1 3⁄8"	—	—	76 lbs.	4.5	
WW4848SQL	Laminate	1377	48 1⁄8"	48 1⁄8"	1 3⁄8"	—	—	76 lbs.	4.5	

WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 147 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY


W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

WWN3672RT2W P CUT-G16C X R NM
WWN3672RT2LW P X X 480 NM
WWN3672RT2L V 462 X G10LR HN2

WAVEWORKS RECTANGLE TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
	36" x 72"	1 1/8" TOP THICKNESS								
	WWN3672RT2W	Wood	\$ 2169	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RT2LW	Laminate/Wood	2169	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RT2L	Laminate	1605	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	WWN4284RT2W	Wood	\$ 2558	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RT2LW	Laminate/Wood	2558	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RT2L	Laminate	1997	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	WWN4896RT2W	Wood	\$ 2948	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RT2LW	Laminate/Wood	2948	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RT2L	Laminate	2393	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	WWN48120RT2W	Wood	\$ 4026	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RT2LW	Laminate/Wood	4026	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RT2L	Laminate	3480	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	WWN48144RT2W	Wood	\$ 4986	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RT2LW	Laminate/Wood	4986	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RT2L	Laminate	4451	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	WWN48168RT2W	Wood	\$ 5742	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RT2LW	Laminate/Wood	5742	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RT2L	Laminate	5212	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	WWN48192RT2W	Wood	\$ 6492	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RT2LW	Laminate/Wood	6492	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RT2L	Laminate	5971	48	192	1 1/8	—	—	438 lbs.	16.2


- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 146-147

WAVEWORKS RECTANGLE TOP
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
48" x 216"										
1 1/8" TOP THICKNESS										
WWN48216RT2W	Wood	\$ 7244	48	216	1 1/8	—	—		524 lbs.	20.0
WWN48216RT2LW	Laminate/Wood	7244	48	216	1 1/8	—	—		524 lbs.	20.0
WWN48216RT2L	Laminate	6732	48	216	1 1/8	—	—		524 lbs.	20.0
48" x 240"										
WWN48240RT2W	Wood	\$ 7995	48	240	1 1/8	—	—		571 lbs.	22.0
WWN48240RT2LW	Laminate/Wood	7995	48	240	1 1/8	—	—		571 lbs.	22.0
WWN48240RT2L	Laminate	7495	48	240	1 1/8	—	—		571 lbs.	22.0
60" x 144"										
WWN60144RT2W	Wood	\$ 6484	58 1/2	144	1 1/8	—	—		412 lbs.	18.0
WWN60144RT2LW	Laminate/Wood	6484	58 1/2	144	1 1/8	—	—		412 lbs.	18.0
WWN60144RT2L	Laminate	5787	58 1/2	144	1 1/8	—	—		412 lbs.	18.0
60" x 168"										
WWN60168RT2W	Wood	\$ 7464	58 1/2	168	1 1/8	—	—		480 lbs.	22.5
WWN60168RT2LW	Laminate/Wood	7464	58 1/2	168	1 1/8	—	—		480 lbs.	22.5
WWN60168RT2L	Laminate	6777	58 1/2	168	1 1/8	—	—		480 lbs.	22.5
60" x 192"										
WWN60192RT2W	Wood	\$ 8439	58 1/2	192	1 1/8	—	—		539 lbs.	29.0
WWN60192RT2LW	Laminate/Wood	8439	58 1/2	192	1 1/8	—	—		539 lbs.	29.0
WWN60192RT2L	Laminate	7761	58 1/2	192	1 1/8	—	—		539 lbs.	29.0
60" x 216"										
WWN60216RT2W	Wood	\$ 9417	58 1/2	216	1 1/8	—	—		647 lbs.	31.0
WWN60216RT2LW	Laminate/Wood	9417	58 1/2	216	1 1/8	—	—		647 lbs.	31.0
WWN60216RT2L	Laminate	8753	58 1/2	216	1 1/8	—	—		647 lbs.	31.0
60" x 240"										
WWN60240RT2W	Wood	\$ 10394	58 1/2	240	1 1/8	—	—		706 lbs.	34.0
WWN60240RT2LW	Laminate/Wood	10394	58 1/2	240	1 1/8	—	—		706 lbs.	34.0
WWN60240RT2L	Laminate	9745	58 1/2	240	1 1/8	—	—		706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS BOAT TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 147 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY


W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

SAMPLE MODEL NUMBERS:

WWN3672BTW P CUT-G16C X R NM
WWN3672BTLW P X X 480 NM
WWN3672BTL V 480 X X CW

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

WAVEWORKS BOAT TOP	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
	36" x 72"	1 1/8" TOP THICKNESS								
	WWN3672BTW	Wood	\$ 2342	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672BTLW	Laminate/Wood	2342	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672BTL	Laminate	1785	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	WWN4284BTW	Wood	\$ 2727	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284BTLW	Laminate/Wood	2727	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284BTL	Laminate	2175	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	WWN4896BTW	Wood	\$ 3113	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896BTLW	Laminate/Wood	3113	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896BTL	Laminate	2565	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	WWN48120BTW	Wood	\$ 4375	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120BTLW	Laminate/Wood	4375	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120BTL	Laminate	3838	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	WWN48144BTW	Wood	\$ 5325	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144BTLW	Laminate/Wood	5325	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144BTL	Laminate	4799	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	WWN48168BTW	Wood	\$ 6072	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168BTLW	Laminate/Wood	6072	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168BTL	Laminate	5553	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	WWN48192BTW	Wood	\$ 6817	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192BTLW	Laminate/Wood	6817	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192BTL	Laminate	6304	48	192	1 1/8	—	—	438 lbs.	16.2


- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 146-147

WAVEWORKS BOAT TOP
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
48" x 216"									
1 1/8" TOP THICKNESS									
WWN48216BTW	Wood	\$ 7560	48	216	1 1/8	—	—	524 lbs.	20.0
WWN48216BLW	Laminate/Wood	7560	48	216	1 1/8	—	—	524 lbs.	20.0
WWN48216BTL	Laminate	7045	48	216	1 1/8	—	—	524 lbs.	20.0
48" x 240"									
WWN48240BTW	Wood	\$ 8305	48	240	1 1/8	—	—	571 lbs.	22.0
WWN48240BLW	Laminate/Wood	8305	48	240	1 1/8	—	—	571 lbs.	22.0
WWN48240BTL	Laminate	7806	48	240	1 1/8	—	—	571 lbs.	22.0
60" x 144"									
WWN60144BTW	Wood	\$ 6923	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
WWN60144BLW	Laminate/Wood	6923	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
WWN60144BTL	Laminate	6236	58 1/2	144	1 1/8	—	—	412 lbs.	18.0
60" x 168"									
WWN60168BTW	Wood	\$ 7894	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
WWN60168BLW	Laminate/Wood	7894	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
WWN60168BTL	Laminate	7218	58 1/2	168	1 1/8	—	—	480 lbs.	22.5
60" x 192"									
WWN60192BTW	Wood	\$ 8863	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
WWN60192BLW	Laminate/Wood	8863	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
WWN60192BTL	Laminate	8195	58 1/2	192	1 1/8	—	—	539 lbs.	29.0
60" x 216"									
WWN60216BTW	Wood	\$ 9829	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
WWN60216BLW	Laminate/Wood	9829	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
WWN60216BTL	Laminate	9159	58 1/2	216	1 1/8	—	—	647 lbs.	31.0
60" x 240"									
WWN60240BTW	Wood	\$ 10796	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
WWN60240BLW	Laminate/Wood	10796	58 1/2	240	1 1/8	—	—	706 lbs.	34.0
WWN60240BTL	Laminate	10148	58 1/2	240	1 1/8	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 147 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

WWN3672RC2W P CUT-G16C X R NM
WWN3672RC2LW P X X 480 NM
WWN3672RC2L N CW X G10C CW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
	WAVEWORKS RACETRACK TOP	36" x 72"								
		1 1/8" TOP THICKNESS								
	WWN3672RC2W	Wood	\$ 2366	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2LW	Laminate/Wood	2366	36	72	1 1/8	—	—	136 lbs.	6.3
	WWN3672RC2L	Laminate	1804	36	72	1 1/8	—	—	136 lbs.	6.3
	42" x 84"									
	WWN4284RC2W	Wood	\$ 2755	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2LW	Laminate/Wood	2755	42	84	1 1/8	—	—	180 lbs.	8.3
	WWN4284RC2L	Laminate	2197	42	84	1 1/8	—	—	180 lbs.	8.3
	48" x 96"									
	WWN4896RC2W	Wood	\$ 3146	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RC2LW	Laminate/Wood	3146	48	96	1 1/8	—	—	233 lbs.	10.5
	WWN4896RC2L	Laminate	2590	48	96	1 1/8	—	—	233 lbs.	10.5
	48" x 120"									
	WWN48120RC2W	Wood	\$ 4418	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RC2LW	Laminate/Wood	4418	48	120	1 1/8	—	—	279 lbs.	10.6
	WWN48120RC2L	Laminate	3876	48	120	1 1/8	—	—	279 lbs.	10.6
	48" x 144"									
	WWN48144RC2W	Wood	\$ 5379	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RC2LW	Laminate/Wood	5379	48	144	1 1/8	—	—	332 lbs.	12.5
	WWN48144RC2L	Laminate	4846	48	144	1 1/8	—	—	332 lbs.	12.5
	48" x 168"									
	WWN48168RC2W	Wood	\$ 6134	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RC2LW	Laminate/Wood	6134	48	168	1 1/8	—	—	385 lbs.	14.3
	WWN48168RC2L	Laminate	5610	48	168	1 1/8	—	—	385 lbs.	14.3
	48" x 192"									
	WWN48192RC2W	Wood	\$ 6886	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RC2LW	Laminate/Wood	6886	48	192	1 1/8	—	—	438 lbs.	16.2
	WWN48192RC2L	Laminate	6368	48	192	1 1/8	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminated models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 146-147

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						
				D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WAVEWORKS RACETRACK TOP (CONTINUED) 	48" x 216"		1 1/16" TOP THICKNESS							
	WWN48216RC2W	Wood	\$ 7638	48	216	1 1/16	—	—	524 lbs.	20.0
	WWN48216RC2LW	Laminate/Wood	7638	48	216	1 1/16	—	—	524 lbs.	20.0
	WWN48216RC2L	Laminate	7116	48	216	1 1/16	—	—	524 lbs.	20.0
	48" x 240"									
	WWN48240RC2W	Wood	\$ 8388	48	240	1 1/16	—	—	571 lbs.	22.0
	WWN48240RC2LW	Laminate/Wood	8388	48	240	1 1/16	—	—	571 lbs.	22.0
	WWN48240RC2L	Laminate	7884	48	240	1 1/16	—	—	571 lbs.	22.0
	60" x 144"									
	WWN60144RC2W	Wood	\$ 6992	58 3/4	144	1 1/16	—	—	412 lbs.	18.0
	WWN60144RC2LW	Laminate/Wood	6992	58 3/4	144	1 1/16	—	—	412 lbs.	18.0
	WWN60144RC2L	Laminate	6299	58 3/4	144	1 1/16	—	—	412 lbs.	18.0
	60" x 168"									
	WWN60168RC2W	Wood	\$ 7975	58 3/4	168	1 1/16	—	—	480 lbs.	22.5
	WWN60168RC2LW	Laminate/Wood	7975	58 3/4	168	1 1/16	—	—	480 lbs.	22.5
	WWN60168RC2L	Laminate	7291	58 3/4	168	1 1/16	—	—	480 lbs.	22.5
	60" x 192"									
	WWN60192RC2W	Wood	\$ 8952	58 3/4	192	1 1/16	—	—	539 lbs.	29.0
	WWN60192RC2LW	Laminate/Wood	8952	58 3/4	192	1 1/16	—	—	539 lbs.	29.0
	WWN60192RC2L	Laminate	8278	58 3/4	192	1 1/16	—	—	539 lbs.	29.0
	60" x 216"									
	WWN60216RC2W	Wood	\$ 9927	58 3/4	216	1 1/16	—	—	647 lbs.	31.0
	WWN60216RC2LW	Laminate/Wood	9927	58 3/4	216	1 1/16	—	—	647 lbs.	31.0
	WWN60216RC2L	Laminate	9252	58 3/4	216	1 1/16	—	—	647 lbs.	31.0
	60" x 240"									
	WWN60240RC2W	Wood	\$ 10903	58 3/4	240	1 1/16	—	—	706 lbs.	34.0
	WWN60240RC2LW	Laminate/Wood	10903	58 3/4	240	1 1/16	—	—	706 lbs.	34.0
	WWN60240RC2L	Laminate	10250	58 3/4	240	1 1/16	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

