



inpro®

INTERIOR AND EXTERIOR
ARCHITECTURAL PRODUCTS

• **CLICKEZE®**

WEBBGLIDE™ AND
WEBBLOK™ DURABLE
WINDOW SHADES

Fabric Guide

3000 HT SERIES

All colors available in 3% and 5% openness factors.



HT01
White/White



HT02
White/Beige



HT03
White/Light Grey



HT04
White/Dim Grey



HT08
White/Bronze



HT09
White/Charcoal

Specifications		
	3000 HT 3%	3500 HT 5%
Composition	25% Polyester, 75% PVC	25% Polyester, 75% PVC
Openess Factor	Average 3%	Average 5%
Colorfastness to Light	Grade 8	Grade 8

Available Widths

98"
2.5
meter

Flammability

NFPA
701

CA US
Title 19

Anti Bacteria

ASTM
G21

ASTM
G22

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified


Energy Saver
Fragrance-Free
Non-toxic

3000 RR SERIES

Available in 3% openness factor.



RR 10



RR 12



RR 13



RR 23



RR 28



RR 82



RR 84



RR 89



RR 90



RR 94

Specifications	
Composition	25% Polyester, 75% PVC
Openess Factor	Average 3%
Colorfastness to Light	Grade 8

Available Widths

98"
2.5
meter

Flammability

NFPA
701

CA US
Title 19

Anti Bacteria

ASTM
G21

ASTM
G22

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

Energy Saver
Fragrance-Free
Non-toxic

Actual colors may vary slightly from the color on your screen due to monitor color restrictions.

3000 NET SERIES

Available in 1%, 3%, 5% and 10% openness factors.



N 001
1%, 3%, 5%, 10%



N 002
1%, 3%, 5%, 10%



N 003
1%, 3%, 5%, 10%



N 201
1%, 3%, 5%



N 203
1%, 3%, 5%, 10%



N 301
1%, 3%, 5%



N 302
5%



N 304
5%



N 901
1%, 3%, 5%, 10%



N 902
1%, 3%, 5%, 10%



N 903
1%, 3%, 5%



N 202
5%



N 801
5%

Specifications				
	3000 Net 1%	3000 Net 3%	3500 Net 5%	3500 Net 10%
Composition	25% Polyester, 75% PVC	25% Polyester, 75% PVC	25% Polyester, 75% PVC	25% Polyester, 75% PVC
Openess Factor	Average 3%	Average 3%	Average 5%	Average 10%
Colorfastness to Light	Grade 8	Grade 8	Grade 8	Grade 8

Available Widths

78"
2.0
meter

98"
2.5
meter

Flammability

NFPA
701

CA US
Title 19

Anti Bacteria

ASTM
G21

ASTM
G22

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

Energy Saver
Fragrance-Free
Non-toxic

Not all colors/openness
available in all widths

Actual colors may vary slightly from the color on your screen due to monitor color restrictions.

4000 L SERIES

L - Available in 5% openness factor. W - Available in 3% openness factor.

**L 101**

**L 102**

**L 103**

Specifications	
	L Series
Composition	27% Polyester, 73% PVC
Openess Factor	Average 5%
Colorfastness to Light	Grade 8

Available Widths

78"2.0meter

98"2.5meter

Flammability

NFPA701

CA USTitle 19

Anti Bacteria

ASTMG21

ASTMG22

Environent Freindly



Tested for harmful substances according to Oeko-Tex' Standard 100 No. 000 000000TESTEX Zurich

GREENGUARD

Children & Schools

Indoor Air Quality Certified

Energy Saver

Fragrance-Free


Non-toxic

4000 NET SERIES

Available in 3% and 5% openness factors.

**N 001**
3%, 5%

**N 002**
3%, 5%


**N 003**
3%, 5%

**N 091**
5%

**N 201**
3%, 5%

**N 202**
5%

**N 203**
3%, 5%


**N 301**
5%

**N 302**
5%

**N 801**
5%

**N 901**
3%, 5%

**N 902**
3%, 5%

**N 903**
5%

Specifications		
	4300 Net 3%	4000 Net 5%
Composition	27% Polyester, T3% PVC	27% Polyester, T3% PVC
Openess Factor	Average 3%	Average 5%
Colorfastness to Light	Grade 8	Grade 8

Available Widths

98"2.5meter

Flammability

NFPA701

CA USTitle 19

Anti Bacteria

ASTMG21

ASTMG22

Environent Freindly



Tested for harmful substances according to Oeko-Tex' Standard 100 No. 000 000000TESTEX Zurich

GREENGUARD

Children & Schools

Indoor Air Quality Certified

Energy Saver

Fragrance-Free

Non-toxic

Not all colors/openness available in all widths

Actual colors may vary slightly from the color on your screen due to monitor color restrictions.

4700 P SERIES

Available in less than 1% openness factor

**P 001**
98" only

**P012**

Specifications	
	P Series
Composition	20% Polyester, 80% PVC
Openess Factor	Less than 1%
Colorfastness to Light	Grade 8

Available Widths

78"2.0meter

98"2.5meter

Flammability

NFPA701

CA USTitle 19

Anti Bacteria

ASTMG21

ASTMG22

Environent Freindly



Tested for harmful substances according to Oeko-Tex' Standard 100 No. 000 000000TESTEX Zurich

GREENGUARD

Children & Schools

Indoor Air Quality Certified

Energy Saver

Fragrance-Free

Non-toxic

VIEW R SERIES

R Series available in 15% openness factor.

**R 100**

**R 102**

**R 900**

Specifications	
	R Series
Composition	27% Polyester, 73% PVC
Openess Factor	Average 15%
Colorfastness to Light	Grade 8

Environent Freindly



Tested for harmful substances according to Oeko-Tex' Standard 100 No. 000 000000TESTEX Zurich

Energy Saver

Fragrance-Free

Non-toxic

Available Widths

98"2.5meter

Flammability

NFPA701

CA USTitle 19

Anti Bacteria

ASTMG21

ASTMG22

GREENGUARD

Children & Schools

Indoor Air Quality Certified

Actual colors may vary slightly from the color on your screen due to monitor color restrictions.

ALKENZ

VISION 350

Available in 10% openness factor.



0-004-11-00398
Linen

0-004-11-00498
Sand

0-004-11-00298
White

0-004-11-00698
Bronze



0-004-11-00898
Yellow

0-004-11-00998
Orange

Specifications	
Composition	20% PES, 80% PVC
Openess Factor	Average 10%
Colorfastness to Light	Grade 6-7
Weight	11.5 oz/yard squared

Available Widths

98"
2.5
meter

Flammability

NFPA
701

CA US
Title 19

Anti Bacteria

ASTM
G21

ASTM
G22

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

VISION 351 COMFORT PLUS

Available in 1% openness factor.



0-004-15-00298
White

0-004-15-22098
White Linen

0-004-15-02798
White Pearl

0-004-15-00398
Linen



0-004-15-01998
Ebony

0-004-15-00698
Bronze

Specifications	
Composition	21% PES, 79% PVC
Openess Factor	Average 1%
Colorfastness to Light	Grade 6-7

Available Widths

98"
2.5
meter

Flammability

NFPA
701

CA US
Title 19

Anti Bacteria

ASTM
G21

ASTM
G22

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

Actual colors may vary slightly from the color on your screen due to monitor color restrictions.

VISION 550-A

Available in 5% openness factor.



0-004-10-00298
White

0-004-10-22098
White Linen

0-004-10-00398
Linen

0-004-10-72098
Pearl Linen

0-004-10-71098
Pearl Sand



0-004-10-00498
Sand

0-004-10-00698
Bronze

Specifications	
Composition	15% HT-PES, 85% PVC
Openess Factor	Average 5%
Colorfastness to Light	Grade 6-7

Available Widths

98"
2.5
meter

Flammability

NFPA
701

CA US
Title 19

Anti Bacteria

ASTM
G21

ASTM
G22

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

VISION 550-B

Available in 5% openness factor.




0-004-10-01998
Ebony

0-004-10-01898
Tobacco

0-004-10-01798
Ash

0-004-10-07198
Pearl Grey



0-004-10-02798
White Pearl

0-004-10-00798
Pearl

Specifications	
Composition	15% HT-PES, 85% PVC
Openess Factor	Average 5%
Colorfastness to Light	Grade 6-7

Available Widths

98"
2.5
meter

Flammability

NFPA
701

CA US
Title 19

Anti Bacteria

ASTM
G21

ASTM
G22

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

Actual colors may vary slightly from the color on your screen due to monitor color restrictions.

VISION 650 FR

Available in 3% openness factor.



0-004-12-22098
White Linen



0-004-12-00398
Linen



0-004-12-00298
White



0-004-12-02798
White Pearl



0-004-12-00498
Sand



0-004-12-01900
Ebony

Specifications	
Composition	15% HT-PES, 85% PVC
Openess Factor	Average 3%
Colorfastness to Light	Grade 6-7

Available Widths

98"
2.5
meter

Flammability

NFPA
701

CA US
Title 19

Anti Bacteria

ASTM
G21

ASTM
G22

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

VISION CALICO

Available in 5% openness factor.



0-004-21-00198
Sand/Custard




0-004-21-00298
Sand/Linen



0-004-21-00598
Gold/Custard



0-004-21-00798
Sand/Ebony



0-004-21-00998
Bronze/Custard



0-004-21-01298
Ebony/Sand

Specifications	
Composition	15% HT-PES, 85% PVC
Openess Factor	Average 5%
Colorfastness to Light	Grade 6-7

Available Widths

98"
2.5
meter

Flammability

NFPA
701

CA US
Title 19

Anti Bacteria

ASTM
G21

ASTM
G22

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

Actual colors may vary slightly from the color on your screen due to monitor color restrictions.

FLORENCE BLACKOUT



0-002-98-00172
Linen




0-002-98-00272
Natural



0-002-98-00372
Frost



0-002-98-00472
Grey



0-002-98-00572
Black

Specifications	
Composition	75% PVC, 25% Fiberglass
Openess Factor	0%
Colorfastness to Light	Grade 6-7
Weight	12 oz

Available Widths

72
inch


Flammability

NFPA
701

NOCHE BLACKOUT



0-002-66-00172
Off White



0-002-66-00272
White Linen



0-002-66-00372
Linen



0-002-66-00472
White Pearl



0-002-66-00572
Linen Sand



0-002-66-00672
Pearl Sand



0-002-66-00772
Bronze

Specifications	
Composition	75% PVC, 25% Fiberglass
Openess Factor	0%
Colorfastness to Light	Grade 6-7
Weight	12 oz

Available Widths

72
inch

Flammability


NFPA
701

Actual colors may vary slightly from the color on your screen due to monitor color restrictions.

PREMIUM PLUS BLACKOUT



0-002-70-96072
Snow Flakes



0-002-70-93472
Off White



0-002-70-93372
Bisque



0-002-70-90972
Light Grey

Specifications	
Composition	75% PVC, 25% Fiberglass
Openess Factor	0%
Colorfastness to Light	Grade 6-7
Weight	18.79 oz/yard squared

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

Available Widths


72"
custom

96"
standard

Flammability

NFPA
701


PINPOINT MATTE FR



0-002-63-900072
Snow Flakes



0-002-63-91072
Light Grey



0-002-63-92672
Linen



0-002-63-92972
Ecru



0-002-63-93172
Black



0-002-63-93372
Beige



0-002-63-93472
Fawn



0-002-63-96972
Ivory



0-002-63-99272
Taupe



0-002-63-92472
Sable



0-002-63-92172
Charcoal



0-002-63-93398
Bique

Specifications	
Composition	75% PVC + 25% Fiberglasss
Opacity	100% Blackout
Weight	406 g/m² 12 oz/yd²

Available Widths

72"
1.83
meter

98"
2.48
meter

Flammability

NFPA
701

CA US
Title 19

Not all colors/openness
available in all widths

Environent Freindly



GREENGUARD
Children & Schools
Indoor Air Quality Certified

Actual colors may vary slightly from the color on your screen due to monitor color restrictions.



VERTILUX-BLACKOUT PREMIUM



INTERIOR AND EXTERIOR
ARCHITECTURAL PRODUCTS

• **IPC®**

DOOR + WALL PROTECTION SYSTEMS

• **CLICKEZE®**

PRIVACY SYSTEMS

• **SIGNSCAPE®**

ARCHITECTURAL SIGNAGE

• **ENDURANT®**

WASHROOM SYSTEMS

• **JOINTMASTER®**

EXPANSION JOINT SYSTEMS

• **INPRO® INTERIORS**

FACTORY DIRECT INSTALLATION

• **ASCEND®**

ELEVATOR PROTECTION SYSTEMS

Inprocorp.com • 800.222.5556 • 262.679.9010 • World Headquarters S80 W18766 Apollo Drive, Muskego, WI 53150 USA



Printed with soy ink on recycled fiber including 10% post-consumer fiber.



©2017 Inpro Corporation