

JL Series

Suggested Specifications

PART 1 - GENERAL

1.01 SUMMARY

- A. Furnish Expansion Joint Systems in accordance with the drawings and general provisions of the Contract.

1.02 WORK INCLUDED

- A. Furnish complete JointMaster/InPro Corporation Expansion Joint Systems.
 1. Exterior wall expansion joint systems.
 2. Roof expansion joint systems.

1.03 RELATED WORK

- A. Related work which is specified elsewhere.
 1. Cast-In-Place Concrete: Section 03300.
 2. Unit Masonry: Section 04810.
 3. Structural Steel: Section 05120.
 4. Light gauge Metal Framing: Section 05400.
 5. Roof Expansion Assemblies - 07716
 6. Sheet Metal Flashing and Trim: Section 7620.
 7. Cement Plaster: Section 09210.
 8. Gypsum Wallboard: Section 09260.

1.04 DEFINITIONS

- A. Define industry and product terms as necessary.

1.05 SYSTEM DESCRIPTION

- A. Joint systems shall permit limited movement of joint without disengagement.
 1. Specify x-axis joint movement (horizontal).
 2. Specify y-axis joint movement (vertical).
 3. Specify z-axis joint movement (lateral).

1.06 QUALITY ASSURANCE

- A. Manufacturer: Furnish assemblies from one (1) manufacturer with a minimum of five (5) years of experience in the design, engineering and fabrication of expansion joint systems.
- B. Installer: Firm with not less than three (3) years of successful experience in the installation of systems similar to those required by this project and acceptable to the manufacturer of the system.

1.07 SUBMITTALS

- A. Manufacturer's specifications, technical data, installation instructions, and detail drawings for each system.
- B. Sample of specified systems where required.

1.08 DELIVERY AND STORAGE

- A. Deliver joint systems to jobsite in new, clean, unopened cartons or crates of sufficient size and strength to protect materials during transit.
- B. Store components in original containers in a clean, dry location.

1.09 SEQUENCING

- A. Submittals shall be completed and submitted within a reasonable amount of time after award of sub-contract.
- B. Subcontract for the work of this section shall be planned to allow sufficient time for manufacturer's production and delivery scheduling.

1.10 WARRANTY

- A. Standard JointMaster/InPro Corporation limited warranty against material and manufacturing defects for a period of not less than five (5) years when installed in accordance with manufacturer's recommendations.

PART 2 - PRODUCTS

2.01 MANUFACTURER

- A. JointMaster/InPro Corporation S80 W18766 Apollo Drive Muskego, WI 53150 USA Phone: (800) 222-5556 Fax: (888) 715-8407 Email: service@inprocorp.com
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of section 01600.

2.02 MATERIALS

- A. Vapor Barrier: 45 mils thick fiber reinforced EPDM. B. Insulation: 3 1/2" [89mm] thick fiberglass batt insulation.
- C. Fasteners, accessories and other materials required for complete installation in accordance with the manufacturer's instructions.

2.03 FABRICATION

- A. Field assemble components provided in standard lengths with fasteners and accessories.
- B. Fabricate special transitions and corner fittings as required.

PART 3 - EXECUTION

3.01

- A. Verify that structural gap and block-out dimensions are in conformance with manufacturer's submittal data.

3.02 INSTALLATION

- A. Vapor Barrier: Install to manufacturer's instructions. Provide drainage fittings where required.

3.03 PROTECTION

- A. Protect installation from damage by work of others.

IPC.1575/REV.2