




POWERBOND



MODULAR

CHARACTER 04796
QUEUE 04795
Powerbond Installation
CANDOR 04792
24" X 24" Vertical Ashlar Installation

Tandus | Centiva
A Tarkett Company



CANDOR 04792
Powerbond Installation



Tandus | Centiva



CANDOR 04792
24" X 24" Vertical Ashlar Installation



Tandus | Centiva



QUEUE 04795
Powerbond Installation



Tandus | Centiva



QUEUE 04795
24" X 24" Vertical Ashlar Installation

Tandus | Centiva



CHARACTER 04796
24" X 24" Vertical Ashlar Installation

Tandus | Centiva



CHARACTER 04796
Powerbond Installation



Tandus | Centiva

PRODUCT COORDINATES – SOFT SURFACE



EVANESCE



ASCEND



PLEXUS COLOUR IV



APPLAUSE III

PRODUCT COORDINATES – LVT

Tandus Centiva Soft Surface products coordinate with a variety of our LVT products.



VENUE WOOD, ASH

UVP 3308



NUGRAIN, PEACOCK

CNU 3716



VENUE ABSTRACT, MORTAR

UVA 5131



SUBSTRATE, MAGMA

CSU 0957


THE ULTIMATE FLOORING EXPERIENCE

Gone is the wait for a well-engineered, beautifully-designed and unobtrusive solution for floorcovering transitions. By partnering with our sister company, Johnsonite, we created an innovative, right-priced answer to this long-standing problem. MetalEdge launches in three aesthetically pleasing and tastefully refined systems, each engineered to work specifically with the vast array of Tandus Centiva soft and hard surface product platforms.



PRODUCT COORDINATES – TRANSITION: METALEDGE COLLECTION

MetalEdge transition provides a transition solution and finish detail for any commercial space. The following colors have been selected to coordinate with a variety of Tandus Centiva LVT and soft surface products. Please contact your Tandus Centiva account executive for details.



STEEL 00179*



IRONSTONE 00178*



BLACK PEARL 00082*



BRASS 00176*

**These colors are metallic and may not be accurately represented. Please contact your Tandus Centiva account executive to order samples, 800.248.2878.*

PRODUCT COORDINATES

The coordination of soft and hard surface products, MetalEdge transition, wall base and accessories from Johnsonite, a Tarkett company, allows for design flexibility and a range of offerings that enables our customers to choose exactly the product they need — moving beyond a product choice to a design solution.



PRODUCT COORDINATES – JOHNSONITE

The following colors have been selected from the Johnsonite palette as complements to Tandus Centiva products. Available in a broad offering of wall base and finishing accessories, each can provide the necessary finishing touches to any commercial space. Please contact your Johnsonite representative for details, 800.899.8916.



69 STERLING SILVER*



38 PEWTER



179 STEEL*



20 CHARCOAL



82 BLACK PEARL*



63 BURNT UMBER



44 DARK BROWN



40 BLACK



27 MIST



194 ANTIQUE WHITE



34 ALMOND



09 CLAY



49 BEIGE



280 SHORELINE



281 GRIZZLY



29 MOON ROCK



150 WETLANDS



283 TOAST



101 SEAWEED



47 BROWN



41 SEA BREEZE



71 STORM CLOUD



92 BLUE LAGOON



168 THUNDER



190 GREEGE



73 PALM LEAF



264 GROUNDED



66 EITHER ORE*



45 SANDALWOOD



261 AUTUMN



76 CINNAMON



284 GANACHE



132 ESPRESSO



113 CHESTNUTTY



85 BURGUNDY





























167 FUDGE

*These colors are metallic and may not be accurately represented. Please contact your Johnsonite customer service representative to order samples.

CONSTRUCTION OPTIONS

All Tandus Centria Powerbond® and Modular options are 100% closed-loop recyclable through our ReStart® program and do not contain pesticides (antimicrobials) as part of our reduce chemical initiatives.

	Beating System	Warranty	Reliability	100% Closed-loop Recyclable	Seams	Moisture Management	Installation	Recycled Content
Powerbond	Powerbond® Cushion	lifetime LIMITED	 GOOD	 RECYCLABLE	 SEAMWELD	 FPM	PEEL & STICK DIRECT GLUE	 RECYCLED CONTENT
	Powerbond® Medfloor®	lifetime LIMITED	 EXCELLENT	 RECYCLABLE	 IMPERMEABLE	 IMPACT 8 TO 600	PEEL & STICK DIRECT GLUE	 RECYCLED CONTENT
	Powerbond® ethos® Cushion	lifetime LIMITED	 EXCELLENT	 RECYCLABLE	 SEAMWELD	 FPM	PEEL & STICK DIRECT GLUE	 RECYCLED CONTENT
Modular	Conserv®	lifetime LIMITED	 EXCELLENT	 RECYCLABLE			DIRECT GLUE	
	ERS®	lifetime LIMITED	 EXCELLENT	 RECYCLABLE			PEEL & STICK DIRECT GLUE	 RECYCLED CONTENT
	ethos®	lifetime LIMITED	 EXCELLENT	 RECYCLABLE			TANDUS TAPE DIRECT GLUE	 RECYCLED CONTENT
	Flex-Aire®	lifetime LIMITED	 GOOD	 RECYCLABLE			TANDUS TAPE PEEL & STICK DIRECT GLUE	 RECYCLED CONTENT



— Reliability is the ability to move (or roll) pieces of furniture such as chairs or beds on flooring



— Moisture penetration by impact at seams @10psi: No penetration after 10,000 impacts



— Impermeable seams



ReStart® includes Tandus Centiva's third-party certified reclamation and recycling program that reclaims and recycles post consumer flooring, installation waste, samples and portfolios. To initiate ReStart, contact customer service at 800-248-2878. ReStart is available for all Tarkett products and may be initiated by contacting your Tarkett representative.



	Product	Recycled Content	Min. Post-Consumer Recycled Content	NSF 140 Rating
CERTIFIED	ER3® Modular	45-67%	20%	Platinum
CERTIFIED	Powerbond® ethos® Cushion	37-62%	37%	Platinum
CERTIFIED	ethos® Modular	26-51%	26%	Platinum
CERTIFIED	Powerbond® Cushion	7-32%	7%	Gold
CERTIFIED	Powerbond® Medfloor®	7-31%	7%	
CERTIFIED	Flex-Aire® Cushion Modular	21-40%	4%	Gold

Recycled content varies by product style and has been certified by Scientific Certification Systems (SCS) Global Services.

For a detailed analysis of how Tandus Centiva products perform in environmental rating systems such as LEED, please visit our ecoScorecard at tandus-centiva.ourgreenproducts.com.

All vinyl products, when recovered, are 100% recyclable in Tandus Centiva's closed-loop recycling process.



Tandus Centiva offers Environmental Product Declarations (EPD) for the following: ethos Modular, ER3 Modular, Flex-Aire Cushion Modular, Powerbond ethos Cushion, Powerbond Cushion and Powerbond Medfloor.

**CANDOR
04792**



POWERBOND



MODULAR

**QUEUE
04795**



POWERBOND



MODULAR




**CHARACTER
04796**



POWERBOND



MODULAR

Coordinate Group:	6	6	6
Size:	Modular: 24" x 24" (60.9 cm x 60.9 cm) Powerbond: 6 feet (1.8 m)	Modular: 24" x 24" (60.9 cm x 60.9 cm) Powerbond: 6 feet (1.8 m)	Modular: 24" x 24" (60.9 cm x 60.9 cm) Powerbond: 6 feet (1.8 m)
Surface Texture:	Stratatec® Patterned Loop	Stratatec® Patterned Loop	Stratatec® Patterned Loop
Yarn Content:	Dynex SD® Nylon	Dynex SD® Nylon	Dynex SD® Nylon
Dye Method:	100% Solution Dyed	100% Solution Dyed	100% Solution Dyed
Pile Height Average:	0.187" (4.7 mm)	0.187" (4.7 mm)	0.187" (4.7 mm)
Pattern Match:	Not Required	Not Required	Not Required
Modular Construction Options:	ER3® Modular, Flex-Aire® Cushion Modular, Conserv® Modular, ethos® Modular	ER3® Modular, Flex-Aire® Cushion Modular, Conserv® Modular, ethos® Modular	ER3® Modular, Flex-Aire® Cushion Modular, Conserv® Modular, ethos® Modular
Modular Installation Options:	24" X 24":  VERTICAL ASHLAR	24" X 24":  VERTICAL ASHLAR	24" X 24":  VERTICAL ASHLAR
Powerbond Installation Options:	Powerbond® Cushion, Powerbond® Medfloor®, Powerbond® ethos® Cushion	Powerbond® Cushion, Powerbond® Medfloor®, Powerbond® ethos® Cushion	Powerbond® Cushion, Powerbond® Medfloor®, Powerbond® ethos® Cushion