
Dōni[™] Seating Collection Price List ■

June 01, 2016 Updated February 27, 2018 800-424-2432









Ordering C.O.	M., C.O.L., and C.O.V. BONDUEL, GREEN BAY, ONTARIO, and TUPELO	2
Custom Color	Matching Requirements	4
Doni™	Guest Chair General Information	8
	Guest Chairs	10
	Stack Chair General Information	18
	Stack Chairs	22
	Cafe Stools	42
	Task Chair General Information	48
	Task Chairs	50
	Task Stools	54
	Tandem Seating General Information	58
	Tandem Seating	60

Ordering C.O.M., C.O.L., and C.O.V.

BONDUEL, GREEN BAY, ONTARIO, and TUPELO

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret fabric


direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they

often require more vardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous vardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility,
ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801 For products shipped from Bonduel, WI facility, ship material to:

KI Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107


For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a

provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

Kl assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customers responsibility to arrange for return of this material.

C.O.M., C.O.L and C.O.V. Information Form Please see information below and check the appropriate box. A copy of this form should accompany test requests and production orders. Please fill it out ☐ Submitted for testing. Test approved. Submitted for production. completely, and, if your order has been Purchase Order Number KI Acknowledgement Number acknowledged, provide the acknowledgement number Purchasing Agent (Dealer or buying organization) In all instances, send this form to the C.O.M. Specialist. Attention B^{Selvage} Side and Side Selvage Top and Bottom Address City State Zip Project Name Type of seating and number of units of each type

Ordering C.O.M., C.O.L., and C.O.V. BONDUEL, GREEN BAY, ONTARIO, and TUPELO



Custom Color Matching Requirements

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require, KI's custom color-matching program lets you pick your color. Match an organization's brand colors. Match fabrics. Match surface materials. The choice is yours.

Custom Color Matching Requirements

- Pantone Number or Color Samples. To ensure we match your color exactly, we require either a Pantone color number or two color samples (chip, swatch, or paint sample). We do request that the size be substantial enough to allow for us to retain for our internal matching process (minimum 2.5" x 3.5").
- Extended Lead Time. Using the unique combinations of specialty bases and pigments, our Custom Color Matching and Manufacturing processes do add time to your production schedule.
 - The color match process (see steps below) on average will take 2-3 weeks to produce a match sample for your review and gain your written approval to proceed. Starting this during the quoting process is encouraged to reduce overall lead time.
 - o Orders with custom colors will typically reflect standard lead time plus 15 additional days to source the appropriate raw materials and run the custom order.
- Minimum Quantity. No additional set-up fee is incurred if the quantity (per color, product line, and order) is 100 or more. A
 \$500 set-up fee (per color, product line, and order) is applied if the quantity is 99 or less. You'll see a "Custom Color Set-Up
 Charge" note appear on your Custom Options Quote until the order is placed and quantity is determined.

Note: The Doni Seating Collection, with its two-tone color capabilities, would require a single \$500 set-up fee if one or both colors are custom. In addition, please note that reversing the inner/outer colors of Doni's two-tone standard color combinations would also be considered custom.

Custom Color Matching Process

When your purchase order is submitted, it is simply placed on hold until the color match is finalized. As soon as we receive your Pantone number or custom color samples, the process for color matching begins.

Note: If the project requires a compressed manufacturing/shipping schedule, KI encourages you to process the color match during the quotation stage. This will accelerate the purchase order release into production.

<u>Step 1.</u> Provide the Pantone color number to KI Customer Service by calling Customer Service at 1-800-424-2432 or emailing us at <u>SalesOps@ki.com</u>. Custom color samples can be mailed to KI at:

KI Customer Service (Provide specific contact name if known)
Attn: Custom Color Match Required (Please reference the PO# or Project Name)
1330 Bellevue Street
Green Bay, WI 54302

*In the event the color requested is a discontinued KI color or non-standard on the product requested, no color match is necessary (minimum quantities and extended lead time still apply). KI will use the custom options process to facilitate the quote/order.

<u>Step 2</u>. KI begins the matching process which takes 5-10 days depending upon how quickly the exact color is matched, taking into account lighting, visual and spectrographic readings as compared to the originals.

<u>Step 3.</u> We then ship the color sample chip and a letter asking for you to sign the letter and fax it back to us within 24 to 48 hours.

<u>Step 4</u>. Upon receipt of your approval signature, we remove the hold status of your order and begin production, using standard production lead times plus 15 days.

Custom Color Matching Requirements



Doni®

Guest Chair General Information



Armless Fourstar Swivel Base Chair



Armless Tapered Steel Leg Chair



Armless Tapered Wood Leg Chair



Armless Wire Tower Base Chair

Features				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	27-1/2"	19-3/8"	19-3/8"	19-3/8"
Depth	21"	21"	21"	21"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Fourstar, Swivel Base

The under-seat support structure is a die-drawn 12-gauge steel plate. A 3/4" diameter steel pin is welded to the seat plate allowing the seat to swivel on a nylon bushing housed in the base. Seat structure is finished with baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint. The fixed height base constructed of a polished die-cast aluminum fourstar base and a chrome-plated steel tube column.

Tapered Steel Legs

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires are made of 1/2" diameter steel wire and are plug-welded to tapered tubular legs. All joints are welded and the frames are finished in either bakedon, electrostatically-applied 30 degree gloss epoxy powder-coat paint or bright nickel-chrome plating.

Tapered Wood Legs

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires made of 1/2" diameter steel wire complete the subframe. All joints are welded and the subframes are finished with baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint. Legs are turned from beech, stained, and clear-coat finished. Legs are drilled to accept subframe inner leg wires and fastened by means of two-part expoxy adhesive.

Wire Tower Base

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are 7/16" diameter steel wire, fully gusseted with 5/16" diameter wire. All joints are welded and frames are finished in bright nickel-chrome plating.

Glides

The tapered steel legs are equipped with swivel glides in a bright steel finish. The wire tower base, wood legs, and fourstar swivel base are equipped with black nylon glides.

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.





INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com



MODEL NUMBER Poly Poly Outside/Inside Basic Fire Solid Glide Upholstery MODEL **Features** Model Code Color Color Option Color Fourstar Swivel Base Armless Chair Solid Color, Polypropylene DNX100 GPL · Solid or two-tone colored shell GPL Solid Color, Upholstered Seat DNX200 Unlimited custom color matching DNX300 GPL Solid Color, Upholstered Seat/Back 17 degrees of hip articulation Task and stack chair models available NFR GPL Two-Tone, Polypropylene DNXA00 · 300 pound approved Two-Tone, Upholstered Seat DNXB00 NFR **GPL** DNX1 DNX2 DNX3 DNXA DNXB 0 0 Θ 0 • •

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select glide option.

 GPL Plastic glides
- Select upholstery grade/color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.





Approx. Packaged Weight	Delivered Pricing Unuphol- stered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
22.0#	\$ 480										
24.5#	N/A	586	594	609	586	609	617	653	667	685	711
26.0#	N/A	611	619	634	611	634	642	678	692	710	736
22.0#	530										
24.5#	N/A	636	644	659	636	659	667	703	717	735	761

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL	NUMBER	l					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DNY100							22.5#
Γ \	Solid Color, Upholstered Seat	DNY200							25.0#
	Solid Color, Upholstered Seat/Back	DNY300							26.5#
	Two-Tone, Polypropylene	DNYA00	NFR						22.5#
	Two-Tone, Upholstered Seat	DNYB00	NFR						25.0#
Ŭ									
DNY1									
DNY2									
DNY3									
DNYA									
DNYB									
Tapered Steel Leg Armless Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation Task and stack chair models available 									
300 pound approved									
		A	₿	Θ	O	ⅎ	•	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select glide option.

GNL - Neutral color glides

SL - Steel glides

G Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 360										
N/A	466	474	489	466	489	497	533	547	565	591
N/A	491	499	514	491	514	522	558	572	590	616
410										
N/A	516	524	539	516	539	547	583	597	615	641

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL N	NUMBER						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Wood Leg Finish	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DNW100					GPL		18.0#
<u> </u>	Solid Color, Upholstered Seat	DNW200					GPL		20.5#
	Solid Color, Upholstered Seat/Back	DNW300					GPL		22.0#
	Two-Tone, Polypropylene	DNWA00	NFR				GPL		18.0#
	Two-Tone, Upholstered Seat	DNWB00	NFR				GPL		20.5#
DNW1									
DNW2									
DNW3									
DNWA									
DNWB									
Tapered Wood Leg Armless Chair									
Solid or two-tone colored shell									
 Unlimited custom color matching 									
 17 degrees of hip articulation Task and stack chair models available 									
 lask and stack chair models available 300 pound approved 									
222 2222 244.000									
		A	B	Θ	O	(3	3	Θ	
		-	-	_	-	-	-	-	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 Fabrics & Finishes binder.
- Select wood leg finish color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select glide option.

 GPL Plastic glides

Select upholstery grade/color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 585										
N/A	691	699	714	691	714	722	758	772	790	816
N/A	716	724	739	716	739	747	783	797	815	841
635										
N/A	741	749	764	741	764	772	808	822	840	866

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



MODEL NUMBER Poly Poly Outside/Inside Basic Fire Solid Glide Upholstery MODEL **Features** Model Code Color Color Option Color Wire Tower Base Armless Chair Solid Color, Polypropylene DNZ100 GPL · Solid or two-tone colored shell DNZ200 GPL Solid Color, Upholstered Seat Unlimited custom color matching DNZ300 GPL Solid Color, Upholstered Seat/ Back 17 degrees of hip articulation NFR GPL · Frames finished in bright nickel-chrome Two-Tone, Polypropylene DNZA00 Two-Tone, Upholstered Seat DNZB00 NFR GPL Task and stack chair models available · 300 pound approved DNZ1 DNZ2 DNZ3 DNZA DNZB 0 0 Θ 0 • •

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- OSelect outside/inside poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select glide option.

 GPL Plastic glides
- Select upholstery grade/color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.





Approx. Packaged Weight	Prio	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
17.5#	\$	310										
20.0#		N/A	416	424	439	416	439	447	483	497	515	541
21.5#		N/A	441	449	464	441	464	472	508	522	540	566
17.5#		360										
20.0#		N/A	466	474	489	466	489	497	533	547	565	591

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

Doni[®] Stack Chair General Information









Armless Four-Leg Chair

Four-Leg Armchair

Armless Four-Leg Chair with Casters

Four-Leg Armchair with Casters

		- -	WITH Casters	With Casters
Features				
Stackable	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	21-1/2"	21-1/2	22-1/8	22-1/8
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Arms to floor		26-1/2"		26-1/2"
Stacking on Dolly				
Overall width	25"	25-3/8"	25"	25-3/8"
Overall depth	42"	42"	42"	42"
Quantity/height - poly	12 Chairs / 69" High			
Quantity/height - upholstered	6 Chairs / 50" High			
Stacking on Floor				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	34"	34"	34"	34'
Quantity/height	6 Chairs / 49" High			

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

4-Leg and Caster Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. A single ring of 1/2" diameter steel wire forms the crossmember. All joints are welded. An optional wallsaver configuration is available. The wallsaver configuration maintains 1/2" gap between backrest and wall by locking the backrest mechanisms in the upright position.

Sled Frame

Sled side frames are made from 3/4" o.d. x 13-gauge tubular steel. A single ring of 1/2" diameter steel wire forms the crossmember. All joints are welded.

Stool Frame

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are 3/4" diameter steel tubing. A 3-sided footrest is made of 1/2" diameter steel wire. All joints are welded.

Frame Finish

Frames are finished in either baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint or bright nickel-chrome plating.

Arms

Optional armrests are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced polypropylene. Arm color matches the frame finish (except for chrome, hammertone, and metallic finishes which match the outer shell poly color). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Glides

The bottom ends of the 4-leg chair tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic

finishes which use black caps). Optional glides for the leg chairs have a bright steel surface or plastic glides. Optional glides for the sled base are co-extruded to provide a softer, non-skid surface to protect the floor, but do not glide.

Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Stools are equipped with swivel glides in a bright steel finish. The floor contact surface is either steel or neutral color nylon.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are 50mm o.d. double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.















Armless Sled Base Chair

Sled Base Armchair

24" Cafe Stool

30" Cafe Stool

Transport Dolly

Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	
General Dimensions					
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"	
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"	
Seat height (upholstered add 1")	18"	18"	24"	30"	
Overall Dimensions					
Width	22-1/4"	25-3/8"	21"	22-1/2"	23-3/4"
Depth	22-1/8"	22-1/8"	21"	21-1/2"	35-1/2"
Height	33-3/4"	33-3/4"	39-3/4"	45-3/4"	62-1/4"
Arms to floor		26-1/2"			
Stacking on Dolly					
Overall width	25"	25-3/8"			
Overall depth	42"	42"			
Quantity/height - poly	12 Chairs / 69" High	12 Chairs / 69" High			
Quantity/height - upholstered	6 Chairs / 50" High	6 Chairs / 50" High			
Stacking on Floor					
Width	22"	25-3/8"			
Depth	34"	34"			
Quantity/height	6 Chairs / 49" High	6 Chairs / 49" High			

Gangers

Optional gangers are available on armless 4-leg and sled base chairs only. Gangers are made of chrome-plated 3/16" diameter steel wire mounted to the chair with an injection-molded nylon hub.

Transport Dolly

Frame construction is welded tubular steel with a black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg and sled base chairs and has a capacity of 12 poly chairs or 6 upholstered.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design


Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A


INFORMATION

Warranty


Refer to KI Terms & Conditions document or visit ki.com

Doni[®] Stack Chair General Information





Doni 24" Cafe Stool



Doni 30" Cafe Stool



		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN1100							19.0#
	Solid Color, Upholstered Seat	DN1200							21.5#
	Solid Color, Upholstered Seat/Back	DN1300							23.0#
	Two-Tone, Polypropylene	DN1A00	NFR						19.0#
	Two-Tone, Upholstered Seat	DN1B00	NFR						21.5#
// \\ (' \)									
u // //									
V									
DN11									
DN12									
DN13									
DN1A									
DN1B									
Four-Leg Armless Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation 									
Task and guest chair models available300 pound approved									
Stacking									
3									
		A	3	Θ	O	•	•	Œ	
		-	-	-	-	-	-	-	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select frame color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.

Select glide option.

GPL - Plastic glides
GSL - Steel glides

G Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 260										
N/A	366	374	389	366	389	397	433	447	465	491
N/A	391	399	414	391	414	422	458	472	490	516
310										
N/A	416	424	439	416	439	447	483	497	515	541

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL	NUMBEF	ì					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Caster Type	Upholstery Color	Approx. Packaged Weight
_	Solid Color, Polypropylene	DN2100							19.5#
	Solid Color, Upholstered Seat	DN2200							22.0#
	Solid Color, Upholstered Seat/Back	DN2300							23.5#
	Two-Tone, Polypropylene	DN2A00	NFR						19.5#
	Two-Tone, Upholstered Seat	DN2B00	NFR						22.0#
DN21									
DN22									
DN23									
DN2A									
DN2B									
Four-Leg Armless Chair with Casters									
Solid or two-tone colored shell									
Unlimited custom color matching									
17 degrees of hip articulationTask and guest chair models available									
 300 pound approved 									
Stacking. Caution should be excer- sized to prove the state from the state of									
cised to prevent casters from marring components such as frames, fabric,									
etc., and to prevent casters from									
becoming "hung up" underneath the seat of the chair									
Soat Of the Chair									
		A	3	Θ	Ð	•	3	Ф	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- OSelect outside/inside poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select frame color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.

Select casters.

CHC - Hard floor casters

CCC - Carpet casters

(5) Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.





\$ 295 N/A 401 409 424 401 424 432 468 482 500 526 N/A 426 434 449 426 449 457 493 507 525 551 345 N/A 451 459 474 451 474 482 518 532 550 576	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
N/A 426 434 449 426 449 457 493 507 525 551 345	\$ 295										
345	N/A	401	409	424	401	424	432	468	482	500	526
	N/A	426	434	449	426	449	457	493	507	525	551
N/A 451 459 474 451 474 482 518 532 550 576	345										
	N/A	451	459	474	451	474	482	518	532	550	576

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL	NUMBER	ì						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	
	Solid Color, Polypropylene	DN1111							20.5#	
F \	Solid Color, Upholstered Seat	DN1211							23.0#	
	Solid Color, Upholstered Seat/Back	DN1311							24.5#	
	Two-Tone, Polypropylene	DN1A11	NFR						20.5#	
	Two-Tone, Upholstered Seat	DN1B11	NFR						23.0#	
// // //										
u U										
Ŋ										
DN11										
DN12										
DN13										
DN1A										
DN1B										
Four-Leg Armchair										
Solid or two-tone colored shell										
Unlimited custom color matching										
 17 degrees of hip articulation 										
Task and guest chair models available300 pound approved										
Stacking										
3										
		A	3	Θ	0	•	•	(

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- OSelect outside/inside poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

GPL - Plastic glides - Steel glides

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 314										
N/A	420	428	443	420	443	451	487	501	519	545
N/A	445	453	468	445	468	476	512	526	544	570
364										
N/A	470	478	493	470	493	501	537	551	569	595

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL	NUMBEF	ł					
				Poly	Poly				Арргох.
	Features	Basic Model	Fire Code	Solid Color	Outside/Inside Color	Frame Color	Caster Type	Upholstery Color	Packaged Weight
	Solid Color, Polypropylene	DN2111							21.0#
	Solid Color, Upholstered Seat	DN2211							23.5#
	Solid Color, Upholstered Seat/Back	DN2311							25.0#
	Two-Tone, Polypropylene	DN2A11	NFR						21.0#
	Two-Tone, Upholstered Seat	DN2B11	NFR						23.5#
ap // ?P									
90									
DN21									
DN22									
DN23									
DN2A									
DN2B									
Four-Leg Armchair with Casters									
Solid or two-tone colored shell									
Unlimited custom color matching									
17 degrees of hip articulationTask and guest chair models available									
300 pound approved									
 Stacking. Caution should be excer- 									
cised to prevent casters from marring components such as frames, fabric,									
etc., and to prevent casters from									
becoming "hung up" underneath the									
seat of the chair									
		4	3	Θ	0	3	3	Ф	ı

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 Fabrics & Finishes binder.
- Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select casters.

CHC - Hard floor casters

CCC - Carpet casters

G Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade I 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 349										
N/A	455	463	478	455	478	486	522	536	554	580
N/A	480	488	503	480	503	511	547	561	579	605
399										
N/A	505	513	528	505	528	536	572	586	604	630

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		l							
		MODEL	NUMBER	l .					
				Poly	Poly				Approx.
	Factures	Basic	Fire	Solid	Outside/Inside	Frame	Glide	Upholstery	Packaged
	Features	Model	Code	Color	Color	Color	Option	Color	Weight
	Solid Color, Polypropylene	DNH100							19.0#
Γ \	Solid Color, Upholstered Seat	DNH200							21.5#
	Solid Color, Upholstered Seat/Back	DNH300							23.0#
	Two-Tone, Polypropylene	DNHA00	NFR						19.0#
	Two-Tone, Upholstered Seat	DNHB00	NFR						21.5#
// \ 7 \									
() U									
V									
DNH1									
DNH2									
DNH3									
DNHA									
DNHB									
Four-Leg Armless Ganging Chair									
Oalid and the days and and about									
Solid or two-tone colored shellUnlimited custom color matching									
17 degrees of hip articulation									
 Task and guest chair models available 									
300 pound approved Steeling									
Stacking									
			_			-			
		A	•	Θ	O	•	•	Θ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 Fabrics & Finishes binder.
- Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select glide option.

GPL - Plastic glides
GSL - Steel glides

G Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Delivered Pricing Unupholstere	Pricing Fabric Grade d 1 & C.O.M.	Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 310										
N/A	416	424	439	416	439	447	483	497	515	541
N/A	441	449	464	441	464	472	508	522	540	566
360										
N/A	466	474	489	466	489	497	533	547	565	591

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL	NUMBER	l						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	
_	Solid Color, Polypropylene	DNC100							19.0#	
	Solid Color, Upholstered Seat	DNC200							21.5#	
\	Solid Color, Upholstered Seat/Back	DNC300							23.0#	
	Two-Tone, Polypropylene	DNCA00	NFR						19.0#	
	Two-Tone, Upholstered Seat	DNCB00	NFR						21.5#	
() U										
V										
DNC1										
DNC2										
DNC3										
DNCA										
DNCB										
Four-Leg Armless Wallsaver Chair										
Solid or two-tone colored shell										
Unlimited custom color matching										
 Task and guest chair models available 										
300 pound approved										
Stacking										
		A	3	Θ	Ð	•	()	(

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- OSelect outside/inside poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

GPL - Plastic glides - Steel glides

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.





Delivered Pricing Unupholstere	Delivered Pricing Fabric Grade d 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 300										
N/A	406	414	429	406	429	437	473	487	505	531
N/A	431	439	454	431	454	462	498	512	530	556
350										
N/A	456	464	479	456	479	487	523	537	555	581

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DNC111							20.5#
	Solid Color, Upholstered Seat	DNC211							23.0#
	Solid Color, Upholstered Seat/Back	DNC311							24.5#
	Two-Tone, Polypropylene	DNCA11	NFR						20.5#
	Two-Tone, Upholstered Seat	DNCB11	NFR						23.0#
DNC1									
DNC2									
DNC3									
DNCA									
DNCB									
Four-Leg Wallsaver Armchair									
Solid or two-tone colored shell									
 Unlimited custom color matching 									
Task and guest chair models available									
300 pound approvedStacking									
Guotang									
		A	3	Θ	0	•	•	(

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- OSelect outside/inside poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

GPL - Plastic glides - Steel glides

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.





	olstered 1 & C.O.M.	e Fabric Grade 2	Fabric Grade 3	Pricing C.O.V.	Pricing Vinyl Group 2V	Pricing Pallas Fabric Group P0	Pricing Pallas Fabric Group P1	Pricing Pallas Fabric Group P2	Pricing Pallas Fabric Group P3	Pricing Pallas Fabric Group P4
\$ 35	54									
N/	/A 460	468	483	460	483	491	527	541	559	585
N/	/A 485	493	508	485	508	516	552	566	584	610
40	04									
N/	/A 510	518	533	510	533	541	577	591	609	635

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL NUMBER							
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN3100							20.0#
	Solid Color, Upholstered Seat	DN3200							22.5#
_	Solid Color, Upholstered Seat/Back	DN3300							24.0#
	Two-Tone, Polypropylene	DN3A00	NFR						20.0#
	Two-Tone, Upholstered Seat	DN3B00	NFR						22.5#
DN31									
DN32									
DN33									
DN3A									
DN3B									
Sled Base Armless Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
• 17 degrees of hip articulation									
Task and guest chair models available300 pound approved									
Stacking									
-									
		A	3	Θ	O	•	(3	(

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 Fabrics & Finishes binder.
- Select frame color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select glide option.

GNG - No glides

GNG - No glides
GNS - Non-skid glides
GPL - Plastic glides
GSL - Steel glides

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





\$ 270 N/A 376			C.O.V.	2V	Group P0	Group P1	Pallas Fabric Group P2	Pallas Fabric Group P3	Pallas Fabric Group P4
N/A 376									
14//1	384	399	376	399	407	443	457	475	501
N/A 401	409	424	401	424	432	468	482	500	526
320									
N/A 426	434	449	426	449	457	493	507	525	551

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN3111							21.5#
	Solid Color, Upholstered Seat	DN3211							24.0#
	Solid Color, Upholstered Seat/Back	DN3311							25.5#
	Two-Tone, Polypropylene	DN3A11	NFR						21.5#
	Two-Tone, Upholstered Seat	DN3B11	NFR						24.0#
DN31									
DN32									
DN33									
DN3A									
DN3B									
Sled Base Armchair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation 									
Task and guest chair models available 200 pound approved.									
300 pound approvedStacking									
									
		A	3	Θ	O	•	•	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select frame color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select glide option.

GNG - No glides
GNS - Non-skid glides
GPL - Plastic glides
GSL - Steel glides

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 324										
N/A	430	438	453	430	453	461	497	511	529	555
N/A	455	463	478	455	478	486	522	536	554	580
374										
N/A	480	488	503	480	503	511	547	561	579	605

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		14005							
		MODEL	NUMBER	1					
		Basic	Fire	Poly Solid	Poly Outside/Inside	Frame	Glide	Upholstery	Approx. Packaged
	Features	Model	Code	Color	Color	Color	Option	Color	Weight
_	Solid Color, Polypropylene	DNJ100							20.0#
	Solid Color, Upholstered Seat	DNJ200							22.5#
li — \	Solid Color, Upholstered Seat/Back	DNJ300							24.0#
	Two-Tone, Polypropylene	DNJA00	NFR						20.0#
	Two-Tone, Upholstered Seat	DNJB00	NFR						22.5#
DNJ1									
DNJ2									
DNJ3									
DNJA									
DNJB									
Sled Base Armless Ganging Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
17 degrees of hip articulation									
Task and guest chair models available									
300 pound approvedStacking									
Ottoking									
		A	3	Θ	0	(3	•	(

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.

Select glide option.

GNG - No glides
GNS - Non-skid glides
GPL - Plastic glides
GSL - Steel glides

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 320										
N/A	426	434	449	426	449	457	493	507	525	551
N/A	451	459	474	451	474	482	518	532	550	576
370										
N/A	476	484	499	476	499	507	543	557	575	601

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL NUI	ADED							
		MODEL NUI	MREK		I	1		1		
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	
	Solid Color, Polypropylene	DN4100H24							20.5#	
	Solid Color, Upholstered Seat	DN4200H24							23.0#	
	Solid Color, Upholstered Seat/Back	DN4300H24							24.5#	
	Two-Tone, Polypropylene	DN4A00H24	NFR						20.5#	
	Two-Tone, Upholstered Seat	DN4B00H24	NFR						23.0#	
/										
8										
DN41										
DN42										
DN43										
DN4A										
DN4B										
Four-Leg Armless Cafe Stool - 24"										
Height										
 Solid or two-tone colored shell Unlimited custom color matching 										
17 degrees of hip articulation										
 Task, stack and lounge chair models 										
available										
300 pound approved										
		A	B	Θ	O	•	•	(

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 Fabrics & Finishes binder.
- Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select glide option.

GNL - Neutral color glides

GSL - Steel glides

G Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 395										
N/A	501	509	524	501	524	532	568	582	600	626
N/A	526	534	549	526	549	557	593	607	625	651
445										
N/A	551	559	574	551	574	582	618	632	650	676

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



		MODEL	ADED.						
		MODEL NUI	MRFK		T	1		1	
				Poly	Poly				Approx.
	Features	Basic Model	Fire Code	Solid Color	Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Packaged Weight
	Solid Color, Polypropylene	DN4100H30			00101			00101	22.0#
	Solid Color, Upholstered Seat	DN4200H30							24.5#
1 \	Solid Color, Upholstered Seat/Back	DN4300H30							26.0#
	Two-Tone, Polypropylene	DN4A00H30	NFR						22.0#
	Two-Tone, Upholstered Seat	DN4B00H30	NFR						24.5#
/ 1 \	топо, организация								
8									
# #									
DN41									
DN42									
DN43									
DN4A									
DN4B									
Four-Leg Armless Cafe Stool - 30"									
Height									
Solid or two-tone colored shell									
Unlimited custom color matching									
17 degrees of hip articulationTask, stack and lounge chair models									
available									
 300 pound approved 									
		(A)	3	Θ	Ð	•	•	Ө	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- **C**Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select outside/inside poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

GNL - Neutral color glides
GSL - Steel glides

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.





Delive Pricir Unup		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$;	395										
	N/A	501	509	524	501	524	532	568	582	600	626
	N/A	526	534	549	526	549	557	593	607	625	651
	445										
	N/A	551	559	574	551	574	582	618	632	650	676

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$10 Model=Solid Color, Upholstered Seat Added List Price=\$63 Model=Solid Color, Upholstered Seat/Back Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



	MODEL NUMBER	
		Approx.
	Basic Model	Packaged Weight
Transport Dolly • Black powder-coat finish	DNCD.BL	43.0#
Black powder-coat finish		
\		
V		
HDDDT		
HRDPT		
Ganger Kit	DGK	0.0#
HRDPT		



Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.





Delivered Pricing

424

\$ 50

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShipped assembled freight prepaid f.o.b.
Green Bay, Wisconsin 54302 factory.
Freight class #125.

Doni®

Task Chair General Information









Armless Task Chair

Task Armchair

Armless Task Stool

Task Arm Stool

Features				
Poly, upholstered seat, or uphol- stered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered - add 1")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"	22-1/2" - 32-3/4"
Overall Dimensions				
Width	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Height	33-1/4" - 38-1/4"	33-1/4" - 38-1/4"	38-1/4" - 48-1/2"	38-1/4" - 48-1/2"
Arms to floor		26" - 31"		31" - 41-1/4"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Underseat Structure

Support structure is die-drawn, 12-gauge steel plate. Structure is finished with baked-on, electrostatically-applied, 30-degree gloss epoxy powder-coat paint coordinated with base selection.

Arms

Optional armrests are available. When equipped with arms, a support structure is 7/8" o.d. x 13-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest and secured with a screw. Armrests are molded from glassreinforced polypropylene. Structure and armrests are warm grey when warm grey base is selected or black when black or aluminum is selected.

Casters

Casters are 60mm o.d. double-wheel, highimpact thermoplastic and are available with hard (warm grey or black) or soft (black only) wheel surface.

Base

The base is a 26" injection-molded, glassreinforced nylon 5-blade base. A single paddle under the seat operates the heightadjusting pneumatic cylinder. Standard chair and stool base available in black, wam grey or polished aluminum (upcharge for polished aluminum).

Base color selection for black includes; black base, black cylinder and black carpet or hard floor casters.

Base color selection for warm grey includes; warm grey base, warm grey cylinder and warm grey carpet casters (hard floor casters not available in warm grey). Stool cylinder is always black.

Base color selection for polished aluminum includes; polished aluminum base, black cylinder and black carpet or hard floor casters.

Foot Ring


Task stools are equipped with an adjustableheight foot ring made with black die-cast aluminum hub and spokes with an 18" diameter chrome-plated tubluar steel ring.

KI Custom Poly Color Matching Program


Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.





Doni Task Chair



Doni Task Stool

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



		MODEL	NUMBER	}					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN5100							24.0#
<i>[</i> /	Solid Color, Upholstered Seat	DN5200							26.5#
	Solid Color, Upholstered Seat/Back	DN5300							28.0#
	Two-Tone, Polypropylene	DN5A00	NFR						24.0#
	Two-Tone, Upholstered Seat	DN5B00	NFR						26.5#
)N51									
DN52									
N53									
DN5A									
DN5B									
Task Armless Chair									
Solid or two-tone colored shell									
 Unlimited custom color matching 									
 17 degrees of hip articulation Stack and quest chair models avail- 									
able									
		A	•	Θ	O	9	•	Θ	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 Fabrics & Finishes binder.
- Select base color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

 *Add \$82 for polished aluminum base.

Select caster option.

CHC - Hard floor casters
CCC - Carpet casters

G Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Pric	ivered sing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	400										
	N/A	506	514	529	506	529	537	573	587	605	631
	N/A	531	539	554	531	554	562	598	612	630	656
	450										
	N/A	556	564	579	556	579	587	623	637	655	681

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.



		MODEL	NUMBEF	}					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN5111							26.0#
	Solid Color, Upholstered Seat	DN5211							28.5#
	Solid Color, Upholstered Seat/Back	DN5311							30.0#
	Two-Tone, Polypropylene	DN5A11	NFR						26.0#
	Two-Tone, Upholstered Seat	DN5B11	NFR						28.5#
g g									
DN51									
DN52									
DN53									
DN5A									
DN5B									
Task Cantilever Armchair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation 									
 Stack and guest chair models avail- able 									
aule									
		A	3	0	0	(3	(3	0	-

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Oselect outside/inside poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select base color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

 *Add \$82 for polished aluminum base.

Select caster option.

- Hard floor casters

- Carpet casters

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u>
Fabrics & Finishes binder.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 454										
N/A	560	568	583	560	583	591	627	641	659	685
N/A	585	593	608	585	608	616	652	666	684	710
504										
N/A	610	618	633	610	633	641	677	691	709	735

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.



		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN6100							27.0#
	Solid Color, Upholstered Seat	DN6200							29.5#
	Solid Color, Upholstered Seat/Back	DN6300							31.0#
	Two-Tone, Polypropylene	DN6A00	NFR						27.0#
	Two-Tone, Upholstered Seat	DN6B00	NFR						29.5#
© b									
DN61									
DN62									
DN63									
DN6A									
DN6B									
Task Armless Stool									
Solid or two-tone colored shell									
 Unlimited custom color matching 									
17 degrees of hip articulation Stack and quest shair models avail									
 Stack and guest chair models available 									
		Φ	3	Θ	O	Œ	•	Θ	

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- **C**Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select outside/inside poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select base color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder. *Add \$82 for polished aluminum base.

Select caster option.

CHC - Hard floor casters

- Carpet casters

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 485										
N/A	591	599	614	591	614	622	658	672	690	716
N/A	616	624	639	616	639	647	683	697	715	741
535										
N/A	641	649	664	641	664	672	708	722	740	766

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.



		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN6111							29.0#
	Solid Color, Upholstered Seat	DN6211							31.5#
	Solid Color, Upholstered Seat/Back	DN6311							33.0#
	Two-Tone, Polypropylene	DN6A11	NFR						29.0#
	Two-Tone, Upholstered Seat	DN6B11	NFR						31.5#
d y									
DN61									
DN62									
DN63									
DN6A									
DN6B									
Task Cantilever Arm Stool									
Solid or two-tone colored shell									
 Unlimited custom color matching 									
17 degrees of hip articulation Steel and guest shair models such									
 Stack and guest chair models avail- able 									
		A	3	Θ	O	(3	ð	Θ	
		-	-	-	-	-	-	-	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Oselect outside/inside poly color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 Fabrics & Finishes binder.
- Select base color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

 *Add \$82 for polished aluminum base.

Select caster option.

CHC - Hard floor casters

• Carpet casters

G Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.





Delivered Pricing Unupholst	Delivered Pricing Fabric Grade ered 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 539										
N/A	645	653	668	645	668	676	712	726	744	770
N/A	670	678	693	670	693	701	737	751	769	795
589										
N/A	695	703	718	695	718	726	762	776	794	820

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene
Added List Price=\$10
Model=Solid Color, Upholstered Seat
Added List Price=\$63
Model=Solid Color, Upholstered Seat/Back
Added List Price=\$90

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

	1-Place Unit	2-Place Unit	3-Place Unit	4-Place Unit
Features				
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height	17"	17"	17"	17"
Unit width	18-3/4"	44-1/2"	66-1/2"	86"
Unit height	33"	33"	33"	33"
Corner table top	30" x 30"	30" x 30"	30" x 30"	30" x 30"
In-line table	20" x 20"	20" x 20"	20" x 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injection-molded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Under-seat Structure

Support structure is a die-drawn 12-gauge steel plate. Structure is finished with baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint.

Tandem Base

Cast aluminum alloy leg section. 14-gauge 1"x2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

Inline Table

Solid core top is 20"x20"x7/8" with a vinyl bullnose edge.

Corner Table

Solid core top is 30"x30"x7/8" with a vinyl bullnose edge.

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

Tandem Seating General Information



INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Doni[®] Tandem Seating

			MODEL NUMI	BER					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Solid Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Polypropylene - No Arm, SOLID COLOR	1 Seat, 0 In-Line Table	DND10/S1/T0						0.0#
	Optional in-line tables	1 Seat, 1 In-Line Table	DND10/S1/T1						0.0#
		2 Seat, 0 In-Line Table	DND10/S2/T0						0.0#
		2 Seat, 1 In-Line Table	DND10/S2/T1						0.0#
		3 Seat, 0 In-Line Table	DND10/S3/T0						0.0#
		3 Seat, 1 In-Line Table	DND10/S3/T1						0.0#
		4 Seat, 0 In-Line Table	DND10/S4/T0						0.0#
DND1		3 Seat, 2 In-Line Table	DND10/S3/T2						0.0#
		4 Seat, 1 In-Line Table	DND10/S4/T1						0.0#
		5 Seat, 0 In-Line Table	DND10/S5/T0						0.0#
			•	3	Θ	0	3	3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>
- Select fire code.

FR - Fire retardant
NFR - No Fire Retardant
See pricing column for TB133 upcharge.

- Select solid poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select surface finish for table.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select table edge color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.



Delivered Pricing	FR add to price	list
\$ 568	\$	10
1254		10
1134		20
1820		20
1701		30
2387		30
2271		40
3073		30
2955		40
2839		50

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

Doni[®] Tandem Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select frame color.

 Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fire code.

NFR - No Fire Retardant

- OSelect outside/inside poly color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u>

 Fabrics & Finishes binder.
- Select surface finish for table.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select table edge color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.



Approx. Packaged Weight Delivered Pricing 0.0# \$ 618 0.0# 1304 0.0# 1234 0.0# 1920 0.0# 1851 0.0# 2537 0.0# 2471 0.0# 3223 0.0# 3155 0.0# 3089		
0.0# \$ 618 0.0# 1304 0.0# 1234 0.0# 1920 0.0# 1851 0.0# 2537 0.0# 2471 0.0# 3223 0.0# 3155		
0.0# \$ 618 0.0# 1304 0.0# 1234 0.0# 1920 0.0# 1851 0.0# 2537 0.0# 2471 0.0# 3223 0.0# 3155	Approx.	Dalimanad
0.0# \$ 618 0.0# 1304 0.0# 1234 0.0# 1920 0.0# 1851 0.0# 2537 0.0# 2471 0.0# 3223 0.0# 3155	Weight	Pricing
0.0# 1234 0.0# 1920 0.0# 1851 0.0# 2537 0.0# 2471 0.0# 3223 0.0# 3155		
0.0# 1920 0.0# 1851 0.0# 2537 0.0# 2471 0.0# 3223 0.0# 3155	0.0#	1304
0.0# 1851 0.0# 2537 0.0# 2471 0.0# 3223 0.0# 3155	0.0#	1234
0.0# 2537 0.0# 2471 0.0# 3223 0.0# 3155	0.0#	1920
0.0# 2471 0.0# 3223 0.0# 3155	0.0#	1851
0.0# 3223 0.0# 3155	0.0#	2537
0.0# 3155	0.0#	2471
	0.0#	3223
0.0# 3089	0.0#	3155
	0.0#	3089

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

Doni[®] Tandem Seating

MODEL NUMBER Poly Basic Frame Fire Solid Surface Edge Upholstery MODEL **Features** Model Color Code Color Color 1 Seat, 0 In-Line Table DND20S1T0 Upholstered Seat - No Arm, SOLID 1 Seat, 1 In-Line Table DND20S1T1 Optional in-line tables 2 Seat, 0 In-Line Table DND20S2T0 1 seat, 0 in-line table models must con-2 Seat, 1 In-Line Table DND20S2T1 nect to a corner table Corner table is ordered separately 3 Seat, 0 In-Line Table DND20S3T0 3 Seat, 1 In-Line Table DND20S3T1 4 Seat, 0 In-Line Table DND20S4T0 DND20S3T2 DND2 3 Seat, 2 In-Line Table DND20S4T1 4 Seat, 1 In-Line Table 5 Seat, 0 In-Line Table DND20S5T0 0 Θ 0 • 0 Δ 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select frame color.
 Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See pricing column for TB133 upcharge.

- Oselect solid poly color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select surface finish for table.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select table edge color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.

(G) Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder.</u>



Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
0.0#	\$ 674	\$ 682	\$ 697	\$ 674	\$ 697	\$ 705	\$ 741	\$ 755	\$ 773	\$ 799	\$ 63
0.0#	1360	1368	1383	1360	1383	1391	1427	1441	1459	1485	63
0.0#	1346	1362	1392	1346	1392	1408	1480	1508	1544	1596	126
0.0#	2032	2048	2078	2032	2078	2094	2166	2194	2230	2282	126
0.0#	2019	2043	2088	2019	2088	2112	2220	2262	2316	2394	189
0.0#	2705	2729	2774	2705	2774	2798	2906	2948	3002	3080	189
0.0#	2695	2727	2787	2695	2787	2819	2963	3019	3091	3195	252
0.0#	3391	3415	3460	3391	3460	3484	3592	3634	3688	3766	189
0.0#	3379	3411	3471	3379	3471	3503	3647	3703	3775	3879	252
0.0#	3369	3409	3484	3369	3484	3524	3704	3774	3864	3994	315

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

Doni[®] Tandem Seating

MODEL NUMBER Poly Basic Frame Fire Outside/Inside Surface Edge Upholstery MODEL **Features** Model Color Color Finish Color Upholstered Seat - No Arm, TWO-TONE 1 Seat, 0 In-Line Table DNDB0S1T0 NFR Optional in-line tables 1 Seat, 1 In-Line Table DNDB0S1T1 NFR 1 seat, 0 in-line table models must con-2 Seat, 0 In-Line Table DNDB0S2T0 $\Box\Box$ NFR nect to a corner table Corner table is ordered separately 2 Seat, 1 In-Line Table DNDB0S2T1 NFR 3 Seat, 0 In-Line Table DNDB0S3T0 NFR 3 Seat, 1 In-Line Table DNDB0S3T1 NFR 4 Seat, 0 In-Line Table DNDB0S4T0 NFR DNDB0S3T2 DNDB 3 Seat, 2 In-Line Table NFR DNDB0S4T1 4 Seat, 1 In-Line Table NFR 5 Seat, 0 In-Line Table DNDB0S5T0 NFR 0 Θ • 0 0 Δ 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select frame color.
 Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fire code.

NFR - Compliance to TB 117-2013

- OSelect outside/inside poly color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.
- Select surface finish for table.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select table edge color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.

Select upholstery grade/color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
0.0#	\$ 724	\$ 732	\$ 747	\$ 724	\$ 747	\$ 755	\$ 791	\$ 805	\$ 823	\$ 849
0.0#	1410	1418	1433	1410	1433	1441	1477	1491	1509	1535
0.0#	1446	1462	1492	1446	1492	1508	1580	1608	1644	1696
0.0#	2132	2148	2178	2132	2178	2194	2266	2294	2330	2382
0.0#	2169	2193	2238	2169	2238	2262	2370	2412	2466	2544
0.0#	2855	2879	2924	2855	2924	2948	3056	3098	3152	3230
0.0#	2895	2927	2987	2895	2987	3019	3163	3219	3291	3395
0.0#	3541	3565	3610	3541	3610	3634	3742	3784	3838	3916
0.0#	3579	3611	3671	3579	3671	3703	3847	3903	3975	4079
0.0#	3619	3659	3734	3619	3734	3774	3954	4024	4114	4244

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

Doni[®] Tandem Seating

MODEL NUMBER Poly Basic Frame Fire Solid Surface Edge Upholstery MODEL **Features** Model Color Color Code Color DND30S1T0 1 Seat, 0 In-Line Table Upholstered Seat and Back - No Arm, SOLID COLOR 1 Seat, 1 In-Line Table DND30S1T1 Optional in-line tables DND30S2T0 2 Seat, 0 In-Line Table 1 seat, 0 in-line table models must con-2 Seat, 1 In-Line Table DND30S2T1 nect to a corner table Corner table is ordered separately 3 Seat, 0 In-Line Table DND30S3T0 3 Seat, 1 In-Line Table DND30S3T1 4 Seat, 0 In-Line Table DND30S4T0 DND30S3T2 DND3 3 Seat, 2 In-Line Table 4 Seat, 1 In-Line Table DND30S4T1 5 Seat, 0 In-Line Table DND30S5T0 0 Θ 0 • • Δ 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select frame color.
 Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See pricing column for TB133 upcharge.

- Oselect solid poly color.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- Select surface finish for table.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select table edge color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 Fabrics & Finishes binder.

(G) Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder.</u>



Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
0.0#	\$ 699	\$ 707	\$ 722	\$ 699	\$ 722	\$ 730	\$ 766	\$ 780	\$ 798	\$ 824	\$ 90
0.0#	1385	1393	1408	1385	1408	1416	1452	1466	1484	1510	90
0.0#	1396	1412	1442	1396	1442	1458	1530	1558	1594	1646	180
0.0#	2082	2098	2128	2082	2128	2144	2216	2244	2280	2332	180
0.0#	2094	2118	2163	2094	2163	2187	2295	2337	2391	2469	270
0.0#	2780	2804	2849	2780	2849	2873	2981	3023	3077	3155	270
0.0#	2795	2827	2887	2795	2887	2919	3063	3119	3191	3295	360
0.0#	3466	3490	3535	3466	3535	3559	3667	3709	3763	3841	270
0.0#	3479	3511	3571	3479	3571	3603	3747	3803	3875	3979	360
0.0#	3494	3534	3609	3494	3609	3649	3829	3899	3989	4119	450

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

Doni[®] Tandem Seating

	MODEL Features			MBER			
				Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Corner Table	Connects 2 units	TCT				0.0#
	Number of tables per arrangementPlastic laminate with vinyl bullnose edge						
	For mounting modular units at a 90°						
	angle						
	 Two required for U-shaped configuration One required for L-shaped configuration 						
MSCT	cho roquitor 2 chapca comigaration						
	Back Ganging Bar		DOP.GANG				8.0#
HRDPT	Connects 2 units back-to-back		DOI .GANG				U.U#
וווטו ו	 Powder coated to match base 						
	Sold in pairs						
			(A)	B	Θ	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>
- Select surface finish for table.
 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.
- ② Select table edge color.

 Refer to the KI Color Addendum or KI
 Fabrics & Finishes binder.



Doni® Tandem Seating

ExWorks Pricing

571

\$ 198

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2016 Krueger International, Inc. All Rights Reserved. Code KI-11621/KI/PDF/0616