January 3, 2011 Updated April 5, 2018 800-424-2432









Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.	O.L., and C.O.V.	
	BONDUEL, GREEN BAY, ONTARIO, and TUPE	
	HIGH POINT	4
	Shipping Location	6
Stack/Nesting	1000 Series™	8
	Apply®	14
	Dorsal [®]	20
	Grazie®	24
	Maestro [®]	46
	Matrix®	50
	Opt4®	56
	Perry®	82
	Piretti	88
	Plaza™	96
	Rapture®	100
	Silhouette®	112
	Strive®	118
	Strive® HD	156
	Strive® Nesting	162
	Torsion® on the Go!®	172
	Torsion®	179
	Torsion Air®	190
	Versa® Basic	202
	Versa® Conference	210
	Versa® Standard	214
	Versa® XL	234
	Xylon®	240
Guest Chairs	AerDyn®	244
	Bantam™	248
	Berlage™	252
	Itoki DP™	256
	Jubi™	260
	Mondial™	264


BONDUEL, GREEN BAY, ONTARIO, and TUPELO

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret fabric

direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When direcBy providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous vardage.



C.O.M., C.O.L. and C.O.V. Testing

tional or patterned fabrics are used, they often require more yardage than solid colors.

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility,
ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801 For products shipped from Bonduel, WI facility, ship material to:

KI Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:


Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests,

Drovide a

sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

Kl assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customers responsibility to arrange for return of this material.

C.O.M., C.O.L and C.O.V. Information Form Please see information below and check the appropriate box. A copy of this form should accompany test requests and production orders. Please fill it out ☐ Submitted for testing. Test approved. Submitted for production. completely, and, if your order has been Purchase Order Number KI Acknowledgement Number acknowledged, provide the acknowledgement number. Purchasing Agent (Dealer or buying organization) In all instances, send this form to the C.O.M. Specialist. Attention B^{Selvage} Side and Side Selvage Top and Bottom Address City State Zip Project Name Type of seating and number of units of each type

Ordering C.O.M., C.O.L., and C.O.V. BONDUEL, GREEN BAY, ONTARIO, and TUPELO



Customer's Own Material

Specifications Form January 2017

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS

MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

- I. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





Customer's Own Material ■

Specifications Form January 2017


ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)



YOUR COMPANY NAME		
PHONE	FAX	
Material Supplier		
Material Name		
Material Color		
Vertical Repeat		
COM TO BE USED ON THE FOLLOWING:		
QTY PRODUCT NAME/NUMBER		



Shipping Location

C.O.M. SHIPPING LOCATION



				1
Architectural Walls	System 3000		Hub Modular Lounge Seating	
Genius WallsMi			Impress Task Chairs	
	Wireworks	MN	Impress Ultra Task Chairs	OM
Casegoods	Unite	MN	Jessa Lounge Seating	HN
Dante Benches	3		Jubi Guest Chair	GB
Darwin TackboardsMl	Residence Hall Furniture		Kismet Task/Guest Chairs & Stools	OM
Aristotle TackboardsMl	N RoomScape Furniture	MN	Kurv Benches	HN
			LaResta Day Beds	HN
Classroom Furniture	Screens		Lyra Lounge Seating	HN
360° Classroom Furniture BV	/ All Terrain	KP	Maestro Stack Chairs	GB
Dorsal 1090 ChairsG	3 Connection Zone	BW	Matrix Stack Chairs	GB
Intellect Wave ChairsG	3 True/Volition	KP	Medical & Laboratory Stools	OM
Learn2 G	3 Genesis	KP	Mesa Lounge & Task Seating	HN
			MyWay Seating	HN
Desking	Seating		Neena Benches	
700 Series DeskingK	P 100 Series Folding Chairs	BW	Opt4	GB
Balance OverheadsMľ	N 300 Series Folding Chairs	BW	Perry Stack Chairs	GB
Genesis DeskingMi	N 600 Series Stools	BW	Perth Multiple & Healthcare Seating.	HN
True DeskingK	700 Series Folding Chairs	BW	Perth II Healthcare Seating	HN
Universal OverheadsMi	_		Pilot Task Chairs	OM
WorkZone DeskingMi	I 100 Series Folding Chairs	BW	Piretti Stack Chairs	GB
S	Aerdyn Guest Seating		Promenade Seating System	BW
Files & Storage	Affina Collection		Rapture Stack Chairs & Stools	
700 Series Pedestal Cushion	3 Arissa Lounge	HN	Ruckus	
Connection Zone Pads	8		Rose Healthcare	BW
U-Series Pedestal Cushion	Apply Stack Chairs	GB	Sela Lounge Seating	HN
	Auditorium Folding Chairs		Sift Task Chairs	
Fixed Seating	Avail Task Chairs		Silhouette Stack Chairs & Stools	
Concerto Auditorium Seating BV	V Bantam Guest Seating	HN	Soltice Metal Collection	HN
Single Pedestal SeatingG	6		Soltice Multiple, Healthcare & Guest	HN
Jury Base SeatingG	_		Soltice II Healthcare Seating	
Hi5	<u> </u>	_	Strive Multiple, Stack & Task	
Lancaster Auditorium Seating	, ,		Sway	
Sequence Seating	,		Tea Cup Lounge Seating	
University Seating			Torsion-on-the-Go! Nesting Chairs .	
	Engage Task Chairs & Stools		Torsion Air Stack and Task Seating	
Panel Systems	Front Row Seats (Silk Screening)		Torsion Stack and Task Seating	
All Terrain	`		Versa Stack Chairs & Stools	
Balance Overheads			. c. ca duck Chaird & decoid	

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

Contact KI at 1-800-424-2432

<u>BW</u>

KI Bonduel

Attn: COM Storage

204 West South St.

Bonduel, WI 54107

KI Green Bay

Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

 $\underline{\mathsf{HN}}$ KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263 KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

<u>OM</u> Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761

<u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



Stack/Nesting 1000 Series™ General Information



Round Leg Stack Chair (1000/CH)

Features

Molded polypropyleene shell	•
Stackable	•
Round tubular steel frame	•
Powder-coated finish optional	•
Chrome finish	•
Ganging available	•
General Dimensions	
Seat width	18-1/4"
Seat depth	19-3/4"
Seat height	17-1/2"
Overall Dimensions	
Width	22"
Depth	22-1/4"
Height	31"

SPECIFICATIONS

Shells

One-piece contoured high-impact polypropylene. Heavy-duty construction with ribs to reinforce points of stress. Rolled edges for comfort and strength. Textured front and back. Fastens with four screws. Color permeates shell.

Legs

Two leg sections of 14-gauge, 3/4" o.d. seam-welded tubular steel welded into an integral unit by 2 die-formed steel crossbraces at sides. Ganging models have steel knobs on crossbrace which lock into keyhole slot on crossbrace of adjacent chair. Self-leveling glides.

Standard Bright Chrome Finish

Surfaces are chrome finished.

Optional Powder-Coated Finish

Electrostatically-applied epoxy powder, baked-on.

FD.BL Frame Stack Chair Dolly

Tubular steel frame crossed at center and welded. 3" swivel casters. Caster housings are welded to frame. Nonchipping enamel is electrostatically applied, then baked-on, alkyd urea formula. Standard chair capacities permit passage through an 80" doorway.



Stack/Nesting 1000 Series™ General Information



X-Frame Stack Chair Dolly (FD.BL)

Features

Capacity (permits passage fhrough an 80" doorway)	
1000 chairs	12
General Dimensions	
Length	25"
Width	23-1/2"
Height from floor	4-3/4"
Casters	4

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

			MODE	L NUMBER	l					
	MODEL	Features	Basic Model	Ganging Option	Frame Color	Shell Color	Glide Option	Approx. Packaged Weight		
	Round Leg Stack Chair Injection-molded polypropylene shell	Unupholstered	1000					11.0#		
	with rounded edges Textured finish									
	Round tubular legs with bright chrome finish standard									
/ \	12 chairs on dolly pass through 80" doorway									
<u>l</u>	Ganger available for chrome finish only									
1000										
			A	3	Θ	0	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model. Select ganging option. G - Gangers NG - No gangers Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. • Select shell color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. Select glide option. PG - Plastic glides (standard) SS - Stainless steel glide; add \$8 NS - Non-skid glides; add \$15 Upcharge is for set of 4 glides



Delivered Pricing Unupholstered

\$ 9

INFORMATION

Custom-Matched Polypropylene Shell Colors

1000 Series: Any one color. Supply a 3" x 3" swatch for matching. Additional cost: 1-999 Shells = \$1146 Additional 1000-2499 Shells = \$680 Additional 2500+ Shells = No Additional Cost

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California
Technical Bulletin 133. Add "FR" to end of model number.

Model=Unupholstered Added Lead Time=1 week Added List Price= \$24

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

MODEL NUMBER Approx. Basic Packaged MODEL Model Weight X-Frame Stack Chair Dolly FD.BL 12.0# · Round tubular steel frame For 1000 Series stack chairs Four 3" swivel wheels · Black enamel finish only • 4-3/4" high from floor, empty HRDPT **(**

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing Unupholstered

208

INFORMATION

Custom-Matched Polypropylene Shell Colors

1000 Series: Any one color. Supply a 3" x 3" swatch for matching. Additional cost: 1-999 Shells = \$1146 Additional 1000-2499 Shells = \$680 Additional 2500+ Shells = No Additional Cost

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Unupholstered Added Lead Time=1 week Added List Price= \$24

Model=Upholstered Seat Added Lead Time=1 week Added List Price= \$50

Model=Upholstered Seat and Back Added Lead Time=1 week Added List Price= \$69

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C


Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 175.

If ordering MD.S: Ships **knocked down FOB Tupelo, MS 38804, freight prepaid**. Freight class 175.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Apply™ General Information



SPECIFICATIONS

Shell

One-piece contoured wood shell is constructed of formed plywood, .460"-.480" thick, 7-ply maple and poplar construction. The mold-formed seat and back provide for comfort and strength. Top/bottom and front/ back surfaces are vertical grade postforming, product type 335, high-pressure laminate thickness of .028". Standard finish is #38 or #60 with a sanded, waxed edge. The wood shell is supported by four plywood circular disks and 1/4 -20 t-nuts bonded with construction-grade adhesive and fastened to a variety of base structures with four 1/4 -20x1/2" thread-locking screws. The chair perimeter is designed such that it provides a feature to support backpacks or courier bags. Shells are available in wood grain laminates or solid laminates.

Frame

Legs are formed from ¾" OD x 13-gauge tubular steel. The seat plate is formed from 12-gauge steel and reinforced with 7/16" diameter wire crossmembers. All joints are welded. The frames are finished in either baked-on electrostatically-applied 30 degree gloss epoxy powder coating, or bright nickel-chrome plating. An injection-molded polypropylene shroud finishes the underside of the assembly, and provides a contoured surface for stacking. Sled base or 4-leg chairs stack 6-high on the floor.

Upholstered Seat

As an option, shells may be equipped with an upholstered seat pad. Urethane foam is attached to a formed plywood upholstery liner, then upholstered using a drawstring process. The foam is a nominal ½" thickness. The pad assembly is attached to the shell using 10-24 screws, engaging T-nuts in the liner.

Clides


4-leg chairs and stools have the option of a swivel glides with a stainless steel contact surface or a nylon glide. Standard sled chairs have no glides, but optional glides may be ordered. The optional glides are attached to the sled tube using screws and are available in black nylon, natural nylon, non-skid, or capped in stainless steel.

Cafe Stool


Available in nominal 24" and 30" seat heights and are not stackable. Legs are formed from 3/4" OD x 13-gauge tubular steel. The seat plate is formed from 12-gauge steel and reinforced with 7/16" diameter wire crossmembers. All joints are welded. The frames are finished in either baked-on electrostatically-applied 30 degree gloss epoxy powder coating or bright nickel-chrome plating. An injection-molded polypropylene shroud finishes the underside of the assembly. Stool frames have an added footring made of 1/2" diameter steel wire.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs


It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.



Apply Four-Leg Chair



Apply 24"/30" Low Back Cafe Stool



Apply 24"/30" High Back Cafe Stool

INFORMATION

C.O.M. Testing and ProductionRequirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered only and cushioned/upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl cannot be used on this product.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Apply™ Chairs

			MODEL	. NUMBE	R					
	MODEL	Features	Basic Model	Frame Color	Shell Color	Fire Code	Upholstery Color	Glide (4-Leg)	Glide (Sled Base)	
	Four-Leg Armless Chair	Laminate Shell	ALNAP							
	Wood laminate shellWoodgrain and solid laminate options	Upholstered Seat Pad	ALNAU							
\	Tested to 300 pounds and BIFMA stan-									
	dards									
// ₩ \										
ALP										
ALU										
7125	Sled Base Armless Chair	Laminate Shell	ASNAP							
	Wood laminate shell	Upholstered Seat Pad	ASNAU							
[Woodgrain and solid laminate optionsTested to 300 pounds and BIFMA stan-									
\ (dards									
ASP										
ASU										
7,00	Transport Dolly for Fixed Cushion Chairs		ACD.BL							
ſ <u>N</u>	 Easy maneuverability with 5" casters; 		7.02.52							
	two fixed, two swivel Black powder-coated finish									
	For use with fixed cushion chairs									
Ø										
HRDPT										
			A	3	•	0	•	•	œ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select laminate shell color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select 4-leg base glide option.

- Nylon glides - Steel glides

GNG - No glides - Non-marring glides - Non-skid glides; add \$26 GNM GNS GBL - Plastic glides

- Stainless steel glide; add \$26 GSS



Stack/Nesting Apply™ Chairs

Approx. Packaged Weight	Prid	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
20.0#	\$	355										
20.0#		N/A	483	487	502	483	502	504	520	570	589	616
00.0#	Φ.	000										
20.0# 20.0#	\$	366 N/A	493	497	512	493	512	515	530	580	599	627
20.0#		N/A	493	497	312	493	312	515	550	300	599	021
0.0#	\$	408										

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge:

Model=Upholstered Seat Added List Price=\$42

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Apply® Cafe Stools

			MODEL N	IIMDED					
			MODEL N	OINIDEU					
	MODEL	F4	Basic	Seat	Frame	Shell	Fire	Upholstery	0
	MODEL	Features	Model	Height	Color	Color	Code	Color	Glide
	Four-Leg High Back Armless Cafe Stool • Wood laminate shell	Laminate Shell	ALHSNAP						
7	 Woodgrain and solid laminate options 	Upholstered Seat Pad	ALHSNAU						
) (Two seat heights (24" & 30") 								
	 Tested to 300 pounds and BIFMA standards 								
	uaius								
24" Showi	n								
° 24 3110WI	II								
ALHSP									
ALHSU									
ALIIOU	Four-Leg Low Back Armless Cafe Stool	Laminate Shell	ALLSNAP						
	Wood laminate shell	Upholstered Seat Pad	ALLSNAU						
	Woodgrain and solid laminate options	Ophiolatored Scat r ad	ALLONAU						
	 Two seat heights (24" & 30") Tested to 300 pounds and BIFMA stan- 								
	dards								
24" Shown									
2. 3110WII									
ALLSP									
ALLSU									
			A	•	_	_	-	A	
				•	Θ	0	•	•	Θ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect seat height.

24 - 24" Seat Height 30 - 30" Seat Height

- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select laminate shell color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select glide option.

N - Nylon glides - Steel glides



Stack/Nesting Apply® Cafe Stools

Approx. Packaged Weight	Delivered Pricing Unuphol- stered		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
32.0#	\$	528										
32.0#		N/A	658	663	683	658	683	698	714	745	764	790
31.0#	\$	518	-				_		-			_
31.0#		N/A	647	652	673	647	673	687	703	734	753	780

OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge:

Model=Upholstered Seat Added List Price=\$42

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting

Dorsal® General Information



Armless Stacking Round Leg Chair (DRNA)



Round Leg Chair Transport Dolly (VTD.BL)

Features		
Stackable	•	
Ganging	•	
Articulating backrest	•	
Available unupholstered	•	
Available with upholstered seat only	•	
Available with upholstered seat and back	•	
General Dimensions		
Seat width	19"	
Seat depth	17-1/2"	
Seat height	18-1/4"	
Overall Dimensions		
Width	22-3/4"	24"
Depth	21-3/4"	21"
Height	32"	7"
Tablet width x depth		
Stacking on dolly		
Quantity/dimensions	8 Chairs/25" x 27" x 76"	
Stacking on floor		

5 Chairs



Ganging

SPECIFICATIONS

Seat and Back

Quantity

Unupholstered chairs have a textured thermoplastic shell. Body contact areas have textured pattern. Upholstered chairs have fabric covered, extra thick, soft foam backrest and seat cushions fastened to an inner shell. Automatic mechanism governs backrest movement.

Legs

3/4" o.d., seam-welded tubular.

Ganging Elements

Built-in couplers for ganging are optional. Monochromatic with frame color.

Self-leveling glides are replaceable. Choice of plastic or steel glides.

Stacking

See the above chart for stacking capabilities on a transport dolly. Do not exceed these

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yard sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage maybe requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed and developed by Emilio Ambasz and Giancarlo Piretti for OPENArk B.V. Manufactured in the USA by Krueger International, Inc. under license from OPENArk

Dorsal® is a registered trademark of OPENArk B.V. and is used under license by Krueger International, Inc.



Stack/Nesting
Dorsal® General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

			MODEL N	IIMRFR					
			IIIODEE II	OIIIDEIL					
	MODEL	Features	Basic Model	Frame Color	Shell Color	Fire Code	Uph. Color	Glide Option	Approx. Packaged Weight
	Armless Stacking Round Leg Chair	Unupholstered	DRNA						17.0#
	 Articulating backrest 	Upholstered Seat	DRNA/SO						17.0#
		Upholstered Seat/Back	DRNA/SB						19.0#
\wedge									
//:/									
I									
DR									
DRU									
<u>~</u>	Round Leg Chair Transport Dolly		VTD.BL						19.0#
	 Easy maneuverability with caster wheels; two 3" fixed, two 5" swivel 								
	Seam-welded tubular steel frame								
113	 Black powder-coated finish 								
HRDPT									
			A	3	•	0	(3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select shell color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.

- Plastic glides - Steel glides



Stack/Nesting

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 243									
N/A	378	403	413	413	420	438	475	507	535
N/A	447	514	521	521	476	517	559	594	633

\$ 375

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 5/8 yard per upholstered seat chair and 1 yard per upholstered seat and back chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L" section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=No Upholstery Added Lead Time=1 week Added List Price= \$61

Model=Upholstered Added Lead Time=1 week Added List Price= \$101

Gangers

For ganging mechanism, add "/G" to end of model numbers. List price upcharge is \$13

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Stack/Nesting Grazie® General Information











Armless Four-Leg Chair (GLNAU)

Four-Leg Cantilever Arm Chair (GLCAP)

Four-Leg Flip-up Tablet
Arm Chair
(GLTALIRH)

Four-Leg Flip-up Oversize Tablet Arm Chair

Four-Leg Flip-and-Store (G2) Tablet Arm Chair

	(GLNAU)	(GLCAP)	(GLTAURH)	lablet Arm Chair	(G2) lablet Arm Chair
Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•	•
General Dimensions					
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Tablet to chair back clearance			14-1/2"	14-1/2"	14-1/2"
Overall Dimensions					
Width	22-3/16"	25-7/8"	23-1/2"	23-1/2"	23-1/2"
Depth	21-5/16"	21-5/16"	27-3/8"	31"	26-3/4"
Height	32-5/8"	32-5/8"	32-5/8"	32-5/8"	32-5/8"
Top of arm to floor		26-1/4"	26-3/4"	26-3/4"	26-3/4"
Stacking on Dolly					
Overall width	25"	25-7/8"			
Overall depth	36"	36"			
Quantity/height	12 Poly Chairs/60" High (6 Uph Chairs)	12 Poly Chairs/60" High (6 Uph Chairs)			
Stacking on Floor					
Width	22-3/16"	25-7/8"			
Depth	28"	28"			
Quantity/height	5 Chairs/43" High	5 Chairs/43" High			

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Sled Frame

Frames are 3/4" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickel-chrome plating.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The

leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps). Optional glides for the sled base are co-extuded to provide a softer, non-skid surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.

Seat and Shroud

Injection molded polypropylene.

Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced nylon

matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond translucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Flip-up Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14". Plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and sealed.

Flip-and-Store (G2) Tablet Arm

The pivot mechanism consists of two pivot cams, two steel hinge barrels, a pivot shaft, and a hinged steel support plate which fastens to the tablet board. Available in right or left-hand models. The working surface is 13-3/4" x 18-1/8".

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.



Stack/Nesting Grazie® General Information













Armless Sled Base Chair (GSNAP)

Sled Base Cantilever Arm Chair (GSCAU)

Sled Base Flip-up Tablet **Arm Chair**

Sled Base Flip-up Oversize Tablet Arm Chair

Sled Base Flip-and-Store (G2) Tablet Arm Chair

Transport Dolly (GCD.BL)

	(donal)	(dound)	(GSTAPRH)			
Features						
Stackable	•	•				
Poly, upholstered seat, or upholstered seat/back	•	•	٠	٠	•	
Ergonomic articulation (Perfect Pivot)	•	•	•	•	•	
General Dimensions						
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"	
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"	18-5/16"	
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Tablet to chair back clearance			14-1/2"	14-1/2"	14-1/2"	
Overall Dimensions						
Width	22"	25-7/8"	23-1/2"	23-1/2"	23-1/2"	25"
Depth	21-1/4"	21-1/4"	27-3/8"	31"	26-3/4"	29"
Height	32-5/8"	32-5/8"	32-5/8"	32-5/8"	32-5/8"	15-3/4"
Arms to floor		26-1/4"				
Stacking on Dolly						
Overall width	25"	25-7/8"				
Overall depth	36"	36"				
Quantity/height	12 Poly Chairs/60" High (6 Uph Chairs)	12 Poly Chairs/60" High (6 Uph Chairs)				
Stacking on Floor						
Width	22-3/16"	25-7/8"				
Depth	28"	28"				
Quantity/height	5 Chairs/43" High	5 Chairs/43" High				

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

Grazie® General Information



Armless Four-Leg Chair with Casters



Four-Leg Cantilever Arm Chair with Casters



Four-Leg Flip-up Tablet Arm Chair with Casters



Four-Leg Flip-up Oversize Tablet Arm Chair with



Four-Leg Flip-and-Store (G2) Tablet Arm Chair with

	(GLNAUC)	(GLCAUC)	(GLTAPCRH)	Casters	Casters
Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
Ergonomic articulation (Perfect Pivot)	•	•	•	•	•
General Dimensions					
Seat width	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"	18-5/16"	18-5/16"	18-5/16"
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Tablet to chair back clearance			14-1/2"	14-1/2"	14-1/2"
Overall Dimensions					
Width	23"	25-7/8"	24"	24"	24"
Depth	21-5/16"	21-5/16"	27-3/8"	31"	26-3/4"
Height	32-5/8"	32-5/8"	32-5/8"	32-5/8"	32-5/8"
Arms to floor		26-1/4"			
Stacking on Floor					
Width	23"	25-7/8"			
Depth	28"	28"			
Quantity/height	5 Chairs/43" High	5 Chairs/43" High			

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13 -gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Sled Frame

Frames are 3/4" o.d. x 13-gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. All joints are welded.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickelchrome plating.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The

leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps). Optional glides for the sled base are co-extuded to provide a softer, non-skid surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.

Seat and Shroud

Injection molded polypropylene.

Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced nylon

matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond translucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Flip-up Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14". Plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and sealed


Flip-and-Store (G2) Tablet Arm

The pivot mechanism consists of two pivot cams, two steel hinge barrels, a pivot shaft, and a hinged steel support plate which fastens to the tablet board. Available in right - or left-hand models. The working surface is 13-3/4" x 18-1/8".

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.





Grazie Armless Four Leg Chair

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting



Four-Leg Armless Cafe Stool -24" or 30" Seat Height (GLSNAP)

Four-Leg Cantilever Arm Cafe Stool - 24" or 30" Seat Height

Features		
Stackable	•	•
Poly, upholstered seat, or upholstered seat/back	•	•
Ergonomic articulation (Perfect Pivot)	•	•
General Dimensions		
Seat width	18-1/2"	18-1/2"
Seat depth	18-5/16"	18-5/16"
Seat height (upholstered add 1")	23-3/4" or 29-3/4"	23-3/4" or 29-3/4"
Overall Dimensions		
Width	22-3/16"	25-7/8"
Depth	21-5/16"	21-5/16"
Height	38-5/8" or 44-5/8"	38-5/8" or 44-5/8"
Arms to floor		32-1/4" or 38-1/4"
Stacking on Floor		
Width	22-3/16"	25-7/8"
Depth	28"	28"
Quantity/height	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High

SPECIFICATIONS

4-Leg Frame

Legs are 7/8" o.d. x 13 -gauge tubular steel. A double ring of 7/16" diameter steel wire forms the cross member. The fixed backrest mechanism structure is formed of 1/2" diameter steel wire. A 3-sided foot ring is made of a pair of 7/16" diameter steel wires. All joints are welded.

Frame Finishes

Baked-on electrostatically-applied 30° gloss epoxy powder coating or bright nickel-chrome plating.

Glides

The bottom ends of the leg tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps).

Seat and Shroud

Injection molded polypropylene.

Backrest Articulation Mechanism

A pair of outer backrest supports formed from 1' diameter tubular steel are inserted into sockets molded into the backrest and secured with screws. The backrest assembly moves over molded thermoplastic slide bushings and is supported by steel coil springs. This mechanism allows the backrest to move through 15 degrees of movement, about an axis of rotation that is through the hips of the occupant.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness and back foam is nominal 1/2" thickness. The fasteners that attach the back pad are color-matched to the polypropylene.


Arms

Optional cantilever arms are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced nylon matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond translucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.


Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Stools

It is recommended that stools to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.





Grazie 24" Cafe Stool



Grazie 30" Cafe Stool

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color
	Four-Leg Armless Chair	Polypropylene	GLNAP						
	Ergonomic articulation (Perfect Pivot)Stacking	Upholstered Seat	GLNAU						
	• Stacking	Upholstered Seat/Back	GLNAUB						
U									
.P									
.U									
UB									
	Four-Leg Armless Chair with Casters	Polypropylene, Casters	GLNAPC						
	 Ergonomic articulation (Perfect Pivot) Stacking. Caution should be excercised 	Uph. Seat, Casters	GLNAUC						
	to prevent casters from marring compo- nents such as frames, fabric, etc., and	Uph. Seat/Back, Casters	GLNAUBC						
	to prevent casters from becoming "hung								
a 2	up" underneath the seat of the chairStacking on dollies is NOT recommend-								
_	ed								
P U									
JB									
200				B	•	•	3	•	∟ ⊕

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters

- Hard floor casters

Select glide option.

- Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Pri	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
23.0#	\$	317										
26.0#		N/A	430	438	452	430	452	460	497	512	530	557
28.0#		N/A	456	465	480	456	480	488	525	540	558	584

24.0#	\$ 338										
27.0#	N/A	450	458	473	450	473	481	518	534	552	577
28.0#	N/A	476	485	500	476	500	508	545	560	578	605

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$65

Model=Upholstered Seat and Back Added List Price=\$93

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **assembled**, **FOB Green Bay**, **WI 54302**, **freight prepaid**. Freight class 125.

Specifications and prices are subject to change without prior notice.

			_							
			MODEL N	UMBER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color	
	Four-Leg Cantilever Armchair	Polypropylene	GLCAP							
	Ergonomic articulation (Perfect Pivot)Stacking	Upholstered Seat	GLCAU							
	Stacking	Upholstered Seat/Back	GLCAUB							
/ \" \"										
l .										
GLP										
GLU										
GLUB										
	Four-Leg Cantilever Armchair with	Polypropylene, Casters	GLCAPC							
	Casters	Uph. Seat, Casters	GLCAUC							
	 Ergonomic articulation (Perfect Pivot) Stacking. Caution should be excercised 	Uph. Seat/Back, Casters	GLCAUBC							
	to prevent casters from marring compo-									
4 / a /	nents such as frames, fabric, etc., and									
9	to prevent casters from becoming "hung up" underneath the seat of the chair									
	Stacking on dollies is NOT recommend-									
GLP	ed									
GLU										
GLUB										
			(A)	3	Θ	0	(3	•	(

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters - Hard floor casters

Select glide option.

- Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Packaged Unuphol- Weight stered		Delivered Pricing Fabric Grade 1 & C.O.M.	Pricing Pricing Pricing Fabric Grade Fabric Grade Fabric		elivered Delivered ricing Delivered Pricing Delivered Vinyl Group C.O.V. 2V		Delivered Delivered Pricing Pricing Pallas Fabric Group P0 Group P1		cing Pricing Ilas Fabric Pallas Fabric		Delivered Pricing Pallas Fabric Group P4
26.0#												
29.0#		N/A	535	543	557	535	557	567	604	618	637	662
31.0#		N/A	561	570	585	561	585	592	629	644	662	688
07.0#	Ф.	440										
27.0#	\$	443										
30.0#		N/A	555	563	577	555	577	586	623	638	656	682
31.0#		N/A	581	590	605	581	605	613	650	666	684	710

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$65

Model=Upholstered Seat and Back Added List Price=\$93

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER						
					Seat &		Tablet		
			Basic	Frame	Back	Glide	Arm	Fire	Uph.
	MODEL	Features	Model	Color	Color	Option	Color	Code	Color
	Four-Leg Flip-up Tablet Arm Chair • Ergonomic articulation (Perfect Pivot) • NONSTACKING	Polypropylene, Left Hand	GLTAPLH						
		Polypropylene, Right Hand	GLTAPRH						
	NONSTACKING	Uph. Seat, Left Hand0	GLTAULH						
		Uph. Seat, Right Hand	GLTAURH						
/ \ / \		Uph. Seat/Back, Left Hand	GLTAUBLH						
u U		Uph. Seat/Back, Right Hand	GLTAUBRH						
•									
Р									
U									
JB									
	Four-Leg Flip-up Oversize Tablet Arm	Polypropylene, Left Hand	GLOVTAPLH						
	Chair	Polypropylene, Right Hand	GLOVTAPRH						
	Oversized tabletErgonomic articulation (Perfect Pivot)	Uph. Seat, Left Hand	GLOVTAULH						
	NONSTACKING	Uph. Seat, Right Hand	GLOVTAURH						
/ / / /		Uph. Seat/Back, Left Hand	GLOVTAUBLH						
1 "		Uph. Seat/Back, Right Hand	GLOVTAUBRH						
3									
	Four-Leg Flip-and-Store (G2) Tablet Arm	Polypropylene, Left Hand	GLG2APLH						
	ChairErgonomic articulation (Perfect Pivot)	Polypropylene, Right Hand	GLG2APRH						
	NONSTACKING	Uph. Seat, Left Hand	GLG2AULH						
	- 3	Uph. Seat, Right Hand	GLG2AURH						
/ \\		Uph. Seat/Back, Left Hand	GLG2AUBLH						
N .		Uph. Seat/Back, Right Hand	GLG2AUBRH						
J									
UB									
			(A)	3	Θ	O	(3	3	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select glide option.

 P Plastic glides

- Steel glides

Select tablet arm color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 117-2013

- Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Approx. Packaged Weight	Pri Un	livered cing uphol- ered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
29.0#	\$	518						·		·		
29.0#		518										
32.0#		N/A	630	639	652	630	652	661	698	713	731	757
32.0#		N/A	630	639	652	630	652	661	698	713	731	757
34.0#		N/A	657	665	680	657	680	687	724	741	757	784
34.0#		N/A	657	665	680	657	680	687	724	741	757	784
31.0#	\$	571										
31.0#		571										
34.0#		N/A	683	692	706	683	706	714	751	766	784	811
34.0#		N/A	683	692	706	683	706	714	751	766	784	811
35.0#		N/A	710	718	733	710	733	741	778	792	811	837
35.0#		N/A	710	718	733	710	733	741	778	792	811	837
30.0#	\$	547										
30.0#		547										
33.0#		N/A	660	668	682	660	682	691	728	743	761	787
33.0#		N/A	660	668	682	660	682	691	728	743	761	787
35.0#		N/A	686	695	710	686	710	717	754	769	787	814
35.0#		N/A	686	695	710	686	710	717	754	769	787	814

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety CodeFor California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$65

Model=Upholstered Seat and Back Added List Price=\$93

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUMB	rn.						
			MODEL NUMB	EK	1	1				
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Tablet Arm Color	Fire Code	Uph. Color	
	Four-Leg Flip-up Tablet Arm Chair with	Poly, Left Hand, Casters	GLTAPCLH							
	Casters	Poly, Right Hand, Casters	GLTAPCRH							
	 Ergonomic articulation (Perfect Pivot) 	Uph. Seat, Left Hand, Cast.	GLTAUCLH							
	• NONSTACKING	Uph. Seat, Right Hand, Cast.	GLTAUCRH							
		Uph. Seat/Back, Left Hand, Cast.	GLTAUBCLH							
a / P		Uph. Seat/Back, Right Hand, Cast.	GLTAUBCRH							
GLP										
GLU										
GLUB										
	Four-Leg Flip-up Oversize Tablet Arm	Poly, Left Hand, Casters	GLOVTAPCLH							
	Chair with Casters	Poly, Right Hand, Casters	GLOVTAPCRH							
	Oversized tabletErgonomic articulation (Perfect Pivot)	Uph. Seat, Left Hand, Cast.	GLOVTAUCLH							
A	NONSTACKING	Uph. Seat, Right Hand, Cast.	GLOVTAUCRH							
\$ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Uph. Seat/Back, Left Hand, Cast.	GLOVTAUBCLH							
8		Uph. Seat/Back, Right Hand, Cast.	GLOVTAUBCRH							
GLP										
GLU										
GLUB										
	Four-Leg Flip-and-Store (G2) Tablet Arm	Poly, Left Hand, Casters	GLG2APCLH							
	Chair with Casters	Poly, Right Hand, Casters	GLG2APCRH							
	Ergonomic articulation (Perfect Pivot) NONETACKING	Uph. Seat, Left Hand, Cast.	GLG2AUCLH							
	• NONSTACKING	Uph. Seat, Right Hand, Cast.	GLG2AUCRH							
4 / a /		Uph. Seat/Back, Left Hand, Cast.	GLG2AUBCLH							
~ P		Uph. Seat/Back, Right Hand, Cast.	GLG2AUBCRH							
GLP										
GLU										
GLUB										
			•	3	Θ	0	3	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters

- Hard floor casters

Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Pri Un	livered cing uphol- ered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
30.0#	\$	538										
30.0#		538										
33.0#		N/A	650	659	673	650	673	681	718	734	751	778
33.0#		N/A	650	659	673	650	673	681	718	734	751	778
34.0#		N/A	677	685	700	677	700	709	746	761	779	804
34.0#		N/A	677	685	700	677	700	709	746	761	779	804
31.0#	\$	591										
31.0#		591										
34.0#		N/A	703	712	726	703	726	734	771	786	804	830
34.0#		N/A	703	712	726	703	726	734	771	786	804	830
36.0#		N/A	730	739	753	730	753	762	799	814	832	857
36.0#		N/A	730	739	753	730	753	762	799	814	832	857
31.0#	\$	568										
31.0#		568										
34.0#		N/A	680	688	702	680	702	711	748	763	781	808
34.0#		N/A	680	688	702	680	702	711	748	763	781	808
35.0#		N/A	707	715	730	707	730	739	776	786	809	834
35.0#		N/A	707	715	730	707	730	739	776	786	809	834

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$65

Model=Upholstered Seat and Back Added List Price=\$93

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL	NUMBER					4
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
	Sled Base Armless Chair	Polypropylene	GSNAP						25.0#
	Ergonomic articulation (Perfect Pivot) Stacking	Upholstered Seat	GSNAU						28.0#
	Stacking	Upholstered Seat/Back	GSNAUB						30.0#
GSP									
GSU									
GSUB									
	Sled Base Cantilever Armchair	Polypropylene	GSCAP						27.0#
	 Ergonomic articulation (Perfect Pivot) Stacking	Upholstered Seat	GSCAU						30.0#
	Glacking	Upholstered Seat/Back	GSCAUB						32.0#
GSP									
GSU									
GSUB									
			A	3	Θ	0	(3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

• Select glide option.

- No glides - Non-marring glides - Non-skid glides - Black plastic glides GNM GNS GBL GSS - Stainless steel glide

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Unupholstered \$ 328 N/A N/A	Delivered Pricing Fabric Grade 1 & C.O.M. 440 467	Delivered Pricing Fabric Grade 2 449 475	Delivered Pricing Fabric Grade 3 462 490	Delivered Pricing C.O.V. 440 467	Delivered Pricing Vinyl Group 2V 462 490	Delivered Pricing Pallas Fabric Group P0 471 499	Delivered Pricing Pallas Fabric Group P1 508 536	Delivered Pricing Pallas Fabric Group P2 523 551	Delivered Pricing Pallas Fabric Group P3 541 569	Delivered Pricing Pallas Fabric Group P4 568 594
\$ 433										
\$ 433 N/A	545	554	568	545	568	577	614	629	647	673
N/A	572	580	595	572	595	603	640	655	673	699

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$65

Model=Upholstered Seat and Back Added List Price=\$93

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **assembled**, **FOB Green Bay**, **WI 54302**, **freight prepaid**. Freight class 125.

			MODEL NUM	RFR						
			MODEL NOM		Т	Ι	Τ	<u> </u>		
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Uph. Color	
	Sled Base Flip-up Tablet Arm Chair	Polypropylene, Left Hand	GSTAPLH							
	Ergonomic articulation (Perfect Pivot)	Polypropylene, Right Hand	GSTAPRH							
	 NONSTACKING 	Uph. Seat, Left Hand	GSTAULH							
		Uph. Seat, Right Hand	GSTAURH							
		Uph. Seat/Back, Left Hand	GSTAUBLH							
		Uph. Seat/Back, Right Hand	GSTAUBRH							
GSP GSU										
GSUB										
	Sled Base Flip-up Oversize Tablet Arm	Polypropylene, Left Hand	GSOVTAPLH							
	Chair	Polypropylene, Right Hand	GSOVTAPRH							
	Oversized tablet	Uph. Seat, Left Hand	GSOVTAULH							
A	Ergonomic articulation (Perfect Pivot)NONSTACKING	Uph. Seat, Right Hand	GSOVTAURH							
	Nonomoniud	Uph. Seat/Back, Left Hand	GSOVTAUBLH							
		Uph. Seat/Back, Right Hand	GSOVTAUBRH							
GSP										
GSU										
GSUB	Sled Base Flip-and-Store (G2) Tablet	Polypropylene, Left Hand	GSG2APLH							
	Arm Chair	Polypropylene, Right Hand	GSG2APRH							
	Ergonomic articulation (Perfect Pivot)	Uph. Seat, Left Hand	GSG2AULH							
	 NONSTACKING 	Uph. Seat, Right Hand	GSG2AURH							
1 1		Uph. Seat/Back, Left Hand	GSG2AUBLH							
		Uph. Seat/Back, Right Hand	GSG2AUBRH							
~										
GSP										
GSU										
GSUB										
			Ø	•	Θ	0	•	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select glide option.

- No glides - Non-skid glides GNM GNS - Black plastic glides GBL GSS - Stainless steel glide

Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Pri Un	livered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
31.0#	\$	528										
31.0#		528										
34.0#		N/A	641	649	663	641	663	672	709	723	742	768
34.0#		N/A	641	649	663	641	663	672	709	723	742	768
36.0#		N/A	667	676	691	667	691	698	735	751	768	794
36.0#		N/A	667	676	691	667	691	698	735	751	768	794
33.0#	\$	581										
33.0#		581										
36.0#		N/A	694	702	716	694	716	724	762	777	794	821
36.0#		N/A	694	702	716	694	716	724	762	777	794	821
37.0#		N/A	720	729	744	720	744	751	788	803	821	848
37.0#		N/A	720	729	744	720	744	751	788	803	821	848
32.0#	\$	558										
32.0#		558										
35.0#		N/A	671	679	693	671	693	701	739	753	771	798
35.0#		N/A	671	679	693	671	693	701	739	753	771	798
37.0#		N/A	697	706	720	697	720	728	765	780	798	824
37.0#		N/A	697	706	720	697	720	728	765	780	798	824

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-

For California Technical Bulletin 133 compli ant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$65

Model=Upholstered Seat and Back Added List Price=\$93

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	
	Transport Dolly • Easy maneuverability with 5" casters:	GCD.BL	32.0#	
	two fixed, two swivel Rugged weld tubular steel frame			
~ (0)	Black powder-coat finish			
HRDPT				



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 402

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Grazie® Cafe Stools

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Seat Height	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color
	Four-Leg Armless Cafe Stool	Polypropylene	GLSNAP						
	Ergonomic articulation (Perfect Pivot)Stacking	Upholstered Seat	GLSNAU						
	Two seat heights	Upholstered Seat/Back	GLSNAUB						
GLSP									
GLSU GLSUB									
, , , , , , , , , , , , , , , , , , ,	Four-Leg Cantilever Arm Cafe Stool	Polypropylene	GLSCAP						
	 Ergonomic articulation (Perfect Pivot) 	Upholstered Seat	GLSCAU						
	StackingTwo seat heights	Upholstered Seat/Back	GLSCAUB						
U									
GLSP									
GLSU									
GLSUB									
GE002			A	3	О	O	Э	•	О

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect seat height.

24 - 24" Seat Height 30 - 30" Seat Height

- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option.

- Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Stack/Nesting Grazie® Cafe Stools

Approx. Packaged Weight	Prio	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
32.0#	\$	434										
35.0#		N/A	546	555	569	546	569	577	614	629	647	674
37.0#		N/A	573	581	596	573	596	605	642	657	675	700

35.0#	\$ 539										
38.0#	N/A	651	660	674	651	674	683	720	735	753	779
40.0#	N/A	678	686	701	678	701	709	746	761	779	805

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$65

Model=Upholstered Seat and Back Added List Price=\$93

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Maestro® General Information



Stacking Chair (MSP)



Stacking Chair with Fixed Seat/Back Cushion (MSUSB)



Transport Dolly

Features			
Stackable	•	•	
Ganging	•	•	
Polypropyene seat and back	•	•	
Upholstered seat and back fixed cushion		•	
General Dimensions			
Seat width	18"	18"	
Seat depth	17-1/2"	17-1/2"	
Seat height	17-1/2"	18"	
Floor to back height	31-1/2"	31-1/2"	
Overall Dimensions			
Width	19-1/4"	19-1/4"	22-3/8"
Depth	21-1/4"	21-1/4"	25-5/8"
Ganging on center	20"	20"	
Stacking on Dolly			
Width	23"	23"	
Depth	42"	42"	
Quantity/height	38 Chairs/80" High	15 Chairs/80" High	
Stacking on Floor			
Width	19-1/4"	19-1/4"	
Depth	31"	31"	
Quantity/height	10 Chairs/38-3/4" High	10 Chairs/38-3/4" High	

SPECIFICATIONS

Seat and Backrest

Injection-molded polypropylene seat and back. Back features a contoured handle for easy lifting and stacking.

Seat and Back Pads

Fixed seat and back pads consist of a 3/16" thick plywood board with threaded inserts for attachment. The boards are covered in 1/2" foam padding and wrapped with fabric. The pads are attached to the seat and back with screws into the threaded fasteners.

Chair Frame

7/16" solid steel rod in bright nickel-chrome or with electrostatically-applied epoxy.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy, baked onto surface. Stacking powder-coated frames is not recommended.

Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powder-coated finish.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl and Kl's 2V cannot be used on the MXU Matrix® model (upholstered seat/back, no cushion) but can be used on fixed cushion models.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Stack/Nesting Maestro® General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Maestro®

			MODEL N	IIIMRFR					
	MODEL	Features	Basic Model	Glide Option	Frame Color	Seat & Back Color	Fire Code	Upholstery Color	Approx. Packaged Weight
	Stack Chair	Polypropylene	MSP						16.0#
	Polypropylene seat and backrest	Fixed Seat Cushion	MSUS						18.0#
	 Polypropylene seat and back with uphol- stered seat cushion 	Fixed Seat/Back Cushion	MSUSB						20.0#
	 Polypropylene seat and back with uphol- 								
	stered cushion on seat and back								
	 Steel rod frame in chrome or colors 38 chairs on the dolly stack to 80" high 								
	oo onano on the dony stack to oo mgn								
MSP									
MSUS									
MSUSB									
	Transport Dolly for Poly Chairs Easy maneuverability with 5' casters; two fixed, two swivel Black powder-coated finish		CSD.BL						30.0#
HRDPT									
	Transport Dolly for Upholstered Chairs Easy maneuverability with 5' casters; two fixed, two swivel Black powder-coated finish		MFSD.BL						30.0#
HRDPT									
			(A)	3	Θ	0	3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect glide option.

- Ganging polycarbonate glides; add \$5 GS - Gar - Ganging steel glides; add \$5

- Polycarbonate glides; add \$5 NS

- PVC non-skid glides; add \$5 - Stainless steel glides; add \$5

Select frame color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

- Select seat and back color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select fire code.

- No Fire Retardant NFR - Compliance to TB 117-2013 NFR - Compliance to TB 133

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Stack/Nesting Maestro®

	vered Pricing pholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	151								
	N/A	225	239	247	246	256	276	289	309
	N/A	317	342	356	331	379	410	435	465

\$ 416

\$ 416

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. Requirement for orders of 11 or more with upholstered seat only is 1/2 yard per chair. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added List Price=\$24

Model=Uph. Seat Pad Only Added Lead Time=N/A Added List Price=\$68

Model=Uph. Seat/Back Pad Added Lead Time=N/A Added List Price=\$82

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting







Armless Stacking Chair with Fixed Seat/Back Cushion (MXFSB)

Features		
Ganging	•	•
Polypropyene seat and back	•	
Upholstered seat and back fixed cushion		•
Overall Dimensions		
Width	18-7/8" (26" With Arm)	18-7/8" (26" With Arm)
Depth	21-3/4"	21-3/4"
Height	32-1/2"	32-1/2"
Seat height	18"	18"
Stacking on Dolly		
Polypropylene seat	45 Chairs/79" High	
Fixed seat		15 Chairs/60" High
Fixed seat and back		16 Chairs/63-1/2" High
Depth	37-1/2"	37-1/2"
Stacking on Floor		
Polypropylene seat	15 Chairs/42" High	



Tablet Arm

SPECIFICATIONS

Plastic Seats, Backrests and Armcaps Injection-molded polypropylene.

Chair Frame

7/16" solid steel rod, bright duplex nickel chrome. Optional with electrostatically-applied epoxy (not recommended on tablet arm models).

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy, baked onto surface. Stacking and use of tablet arms on powder-coated frames not recommended.

Tablet Arm

7/16" solid steel rod frame, hinged tablet for easy access. Standard size has resin core; high-pressure laminate surface. Round tablet edge with clear lacquer finish. Oversized has plywood core with clear lacquered edges. Black has black painted edges. Bright chrome frame only. Chairs are nonstacking when attached, not available for use with powder-coated frame chairs. Tablet flips up for easy access. Seating clearance is 14" for standard and oversized tablet arms. Standard tablet is 20-1/2" long and 12" wide. Oversized tablet is 20-1/2" long and 17" wide. Ganging with tablet is not recommended

Tablet Arm on Upholstered Chair

It is recommended that the tablet arm not be removed after it is affixed to the chair.

Upholstery

"Fixed Seat and/or Back Cushions" have padded fabric only on the seat and on the front of the back. Both the seat and front of the back have plastic exposed around the cushions.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.



Stack/Nesting Matrix® General Information



Transport Dolly (Poly Chairs only) (MXD.BL)



Transport Dolly (Fixed Cushion Chairs) (MVP.BL)

Overall Dimensions		
Width	22-3/8***	22-3/8""
Depth	25-5/8"	25-5/8"
Height		14"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl and KI's 2V cannot be used on the MXU Matrix® model (upholstered seat/back, no cushion) but can be used on fixed cushion models.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

			MODEL NUMBER	R					
	MODEL	Features	Basic Model	Glide Option	Frame Color	Seat & Back Color	Fire Code	Uph. Color	Tablet Arm Color
	Armless Stack Chair	Polypropylene	MX						
()	Polypropylene seat and backrest Polygropylene seat and backrest	Fixed Seat Cushion	MXFS						
	 Polypropylene seat and back with uphol- stered seat cushion 	Fixed Seat/Back Cushion	MXFSB						
	· Polypropylene seat and back with uphol-								
	stered cushions on seat and back								
	 Steel rod frame in chrome or colors Wire stacking bumper frame is standard 								
	on upholstered chair								
_									
MX									
MXFS									
MXFSB									
	Standard Flip-Up Tablet Arm	Left Hand	MXTARM/STD/L						
	NONSTACKING12" wide x 20-1/2" deep	Right Hand	MXTARM/STD/R						
	• Field installable								
	For use only on chrome framed chairs								
u u									
MXT									
_	Oversize Flip-Up Tablet Arm	Left Hand	MXTARM/0VS/L						
	NONSTACKING17" wide x 20-1/2" deep	Right Hand	MXTARM/OVS/R						
	Field installable								
U T	For use only on chrome framed chairs								
<u>.</u>									
MXT									
			A	3	Θ	O	(3	•	Θ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect glide option.

- Ganging polycarbonate glides; add \$5 - Ganging steel glides; add \$5 - No glides GS - Polycarbonate glides; add \$5

- PVC non-skid glides; add \$5
 Stainless steel glides; add \$5 NS
- Select frame color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

- Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- **G**Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.





Approx. Packaged Weight	Pri	livered cing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
17.0#	\$	218										
19.0#		N/A	293	307	312	293	312	314	324	342	356	375
21.0#		N/A	385	409	424	385	424	400	448	478	502	531

7.0#	\$ 177
7.0#	177

9.0#	\$ 23
9.0#	23

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

Custom-Matched Polypropylene Colors

Colors to be matched require a 3" \times 3" swatch. Minimum order is 100 chairs. Additional lead time required.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added List Price=\$25

Model=Upholstered Added Lead Time=1 week Added List Price=\$44

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Matrix®

		MODEL NUMBER	
		Pagia	Approx.
	MODEL	Basic Model	Packaged Weight
	Transport Dolly for Fixed Cushion Chairs • Easy maneuverability with 5" casters;	MVP.BL	19.0#
	two fixed, two swivel		
	 Black powder-coated finish For use with fixed cushion chairs 		
~			
HRDPT			
	Transport Dolly for Poly Chairs	MXD.BL	30.0#
	 Easy maneuverability with 5" casters; two fixed, two swivel 		
	Black powder-coated finishFor use with poly		
	- Tot use with poly		
	'		
HRDPT	1		
		Δ	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Matrix®

Delivered Pricing Unupholstered

\$ 438

\$ 404

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Opt4® General Information











Mesh Seat, Mesh Back Four-Leg Chair (O4LNAMSMB)

Mesh Seat, Poly Back Four-Leg Chair (O4LNAMSPB)

Poly Seat, Mesh Back Four-Leg Chair (O4LNAPSMB)

Poly Seat, Poly Back Four-Leg Chair (O4LNAPSPB)

Transport Dolly (O4LD.BL)

	,	,	,	,	
Features					
Stackable	•	•	•	•	
Mesh or poly seat and back	•	•	•	•	
General Dimensions					
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"	
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Overall Dimensions					
Width	20-1/2"	20-1/2"	20-1/2"	20-1/2"	22-1/2"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"	26-1/8"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"	15-1/2"
Stacking on dolly					
Overall width	22-1/2"	22-1/2"	22-1/2"	22-1/2"	
Overall depth	37"	37"	37"	37"	
Quantity/height	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High	
Stacking on floor					
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	

SPECIFICATIONS

Frame

Frame is fabricated from 7/8" o.d. x 17-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Glides

Glides are molded from nylon. Available in black or stone grey.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Polypropylene frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.

Arme

Optional armrests are available. When equipped with arms, a formed steel tube is welded directly to the chair frame. Armcaps are polypropylene material.


Transport Dolly

Powder coated tubular steel frame. Two swivel casters and two fixed casters.

Design

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.





INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Opt4® General Information



Mesh Seat, Mesh Back Four-Leg Arnchair (O4LWAMSMB)



Mesh Seat, Poly Back Four-Leg Arnchair (O4LWAMSPB)



Poly Seat, Mesh Back Four-Leg Arnchair (O4LWAPSMB)



Poly Seat, Poly Back Four-Leg Arnchair (O4LWAPSPB)

Features				
Stackable	•	•	•	•
Mesh or poly seat and back	•	•	•	•
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Overall Dimensions				
Width	24-5/8"	24-5/8"	24-5/8"	24-5/8"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"
Stacking on dolly				
Overall width	22-1/2"	22-1/2"	22-1/2"	22-1/2"
Overall depth	37"	37"	37"	37"
Quantity/height	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High
Stacking on floor				
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

SPECIFICATIONS

Frame

Frame is fabricated from 7/8" o.d. x 17-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Glides

Glides are molded from nylon. Available in black or stone grey.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Polypropylene frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.

Arme

Optional armrests are available. When equipped with arms, a formed steel tube is welded directly to the chair frame. Armcaps are polypropylene material.

Transport Dolly


Powder coated tubular steel frame. Two swivel casters and two fixed casters.

Nacian

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.

Stack/Nesting Opt4® General Information





Stack/Nesting





Mesh Seat, Mesh Back Four-Leg Chair with Casters (O4LNAMSMBC)



Mesh Seat, Poly Back Four-Leg Chair with Casters (O4LNAMSPBC)



Poly Seat, Mesh Back **Four-Leg Chair with Casters** (O4LNAPSMBC)



Poly Seat, Poly Back Four-Leg Chair with Casters (O4LNAPSPBC)

Features				
Stackable	•	•	•	•
Mesh or poly seat and back	•	•	•	•
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Overall Dimensions				
Width	20-1/2"	20-1/2"	20-1/2"	20-1/2"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"
Stacking on floor				
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

SPECIFICATIONS

Frame

Frame and front cross member are fabricated from 1/2" o.d. x 16-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Casters are double-wheel, high-impact thermoplastic. 50mm in diameter. Available in black.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Plastic frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.

Optional armrests are available. When equipped with arms, a formed steel tube is welded directly to the chair frame. Armcaps are polypropylene material.

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.



Stack/Nesting



Mesh Seat, Mesh Back Four-Leg Armchair with Casters (O4LWAMSMBC)



Mesh Seat, Poly Back Four-Leg Armchair with Casters (O4LWAMSPBC)



Poly Seat, Mesh Back Four-Leg Armchair with Casters (O4LWAPSMBC)



Poly Seat, Poly Back Four-Leg Armchair with Casters (O4LWAPSPBC)

Features				
Stackable	•	•	•	•
Mesh or poly seat and back	•	•	•	•
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Overall Dimensions				
Width	24-5/8"	24-5/8"	24-5/8"	24-5/8"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"
Stacking on floor				
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Opt4® General Information



Mesh Seat, Mesh Back Sled Base Chair (O4MSMB)



Mesh Seat, Poly Back Sled Base Chair (O4MSPB)



Poly Seat, Mesh Back Sled Base Chair (O4PSMB)



Poly Seat, Poly Back Sled Base Chair (O4PSPB)



Transport Dolly (O4DA.BL)

Features					
Stackable	•	•	•	•	
Ganging	•	•	•	•	
Mesh or poly seat and back	•	•	•	•	
General Dimensions					
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"	
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Seat height	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Overall Dimensions					
Width	19-3/4"	19-3/4"	19-3/4"	19-3/4"	22-3/8"
Depth	21-13/16"	21-13/16"	21-13/16"	21-13/16"	32"
Height	32-3/16"	32-3/16"	32-3/16"	32-3/16"	16-3/4"
Stacking on dolly					
Overall width	22-3/8"	22-3/8"	22-3/8"	22-3/8"	
Overall depth	38-1/4"	38-1/4"	38-1/4"	38-1/4"	
Quantity/height	38 Chairs/80" High	38 Chairs/80" High	38 Chairs/80" High	38 Chairs/80" High	
Stacking on floor					
Quantity/height	10 Chairs/40-1/4" High	10 Chairs/40-1/4" High	10 Chairs/40-1/4" High	10 Chairs/40-1/4" High	

SPECIFICATIONS

Frame

Frame and front cross member are fabricated from 1/2" o.d. x 16-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Glides

Glides are molded from a thermoplastic elastomer and can come with or without integral ganging clips. Glides are stone grey.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Plastic frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.


Transport Dolly

Powder coated tubular steel frame. Two swivel casters and two fixed casters.

Design

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.





Dimensions are the same for all mesh/poly combination chairs.

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Opt4® General Information











Mesh Seat, Mesh Back Stool (O4SMSMB)

Mesh Seat, Poly Back Stool (04SMSPB)

Poly Seat, Mesh Back Stool (O4SPSMB)

Poly Seat, Poly Back Stool (O4SPSPB)

Transport Dolly (04SD.BL)

Features					
Stackable	•	•	•	•	
Ganging	•	•	•	•	
Mesh or poly seat and back	•	•	•	•	
General Dimensions					
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"	
Seat depth	17-3/4"	17-3/4"	17-3/4"	17-3/4"	
Seat height	28-3/8"	28-3/8"	28-3/8"	28-3/8"	
Overall Dimensions					
Width	20-1/8"	20-1/8"	20-1/8"	20-1/8"	22-3/8"
Depth	23"	23"	23"	23"	25-5/8"
Height	42"	42"	42"	42"	14"
Height on dolly	30 Chairs/80"H x 24"W x 52"D				
Height on floor	8 Chairs/48-1/2" High	8 Chairs/48-1/2" High	8 Chairs/48-1/2" High	8 Chairs/48-1/2" High	

SPECIFICATIONS

Frame

Frame and front cross member are fabricated from 1/2" o.d. x 16-gauge tubular steel. All joints are welded.

Frame Finish

Baked-on, electrostatically-applied powder coating or bright nickel chrome plating.

Glides

Glides are molded from a thermoplastic elastomer and can come with or without integral ganging clips. Glides are stone grey.

Seat and Back

Seats and backs are available in four combinations of mesh and/or polypropylene. Plastic frame and mesh are monochromatic. An integral handle is available on the poly-back models. Opt4 seating is engineered to be eco-friendly. Mesh material is made from 100% post-consumer PET bottles. All resin parts (back, seat, and glides) are 100% recycled polypropylene.

Transport Dolly


Powder coated tubular steel frame. Two swivel casters and two fixed casters.

Design

Designed by Taku Kumazawa and axona AICHI and manufactured in the USA by Krueger International, Inc.







Dimensions are the same for all mesh/poly combination chairs.

Stack/Nesting

			MODEL NUMBER					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Four-Leg Armless Chair	Mesh Seat, Mesh Back	04LNAMSMB					12.0#
	Stacking							
OPT4L			0.41.814.000		NED			10.0%
OPT4L	Four-Leg Armless Chair • Stacking	Mesh Seat, Poly Back	04LNAMSPB		NFR			12.0#
	Four-Leg Armless Chair • Stacking	Poly Seat, Mesh Back	04LNAPSMB		NFR			12.0#
OPT4L								
	Four-Leg Armless Chair • Stacking	Poly Seat, Poly Back	04LNAPSPB		NFR			12.0#
OPT4L			_					
			0	3	Θ	O	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

• Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

GBL - Black glide - Stone Grey glide



Stack/Nesting Opt4®

Delivered	d
Pricing \$ 357	
\$ 357	
\$ 323	
	
\$ 323	
φ 323	
\$ 280	
ψ 200	

INFORMATION

California TB133 Fire Safety Code

Standard Opt4[™] Chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/mesh back model only.)

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

L./N.L.

Stack/I	Nestin	(
Ont4®		•

		MODEL MUNIC	MODEL NUMBER				
MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Caster Type	Approx. Packaged Weight
• Stacking. Caution should to prevent casters from manents such as frames, fabr to prevent casters from be up" underneath the seat of • Stacking on dollies NOT re	be excercised arring compo- ric, etc., and ecoming "hung f the chair	04LNAMSMBC					13.0#
Four-Leg Armless Chair with Stacking. Caution should to prevent casters from ments such as frames, fabre to prevent casters from be up" underneath the seat of Stacking on dollies NOT re	be excercised arring compo- ric, etc., and ecoming "hung f the chair	O4LNAMSPBC		NFR			13.0#
OPT4L							
Four-Leg Armless Chair with Stacking. Caution should to prevent casters from ments such as frames, fabre to prevent casters from be up* underneath the seat of Stacking on dollies NOT re	be excercised arring compo- ric, etc., and scoming "hung f the chair	O4LNAPSMBC		NFR			13.0#
PT4L Four-Leg Armless Chair with Stacking. Caution should to prevent casters from me nents such as frames, fabr to prevent casters from be up* underneath the seat of Stacking on dollies NOT re	be excercised arring compo- ric, etc., and scoming "hung f the chair	O4LNAPSPBC		NFR			13.0#
OPT4L							
		A	•	Θ	O	3	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

• Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select caster option.

- Soft wheel casters - Carpet casters



Stack/Nesting Opt4®

Delivered Pricing

\$ 393

\$ 359

\$ 359

\$ 316

INFORMATION

California TB133 Fire Safety Code

Standard Opt4" chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/mesh back model only.)

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Opt4®

MODEL NUMBER Basic Frame Model Color Code Color Option Weight Four-Leg Armchair Stacking Mesh Seat, Mesh Back O4LWAMSMB	ged
MODEL Features Basic Frame Fire Back Glide Packag Model Color Code Color Option Weight Four-Leg Armchair Mesh Seat, Mesh Back O4LWAMSMB	ged
Four-Leg Armchair • Stacking Mesh Seat, Mesh Back 04LWAMSMB	
• Stacking	0#
OPT4L Four-Leg Armchair Mesh Seat, Poly Back O4LWAMSPB NFR IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	∩#
• Stacking Mesil Seat, Poly Back U4LWAMISPB II 12.0	U#
OPT4L	
Four-Leg Armchair • Stacking Poly Seat, Mesh Back O4LWAPSMB NFR 12.0	0#
OPT4L	
Four-Leg Armchair • Stacking Poly Seat, Poly Back O4LWAPSPB NFR 12.0	0#
OPT4L	
A B O D	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

• Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

GBL - Black

- Stone Grey glide



Stack/Nesting Opt4®

Delivered Pricing

\$ 427

\$ 393

\$ 393

\$ 350

INFORMATION

California TB133 Fire Safety Code

Standard Opt4" chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/mesh back model only.)

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

			MODEL NUMB	ER				
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Caster Type	
OPT4L	Four-Leg Armchair with Casters Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies NOT recommended	Mesh Seat, Mesh Back, Casters	O4LWAMSMBC					
OPT4L	Four-Leg Armchair with Casters Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies NOT recommended	Mesh Seat, Poly Back, Casters	04LWAMSPBC		NFR			
OPT4L	Four-Leg Armchair with Casters Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies NOT recommended	Poly Seat, Mesh Back, Casters	04LWAPSMBC		NFR			
	Four-Leg Armchair with Casters Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies NOT recommended	Poly Seat, Poly Back, Casters	O4LWAPSPBC		NFR			
OPT4L			A	B	Θ	D	3	_
			4	Ü	U	ש	U	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fire code. (Available on mesh seat/

mesh back model only).

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

• Select poly and/or mesh seat and back

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select caster option.

- Soft wheel casters

- Carpet casters



Stack/Nesting Opt4®

Approx.
Packaged Delivered
Weight Pricing

13.0# \$ 463

13.0# \$ 429

13.0# \$ 429

13.0# \$ 386

INFORMATION

California TB133 Fire Safety Code

Standard Opt4[™] Chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/mesh back model only.)

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

			MODEL N	UMBER				
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Sled Base Chair • Stacking • Ganging	Mesh Seat, Mesh Back	O4MSMB					11.0#
OPT4								
	Sled Base Chair • Stacking • Ganging	Mesh Seat, Poly Back	O4MSPB		NFR			11.0#
<u>OPT4</u>	Sled Base Chair	Poly Seat, Mesh Back	O4PSMB		NFR			11.0#
	Stacking Ganging	PULY SEAL, INTESTED DACK	U4F3IVID		INFN			11.0#
OPT4								
	Sled Base Chair • Stacking • Ganging	Poly Seat, Poly Back	04PSPB		NFR			11.0#
OPT4								
			· A	3	Θ	O	9	1

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

• Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

G	- Ganging glides
NG	- Non-ganging glides



Stack/Nesting Opt4®

Delivered Pricing

\$ 317

\$ 269

\$ 269

\$ 210

INFORMATION

California TB133 Fire Safety Code

Standard Opt4[™] Chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/mesh back model only.)

Cartoning

4 chairs per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information

n N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBER					
		MODEL NO	INIDEN				
MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Glide Option	Approx. Packaged Weight
Cafe Stool	Mesh Seat, Mesh Back	04SMSMB					18.0#
• Stacking • Ganging							
OPT4S							
Cafe Stool • Stacking	Mesh Seat, Poly Back	04SMSPB		NFR			18.0#
• Ganging							
OPT4S							
		A	•	•	0	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

• Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

- Ganging glides - Non-ganging glides



Delivered Pricing

447

\$ 399

INFORMATION

California TB133 Fire Safety Code

Standard Opt4™ chair meets the California TB133 Fire Safety Code. No upcharge and no added lead time. (Available on mesh seat/ mesh back model only.)

Cartoning 2 stools per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER				
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Cafe Stool • Stacking • Ganging	Poly Seat, Mesh Back	04SPSMB		NFR			18.0#
OPT4S	Cafe Stool	Poly Seat, Poly Back	04SPSPB		NFR			18.0#
	StackingGanging							
OPT4S								
UI 140			A	3	•	0	(3	I

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select fire code. (Available on mesh seat/

mesh back model only).

NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

• Select poly and/or mesh seat and back

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.

Select glide option.

- Ganging glides - Non-ganging glides



Delivered Pricing

399

339 \$

INFORMATION

Cartoning 2 stools per carton

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Opt4®

		MODEL NUMBER	
			Approx.
	MODEL	Basic Model	Packaged Weight
	Transport Dolly for Four-Leg Chair	04LD.BL	30.0#
HRDPT	 Easy maneuverability with 5" casters; two fixed, two swivel 		
	Black powder-coated finish		
	Transport Dolly for Sled Base Chair	04DA.BL	30.0#
	 Easy maneuverability with 5" casters; two fixed, two swivel 		
	Black powder-coated finish		
HRDPT			
	Transport Dolly for Stool	04SD.BL	30.0#
HRDPT	 Easy maneuverability with 5" casters; two fixed, two swivel 		
	Black powder-coated finish		
		_	



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Opt4®

Dali	and the state of t
Dell	vereu
Pric	vered ing
	392
Ψ	VVL
\$	392
Ψ	0JL
¢	ALC
\$	415

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Perry® General Information



Armless Stacking Chair (PRYU)



Armless Chair Dolly (PRY.D.BL)

Features		
Ganging	•	
Articulated backrest	•	
Polypropylene seat and back	•	
Upholstered seat and back	•	
Cushioned/upholstered seat and back	•	
General Dimensions		
Seat width	18-1/4"	
Seat depth	17-1/2"	
Seat height	18"	
Overall Dimensions		
Width	19-1/2"	22-1/2"
Depth	21-1/2"	25-1/2"
Height	32-1/2"	22-1/2"
Top of arm to floor		
Stacking on Dolly		
Depth	36"	
Maximum Stack Quantities and Height on Dolly		
Polypropylene seat	25 Chairs/79" High	25 Chairs
Upholstered seat, no cushion	25 Chairs/79" High	25 Chairs
Cushioned/upholstered seat	12 Chairs/60" High	12 Chairs
Stacking on Floor		
Width	20"	
Depth	35"	
Quantity/height	8 Chairs / 44" High	

SPECIFICATIONS

Plastic Chair Seats and Backrests

Injection-molded polypropylene. Seat is one piece screwed to frame. Backrest has two sections which form a snap-fit and are then screwed together. Chair seats have two die-formed 7-gauge straps welded to side frames.

Back Articulation

Articulation is achieved with a single-piece frame which flexes as the back pivots around its upper and lower crossbars.

The seat is hung from the lower back so that the user's weight perfectly counterbalances the tilting pressure of the upper back.

Chair Frame

Chair has 7/16" o.d. solid steel rod welded into a one-piece unit. Seats have two dieformed 7-gauge straps welded to side frames. Bright duplex nickel-chrome plated or painted finish.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-two step process.

Powder-Coated Finish

Electrostatically-applied epoxy baked onto surface. Tubular and plate steel welded together. 5" casters: two swivel, two fixed. Black powder-coated finish.

Stacking Bumpers

An integral part of the frame, the bumpers are welded to the lower front frame radius. Two scuff protectors will be glued to the rear crossbrace of the chair to prevent scuffing of seat wires when chairs are stacked.

Stacking

Stacking on dolly recommended.

Ganging

Wire loop ganging devide. 5/16" steel rod is bent and welded to chair frame. Factoryinstalled only. Avilable only on armless stack chairs with chrome frames.

Tablet Arm

7/16" solid steel rod frame, hinged for easy access. Resin core tablet; high pressure laminate surface. Round tablet edge with clear lacquer finish. Bright chrome frame. Chairs are nonstacking with tablet arm. Not for use with powder-coated frames. Fieldinstallable. Seating clearance is 16-1/4". Tablet is 20-5/8" long and 12" wide. An oversized tablet arm is also available. Tablet is 20-1/2" long and 17" wide.

Upholstery

Covers front of seat and backrest. Cushioned and upholstered models have 1/2" foam padding on seat and backrest. Upholstered models without cushions have upholstery fastened to shell. The back panel of the backrest is not upholstered.





Tablet Arm



Ganging Device

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. Upholstered only and cushioned/upholstered chairs must be tested separately. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Customer's own vinyl cannot be used on this product.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Charles O. Perry.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

Perrv

MODEL NUMBER Seat & Approx. Glide Basic Frame Back Fire Upholstery Packaged MODEL **Features** Model Option Color Color Weight Armless Stack Chair Polypropylene PRYP 23.0# Articulating backrest movement is gov-Cushioned/Upholstered PRYC 24.0# erned by weight of the user to provide proper support Polypropylene seat and back Cushioned and upholstered models have foam pad and upholstery PRYP PRYC **3** 0 0 **3 (** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect glide option.

NG	- No glides
H	- Polycarbonate glides; add \$5
NS	- PVC non-skid glides; add \$5
S	- Stainless steel glides; add \$5
W	- Ganging, no glides (only on
chrome	e frame): add \$56

WH - Ganging, polycarbonate glides (only on chrome frame); add \$61 WNS - Ganging, PVC non-skid glides (only on chrome frame); add \$61

WS - Ganging, stainless steel glides (only on chrome frame); add \$61

Select frame color.

Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.

Select seat and back color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

When specifying an upholstered chair, a backrest backpanel color must be specified.

Select fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 263								
N/A	547	584	608	605	615	653	672	701

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added List Price=\$29

Model=Upholstered and Cushioned/Upholstered Added Lead Time=1 week Added List Price=\$82

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Stack/Nesting

			MODEL NUMBER	}	
	MODEL	Features	Basic Model	Tablet Arm Color	Approx. Packaged Weight
	Transport Dolly 5" Casters: two fixed, two swivel Black enamel finish	Armless Chairs	PRY.D.BL		30.0#
HRDPT					
	Tablet Arm • Chrome finish	Left Hand	PRYTARM/STD/L		
	Laminate surface 20-5/8' long x 12' wide NONSTACKING	Right Hand	PRYTARM/STD/R		6.0#
PRYT	Field installable				
	Oversized Tablet Arm	Left Hand	PRYTARM/OVS/L		8.0#
	Chrome finishLaminate surface	Right Hand	PRYTARM/OVS/R		8.0#
	 17" wide x 20-1/2" deep 				
U	NONSTACKINGField installable				
PRYT					
			A	B	_

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select tablet arm color. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.



Stack/Nesting Perry®

Dali	ivered	
Dric	ivered sing	
\$	435	
Φ.	470	
ф	179	
	179	
\$	234	
	234	
	LOT	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Piretti Stack Chairs General Information



Four-Leg Stacking Chair (PSLNAU)



Four-Leg Flex Arm Stacking Chair (PSLFAU)



Four-Leg Tablet Arm Chair (PSLTARU)

Features			
Stackable	•	•	•
Ganging	•		•
Upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	18-3/4"	18-3/4"	18-3/4"
Seat height	17-1/4"	17-1/4"	17-1/4"
Back width	18-1/2"	18-1/2"	18-1/2"
Back height	11-1/4"	11-1/4"	11-1/4"
Overall Dimensions			
Width	19-1/2"	23-1/2"	21-3/4"
Depth	21-1/2"	21-1/2"	26-1/4"
Height	31-1/4"	31-1/4"	31-1/4"
Top of arm to floor		25-1/2"	25-1/2"
Ganging on center	19-3/4"		19-3/4"
Stacking on Dolly			
Upholstered chairs quantity/height	8 Chairs/61" High	8 Chairs/61" High	5 Chairs/65" High
Floor space	22" x 35"	22-1/2" x 35"	23" x 35"
Stacking on Floor			



Quantity/floor space

Ganging Device



Sled Base Glides



5 Chairs/21-3/4" x 27"

Bookrack



4 Chairs/23" x 27"

Four-Leg Carpet Glide

SPECIFICATIONS

Seat and Backrest

Seats and backrests are molded compoundcurved polypropylene with a textured finish. Backrest edges have an integral channel into which upholstery is secured. Upholstered chairs have partially exposed polypropylene surfaces. Upholstery covers 1/2" foam on the backrest and 3/4" on the seat.

Molded plastic seat liner covers the seat underside, anchors the ganging devices, and has integral bumpers for stacking chairs. Seat liner matches the seat and back color. The back tilf is 15°.

Lever Mechanism

Two hidden lever mechanisms which respond to user's weight, are located in the seat. Each has a double cam action. The rear cam is tied to the back structure and is set in motion when the occupant leans back. This, in turn, through a spring linkage, activates the front cam at a slightly different ratio (1-1/2" to 1").

The mechanisms consist of stamped steel frame and levers, a steel spring and molded Delvin and nylon components. It is calibrated at the factory and needs no further adjustment.

5 Chairs/20" x 27"

Four-Leg Chair Frame

The frame consists of two "U"-shaped leg sections, one front and one rear. These are 1" o.d., 14-gauge seam-welded tubular steel. Seat straps are welded to the legs. Lever mechanisms are bolted to the seat straps, and, in turn, are attached to the backrest by the backrest supports. When specifying a glide for the Piretti Four-Leg Stack Chair, the glide will be monochromatic with the frame.

Sled Base Frame

Frames are one continuous segment of 5/8" o.d., 16-gauge seam-welded tubular steel. Seat straps are welded to the legs. Lever mechanisms are bolted to the seat straps, and, in turn, are attached to the backrest by backrest supports. Carpet, nonmarring hard floor glides and stainless steel glides are optional.

Sled Base Chair Steel Guide

Stainless steel. Fixed in position by mechanical fastener.

Leg Finishes

Baked-on electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Tablet Arm

Plywood core tablet with high-pressure laminate surface. Tablet edge is painted black. Tablet arm support matches frame color. Standard tablet is 19-1/2" long and 12-3/4" wide. Oversized tablet is 22-1/2" long and 15-3/4" wide.

Flex Arm

Fiberglass reinforced nylon; color permeates armrest. Hinge pin is welded to backrest support and bolted to underside of seat. Arm attachments are not field-installable. Plastic armcap is field-installable. Flex arm is available in black only.

Bookrack

Chairs are nonstacking with bookrack attached. Welded wire frame; powder-coated finish. May be field-installed; requires attaching with eight screws.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together. 5"casters: two fixed, two swivel. Black powder-coated finish.

Stack/Nesting Piretti Stack Chairs General Information



Sled Base Stacking Chair (PSSNAU)



Sled Base Flex Armchair (PSSFAU)



Sled Base Tablet Arm Chair (PSSTARU)



Transport Dolly (MVP.BL)

			(i commo)	
Features				
Stackable	•			
Ganging	•		•	
Upholstered seat and back	•	•	•	
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	
Seat depth	18-3/4"	18-3/4"	18-3/4"	
Seat height	17-1/4"	17-1/4"	17-1/4"	
Back width	18-1/2"	18-1/2"	18-1/2"	
Back height	11-1/4"	11-1/4"	11-1/4"	
Overall Dimensions				
Width	19-1/2"	23-1/4"	23-1/4"	22-1/2"
Depth	21-1/2"	21-1/2"	26-1/4"	25-1/2"
Height	31-1/4"	31-1/4"	31-1/4"	12"
Top of arm to floor		25-1/2"	25-1/2"	
Ganging on center	19-3/4"		19-3/4" or 21"	
Stacking on Dolly				
Upholstered chairs quantity/height	8 Chairs/60" High			
Floor space	22" x 35"			
Stacking on Floor				
Quantity/floor space	5 Chairs/20" x 27"			

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4" yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

			MODEL NU	JMBER						
	MODEL	Features	Basic Model	Frame Color	Poly Color	Tablet Arm Color	Fire Code	Uph. Color	Glide Option	
	Four-Leg Stack Chair	Upholstered	PSLNAU		PBL					
	 Backrest tilt tension varies automati- cally based on occupant weight and is 									
	governed by the seat lever mechanism • Spring-loaded ganging device concealed									
/ / / /	under the seat									
	• 19-3/4" on center ganging									
DOLLI										
PSLU	Four-Leg Flex Arm Stack Chair	Upholstered	PSLFAU		PBL					
	 Backrest tilt tension varies automati- 	Opiioistereu	TOLIAU		TDL					
	cally based on occupant weight and is governed by the seat lever mechanism									
	GANGING NOT AVAILABLE									
/ / / /										
PSLU										
	Four-Leg Stack Tablet Arm Chair	Upholstered, Left Hand	PSLTALU		PBL					
	 Backrest tilt tension varies automati- cally based on occupant weight and is 	Upholstered, Right Hand	PSLTARU		PBL					
	governed by the seat lever mechanism									
	 Tablet arm surface in high-density plastic laminate flips up for easy entry 									
	 Tablet arm is 12-3/4" wide by 19-1/2" 									
	deep • 19-3/4" on center ganging									
PSLU	3 3 3									
		Habalatanad Laft II	DOLOTAL!		DDI					
	Four-Leg Stack Oversize Tablet Arm Chair	Upholstered, Left Hand Upholstered, Right Hand	PSLOTALU PSLOTARU		PBL PBL					
	Backrest tilt tension varies automati-	Opinoistereu, mynt Hallu	I SLUIANU		TDL					
	cally based on occupant weight and is governed by the seat lever mechanism									
	Tablet arm surface in high-density plastic									
	 laminate flips up for easy entry Tablet arm is 15-3/4" wide by 22-1/2" 									
PSLU	deep									
I OLU	• 19-3/4" on center ganging									
			A	B	Θ	•	•	•	Э	
			•	_	•	_	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly color.

 PBL Black

- Select tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

GSelect glide option.

CRD - Nickel-plated steel glides

- Plastic glides



Approx. Packaged Weight	Pri Fab	livered cing oric Grade & C.O.M.	Pri	livered cing oric Grade	Pri	ivered cing ric Grade	Pri	ivered cing yl Group	Prid Pal	ivered cing as Fabric up P0	Prio Pall	ivered cing las Fabric up P1	Pri Pa	livered cing llas Fabric oup P2	Pri Pa	livered cing llas Fabric oup P3	Pri Pal	ivered cing las Fabric oup P4
27.0#	\$	617	\$	673	\$	684	\$	684	\$	627	\$	638	\$	666	\$	698	\$	723
29.0#	\$	808	\$	919	\$	934	\$	934	\$	829	\$	840	\$	905	\$	961	\$	1017
33.0#	\$	871	\$	979		1002	\$	1002	\$	895	\$	906	\$	971	\$	1023	\$	1079
33.0#		871		979		1002		1002		895		906		971		1023		1079
 00.0"	Φ.	010	Φ.	1010	•	1010	Φ.	1010	Φ.	000		0.40	Φ.	1011		1001	Φ.	1101
33.0# 33.0#	\$	912 912	\$	1018 1018		1040 1040	\$	1040 1040	\$	936 936	\$	948 948	\$	1011 1011	\$	1064 1064		1121 1121
აა.∪#		912		1010		1040		1040		330		540		1011		1004		1121

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added List Price=\$121

Gangers

For ganging mechanism, add "/G" to end of model number. List price upcharge is \$8

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

MODEL Features	Basic Model PSSNAU	Frame Color	Poly Color	Tablet Arm				
	Model	Color						
01-1901-101-1	PSSNAU		00101	Color	Fire Code	Uph. Color	Glide Option	
Sled Base Stack Chair Upholstered			PBL					
Backrest tilt tension varies automatically based on occupant weight and is governed by the seat lever mechanism Spring-loaded ganging device concealed under the seat 19-3/4" on center ganging								
PSSU								
Sled Base Flex Arm Chair Upholstered	PSSFAU		PBL					
Backrest tilt tension varies automatically based on occupant weight and is								
governed by the seat lever mechanism								
NONSTACKING								
PSSU								
Sled Base Tablet Arm Chair Upholstered • Backrest tilt tension varies automati-			PBL					
cally based on occupant weight and is	, Right Hand PSSTARU		PBL					
governed by the seat lever mechanism								
Tablet arm surface in high-density plastic laminate flips up for easy entry								
• Tablet arm is 12-3/4"W by 19-1/2" D								
• NONSTACKING								
PSSU								
Sled Base Oversize Tablet Arm Chair Upholstered	, Left Hand PSSOTALL	U 🗆 🗆	PBL					
Backrest tilt tension varies automatically based on occupant weight Upholstered	, Right Hand PSSOTARI	RU 🗆 🗆	PBL					
Tablet arm surface in high-density plastic								
laminate flips up for easy entry								
Tablet arm is 15-3/4"W by 22-1/2"D NONSTACKING								
PSSU								
	•	•	9	0	(3	•	Ф	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly color.

 PBL Black

- Select tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select glide option.

- No glides - Clear plastic NGL GLD

- Mar-resistant white plastic GNM

- Stainless steel; add \$19



Approx. Packaged Weight	Prio Fab	ivered cing oric Grade a C.O.M.	Pri	ivered cing ric Grade	Pric	vered ing ric Grade	Pric	vered ing /I Group	Pric Pall	vered ing as Fabric up P0	Pric Palla	vered ing as Fabric up P1	Pri Pal	ivered cing las Fabric oup P2	Prio Pall	ivered cing las Fabric up P3	Prio Pal	ivered cing las Fabric up P4
27.0#	\$	617	\$	729	\$	751	\$	751	\$	649	\$	660	\$	716	\$	778	\$	833
29.0#	\$	808	\$	862	\$	873	\$	873	\$	815	\$	825	\$	856	\$	885	\$	915
33.0#	\$	871	\$	979	\$	1002	\$	1002	\$	895	\$	906	\$	971	\$	1023	\$	1079
33.0#		871		979		1002		1002		895		906		971		1023		1079
33.0#	\$	912	\$	1018	\$	1040	\$	1040	\$	936	\$	948	\$	1011	\$	1064	\$	1121
33.0#		912		1018		1040		1040		936		948		1011		1064		1121

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added List Price=\$121

Gangers

For ganging mechanism, add "/G" to end of model number. List price upcharge is \$8

Bookrack

For bookrack, add "/BR" to end of the model number. List price upcharge is \$59

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBER		
	MODEL	Basic Model	Approx. Packaged Weight	
	Bookrack	87.7844	4.0#	
HRDPT	Welded wire frameNONSTACKING			
	 Field-installable - to order with chair, 			
	see note below			
	Transport Dolly	MVP.BL	19.0#	
	• 5" casters: two fixed, two swivel		1000	
W				
HRDPT				
HRDPT	Sled Base Chair Plastic Glides - White Mar-resistant, white plastic For field-installation	53.8237.SET	0.1#	
HRDPT	Sled Base Chair Plastic Glides - Clear • Mar-resistant, clear plastic • For field-installation	53.8236.SET	0.1#	
HRDPT	Sled Base Chair Steel Glides Stainless steel For field-installation	06.0448.SET	0.1#	



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



elivered ricing	
59	
438	
4	
4	
19	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack Seating Plaza™ General Information







Guest Chair

Transport Dolly

General Dimensions		
Seat height	17-1/4"	
Overall Dimensions		
Overall width	19-3/4"	18-1/2"
Overall depth	21-1/4"	37-1/4"
Overall height	31-1/4"	37-1/4"
Stacking on Dolly		
Quantity/height	16 chairs/56" high	
Stacking on Floor		
Quantity/height	20 chairs	



Stack Seating Plaza General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Stack Seating Plaza™ Chair

		MODEL NUM	BER			
	MODEL	Basic Model	Poly Color	Approx. Packaged Weight		
·	Stack Chair	PLAZA		15.0#		
	PolypropyleneUV resistant					
₩ -:- .						
PLZA		-::::		45.0%		
Drainage	Stack Chair with Drain Holes Polypropylene UV resistant Drainage holes in seat	PLAZAOD		15.0#		
PLZA						
	Transport Dolly	PLAZA.DOLLY		0.0#		
HRDPT						
		Δ	B	•		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select poly chair color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Stack Seating Plaza™ Chair

Delivered
Pricing
\$ 149
\$ 155
\$ 149

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Tupelo, MS 38804, freight prepaid. Freight class 150.

Stack/Nesting Rapture® General Information



Four-Leg Stacking Armchair (RAPWAUS)



Four-Leg Armless Stacking Chair (RAPNAP)



Four-Leg Wallsaver Armchair (RAPWAUSWS)



Four-Leg Armchair with Casters (RAPWAUSC)

Features				
Stackable	•	•	•	
Field-replaceable seat and back pad	•	•	•	•
Poly, upholstered, or combination of both	•	•	•	•
Arms	•		•	•
General Dimensions				
Seat width	16-1/2"	16-1/2"	16-1/2"	16-1/2"
Seat depth	17"	17"	17"	17"
Seat height	18"	18"	18"	18"
Floor to back height	32"	32"	32"	32"
Overall Dimensions				
Width	23-1/2"	20-1/2"	23-1/2"	23-1/2"
Depth	23"	22"	24-1/2"	23"
Height	32"	32"	32"	32"
Top of arm to floor	26-1/2"		26-1/2"	26-1/2"
Stacking on Dolly				
Width	23-1/2"	22-1/2"		
Depth	36"	36"		
Maximum quantity	10	10		
Stacking on Floor				
Maximum quantity	6	6	6	

SPECIFICATIONS

Legs are 1" o.d. x 16-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel. Side members are 7/8" o.d. x 14-gauge tubular steel. On the stools, the footring is made of steel wire. For both chairs and stools, all joints are welded. Wallsaver frame has an angled rear leg. Caster-based frame has a curved front leg.

Frame Finishes

Baked-on electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Glides

Chrome plated steel or plastic.

Carpet casters available in black finish only.

Polypropylene Seat and Backrest

Injection-molded polypropylene

Upholstered Seat and Back

Molded urethane foam is attached to the seatboard, which is injection molded polypropylene. Slab urethane foam is attached to the back board, which is injection molded polypropylene. The boards are attached to the seat and back using four 10-24 x 3/8" truss head screws. Seat screws are not exposed. Backrest screws are exposed and are color matched to the polypropylene.

Armrests

Injection molded nylon. Armrests are attached to the backrest without fasteners. Arms are assembled over the backrest attachment tubes of the frame when the backrest is installed. The backrest is then locked in place using a patented "turn and lock" feature.

Tablet measures 20-5/8 x 12" Transport Dolly Tubular steel frame, black powdercoated finish. Four 5" swivel wheels.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.



Stack/Nesting Rapture® General Information



Cafe Stool with Arms (SRAPWAUB)



Armless Cafe Stool (SRAPNAP)

Features		
Stackable		
Field-replaceable seat and back pad	•	•
Poly, upholstered, or combination of both	•	•
Arms	•	
General Dimensions		
Seat width	16-1/2"	16-1/2"
Seat depth	17"	17"
Seat height	30"	30"
Floor to back height	44"	44"
Top of arm to floor	38-1/4"	
Overall Dimensions		
Width	23-1/2"	20-1/2"
Depth	23"	22"
Height	44"	44"

INFORMATION

C.O.M. Testing and ProductionRequirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample for any upholstery model must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

	MODEL NUMBER								
			Basic	Frame	Seat & Back	Glide	Fire	Upholstery	Approx. Packaged
	MODEL	Features	Model	Color	Color	Option	Code	Color	Weight
	Four-Leg Armless Chair	Poly Seat/Back	RAPNAP						19.0#
	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	RAPNAUS						22.0#
	Field-replaceable seat & back pad	Uph Seat/Back	RAPNAUB						23.0#
	Stackable								
•									
RAPP									
RAPU									
	Four-Leg Armchair	Poly Seat/Back	RAPWAP						21.0#
	 Poly, upholstered, or combination of both Arm version Field-replaceable seat & back pad Stackable 	Uph Seat/Poly Back	RAPWAUS						23.0#
		Uph Seat/Back	RAPWAUB						24.0#
RAPP									
RAPU			5.555.51						22.2%
∩ ∧	DollyAccommodates up to 10 chairs		RAPD.BL						32.0#
	 Easy maneuverability with 5" casters: 								
	two fixed, two swivel								
Ū	Black powder-coated finish								
HRDPT									
חהטרו								_	
			Φ	0	Θ	O	ⅎ	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.

 P Plastic glides
 - Steel glides
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 275	1 0 0.0.111.	L		0.0.1.		aroup r o	aroup i i	aroup 1 L	aroup ro	агоар г т
N/A	333	339	340	333	340	349	386	404	422	435
N/A	378	404	406	378	406	419	456	482	507	529
\$ 294										
N/A	349	358	359	349	359	369	406	424	438	456
N/A	397	425	427	397	427	444	481	501	526	550
ф 410										

\$ 419

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L."

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$32

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$93

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$104

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NU	JMBER						
	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Laminate Color	Fire Code	Upholstery Color	Approx. Packaged Weight
	Right Tablet, Poly Seat/Back	RAPTARP							21.0#
	Right Tablet, Uph Seat/Poly Back	RAPTARUS							24.0#
	Right Tablet, Uph Seat/Back	RAPTARUB							25.0#
U									
RAPP									
RAPU									
Four-Leg Tablet Arm Chair (Right Hand)									
Poly, upholstered, or combination of									
bothField-replaceable seat & back pad									
NONSTACKING									
(::::	Left Tablet, Poly Seat/Back	RAPTALP							21.0#
	Left Tablet, Uph Seat/Poly Back	RAPTALUS							24.0#
	Left Tablet, Uph Seat/Back	RAPTALUB							25.0#
U									
U									
RAPP									
RAPU									
Four-Leg Tablet Arm Chair (Left Hand)									
		A	3	Θ	O	(3	•	O	
		-	_	-	-	-	-	-	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option.

P - Plastic glides

- Steel glides

- Select tablet arm laminate. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 460										
N/A	520	526	527	520	527	537	574	592	608	625
N/A	563	590	592	563	592	605	642	666	695	715

N/A 520 526 527 520 527 537 574 592 608 625 N/A 563 590 592 563 592 605 642 666 695 715	\$ 460										
N/A 563 590 592 563 592 605 642 666 695 715	N/A	520	526	527	520	527	537	574	592	608	625
	N/A	563	590	592	563	592	605	642	666	695	715

UPHOLSTERY INFORMATION

C.O.M. Upholstery

c.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$32

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$93

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$104

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUM	DED					
			MODEL NOM	DLN	1				
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
	Four-Leg Wallsaver Armless Chair	Poly Seat/Back	RAPNAPWS						19.0#
	 Poly, upholstered, or combination of 	Uph Seat/Poly Back	RAPNAUSWS						22.0#
	both • Field-replaceable seat & back pad • Stackable	Uph Seat/Back	RAPNAUBWS						23.0#
	Wallsaver rear legs touch base of wall								
<i>u</i> •	preventing chair back from contacting wall surface								
Ų	wan surrace								
RAPP									
RAPU									
	Four-Leg Wallsaver Armchair	Poly Seat/Back	RAPWAPWS						21.0#
	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	RAPWAUSWS						23.0#
	Field-replaceable seat & back pad	Uph Seat/Back	RAPWAUBWS						24.0#
	Stackable								
	Wallsaver rear legs touch base of wall								
·	preventing chair back from contacting wall surface								
	Trail our laco								
RAPP									
RAPU									
			(A	3	•	O	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option.

P - Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Stack/Nesting Rapture® Chairs

Prid	ivered cing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	308										
	N/A	367	373	374	367	374	385	422	438	456	471
	N/A	412	437	438	412	438	453	490	517	542	563
\$	328										
	N/A	385	392	393	385	393	401	438	457	473	490
	N/A	431	458	461	431	461	479	516	537	559	585

UPHOLSTERY INFORMATION

C.O.M. Upholstery

c.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$32

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$93

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$104

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Rapture® Chairs

			MODEL NU	MBER				
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Fire Code	Upholstery Color	Approx. Packaged Weight
	Four-Leg Armless Chair with Casters	Poly Seat/Back	RAPNAPC					19.0#
\	 Poly, upholstered, or combination of 	Uph Seat/Poly Back	RAPNAUSC					22.0#
	bothField-replaceable seat & back pad	Uph Seat/Back	RAPNAUBC					23.0#
	 Stacking. Caution should be exercised 							
	to prevent casters from marring compo-							
g g	nents such as frames, fabric, etc., and to prevent casters from becoming "hung							
QB	up" underneath the seat of the chair							
	below							
P	 Stackable on dollies is NOT recommended 							
PU								
	Four-Leg Armchair with Casters • Poly, upholstered, or combination of	Poly Seat/Back	RAPWAPC					21.0#
	both	Uph Seat/Poly Back	RAPWAUSC					23.0#
	Arm version	Uph Seat/Back	RAPWAUBC					24.0#
	Field-replaceable seat & back pad Stocking Courting should be exercised.							
	 Stacking. Caution should be exercised to prevent casters from marring compo- 							
	nents such as frames, fabric, etc., and							
03	to prevent casters from becoming "hung							
.	up" underneath the seat of the chair below							
	 Stackable on dollies is NOT recom- 							
IJ	mended							
								J
			A	•	Θ	O	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Stack/Nesting Rapture® Chairs

Pri	livered cing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	378										
	N/A	434	441	445	434	445	452	489	510	524	540
	N/A	482	510	511	482	511	522	559	585	611	633
\$	397										
	N/A	454	461	462	454	462	474	511	527	544	559
	N/A	500	528	530	500	530	546	584	605	630	655

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L."

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$32

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$93

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$104

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Rapture® Cafe Stools

			MODEL NU	MBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
_	Four-Leg Armless Cafe Stool	Poly Seat/Back	SRAPNAP						29.0#
)	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	SRAPNAPB						31.0#
	Field-replaceable seat & back pad	Uph Seat/Back	SRAPNAUB						33.0#
	11010 10010000000 00000 00 00000 00000								
" U									
SRAPP									
SRAPU									
	Four-Leg Cafe Stool with Arms	Poly Seat/Back	SRAPWAP						31.0#
	 Poly, upholstered, or combination of both 	Uph Seat/Poly Back	SRAPWAPB						33.0#
	Arm version	Uph Seat/Back	SRAPWAUB						35.0#
	 Field-replaceable seat & back pad 								
[] u									
SRAPP									
SRAPU									
			(A)	•	Θ	0	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.

 P Plastic glides
 - Steel glides
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Stack/Nesting Rapture® Cafe Stools

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 602										
N/A	661	667	668	661	668	679	716	739	753	768
N/A	709	741	742	709	742	752	789	815	843	865
\$ 623										
N/A	681	688	691	681	691	703	741	755	773	789
N/A	727	756	759	727	759	773	810	836	862	886

UPHOLSTERY INFORMATION

C.O.M. Upholstery

c.O.M. requirement 1/2 yard per upholstered seat and 3/4 yard per upholstered seat and back of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Poly Seat/Back Added Lead Time=None Added List Price=\$32

Model=Uph Seat/Poly Back Added Lead Time=None Added List Price=\$93

Model=Uph Seat/Back Added Lead Time=None Added List Price=\$104

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **assembled**, **FOB Green Bay**, **WI 54302**, **freight prepaid**. Freight class 125.

Stack/Nesting Silhouette® General Information



Cast Aluminum Frame Armchair (SIGUFA)



Armless Cast Aluminum Frame Chair (SIGNA)



Transport Dolly (SILD)

Features			
Stackable	•	•	
Upholstered seat and back	•	•	
Nylon seat and back	•	•	
General Dimensions			
Seat width	17-1/2"	17-1/2"	
Seat depth	16"	16"	
Seat height	17-3/4"	17-3/4"	
Overall Dimensions			
Width	24"	18-1/4"	35"
Depth	20"	20"	33"
Height	32-1/4"	32-1/4"	48"
Arms to floor	27"		
Stacking on Dolly			
Overall width	25"	25"	
Overall depth	39"	39"	
Quantity/height	12 Chairs/65" High	12 Chairs/65" High	
Stacking on Floor			
Width	24"	20"	
Depth	30"	30"	
Quantity/height	8 Chairs/51" High	8 Chairs/51" High	

SPECIFICATIONS

One-piece, textured nylon with fiberglass reinforcement. Back of shell is ribbed to allow back flex.

Upholstered Seat

Seat is constructed of injection-molded polypropylene with 3/4" polyurethane foam cushion applied. Fastened to the shell with three screws through T-nuts embedded in inner structure.

Upholstered Backrest

Back is constructed of injection-molded polypropylene with 3/8" polyurethane foam cushion applied. Fastened to the shell with three screws through T-nuts embedded in inner structure.

Armrests

Cast aluminum on cast alu-minum frame.

Stacking Bumper

Plastic seat pan (black) for stacking support.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular steel frame, black powder-coat finish. Four 5" swivel wheels. Stacks 12 high.



Stack/Nesting
Silhouette® General Information

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

ΚI

Attn: C.O.M. Specialist 204 West South St Bonduel, WI 54107

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting

			MODEL NU	JMBER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	
	Cast Aluminum Frame Four-Leg Armless	Polished	SIGNA	PA				25.0#	\$ 655	
	Chair in Nylon (Plastic)	Powder Coat	SIGNAPC					25.0#	605	
SIG										
	Cast Aluminum Frame Four-Leg Armless	Polished	SIGUNA	PA				25.0#	N/A	
\	Chair Upholstered	Powder Coat	SIGUNAPC					25.0#	N/A	
SIGU										
	Cast Aluminum Frame Four-Leg Armchair in Nylon (Plastic)	Polished Powder Coat	SIGFA SIGFAPC	PA				30.0# 30.0#	\$ 796 672	
U										
SIG										
	Cast Aluminum Frame Four-Leg Armchair		SIGUFA	PA				30.0#	N/A	
	Upholstered	Powder Coat	SIGUFAPC					30.0#	N/A	
// U										
U										
SIGU										
			A	8	•	O	3			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 133 - No Fire Retardant

NFR - Compliance to TB 117-2013

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Stack/Nesting Silhouette®

Prio Fab	ivered cing ric Grade C.O.M.	Pric	vered sing ric Grade	Pric	vered ing ic Grade	Deliv Prici C.O.	vered ing V.	Prici	vered ng I Group	Pric Palla	vered ing as Fabric up P0	Pric Pall	vered ing as Fabric up P1	Pri Pal	ivered cing las Fabric oup P2	Prio Pall	vered ing as Fabric up P3	Pric Pall	vered ing as Fabric up P4
\$	802	\$	834	\$	835	\$	802	\$	835	\$	832	\$	843	\$	881	\$	915	\$	949
	746		778		779		746		779		777		787		824		856		891
	0.40		201		000		0.40	•	200	•	070		200		1000	•	1000		1000
\$	949 816	\$	981 849	\$	982 850		949 816		982 850	\$	979 848	\$	989 858	\$	1026 894	\$	1060 927	\$	1096 964
							-				-								

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement is 3/4 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L. section."

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=Upholstered Added Lead Time=1 week Added List Price=\$79

Model=Nylon Added Lead Time=1 week Added List Price=N/C

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Stack/Nesting Silhouette®

		MODEL NUMBER			
MOD		Basic Model	Approx. Packaged Weight		
Dolly • For	cast aluminum frame	SILD	26.0#		
. //_					
NAME OF THE PERSON OF THE PERS					
HRDPT					
		A			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Silhouette®

Delivered Pricing Unupholstered

535

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShips **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 175













Armless Four-Leg	Four-
Chair	
(SLNAU)	

Leg Cantilever

Four-Leg Tablet Four-Leg Loop

Four-Leg Oversize

Four-Leg Cantilever Arm Cafe Stool - 23"

	Chair (SLNAU)	Arm Chair (SLCAP)	Arm Chair (SLLAU)	Arm Chair (SLTAPRH)	Tablet Arm Chair (SLOVTAURH)	or 29" Seat Height (SLSCAUB)
Features						
Stackable	•	•	•			•
Poly, upholstered seat, or upholstered seat/back	•	٠	•	•	•	•
Flex back	•	•	•	•	•	•
General Dimensions						
Seat width	18"	18"	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"	18"	18"
Seat height (upholstered add 1")	17-1/2"	17-1/2"	17-1/2"	17-1/2"	17-1/2"	23-1/2" / 29-1/2"
Tablet to chair back clearance				14"	14"	
Overall Dimensions						
Width	20-3/4"	25"	25"	24"	24"	25"
Depth	21-3/4"	21-3/4"	21-3/4"	27-3/4"	31"	23-1/2" / 25"
Height	33"	33"	33"	33"	33"	39-1/4" / 45-1/4"
Arms to floor		26-1/4"	26-1/4"	28-1/2"	28-1/2"	32-1/2" / 38-1/2"
Stacking on Dolly						
Overall width	24"	25"	25"			
Overall depth - poly	40"	40"	40"			
Quantity/height - poly	15 Chairs/61" High	15 Chairs/62" High	15 Chairs/63" High			
Overall depth - upholstered	45"	45"	45"			
Quantity/height - upholstered	8 Chairs/50" High	8 Chairs/51" High	8 Chairs/51" High			
Stacking on Floor						
Width	20-3/4"	25"	25"			25-7/8"
Depth	27-1/2"	27-1/2"	27-1/2"			28"
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High			4 Chairs/48" or 54" High

SPECIFICATIONS

Legs are 7/8" o.d. x 13-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel and 7/16" diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickelchrome plating.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board,

then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Optional Upholstered Back

1/2" thick urethane foam is attached to an injection molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Seat and Shroud

Injection molded polypropylene.

Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame color. The armcaps are injection molded nylon matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond

translucent poly will have light tone armests; Pewter translucent will have flannel armrests: Bronze translucent will have chocolate armrests). The armcaps are attached to the steel structure by means of screws.

Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and sealed

Four-Leg Cafe Stools

Four-leg models on glides are available in 23-1/2" and 29-1/2" seat heights. Stoolheight units are equipped with a reinforcing foot ring made of a 1/2" diameter wire ring, which is open in the back to allow stacking of armless and cantilever arm stools.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.









	Four-Leg Armless Cafe Stool - 23" or 29" Seat Height (SLSNAU)	Four-Leg Loop Arm Cafe Stool - 23" or 29" Seat Height (SLSLAP)	Armless Wallsaver Four-Leg Chair (SLNAU)	Four-Leg Wallsaver Cantilever Arm Chair (SLCAP)	Four-Leg Wallsaver Loop Arm Chair (SLLAU)
Features					
Stackable	•		•	•	•
Poly, upholstered seat, or upholstered seat/back	•		•	•	•
Flex back	•		•	•	•
General Dimensions					
Seat width	18"		18"	18"	18"
Seat depth	18"		18"	18"	18"
Seat height (upholstered add 1")	23-1/2" / 29-1/2"		17-1/2"	17-1/2"	17-1/2"
Overall Dimensions					
Width	25"		20-3/4"	25"	25"
Depth	23-1/2" / 25"		22-3/4"	22-3/4"	22-3/4"
Height	39-1/4" / 45-1/4"		33"	33"	33"
Arms to floor	32-1/2" / 38-1/2"			26-1/4"	26-1/4"
Stacking on Floor					
Width	25-7/8"		20-3/4"	25"	25"
Depth	28"		28-1/2"	28-1/2"	28-1/2"
Quantity/height	4 Chairs/48" or 54" High		4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com













Armless Four-Leg

Four-Leg Cantilever

Four-Leg Loop Arm

Armless Sled

Sled Base Cantilever

Sled Base Tablet

	Chair with Casters (SLNAPC)	Arm Chair with Casters (SLCAUC)	Chair with Casters (SLLAUC)	Base Chair (SSNAP)	Arm Chair (SSCAU)	Arm Chair (SSTAPRH)
Features						
Stackable	•	•	•	•	•	
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•	•
Flex back	•	•	•	•	•	•
General Dimensions						
Seat width	18"	18"	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"	18"	18"
Seat height (upholstered add 1")	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Tablet to chair back clearance						14"
Overall Dimensions						
Width	21-1/4"	25"	25"	20-3/4"	25"	24"
Depth	22-1/2"	22-1/2"	22-1/2"	21-3/4"	21-3/4"	27-3/4"
Height	33-1/4"	33-1/4"	33-1/4"	33-1/4"	33-1/4"	33-1/4"
Arms to floor		26-1/2"	26-1/2"		26-1/2"	28-1/2"
Stacking on Dolly						
Width				24"	25"	
Depth - poly				48"	48"	
Quantity/height - poly				15 Chairs/64" High	15 Chairs/64" High	
Depth - upholstered				48"	48"	
Quantity/height - upholstered				8 Chairs/50" High	8 Chairs/50" High	
Stacking on Floor						
Width	20-3/4"	25"	25"	20-3/4"	25"	
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"	
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	

SPECIFICATIONS

Legs are 7/8" o.d. x 13-gauge tubular steel. Cross members are 1" o.d. x 14-gauge tubular steel and 7/16" diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickelchrome plating.

Casters

Four-leg chairs may be ordered with carpet casters or hard floor casters instead of glides (does not apply to cafe stools). Casters are double-wheel, high-impact thermoplastic and are available in black only.

Backrest

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the

spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Optional Upholstered Back

1/2" thick urethane foam is attached to an injection molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame

color. The armcaps are injection molded nylon matching the frame finish (except for chrome, hammertone, and metallic finishes which will match poly color. Diamond translucent poly will have light tone armests; Pewter translucent will have flannel armrests; Bronze translucent will have chocolate armrests). The armcaps are attached to the steel structure by means of screws.

Tablet Arm

Tablet support loop is a continuation of the rear leg and may be ordered on the right or left side. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2" x 22-1/2" x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet flips up for easy access. Edges are lacquered and sealed.

Seat and Shroud

Injection molded polypropylene.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.





Transport Dolly (SCDA.BL)

Overall Dimensions	
Width	24"
Depth	29"
Height	16-1/2"

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color
	Four-Leg Armless Chair	Polypropylene	SLNAP						
	Flex backStacking	Upholstered Seat	SLNAU						
	Stacking	Upholstered Seat/Back	SLNAUB						
u "									
•									
SLP									
SLU									
SLUB									
	Four-Leg Armless Chair with Casters • Flex back	Polypropylene, Casters	SLNAPC						
	Stacking. Caution should be excercised	Uph. Seat, Casters	SLNAUC						
	to prevent casters from marring compo-	Uph. Seat/Back, Casters	SLNAUBC						
	nents such as frames, fabric, etc., and to prevent casters from becoming "hung								
# #	up" underneath the seat of the chair								
Ma qu	 Stacking on dollies is NOT recommend- 								
SLP	ed								
LU LU									
LUB									
			•	B	Θ	0	•	•	О

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters - Hard floor casters

Select glide option.

- Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
20.0#	\$ 191										
23.0#	N/A	252	280	293	252	293	290	328	348	369	387
23.0#	N/A	305	333	345	305	345	344	381	400	422	439

26.0#	\$ 228										
29.0#	N/A	289	317	330	289	330	330	367	387	408	425
29.0#	N/A	342	369	383	342	383	382	419	439	458	478

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUI	MBER							
	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	Caster Type	Glide Option	Fire Code	Upholstery Color	
	Upholstered Seat	SLNATSU								
	Upholstered Seat/Back	SLNATSUB								
SLTS SLBTS										
Four-Leg Armless Chair with Top Stitch on Seat										
Flex back Stacking										
	Uph. Seat, Casters	SLNATSUC								
	Uph. Seat/Back, Casters	SLNATSUBC								
SLTS										
SLBTS										
Four-Leg Armless Chair with Casters with Top Stitch on Seat										
Flex back Stacking. Caution should be excercised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from becoming "hung up" underneath the seat of the chair Stacking on dollies is NOT recommended										
		Δ	3	•	0	(3	•	œ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

- Carpet casters - Hard floor casters

Select glide option.

- Plastic glides - Steel glides

GSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1

\$ 369

422

\$ 408

458

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

					_					
			MODEL N	IUMBER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color	
	Four-Leg Cantilever Armchair	Polypropylene	SLCAP							
	Flex back Stacking	Upholstered Seat	SLCAU							
	 Stacking 	Upholstered Seat/Back	SLCAUB							
U U										
ı ,										
SLP										
SLU										
SLUB										
	Four-Leg Cantilever Armchair with	Polypropylene, Casters	SLCAPC							
	Casters	Uph. Seat, Casters	SLCAUC							
	Flex backStacking. Caution should be excercised	Uph. Seat/Back, Casters	SLCAUBC							
	to prevent casters from marring compo-									
	nents such as frames, fabric, etc., and									
ds	to prevent casters from becoming "hung up" underneath the seat of the chair									
ON THE STATE OF TH	Stacking on dollies is NOT recommend-									
SLP	ed									
SLU										
SLUB										
			A	•	0	0	•	•	(

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters - Hard floor casters

Select glide option.

- Plastic glides - Steel glides

Select fire code.

FR - Compliance to TB 133 - Compliance to TB 117-2013 GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
23.0#	\$ 249										
26.0#	N/A	310	339	349	310	349	349	386	406	426	445
26.0#	N/A	362	390	401	362	401	401	438	457	479	496
28.0#	\$ 285										
31.0#	N/A	347	375	388	347	388	387	424	445	465	483
31.0#	N/A	399	427	440	399	440	438	475	496	518	535

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NU	MBER							
	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	Caster Type	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight
	Upholstered Seat	SLCATSU								26.0#
	Upholstered Seat/Back	SLCATSUB								26.0#
SLTS SLBTS										
Four-Leg Cantilever Armchair with Top Stitch on Seat										
Flex backStacking										
	Uph. Seat, Casters	SLCATSUC								31.0#
	Uph. Seat/Back, Casters	SLCATSUBC								31.0#
SLTS										
SLBTS										
Four-Leg Cantilever Armchair with Casters with Top Stitch on Seat										
Flex back										
 Stacking. Caution should be excercised to prevent casters from marring 										
components such as frames, fabric,										
etc., and to prevent casters from										
becoming "hung up" underneath the seat of the chair										
 Stacking on dollies is NOT recom- 										
mended					_				_	
		Δ	3	Θ	O	•	•	G	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

- Carpet casters - Hard floor casters

Select glide option.

- Plastic glides - Steel glides

GSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1

\$ 427

480

\$ 464

517

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			T						
			MODEL N	IUMBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color
	Four-Leg Loop Arm Chair	Polypropylene	SLLAP						
	Flex back	Upholstered Seat	SLLAU						
	 Stacking 	Upholstered Seat/Back	SLLAUB						
u "									
U									
_P									
LU									
LUB									
	Four-Leg Loop Arm Chair with Casters	Polypropylene, Casters	SLLAPC						
	Flex backStacking. Caution should be excercised	Upholstered Seat, Casters	SLLAUC						
	to prevent casters from marring compo-	Uph. Seat/Back, Casters	SLLAUBC						
	nents such as frames, fabric, etc., and								
	to prevent casters from becoming "hung up" underneath the seat of the chair								
	below								
•	 Stacking on dollies is NOT recommend- 								
.P	ed								
LU									
LUB									
			A	(3)	Θ	0	(3	•	G

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select casters.

- Carpet casters - Hard floor casters

Select glide option.

- Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



32.0#

32.0#

N/A

N/A

359

412

388

440

401

453

Stack/Nesting Strive® Chairs

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
25.0#	\$ 261										
27.0#	N/A	321	349	363	321	363	362	399	419	438	456
27.0#	N/A	374	401	414	374	414	414	451	471	490	508
30.0#	\$ 299										

359

412

401

453

399

451

436

488

456

508

479

529

494

546

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NU	MBER								
	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	Caster Type	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight	
	Upholstered Seat	SLLATSU								27.0#	
	Upholstered Seat/Back	SLLATSUB								27.0#	
SLTS SLBTS											
Four-Leg Loop Arm Chair with Top Stitch on Seat											
Flex back Stacking											
	Uph. Seat, Casters	SLLATSUC								32.0#	
	Uph. Seat/Back, Casters	SLLATSUBC								32.0#	
SLTS											
SLBTS Four-Leg Loop Arm Chair with Casters											
with Top Stitch on Seat											
Flex back Stacking. Caution should be excer- cised to prevent casters from marring components such as frames, fabric, etc., and to prevent casters from											
becoming "hung up" underneath the seat of the chair below											
Stacking on dollies is NOT recom- mended											
		A	3	•	0	(3	•	Ф	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

- Carpet casters - Hard floor casters

Select glide option.

- Plastic glides - Steel glides

GSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1

\$ 439

491

\$ 478

528

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68 t Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

vviii opoolany markou mormati

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBER								
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	
	Four-Leg Tablet Arm Chair	Polypropylene, Left Hand	SLTAPLH							
	Flex backNONSTACKING	Polypropylene, Right Hand	SLTAPRH							
	NONSTACKING	Uph. Seat, Left Hand	SLTAULH							
		Uph. Seat, Right Hand	SLTAURH							
		Uph. Seat/Back, Left Hand	SLTAUBLH							
" "		Uph. Seat/Back, Right Hand	SLTAUBRH							
•										
SLP										
SLU										
SLUB										
	Four-Leg Oversize Tablet Arm Chair	Polypropylene, Left Hand	SLOVTAPLH							
	Oversized tabletFlex back	Polypropylene, Right Hand	SLOVTAPRH							
	NONSTACKING	Uph. Seat, Left Hand	SLOVTAULH							
		Uph. Seat, Right Hand	SLOVTAURH							
		Uph. Seat/Back, Left Hand	SLOVTAUBLH							
" [Uph. Seat/Back, Right Hand	SLOVTAUBRH							
SLP										
SLU										
SLUB										
			A	3	Θ	0	•	•	œ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select glide option.

P - Plastic glides - Steel glides

- Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 **©** Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Approx. Delivered Pricing Pricing Pricing Delivered Pricing Pricing Pricing Packaged Pricing Fabric Grade Fabric Grade Packaged Pricing Vinyl Group Pallas Fabric Pallas Fabric	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
33.0# \$ 369			
33.0# 369			
35.0# N/A 431 457 471 431 471 470 507	527	546	565
35.0# N/A 431 457 471 431 471 470 507	527	546	565
35.0# N/A 483 510 523 483 523 522 559	579	599	616
35.0# N/A 483 510 523 483 523 522 559	579	599	616
33.0# \$ 431			
33.0# 431			
35.0# N/A 491 580 593 491 593 593 630	650	668	688
35.0# N/A 491 580 593 491 593 593 630	650	668	688
35.0# N/A 543 632 645 543 645 645 682	701	720	741
35.0# N/A 543 632 645 543 645 645 682	701	720	741

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California
Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

MODEL NUMBER										
	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	Approx. Packaged Weight
	Uph Seat, Left Hand	SLTATSULH								35.0#
	Uph Seat, Right Hand	SLTATSURH								35.0#
	Uph Seat/Back, Left Hand	SLTATSUBLH								35.0#
	Uph Seat/Back, Right Hand	SLTATSUBRH								35.0#
U U										
ll n										
SLTS										
SLBTS										
Four-Leg Tablet Arm Chair with Top Stitch on Seat										
Flex back NONSTACKING										
	Uph Seat, Left Hand	SLOVTATSULH								35.0#
	Uph Seat, Right Hand	SLOVTATSURH								35.0#
	Uph Seat/Back, Left Hand	SLOVTATSUBLH								35.0#
	Uph Seat/Back, Right Hand	SLOVTATSUBRH								35.0#
	, ,									
U U										
ll n										
SLTS										
SLBTS										
Four-Leg Oversize Tablet Arm Chair										
with Top Stitch on Seat										
Oversized tablet										
Flex back										
 NONSTACKING 										
		Ø	3	0	0	3	3	Ѳ	0	-

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select glide option.

- Plastic glides - Steel glides

Select tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

GSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1

\$ 547

547

600

600

\$ 670

670

721

721

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NU	MBER				
	MODEL	Features	Basic	Frame	Seat & Back	Glide	Fire	Upholstery
			Model	Color	Color	Option	Code	Color
	Four-Leg Wallsaver Armless Chair Flex back 	Polypropylene	SLNAPWS			S		
	Stacking	Upholstered Seat	SLNAUWS			S		
	 Wallsaver rear legs touch base of wall 	Upholstered Seat/Back	SLNAUBWS			S		
	preventing chair back from contacting wall surface							
/ /	wan surface							
SLP								
SLU								
SLUB	Farm Law Wallance Contileres Assessable	Debarandere	OL OADWO			0		
	Four-Leg Wallsaver Cantilever Armchair Flex back	Polypropylene	SLCAPWS SLCAUWS			S		
	 Stacking 	Upholstered Seat	SLCAUWS			S		
	Wallsaver rear legs touch base of wall	Upholstered Seat/Back	SLUAUBWS			٥		
	preventing chair back from contacting wall surface							
<i> </i> <i> </i>	man sarrass							
l n								
SLP								
SLU								
SLUB								
	Four-Leg Wallsaver Loop Arm Chair	Polypropylene	SLLAPWS			S		
	 Flex back 	Upholstered Seat	SLLAUWS			S		
	StackingWallsaver rear legs touch base of wall	Upholstered Seat/Back	SLLAUBWS			S		
	preventing chair back from contacting							
	wall surface							
υ								
U "								
SLP								
SLU								
SLUB								
				3	•	0	•	•
			w	U	•	U	J	U

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.
 - Steel glides
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Approx. Packaged Weight	livered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
20.0#	\$ 232										
23.0#	N/A	293	320	335	293	335	332	369	390	411	428
23.0#	N/A	345	373	386	345	386	385	422	441	462	481
23.0#	\$ 289										
26.0#	N/A	350	379	391	350	391	390	427	448	468	486
26.0#	N/A	402	431	443	402	443	443	480	499	520	538
25.0#	\$ 303										
27.0#	N/A	364	391	403	364	403	402	439	460	481	496
27.0#	N/A	415	443	455	415	455	454	491	512	531	549

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUM							
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	Glide Option	Fire Code	Upholstery Color	
	Four-Leg Wallsaver Armless Chair with	Upholstered Seat	SLNATSUWS			0000	S			
	Top Stitch on Seat	Upholstered Seat/Back	SLNATSUBWS				S			
	Flex backStacking									
	Wallsaver rear legs touch base of wall									
	preventing chair back from contacting wall surface									
	wan surface									
SLTS										
SLBTS										
0.000	Four-Leg Wallsaver Cantilever Armchair	Upholstered Seat	SLCATSUWS				S			
	with Top Stitch on Seat	Upholstered Seat/Back	SLCATSUBWS				S			
	Flex back Stacking									
	Wallsaver rear legs touch base of wall									
	preventing chair back from contacting									
" "	wall surface									
SLTS										
SLBTS										
52510	Four-Leg Wallsaver Loop Arm Chair with	Upholstered Seat	SLLATSUWS				S			
	Top Stitch on Seat	Upholstered Seat/Back	SLLATSUBWS				S			
	Flex backStacking									
	Wallsaver rear legs touch base of wall									
	preventing chair back from contacting									
" -	wall surface									
SLTS										
SLBTS										
02010			•	•	A	•	A		•	
			A	3	Θ	O	•	•	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select glide option.
S - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



	Dali	vorad						
Annrox	Pric	vered						
Packaged	Palla	as Fabric						
Approx. Packaged Weight	Gro	ing as Fabric up P1						
23.0#	\$	410						
23.0#		461						
26.0#	\$	468						
26.0#		520						
27.0#	\$	481						
27.0#		531						

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California
Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBER									
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight		
	Sled Base Armless Chair	Polypropylene	SSNAP						22.0#		
	Flex backStacking	Upholstered Seat	SSNAU						25.0#		
	- Otacking	Upholstered Seat/Back	SSNAUB						25.0#		
SSP											
SSU SSUB											
	Sled Base Cantilever Arm Chair	Polypropylene	SSCAP						24.0#		
	Flex back	Upholstered Seat	SSCAU						27.0#		
	Stacking	Upholstered Seat/Back	SSCAUB						27.0#		
SSP											
SSU											
SSUB											
			(3	Θ	O	(3	•			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

• Select glide option.

- No glides - Black plastic glides; add \$34 - Non-skid glides; add \$28 - Stainless steel glide; add \$29 GBL NS GSS

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



N/A

N/A

337

387

363

414

375

427

Stack/Nesting Strive® Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 217										
N/A	278	307	317	278	317	317	354	374	394	412
N/A	329	357	369	329	369	369	406	426	446	464
\$ 275										

375

427

374

425

411

462

432

484

452

503

470

522

337

387

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			1							
			MODEL NU	JMBER						
					Cast 0	Tan				
			Basic	Frame	Seat & Back	Top Stitch	Glide	Fire	Upholstery	
	MODEL	Features	Model	Color	Color	Color	Option	Code	Color	
	Sled Base Armless Chair with Top Stitch	Upholstered Seat	SSNATSU							
	on Seat	Upholstered Seat/Back	SSNATSUB							
	• Flex back									
	 Stacking 									
SSTS										
SSBT										
	Sled Base Cantilever Arm Chair with Top	Upholstered Seat	SSCATSU							
l	Stitch on Seat	Upholstered Seat/Back	SSCATSUB							
	• Flex back									
	 Stacking 									
SSTS										
SSBT										
			A	3	Θ	0	3	(3	Ф	
			w	U	G	U	G	U	U	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select glide option.

- No glides - Black plastic glides; add \$34 - Non-skid glides; add \$28 NS GSS - Stainless steel glide; add \$29

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

G Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Approx. Packaged Weight	Prio Pal	livered cing las Fabric oup P1	ric													
25.0#	\$	394														
25.0#		446														

27.0# \$ 451 27.0# 502

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

	MODEL NUMBER								
			MODEL NUM	BER					
					Seat &		Tablet		
			Basic	Frame	Back	Glide	Arm	Fire	Upholstery
	MODEL	Features	Model	Color	Color	Option	Color	Code	Color
	Sled Base Tablet Arm Chair	Polypropylene, Left Hand	SSTAPLH						
	Flex backNONSTACKING	Polypropylene, Right Hand	SSTAPRH						
	· NONOTACKINA	Uph. Seat, Left Hand	SSTAULH						
		Uph. Seat, Right Hand	SSTAURH						
		Upholstered Seat/Back	SSTAUBLH						
		Upholstered Seat/Back	SSTAUBRH						
*									
SSP									
SSU									
SSUB									
	Sled Base Oversize Tablet Arm Chair	Polypropylene, Left Hand	SS0VTAPLH						
	Oversized tabletFlex back	Polypropylene, Right Hand	SSOVTAPRH						
	NONSTACKING	Uph. Seat, Left Hand	SSOVTAULH						
		Uph. Seat, Right Hand	SS0VTAURH						
		Uph. Seat/Back, Left Hand	SSOVTAUBLH						
		Uph. Seat/Back, Right Hand	SSOVTAUBRH						
₩									
SSP									
SSU									
SSUB									
			A	3	Θ	0	(3	G	Θ
			•	•	9	9	G	•	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

• Select glide option.

- Black plastic glides; add \$34 - Non-skid glides; add \$28 GBL NS - Stainless steel glide; add \$29 GSS

Select tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

G Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Approx. Packaged Weight	Deliv Prici Unuş	ng	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
31.0#	\$	412										
31.0#		412										
33.0#		N/A	473	501	516	473	516	511	549	572	589	608
33.0#		N/A	473	501	516	473	516	511	549	572	589	608
33.0#		N/A	525	553	567	525	567	564	602	624	641	660
33.0#		N/A	525	553	567	525	567	564	602	624	641	660
31.0#	\$	473										
31.0#		473										
33.0#		N/A	535	563	576	535	576	573	610	632	651	668
33.0#		N/A	535	563	576	535	576	573	610	632	651	668
33.0#		N/A	586	614	628	586	628	625	662	684	702	720
33.0#		N/A	586	614	628	586	628	625	662	684	702	720

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California
Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships **assembled**, **FOB Green Bay**, **WI 54302**, **freight prepaid**. Freight class 125.

		MODEL MUMBE	·n							
		MODEL NUMBE	:K	1						
		Donie	Fueres	Seat &	Top	Clida	Tablet	Fina	Unhalatanı	Approx.
	Features	Basic Model	Frame Color	Back Color	Stitch Color	Glide Option	Arm Color	Fire Code	Upholstery Color	Packaged Weight
	Uph Seat, Left Hand	SSTALTSU								33.0#
	Uph Seat, Right Hand	SSTARTSU								33.0#
	Uph Seat/Back, Left Hand	SSTALTSUB								33.0#
	Uph Seat/Back, Right Hand	SSTARTSUB								33.0#
// //										
SSTS SSBT										
Sled Base Tablet Arm Chair with Top Stitch on Seat										
Flex back										
 NONSTACKING 										
	Uph Seat, Left Hand	SSOVTATSULH								33.0#
	Uph Seat, Right Hand	SSOVTATSURH								33.0#
	Uph Seat/Back, Left Hand	SSOVTATSUBLH								33.0#
	Uph Seat/Back, Right Hand	SSOVTATSUBRH								33.0#
// // // //										
SSTS										
SSBT										
Sled Base Oversize Tablet Arm Chair										
with Top Stitch on Seat										
Oversized tablet										
Flex back NONSTACKING										
 NONSTACKING 										
		A	B	Θ	0	•	•	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select glide option.

- No glides - Black plastic glides; add \$34 - Non-skid glides; add \$28 GBL NS - Stainless steel glide; add \$29 GSS

Select tablet arm color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**. GSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBER			
	MODEL	Basic Model	Approx. Packaged Weight		
	Transport Dolly for 4-Leg and Sled Base	SCDA.BL	31.0#		
4/2	Chairs				
	 Easy maneuverability with 5" casters: 				
	two fixed, two swivel				
	Rugged weld tubular steel frame				
	Black powder-coated finish				
HRDPT					



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 420

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER						
	MODEL	Features	Basic Model	Seat Height	Frame Color	Seat & Back Color	Glide Option	Fire Code	Upholstery Color	
	Four-Leg Armless Cafe Stool	Polypropylene	SLSNAP							
	Flex backStacking	Upholstered Seat	SLSNAU							
	Two seat heights	Upholstered Seat/Back	SLSNAUB							
SLSP										
SLSU										
SLSUB										
	Four-Leg Cantilever Arm Cafe Stool	Polypropylene	SLSCAP							
	Flex backStacking	Upholstered Seat	SLSCAU							
	Two seat heights	Upholstered Seat/Back	SLSCAUB							
SLSP										
SLSU										
SLSUB										
	Four-Leg Loop Arm Cafe Stool	Polypropylene	SLSLAP							
	 Flex back 	Upholstered Seat	SLSLAU							
	NONSTACKINGTwo seat heights	Upholstered Seat/Back	SLSLAUB						00000	
	Joan no.g.no									
•										
U										
CLCD										
SLSP SLSU										
SLSUB										
22005			_	•	_	•		•	•	
			(A)	3	Θ	0	•	•	œ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect seat height.

23 - 23" Seat Height 29 - 29" Seat Height

Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option.

- Plastic glides - Steel glides

Select fire code.

FR - Compliance to TB 133 - Compliance to TB 117-2013 GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight	Pric	ivered cing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
31.0#	\$	285										
33.0#	•	N/A	347	375	388	347	388	387	424	445	465	483
33.0#		N/A	399	427	440	399	440	438	475	496	518	535
33.0#	\$	344										
35.0#		N/A	404	433	446	404	446	445	482	501	522	540
35.0#		N/A	456	485	497	456	497	495	533	553	574	592
35.0#	\$	356										
37.0#		N/A	417	446	457	417	457	456	493	516	535	551
37.0#		N/A	470	497	510	470	510	508	545	567	586	604

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUI	MBER						
	MODEL	Features	Basic Model	Seat Height	Frame Color	Seat & Back Color	Top Stitch Color	Glide Option	Fire Code	Uph. Color
	Four-Leg Armless Cafe Stool with Top	Upholstered Seat	SLSNATSU							
	Stitch on Seat	Upholstered Seat/Back	SLSNATSUB							
	Flex backStacking									
	Two seat heights									
u										
SLSTS										
SLSBT										
	Four-Leg Cantilever Arm Cafe Stool with Top Stitch on Seat	Upholstered Seat	SLSCATSU SLSCATSUB							
	 Flex back 	Upholstered Seat/Back	SLSCATSUB							
	StackingTwo seat heights									
	- Two seat neights									
U										
SLSTS										
SLSBT										
	Four-Leg Loop Arm Cafe Stool with Top	Upholstered Seat	SLSLATSU							
	Stitch on Seat • Flex back	Upholstered Seat/Back	SLSLATSUB							
	 NONSTACKING 									
	Two seat heights									
01.070										
SLSTS SLSBT										
OLODI										
			Φ	3	Θ	0	(3	•	Θ	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect seat height.

23 - 23" Seat Height 29 - 29" Seat Height

- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select poly seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select top stitch color.

BLTS - Black
WHTS - White

Select glide option.

- Plastic glides - Steel glides

GSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



	Deliv	ered
Approx.	Prici	ng Is Fabric
Approx. Packaged Weight	Grou	ng is Fabric ip P1
33.0#	\$	464
33.0#		517
35.0#	\$	522
35.0#		574
37.0#	\$	535
37.0#		586

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Model=Polypropylene Added List Price=\$10

Model=Upholstered Seat Added List Price=\$68

Model=Upholstered Seat and Back Added List Price=\$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Strive® High Density Stack Chair General Information



Wire Rod High Density Stacking Chair (SWNA)



Wire Rod High Density Stacking Chair with Uph. Seat Pad (SWNAU)



Wire Rod High Density Stacking Chair with Tablet Arm (SWTAR)



Transport Dolly (CSD.BL)

Features				
Stackable	•	•		
Poly or upholstered seat	•	•	•	
Flex back	•	•	•	
General Dimensions				
Seat width	17-3/4"	17-3/4"	17-3/4"	
Seat depth	18-1/2"	18-1/2"	18-1/2"	
Seat height	17-1/2"	17-1/2"	17-1/2"	
Tablet to chair back clearance			15-1/4"	
Overall Dimensions				
Width	19-1/2"	19-1/2"	19-1/2"	22-3/8"
Depth	22-1/4"	22-1/4"	22-1/4"	25-5/8"
Height	32-1/2"	32-1/2"	32-1/2"	
Stacking on Dolly				
Overall width	22-1/2"	23"		
Overall depth	45"	39"		
Quantity/height	30 Chairs/77" High	15 Chairs/65" High		
Stacking on Floor				
Width	19-1/2"	19-1/2"		
Depth	29-1/2"	30"		
Quantity/height	6 Chairs/37-1/2" High	5 Chairs/41" High		

SPECIFICATIONS

Seat

Injection molded polypropylene.

Backres

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Top of back has an integral handle for ease of lifting and stacking.

Chair Frame

7/16" solid steel rod in bright nickel-chrome or with electrostatically-applied epoxy.

Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Powder-Coated Finish

Electrostatically-applied epoxy baked onto surface

Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Tablet Arm

7/16" solid steel rod frame, hinged tablet for easy access. Tablet is plywood core; high pressure laminate surface. Round tablet edge with clear lacquer finish. Bright chrome frame only. Chairs are nonstacking when attached, not available for use with powder coated frame chairs. Tablet flips up for easy access. Ganging with tablet is not recommended.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together. 5"casters: two fixed, two swivel. Powdercoated finish.



Stack/Nesting
Strive® High Density Stack Chair General Information

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

			MADE:						
			MODEL	NUMBER	1				
			Poois	Frama	Seat &	Unholotoni	Clida	Fire	Tablet
	MODEL	Features	Basic Model	Frame Color	Back Color	Upholstery Color	Glide Option	Fire Code	Arm Color
	Armless Chair	Polypropylene	SWNA						
	Flex back	Upholstered Seat	SWNAU						
OMOOD									
SWSCP SWSCU									
~~ ~	Standard Flip-Up Tablet Arm	Left Hand	SWTAL						
	 NONSTACKING 	Right Hand	SWTAR						
	 12" wide x 20-1/2" deep Field installable 								
l;	For use only on chrome framed chairs								
Ť									
SWTA									
ſλ	Transport Dolly • Accommodates up to 30 chairs (poly)		CSD.BL						
R A	and 15 chairs (upholstered)								
	 Easy maneuverability with 5" casters: 								
	two fixed, two swivel Black powder-coated finish								
(b	Sizes, powder coulde filler								
HRDPT									
			•	B	Θ	• • • • • • • • • • • • • • • • • • •	•	G	О
			•	U	•	U	J	U	U

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option.

- Ganging polycarbonate glides; add \$5 - Ganging steel glides; add \$5 ĞS NG - No glides - Polycarbonate glides; add \$5

NS - PVC non-skid glides; add \$5 - Stainless steel glides; add \$5 Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

GSelect tablet arm color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
17.0#	\$ 187									
17.0#	N/A	250	278	289	289	288	325	346	367	385
7.0#	\$ 183									
7.0# 7.0#	\$ 183 183									
7.0#	103									
30.0#	\$ 416									

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$68

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Top Stitch Color	TB133	Upholstery Color	Glide Option
	Armless Chair with Top Stitch on Seat • Flex back	Upholstered Seat	SWNATSU						
	- TICA DAGA								
SWSTS									
			A	3	0	O	(3	•	Ө

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

GSelect glide option.

- Ganging polycarbonate glides; add \$5 GS - Gan

- Ganging steel glides; add \$5 - No glides

- Polycarbonate glides; add \$5

- PVC non-skid glides; add \$5 - Stainless steel glides; add \$5 NS



Approx. Packaged Weight Delivered Pricing Pallas Fabric Group P1

17.0#

367

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$68

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Strive® Nesting General Information







Armless Chair (SNNAP)



Tablet Arm Chair (SNTAURH)

Oversize Tablet Arm Chair

Features				
Poly or upholstered seat	•	•	•	•
Flex back	•	•	•	•
Flip-up seat	•	•	•	•
Integral handle	•	•	•	•
Nesting	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	16-1/2"	16-1/2"	16-1/2"	16-1/2"
Tablet to chair back clearance			14"	14"
Overall Dimensions				
Width	23"	23"	24"	24"
Depth	22-3/4"	22-3/4"	29"	32"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Top of arm to floor	25-1/2"		28-1/4"	28-1/4"
Nesting (two chairs) (upholstered add 1")	28-1/2"	28-1/2"	34-3/4"	37-3/4"

Nesting - For each additional chair, add 5-3/4" (upholstered add 1")

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels and assembled using hidden fasteners. The seat is available in a poly version or upholstered. For the upholstered version, molded urethane foam (1" depth) is applied to the seat board. Fabric is then upholstered over the foam using a drawstring process.

Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Backrest is available poly only. Backrest has an integral molded "handle."

Seat flips up to allow chairs to nest for storage and transport.

Seat assembly and backrest are field replaceable.

Frame

The legs are 1" 13-gauge high-strength steel tubing. All frame joints are welded.

Frame Finishes

Baked-on electrostatically-applied 45° gloss epoxy powder coating or bright nickel chrome plating.

Casters/Glides

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Carpet and hard floor casters are always black. Bell glide (2" high) made of highimpact plastic also available, black only.

Arm

Optional fixed-position T-arms are available. Arm supports are a continuation of the frame crossmember tube with injection-molded polypropylene armcaps attached by screws.

Tablet Arm

An optional tablet arm is available on either the RH or LH side. When so equipped, the tablet arm support structure is a continuation of the frame crossmember tube. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is 9-1/2" x 20-3/4" x 12-1/2" and oversize tablet is 15-1/2 x 22-1/2 x 14" plywood core of 5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet arm flips up for easy access. Edges are lacquered and sealed.



Stack/Nesting
Strive® Nesting General Information

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

		MODEL	NUMBE	R						
	MODEL	Basic Model	Frame Color	Poly Seat & Back Color	Base	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing	
	Armless Chair with Poly Seat	SNNAP						23.0#	\$ 406	
	Flex backNests									
SNP										
	Armless Chair with Upholstered Seat Flex back Nests	SNNAU						23.0#	N/A	
SNU										
	Armchair with Poly Seat Flex back Nests	SNCAP						25.0#	\$ 461	
SNP										
	Armchair with Upholstered Seat Flex back Nests	SNCAU						25.0#	N/A	
SNU										
		A	3	Θ	0	(3	•	•		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder
- Select poly seat and back color Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select base option.

 - Bell glides (black only)
 Carpet casters (black only)
 Hard floor casters (black only)
- Select fire code.
 - NFR Compliance to TB 117-2013
 FR Compliance to TB 133
 - Compliance to TB 133
- Select upholstery grade/color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



	& C.O.M.		Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	465	\$ 491	\$ 503	\$ 465	\$ 503	\$ 501	\$ 538	\$ 557	\$ 578	\$ 594
·		•	•		•			V 55.		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
\$	521	\$ 546	\$ 559	\$ 521	\$ 559	\$ 556	\$ 593	\$ 612	\$ 633	\$ 650

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$68

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER	1				1
	MODEL	Features	Basic Model	Frame Color	Poly Seat & Back Color	Top Stitch Color	Base	TB133	Upholstery Color
	Armless Chair with Upholstered Seat with	Upholstered Seat	SNNATSU						
	Top Stitch on Seat								
	Flex backNests								
	- 110313								
3)									
SNTS									
	Armchair with Upholstered Seat with Top	Upholstered Seat	SNCATSU						
I	Stitch on Seat • Flex back								
	Nests								
ONTO									
SNTS									
			A	3	Θ	O	(3	•	G

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select poly seat and back color Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select base option.

- Bell glides (black only) - Carpet casters (black only)
 - Hard floor casters (black S only)
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

GSelect upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.



Approx. Packaged Weight Delivered Pricing Pallas Fabric Group P1

23.0#

578

\$

25.0#

\$ 633

. . . .

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$68

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUM	IBER							
	MODEL	Basic Model	Frame Color	Poly Seat & Back Color	Base	Tablet Arm Color	Fire Code	Upholstery Color	Approx. Packaged Weight	
	Tablet Arm Chair with Poly Seat	SNTAPRH							28.0#	
SNP	Flex back Nests	SNTAPLH							28.0#	
SINF	Tablet Arm Chair with Upholstered Seat	SNTAURH							28.0#	
	Flex back	SNTAULH							28.0#	
	Nests	0.1.702.1							1000	
SNU										
	Oversize Tablet Arm Chair with Poly Seat	SNOVTAPRH							28.0#	
	Flex back	SNOVTAPLH							28.0#	
	Nests									
SNP										
	Oversize Tablet Arm Chair with Uphol- stered Seat Flex back Nests	SNOVTAURH SNOVTAULH							28.0# 28.0#	
SNU										
		A	3	Θ	0	3	•	Θ		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select poly seat and back color Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

• Select base option.

- Bell glides (black only)
- Carpet casters (black only)
- Hard floor casters (black 5 only)

Select tablet arm color.

Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

G Select upholstery grade/color.

Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Prici	vered ing 578	Pric Fab	vered sing ric Grade C.O.M.	Prici	vered ng ic Grade	Deliv Prici Fabr 3		Deliv Prici C.O.	vered ing V.	Pric	vered ing I Group	Prici Palla	vered ing as Fabric up P0	Prici Palla	vered ng is Fabric ip P1	Prici Palla	vered ng is Fabric ip P2	Prici Palla	rered ng s Fabric ip P3	Deliv Prici Palla Grou	ng s Fabric
\$	578																				
	370																				
	NI/A	Φ.	607	Φ.	000	Φ.	C74	Φ.	607	•	674	•	070	Φ.	710	Φ.	700	Φ.	750	Φ.	700
	N/A N/A	\$	637 637		663 663		674 674	\$	637 637	\$	674 674		673 673		710 710		728 728		750 750		766 766
	N/A		037		003		074		037		0/4		0/3		710		720		730		700
\$	637																				
	637																				
	N/A	\$	696		721		734	\$	696		734		731		768		788		809		825
	N/A		696		721		734		696		734		731		768		788		809		825

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$68

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMB	ER							
	Features	Basic Model	Frame Color	Poly Seat & Back Color	Top Stitch Color	Base	Tablet Arm Color	TB133	Upholstery Color	Approx. Packaged Weight
	Uph Seat, Left Hand	SNTATSULH								28.0#
	Uph Seat, Right Hand	SNTATSURH								28.0#
3 3										
SNTS										
Tablet Arm Chair with Upholstered Seat with Top Stitch on Seat										
Flex back										
Nests										
	Uph Seat, Left Hand	SNOVTATSULH								28.0#
	Uph Seat, Right Hand	SNOVTATSURH								28.0#
3										
SNTS										
Oversize Tablet Arm Chair with Uphol- stered Seat with Top Stitch on Seat										
Flex back										
 Nests 										
		A	3	Θ	O	€	•	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder
- Select poly seat and back color Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select base option.

- Bell glides (black only)
- Carpet casters (black only)
- Hard floor casters (black

 $\overline{\mathbf{S}}$ only)

Select tablet arm color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**. GSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Pallas Fabric Group P1

750 750

809

809

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. No additional lead time.

Model=Polypropylene Added list price=\$10

Model=Upholstered Seat Added list price=\$68

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Torsion® on the Go® General Information



Upholstered Back Armchair (TGWAUB)



Armless Upholstered Back Chair (TGNAUB)



Poly Back Armchair (TGWAPB)

Features			
Back flex	•	•	•
Flip-up seat	•	•	•
Nesting	•	•	•
Casters	•	•	•
General Dimensions			
Seat width	17-1/4"	17-1/4"	17-1/4"
Seat depth	18-1/2"	18-1/2"	18-1/2"
Seat height	18"	18"	18"
Back width	18-1/4"	18-14"	18-1/4"
Back height	14"	14"	14"
Overall Dimensions			
Width	23-1/2"	23-1/2"	23-1/2"
Depth	24-1/4"	24-1/4"	24-1/4"
Height	32-1/4"	32-1/4"	32-1/4"
Top of arm to floor	24-1/4"		24-1/4"
Nesting (two chairs)	24" x 24"	24" x 24"	24" x 24"

(Each additional chair - add 5")



Arm



Caster



Back Handle



Flip-up Seat

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of molded plywood upholstery board with a molded compound curved nylon shroud with a textured finish. Seat is always upholstered. Foam (1-3/4") is applied to the molded plywood upholstery board. Fabric is then upholstered over the foam. Backrest is available in either a polypropylene or upholstered version. Backrest is molded compound curved polypropylene with a textured finish. Backrest has an integral, molded "handle."

Back upholstery liner is molded polypropylene with glued-on foam (1/2"). Fabric is upholstered over the foam. The liner is secured to the backrest by four #10 colormatched machine screws.

Seat flips up to allow chairs to nest for storage and transport.

Backrest Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism.

Torsion® Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Frame

The frame is made up of four legs welded to a steel mechanism tube. The legs are 1", 13-gauge steel tubing. Reinforcement plates are welded between front and back legs for added strength. Nylon covers fit over the plates.

Casters/Glides

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Carpet and hard floor casters are always black. Bell glide (2" high) made of highimpact plastic also available, black only.

Leg Finishes

Baked-on electrostatically-applied epoxy powder coating or bright nickel-chrome plating.

Arms

Armrests are made of nylon and match the seat and back poly color. Armrests rotate with the back.

Tablet/Tablet Arm

The tablet is available in a plywood core (5/8' thick, 11-ply hardwood surfaced with .030' high-pressure laminate top and plain backer undersurface) or a black molded polyethylene. It is connected to the mechanism and supported by a 12-gauge steel plate. It has an effective working surface 12" deep by 22" across. The tablet arm is not field addable. The tablet arm is available in right-hand and left-hand versions. The tablet mechanism consists of aluminum die

cast housings and through bolted pivots with bushings on two axis. The mechanism allows for horizontal rotation for ingress/ egress without stowing the tablet. The mechanism stows the tablet so that the chair will nest with other Torsion® on the Go!® chairs with tablets and Torsion® on the Go!® Go!® chairs without tablet or arms.

Stack/Nesting Torsion® on the Go® General Information



Armless Poly Back Chair (TGNAPB)



Poly Back Tablet Arm Chair (TGTARPB)

Features		
Back flex	•	•
Flip-up seat	•	•
Nesting	•	•
Casters	•	•
General Dimensions		
Seat width	17-1/4"	17-1/4"
Seat depth	18-1/2"	18-1/2"
Seat height	18"	18"
Back width	18-14"	18-1/4"
Back height	14"	14"
Overall Dimensions		
Width	23-1/2"	27"
Depth	24-1/4"	31"
Height	32-1/4"	32-1/4"
Top of arm to floor		29"
Nesting (two chairs)	24" x 24"	24" x 24"
(Each additional chair - add 5")		

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Torsion® on the Go® Nesting Chairs

		MODEL NUMBER								
	MODEL	Basic Model	Frame Color	Seat & Back Color	Base	Upholstery Color	Fire Code	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	
	Armless Chair with Poly Back Flex back Flip-up seat Nests Casters or glides	TGNAPB						32.0#	\$ 634	
TGU	Armless Chair with Upholstered Back Flex back Flip-up seat Nests Casters or glides	TGNAUB						33.0#	\$ 677	
TGU										
TGU	Armchair with Poly Back Flex back Flip-up seat Nests Casters or glides	TGWAPB						33.0#	\$ 663	
	Armchair with Upholstered Back Flex back Flip-up seat Nests Casters or glides	TGWAUB						35.0#	\$ 705	
TGU										
		Ø	₿	Θ	0	•	()			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

The metal back support matches the frame

Select seat and back color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Armrest color will match seat/back poly color.

OSelect base option.

- Bell glides (black only)
 Carpet casters (black only)
 Hard floor casters (black
- 5 only)
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.

Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133 NFR



Stack/Nesting Torsion® on the Go® Nesting Chairs

\$ 647 \$ 663 \$ 663 \$ 663 \$ 668 \$ 701 \$ 727 \$ 757 \$ 692 \$ 706 \$ 706 \$ 701 \$ 712 \$ 744 \$ 769 \$ 801 \$ 677 \$ 691 \$ 691 \$ 687 \$ 698 \$ 724 \$ 755 \$ 783 \$ 719 \$ 733 \$ 733 \$ 731 \$ 742 \$ 769 \$ 796 \$ 826	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 677 \$ 691 \$ 691 \$ 687 \$ 698 \$ 724 \$ 755 \$ 783	\$ 647	\$ 663	\$ 663	\$ 658	\$ 668	\$ 701	\$ 727	\$ 757
	\$ 692	\$ 706	\$ 706	\$ 701	\$ 712	\$ 744	\$ 769	\$ 801
\$ 719 \$ 733 \$ 731 \$ 742 \$ 769 \$ 798 \$ 826	\$ 677	\$ 691	\$ 691	\$ 687	\$ 698	\$ 724	\$ 755	\$ 783
	\$ 719	\$ 733	\$ 733	\$ 731	\$ 742	\$ 769	\$ 798	\$ 826

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs either poly or upholstered is 3/4 yard of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Polypropylene Back Added Lead Time=1 week Added list price=\$48 Model=Upholstered Seat/Back Added Lead Time=1 week Added list price=\$74

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Torsion® on the Go® Nesting Chairs

MODEL NUMBER										
			MODEL N	UMBER						
	MODEL	Features	Basic Model	Surface Type	Frame Color	Seat & Back Color	Surface Finish/ Plastic Color	Base	Upholstery Color	Approx. Packaged Weight
	Tablet Arm Chair with Poly Back	Left Hand	TGTALPB							30.0#
	• Flex back	Right Hand	TGTARPB							30.0#
	Flip-up seatNests									
	Casters or glides									
	The tablet is available in right-hand and									
	left-hand versions									
TGU										
	Tablet Arm Chair with Upholstered Back	Left Hand	TGTALUB							31.0#
	Flex backFlip-up seat	Right Hand	TGTARUB							31.0#
	Nests									
	Casters or glides									
	The tablet is available in right-hand and left-hand versions									
	ieit-iiaiiu versioiis									
TGU										
			A	3	Θ	0	3	•	œ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$56 **PW**

- Plastic worksurface

Select frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. Armrest color will match seat/back poly
- Select surface finish. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select base option.

 G Bell glides (black only)

color.

- Carpet casters (black only) - Hard floor casters (black

only)

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



\$ 983

983

996

996

\$ 1012

1012

\$ 1012

1012

Stack/Nesting Torsion® on the Go® Nesting Chairs

\$ 1105

1105

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 940	\$ 953	\$ 969	\$ 969	\$ 965	\$ 976	\$ 1008	\$ 1034	\$ 1064
940	953	969	969	965	976	1008	1034	1064

\$ 1006

1006

\$ 1018

1018

\$ 1049

1049

\$ 1074

1074

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs either poly or upholstered is 3/4 yard of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Stack/Nesting

Torsion® General Information



Full Sled Base Chair (TSNAU)



Four-Leg Armchair (TLFAU)



Transport Dolly (TVD and TLD Dolly)

Features			
Stackable	•	•	
General Dimensions			
Seat width	18"	18"	
Seat depth	18""	18"	
Seat height	17-3/8"	17-7/8"	
Back width	17-7/8"	17-7/8"	
Back height	15-1/4"	15-1/4"	
Overall Dimensions			
Width	21" No Arm	20" No Arm/24" Arm	22-1/2"
Depth	22-3/4"	23-1/4"	25-1/2"
Height	32-3/4"	32-3/4"	12"
Top of arm to floor		25-5/8°	
Stacking on Dolly			
Quantity/height	6 Chairs/50" High No Arm	5 Chairs/52" High No Arm & Arm	
Floor space (no arms)	21" x 29"	24" x 32"	
Floor space (arms)		25" x 32"	
Stacking on Floor			
Quantity/height	5 Chairs/44" High No Arm	5 Chairs/47" High No Arm & Arm	
Floor space (no arms)	21" x 28"	20" x 30"	
Floor space (arms)		24" x 30"	



Standard Flip-Up Tablet Arm



G2-Tablet Arm (Down) (only on TS and TL frames)



G2-Tablet Arm (Up) (only on TS and TL frames)



Cantilevered Arm

SPECIFICATIONS

Seat and Backrest

Seats and backrests are molded compound curved polypropylene with a textured finish. Seat is two-piece construction. Upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the backrest and 5/16" foam on the seat.

Backrest Supports

Two die-cast aluminum backrest supports attach the backrest to the Torsion® mechanism. A steel tube is cast into each backrest support for added strength.

Torsion® Mechanism

The back flex is achieved by the Torsion® mechanism. It consists of two flat torsion springs captured at both ends by steel bushings which in turn engage with the backrest supports. The Torsion® mechanism creates gradually-increasing resistance over the full 12° of back flex.

Full Sled Base Frame (TS)

The sled base frame consists of two segments of 3/4", 16-gauge seam-welded tubular steel and two steel seat supports.

Four-Leg Frame (TL)

The four-leg frame consists of two U-shaped sections, one front and one rear, welded together with two support brackets to form the four-leg chair. The sections are formed of 15/16", 15-gauge seam-welded tubular steel.

Leg Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Cantilevered Arm (TS, TL Chairs)

Fiberglass-reinforced nylon. Arms flex with the back. Available in black only. Not fieldinstallable.

Standard Flip-Up Tablet Arm

Plywood core tablet with high-pressure laminate surface. The edge is black laminate, otherwise clear lacquer. Tablet arm support matches frame color. Tablet is 19-1/2" long and 12-3/4" wide.

Fold-Down, G2-Tablet Arm

Only available on TS and TL frames. Tablet is constructed of plywood core with high-pressure laminate surface and a clear lacquered edge. Tablet arm support matches frame color (hinge is always black). The tablet is 18" long and 13-3/4" wide. 4" of clearance is needed behind chair to allow table to fold away. Nonstacking.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powdercoated finish.



Stack/Nesting Torsion® General Information



Full Sled Base G2-Tablet Arm Chair (TSG2ARU)

Four-Leg Tablet Arm Chair 25-5/8"

Features		
Stackable		
General Dimensions		
Seat width	18"	18"
Seat depth	18"	18"
Seat height	17-3/8"	17-3/8"
Back width	17-7/8"	17-7/8"
Back height	15-1/4"	15-1/4"
Overall Dimensions		
Width	21"	21"
Depth	22-3/4"	22-3/4"
Height	32-3/4"	32-3/4"
Top of arm to floor	25-5/8"	25-5/8°
Stacking on Floor		
Quantity/height		4 Chairs/47-1/2" High
Floor space (arms)		28-1/2" x 35-1/2"

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

			MODEL	. NUMBE	R					
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Armrest Color	Glide Option	Upholstery Color	Fire Code	Approx. Packaged Weight
	Four-Leg Chair	Polypropylene	TLNAP							22.0#
	Flex backNo arm	Upholstered	TLNAU							24.0#
	Stacking									
	Glide is plastic and standard									
и Ц										
TLP										
TLU	Four-Leg Armchair	Polypropylene	TLFAP							23.0#
	 Flex back 	Upholstered	TLFAU							25.0#
	Stacking Clide is plactic and standard	ориолого са	12.7.0							20.0%
	Glide is plastic and standard									
U U										
Ų										
TLP										
TLU										
			A	3	Θ	O	(3	•	Ф	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

The metal back support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and

back color. The arm support and tablet arm support match the frame color.

- C Select seat and back color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- DSelect armrest color.
- Select glide option.

- Plastic glides

- Stainless steel glides

Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

GSelect fire code.

- Compliance to TB 133

- Compliance to TB 117-2013





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Ι ά υ.υ.ινι.	۷	J	21	Group r o	Gloup F I	Group r Z	Group 13	Group 14
\$ 284									
N/A	483	526	535	535	489	500	522	545	565
\$ 433									
N/A	631	672	682	682	633	644	668	691	713

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added list price=\$71

Model=Upholstered Added Lead Time=1 week Added list price=\$79

Note:

Torsion in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER						
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Tablet Arm Color	Glide Option	Upholstery Color	Fire Code	
	Four-Leg Tablet Arm Chair	Polypropylene, Left Hand	TLTALP							
	Flex backStacking	Polypropylene, Right Hand	TLTARP							
	Glide is plastic and standard	Upholstered, Left Hand	TLTALU							
	Flip-up tablet	Upholstered, Right Hand	TLTARU							
-										
TLP										
TLU										
	Four-Leg G2-Tablet Arm Chair	Polypropylene, Left Hand	TLG2ALP							
	Flex backNONSTACKING	Polypropylene, Right Hand	TLG2ARP							
	Glide is plastic and standard	Upholstered, Left Hand	TLG2ALU							
	Fold-down tablet	Upholstered, Right Hand	TLG2ARU							
<i>y</i>										
U										
TLP										
TLU										
			A	B	Θ	0	•	G	Θ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

The metal back support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and back color.

The arm support and tablet arm support match the frame color.

- C Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select glide option.

P - Plastic glides
S - Stainless steel glides

Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.

Select fire code.

FR - Compliance to TB 133

- Compliance to TB 117-2013



Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
32.0#	\$ 482									
32.0#	482									
34.0#	N/A	681	721	729	729	685	696	717	740	761
34.0#	N/A	681	721	729	729	685	696	717	740	761
 32.0#	\$ 572									
32.0#	572									
34.0#	N/A	769	809	817	817	770	781	806	827	848
34.0#	N/A	769	809	817	817	770	781	806	827	848

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added list price=\$71

Model=Upholstered Added Lead Time=1 week Added list price=\$79

Note:

Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

MODEL Features Basic Frame Back Armrest Glide Upholstery Fire Color Colo	+ -
Floribards 200 Florib	22.0#
Flex back No arm Upholstered TSNAU	24.0#
• Stacks	
Glide is an option	
TSP	
TSU	
Full Sled Base Armchair Polypropylene TSFAP	
Flex back NONSTACKING Upholstered TSFAU	25.0#
Glide is an option	
TSP	
TSU	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

The metal back support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and back color.

The arm support and tablet arm support match the frame color.

- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- DSelect armrest color.

Select glide option.

- No glides - Non-marring glides NGL GNM - Plastic glides - Non-skid glides; add \$29 GBL GNS GSS - Stainless steel glide; add \$29

Select upholstery grade/color. Refer to the KI Color Addendum or KI

Fabrics & Finishes binder. GSelect fire code.

- Compliance to TB 117-2013 NFR - Compliance to TB 133





Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 284									
N/A	483	526	535	535	489	500	522	545	565
\$ 433									
N/A	631	672	682	682	633	644	668	691	713

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added list price=\$71

Model=Upholstered Added Lead Time=1 week Added list price=\$79

Note:

Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

				MODEL N	UMBER						
		MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Tablet Arm Color	Glide Option	Upholstery Color	Fire Code	
		Full Sled Base Tablet Arm Chair	Polypropylene, Left Hand	TSTALP							
		Flex backNONSTACKING	Polypropylene, Right Hand	TSTARP							
		Glide is an option	Upholstered, Left Hand	TSTALU							
		Flip-up tablet	Upholstered, Right Hand	TSTARU							
	/ YTT	 Tablet arm is 19-1/2" long and 12-3/4" 									
		wide									
TSP											
TSU											
		Full Sled Base G2-Tablet Arm Chair	Polypropylene, Left Hand	TSG2ALP							
		Flex back NONGTACKING	Polypropylene, Right Hand	TSG2ARP							
		NONSTACKINGGlide is an option	Upholstered, Left Hand	TSG2ALU							
		Fold-down tablet	Upholstered, Right Hand	TSG2ARU							
		Tablet arm is 18" long and 13-3/4" wide									
	-										
TSP											
TSU											
				A	3	Θ	0	3	•	Ө	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder

The metal back support, arm support, and tablet arm support matches the frame

When Hammertone or chrome frames are specified, back support matches seat and back color.

- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select tablet arm color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.

Select glide option.

- No glides - Non-marring glides NGL GNM - Plastic glides - Non-skid glides; add \$29 GBL GNS GSS - Stainless steel glide; add \$29

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133



Approx. Packaged Weight	Pric	ivered iing ipholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
32.0#	\$	482									
32.0#		482									
34.0#		N/A	681	721	729	729	685	696	717	740	761
34.0#		N/A	681	721	729	729	685	696	717	740	761
32.0#	\$	572									
32.0#		572									
34.0#		N/A	769	809	817	817	770	781	806	827	848
34.0#		N/A	769	809	817	817	770	781	806	827	848

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added Lead Time=1 week Added list price=\$71

Model=Upholstered Added Lead Time=1 week Added list price=\$79

Note:

Torsion® in 2V Vinyl with FR requires a customer waiver since addition of the FR fire barrier to the upholstery detracts from the aesthetics of the chair.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	Transport Dolly for Sled Base Chairs • For full sled base chairs (TS)	TVD.BL	30.0#
	5" casters: two fixed, two swivelBlack only		
9			
HRDPT			
	Transport Dolly for Four-Leg Chairs	TLD.BL	31.0#
	For four-Leg chairs only (TL)		
	5" casters: two fixed, two swivelBlack only		
<u> </u>	Black only		
HRDPT			
		Ø	-



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 423

\$ 423

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Torsion Air™ General Information







Four-Lea Armchair

Four-Lea Standard Tablet Arm Chair

	Armless Four-Leg Chair (TALNA)	Four-Leg Armchair (TALWA)	Four-Leg Standard Tablet Arm Chair (TALTAR)
Features			
Back flex	•	•	•
Stackable	•	•	
General Dimensions			
Seat width	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"
Seat height	18"	18"	18"
Back width	17"	17"	17"
Back height	16"	16"	16"
Overall Dimensions			
Width	21"	23-1/2"	23"
Depth	23-3/4"	23-3/4"	29-3/4"
Height	34"	34"	34"
Top of arm to floor		25-1/2"	28"
Stacking on Dolly			
Quantity/height	5 Chairs/55" High	5 Chairs/55" High	
Floor space	22-1/2" x 25-1/2"	23-1/2" x 25-1/2"	
Stacking on Floor			
Quantity/height	4 Chairs/45" High	4 Chairs/45" High	
Floor space	21" x 32"	23-1/2" x 32"	



Standard Flip-Up Tablet Arm

SPECIFICATIONS

Seat and Backrest

Seat is a two-piece construction with a molded polypropylene liner with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholsted. Foam (1-1/2") is applied to the molded polypropylene liner. Fabric is then upholstered over the foam. Backrest frame is molded glass-reinforced nylon. Mesh fabric is 100% polyester. Seat and backrest are field-replaceable.

Back/Arm Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism. If so equipped, optional armrest structure is integral to the backrest support. Armcaps are polypropylene and are field-replaceable.

Full Sled Base Frame (TAS)

The sled base frame consists of two seqments of 3/4" 16-gauge seam welded tubular steel and two steel seat supports.

Four Leg Frame (TAL)

The four leg frame consists of two U-shaped sections, one front and one rear, welded together with two support brackets to form the four leg chair. The sections are formed of 15/16" 15-gauge seam welded tubular steel.

Leg Finishes

Baked-on, electrostatically-applied powdercoating, or bright nickel-chrome plating.

Standard Tablet Arms

5/8" 11-ply plywood tablet with high-pressure laminate surface and lacquered edge. Tablet arm support matches frame color. Seating clearance is 13 1/2". Standard tablet measures 19 1/2" long and 12 3/4" wide.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**


It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together. 5" casters; two fixed, two swivel. Powder coated finish. Two distinct dollies are available; one for full Sled Base, and one for Four Leg.



Stack/Nesting Torsion Air™ General Information









Sled Base Armchair



Sled Base Standard Tablet Arm Chair

	Armiess Sied Base Chair (IASNA)	(TASWA)	(TASTAR)
Features			
Back flex	•	•	•
Stackable	•	•	
General Dimensions			
Seat width	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"
Seat height	18"	18"	18"
Back width	17"	17"	17"
Back height	16"	16"	16"
Overall Dimensions			
Width	21"	23-1/2"	23"
Depth	23-3/4"	23-3/4"	29-3/4"
Height	34"	34"	34"
Top of arm to floor		25-1/2"	28"
Stacking on Dolly			
Quantity/height	5 Chairs/55" High	5 Chairs/55" High	
Floor space	22-1/2" x 25-1/2"	23-1/2" x 25-1/2"	
Stacking on Floor			
Quantity/height	4 Chairs/45" High	4 Chairs/45" High	
Floor space	21" x 32"	23-1/2" x 32"	

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

ΚI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Stack/Nesting Torsion Air™

			MODEL	NUMBE	R					
	MODEL	Features	Basic Model	Frame Color	Tablet Arm Color	Glide Option	Upholstery Color	Fire Code	Mesh Color	
(Four-Leg Armless Chair		TALNA							
\	Back flex Mesh back									
	 Stacking 									
u [] " []										
ALC										
	Four-Leg Armchair Back flex		TALWA							
	Mesh back									
	Stacking									
U N										
ALC	Four Los Toblet Arm Chair	Ctandard Tablet oft bland	TALTAL							
	Four-Leg Tablet Arm Chair Back flex	Standard Tablet, Left Hand Standard Tablet, Right Hand	TALTAR							
	Mesh backNonstacking	Standard Tablot, Hight Halla	I/IEI/III							
	• NUIISIAUKIIIY									
I I										
TALC										
IALU										
			(•	Θ	O	(3	•	œ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder
- Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select glide option.
 - Plastic glides
 - Stainless steel glides
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

GSelect back mesh color.

BLMH - Black

GRMH - Grey

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Prio Fab	ivered cing ric Grade c.O.M.	Pric	ivered cing ric Grade	Pric	ivered sing ric Grade	Pric	yl Group	Pric Pall	vered sing as Fabric up P0	Prio Pall	ivered cing as Fabric up P1	Prio Pall	ivered cing las Fabric up P2	Prio Pall	ivered cing las Fabric oup P3	Prio Pall	vered ing as Fabric up P4
18.0#	\$	512	\$	526	\$	541	\$	541	\$	549	\$	586	\$	603	\$	623	\$	647
20.0#	\$	540	\$	553	\$	571	\$	571	\$	576	\$	613	\$	631	\$	650	\$	674
28.0#	\$	710	\$	722	\$	741	\$	741	\$	746	\$	783	\$	801	\$	818	\$	845
28.0#		710		722		741		741		746		783		801		818		845

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added Lead Time=1 week Added list price=\$47

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Stack/Nesting Torsion Air™

			MODEL	NUMBE	K ∣				
	MODEL	Features	Basic Model	Frame Color	Tablet Arm Color	Upholstery Color	Fire Code	Mesh Color	Glide Option
· · · · · · · · · · · · · · · · · · ·	Armless Sled Base Chair		TASNA						
	Back flexMesh backStacking								
	3								
TASC									
IAOU	Sled Base Armchair		TASWA						
	Back flexMesh back								
	Stacking								
TASC									
	Sled Base Tablet Arm Chair	Standard Tablet, Left Hand	TASTAL						
	Back flexMesh back	Standard Tablet, Right Hand	TASTAR						
	Nonstacking								
TASC									
			A	3	Θ	O	(3	•	Θ

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select tablet arm color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- **D**Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select back mesh color.

BLMH - Black GRMH - Grey

Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.

GSelect glide option.

- No glides - Non-marring glides GNM GNS - Non-skid glides - Plastic glides GSS - Stainless steel glide



Approx. Packaged Weight	Prio Fab	ivered cing ric Grade c.C.O.M.	Pric	vered sing ric Grade	Pric	vered ing ric Grade	Pric	vered ing /I Group	Pric Pall	vered ing as Fabric up P0	Pric Pall	vered ing as Fabric up P1	Pric Pall	vered iing as Fabric up P2	Pric Pall	vered sing as Fabric up P3	Pric Pall	vered ing as Fabric up P4
18.0#	\$	512	\$	526	\$	541	\$	541	\$	549	\$	586	\$	603	\$	623	\$	647
20.0#	\$	540	\$	553	\$	571	\$	571	\$	576	\$	613	\$	631	\$	650	\$	674
28.0#	\$	710	\$	722	\$	741	\$	741	\$	746	\$	783	\$	801	\$	818	\$	845
28.0#		710		722		741		741		746		783		801		818		845

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added Lead Time=1 week Added list price=\$47

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Stack/Nesting Torsion Air™

		MODEL NUMBER	
			Approx.
	MODEL	Basic Model	Packaged Weight
		TVD.BL	30.0#
	Transport Dolly for Sled Base Chairs • For full sled base chairs	IVU.DL	30.0#
	5" casters: two fixed, two swivel		
D 31	Black only		
w)	-		
HRDPT			
	Transport Dolly for Four-Leg Chairs	TLD.BL	31.0#
	 For four-Leg chairs only 		
	5" casters: two fixed, two swivel Block only		
9 95	Black only		
HRDPT			
TINDITI			
		Φ	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Stack/Nesting Torsion Air

Delivered Pricing

423

\$ 423

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Torsion Air™ Nesting General Information









Armless Cha (TANNA)

Piretti Tablet

Flip-up Tablet

	(TANNA)	(TANWA)	Arm Chair (TANTARPT)	Arm Chair (TANTARFD)
Features				
Back flex	•	•	•	•
Flip-up seat	•	•	•	•
Nesting	•	•	•	•
Casters	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat height	18"	18"	18"	18"
Back width	17"	17"	17"	17"
Back height	16"	16"	16"	16"
Overall Dimensions				
Width	23-7/8"	23-7/8"	25"	27"
Depth	24-1/4"	24-1/4"	30-1/4"	31"
Height	33-1/2"	33-1/2"	33-1/2"	33-1/2"
Top of arm to floor		24-7/8"	28-1/2"	28"
Depth of nesting (two chairs)	28"	28"	34"	35"
Depth of each additional chair	7-1/2"	7-1/2"	7-1/2"	7-1/2"

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of molded plywood upholstery board with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholstered. Foam (1-3/4") is applied to the molded plywood upholstery board. Fabric is then upholstered over the foam. Backrest is available in either a poly or upholstered version. Backrest frame is molded glassreinforced nylon. Mesh fabric is 100% polyester. Backrest has an integral "handle."

Seat flips up to allow chairs to nest for storage and transport.

Seat and back are field replaceable.

Backrest Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Flip-Up Tablet

Available on RH or LH side. The tablet arm support structure is 1-inch diameter, 13-gauge tubing, welded to the main chair frame. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface is nominally 9-1/2" x 20-3/4" x 12-1/2" plywood core of 5/8" thick, 11-ply hardwood, surfaced with 0.030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed. When so equipped, and with the tablet flipped up, chairs will nest with other Torsion Air chairs with tablets, or without.

Arms

Armcaps are made of polypropylene. Armrests rotate with the back. Armcaps are field replaceable.

Frame

The frame is made up of four legs welded to a steel mechanism tube. The legs are 1"diameter, 13-gauge high-strength low alloy steel tubing.

Leg Finishes

Baked on electrostatically applied 45 sheen epoxy powder coating or bright nickel chrome plating.

Casters/Glides

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Carpet and hard floor casters are always black. Bell glide (2" high) made of highimpact plastic also available, black only.

Piretti Tablet

Available on RH or LH side. The tablet support is 1-3/16"OD x 14-gauge round steel tubing. The support is welded to the chair frame. The tablet mechanism consists of two die cast aluminum housings and a stamped steel hinge assembly. The main housing is mounted inside the steel support tube and secured with a threadforming screw. The mechanism has two through-bolted pivot axes with bushing that allow stowing. The mechanism permits 12 degrees of horizontal rotation for ingress/ egress without stowing the tablet. With the tablet stowed, the chair will nest with other Torsion Air chairs with or without tablets. The tablet is made from blow-molded highdensity polyethylene and is only available in black. The tablet is connected to the mechanism and supported by a 12-gauge steel plate. The tablet has an effective working surface 12" deep by 16" across (overall dimensions are 12" deep by 22" across).



Stack/Nesting
Torsion Air™ Nesting General Information

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

			T						
			MODEL NU	IMIREK					
	MODEL	Features	Basic Model	Frame Color	Tablet Arm Color	Base	Upholstery Color	Fire Code	Mesh Color
(**************************************	Armless Chair		TANNA						
1	Back flexMesh back								
<u> </u>	• INIESTI DACK								
an)									
TANO									
TANC	Armchair		TANWA						
	 Back flex 		IANWA						
	 Mesh back 								
up)]									
TANO									
TANC	Flip-up Tablet Arm Chair	Flip Tablet, Left Hand	TANTALFT						
	 Back flex 	Flip Tablet, Right Hand	TANTARFT						
	 Mesh back 	The Tablet, Thente	1700170101						
a m									
OND GO									
TANC									
			A	3	Θ	0	③	•	G

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder
- Select tablet arm color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select base option.

 - Bell glides (black only)

 Carpet casters (black only)

 Hard floor casters (black
 - only)
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Select fire code

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

GSelect back mesh color.

BLMH - Black

GRMH - Grey

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Approx. Packaged Weight	Prio Fab	ivered cing ric Grade : C.O.M.	Prid	ivered cing ric Grade	Pric	vered ing ric Grade	Pric	ivered cing yl Group	Pri Pal	livered cing las Fabric oup PO	Prio Pall	vered ing as Fabric up P1	Pri Pal	livered cing llas Fabric oup P2	Pri Pal	ivered cing las Fabric oup P3	Pri Pa	livered cing las Fabric oup P4
24.0#	\$	692	\$	705	\$	719	\$	719	\$	728	\$	765	\$	781	\$	801	\$	826
25.0#	\$	718	\$	737	\$	749	\$	749	\$	755	\$	792	\$	810	\$	828	\$	855
29.0#	\$	888	\$	902	\$	919	\$	919	\$	925	\$	962	\$	980	\$	998	\$	1023
29.0#		888		902		919		919		925		962		980		998		1023

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added Lead Time=1 week Added list price=\$47

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>

Select base option.

G - Bell glides (black only)
C - Carpet casters (black only)
S - Hard floor casters (black only)

②Select upholstery grade/color.
Refer to the <u>KI Color Addendum</u> or <u>KI</u>
<u>Fabrics & Finishes binder</u>.

Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

Select back mesh color.

BLMH - Black GRMH - Grey

Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.



Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
34.0#	\$ 996	\$ 1011	\$ 1026	\$ 1026	\$ 1033	\$ 1070	\$ 1088	\$ 1105	\$ 1132
34.0#	996	1011	1026	1026	1033	1070	1088	1105	1132

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Basic General Information



Armchair



Armless Chair



Transport Dolly

	(VBWAL)	(VBNAL)	(VBD.BL)
Features			
Stackable	•	•	
Plastic back shroud	•	•	
Steel tube arms	•		
General Dimensions			
Seat width	17-1/2"	17-1/2"	
Seat depth	17-1/2"	17-1/2"	
Seat height	17-1/2"	17-1/2"	
Overall Dimensions			
Width	21-5/8"	19-3/8"	22-3/8"
Depth	21-1/4"	21-1/4"	24-7/8" No Arm/ 36" Arm
Height	31"	31"	
Arms to floor	25-3/8"		
Stacking on Dolly			
Quantity/height	10 Chairs/52" High	10 Chairs/52" High	
Stacking on Floor			
Quantity/height	4 Chairs/40" High	4 Chairs/40" High	



Kick Back Leg

SPECIFICATIONS

Legs of 1" o.d. x 13-gauge tubular steel. "Kick back" rear legs on four-leg model increases structural integrity and adds to stability. Side members of 7/8" o.d. x 13-gauge tubular steel. All other joints are robotically welded.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome

Basic Tube End Caps

Molded plastic. The end cap will match the frame color.

Upholstered Seat

Innter seat is 3/8" polypropylene. Fastens to frame with four screws through T-nuts embedded in seat. 1-1/8" thick polyfoam cushion glued to seatboard.

Upholstered Backrest

Two-piece construction. Inner back is 9-ply hard maple with 3/4" thick polyurethane foam. Outer back is vacuum-formed polystyrene attached with eight wood screws.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does $not \ warrant \ the \ effects \ of \ stacking \ on \ stock$ or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels.



Stack/Nesting
Versa® Basic General Information

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1-1/2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Versa® Basic

			MODEL	NUMBE	R				
	MODEL	Features	Basic Model	Frame Color	Upholstery Color	Fire Code	Approx. Packaged Weight	Delivered Pricing	
	Four-Leg Armchair	Upholstered	VBWAL				20.0#	N/A	
	 Back and seat are foam cushioned and upholstered 								
	Plastic back shroudRound tubular steel frame								
	"Kick back" rear leg style enhances								
	stability • Continuous steel tubular arms								
U	Stacking								
VBUP									
	Four-Leg Armless Chair Back and seat are foam cushioned and upholstered Plastic back shroud	Upholstered	VBNAL				18.0#	N/A	
	Round tubular steel frame"Kick back" rear leg style enhances								
l II n II	stability								
Į .	Stacking								
VBUP									
	Versa® Basic Transport Dolly		VBD.BL				19.0#	\$ 450	
Ψ									
HRDPT									
			A	3	•	0			

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- OSelect fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133



Stack/Nesting Versa® Basic

Pric Fabr	vered ing ric Grade C.O.M.	Pric	vered ing ric Grade	Pric	ic Grade	Deli Pric C.O.		Pric	vered ing I Group	Pric Palla	vered ing as Fabric up P0	Pric Pall	vered sing as Fabric up P1	Prio Pall	ing as Fabric	Pric Pall	vered ing as Fabric up P3	Pric Pall	vered ing as Fabric up P4
\$	345	\$	379	\$	380	\$	345	\$	380	\$	380	\$	390	\$	428	\$	460	\$	496
\$	317	\$	350	\$	355	\$	317	\$	355	\$	351	\$	362	\$	399	\$	434	\$	471

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1 yd. of 54" wide nondirectional fabric and vinyls. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$76

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI **54302**, freight prepaid. Freight class 125.

Stack/Nesting

Versa® Conference General Information



Conference Armchair (VCWAL)



Armless Conference Chair (VCNAL)



Transport Dolly (MVP.BL)

Features			
Stackable	•	•	
Ganging	•		
General Dimensions			
Seat width	17-3/4"	17-3/4"	
Seat depth	19-1/2"	19-1/2"	
Seat height	17-1/2"	17-1/2"	
Overall Dimensions			
Width	23-7/8"	20-1/4"	22-3/8"
Depth	23-7/8"	23-7/8"	25-5/8"
Height	32-3/4"	32-3/4"	
Arms to floor	25-5/8"		
Ganging on center	24-3/8"		
Stacking on Dolly			
Overall width	23-7/8"	22-1/2"	
Overall depth	37"	37"	
Quantity/height	8 Chairs/56-3/4" High	8 Chairs/54-1/2" High	
Stacking on Floor			
Width	20-1/2"	20-1/2"	
Depth	29-1/2"	29-1/2"	
Quantity/height	4 Chairs/41" High	4 Chairs/41" High	



Ganging



Kick Back Leg



SPECIFICATIONS

Frame

Four-leg and with arm sled models have legs made of 1" o.d. x 16-gauge tubular steel. Armless sled base models have legs made of 1" o.d. x 14-gauge tubular steel. "Kick back" rear legs on all models will increase structural integrity and add to stability. Seat side supports and cross members of 1" o.d. x 14-gauge tubular steel. Legs will be joined to side members by brazing. All other joints will be robotically welded.

Frame Finishes

30 sheen epoxy powder coating is electrostatically applied. The dry coating is then fused and cured in a baking over to form a smooth, continuous film. Finish is chemical resistant, hard, touch and mar resistant. Bright chrome surfaces are duplex nickelchrome plated in a twenty-two step process.

Floor Glides

Chrome plated steel or plastic and are pressed into the bottom of the leg tubes. Plastic glides match the color of the frame unless frame is chrome or hammertone, then black.

Armrest

Molded nylon and are pressed into the leg tubes.

Tube End Caps (Armless Chair)

Molded plastic. The end cap will match the frame color. With chrome and hammertone frames, the end caps will be black.

Ganging Fixtures (Armchairs Only)

Welded steel construction and chromeplated for durability. Gangers are attached to the underside of the arms with two screws. Only armchairs can be ganged. Gangers are shipped unassembled (KD).

Upholstered Seat

Seat board is made of 7 ply compound molded plywood (3/8" thick) that is glued to a 1-1/2" thick urethane foam cushion. Fabric is glued to the foam and C-Gex upholstered. Seat is fastened to the frame with four 10-24 screws that thread into T-nuts embedded in the seat board.

Upholstered Backrest

Two-piece construction. Inner back is 7-ply compound molded plywood (7/16" thick) with 1-1/2" thick urethane foam cushion that is covered in fabric and C-Gex upholstered together. Outer back shroud is 3-ply compound molded plywood (3/16" thick) with 1/4" thick urethane foam cushion that is covered in fabric and C-Gex upholstered together. The inner back is attached to the frame with four 1/4" screws and the outer back is attached to the inner back and frame with 5 steel spring clips and 2 steel rivets

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" wheels, two fixed and two swivel.



Stack/Nesting Versa® Conference General Information

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Versa® Conference

		MODEL	NUMBER	}				
								Approx.
		Basic	Frame	Upholstery	Fire	Glide	Back	Packaged
MODEL	Features	Model	Color	Color	Code	Option	Style	Weight
Four-Leg Armchair	Upholstered, Ganging	VCWAG						26.0#
Generously proportioned seat and back bour thick form purchasing and are	Upholstered, Non-Ganging	VCWAL						26.0#
have thick foam cushioning and are upholstered								
Back is fully upholstered								
Brackets attaching back to frame are								
U VRB U VSB U concealed ◆ Round tubular steel frame								
"Kick back" rear leg style enhances								
VCUP stability								
Molded nylon arms								
 Ganger fastened to armrest and chrome finished 								
Powder-coated or chrome-plated frames	3							
		· A	B	Θ	•	•	Ð	•
			U	G	ש	J	J	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

- © Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect fire code.

- Compliance to TB 117-2013 - Compliance to TB 133 FR

Select glide option.

- Plastic glides - Steel glides (standard) Select back style.

VRB - Round (original style)
VSB - Square (new style)



Stack/Nesting Versa® Conference

Deliver Pricing Fabric 1 & C.0	Grade	Prici	vered Ing ic Grade	Pric	vered ing ric Grade	vered sing .V.	Pric	vered ing /I Group	Pric Palla	•	Prici Palla	•	Prici Palla	vered ing as Fabric up P2	Deliv Prici Palla Grou	ng s Fabric	Prici Palla	vered ng is Fabric ip P4
\$ 61	11	\$	650	\$	656	\$ 611	\$	656	\$	663	\$	727	\$	805	\$	877	\$	950
60	03		639		644	603		644		650		714		796		867		940

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1-1/2 yards per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Conference Added Lead Time=1 week Added list price=\$76

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Conference

								1
		MODEL	NUMBEI	R				
								Approx.
MADE		Basic	Frame	Upholstery	Fire	Glide	Back	Packaged
MODEL	Features	Model	Color	Color	Code	Option	Style	Weight
Four-Leg Armless Chair	Upholstered, Non-Ganging	VCNAL						23.0#
Generously proportioned seat and back Heavy third forms and back								
have thick foam cushioning and are upholstered								
Back is fully upholstered								
Brackets attaching back to frame are								
VRB VSB concealed								
 Round tubular steel frame "Kick back" rear leg style enhances 								
VCUP stability								
 Powder-coated or chrome plated frames 								
Versa® Transport Dolly		MVP.BL						19.0#
Accommodates up to 8 conference stack-								
ing chairs • Easy maneuverability with 5" casters;								
two fixed, two swivel								
 Rugged weld tubular steel frame 								
HRDPT • Black powder-coated finish								
		A	3	Θ	O	((

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

OSelect fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

Select glide option.

- Plastic glides - Steel glides (standard) Select back style.

VRB - Round (original style)
VSB - Square (new style)



Stack/Nesting Versa® Conference

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
N/A	\$ 571	\$ 611	\$ 614	\$ 571	\$ 614	\$ 622	\$ 685	\$ 768	\$ 837	\$ 912

\$ 438

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 1-1/2 yards per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Conference Added Lead Time=1 week Added list price=\$76

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting

Versa® Standard General Information



Standard Four-Leg Armchair (96WAL)



Armless Four-Leg Chair (96NAL)



Standard Four-Leg **Tablet Arm Chair** (96TAR)



Standard Sled Base Armchair (96WAS)



Armless Standard **Sled Base Chair** (96NAS)

			(301711)		(SUNA)
Features					
Stackable	•	•			
Ganging	•	•		•	•
General Dimensions					
Seat width	17-1/2"	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-1/2"	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Seat height	17-1/2"	17-1/2"	17-1/2"	17-1/2"	17-1/2"
Overall Dimensions					
Width	22-5/8"	19-3/8"	21-3/4"	22-5/8"	19-3/8"
Depth	20-3/4"	20-3/4"	27-1/4"	20-3/4"	20-3/4"
Height	31"	31"	31"	31"	31"
Ganging on center	23-1/2"	23-1/2"		23-1/2"	23-1/2"
Top of arm to floor	25-3/8"			25-3/8"	
Stacking on Dolly					
Overall width	22-3/8"	22-3/8"			
Overall depth	36"	36"			
Quantity/height	10 Chairs/60" High	10 Chairs/54" High			
Stacking on Floor					
Width	22-5/8"	19-3/8"			
Depth	25-1/4"	25-1/4"			
Quantity/height	4 Chairs/40" High	4 Chairs/40" High			











(Round Back)



(Round Back)



1111 CO3 Starburst Cut-



CO4 Fan Cut-outs (Square Back)



COS Solit Cut-outs (Square Back)



C06 Perforated Cutouts (Square Back)

SPECIFICATIONS

Standard Frame

Legs of 7/8" o.d. x 13-gauge tubular steel. "Kick back" rear legs on four-leg model increases structural integrity and adds to stability. Side members of 7/8" o.d. x 13-gauge tubular steel. Cross tube members of 7/8" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are robotically welded.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome

Standard Tube End Caps

Molded plastic. The end cap will match the frame color. With chrome frames, the end cap will be black (upholstered and wood chairs).

Four-Leg Floor Glides

Chrome plated steel or plastic.

Sled Base Non-Skid Glides

Black PVC material. Fixed in position by a screw. Field-installable.

Ganging Fixture

Welded steel rod. Armrest models have separate fixture that can be installed with screws to underside of arms (shipped k.d.). Armless models have fixture welded to frame.

Armrests

Molded nylon or chrome-plated aluminum (for non-ganging models).

Tablet Arm Chair

Tablet of resin core with laminate writing surface and backing sheet. Round tablet edge with clear lacquer finish. Available in left- or right-hand models. Nonstacking. Seating clearance is 14". Tablet is 20-5/8" long and 12" wide.

Upholstered Seat

outs (Round Back)

3/8" thick polypropylene. Fastens to frame with four screws through T-nuts embedded in seat. Polyfoam cushion 3/4" thick glued to seat.

Upholstered Backrest

Two-piece construction. Inner back is polypropylene with 3/4" thick polyurethane foam. Outer back is a polypropylene back insert with 1/4" thick polyurethane foam and three back clips (.018" thick cold-rolled annealed spring steel).

Wood Seat and Backrest

Backs are constructed of 9-ply hard maple with "A Grade" flat cut faces. Seats are constructed of 3/8" hard maple. Wood seats and backs are available in maple with "A Grade" flat cut faces. Seats and backs are assembled with four ribbed carriage bolts and low profile screws with black oxideplated finish. Stacking version has 4 plastic bumpers that protect seat. Caution needs to be used when stacking.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Standard Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels.

Wallsaver Transport Dolly

Available via Special Cost Request.



Versa® Standard General Information





Armless Round Wood Four-Leg Chair (15NAIW) Armless Square Wood Sled Base Chair

	(15NALW)	(15NASW)
Features		
Stackable	•	
Ganging	•	•
General Dimensions		
Seat width	16-15/16"	16-15/16"
Seat depth	17-1/2"	17-1/2"
Seat height	16-1/8"	16-1/8"
Overall Dimensions		
Width	19-1/8"	19-1/8"
Depth	20-3/4"	20-3/4"
Height	31"	31"
Ganging on center	23-1/2"	23-1/2"
Top of arm to floor		
Stacking on Dolly		
Overall width	22-3/8"	
Overall depth	36"	
Quantity/height	8 Chairs/60" High	
Stacking on Floor		
Width	22-5/8"	
Depth	25-1/4"	
Quantity/height	4 Chairs/40" High	

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample for standard models and full back models must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Versa® Standard General Information



Standard Four-Leg Wallsaver Armchair (96WALWS)



Upholstered Seat/Wood Back Four-Leg Armchair (15WALUW)



Armless Upholstered Seat/ **Wood Back Sled Base Chair** (15NASGUW)



Standard Transport Dolly (MVP.BL)

Features				
Stackable	•	•		
Ganging	•	•	•	
General Dimensions				
Seat width	17-1/2"	17-1/2"	17-1/2"	
Seat depth	17-1/2"	17-1/2"	17-1/2"	
Seat height	17-1/2"	17-1/2"	17-1/2"	
Overall Dimensions				
Width	22-5/8"	22-5/8"	19-3/8"	22-3/8"
Depth	21-3/4"	20-3/4"	20-3/4"	25-5/8"
Height	31"	31"	31"	
Ganging on center	23-1/2"			
Top of arm to floor	25-3/8"	25-3/8"		
Stacking on Dolly	See Specifications Below			
Overall width		22-3/8"		
Overall depth		36"		
Quantity/height		10 Chairs/60" High		
Stacking on Floor				
Width	22-5/8"	22-5/8"		
Depth	26-1/4"	25-1/4"		
Quantity/height	4 Chairs/40" High	4 Chairs/40" High		



Ganging







(Round Back)







(Square Back)







(Square Back)

CO6 Perforated Cutouts (Square Back)

SPECIFICATIONS

Standard Frame

Legs of 7/8" o.d. x 13-gauge tubular steel. "Kick back" rear legs on four-leg model increases structural integrity and adds to stability. Side members of 7/8" o.d. x 13-gauge tubular steel. Cross tube members of 7/8" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are robotically welded.

Stool

Legs of 7/8" o.d. x 13-gauge tubular steel. Side members of 7/8" o.d. x 13-gague tubular steel. Cross tube members of 7/8" o.d. x 14-gauge tubular steel. Legs are joined to side members by brazing; all other joints are hand welded. The footring is 7/8" outside diameter steel wire.

Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plated.

Standard Tube End Caps

Molded plastic. The end cap will match the frame color. With chrome frames, the end cap will be black (upholstered and wood chairs).

Armrests

Molded nylon or chrome-plated aluminum (for non-ganging models).

Four-Leg Floor Glides

Chrome plated steel or plastic.

Sled Base Non-Skid Glides

Black PVC material. Fixed in position by a screw. Field-installable.

Ganging Fixture

Welded steel rod. Armrest models have separate fixture that can be installed with screws to underside of arms (shipped k.d.). Armless models have fixture welded to frame.

Upholstered Seat

3/8" thick polypropylene. Fastens to frame with four screws through T-nuts embedded in seat. Polyfoam cushion 3/4" thick glued to seat.

Upholstered Backrest

Two-piece construction. Inner back is polypropylene with 3/4" thick polyurethane foam. Outer back is a polypropylene back insert with 1/4" thick polyurethane foam and three back clips (.018" thick cold-rolled annealed spring steel).

Upholstered Square Back

Two-piece construction. Inner back is 11ply hard maple (.44 thick) with 3/4" thick urethane foam. The outer back is 3-ply gum veneer (.19 thick) with 1/4" urethane foam. Both inner and outer back boards have formed contours. The outer back is attached to the inner back with (3) spring steel clips. The back assembly is attached to the frame with (4) 1/4"-20 screws.

Wood Seat and Backrest

Backs are constructed of 9-ply hard maple with "A Grade" flat cut faces. Seats are constructed of 3/8" hard maple. Wood seats and backs are available in maple with "A Grade" flat cut faces. Seats and backs are assembled with four ribbed carriage bolts and low profile screws with black oxideplated finish. Stacking version has 4 plastic bumpers that protect seat. Caution needs to be used when stacking.

Stacking Vinyl, Polyurethane, and **Imitation Leather Upholstered Chairs**

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.



Upholstered Cafe Stool with Arms (S96WAL)

Features	
Stackable	
Ganging	
General Dimensions	
Seat width	17-1/2"
Seat depth	17-1/2"
Seat height	29-1/2"
Overall Dimensions	
Width	22-5/8"
Depth	22-3/8"
Height	43"
Top of arm to floor	37-3/8"

Standard Transport Dolly

Tubular steel frame, black powder-coated finish. Four 5" swivel wheels.

Wallsaver Transport Dolly

Available via Special Cost Request.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample for standard models and full back models must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Stack/Nesting Versa® Standard

		MODEL NUN	/IBER								
	Features	Basic Model	Frame Color	Wood Seat and Back Color	Upholstery Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Wood Stacking Option	Approx. Packaged Weight
	Wood, Ganging	15NAGW									18.0#
	Wood, Non-Ganging	15NALW									18.0#
	Uph, Ganging	96NAG									19.0#
VRB VSB	Uph, Non-Ganging	96NAL									19.0#
VRWD											
VRUP											
Four-Leg Armless Chair											
Back and seat are foam cushioned/											
upholstered or woodRound tubular steel frame											
"Kick back" rear leg style enhances											
stability											
 Ganger welded to frame and finished to match frame 											
Stacking											
	Wood, Ganging	15NAGWWS					S				18.0#
	Wood, Non-Ganging	15NALWWS					S				18.0#
	Uph, Ganging	96NAGWS					S				19.0#
	Uph, Non-Ganging	96NALWS					S				19.0#
VRB VSB											
VRWD											
VRUP											
Four-Leg Wallsaver Armless Chair											
Back and seat are foam cushioned/ upholstered or wood											
 Round tubular steel frame Ganger welded to frame and finished 											
to match frame											
Stacking											
 Wallsaver rear legs touch base of wall preventing chair back from contact- 											
ing wall											
-								L			I
		A	3	Θ	0	•	(3	Θ	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

Arms will match frame color, unless frame is chrome or hammertone (then black).

- Select wood seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect upholstery grade/color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fire code.

- Compliance to TB 117-2013 - Compliance to TB 133

Select glide option.

- Plastic glides

- Steel glides (standard)

Select back style.

VRB - Round (original style)

- Square (new style)

Select wood back cut-out.

CO1 - Square (round back only) - Ellipse (round back only) CO2

CO3 - Starburst (round back only)

C04 - Fan (square back only)

C05 - Split (square back only) C06 - Perforated (square back

only) NC - No cut-out (both styles)

Select wood stacking option.

- Nonstacking bumper - Stacking bumper



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 621										
599										
N/A	474	507	508	474	508	506	517	553	587	629
N/A	448	483	484	448	484	480	490	527	563	602

\$ 656										
633										
N/A	510	544	545	510	545	540	551	592	624	664
N/A	485	520	521	485	521	517	527	564	600	637

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan C05 = Split

C04= Fan C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54' wide nondirectional fabric. For complete information on ordering C.O.M., see 'Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$57

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL NUM	BER								
	Features	Basic Model	Frame Color	Wood Seat and Back Color	Uph. Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Wood Stacking Option	Arm Option
	Wood, Ganging	15WAGW									MPA
	Wood, Non-Ganging	15WALW									
	Uph, Ganging	96WAG									MPA
	Uph, Non-Ganging	96WAL									
VRB VSB											
VRWD											
VRUP											
Four-Leg Armchair											
Back and seat are foam cushioned/											
upholstered or wood											
Round tubular steel frame											
 "Kick back" rear leg style enhances stability 											
Molded nylon or chrome plated (non-											
ganging) arms											
Ganger fastened to nylon armrestStacking											
Stacking											
	Wood, Ganging	15WAGWWS					S				MPA
	Wood, Non-Ganging	15WALWWS					S				
	Uph, Ganging	96WAGWS					S				MPA
/	Uph, Non-Ganging	96WALWS					S				
VRB VRB VSB											
U U											
VRWD											
VRUP											
Four-Leg Wallsaver Armchair											
 Back and seat are foam cushioned/ upholstered or wood 											
Round tubular steel frame											
Molded nylon or chrome plated (non-											
ganging) arms • Ganger fastened to nylon armrest											
Stacking											
· Wallsaver rear legs touch base of wall											
preventing chair back from contact- ing wall surface											
ing wan surface				_							
		A	•	•	0	•	•	G	0	0	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder
- Select wood seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

Select glide option.

- Plastic glides - Steel glides (standard)

VRB - Round (original style) - Square (new style)

Select wood back cut-out. - Square (round back only)

- Ellipse (round back only)
- Starburst (round back only) C02 CO3 **CO4** - Fan (square back only) - Split (square back only)

- Perforated (square back only)
- No cut-out (both styles) C06

Select wood stacking option.

- Nonstacking bumper - Stacking bumper

Select arm option.

- Chrome plated - Poly



Approx. Packaged Weight	Pri	livered cing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
20.0#	\$	633										
19.0#		621										
21.0#		N/A	485	520	521	485	521	517	527	565	600	637
20.0#		N/A	474	507	508	474	508	506	517	553	587	629

20.0#	\$ 668										
19.0#	656										
21.0#	N/A	521	553	555	521	555	553	563	602	634	672
20.0#	N/A	510	544	545	510	545	540	551	588	624	662

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRB Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C04= Fan C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$57

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL	NUMBER								
	Features	Basic Model	Frame Color	Wood Seat and Back Color	Upholstery Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Tablet Arm Color	Approx. Packaged Weight
	Wood, Left Hand	15TALW									28.0#
	Wood, Right Hand	15TARW									28.0#
	Uph, Left Hand	96TAL									28.0#
	Uph, Right Hand	96TAR									28.0#
U VRB U U VSB U											
VRWD											
VRUP											
Four-Leg Tablet Arm Chair											
Back and seat are foam cushioned/ upholstered or wood											
"Kick back" rear leg style enhances stablilty											
Tablet arm available in left - or right - hand models											
 Laminate tablet arm surface 											
Tablet flips up for easy accessNONSTACKING											
NONO MONING											
			L				L				
		Φ	₿	Θ	O	ⅎ	Ð	Θ	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

- Select wood seat and back color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select upholstery grade/color.

 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

- Select glide option.
 - Plastic glides - Steel glides (standard)
- GSelect back style.

VRB	- Round (original style)
VSB	- Square (new style)

- Select wood back cut-out.
 - Square (round back only) - Ellipse (round back only)
 - Starburst (round back only) C02 C03
 - **CO4** - Fan (square back only) C05 - Split (square back only)
 - C06 - Perforated (square back only) NC - No cut-out (both styles)
- Select tablet arm option. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 805										
805										
N/A	659	691	695	659	695	690	700	739	773	806
N/A	659	691	695	659	695	690	700	739	773	806

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$57

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL NU	JMBER							
	Features	Basic Model	Frame Color	Wood Seat and Back Color	Upholstery Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Approx. Packaged Weight
	Wood, Ganging	15NASGW								23.0#
	Wood, Non-Ganging	15NASW								22.0#
	Uph, Ganging	96NASG								24.0#
	Uph, Non-Ganging	96NAS								23.0#
VRB VSB										
/RWD										
VRUP										
Sled Base Armless Chair										
- Dook and cost are form suphished/										
 Back and seat are foam cushioned/ upholstered or wood 										
Round tubular steel frame										
Ganging version available. Ganger										
welded to frame and finished to match frame										
NONSTACKING										
		A	3	Θ	O	€	()	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color.

Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

- Select wood seat and back color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

Select glide option. NGL - No glides

- Sled base non-skid glides; add \$29

GSelect back style.

VRB - Round (original style)
VSB - Square (new style)

Select wood back cut-out.

C01 - Square (round back only) - Ellipse (round back only)
- Starburst (round back only) CO2 **CO3** - Fan (square back only)
- Split (square back only) C04 C05

- Perforated (square back only)
- No cut-out (both styles) C06 NC



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 761										
739										
N/A	617	651	655	617	655	651	662	700	734	770
N/A	596	631	632	596	632	626	637	674	709	747

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from: Round Back = VRBSquare Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$57

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL NU	MBER								
	Features	Basic Model	Frame Color	Wood Seat and Back Color	Upholstery Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Arm Option	Approx. Packaged Weight
	Wood, Ganging	15WASGW								MPA	26.0#
	Wood, Non-Ganging	15WASW									25.0#
	Uph, Ganging	96WASG								MPA	28.0#
VRB VSB	Uph, Non-Ganging	96WAS									27.0#
VRWD											
VRUP											
Sled Base Armchair											
Cida Bado Amindian											
Back and seat are foam cushioned/											
upholstered or wood Round tubular steel frame											
Molded nylon or chrome plated (non-											
ganging) arms											
Ganger fastened to nylon armrestNONSTACKING											
		MVP.BL									19.0#
₩.											
HRDPT											
Standard Versa Transport Dolly, Non- Wallsaver											
Accommodates up to 10 stacking											
chairs											
• Easy maneuverability with 5" casters:											
two fixed, two swivel Rugged weld tubular steel frame											
Black powder-coated finish											
·				_				_			Į
		A	3	Θ	O	€	•	Θ	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder

End caps will match frame color, unless frame is chrome or hammertone (then black).

- Select wood seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

- Select glide option.
 - NGL - No glides

NSG - Sled base non-skid glides; add \$29

- GSelect back style.
 - VRB - Round (original style)
 - Square (new style)
- Select wood back cut-out.
 - C01 - Square (round back only)
 - CO2 - Ellipse (round back only)
 - Starburst (round back only) **CO3**
 - Fan (square back only)
 Split (square back only) C04
 - Perforated (square back only)
 No cut-out (both styles) C06
- Select arm option.

CHA	 Chrome plated

- Poly MPA



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 770										
761										
N/A	632	665	666	632	666	661	672	710	744	780
N/A	617	651	655	617	655	651	662	700	734	770

\$ 438

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard

NC = No cut-out

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan C05 = Split C06 = Perforated

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$57

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL NUMB	ER								
MODEL	Features	Basic Model	Frame Color	Wood Back Color	Uph. Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Arm Option	
Four-Leg Armless Chair • Seat is foam cushioned and up	Ganging	15NAGUW									
Seat is foam cushioned and up Back is wood Round tubular steel frame "Kick back" rear leg style enhan stability Ganger welded to frame and fin match frame VRUW	ces	15NALUW									
Four-Leg Wallsaver Armless Cha	ir Ganging	15NAGUWWS					S				
Seat is foam cushioned and up Back is wood		15NALUWWS					S				
Round tubular steel frame											
• Ganger welded to frame and firmatch frame	ished to										
Wallsaver rear legs touch base											
preventing chair back from cor VRUW wall surface	tacting										
From Low Associate	On a sin a	4514/401114/								MADA	
Four-Leg Armchair • Seat is foam cushioned and up	Ganging holstered Non-Ganging	15WAGUW 15WALUW								MPA	
Back is wood Round tubular steel frame	non danging	1011112011									
	ces										
VRB VSB Stability • Molded nylon or chrome plated	(non-										
ganging) arms											
Ganger fastened to nylon armr	SI										
Four-Leg Wallsaver Armchair • Seat is foam cushioned and up	Ganging holstered at a c	15WAGUWWS					S			MPA	
Back is wood	Non-Ganging	15WALUWWS					S				
Round tubular steel frame Molded nylon or chrome plated	(non-										
VRB VRB Sanging) arms											
Ganger fastened to nylon armr Wallsaver rear legs touch base											
VRUW preventing chair back from cor wall surface	tacting										
พลก รถาสอบ											
		•	3	Э	0	3	•	Э	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select wood back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- **D**Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select glide option.

- Plastic glides - Steel glides (standard)

C

Select ba	ok otvlo
VRB	
VSB	- Round (original style) - Square (new style)
VOD	- Square (new style)
Calaat	and book out out
Select wo	ood back cut-out.
CO1	- Square (round back only)
C02	- Ellipse (round back only)
CO3	- Starburst (round back only)
CO4	- Fan (square back only)
C05	- Split (square back only)
C06	- Perforated (square back only)
NC	- No cut-out (both styles)
Select arr	n option.
CHA	- Chrome plated
MPA	- Poly



Approx. Packaged Weight	Prid Fab 1 8	ivered cing oric Grade & C.O.M.	Pri Fab 2	ivered cing oric Grade	Prio Fab 3	ivered cing ric Grade	Pri C.C		Pri Vin 2V		Prid Pal Gro	ivered cing las Fabric oup P0	Prio Pall Gro	ivered cing las Fabric oup P1	Pri Pal Gro	ivered cing las Fabric oup P2	Prio Pal Gro	ivered cing las Fabric oup P3	Prio Pal Gro	ivered cing las Fabric oup P4
17.0#	\$	510	\$	526	\$	527	\$		\$	527	\$	519	\$		\$		\$	565	\$	
15.0#		496		515		517		496		517		509		520		539		553		577
	•		•		•		•			=	•				•		•		•	
17.0# 15.0#	\$	545 531	\$	561 550	\$	563 551	\$	545 531	\$	563 551	\$	555 544	\$	565 555	\$	586 574	\$	602 592	\$	626 612
15.0#		231		550		551		531		551		544		555		5/4		592		012
18.0#	\$	531	\$	550	\$	551	\$	531	\$	551	\$	544	\$	555	\$	574	\$	589	\$	612
16.0#	Ψ	522	Ψ	539	ų.	540	Ψ	522	Ψ	540	ų.	534	Ψ	544	ų.	563	Ψ	577	Ψ	603
18.0#	\$	569	\$	586	\$	587	\$	569	\$	587	\$	581	\$	592	\$	609	\$	626	\$	648
16.0#		559		574		576		559		576		570		580		600		612		638

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan

C04= Fan C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added List Price=\$50

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard

		MODEL NUN	/IBER								
MODEL	Features	Basic Model	Frame Color	Wood Back Color	Uph.	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Arm Option	
Sled Base Armless Chair	Ganging	15NASGUW								op.ioii	
• Seat is foam cushioned and upholstered	Non-Ganging	15NASUW									
Back is wood Round tubular steel frame	3 3										
Ganger version available. Ganger welded											
to frame and finished to match frame NONSTACKING											
VRUW											
Olad Bass Associa	0	4514/4001114/								MADA	
Sled Base Armchair • Seat is foam cushioned and upholstered	Ganging Non-Ganging	15WASGUW 15WASUW								MPA	
Back is wood	Non-danging	IOWAGOW									
Round tubular steel frame Molded nylon or chrome plated (non-											
V _{SR} ganging) arms											
Ganger fastened to nylon armrest NONSTACKING											
VRUW											
Standard Versa® Transport Dolly, Non-		MVP.BL									
Wallsaver • Accomodates up to 10 stacking chairs											
Easy maneuverability with 5" casters;											
two fixed, two swivel Rugged weld tubular steel frame											
HRDPT • Black powder-coated finish											
		A	B		•	3	Э	A	Ð	0	
		w	U	G	U	9	•	U	Ψ	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select wood back color. Refer to the $\underline{\text{KI Color Addendum}}$ or $\underline{\text{KI}}$ Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select glide option.

NGL - No glides

NSG - Sled base non-skid glides; add \$21

GSelect back style.

- Round (original style) VRB - Square (new style)

Select wood back cut-out.

CO1 - Square (round back only) - Ellipse (round back only) C02 CO3 - Starburst (round back only)

- Fan (square back only)
- Split (square back only) **CO4** C05 C06 - Perforated (square back only) - No cut-out (both styles) Select arm option. CHA - Chrome plated MPA - Poly



Approx. Packaged Weight	Delivered Pricing Unupholstered	Prio Fab	ivered cing ric Grade c.C.O.M.	Pric	vered ing ic Grade	Pric	ivered cing ric Grade	ivered cing .V.	Pric	vered ing /I Group	Pric Pall	ivered cing las Fabric oup PO	Pric Pall	ivered sing as Fabric up P1	Pric Pall	ivered sing as Fabric up P2	Pric Pall	ivered sing as Fabric up P3	Pric	vered ing as Fabric up P4
21.0#	N/A	\$	671	\$	686	\$	688	\$ 671	\$	688	\$	680	\$	691		711		726	\$	750
21.0#	N/A	T	657	*	674	T	675	657	*	675	*	668	т	679	T	698	*	714	т	740
23.0#	N/A	\$	695	\$	711	\$	712	\$ 695	\$	712	\$	705	\$	715	\$	735	\$	750	\$	775
23.0#	N/A		683		698		700	683		700		694		705		721		740		762
19.0#	\$ 438																			

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: CO4= Fan

C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added List Price=\$50

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® Standard Cafe Stools

		MODEL NUI	MBER								
	Features	Basic Model	Frame Color	Seat & Back Color	Wood Color	Upholstery Color	Fire Code	Glide Option	Back Style	Wood Back Cut-outs	Arm Option
	Polypropylene	S15NALP									
	Upholstered	S96NAL									
	Uph Seat, Wood Back	S15NALUW									
VRB VSB	Wood	S15NALW									
SVRPY											
SVRUP											
SVRUW											
SVRWD											
Four-Leg Armless Cafe Stool											
 Back and seat are foam cushioned and upholstered, polypropylene, or wood 											
 Round tubular steel frame 											
• NONSTACKING											
	Polypropylene	S15WALP									
	Upholstered	S96WAL									
	Uph Seat, Wood Back	S15WALUW									
VRB VSB	Wood	S15WALW									
VRB VSB VSB VSVRPY											
SVRUP											
SVRUW											
SVRWD											
Four-Leg Cafe Stool with Arms											
-											
Back and seat are foam cushioned and upholstered, polypropylene, or wood											
wood Round tubular steel frame Molded nylon or chrome plated arms											
 NONSTACKING 											
		A	•	•	0	3	•	О	0	0	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder
- Select seat and back color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select wood color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select fire code

201001 111	0 0000.
NFR	- No Fire Retardant
NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

GSelect glide option.

- Plastic glides - Steel glides (standard)

Select back style.

VRB - Round (original style) - Square (new style)

Select wood back cut-out.

- Square (round back only) CO2

- Ellipse (round back only)
- Starburst (round back only) C03 **CO4** - Fan (square back only) C05 - Split (square back only) **CO6** - Perforated (square back only) NC - No cut-out (both styles) Select arm option. - Chrome plated - Poly



Stack/Nesting Versa® Standard Cafe Stools

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
29.0#	\$ 650										
29.0#	N/A	773	805	806	773	806	803	814	848	883	920
29.0#	N/A	818	836	837	818	837	829	840	857	876	898
29.0#	917										

30.0#	\$ 674										
30.0#	N/A	797	830	832	797	832	826	837	876	907	948
30.0#	N/A	844	859	861	844	861	855	865	883	898	922
30.0#	940										

INFORMATION

Note:

There are 2 wood and upholstered back styles to choose from:
Round Back = VRB
Square Back = VSB

The original ROUND wood back style (RB) has the following wood cut-out options only:

C01 = Square C02 = Ellipse C03 = Standard

NC = No cut-out

The new SQUARE wood back style (SB) has the following wood cut-out options only: C04= Fan C05 = Split

C05 = Split C06 = Perforated NC = No cut-out

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Upholstered Added Lead Time=1 week Added list price=\$55

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack/Nesting Versa® XL General Information







Four-Leg Armchair Non-ganging (VXLAN)

Armless Four-Leg Chair Non-ganging (VXLN)

	Ganging (VXLAG)	Non-ganging (VXLAN)	Non-ganging (VXLN)
Features			
Stackable	•	•	•
Ganging	•		
Warranted to 500 lbs.	•	•	•
General Dimensions			
Seat width	30°	30"	30"
Seat depth	20"	20"	20"
Seat height	20"	20"	20"
Overall Dimensions			
Width	35-3/8"	35-3/8"	32"
Depth	25-1/4"	25-1/4"	25-1/4"
Height	37"	37"	37"
Ganging on center	24-3/8"		
Arms to floor	26-1/4"	26-1/4"	
Stacking on Floor			
Width	35-3/4"	35-3/4"	32"
Depth	32-1/2"	32-1/2"	32-1/2"
Quantity/height	4 Chairs/49" High	4 Chairs/49" High	4 Chairs/49" High





Ganging

Kick Back Leg

SPECIFICATIONS

Frame

Legs of 1" o.d. x 16-gauge high-strength tubular steel. "Kick back" rear legs increase structural integrity and adds to stability. The rear legs on the wallsaver frame have a greater "kick back" angle so the legs touch the wall before the backrest. Side members and cross tube members will be of 1" o.d. x 14-gauge tubular steel. 11-gauge gussets will be located on the front legs to increase strength and rigidity. Standard front and rear legs are joined to side members by brazing; all other joints are manually welded. Wallsaver rear legs are manually welded to the side members; front legs are brazed. Formed 11-gauge steel brackets welded to the rear legs are used to support the backrest.

Frame Finishes

30-sheen epoxy powder coating is electrostatically applied. The dry coating is then fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical resistant, hard, touch and mar resistant. Bright chrome surfaces are duplex nickel chrome plated in a twenty-two step process.

Floor Glides

Available in chrome-plated steel or monochromatic plastic for standard four-leg. (Black plastic on chrome and hammertone frames.) Wallsaver chairs are only available with chrome-plated steel glides.

Armrests

Molded nylon pressed into the front and rear leg tubes. Armrests are monochromatic with frame. On chrome and hammertone frames, they will be black.

Tube End Caps (No-Arm Chair)

Molded plastic. The end cap will match the frame color. Chrome and hammertone frames have black end caps.

Upholstered Seat

Seat is a flat, 5-ply 15/32" thick, radiate pine plywood (AraucoPly or similar) fastened to the frame with four screws through T-nuts embedded in the seat. A 2-1/2" thick urethane foam cushion is glued to seatboard.

Upholstered Backrest-Round or Square (option)

Two-piece construction. The front is constructed of a flat, 4-ply, 1/2" thick #3 gum veneer wood back fastened to frame with eight screws through T-nuts in wood backrest. A 2" urethane foam cushion applied to backrest. The back is constructed of 1/4" thick padding, 3-ply, 3/16" thick #3 gum veneer. Attached with eight steel fasteners and the backrest bracket.



	Four-Leg Wallsaver Armchair Ganging (VXLAGWS)	Four-Leg Wallsaver Armchair Non-ganging (VXLANWS)	Four-Leg Wallsaver Armless Chair Non-ganging (VXLNWS)
Features			
Stackable	•	•	•
Ganging	•		
Warranted to 500 lbs.	•	•	•
General Dimensions			
Seat width	30"	30"	30"
Seat depth	20"	20"	20"
Seat height	20"	20"	20"
Overall Dimensions			
Width	35-3/8"	35-3/8"	32"
Depth	28-3/4"	28-3/4"	28-3/4"
Height	37"	37"	37"
Ganging on center	24-3/8"		
Arms to floor	26-1/4"	26-1/4"	
Stacking on Floor			
Width	35-3/4"	35-3/4"	32"
Depth	35-3/4"	35-3/4"	35-3/4"
Quantity/height	4 Chairs/49" High	4 Chairs/49" High	4 Chairs/49" High

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 2 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

						_		_	
			MODEL	NUMBER			ı		
	MODEL	Features	Basic Model	Upholstery Color	Fire Code	Frame Color	Back Style	Glide Option	Approx. Packaged Weight
	Four-Leg Armless Chair	Non-Ganging	VXLN						39.0#
	 Generously proportioned seat and back have thick foam cushioning and are 								
	upholstered								
	Back is fully upholsteredRound tubular steel frame								
U VRB U U VSB U	"Kick back" rear leg style enhances								
VXLU	stability								
VALO	Powder-coated or chrome plated frames								
	Four-Leg Wallsaver Armless Chair	Non-Ganging	VXLNWS	00000				S	39.0#
	 Generously proportioned seat and back have thick foam cushioning and are 								
	upholstered								
	Back is fully upholsteredRound tubular steel frame								
U VRB U U VSB U	"Kick back" rear leg style enhances								
VALU	stability • Powder-coated or chrome plated frames								
	Wallsaver rear legs touch base of wall								
	preventing chair back from contacting								
	wall								
			A	3	Θ	O	(3	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

• Select frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Armrests or end caps will match frame color, unless frame is chrome or hammertone (then black).

Select back style.

VRB - Roun - Round (original style) - Square (new style)

Select glide option.

- Plastic glides - Steel glides (standard)



Stack/Nesting Versa® XL

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 667	\$ 700	\$ 713	\$ 667	\$ 713	\$ 792	\$ 867	\$ 924	\$ 977	\$ 1018
\$ 751	\$ 784	\$ 797	\$ 751	\$ 797	\$ 877	\$ 951	\$ 1008	\$ 1061	\$ 1101

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 2 yards per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

There are 2 back styles to choose from: Round Back = VRB (original style) Square Back = VSB (new style)

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=XL Added Lead Time=1 week Added List Price=\$141

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Upholstery Color	Fire Code	Frame Color	Back Style	Glide Option	Approx. Packaged Weight
	Four-Leg Armchair	Ganging	VXLAG						42.0#
	 Generously proportioned seat and back have thick foam cushioning and are 	Non-Ganging	VXLAN						42.0#
	upholstered Back is fully upholstered								
VRB VSB VSB	Round tubular steel frame								
· ·	"Kick back" rear leg style enhances "Achilib."								
VXLU	stability • Molded nylon arms								
	Ganger fastened to armrest and chrome								
	finished • Powder-coated or chrome plated frames								
	- rowder-coated of chrome plated frames								
	Four-Leg Wallsaver Armchair Generously proportioned seat and back	Ganging	VXLAGWS						42.0#
	have thick foam cushioning and are	Non-Ganging	VXLANWS					S	42.0#
	upholstered								
	Back is fully upholsteredRound tubular steel frame								
U VRB U U VSB U	"Kick back" rear leg style enhances								
VXLU	stability								
VALO	Powder-coated or chrome plated framesWallsaver rear legs touch base of wall								
	preventing chair back from contacting								
	wall								
			A	3	Θ	O	9	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect upholstery grade/color. Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

• Select frame color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder

Armrests or end caps will match frame color, unless frame is chrome or hammertone (then black).

Select back style.

VRB - Roun - Round (original style) - Square (new style)

Select glide option.

- Plastic glides - Steel glides (standard)





Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 724	\$ 724	\$ 757	\$ 770	\$ 724	\$ 770	\$ 853	\$ 927	\$ 982	\$ 1034	\$ 1074
708	708	741	752	708	752	832	906	961	1016	1058

												_
\$	809	\$ 809	\$ 842	\$ 854	\$ 809	\$ 854	\$ 936	\$ 1011	\$ 1065	\$ 1119	\$ 1159	
	791	791	824	836	791	836	916	990	1045	1099	1141	

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 2 yards per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

INFORMATION

Note:

There are 2 back styles to choose from: Round Back = VRB (original style) Square Back = VSB (new style)

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=XL Added Lead Time=1 week Added List Price=\$141

Round Back chairs with both FR and vinyl together must be ordered as a Special.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Stack Seating Xylon® General Information



Metal Frame Chair (PXM)

Features	
Stackable	•
Articulating back	•
General Dimensions	
Seat width	16-7/8"
Seat depth	17-1/2"
Seat height	18-5/8"
Back width	16-1/4"
Back height	15-1/2"
Overall Dimensions	
Width	16-7/8"
Depth	20-7/8"
Height	33-1/8"
Stacking on Dolly	
Quantity/height	8 Chairs/54" High
Floor space	24" x 35"
Stacking on Floor	
Quantity/height	8 Chairs/50" High
Floor space	24" x 35"

SPECIFICATIONS

Seat and Backrest

Plywood is made of beechwood and gum veneer. Backrest thickness is .4". Seat thickness is .5". Seat and backrest surfaces are finished with stain and/or two applications of clear coat for a very durable finish. Seat/back support is nickel-plated aluminum. The back tilt is 15° (3-3/4").

Spring Action Backrests

Metal plate fixed under the seat containing a spring mechanism which allows movement of the backrest.

Metal Frame Chair

Frames are 7/8" o.d., 16-gauge seamwelded tubular steel.

Metal Frame Finishes

Baked-on, electrostatically-applied epoxy powder coating, or bright nickel-chrome plating.

Metal Frame Glides

Polypropylene.

Transport Dolly

Round tubular steel frame. Four 3" swivel wheels. Back powder-coated finish. 4-3/4" high from floor, empty.

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A.

Stack Seating Xylon® General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Stack Seating

			MODEL NUMBER				
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Approx. Packaged Weight
	Four-Leg Metal Frame • Spring mechanism allows movement of	Stacking	PXM				16.0#
	backrestSeat and backrest available in wood						
/ / /	stains						
"	Round tubular steel frame						
PX							
_	X-Frame Stack Chair Dolly		FD.BL				12.0#
	Four 3" swivel wheelsBlack enamel finish only						
•							
HRDPT							
			A	3	Θ	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select seat/back color. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select glide option.

 PGL Plastic glides

SGL - Steel glides
Steel glides not available on wood legs.



Stack Seating Xylon®

Delivered Pricing

572

\$ 208

OPTIONS

Lacquered and Aniline Dyes Contact KI for pricing.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Guest Chairs

AerDyn® General Information



AerDyn® (Contemporary)

General Dimensions		
Seat width	19"	
Seat depth	19"	
Seat height	18-3/4"	
Arm height (mid point)	27-3/4"	
Overall Dimensions		
Width	21-3/4"	
Depth	20-3/4"	
Height	30-1/2"	

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Guest Chairs AerDyn® General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Guest Chairs AerDyn®

					L NUMBER					
	MODEL	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Wood Finish	Frame Color	Fire Code	Approx. Packaged Weight	
	Armchair • 1 = Seat (Fabric Contrast 1) C.O.M. = 1	Non-contrast	1 yd	1501					25.0#	
	yd									
	·									
ADGS										
				A	ß	0	0	9	1	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select non-contrast or fabric contrast 1. Refer to the $\underline{\mbox{KI Color Addendum}}$ or $\underline{\mbox{KI}}$ Fabrics & Finishes binder.
- Select wood finish color. Refer to the **KI Color Addendum** or **KI Fabrics & Finishes binder**.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See pricing column for TB133 upcharge.



Guest Chairs

Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 1102	\$ 1106	\$ 1118	\$ 1130	\$ 1137	\$ 1157	\$ 1174	\$ 1195	\$ 1239	\$ 1284	\$ 1328	\$ 1417	\$ 99

UPHOLSTERY INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e, $4.75 \times 18 = 85.5 \text{ sq. ft}$).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for

compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Construction

Frame is constructed of solid hardwood panel stock which is steam bent, utilizing finger joints and doweled construction (cannot be done in Beech). Rear leg and seat frame are tubular steel. Silver powder coat is standard. Seat cushion of high-density polyurethane foam (stacks 4 high).

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Guest Chairs

Bantam™ General Information



Bantam™ (Traditional)

General Dimensions		
Seat width	19"	
Seat depth	18-1/2"	
Seat height	18-1/2"	
Arm height (mid point)	25"	
Overall Dimensions		
Width	22-3/4"	
Depth	24-1/2"	
Height	32"	

UPHOLSTERY INFORMATION

C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yield as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can hold up the order. For each roll that is sent, one yard needs to be added and needs to be added to one of the rolls, not separately.

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

FINISH INFORMATION

SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$68 List per item, up to 12 or a maximum charge of \$818 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders



Guest Chairs Bantam[™] General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Guest Chairs

Rantam

				MODEL N	IUMBER				
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Wood Finish	Fire Code	Approx. Packaged Weight
	Armchair	Non-contrast	1.5 yd	1301/NC					50.0#
1	• 1 = Back (Fabric Contrast 1) C.O.M. = 1	Contrast		1301/FC					50.0#
	yd • 2 = Seat (Fabric Contrast 2) C.O.M. = 1								
2	yd								
	•								
u U									
U									
BANT									
				A	ß	Θ	0	3	
				•	•	•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- ③ Select non-contrast or fabric contrast 1. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- Select non-contrast or fabric contrast 2.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u>
 <u>Fabrics & Finishes binder</u>.
- Oselect wood finish color.

 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133
See pricing column for TB133 upcharge.



Guest Chairs

Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	TB133 add to list price
\$ 1005	\$ 1018	\$ 1037	\$ 1066	\$ 1085	\$ 1120	\$ 1156	\$ 1226	\$ 1324	\$ 1438	\$ 1554	\$ 1783	\$ 197
1063	1074	1095	1122	1142	1177	1210	1281	1380	1497	1610	1843	197

KENSINGTON MAPLE UPCHARGE

Kensington Maple requires extended leadtimes.

Model

1301/NC \$37 1301/FC \$37

UPHOLSTERY INFORMATION

C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix for additional yardage needed. For C.O.M. fabric sent to KI-High Point on mulitple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., $4.75 \times 18 = 85.5$ sq. ft).

Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

Californina TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials and fabric selections for

compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Construction

Frame of kiln-dried hardwood. Cushioning of high-density polyurethane foam and Dacron fiber.

SPECIAL SERVICES Special Carton Marking


With specially marked information

N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Guest Seating Berlage General Information









Guest Chair

Features	
Glides	•
General Dimensions	
Seat height	17-3/4"
Overall Dimensions	
Overall width	17"
Overall depth	22"
Overall height	33-1/2"



Guest Seating Berlage General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Guest Seating Berlage™ Chair

MODEL NUMBER Approx. Packaged Weight Basic Seat/Back MODEL Model Webbing Color Guest Chair Natural oak frame BERLAGE 15.0# Nylon webbingWhite plastic glides BERL **(** 0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- Select webbing color.
 Refer to the <u>KI Color Addendum</u> or <u>KI Fabrics & Finishes binder</u>.



Guest Seating Berlage™ Chair

Delivered Pricing

\$ 2155

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShips **assembled, FOB Culemborg, Netherlands freight prepaid.** Freight class 250.

Guest Seating Itoki General Information





DP Chair	DD Table
----------	----------

General Dimensions		
Seat width	17-1/4"	
Seat depth	16-1/4"	
Seat height	17-3/4"	
Arm width	3-1/2"	
Arm height	27" (mid point)	
Overall Dimensions		
Width	25-1/2"	42"
Depth	21-1/4"	42" - 94"
Height	32-1/2"	27-1/2"

UPHOLSTERY INFORMATION

Upholstery Finish

Some fabrics and leathers may show slight wrinkling in corners, around the seat, arms, or back which is normal. With use, comfort wrinkles may occur in seats and backs and give the upholstery a loose appearance.

WOOD INFORMATION

Wood Finish

Due to wood being a natural material, slight variations can occur in texture, color, grain configurations, and finish acceptance. Therefore wood components may vary in tone or character from piece to piece and no guarantee of exact matches can be made.

Plywood Edge Color

The plys on the edge of wood backed shells will vary in color from the surface of the wood shell. The plys of the plywood shell edge will be visible and may create a wood contrast.



Guest Seating Itoki General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Guest Seating Itoki DP™ Chair

			MODEL	NUMBE	R		
							Approx.
			Basic	Base	Wood	Upholstery	Packaged
	MODEL	Features	Model	Finish	Finish	Color	Weight
	Chair with Upholstered Seat and Back Natural on walnut shell	Non-contrast	IDP/SB				30.0#
	Natural on walnut shell Chrome base						
<i>y</i>							
1000							
IDPC							
	Chair with Upholstered Seat Only Natural on walnut shell 	Non-contrast	IDP/S0				30.0#
	Chrome base						
-							
IDPC							
			A	•	Θ	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- BSelect base finish. Refer to the <u>KI Color Addendum</u> or <u>KI</u> <u>Fabrics & Finishes binder</u>.
- CSelect wood finish. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Guest Seating Itoki DP™ Chair

Delivered Pricing

\$ 2115

\$ 2020

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Ships assembled, FOB Grand Rapids,
Michigan 49512, freight prepaid. Freight class 125.

Guest Seating Jubi General Information



Guest Chair (JUBU)

Features		
Pivoting glides	•	
Fiberglass	•	
Upholstered seat pad	•	
Dimensions		
Seat depth	15"	
Seat height	18"	
Overall width	25"	
Overall depth	22"	
Overall height	32.5"	



Guest Seating
Jubi General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Guest Seating Jubi™ Chair

			MODE	L NUMBER			
	MODEL	Features	Basic Model	Shell Color	Upholstery Color	Frame Color	Approx. Packaged Weight
	Guest Chair • Fiberglass shell	Fiberglass with Uph. Seat Pad	JUBU	JUWH			25.0#
	Pivoting glides						
Į -							
JBFCU							
			A	3	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

- A Select basic model.
- **B**Select fiberglass shell color. JUWH - White
- Select upholstery grade/color. Refer to the **KI Color Addendum** or **KI** Fabrics & Finishes binder.
- Select frame color.
 Refer to the <u>KI Color Addendum</u> or <u>KI</u> Fabrics & Finishes binder.



Guest Seating Jubi™ Chair

	Delivered	Delivered	Delivered		Delivered	Delivered	Delivered	Delivered	Delivered	Delivered
Delivered	Pricing	Pricing	Pricing	Delivered	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing
Pricing	Fabric Grade	Fabric Grade	Fabric Grade	Pricing	Vinyl Group	Pallas Fabric				
C.O.M.	1	2	3	C.O.V.	2V	Group P0	Group P1	Group P2	Group P3	Group P4
\$ 410	\$ 410	\$ 437	\$ 449	\$ 410	\$ 449	\$ 446	\$ 482	\$ 502	\$ 521	\$ 539

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 250.

Guest Seating Mondial General Information



Guest Armless Chair

General Dimensions	
Seat height	18"
Overall Dimensions	
Overall width	23"
Overall depth	18"
Overall height	30"

Guest Seating Mondial General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Guest Seating Mondial™ Chair

MODEL NUMBER Approx. Basic Paint Packaged MODEL Model Color Weight **Guest Chair** MONDIAL 20.0# • Aluminum Black plastic glidesNon-folding seat MOND **(** 0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

- A Select basic model.
- BSelect paint color. Refer to the **KI Color Addendum** or **KI**Fabrics & Finishes binder



Guest Seating Mondial™ Chair

Delivered Pricing

\$ 2121

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

ShippingShips **assembled, FOB Culemborg, Netherlands freight prepaid.** Freight class 250.

Index

Model No.	Description	Page	Model No.	Description	Page
06.0448.SET	Piretti Stack Chairs: Sled Base Chair Steel Glides	94	O4LNAPSPB	Opt4®: Four-Leg Armless Chair	66
1000	1000 Series™ Chairs: Round Leg Stack Chair	10	O4LNAPSPBC	Opt4®: Four-Leg Armless Chair with Casters	60
1301/NC	Bantam™: Armchair	250	04LWAMSMB	Opt4®: Four-Leg Armchair	70
1501	AerDyn®: Armchair	246	04LWAMSMBC	Opt4®: Four-Leg Armchair with Casters	72
15NAGUW	Versa® Standard: Four-Leg Armless Chair	228	04LWAMSPB	Opt4®: Four-Leg Armchair	70
15NAGUWWS	Versa® Standard: Four-Leg Wallsaver Armless Chair	228	04LWAMSPBC	Opt4®: Four-Leg Armchair with Casters	72
15NAGW	Versa® Standard: Four-Leg Armless Chair	218	04LWAPSMB	Opt4®: Four-Leg Armchair	70
15NAGWWS	Versa® Standard: Four-Leg Wallsaver Armless Chair	218	04LWAPSMBC	Opt4®: Four-Leg Armchair with Casters	72
15NASGUW	Versa® Standard: Sled Base Armless Chair	230	04LWAPSPB	Opt4®: Four-Leg Armchair	70
15NASGW	Versa® Standard: Sled Base Armless Chair	224	04LWAPSPBC	Opt4®: Four-Leg Armchair with Casters	72
15TALW	Versa® Standard: Four-Leg Tablet Arm Chair	222	O4MSMB	Opt4®: Sled Base Chair	74
15WAGUW	Versa® Standard: Four-Leg Armchair	228	04MSPB	Opt4®: Sled Base Chair	74
15WAGUWWS	Versa® Standard: Four-Leg Wallsaver Armchair	228	04PSMB	Opt4®: Sled Base Chair	74
15WAGW	Versa® Standard: Four-Leg Armchair	220	04PSPB	Opt4®: Sled Base Chair	74
15WAGWWS	Versa® Standard: Four-Leg Wallsaver Armchair	220	04SD.BL	Opt4®: Transport Dolly for Stool	80
15WASGUW	Versa® Standard: Sled Base Armchair	230	04SMSMB	Opt4® Cafe Stools: Cafe Stool	76
15WASGW	Versa® Standard: Sled Base Armchair	226	04SMSPB	Opt4® Cafe Stools: Cafe Stool	76
53.8236.SET	Piretti Stack Chairs: Sled Base Chair Plastic Glides - Clear	94	04SPSMB	Opt4® Cafe Stools: Cafe Stool	78
53.8237.SET	Piretti Stack Chairs: Sled Base Chair Plastic Glides - White	94	04SPSPB	Opt4® Cafe Stools: Cafe Stool	78
87.7844	Piretti Stack Chairs: Bookrack	94	PLAZA	Plaza™ Chair: Stack Chair	98
ACD.BL	Apply® Chairs: Transport Dolly for Fixed Cushion Chairs	16	PLAZA.DOLLY	Plaza™ Chair: Transport Dolly	98
ALHSNAP	Apply® Cafe Stools: Four-Leg High Back Armless Cafe Stool	18	PLAZAOD	Plaza™ Chair: Stack Chair with Drain Holes	98
ALLSNAP	Apply® Cafe Stools: Four-Leg Low Back Armless Cafe Stool	18	PRY.D.BL	Perry®: Transport Dolly	86
ALNAP	Apply® Chairs: Four-Leg Armless Chair	16	PRYP	Perry®: Armless Stack Chair	84
ASNAP	Apply® Chairs: Sled Base Armless Chair	16	PRYTARM/OVS/L		86
BERLAGE	Berlage™ Chair: Guest Chair	254	PRYTARM/STD/L	Perry®: Tablet Arm	86
CSD.BL	Maestro® Chairs: Transport Dolly for Poly Chairs	48	PSLFAU	Piretti Stack Chairs: Four-Leg Flex Arm Stack Chair	90
DRNA	Dorsal®: Armless Stacking Round Leg Chair	22	PSLNAU	Piretti Stack Chairs: Four-Leg Stack Chair	90
FD.BL	1000 Series™ Chairs: X-Frame Stack Chair Dolly	12	PSLOTALU	Piretti Stack Chairs: Four-Leg Stack Oversize Tablet Arm Chair	90
GCD.BL	Grazie® Chairs: Transport Dolly	42	PSLTALU	Piretti Stack Chairs: Four-Leg Stack Tablet Arm Chair	90
GLCAP	Grazie® Chairs: Four-Leg Cantilever Armchair	32	PSSFAU	Piretti Stack Chairs: Sled Base Flex Arm Chair	92
GLCAPC	Grazie® Chairs: Four-Leg Cantilever Armchair with Casters	32	PSSNAU	Piretti Stack Chairs: Sled Base Stack Chair	92
GLG2APCLH	Grazie® Chairs: Four-Leg Flip-and-Store (G2) Tablet Arm Chair with		PSS0TALU	Piretti Stack Chairs: Sled Base Oversize Tablet Arm Chair	92
	Casters	36	PSSTALU	Piretti Stack Chairs: Sled Base Tablet Arm Chair	92
GLG2APLH	Grazie® Chairs: Four-Leg Flip-and-Store (G2) Tablet Arm Chair	34	PXM	Xylon®: Four-Leg Metal Frame	242
GLNAP	Grazie® Chairs: Four-Leg Armless Chair	30	RAPD.BL	Rapture® Chairs: Dolly	102
GLNAPC	Grazie® Chairs: Four-Leg Armless Chair with Casters	30	RAPNAP	Rapture® Chairs: Four-Leg Armless Chair	102
GLOVTAPCLH	Grazie® Chairs: Four-Leg Flip-up Oversize Tablet Arm Chair with Cas		RAPNAPC	Rapture® Chairs: Four-Leg Armless Chair with Casters	108
GLOVTAPLH	Grazie® Chairs: Four-Leg Flip-up Oversize Tablet Arm Chair	34	RAPNAPWS	Rapture® Chairs: Four-Leg Wallsaver Armless Chair	106
GLSCAP	Grazie® Cafe Stools: Four-Leg Cantilever Arm Cafe Stool	44	RAPTALP	Rapture® Chairs: Four-Leg Tablet Arm Chair (Left Hand)	104
GLSNAP	Grazie® Cafe Stools: Four-Leg Armless Cafe Stool	44	RAPTARP	Rapture® Chairs: Four-Leg Tablet Arm Chair (Right Hand)	104
GLTAPCLH	Grazie® Chairs: Four-Leg Flip-up Tablet Arm Chair with Casters	36	RAPWAP	Rapture® Chairs: Four-Leg Armchair	102
GLTAPLH	Grazie® Chairs: Four-Leg Flip-up Tablet Arm Chair	34	RAPWAPC	Rapture® Chairs: Four-Leg Armchair with Casters	108
GSCAP	Grazie® Chairs: Sled Base Cantilever Armchair	38	RAPWAPWS	Rapture® Chairs: Four-Leg Wallsaver Armchair	106
GSG2APLH	Grazie® Chairs: Sled Base Flip-and-Store (G2) Tablet Arm Chair	40	S15NALP	Versa® Standard Cafe Stools: Four-Leg Armless Cafe Stool	232
GSNAP	Grazie® Chairs: Sled Base Armless Chair	38	S15WALP	Versa® Standard Cafe Stools: Four-Leg Cafe Stool with Arms	232
GSOVTAPLH	Grazie® Chairs: Sled Base Flip-up Oversize Tablet Arm Chair	40	SCDA.BL	Strive® Chairs: Transport Dolly for 4-Leg and Sled Base Chairs	150
GSTAPLH	Grazie® Chairs: Sled Base Flip-up Tablet Arm Chair	40	SIGFA	Silhouette®: Cast Aluminum Frame Four-Leg Armchair in	
IDP/SB	Itoki DP™ Chair: Chair with Upholstered Seat and Back	258		Nylon (Plastic)	114
IDP/S0	Itoki DP™ Chair: Chair with Upholstered Seat Only	258	SIGNA	Silhouette®: Cast Aluminum Frame Four-Leg Armless Chair in	
JUBU	Jubi™ Chair: Guest Chair	262		Nylon (Plastic)	114
MFSD.BL	Maestro® Chairs: Transport Dolly for Upholstered Chairs	48	SIGUFA	Silhouette®: Cast Aluminum Frame Four-Leg Armchair Upholstered	114
MONDIAL	Mondial™ Chair: Guest Chair	266	SIGUNA	Silhouette®: Cast Aluminum Frame Four-Leg Armless Chair	
MSP	Maestro® Chairs: Stack Chair	48		Upholstered	114
MVP.BL	Matrix®: Transport Dolly for Fixed Cushion Chairs	54	SILD	Silhouette®: Dolly	114
MX	Matrix®: Armless Stack Chair	52	SLCAP	Strive® Chairs: Four-Leg Cantilever Armchair	126
MXD.BL	Matrix®: Transport Dolly for Poly Chairs	54	SLCAPC	Strive® Chairs: Four-Leg Cantilever Armchair with Casters	126
MXTARM/OVS/L	Matrix®: Oversize Flip-Up Tablet Arm	52	SLCAPWS	Strive® Chairs: Four-Leg Wallsaver Cantilever Armchair	138
MXTARM/STD/L	Matrix®: Standard Flip-Up Tablet Arm	52	SLCATSU	Strive® Chairs: Four-Leg Cantilever Armchair with Top Stitch on Seat	128
04DA.BL	Opt4®: Transport Dolly for Sled Base Chair	80	SLCATSUC	Strive® Chairs: Four-Leg Cantilever Armchair with Casters with	
04LD.BL	Opt4®: Transport Dolly for Four-Leg Chair	80		Top Stitch on Seat	128
04LNAMSMB	Opt4®: Four-Leg Armless Chair	66	SLCATSUWS	Strive® Chairs: Four-Leg Wallsaver Cantilever Armchair with	
04LNAMSMBC	Opt4®: Four-Leg Armless Chair with Casters	60		Top Stitch on Seat	140
04LNAMSPB	Opt4®: Four-Leg Armless Chair	66	SLLAP	Strive® Chairs: Four-Leg Loop Arm Chair	130
04LNAMSPBC	Opt4®: Four-Leg Armless Chair with Casters	60	SLLAPC	Strive® Chairs: Four-Leg Loop Arm Chair with Casters	130
04LNAPSMB	Opt4®: Four-Leg Armless Chair	66	SLLAPWS	Strive® Chairs: Four-Leg Wallsaver Loop Arm Chair	138
04LNAPSMBC	Opt4®: Four-Leg Armless Chair with Casters	60	SLLATSU	Strive® Chairs: Four-Leg Loop Arm Chair with Top Stitch on Seat	132



Index

Model No.	Description	Page	Model No.	Description P	Page
SLLATSUC	Strive® Chairs: Four-Leg Loop Arm Chair with Casters with Top		TASWA	Torsion Air®: Sled Base Armchair	194
	Stitch on Seat	132	TGNAPB	Torsion® on the Go!® Nesting Chairs: Armless Chair with Poly Back	174
SLLATSUWS	Strive® Chairs: Four-Leg Wallsaver Loop Arm Chair with Top		TGNAUB	Torsion® on the Go!® Nesting Chairs: Armless Chair with	
	Stitch on Seat	140		Upholstered Back	174
SLNAP	Strive® Chairs: Four-Leg Armless Chair	122	TGTALPB	Torsion® on the Go!® Nesting Chairs: Tablet Arm Chair with Poly Back	176
SLNAPC	Strive® Chairs: Four-Leg Armless Chair with Casters	122	TGTALUB	Torsion® on the Go!® Nesting Chairs: Tablet Arm Chair with	
SLNAPWS	Strive® Chairs: Four-Leg Wallsaver Armless Chair	138		•	176
SLNATSU	Strive® Chairs: Four-Leg Armless Chair with Top Stitch on Seat	124	TGWAPB	· ·	174
SLNATSUC	Strive® Chairs: Four-Leg Armless Chair with Casters with Top		TGWAUB	Torsion® on the Go!® Nesting Chairs: Armchair with Upholstered Back	
01.114.701.1140	Stitch on Seat	124	TLD.BL		188
SLNATSUWS	Strive® Chairs: Four-Leg Wallsaver Armless Chair with Top	4.40	TLFAP	•	180
CLOV/TABLU	Stitch on Seat	140	TLG2ALP	· ·	182
SLOVTAPLH	Strive® Chairs: Four-Leg Oversize Tablet Arm Chair	134	TLNAP	•	180
SLOVTATSULH	Strive® Chairs: Four-Leg Oversize Tablet Arm Chair with Top	136	TLTALP TSFAP	•	182 184
SLSCAP	Stitch on Seat	152	TSG2ALP		186
SLSCATSU	Strive® Cafe Stools: Four-Leg Cantilever Arm Cafe Stool Strive® Cafe Stools: Four-Leg Cantilever Arm Cafe Stool with	132	TSNAP		184
SLSUATSU	Top Stitch on Seat	154	TSTALP		186
SLSLAP	Strive® Cafe Stools: Four-Leg Loop Arm Cafe Stool	152	TVD.BL		188
SLSLATSU	Strive® Cafe Stools: Four-Leg Loop Arm Cafe Stool with Top	102	VBD.BL		206
OLULATUU	Stitch on Seat	154	VBD.BL VBNAL		206
SLSNAP	Strive® Cafe Stools: Four-Leg Armless Cafe Stool	152	VBWAL	•	206
SLSNATSU	Strive® Cafe Stools: Four-Leg Armiess Cafe Stool with Top	102	VCNAL		212
02014/11/00	Stitch on Seat	154	VCWAG	•	210
SLTAPLH	Strive® Chairs: Four-Leg Tablet Arm Chair	134	VTD.BL	Dorsal®: Round Leg Chair Transport Dolly	22
SLTATSULH	Strive® Chairs: Four-Leg Tablet Arm Chair with Top Stitch on Seat	136	VXLAG		238
SNCAP	Strive® Nesting Chairs: Armchair with Poly Seat	164	VXLAGWS	•	238
SNCATSU	Strive® Nesting Chairs: Armchair with Upholstered Seat with		VXLN	Ç	236
	Top Stitch on Seat	166	VXLNWS		236
SNCAU	Strive® Nesting Chairs: Armchair with Upholstered Seat	164			
SNNAP	Strive® Nesting Chairs: Armless Chair with Poly Seat	164			
SNNATSU	Strive® Nesting Chairs: Armless Chair with Upholstered Seat				
	with Top Stitch on Seat	166			
SNNAU	Strive® Nesting Chairs: Armless Chair with Upholstered Seat	164			
SNOVTAPRH	Strive® Nesting Chairs: Oversize Tablet Arm Chair with Poly Seat	168			
SNOVTATSULH	Strive® Nesting Chairs: Oversize Tablet Arm Chair with Uphol-				
	stered Seat with Top Stitch on Seat	170			
SNOVTAURH	Strive® Nesting Chairs: Oversize Tablet Arm Chair with Uphol-				
	stered Seat	168			
SNTAPRH	Strive® Nesting Chairs: Tablet Arm Chair with Poly Seat	168			
SNTATSULH	Strive® Nesting Chairs: Tablet Arm Chair with Upholstered				
	Seat with Top Stitch on Seat	170			
SNTAURH	Strive® Nesting Chairs: Tablet Arm Chair with Upholstered Seat	168			
SRAPNAP	Rapture® Cafe Stools: Four-Leg Armless Cafe Stool	110			
SRAPWAP	Rapture® Cafe Stools: Four-Leg Cafe Stool with Arms	110			
SSCAP	Strive® Chairs: Sled Base Cantilever Arm Chair	142			
SSCATSU	Strive® Chairs: Sled Base Cantilever Arm Chair with Top Stitch on Sea				
SSNAP	Strive® Chairs: Sled Base Armless Chair	142			
SSNATSU	Strive® Chairs: Sled Base Armless Chair with Top Stitch on Seat	144			
SSOVTAPLH	Strive® Chairs: Sled Base Oversize Tablet Arm Chair	146			
SSOVTATSULH	Strive® Chairs: Sled Base Oversize Tablet Arm Chair with Top	1.40			
COTALTOLI	Stitch on Seat	148			
SSTALTSU	Strive® Chairs: Sled Base Tablet Arm Chair with Top Stitch on Seat	148			
SSTAPLH	Strive® Chairs: Sled Base Tablet Arm Chair	146			
SWNA	Strive® High Density Stack Chair: Armless Chair	158			
SWNATSU	Strive® High Density Stack Chair: Armless Chair with Top Stitch on Seat	160			
SWTAL	Strive® High Density Stack Chair: Standard Flip-Up Tablet Arm	158			
TALNA	Torsion Air®: Four-Leg Armless Chair	192			
TALTAL	Torsion Air®: Four-Leg Tablet Arm Chair	192			
TALWA	Torsion Air®: Four-Leg Armchair	192			
	Torsion Air® Nesting Chairs: Armless Chair	200			
TANNA					
TANNA TANTALFT	Torsion Air® Nesting Chairs: Flin-un Tablet Arm Chair	200			
TANTALFT	Torsion Air® Nesting Chairs: Flip-up Tablet Arm Chair Torsion Air® Nesting Chairs: Piretti Tablet Arm Chair	200 202			
	Torsion Air® Nesting Chairs: Piretti Tablet Arm Chair	200 202 200			
TANTALFT TANTALPT		202			

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11479R2/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.