

Welcome to the Decking & Railing Collection.

For more than 100 years, homeowners and building professionals have trusted CertainTeed for the highest quality building products, and continually setting the standards for exciting innovations in style and performance.

Today, that spirit of innovation comes to life in the CertainTeed Decking & Railing Collection with the industry's leading array of colors, styles, and performance. The EverNew® railing product lines offer a combination of superior quality and style that has become the premier choice of homeowners and building professionals.

The comforts of home are no longer defined by four walls. Outside living spaces are "in" as porches, yards and gardens are transformed into beautiful open-air rooms. If you're longing for the joys of fresh air living, CertainTeed can help. Our Living Spaces® exterior products suite, including siding, soffit and accessories, porch, decking, railing, fence and roofing products, offers everything you need to create and define your own great outdoors.


CertainTeed's long-standing commitment to innovation, quality and service is firmly rooted in our founding philosophy of "Quality made Certain, Satisfaction Guaranteed." It's a promise we take as seriously today as


we did a century ago





# Adding Color to your space...





# Our commitment to safety

CertainTeed products meet stringent requirements for quality and performance. Safe, secure and durable, our railing and deck systems are engineered to provide years of worry-free enjoyment.

#### Performance that lasts


EverNew® railing products are designed to maintain their integrity over time. Products made of wood may meet code when they're brand new, but can weaken over time — especially after prolonged exposure to the elements. This is an important concern if you're installing railing as a safety barrier on balconies and stairs.

EverNew ensures long-lasting performance by building security into every railing system. Our railing features heavy-duty construction for enduring strength. When it comes to rail-to-post connections, simply using plastic brackets isn't enough. EverNew offers concealed corrosionresistant stainless steel brackets on our composite railing, and aluminum brackets concealed with molded vinyl covers on our vinyl railing, for critical protection from the elements.

#### **Details make the difference**

EverNew railing offers everything you need to install with confidence:

- Heavy-duty rails offer exceptional durability
- Secure rail-to-post connections
- ♦ Stainless-steel and aluminum rail mount brackets provide added strength
- ◆ Railing heights approved for deck, balcony, porch and stair applications
- Concealed hardware won't rust or corrode
- Splinter-free surfaces
- Class A flame-spread rating for a safer outdoor environment
- Outstanding warranty coverage with exclusive SureStart™ parts and labor protection



Kingston with square balusters in white

#### Meeting the standards of the ICC

The ICC (International Code Council) is an independent, nonprofit organization responsible for the development of national model construction codes. The ICC Evaluation Service, Inc. (ICC-ES) is the leading source of technical information on building codes, products and technology in the United States. ICC-ES conducts technical evaluations of building products, components, methods and materials. Building industry professionals look to ICC-ES evaluation reports for evidence that products and systems meet code requirements.

EverNew railing systems comply with the standards established by the ICC. The Panorama® composite railing system and Oxford and Kingston vinyl railing systems have undergone third party testing as designated respectively in reports CCRR-0115, CCRR-0187 and CCRR-0211.\*

#### Sustainablity for a lifetime

CertainTeed respects the environment through the responsible development of sustainable building products and systems. CertainTeed EverNew railing products give building professionals and homeowners confidence that the homes they design, build, maintain, and occupy are made with sustainable materials that enhance every project's performance and beauty.

For more information on CertainTeed's Life Cycle Assessment Report go to www.certainteed.com/life-cycle-assessment

#### CERTAINTEED EVERNEW®: YOUR ONE-STOP SOURCE FOR QUALITY PRODUCTS

EverNew railing is designed to keep its good looks for years to come, without a lot of maintenance. It won't warp, rot, split or corrode, and it never needs staining or painting.

#### **Easy-living benefits**

- Consistent quality and appearance
- Easy to install and clean
- Concealed fasteners
- Virtually maintenance-free; no painting or staining
- Class A flame-spread rating
- Safe and secure
- Outstanding warranty coverage
- SureStart protection

#### **Rest-assured features**

#### pressure-treated wood

Short lifespan
Inconsistent quality
Very high maintenance
Prone to rot and decay
Splinters, cracks, knots
Toxic chemical preservatives
Class C fire rating

# EverNew® railing and deck systems

Exceptional durability

Consistent quality
Low maintenance
No rot or decay
No splinters, cracks or knots
No toxic chemical preservatives
Class A flame-spread rating



Pressure-treated wood

EverNew vinvl

#### "On center" installation

All EverNew railing products feature "on center" spacing. EverNew railing products are available in 6', 8' and 10' (nominal) lengths. This size offering equals easier and quicker installation with less waste.

# Choose the EverNew system that's right for you

#### Vinyl:

- Durable construction weatherable vinyl exterior with aluminum reinforced rails offers low maintenance
- Precision-fit components provide a snug, secure fit with fast and easy installation
- Safe and sound metal-to-wood and metal-to-metal rail-to-post connections
- Convenient packaging in complete section boxed kits
- Wide variety of accessories, including posts, caps, and post trims that coordinate with all railing systems

#### Capped composite:

- Solid construction a blend of PVC and recycled wood flour with high-quality weatherable capstock for low maintenance
- Precision-drilled components provide fast and easy installation
- ◆ Secure metal-to-wood rail-to-post connection
- Convenient packaging in complete section boxed kits or packs for easy color mixing and matching
- Designed to work with a variety of vinyl accessories, including posts and handrail

With EverNew, you can rest assured that years from now our products will perform as beautifully and securely as the day they were installed. CertainTeed stands behind the EverNew decking and railing products with exceptional warranty protection, for your added assurance of quality and safety.



All of CertainTeeds decking and railing products are covered by SureStart protection for a specific period. Under

this warranty feature, CertainTeed, at no charge, will repair or replace, at its option, any product proven to be defective during the applicable SureStart period (see actual warranty for details).



# COMPOSITE RAILING SYSTEM



The Panorama® capped composite railing system features a classic painted wood railing design with handcrafted authenticity and true architectural details you won't find on any other composite railing. Panorama's concealed, corrosion-resistant stainless steel hardware provides a seamless appearance and years of worry-free performance. Panorama integrates with CertainTeed's vinyl accessories, allowing you to create exciting new exterior designs.

- Classic painted wood style with true architectural details
- Top and bottom universal rails with a decorative top rail cap
- Concealed external rail-to-post connection for flat, stair, column and 45° applications
- Available in two heights and two lengths
- Available in three colors: white, almond and black
- Choice of two baluster styles: square composite and decorative steel
- Powder-coated, hot-dipped galvanized steel decorative balusters create a rustic yet customizable system approach for both flat and stair applications
- Suitable for one- and two-family dwellings/townhouses not more than three stories high
- Independent tested as designated in report CCRR-0115 (white and almond)
- Class A flame-spread rating
- 25-year limited warranty with 2-year SureStart™ protection





Almond



Black


White

# **Decorative Steel Baluster Styles Finishes: Antique Bronze and Oil-Rubbed Bronze**

5/8" square; four styles of powder-coated galvanized steel, pre-cut to 26.75" to yield 36" finished rail height; for either flat or stair



Oil-Rubbed









ht Twist Single Basket

# Panorama<sup>®</sup>

# Patent-pending stainless steel concealed bracket


• engineered for flat, stair and almost any angle

#### Composite top rail\*

• 6', 8' lengths standard in flat (8' stair only)

#### **Baluster Styles**

- 5/8" Square Decorative Steel balusters\*\* (available for 3' systems only)
- 1-1/4" Square Composite



4"x 4" wood post (sold separately)

Weather-resistant pre-capped composite 4-1/2" x 4-1/2" post-sleeve

#### **Baluster shoes**

 Stair shoes are field cut to allow for a range of stair angles



## Composite universal rails for top and bottom\*


• 6', 8' lengths standard in flat (8' stair only)

#### **Molded crush block**

# 4-1/2"x 4-1/2" post cap and trim kit

 optional deco cap in antique bronze or oil-rubbed bronze finish also available

\*\*Decorative Steel Balusters install using patented baluster shoe plugs.



## Post Surface Mount with Insert

- For concrete surface installations
- Includes 4"x 4" wood insert for easy sleeve-over applications

<sup>\*</sup>Refer to product matrix for actual product specifications.

# THE SOLID LOOK AND FEEL OF WOOD WITHOUT THE MAINTENANCE



Panorama in white with twist balusters in antique bronze finish



Panorama with composite square balusters in almond



 $\label{panorama} \mbox{ Panorama with composite square balusters in black }$ 

#### Post sleeve

accommodates standard 4"x 4" wood posts in 40", 54" and 108" lengths



4-1/2"x 4-1/2" square


# 4-12"x 4-1/2"

4-1/2"x 4-1/2" square





#### VINYL ROUTED **RAILING SYSTEM**



For safe, secure vinyl railing applications, there's no better choice than the Oxford routed system. The routed Oxford system features a unique internal rail-to-post connection and hidden hardware, so there are no unsightly brackets to detract from the look of the railing. The aluminum reinforced rail connects to a sturdy galvanized post support kit inside the routed post, for a completely concealed metal-to-metal connection.

- ◆ "T"-rail top and 2 x 4 bottom rail with hidden hardware system
- Aluminum reinforced rail connects to sturdy galvanized steel post support kit inside the routed post
- Posts routed specifically for all post applications
- Available in two heights and three lengths
- Available in six colors: white, almond, clay, warm spice, rustic rose and black
- Choice of three baluster styles: square, colonial (white and almond only) and glass (clear or smoked)
- Suitable for residential and commercial applications - including multifamily and over three story installations
- Canadian railing code compliant up to 8' span for exterior guard rail system for one- and two-family dwellings
- ◆ Independent tested as designated in report CCRR-0187 (white, almond, clay, warm spice and rustic rose)
- Meets IBC standards for building safety
- Class A flame-spread rating
- Lifetime limited transferable warranty with 5-year SureStart™ protection















Rustic Rose






Oxford with square balusters in white

Color Note: When installing dark colored product, keep stored in a shady/cooler area and out of direct sunlight prior to installation.

# Oxford



#### Post caps and trims

# Aluminum reinforced top and bottom rail\*

- 6' and 8' lengths standard in flat, stair and steep stair
- 10' lengths standard in flat and stair

#### **Rail plate**



- Made of stainless steel
- Screw flange secures top rails inside post
- Oval cut out works for all flat and stair applications

#### **E-Z Set brackets**



- Made of aluminum
- Keeps post square and snug

#### Sturdy post support pipe

- Hot-dipped galvanized steel
- 1-5/8" outside diameter


#### **Baluster styles**



- Square
- Colonial (white and almond only)

#### 4" tempered glass baluster infill








#### Weather-resistant vinyl post sleeve

• Square available in 3' and 3-1/2' heights

#### **Secure post mounting systems**





#### **Attractive precision-fit components**


#### **Baluster hole spacing**

- Top and bottom rails are routed to accept 1-1/4" x 1-1/4" balusters
- Stair baluster spacing is wider to account for racking

#### Stair/step section

- Post center spacing on diagonal: 6' section covers 68" at 32°
- 8' section covers 90" at 32°, 10' section covers 117" at 32°
- $\bullet$  6' section covers 71" at 42°, 8' section covers 96" at 42°


<sup>\*</sup>Refer to product matrix for actual product specifications.



#### **Oxford Gate Kit**

Improved design for enhanced performance and easier ordering

- Heavy duty internal aluminum frame
- Stainless steel fasteners
- Features 2x4 rails
- High quality gate hardware
- Available in all colors, both heights, and square & colonial balusters (colonial style available in white and almond only)
- Self closing hinges
- Easy to assemble



EverNew glass balusters combine high-end style with the quality and performance features that are distinctly CertainTeed. Our glass balusters are designed to work with either the routed or bracketed Oxford railing system.

- Choice of clear or smoked 4" x 3/8" tempered glass
- Beveled balusters work for flat and stair applications
- ◆ 3-1/2' baluster height provides a clear view
- Routed rails eliminate the need to fasten and screw balusters without extra brackets
- Bracketed and routed post connections
- Suitable for one- and two-family dwellings/townhouses that are not more than three stories high
- Independent tested as designated in report CCRR-0187 (white, almond and clay)
- ◆ Lifetime limited transferable warranty with SureStart™ protection








Clear Balusters

Smoked Balusters




# VINYL BRACKETED RAILING SYSTEM



Designed for use with existing wood posts, the Oxford bracketed railing system offers everything you need for a safe and secure railing installation. Oxford goes the extra mile with standard features like concealed aluminum rail mount brackets and stainless steel screws, for long-lasting strength and peace of mind.

- "T"-rail top and 2 x 4 bottom rail for sleeve-over installations
- Aluminum rail mount brackets provide a safe and secure, metal-to-metal rail-to-post connection for greater strength and longevity
- Available in two heights and three lengths
- Available in six colors: white, almond, clay, warm spice, rustic rose and black
- Choice of three baluster styles: square, colonial (white and almond only) and glass (clear or smoked)
- Suitable for residential and commercial applications – including multifamily and over three story installations
- Canadian railing code compliant up to 8' span for exterior guard rail system for one- and two-family dwellings
- Independent tested as designated in report CCRR-0187 (white, almond, clay, warm spice and rustic rose)
- ♦ Meets IBC standards for building safety
- Class A flame-spread rating
- ◆ Lifetime limited transferable warranty with
   5-year SureStart™ protection






Oxford with square balusters in white

Color Note: When installing dark colored product, keep stored in a shady/cooler area and out of direct sunlight prior to installation.

# Oxford



#### 4" x 4" Post caps

#### Vinyl trim cover

- Sleek design to conceal screws
- Easily altered for close baluster applications

#### Aluminum reinforced top and bottom rail\*

• 6', 8' and 10' lengths standard in flat and stair

#### **Aluminum interior bracket**

- The critical rail to post stress point is secured by corrosion resistant aluminum
- Uniquely designed for specific applications

#### 4"x 4" wood post (sold separately)

#### **Baluster styles**

- Square
- Colonial (white and almond only)



#### 4" tempered glass baluster infill

- Clear available in 3-1/2' only
- Smoked available in 3-1/2' only

#### Weather-resistant vinyl post sleeve:

- Square available in 3' and 3-1/2' heights
- Newel available in 3' height

#### **Attractive precision-fit components**

4"x 4" trim

# Standard 25° Min–37° Max


#### Baluster hole spacing

- Top and bottom rails are routed to accept 1-1/4" x 1-1/4" balusters
- Stair baluster spacing is wider to account for racking

#### Stair/step section

- Post center spacing on diagonal:
   6' section covers 68" at 32°
- 8' section covers 90" at 32°, 10' section covers 117" at 32°

<sup>\*</sup>Refer to product matrix for actual product specifications.



#### **Oxford Gate Kit**

Improved design for enhanced performance and easier ordering

- Heavy duty internal aluminum frame
- Stainless steel fasteners
- Features 2x4 rails
- High quality gate hardware
- Available in all colors, both heights, and square & colonial balusters (colonial style available in white and almond only)
- Self closing hinges
- Easy to assemble

#### **Secure Connection**

Aluminum brackets and corrosion-resistant stainless steel screws complete the connection between post and rail to provide a strong and reliable system.

# Oxford Bracket Options – Uniquely designed for specific applications





column (minimum 8" round)






stair (field alteration)



Oxford with colonial balusters in white





Kingston offers premium features you'd expect to find on higher-end systems, including high-quality aluminum rail mount brackets for superior safety and security. Secured by provided stainless steel fasteners, the aluminum brackets are completely concealed by molded vinyl covers, so you never have to worry about rust or corrosion.

- Classic bread-loaf rail design (on both top and bottom rails) for sleeve over applications
- Aluminum rail mount brackets provide a safe and secure metal-to-metal, rail-to-post connection for greater strength and longevity
- Unique molded vinyl bracket covers designed for flat, stair, column, 45° and 22-1/2° applications
- ◆ Available in two heights and three lengths
- Available in six colors: white, almond, clay, warm spice, rustic rose and black
- Choice of two baluster styles: square available in all six colors and traditional in white and almond
- Suitable for one- and two-family dwellings and townhouses not more than three stories high
- Canadian railing code compliant up to 8' span for exterior guard rail system for one- and two-family dwellings
- Independent tested as designated in report CCRR-0211 (white, almond and clay)
- Meets IRC standards for building safety
- Class A flame-spread rating
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection






Kingston with traditional balusters in white

Color Note: When installing dark colored product, keep stored in a shady/cooler area and out of direct sunlight prior to installation.

# Kingston



#### 4" x 4" Post caps

#### Vinyl trim cover

- Sleek design to conceal screws and streamline appearance
- Easily altered for close baluster applications

## Rugged aluminum reinforced top and bottom rail\*

• 6', 8' and 10' lengths standard in flat and stair (10' flat only)

#### **Aluminum interior bracket**

- The critical rail to post stress point is secured by corrosion resistant aluminum
- Uniquely designed for specific applications

4" x 4" wood post (sold separately)

#### **Baluster styles**

- Square
- Traditional (3' white and almond only)



Weather-resistant vinyl post sleeve in either square or newel available in 3' and 3-1/2' heights

**Attractive precision-fit components** 

Molded crush block

4"x 4" trim

# Standard: 25° min-37° max Steep Stair: 37° min-42° max

#### **Baluster hole spacing**

- Top and bottom rails are routed to accept 1-1/2" x 1-1/2" balusters.
- Stair baluster spacing is wider to account for racking.

#### Stair/step section

 Post center spacing on diagonal: 8' section covers 95" at 32°

\*Refer to product matrix for actual product specifications.



Kingston with square balusters in black

#### **Trim covers**



column (min 8" round)



standard and steep stair applications (longer cover allows for field cutting)




flat





22-1/2° left, 22-1/2° right



#### **Kingston Gate Kit**

Designed for enhanced performance and easy ordering

- Heavy duty internal aluminum frame
- Stainless steel fasteners
- Features 2" x 3-1/2" rails
- High quality gate hardware
- Available in all colors, all heights and all balusters (traditional style available in white and almond only)
- Self closing hinges
- Easy to assemble

# Vinyl Railing Accessories

#### **Square post and caps**

Vinyl blank posts available in...

**4"x4":** 38", 44", 48", 51-1/2", 107"

**5"x5":** 68", 107" 6"x6": 120"



Flat cap internal



Flat cap external New England cap



Flat Pyramid cap (6"x 6" only)



post

**Newel post and caps** 

4"x 4" newel post and caps create a more traditional look on your EverNew railing. Blank newel posts available in 38" and 44" for white 3' styles only.





King cap

Queen cap

Square post



Ball cap

#### **Post trim**

Post trim can be used for finishing vinyl posts.\*\*



4-piece post trims Available in 4"x 4"and 5"x 5" (matches porch post trims) Also available in 6"x 6" (Adjusts to fit 4" to 6-1/2" posts)



1-piece post trims Available in 4"x 4"and 5"x 5"

2-piece post trims Available in 4"x 4"

#### Post Support Kits (at a glance)

"Original" Post Support Kit	EZ Set II Bracketed Post Support Kit	The Mount Post Support Kit	Post Surface Mount with Wood Insert					
For Routed System*	For Bracketed Systems							
Oxford	Oxford Kingston	Oxford Kingston	Panorama					
Wood & Concrete	Concrete	Wood or Concrete	Concrete					
MAN CO PART CO								

<sup>\*</sup>Also suitable for use with Blank Newel Posts.

<sup>\*\*</sup>Not all accessories available in all colors. Refer to product catalog for colors and style availability.

#### Decorative Post Caps and Post Trim for 4" x 4" posts

Our Decorative post caps and post trims feature an innovative metallic and ceramic powder coated injection molded product line to enhance your fence or deck posts. The product line includes solar lighted post caps, post caps, and post trims. These products will not tarnish like stamped metal post caps.

#### **Post Caps**














**Post Trim** 












**Solar Post Caps** 











#### **Solar Accent Lighting**


These solar powered lights have extremely efficient LED circuits powered by two rechargeable batteries. They are easy to install, are low maintenance, environmentally friendly and perfect for remote locations as they require no electricity. The taller solar post caps will fit 4"x 4" and 5"x 5" posts.



**Solar Post Caps** 









Solar Wedge










Batteries are included with all solar caps and wedge lights.

# Railing Accessories


#### Aluminum handrail component system

- ◆ Complies with ADA (Americans with Disabilities Act) requirements for grippable handrails
- Aluminum construction reduces bowing and provides enduring strength
- 1-1/2" diameter gripping area
- Continuous handrail runs
- Safe for stair and ramp applications
- Functional finishing touches: post and wall returns, end caps, return loops and a convenient straight joiner
- Unique adjustable joiners accommodates any transition - 0° to 90° bends
- Installs easily on site with no preformed fittings
- Ideal for use with EverNew railing systems
- Virtually maintenance free
- Lifetime limited warranty

Black




Note: Handrail depicted is not free standing and must be anchored to walls or guardrail using handrail bracket assembly (74028/74029). Space a maximum of 6' on center and as close as possible to both sides of any joint. (ADA compliant at 6ft spans)





6 1-1/2" OD - 90° corner - includes two 3" aluminum joiners


1-1/2" OD - 90° wall return - includes 3" aluminum joiner




10 1-1/2" OD x 120" handrail

11 Handrail bracket assembly

Handrail EZ Post attachment kit



Adjustable aluminum external joiner










- Excellent color retention
- Cool to the touch Barefoot Friendly™
- Independent tested as designated in report CCRR-0219
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection



G	ra

EverNew® Vinyl o	leck boards and	fascia	
	Actual Width	Actual Thickness	Available Lengths
2x6 Deck boards	5-1/2"	1-1/2"	12', 16', 20'
Fascia	1-1/2", 3", 6"	7/8"	8'

# UnderShield

#### UnderShield® creates new possibilities for your home.

A beautiful deck is easy to love, from the top. Now, you can love your deck from underneath as well, with the beautiful possibilities of UnderShield®. A unique, vinyl shield and ceiling system, UnderShield turns an unsightly deck underside into a dry, beautiful ceiling, creating limitless options for new exterior living spaces.

The UnderShield product is designed as a water diversion system under normal weather and rain conditions; however it is not a waterproof roof system. Proper cleaning and flushing of debris by the property owner is important to allow the rain water to flow unobstructed to the exit point and to not create excess weight buildup on the surface of UnderShield. The system can temporarily experience minor drips. Occasional droplets on the underside also could result from normal condensation. Having a qualified professional install and follow the installation instructions carefully is necessary for best performance.

# **UnderShield®**



Beaded panel in colonial white shown with gutter collection system.



Custom Restoration Millwork® columns and brackets, combined with the UnderShield Water Diversion System, creates a formal yet inviting area.




Under the deck is a perfect area for storage of frequently used outdoor toys, lawn and garden equipment and more.



#### **DECKING ACCESSORY**

Designed to respond to the needs of building professionals and homeowners, UnderShield is easy to install to new or existing decks, and will maintain unobstructed air flow when properly installed. Panels can run parallel or perpendicular to the home, and an easy-to-use clip creates the desired pitch.


- ◆ Low maintenance water diversion system
- Easy to install adjustable grid system
- Concealed clip system
- Stainless steel hardware provides security and lasting performance
- ◆ High quality vinyl panels available in 6"x 16'
- Installs under the deck joist
- ◆ No need to worry if the framing is 12" or 16" on-center
- No concern with bracing between joists
- Helps maintain the required ventilation under the deck for most composite deck boards
- Choice of two panel styles: beaded or chamfer
- Panel hook system creates a tight and secure panel lock
- Available in three colors: colonial white, sterling gray or savannah wicker
- Suitable for one- and two-story residential applications
- Class A flame-spread rating
- Lifetime limited warranty





System also includes clips (B), grid system (C), fascia panels and stainless steel

UnderShield is available in beaded or chamfer panels (A). hardware (not shown).



dry space under your deck.

(Gutter sold separately. Not a CertainTeed product.)

Water drips on the panel surface may appear for various reasons including, but not limited to, dirt/debris build up and normal condensation.



### **Porch Accessories**


CertainTeed Structural Porch Posts, Columns and finishing accessories complement any project, no matter which railing style or system is chosen.

- Pivoting mounting plate for easy installation of porch post
- Aluminum reinforced for rigidity and strength
- ◆ Load bearing
- Tie-down connection of porch post eliminates need for separate hurricane tie-down kit
- No overhead jacking required
- Class A flame-spread rating





Designed to coordinate with CertainTeed's vinyl decking and railing products, Certa-Snap® Wrap delivers all of the low-maintenance benefits of vinyl posts without having to replace existing wood porch posts.



- 8-piece system 4 vinyl post sections plus 4 corner trim pieces
- ♦ Components snap together for easy installation
- ◆ Available 4" x 4" or 6" x 6" in 10' lengths can be field cut to any length
- ◆ 4-piece post trim for top and bottom sold separately
- Class A flame-spread rating





Almond Smooth

#### Installation









#### **Trim accessory**



# EverNew® Deck, Railing, Porch Posts, Wraps & Columns (at a glance)

	iling stems	BALUSTER SIZE	BALUSTER STYLE	BALUSTER SPACING	SECTION WIDTH (FLAT NOMINAL)	SECTION WIDTH (FLAT ACTUAL)	SECTION HEIGHTS			BOTTOM RAIL STYLE
CAPPED	Panorama®	1-1/4" x 1-1/4" 5/8" x 5/8" Steel	Square Composite, Decorative Steel	3-5/8" Flat Composite 3-3/4" Flat Steel	72" 96"	67-1/2", 92-1/2"	3' and 3-1/2'	3-1/2" x 2-13/16" x 67-1/2" or 92- 1/2" Top Rail	Classic	Classic
VINYL	Oxford	1-1/4" x 1-1/4" Colonial, Square		3-3/8" Flat	72" 96" 120"	71-1/2", 95-1/2", 119-1/2"	3' and 3-1/2'	3" x 3-1/2" x 71-1/2", 95-1/2" or 119-1/2" "T" Shaped Top Rail	"T"- Rail	2 x 4
IIA	Oxford T-Rail Glass Baluster Infill	4" x 3/8"	Tempered Glass: Clear and Smoked	3-7/8" Flat	72"	71-1/2"	3-1/2'	3" x 3-1/2" x 71- 1/2" "T" Shaped Top Rail	"T"- Rail	2 x 4
	Kingston	1-1/2" x 1-1/2"	Traditional, Square	3-7/16" Flat	72" 96" 120"	68-1/2", 92-1/2", 116-1/2"	3' and 3-1/2'	3-1/4" x 1-1/2" x 68-1/2", 92-1/2" or 116-1/2" Top & Bottom	Top Round	Top Round

Measurements for all railing systems are from center to center of post. Note actual rail lengths.

\*Vinyl railing is Canadian railing code compliant up to 8' span for exterior use guard rail system for 1 and 2 family dwellings.

Wr	rch Posts, aps & lumns	DIMENSION	LENGTH	LOAD BEARING	FINISH	ALUMINUM REINFORCEMENT	INCLUDES MOUNTING PLATE	WARRANTY	SURESTART™
	Colonial Post	5"x 5"	108"	5000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Colonial Post	4"x 4"	108"	2600 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Square Post	5"x 5"	108"	5000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
VINYL	Square Column	8"x 8"	108"	18000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Tapered Round Column	8", 10"*	108"	18000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Non-Tapered Round Column	8"	108"	18000 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Certa-Snap® Wrap	4"x 4", 6"x 6"	120"	NA	Smooth	NA	NA	Lifetime Limited Transferable	5-Year

<sup>\* 8&</sup>quot; Tapered Round Column – 7-3/4" tapers to 6-1/8", 10" Tapered Round Column – 9-3/4" tapers to 8-1/8" (taper starts 48" from bottom)


De	cking	BOARD SIZE (ACTUAL)	BOARD SPACING	BOARD SIZE	BOARD LENGTH (NOMINAL)	BOARD SURFACE	FASCIA SIZE (ACTUAL)	FASCIA LENGTH	FASCIA SURFACE	JOIST SPACING
VINYL	EverNew Vinyl Decking	1-1/2" x 5-1/2"	1/8"	2" x 6"	12', 16', 20'	Raised Ridge Tread	7/8"x6" or 3" or 1-1/2"	8'	Smooth	16"

	cking cessory	STYLE	DIMENSION	THICKNESS	FINISH	WARRANTY
VINYL	UnderShield®	Chamfer or Beaded	Chamfer 6" x 16' Beaded 6" x 16' Fascia 4" x 16'	Chamfer .046" Beaded .046" Fascia .05"	Matte	Lifetime Limited


							COLOR	AVAILA	BILITY							
REINFORCEMENT	RAIL-TO-POST CONNECTION	CODE*	APPLICATION*	WARRANTY	SURESTART™	VALUE	WHITE	ALMOND	CLAY **	WARM SPICE **	RUSTIC ROSE **	BLACK	COLONIAL WHITE	STERLING GRAY	SAVANNAH WICKER	GRAY
Composite Core	Stainless steel concealed bracket engineered for flat, stair, and almost any angle	CCRR-0115†	Suitable for 1 and 2-family dwellings and townhouses not more than 3-stories in height	25-Year Limited	2-Year	\$\$ - \$\$\$	•	•				•				
Aluminum Top & Bottom	Routed post option or aluminum brackets with molded covers for flat, stair, column and 45°	CCRR-0187†	Suitable for residential and commercial applications – including multi-family and over 3-story installation	Lifetime Limited & Transferable	5-Year	\$\$ - \$\$\$\$	•	•	•	•	•	•				
Aluminum Top & Bottom	Routed post option or aluminum brackets with molded covers for flat, stair, column and 45°	CCRR-0187 <sup>†</sup>	Suitable for 1 and 2-family dwellings and townhouses not more than 3-stories in height	Lifetime Limited & Transferable	5-Year	\$\$\$\$	•	•	•	•	•	•				
Aluminum Top & Bottom	Aluminum brackets with molded covers for flat, stair, steep stair, column, 45° and 22-1/2°	CCRR-0211†	Suitable for 1 and 2-family dwellings and townhouses not more than 3-stories in height	Lifetime Limited & Transferable	5-Year	\$-\$\$	•	•	•	•	•	•				

<sup>\*\*</sup> ColorLast® Dark Color Fade Protection - Our acrylic formulation provides superior protection from the harsh rays of the sun, resulting in richer color that retains its vibrant hue for years to come. ColorLast is offered in Clay, Warm Spice and Rustic Rose.

 $<sup>\</sup>ensuremath{^{+}}\xspace \ensuremath{\text{Refer}}\xspace$  to code report for detailed application information and conditions of use.



CODE	APPLICATION	WARRANTY	SURESTART™	COLOR AVAILABILITY									
CCRR-0219	Decks, docks and porches	Lifetime Limited	5-Year	•	•								•



<sup>†</sup>Independent testing on Black currently underway.



CertainTeed products are designed to work together and complement each other in color and style to give your home a beautiful finished look.



POLYMER SHAKES & SHINGLES



ROOFING AND VENTILATION



FENCE



INSULATED SIDING



PVC EXTERIOR TRIM & BEADBOARD



DECKING AND RAILING



VINYL SIDING



VINYL CARPENTRY® TRIM



HOUSEWRAP



**Professional:** facebook.com/CertainTeedFreedomofChoice **Consumer:** facebook.com/CertainTeedLivingSpaces



youtube.com/CertainTeedCorp youtube.com/CTLivingSpaces



#### **CertainTeed Corporation**

20 Moores Road Malvern, PA 19355 www.certainteed.com

#### ASK ABOUT ALL OF OUR OTHER CERTAINTEED PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE GYPSUM • CEILINGS • INSULATION

Professional: 800-233-8990 Consumer: 800-782-8777