

BEADEx® Brand

USG

paper faced
metal bead

and trim



For the most cost-effective, problem-free, beautiful corners, the logical choice is BEADEX[®] Brand Paper Faced Metal Bead and Trim. Fast, easy installation means reduced labor costs, while superior product performance eliminates costly job callbacks, saving money and ensuring customer satisfaction. With the tape-on versions, nailing is not required, so installation and corner alignment are easier, and there are no nails to pop when wood framing shrinks. The paper tape covering ensures excellent adhesion of joint compounds, textures, and paints for a strong, smooth finish.

BEADEX Brand Paper Faced Metal Bead and Trim provides superior resistance to edge cracking and chipping for a look that stays beautiful despite the stresses of normal building movement and everyday wear and tear. In fact, USG warrants that BEADEX Brand Paper Faced Metal Tape-On Bead and Trim will not edge crack for the lifetime of the structure using recommended application techniques (refer to USG J1713 Lifetime Warranty for details). The unique “nose coating” on the paper tape covering resists scuffing and fuzzing from knives and sanding.

Nail-on versions of the bead and trim are designed for applications where nailing or other mechanical fastening is desired. They use the same paper-faced metal technology to provide excellent bond adhesion qualities for joint compounds, textures and paints.




For technical product information, refer to BEADEX Brand Paper Faced Metal Bead and Trim submittal sheet (J1646).

Flexible Metal Tape-On Corner

**Tape-On Flexible
Outside and Inside
Corner Bead**



**BEADEX® Brand Flex Metal Tape,
Tape-On Flexible Corner
(Flex Tape)**

Can be formed to fit any inside or outside angle. Available in 2-1/16" width that has two 7/16" wide galvanized rust-resistant steel strips with a 1/16" gap between the strips. For maximum strength and coverage, the tape is also available in a 4" width that has two 7/8" wide galvanized steel strips with a 1/16" gap between the strips. Product is suitable for any thickness of wallboard. Available in 100' rolls.

	Dimensions				
	Style	A	B	C	D
	Flex Tape (2-1/16")	9/16"	7/16"	7/16"	9/16"
	Flex Tape (4")	1-1/8"	7/8"	7/8"	1-1/8"
					



**BEADEX® Brand B1 Flex Metal
Corner, Tape-On Outside Flexible
Corner (B1 Beaded Flex)**

Patented style designed specifically to make straight, strong outside corner angles. Available in 3" width and manufactured with two 3/4" galvanized steel strips laminated to paper tape with a flexible gap between the strips. B1 Beaded Flex has a unique raised bead (nose) in the flexible gap to provide faster, easier finishing with joint compound. For use on any wallboard thickness. Standard lengths: 8', 9', 10'.

	Dimensions				
	Style	A	B	C	D
	B1 Beaded Flex (3")	11/16"	3/4"	3/4"	11/16"
					

**BEADEX® Brand B2 Flex Metal
Tape, Tape-On Inside Flexible
Corner (B2 Flex)**

Designed specifically to make straight, strong inside corners of any angle. Ideal for vaulted ceiling angles and vertical inside angles. Available in a 4" width that has two 7/8" galvanized steel strips with no gap between the strips. Placing the steel strips together, along with the extra wide paper width, results in extra strength and rigidity for straighter and truer finished inside angles. Available in 100' rolls.



	Dimensions				
	Style	A	B	C	D
	B2 Flex (4")	1-1/8"	7/8"	7/8"	1-1/8"
					

Paper Faced Metal Bead and Trim

90° and Offset Outside Corner Bead

BEADEX® Brand Paper Faced Metal Outside Corner, Tape-On Bead (B1W, B1XW, B1 Super Wide)

Use for 90° outside corners. Standard lengths: 8', 9', 10'.





Style	Dimensions			
	A	B	C	D
B1W	3/4"	13/16"	9/16"	3/4"
B1W NB	3/4"	13/16"	9/16"	3/4"
B1XW	5/8"	15/16"	11/16"	5/8"
B1XW EL	5/8"	13/16"	13/16"	5/8"
B1XW NB	5/8"	15/16"	11/16"	5/8"
B1XW ELNB	5/8"	13/16"	13/16"	5/8"
B1 Super Wide	11/16"	1-1/16"	1-1/16"	11/16"

Note: XW = Extra Wide; EL = Even Leg; NB = No Bead.

BEADEX® Brand Paper Faced Metal Outside Corner, Tape-On Bead (Micro Bead)



Designed with a wider 1" by 1" profile that's easier to install on all cut edges. Reduced bead height results in less use of joint compound. In most cases, reduces the amount of compound needed by one coat. Standard lengths: 8', 9', 10'.



Style	Dimensions			
	A	B	C	D
Micro Bead	3/4"	1"	1"	3/4"

BEADEX® Brand Paper Faced Metal Offset Outside Corner, Tape-On Bead (B1 OS)

Designed for 135° corners. Offset bead is designed to give a true offset corner with a smaller bead height requiring less compound to finish. Can be used on any thickness of wallboard. Standard lengths: 8', 9', 10'.





Style	Dimensions			
	A	B	C	D
B1 OS	5/8"	3/4"	1/2"	5/8"

Note: OS = Offset

BEADEX® Brand Paper Faced Metal Outside Corner, Nail-On Bead (Ultra Bead)

Use for applications where nailing or other mechanical fastening is required. Has wider flanges for easier nailing and maximum corner coverage. Can be fastened to 1/2" or 5/8" drywall with nails, staples, or screws. Standard lengths: 8', 9', 10'.




Style	Dimensions	
	A	B
Ultra Bead	1-1/4"	1-1/4"

**90° and Offset
Inside Corner**

**BEADEX® Brand Paper Faced
Metal Inside Corner, Tape-On Trim
(B2)**


Designed to form a true inside (90°) corner. For use with any thickness of wallboard.
Standard lengths: 8', 9', 10'.



Style	Dimensions			
	A	B	C	D
B2	5/8"	3/8"	3/8"	5/8"

**BEADEX® Brand Paper
Faced Metal Offset Inside
Corner, Tape-On Trim (B2 OS)**

Designed for a 135° offset angle on inside corners greater than 90°. For use on any thickness of wallboard. Standard lengths: 8', 9', 10'.




Style	Dimensions			
	A	B	C	D
B2 OS	5/8"	5/8"	5/8"	5/8"

Note: OS = Offset

**Softline Bullnose
and Offset Outside
Corner Bead**

**BEADEX® Brand Paper Faced
Metal 3/4" Bullnose Outside Corner,
Tape-On Bead (SLOC)**


Installs easily to form a smooth rounded outside corner. The 3/4" radius can be used for 1/2" or 5/8" drywall. Standard lengths: 8', 9', 10'.



Style	Dimensions		
	A	Radius	B
SLOC	5/8"	3/4"	5/8"

**BEADEX® Brand Paper Faced
Metal 3/4" Bullnose Offset Outside
Corner, Tape-On Bead (SLOC OS)**

Designed for 135° offset angles. Speeds application and eliminates need on framing members for fastening corners. Standard lengths: 8', 9', 10'.




Style	Dimensions		
	A	Radius	B
SLOC OS	3/4"	3/4"	3/4"

Note: OS = Offset

Paper Faced Metal Bead and Trim

**BEADEX® Brand Paper Faced
Metal 1-1/2" Bullnose Outside
Corner, Tape-On Bead (Danish)**


Bead is similar to the SLOC series except for a 1-1/2" radius. Can be used for 1/2" or 5/8" drywall. Standard lengths: 8', 10'.



Style	Dimensions		
	A	Radius	B
DANISH	3/4"	1-1/2"	3/4"

**BEADEX® Brand Paper Faced
Metal 1/2" Bullnose Outside
Corner, Tape-On Bead (BABY BULL®)**


Provides a narrower finished look with a smaller radius compared to other bullnose profiles. Also, excellent for trimming around windows. Can be applied over 1/2" or 5/8" thick drywall. Standard lengths: 8', 9', 10'.



Style	Dimensions		
	A	Radius	B
Baby Bull	5/8"	1/2"	5/8"

**BEADEX® Brand Paper Faced
Metal 1/2" Bullnose Offset Outside
Corner, Tape-On Bead (BABY BULL® OS)**

Narrower bullnose "look" designed for 135° outside corner offsets. Standard lengths: 8', 10'.




Style	Dimensions		
	A	Radius	B
Baby Bull OS	5/8"	1/2"	5/8"

Note: OS = Offset

**BEADEX® Brand Paper Faced
Metal 3/4" Bullnose Outside
Corner, Tape-On Bead (Santa Fe)**


Provides economical alternative for bullnose corners. Suitable for use on any thickness of wallboard. Standard lengths: 8', 9', 10'.



Style	Dimensions		
	A	Radius	B
Santa Fe	5/8"	3/4"	5/8"

**BEADEX® Brand Paper Faced
Metal 3/4" Bullnose Outside
Corner, Nail-On Bead (SLOC N)**


Use for smooth, rounded corners where nailing or other mechanical fastening is required. Can be fastened to 1/2" or 5/8" drywall with nails, staples, or screws. Standard lengths: 8', 9', 10'.



Style	Dimensions		
	A	Radius	B
SLOC N	5/8"	3/4"	5/8"
Note: N = Nail-On			

**BEADEX® Brand Paper Faced
Metal 3/4" Bullnose Outside Corner,
Nail-On Bead (SLOC NXW)**

Use for applications where nailing or other mechanical fastening is required. Has wider flanges for easier nailing and maximum corner coverage. Standard lengths: 8', 9', 10'.




Style	Dimensions		
	A	Radius	B
SLOC NXW	7/8"	3/4"	7/8"
Note: NXW = Nail-On Extra Wide			

**Softline Bullnose
and Offset Outside
Corner Bead**

**BEADEX® Brand Paper Faced
Metal 3/4" Bullnose Offset Outside
Corner, Nail-On Bead (SLOC NOS)**


Use for applications where nailing or other mechanical fastening is required. Creates 135° offset outside corner. Standard lengths: 8', 9', 10'.



Style	Dimensions		
	A	Radius	B
SLOC NOS	1-1/16"	3/4"	1-1/16"
Note: NOS = Nail-On Offset			

**BEADEX® Brand Paper Faced
Metal 1-1/2" Bullnose Outside
Corner, Nail-On Bead (Danish N)**

Forms a smooth, rounded corner similar to SLOC N but with a 1-1/2" radius. Use where nailing or other mechanical fastening is required. Can be fastened to 1/2" or 5/8" drywall with nails, staples or screws. Standard lengths: 8' and 10'.




Style	Dimensions		
	A	Radius	B
Danish N	3/4"	1-1/2"	3/4"
Note: N = Nail-On			

Paper Faced Metal Bead and Trim

BEADEX® Brand Paper Faced Metal 1/2" Bullnose Outside Corner, Nail-On Bead (BABY BULL® N)


Provides a narrower finished look with a smaller radius compared to other bullnose profiles. Also excellent for trimming around windows. Use where nailing or other mechanical fastening is required. Standard lengths: 8', 9', 10'.



Style	Dimensions		
	A	Radius	B
Baby Bull N	3/4"	1/2"	3/4"
Note: N = Nail-On			

BEADEX® Brand Paper Faced Metal 3/4" Bullnose Outside Corner, Nail-On Bead (Santa Fe N)

Provides economical alternative for bullnose corners. Can be fastened to 1/2" or 5/8" drywall with nails, staples or screws. Standard lengths: 8', 9', 10'.




Style	Dimensions		
	A	Radius	B
Santa Fe N	5/8"	3/4"	5/8"
Note: N = Nail-On			

Softline Bullnose and Offset Inside Corners

BEADEX® Brand Paper Faced Metal 3/4" Bullnose Inside Corner, Tape-On Trim (SLIC)


Use to create a smooth, rounded inside corner. The 3/4" radius trim is suitable for 1/2" or 5/8" drywall. Standard lengths: 8', 10'.



Style	Dimensions		
	A	Radius	B
SLIC	3/4"	3/4"	3/4"

BEADEX® Brand Paper Faced Metal 3/4" Bullnose Offset Inside Corner, Tape-On Trim (SLIC OS)

Softline inside cover for 135° offset angles. Creates smooth rounded inside corner suitable for 1/2" or 5/8" drywall. Standard lengths: 8', 10'.




Style	Dimensions		
	A	Radius	B
SLIC OS	5/8"	3/4"	5/8"
Note: OS = Offset			

L Trims


BEADEX® Brand Paper Faced Metal "L" Shaped, Tape-On Trim (B4 Series)

Use where wallboard abuts with suspended ceilings, beams, plaster, masonry, and concrete walls, as well as untrimmed door and window jambs. Standard lengths: 8', 9', 10'.




Style	Dimensions		
	A	B	C
B4 (3/8")	3/8"	7/8"	1"
B4 (1/2")	1/2"	15/16"	1-1/4"
B4 (5/8")	5/8"	13/16"	1-1/4"
B4 (1")	1"	15/16"	1-5/16"
B4 NB (3/8")	3/8"	7/8"	1"
B4 NB (1/2")	1/2"	15/16"	1-1/4"
B4 NB (5/8")	5/8"	13/16"	1-1/4"

Note: NB = No Bead




BEADEX® Brand Paper Faced Metal Premasked "L"-Shaped Tape-On Trim (Premasked L)

Provides a serrated paper strip that protects the adjacent surface of ceiling or wall intersection during finishing and decorating applications. Simply tear away the protective strip after the job is completed, leaving virtually no clean up to the adjacent surface. Standard lengths: 8', 10'.




Style	Dimensions			
	A	B	C	D
Premasked "L" (1/2")	1/2"	15/16"	1-1/4"	1-3/4" tear off
Premasked "L" (5/8")	5/8"	13/16"	1-1/4"	1-3/4" tear off




L Trims

BEADEX® Brand Paper Faced Metal "L" Shaped, Nail-On Trim (B8)

B8 "L" Trim is a nail-on version of "L" trim. Paper face provides superior compound, paint, and texture adhesion; greatly reducing chipping. Standard lengths: 8', 9', 10'.



Style	Dimensions	
	A	B
B8 (3/8")	3/8"	7/8"
B8 (1/2")	1/2"	15/16"
B8 (5/8")	5/8"	13/16"




Paper Faced Metal Bead and Trim


J Trims

BEADEX® Brand Paper Faced Metal "J" Shaped, Tape-On Trim (B9)

Tape-on "J" trim completely surrounds the rough edge of the wallboard, providing a strong and clean corner. Tape-on application eliminates frustration with nailing and nail shrink back. Can be used for finishing off bi-fold closet doors, as well as under all door and window encasements, and to finish rough drywall ends. Standard lengths: 7', 8', 10'.




Style	Dimensions			
	A	B	C	D
B9J (1/2")	1/2"	9/16"	5/8"	1-1/16"
B9J (5/8")	1/2"	5/8"	9/16"	1-1/16"



Reveal Trims


BEADEX® Brand Paper Faced Metal Reveal, Tape-On Trim (Reveal NB)

This modified tape-on "L" trim solves a variety of problems associated with reveal details on soffits, wall areas, ceilings, light boxes, and other interior architectural components. Reveal NB features a paper flange on both trim legs. The additional paper flange eliminates the need to caulk the edge of reveal details, providing a cleaner and straighter line. Available only in No Bead. Standard lengths: 8', 10'.



Style	Dimensions			
	A	B	C	D
Reveal NB (1/2")	15/16"	1/2"	1/2"	3/4"
Reveal NB (5/8")	15/16"	5/8"	5/8"	5/8"

Note: NB = No Bead





Technical Service

800 USG.4YOU

Web Site

www.usg.com

Samples/Literature

888 874.2450

Samples/Literature E-mail

samplit@usg.com

Samples/Literature/Fax

888 874.2348

Customer Service

800 950.3839

Trademarks

The following trademarks used herein are owned by United States Gypsum Company: BABY BULL, BEADEX.

Notice

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instructions or for other than the intended use. Our liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days from date it was or reasonably should have been discovered.

Note

All products described here may not be available in all geographic markets. Consult your local sales office or representative for more information.

SAFETY FIRST

Follow good safety and industrial hygiene practices during handling and installing all products and systems. Take necessary precautions and wear the appropriate personal protective equipment as needed. Read material safety data sheets and related literature on products before specification and/or installation.



Manufactured by
United States Gypsum Company
125 South Franklin Street
Chicago, IL 60606

J1688/1-03
© 2003, United States Gypsum Company
Printed in U.S.A.