


SERPENTINA® Vault


Curved Metal Clouds



CAD/Revit® drawings at:
armstrongceilings.com



plus...
capabilities
to do more



armstrongceilings.com/capabilities
See more photos at:
armstrongceilings.com/photogallery

Serpentina Vault 24" x 120" unperforated panel in Dark Cherry

Easy-to-specify and install curved metal clouds define and create visual interest.

KEY SELECTION ATTRIBUTES

- Install with fewer cables for a dramatic floating visual
- Wide variety of finishes available
- Pre-engineered and shipped ready to install (no field modification necessary)
- Panels available in 24" x 72", 24" x 96", 24" x 120", and 24" x 144"
- Available in 15°, 30°, 45°, 60°, 75°, and 90° arcs
- Aircraft cable, vault spacer support, and hardware shipped as part of kit
- Serpentina® perforated clouds installed with acoustical infill panels provide greater sound absorption than a continuous ceiling of the same surface area because sound is absorbed from both the front and back surfaces
- 30-Year Limited System Warranty

COLORS Due to printing limitations, shade may vary from actual product.


Standard Colors



Wood Looks Architectural Film Colors (not available perforated)




PERFORATION OPTIONS



COLORATIONS® COLORS*

Due to printing limitations, shade may vary from actual product.



* For Colorations, and custom colors, contact Armstrong Customer Service at 1-877-276-7876 and select options 1-1-2.

SERPENTINA® Vault

Curved Metal Clouds

UP TO
50%
RECYCLED
CONTENT

Calculate LEED contribution at
armstrongceilings.com/greengenie

LEED®

energy management

construction waste mgmt

regional materials

design for flexibility

EPD

recyclable/extended producer resp.

bio-based materials

recycled content

sourcing of raw materials

material ingredient reporting

low emitting materials

lighting quality

acoustics

LOCATION DEPENDENT


HOW TO SPECIFY

Simple guide on how to select your Vault:

1. Panel Length (72", 96", 120", 144")
2. Arc Choice (15°, 30°, 45°, 60°, 75°, 90°)
3. Perf Pattern (R042, R062, UPA)
4. Color (see page 73)
5. Denote Your Panel Spacing (2", 4", 6") in your specification

EXAMPLE:

SVT 1230R042 MY
 ↑ ↑ ↑ ↑ ↑
 Color (Gun Metal)
 Perf Pattern (R042 Perforation)
 Arc (30°)
 Panel Length (24" x 144")
 Serpentina Vault



ARC CHOICES



PANELS

Sizes

24" x 72"
 24" x 96"
 24" x 120"
 24" x 144"

PANEL SPACING


Create 2", 4", or 6" spacing between panels (include in your specification)

Item No.


Description

SVLTSH2	2" Vault Spacer Support
SVLTSH4	4" Vault Spacer Support
SVLTSH6	6" Vault Spacer Support


SERPENTINA® VAULT COMPONENTS



Serpentina Main Beam
(15/16")



2' Prelude® Cross Tee
(15/16")



GC3W
Grip Clip 3-Way



Aircraft Cable
and Hardware

PHYSICAL DATA

Material

Extruded aluminum main beams and hot-dipped galvanized steel cross tees.

Fire Performance

Metal is ASTM E84 Class A per IBC Class A: Flame Spread 25 or under and Smoke Developed 50 or less.

Seismic Requirements

Refer to ASCE 7-10 for seismic requirements

Warranty Information

30-Year Limited System Warranty

TechLineSM / 1 877 276-7876
 armstrongceilings.com/commercial
 (search: serpentina)
 BPCS-3621-517

LEED® is a registered trademark of the US Green Building Council
 Revit® is a registered trademark of Autodesk, Inc.
 RAL® is a registered trademark of RAL gGmbH
 © 2017 AWI Licensing LLC. Printed in the United States of America.

Armstrong®
 CEILING & WALL SOLUTIONS

88

CLOUDS & CANOPIES