

SERPENTINA® Waves™

Curved Metal Clouds

UP TO **50%** RECYCLED CONTENT


LEED®

energy management	construction waste mgmt	regional materials	design for flexibility	EPD	recyclable/extended producer resp.	biobased materials	recycled content	sourcing of raw materials	material ingredient reporting	low emitting materials	lighting quality	acoustics
-------------------	-------------------------	--------------------	------------------------	-----	------------------------------------	--------------------	------------------	---------------------------	-------------------------------	------------------------	------------------	-----------

Calculate LEED contribution at armstrongceilings.com/greengenie

LOCATION DEPENDENT

CAD/Revit® drawings at:
armstrongceilings.com/details



See more photos at:
armstrongceilings.com/photogallery
SEARCH: serpentina waves

Serpentina® Waves™ Clouds 24" x 96", 24" x 120", and 24" x 144" with R062 perforation in Silver Satin. Corrugated Infill Panel

Serpentina® Waves™ curved metal cloud kits combine easy installation with striking visual power.

KEY SELECTION ATTRIBUTES


- Wide variety of finishes
- 10-Year Limited System Warranty
- 60 pre-engineered kits that are easy to specify and install
- Panel lengths available up to 144"
- Serpentina perforated clouds installed with acoustical infill panels provide greater sound absorption than a continuous ceiling of the same surface area because sound is absorbed from both the front and back surfaces

TYPICAL APPLICATIONS


- Corridors and lobbies
- Conference rooms
- Reception areas
- Public access areas
- Airports, bus terminals, and train stations
- Retail
- Education
- Hospitality
- Healthcare

For Installation Considerations and Physical Data,
see BPCS-3948 at armstrongceilings.com/serpentina

COLORS Due to printing limitations, shade may vary from actual product.



Wood-Look Architectural Film Colors (not available perforated)



SERPENTINA® Waves™

Curved Metal Clouds

UP TO
50%
LEED®

**RECYCLED
CONTENT**

Calculate LEED contribution at
armstrongceilings.com/greengenie

energy management

construction waste mgmt

regional materials

design for flexibility

EPD

recyclable/extended producer resp.

bio-based materials

recycled content

sourcing of raw materials

material ingredient reporting

low emitting materials

lighting quality

acoustics

SERPENTINA® WAVES™ METAL INFILL PANELS

R042
Perfs: 3/64" Dia. @ 1/8" O.C.
Open area: 11% – No border

R062
Perfs: 1/16" Dia. @ 1/4" O.C.
Open area: 6% – No border

***R125**
Perfs: 1/8" Dia. @ 3/16" O.C.
Open area: 41%
Nominal 3/4" border

***R250**
Perfs: 1/4" Dia. @ 0.32" O.C.
Open area: 58%
Nominal 3/4" border

*****R188**
Perfs: 3/16" Dia. @ 1" O.C.
Open area: 4%
Nominal 3/4" border

*****R375**
Perfs: 3/8" Dia. @ 1-1/8" O.C.
Open area: 9%
Nominal 3/4" border

***S250**
Perfs: 1/4" x 1/4" @ 3/4" O.C.
Open area: 11%
Nominal 3/4" border

*****S375**
Perfs: 3/8" x 3/8" @ 1-1/8" O.C.
Open area: 11%
Nominal 3/4" border

***S500**
Perfs: 1/2" x 1/2" @ 5/8" O.C.
Open area: 64%
Nominal 3/4" border

UPA
Unperforated Panel

***CR125**
Perfs: 1/8" @ 21/64" O.C.
Open area: 13% – No border

CUPA
Unperforated Corrugated Panel

* Laminated acoustical fleece is not available on Perforated Panels R125, R250, S500 or CR125 due to open cell percentage.
*** Acoustical fleece comes standard


SERPENTINA COMPONENTS

Item No.	Description
H/V	Main Beam (15/16")
SPTSTR	1'12' Straight Trim
H/V PT	Curved Trim
SH12	Serpentina® StrongBack™ System
SPTOSCP	Serpentina Outside Corner Post
AXCCLT	Serpentina Trim Twist Clip
SPTSPLICE	Serpentina Splice Plate
AX-SPT-HDC	Serpentina Trim Hold Down Clip
SCXT24MR SCXT24SPT SCXT24SPT2	Serpentina Semi-concealed Connector Cross Tees
SPTCS4-12	Serpentina Waves Connector Sleeves
Speed Clip	Serpentina Semi-Concealed Splice Clip (3 per panel interface)

SERPENTINA WAVES KITS

Item Number	Hill (SH)	Valley (SV)	Hill/Valley Combo (SW)	Arc Degree	Description	Direction of Arc/ Size/Type
SH300404	•			30	Hill with 30° arc	
SH450404	•			45	Hill with 45° arc	
SV300404		•		30	Valley with 30° arc	
SV450404		•		45	Valley with 45° arc	4' x 4'
SH300604	•			30	Hill with 30° arc	
SH450604	•			45	Hill with 45° arc	
SV300604		•		30	Valley with 30° arc	
SV450604		•		45	Valley with 45° arc	6' x 4'
SH300804	•			30	Hill with 30° arc	
SH450804	•			45	Hill with 45° arc	
SV300804		•		30	Valley with 30° arc	
SV450804		•		45	Valley with 45° arc	
SW300804	•		•	30	Hill/Valley with 30° arc	
SW450804	•		•	45	Hill/Valley with 45° arc	8' x 4'
SH301004	•			30	Hill with 30° arc	
SH451004	•			45	Hill with 45° arc	
SV301004		•		30	Valley with 30° arc	
SV451004		•		45	Valley with 45° arc	10' x 4'

• = Perforation Pattern
•• = Color, see page 41 to select your pattern



SERPENTINA® Waves™

Curved Metal Clouds

UP TO 50% RECYCLED CONTENT

LEED®

energy management

construction waste mgmt

regional materials

design for flexibility

EPD

recyclable/extended producer resp.

biobased materials

recycled content

sourcing of raw materials

material ingredient reporting

low emitting materials

lighting quality

acoustics

Calculate LEED contribution at armstrongceilings.com/greengenie

LOCATION DEPENDENT

SERPENTINA® WAVES™ KITS

Item Number	Hill (SH)	Valley (SV)	Hill/Valley Combo (SW)	Arc Degree	Description	Direction of Arc/Size/Type
SH301204	•			30	Hill with 30° arc	
SH451204	•			45	Hill with 45° arc	
SV301204		•		30	Valley with 30° arc	
SV451204		•		45	Valley with 45° arc	
SW301204			•	30	Hill/Valley with 30° arc	
SW451204			•	45	Hill/Valley with 45° arc	12' x 4'
SH300406	•			30	Hill with 30° arc	
SH450406	•			45	Hill with 45° arc	
SV300406		•		30	Valley with 30° arc	
SV450406		•		45	Valley with 45° arc	4' x 6'
SH300606	•			30	Hill with 30° arc	
SH450606	•			45	Hill with 45° arc	
SV300606		•		30	Valley with 30° arc	
SV450606		•		45	Valley with 45° arc	6' x 6'
SH300806	•			30	Hill with 30° arc	
SH450806	•			45	Hill with 45° arc	
SV300806		•		30	Valley with 30° arc	
SV450806		•		45	Valley with 45° arc	
SW300608			•	30	Hill/Valley with 30° arc	
SW450806			•	45	Hill/Valley with 45° arc	8' x 6'
SH301006	•			30	Hill with 30° arc	
SH451006	•			45	Hill with 45° arc	
SV301006		•		30	Valley with 30° arc	
SV451006		•		45	Valley with 45° arc	10' x 6'
SH301206	•			30	Hill with 30° arc	
SH451206	•			45	Hill with 45° arc	
SV301206		•		30	Valley with 30° arc	
SV451206		•		45	Valley with 45° arc	
SW301206			•	30	Hill/Valley with 30° arc	
SW451206			•	45	Hill/Valley with 45° arc	12' x 6'
SH300408	•			30	Hill with 30° arc	
SH450408	•			45	Hill with 45° arc	
SV300408		•		30	Valley with 30° arc	
SV450408		•		45	Valley with 45° arc	4' x 8'
SH300608	•			30	Hill with 30° arc	
SH450608	•			45	Hill with 45° arc	
SV300608		•		30	Valley with 30° arc	
SV450608		•		45	Valley with 45° arc	6' x 8'
SH300808	•			30	Hill with 30° arc	
SH450808	•			45	Hill with 45° arc	
SV300808		•		30	Valley with 30° arc	
SV450808		•		45	Valley with 45° arc	
SW300808			•	30	Hill/Valley with 30° arc	
SW450808			•	45	Hill/Valley with 45° arc	8' x 8'
SH301008	•			30	Hill with 30° arc	
SH451008	•			45	Hill with 45° arc	
SV301008		•		30	Valley with 30° arc	
SV451008		•		45	Valley with 45° arc	10' x 8'
SH301208	•			30	Hill with 30° arc	
SH451208	•			45	Hill with 45° arc	
SV301208		•		30	Valley with 30° arc	
SV451208		•		45	Valley with 45° arc	
SW301208			•	30	Hill/Valley with 30° arc	
SW451208			•	45	Hill/Valley with 45° arc	12' x 8'

--- ♦ --- = Perforation Pattern, see page 42 to select your pattern
 --- ♦♦ --- = Color, see page 41 to select your color

SW451212R042WH

Serpentina® Hill/Valley Combo Panel Degree of Arc Size of the Cloud Perforation Option Color Selection

SERPENTINA® Waves™

Curved Metal Clouds

UP TO
50%
LEED®

RECYCLED
CONTENT

Calculate LEED contribution at
armstrongceilings.com/greengenie

energy management

construction waste mgmt

regional materials

design for flexibility

EPD

recyclable/extended producer resp.

bio-based materials

recycled content

sourcing of raw materials

material ingredient reporting













low emitting materials

lighting quality

acoustics

LOCATION DEPENDENT

SERPENTINA® WAVES™ KITS

Item Number	Hill (SH)	Valley (SV)	Hill/Valley Combo (SW)	Arc Degree	Description	Direction of Arc/Size/Type
SH300410	•			30	Hill with 30° arc	 4' x 10'
SH450410	•			45	Hill with 45° arc	
SV300410		•		30	Valley with 30° arc	
SV450410		•		45	Valley with 45° arc	
SH300610	•			30	Hill with 30° arc	 6' x 10'
SH450610	•			45	Hill with 45° arc	
SV300610		•		30	Valley with 30° arc	
SV450610		•		45	Valley with 45° arc	
SH300810	•			30	Hill with 30° arc	 8' x 10'
SH450810	•			45	Hill with 45° arc	
SV300810		•		30	Valley with 30° arc	
SV450810		•		45	Valley with 45° arc	
SW300810			•	30	Hill/Valley with 30° arc	 10' X 10'
SW450810			•	45	Hill/Valley with 45° arc	
SH301010	•			30	Hill with 30° arc	
SH451010	•			45	Hill with 45° arc	
SV301010		•		30	Valley with 30° arc	 12' x 10'
SV451010		•		45	Valley with 45° arc	
SH301210	•			30	Hill with 30° arc	
SH451210	•			45	Hill with 45° arc	
SV301210		•		30	Valley with 30° arc	 4' x 12'
SV451210		•		45	Valley with 45° arc	
SW301210			•	30	Hill/Valley with 30° arc	
SW451210			•	45	Hill/Valley with 45° arc	
SH300412	•			30	Hill with 30° arc	 6' x 12'
SH450412	•			45	Hill with 45° arc	
SV300412		•		30	Valley with 30° arc	
SV450412		•		45	Valley with 45° arc	
SH300612	•			30	Hill with 30° arc	 8' x 12'
SH450612	•			45	Hill with 45° arc	
SV300612		•		30	Valley with 30° arc	
SV450612		•		45	Valley with 45° arc	
SH300812	•			30	Hill with 30° arc	 10' x 12'
SH450812	•			45	Hill with 45° arc	
SV300812		•		30	Valley with 30° arc	
SV450812		•		45	Valley with 45° arc	
SW300812			•	30	Hill/Valley with 30° arc	 12' x 12'
SW450812			•	45	Hill/Valley with 45° arc	
SH301012	•			30	Hill with 30° arc	
SH451012	•			45	Hill with 45° arc	
SV301012		•		30	Valley with 30° arc	 4' x 12'
SV451012		•		45	Valley with 45° arc	
SH301212	•			30	Hill with 30° arc	
SH451212	•			45	Hill with 45° arc	
SV301212		•		30	Valley with 30° arc	 6' x 12'
SV451212		•		45	Valley with 45° arc	
SW301212			•	30	Hill/Valley with 30° arc	
SW451212			•	45	Hill/Valley with 45° arc	

• = Perforation Pattern, see page 42 to select your pattern
 •• = Color, see page 41 to select your color

SW451212R042WH

Serpentina® Hill/Valley Combo Panel Degree of Arc Size of the Cloud Perforation Option Color Selection

TechLine / 1 877 276 7876
 armstrongceilings.com/serpentina

BPCS-3948-517

LEED® is a registered trademark of the U.S. Green Building Council
 All other trademarks used herein are the property of AWI Licensing LLC
 and/or its affiliates © 2017 AWI Licensing LLC
 Printed in the United States of America

Armstrong®
 CEILING SOLUTIONS



CLOUDS & CANOPIES