

PREMIUM

[gerflor.com](https://www.gerflor.com)



Gerflor[®]
theflooringgroup

STILL UNIQUE
30 YEARS
EXPERIENCE

PREMIUM
THE UNRIVALLED
HIGH TRAFFIC
SOLUTION

Homogeneous
surface &
multilayered
construction

BEST TECHNOLOGIES IN ONE

EVERCARE™ TECHNOLOGY



Stain
resistance



Matt surface

100% PURE HOMOGENEOUS WEARLAYER



Superior abrasion
& traffic resistance



Long lasting
colors

MULTILAYERED CONSTRUCTION



Exceptional
dimensional
stability



Acoustic
properties

- 17 dB (Comfort sheet)
- 8 dB (Compact sheet)

A SUSTAINABLE CHOICE



Best LCA
Most durable
Less water & detergent use



Emissions below
detection levels



A NEW GENERATION
OF FLOORING



VERY HIGH
TRAFFIC
RESISTANCE



HYGIENE
EASY MAINTENANCE,
STAIN RESISTANCE



COMPACT SHEET



COMFORT SHEET



ATTRACTION®
RENOVATION TILE



GERFLOR DRY-TEX SYSTEM
ON HIGH MOISTURE
SUBFLOOR

My **Premium**
OFFER

minimum order quantity of 2000 sqm





POESY



Compact sheet




Comfort sheet




7109 Idylle




2747 Ballade



2748 Refrain



2749 Lyrique



2752 Litote




8626 Rime



8627 Allegorie



8621 Ode



2750 Ellipse



2751 Slam



The images of floorcoverings have been reproduced as faithfully as printing technology permits.









Compact sheet



Comfort sheet




2743 Central Park




2744 Queens Soft




2742 Times Square



2741 Brooklyn



2740 Harlem Soft



2745 Plaza



NEOPOLIS

The images of floorcoverings have been reproduced as faithfully as printing technology permits.

OSMOZ




Compact sheet



Comfort sheet




Attraction




4364 Ivory New




4365 Alpaga New




3792 Storm Grey



3791 Slate Grey



4350 Elefant



4349 Angora



4351 Greige



7735 Coffee Brown



8073 Cocoa




7737 Pepper Grey



0356 Denim



4496 Pacific Blue



7108 Grenadine



0702 Kumquat



7204 Mimosa



4527 Bamboo





INDIANA




Compact sheet




Comfort sheet




Attraction




8059 Nicobar



8150 Bali



4343 Tokelau*




8262 Rodrigues



4009 Tufoa



8226 Fidji




8053 Anambas*



3788 Nauru



4002 Manua



4001 Ofu




7517 Faroe



8470 Samoa



8837 Songo



4004 Pago*



4003 Tao*



4526 Lasia



4469 Pemba



8850 Maupiti



4476 Wattaru



4135 Aldabra




4015 Guinea



8256 Tahaa



4142 Penang



4146 Moheli



8194 Kornati



*Product available as Premium & Gerflor Dry-TexSystem.








The images of floorcoverings have been reproduced as faithfully as printing technology permits.



Compact sheet




Comfort sheet



9745 Cosmic




9310 Tethys




9753 Energy




9330 Moon




8257 Nyx



2746 Ymir




8623 Sedna



8624 Triton



9719 Eclipse



8625 Naiade



METALLICA






Compact sheet




Comfort sheet



Attraction



3709 Ceara




8736 Recife



3734 Almerim



8386 Boa Vista



4342 Juara



4329 Bacabal



3707 Paraiba



4478 Copacabana




4477 Maceio




8577 Amazonas



8269 Ipanema




8157 Goias



4136 Sao Luis




BRAZILIA





PREMIUM



NEW

INDIANA - 8256 Tahaa




INDIANA - 4142 Penang




NEW

OSMOZ - 0702 Kumquat




BRAZILIA - 8157 Goias






NEW

INDIANA - 8194 Kornati




NEW

OSMOZ - 7108 Grenadine




BRAZILIA - 4136 Sao Luis



INDIANA - 4146 Moheli





NEW

POESY - 8626 Rime




NEW

POESY - 8621 Ode



INDIANA - 4469 Pemba




NEW

POESY - 8627 Allegorie




BRAZILIA - 4477 Maceio







OSMOZ - 8073 Cocoa



INDIANA - 8053 Anambas*



INDIANA - 4135 Aldabra



POESY - 7109 Idylle



NEW

*Product available as Premium & Gerflor Dry-Tex System.






NEW

METALLICA - 8625 Naïade




OSMOZ - 4496 Pacific Blue




NEW

INDIANA - 8850 Maupiti




BRAZILIA - 4478 Copacabana



NEW

OSMOZ - 0356 Denim




INDIANA - 4476 Wattaru






NEW

METALLICA - 8257 Nyx




NEW

POESY - 2749 Lyrique



NEW

POESY - 2748 Refrain



NEW


METALLICA - 2746 Ymir






NEW


OSMOZ - 7735 Coffee Brown



BRAZILIA - 4329 Bacabal




INDIANA - 8059 Nicobar




NEW

NEOPOLIS - 2742 Times Square



NEW


INDIANA - 7517 Faroe



NEW

METALLICA - 8624 Triton






NEW


POESY - 2747 Ballade



BRAZILIA - 8386 Boa Vista



INDIANA - 4009 Tufoa




INDIANA - 4343 Tokelau*




*Product available as Premium & Gerflor Dry-Tex System.






NEW

NEOPOLIS - 2743 Central Park



METALLICA - 9330 Moon



BRAZILIA - 4342 Juara




NEW

NEOPOLIS - 2744 Queens Soft




OSMOZ - 4351 Greige




INDIANA - 8262 Rodrigues





NEW

INDIANA - 8226 Fidji




NEW


OSMOZ - 4365 Alpaga New



OSMOZ - 4350 Elefant




INDIANA - 3788 Nauru






INDIANA - 4001 Ofu



BRAZILIA - 3734 Almerim




NEW

OSMOZ - 4364 Ivory New




METALLICA - 9310 Tethys




NEW

INDIANA - 8150 Bali




OSMOZ - 4349 Angora






NEW

NEOPOLIS - 2745 Plaza



INDIANA - 4003 Tao

Dry-Tex[®]
SYSTEM



NEW

POESY - 2751 Slam




OSMOZ - 3791 Slate Grey




**Product available as Premium & Gerflor Dry-Tex System.*






METALLICA - 9753 Energy




NEW

POESY - 2750 Ellipse




BRAZILIA - 8736 Recife



INDIANA - 4002 Manua




OSMOZ - 3792 Storm Grey



BRAZILIA - 3709 Ceara




PREMIUM




NEW


POESY - 2752 Litote



METALLICA - 9745 Cosmic



INDIANA - 8837 Songo





OSMOZ - 7737 Pepper Grey




NEW






NEW

NEOPOLIS - 2740 Harlem Soft




METALLICA - 9719 Eclipse




NEW

INDIANA - 8470 Samoa




NEW

NEOPOLIS - 2741 Brooklyn



INDIANA - 4004 Pago

Dry-Tex
SYSTEM



BRAZILIA - 3707 Paraiba



COMFORT
VERSION

**Product available as Premium & Gerflor Dry-Tex System.*

			Taralay PREMIUM COMPACT	Taralay PREMIUM COMFORT	ATTRACTION®
			BRAZILIA - INDIANA - METALLICA - OSMOZ - POESY - NEOPOLIS	OSMOZ - INDIANA - METALLICA - BRAZILIA - POESY - NEOPOLIS	
DESCRIPTION					
Total thickness	EN ISO 24346 (EN 428)	mm	2.00	3.00-3.30	5.00
	ASTM F386-02	inch	0.08	0.12 - 0.13	-
Wearlayer thickness	EN ISO 24340 (EN 429)	mm	> 1	> 1	1.00
	ASTM F410-02	inch	≥ 0.039	≥ 0.039	-
Weight	EN ISO 23997 (EN 430)	g/sq.m	2580-2680	2800-3260	7460
	-	lbs/sq.ft	0.53 - 0.57	0.58	-
Width/ Length of sheet	EN ISO 24341 (EN 426)	cm / lm	200 / 20	200 / 25	-
	-	feet - inch	6'6" / 66"	6'6" / 82"	-
Tile size	EN ISO 24342 (EN 427)	mm	-	-	635 x 635 Connect 600 x 600
	-	-	-	-	Cleantech (without dovetail) ⁽⁴⁾
CLASSIFICATION					
Norm / Product specification	-	-	EN ISO 10582 (EN 649)	EN 651	EN ISO 10582 (EN 649)
European classification	EN ISO 10874 (EN 685)	class	34 -43	34 -42	34 - 43
Fire rating	EN 13 501-1	class	Bfl-s1	Cfl-s1	Bfl-s1
Static electrical propensity	EN 1815	kV	< 2	< 2	< 2
Slip resistance ⁽¹⁾	DIN 51 130	class	R10	R10	R10
PERFORMANCES					
Wear resistance	EN 660.2	mm ³	≤ 2.0	< 2.0	< 2
Wear group	NF 189	group	T	T	T
Type binder content	EN ISO 10582	type	I	-	I
Dimensional stability	EN ISO 23999 (EN 434)	%	≤ 0.40	≤ 0.40	≤ 0.25
Residual indentation (requirement)	EN ISO 24343-1 (EN 433)	mm	≤ 0.10	≤ 0.20	≤ 0.10
Residual indentation (measure)	-	mm	≈ 0.02	≈ 0.06	-
Impact sound insulation	EN ISO 717-2	dB	8	16	-
Castor chair test (type W)	ISO 4918 (EN 425)	-	OK	OK	OK
Thermal conductivity	EN ISO 10456 (EN 12 524)	W/(m.k)	0.25	0.25	0.25
Colour fastness	EN 20 105 - B02	degree	≥ 6	≥ 6	≥ 6
Surface treatment	-	-	Evercare™	Evercare™	Evercare™
Chemical products resistance ⁽²⁾	EN ISO 26987 (EN 423)	-	OK ⁽²⁾	OK ⁽²⁾	OK ⁽²⁾
Anti-bacterial activity (E. coli - S. aureus - MRSA) ⁽³⁾	ISO 22196	-	> 99 % inhibits growth	> 99 % inhibits growth	-
ENVIRONMENT / INDOOR AIR QUALITY					
TVOC after 28 days	ISO 16000-6	µg/m ³	<10	< 10	< 10
Certification	-	-	Floorscore®	Floorscore®	Floorscore®
CE MARKING					
CE		EN 14041			

(1) Please also refer to Tarasafe ranges. (2) Regarding the resistance to chemicals, please download the corresponding leaflet from our website. (3) The implementation of an effective cleaning regime is the most important defence against infection.

Product description and technical data sheet available in various languages. See our Gerflor Country websites.

Installation and Maintenance Guidelines, Complementary ranges available on our Gerflor website.



Rubber leaves indelible stains on vinyl floorings: do not use mats with rubber backing and replace tubular furniture feet with those made of PVC or polyamide. Place mats of sufficient length at entrances to reduce outside sources of dirt.

IMPORTANT: The information contained in this document is valid from 01/06/2018 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.

PREMIUM, FEWER VOC'S, BETTER INDOOR AIR QUALITY



COMPOSITION

100% REACH
Phthalate free
(except recycled content)



RECYCLABILITY

100% recyclable
53% recycled content



INDOOR AIR QUALITY

100 times lower than
norm requirements
[TVOC < 10 µg/m³
after 28 days]



LCA

Eco-designed according
to a product-specific
life cycle analysis



WELLNESS

Anti slip R10
Comfort version:
Walking comfort
< 65 dB (best certification)
and impact sound
insulation - 17 dB

Gerflor

Be connected!



www.gerflor.com

#Gerflor

Gerflor
theflooringgroup