



L I N E A C O N F E R E N C E T A B L E S

Pricing & Specification Guide
Effective July 1, 2018

HBF MAILING ADDRESS
PO BOX 8
HICKORY, NC 28603-0008

HBF SHIPPING ADDRESS
900 - 12TH STREET DRIVE NW
HICKORY, NC 28601-4763

TEL 855.HBF.2020
FAX 828.485.2690
HBFSERVICE@HBF.COM
HBFORDERS@HBF.COM


REFERENCE	2-26
Overview	2
Scope of Line	3
Materials & Finishes	5
Product Material Option Overview	6
Edge Details	8
Locks and Keying	9
Tech Specs	10
How to Specify	16
Height Reference	18
Top Shapes and Grain Direction	19
Product Reference	24
Floor Monument Locations	27
 TYPICALS	 29-35
Meeting Rooms	30
Staff Rooms	32
Video Conference Room	34
Boardroom	35
 TABLE TOPS	 39-67
Round	40
Rectangular	42
Arched Boat	54
Video Conference	66
 TECHNOLOGY	 69-85
Powered Grommets & MediaConnect Tech Unit	70
MediaConnect Wiring Schematics	74-75
Data Path Tech Units - Wiring Schematic	76
DataPath Unit	77
Single Space AAP	78
Double Space AAP	81
Miscellaneous Accessories	83
 TABLE BASES	 86-97
Drum Base	87
Open 6" Rectangular Base	89
Solid 6" Rectangular Base	91
Video Conference Rectangular Bases	93
 CREDENZAS AND ANCILLARY	 98-114
Conference Cabinets	100
Projection Cabinet	108
TV Lift Cabinet	108
Presentation Cabinet	110
Carts	111
Lecterns	114
 MISCELLANEOUS	 115
WEIGHTS AND CUBES	117

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____


MODEL NUMBER + TYPE	WOOD FINISH	LAMINATE SOLID SURFACE/ GLASS	TECHNOLOGY CUTOUT
Indicate type as part of model # W = wood L = laminate S = solid surface G = glass _____	See page 5 (Includes edgeband for laminate, solid surface, and glass models) _____	See pg. 5 (This option applies to non-wood models only) _____	(Insert option from shaded area on next page) _____

OPTION OVERVIEW


TYPE
W wood
L laminate
S solid surface
G glass



Flat Edge



Closed Edge



Waterfall Edge

WOOD TOPS


Linea Conference tops come standard with a solid wood edgeband on the perimeter of the table. When specifying any of the 4 top materials, a wood finish still needs to be specified for the edgeband.

LAMINATE / SOLID SURFACE / GLASS TOPS

Linea Conference tops are available in 4 materials: wood, laminate, solid surface, and glass. Please see the finish and option list for available materials and their option codes.

TECHNOLOGY CUTOUT

There are a variety of cutout option sets for the different size tops in the Linea Conference Series. Please see the corresponding cut out matrices for each size top and if cut outs are desired, order the technology separately on the specified page.

TABLE TOPS


Rectangular




Arched Boat




Video




Round

BASES FOR RECTANGULAR, ARCHED BOAT AND VIDEO TOPS


Open Rectangular Base




Solid Rectangular Base

BASES FOR ROUND TOPS


Drum Base

CREDENZAS & ANCILLARY


Conference Cabinets




Projection Cabinets



TV Lift Cabinet




Cutlery Tray




Presentation Cabinet



Mobile Media Cart




Mobile Buffet Cart




Lectern

TECHNOLOGY


MediaConnect Tech Unit – Closed




MediaConnect Tech Unit – Open




MediaConnect Tech Unit – Front View




Power Grommet – Closed




Power Grommet – Open




Power Grommet – Front View




36" DataPath Tech Unit – Closed




36" DataPath Tech Unit – Open




36" DataPath Tech Unit – Front View




60" DataPath Tech Unit – Closed



60" DataPath Tech Unit – Open



60" DataPath Tech Unit – Front View



VENEER 1	PLAIN SLICED MAPLE	
	Natural Maple	NE800
	Honey Maple	NE873
	PLAIN SLICED CHERRY	
	Wheat Cherry	NC706
	Light Cherry	NC701
	Canyon Cherry	NC744
	Burnished Cherry	NC777
	Medium Brown Cherry	NC215
	Chestnut Cherry	NC293
	Dark Red Cherry	NC511
	Chicory Cherry	NC284
	PLAIN SLICED WALNUT	
	Light Roast Walnut	NT601
	Coffee Walnut	NT615
	Sumatra Walnut	NT693
	Charcoal Grey Walnut	NT637
	Dark Roast Walnut	NT684
	Nutmeg Walnut	NT629
	Ebony Walnut	**NT509
VENEER 2	QUARTER SLICED MAPLE	
	Natural Maple	QE800
	Honey Maple	QE873
	QUARTER SLICED CHERRY	
	Wheat Cherry	QC706
	Light Cherry	QC701
	Canyon Cherry	QC744
	Burnished Cherry	QC777
	Medium Brown Cherry	QC215
	Chestnut Cherry	QC293
	Dark Red Cherry	QC511
	Chicory Cherry	QC284
	QUARTER SLICED WALNUT	
	Light Roast Walnut	QT601
	Coffee Walnut	QT615
	Sumatra Walnut	QT693
	Charcoal Grey Walnut	QT637
	Dark Roast Walnut	QT684
	Nutmeg Walnut	QT629
	Ebony Walnut	**QT509
	RIFT CUT OAK	
	Light Rift Oak	RF301
	Dark Rift Oak	RF331
	Mocha	RF230

** Ebony Walnut Veneer only available on wood bases

PAINT	Muslin	WPML
	Soft White - Designer White	WPSW
	Loft - Grey Cloud	WPLF

Note: Painted wood finishes are not available for conference tops

LAMINATES	WOODGRAIN	
	Bourbon Cherry	PL701
	Shaker Cherry	PL7935
	Williamsburg Cherry	PL215
	Empire Mahogany	PL511
	Natural Maple	PL800
	Walnut Heights	PL7965
	Columbian Walnut	PL7943
	Skyline Walnut	PL7964
	Cafelle	PL7933
	Beigewood	PLBW
	Leave Likatre	PLWP120
	Looks Likatre	PLWP110
	Appears Likatre	PLWP115
	SOLID	
	Designer White	PLWH
	Carnation White	PLSW806
	Eggshell White	PLSW803
	Whitestone	PLML
	Greystone	PLLF
	Loft - Grey Cloud	PL15034
	Cocoa Brown	PL15037

* See Technical Specifications for laminate manufacturer cross reference.

SOLID SURFACE		
	Alabaster White	SAW
	Concrete	SCC
	Designer White	SDW
	Deep Sky	SDS

GLASS	Caffe	GCF
	Designer White	GWH
	Muslin	GML
	Black	GBK
	Pearl	GPR

FSC PRODUCT		
	HBF holds Forest Stewardship Council® (FSC) Chain-of-Custody Certification® (SCS-COC-002143). This certification agreement allows HBF to offer FSC® certified veneer or core on a project specific basis.	
	An upcharge of 5% list per unit for conference products, will apply to all FSC specified units.	
	For FSC Certified Product add "FSC" to beginning of finish option code. (Example: FSCNC701)	

CUSTOM FINISHES	An upcharge of 10% Net per unit for conference products, with a minimum upcharge of \$500 Net per order, will apply for any custom wood veneer finish.	
-----------------	--	--

WOOD LAMINATES



PLBW
Beigewood




PL7965
Walnut Heights



PL7943
Columbian Walnut




PL7964
Skyline Walnut



PL7933
Cafelle



PL800
Natural Maple



PL701
Bourbon Cherry



PL7935
Shaker Cherry



PL215
Williamsburg Cherry



PL511
Empire Mahogany



PLWP120
Leave Likatre




PLWP110
Looks Likatre



PLWP115
Appears Likatre

SOLID LAMINATES



PLSW806
Carnation White



PLSW803
Eggshell White



PLML
Whitestone



PL15034
Loft-Grey Cloud



PL15037
Cocoa Brown



PLWH
Designer White



PLLF
Greystone

METALS



PA
Polished Aluminum



BA
Brushed Aluminum


SOLID SURFACE PREMIUMS



SDW
Designer White



SDS
Deep Sky




SCC
Concrete




SAW
Alabaster White

SOLID SURFACES


BACK PAINTED GLASS



GWH
Designer White



GPR
Pearl



GML
Muslin



GCF
Caffé



GBK
Black


HBF Legacy finishes are considered match panel finishes. They will include a 5% net up-charge for seating/occasional tables and a 10% net up-charge for conference OR a minimum up-charge of \$500 per order.

Screen images are intended as a guide only and should not be regarded as absolutely correct.
For exact color/texture, please contact the HBF Resource Center at resourcecenter@hbf.com for an actual sample.

MAPLE



NE800
Natural Maple



NE873
Honey Maple


OAK



RF301
Light Rift Oak



RF230
Mocha



RF331
Dark Rift Oak

PAINTED WOOD FINISHES



WPSW
Designer White
(Soft White)




WPLF
Loft-Grey Cloud




WPML
Muslin

Note: Painted wood finishes are not available for conference tops.


CHERRY




NC701
Light Cherry




NC744
Canyon Cherry




NC215
Med. Brown Cherry




NC511
Dark Red Cherry



NC706
Wheat Cherry



NC777
Burnished Cherry



NC293
Chestnut Cherry



NC284
Chicory Cherry

WALNUT



NT629
Nutmeg Walnut




NT615
Coffee Walnut



NT637
Charcoal Grey Walnut



NT684
Dark Roast Walnut



NT601
Light Roast Walnut



NT693
Sumatra Walnut



NT509
Ebony Walnut
(Bases Only)

HBF Legacy finishes are considered match panel finishes. They will include a 5% net up-charge for seating/occasional tables and a 10% net up-charge for conference OR a minimum up-charge of \$500 per order.


Screen images are intended as a guide only and should not be regarded as absolutely correct.
For exact color/texture, please contact the HBF Resource Center at resourcecenter@hbf.com for an actual sample.

Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance, the final finish color, texture and grain may vary from one furniture piece to another, even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.

All HBF products are standard in a 30° sheen.


FLAT EDGE (FE) DETAIL

Flat Edge Available on:
Wood Veneer
Solid Surface
Glass




CLOSED EDGE (CE) DETAIL

Closed Edge Available on:
Wood Veneer
Laminate
Solid Surface
Glass



WATERFALL EDGE (WF) DETAIL

Waterfall Edge Available on:
Wood Veneer
Solid Surface



**FACTORY INSTALLED
LOCKS**

Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

OPTION 1	option code
SILVER RANDOM KEYS	RMS
BLACK RANDOM KEYS	RMB
OPTION 2	specify a number between
SILVER DESIGNATED KEYS	FT100TAS - FT150TAS
BLACK DESIGNATED KEYS	FT100TA - FT150TA

**FIELD INSTALLED
LOCKS**

Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$5 list per lock core.

	model number	option code
SILVER DESIGNATED KEYS	HK1LCKFLD	100TAS-150TAS
BLACK DESIGNATED KEYS	HK1LCKFLD	100TA-150TA

VENEERS

Linea tables are offered in 4 natural wood species: Cherry, Maple, Walnut or Oak veneer. All exposed wood surfaces utilize select Plain Sliced Cherry, Maple, Walnut veneers or premium Quarter Cut Cherry, Maple, Walnut or Rift Cut Oak veneers. These veneers are carefully selected and slip matched to assure balance and consistency throughout the product. All solid wood edgebands are species matched except for Rift Cut Oak which is paired with solid Ash hardwoods.

WOOD TABLE TOPS

Wood veneer tops feature a balanced 3-ply construction and are 1 1/2" thick, comprised of a particleboard substrate. Wood veneer tops are faced with premium veneer and backed with a polymer resin impregnated moisture resistant backer material. Linea wood tops are available with a flat, closed or waterfall edge detail. Multi-piece tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the tops end to end.

- Flat edge – banded with 1mm edgebands
- Closed edge – banded with 3/8" thick solid hardwood edgebands with softened bottom edge
- Waterfall edge – banded with solid hardwood edgebands, bands are 3/8" thick at top edge and 5/8" thick at bottom edge. Edge profile is radiused on top of ends and bottom of sides.

LAMINATE TABLE TOPS

Laminate tops feature a balanced 3-ply construction and are 1 1/2" thick. Tops are constructed of particleboard substrate, faced with high pressure vertical grade laminate and backed with phenolic backer material. Linea laminate tops are standard with a closed edge profile. Multi-piece tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the tops end to end.

- Closed edge – banded with 3/8" thick solid hardwood edgebands with softened bottom edge

Wood grain laminates have been selected because they are good matches to some HBF standard wood finishes, but they are not exact matches. HBF does not guarantee an exact wood finish match to the plastic laminates. Please check with an HBF sales representative for samples of both the wood and laminate for color comparison before ordering.

To clean the surface, use a damp cloth or sponge and a mild soap or detergent. For complete Care and Maintenance instructions please visit the Wilsonart or Pionite web sites listed below.

Wilsonart laminate tops feature a 0.030" thick, Type 335 high pressure vertical grade Wilsonart laminate. For complete Wilsonart technical specifications please refer to the Wilsonart website at <http://www.wilsonartcontract.com/Technical/>

Pionite laminate tops feature a 0.028" thick, Type F28 high pressure vertical grade Pionite Laminate. For complete Pionite technical specifications please refer to the Pionite website at http://www.pionite.com/pionite/pages_pionite/pionite_specs.html

SOLID SURFACE TABLE TOPS

Solid surface tops are 1 1/2" thick. Tops are constructed with 1/2" solid surface material applied to a 1" premium plywood subtop with adhesive. The plywood sub top is faced and backed with a phenolic backer for a balanced construction. Linea solid surface tops are available with a flat, closed or waterfall edge detail. Multi-piece solid surface tops are connected with alignment splines and steel mechanical fasteners for horizontal and vertical alignment to firmly connect the sub tops end to end.

- Flat edge – solid surface square eased edges, 1" plywood subtop banded with 1mm wood edgebands
- Closed edge – banded with 3/8" thick solid hardwood edgebands, softened bottom edge
- Waterfall edge – banded with solid hardwood edgebands, bands are 3/8" thick at top edge and 5/8" thick at bottom edge

GLASS TABLE TOPS

Linea table tops are also available with a back painted glass top available in 5 standard colors. Glass table tops are 1 1/2" thick. The back painted glass top is 1/2" thick low iron tempered with the top surface soft acid etched. Glass edge is square, aris polished. The glass top is supported by a 1" thick plywood sub top. The plywood sub top is faced and backed with a phenolic backer for a balanced construction. Multi-piece glass sub tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical

fasteners for horizontal alignment to firmly connect the sub tops end to end.

- Flat edge – ½" glass edge is polished with aris detail, 1" plywood subtop banded with 1mm wood edgebands
- Closed edge – banded with 3/8" thick solid hardwood edgebands, softened bottom edge

OPEN & SOLID 6" WOOD OR PAINTED TABLE BASES

Linea wood base external panels are constructed of balanced 3 ply, ¾" particleboard or MDF panels. Panels are faced with premium veneer and backed with a polymer resin impregnated moisture resistant backer material. Panels are securely fastened together with solid hardwood cleats, fluted glued dowels and pocket bore screws. Bottom panel is balanced 3 ply ½" MDF, includes threaded glide inserts and glides with 1 1/8" of vertical adjustment. A steel top plate is connected to the internal solid hardwood cleats with screws. The steel top plate is used to connect the base to the table top. The internal side of the base includes pre-bored connection points for the beam attachment and two 2 7/8" diameter holes for routing wires down the base.

Linea painted base external panels are constructed of ¾" premium grade MDF panels. Panels are securely fastened together with solid hardwood cleats, fluted glued dowels and pocket bore screws. Bottom panel is ½" premium grade MDF, includes threaded glide inserts and glides with 1 1/8" of vertical adjustment. A steel top plate is connected to the internal solid hardwood cleats with screws. The steel top plate is used to connect the base to the table top. The internal side of the base includes pre-bored connection points for the beam attachment and two 2 7/8" diameter holes for routing wires to the table top.

Open bases include an 18"w x 15 3/4"h opening in the center of the base to provide a lighter aesthetic. This internal area is framed with removable panels on the sides and bottom. These panels are held into place with magnetic catches and can be removed for wire management from the floor through the base.

The solid base external panel includes a reveal that mirrors the shape of the internal removable cover. The solid base internal panel includes a removable wire management panel. This panel is held into place on the bottom with steel brackets and the top of the panel held into place with a magnetic catch. Door includes a pull for access.

BEAM SUPPORT UNDERSTRUCTURE

Linea panel base assemblies include a dual beam construction. A powder coated extruded aluminum beam assembly (5 3/4"h x 1 7/8"w at top) spans between the bases to provide support to the table top over long spans. The extruded aluminum beam is connected to the bases with steel screws and tapped bosses located in the frame. The extruded aluminum beam profile includes a notch for the connection of plastic wire management clips. Wire management clips are included with the beam assembly. The bottom of the beam is covered with a ½" thick MDF balanced 3 ply panel, faced and backed with a polymer resin impregnated moisture resistant material. Cover attaches to the bottom of the beam with nylon thumb screws. The beam, wire management clips and cover provide an area to neatly house all the electrical and data wires under the table top.

See base ordering pages for number of frame sections. Longer frames ship in multiple sections. Be sure to note the length of frames and sections to accommodate any building logistical issues. Multiple section frames are field assembled.

WOOD DRUM BASES

Inner material consists of a wood composite tube. Top and bottom panels are 3/4" particleboard glued and pinned to the composite tube. Top and bottom panels include appropriate cutouts for routing wires from the top to the floor for wire management models. The cylinder core is faced with a 2-ply material utilizing an outer veneer on a 1/28" poplar cross band. This 2-ply face material is attached to the cylinder core with permanent bond PVA glue. A 3/4" sub-top is attached to the base with screws and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of vertical adjustment are included for leveling.

CONFERENCE CABINETS

Linea conference cabinet tops are standard 1 ½" thickness available in wood or solid surface and include a standard waterfall edge profile. All credenza tops are 1 piece. See table top section for additional technical specifications.

All chassis are constructed of balanced 3-ply, ¾" particleboard panels. Panels are securely fastened together with fluted glued dowels and pocket bore screws. All fronts feature horizontal grain veneer and the top of the drawer fronts include a profiled integrated

hardwood band to complement the waterfall edge. End panels feature vertical veneer. Bottom rail is solid hardwood, 1 piece to span the pedestals. Internal pedestals are held together with steel mechanical fasteners. Standard Linea 6" edge pull centered on the top of each door. The bottom of the cabinet includes threaded steel corner brackets and glides that provide 1 1/8" of vertical adjustment for leveling cabinet. Hinged door cabinets include fully adjustable, 100° swing, self closing hinges. All credenza backs are unfinished.

- Shelf Storage pedestal – 1 adjustable shelf. Hinged door front can be left or right handed depending on specified location. Internal dimensions – 23 5/8" d x 22 1/2" w x 23 3/16" h.
- Drawer Storage pedestal – 4 extendable drawers behind a hinged door. Hinged door front can be left or right handed depending on specified location. Drawer internal dimensions are 14 5/8" d x 19 1/2" w x 3 3/8" h. Drawers are mounted on progressive steel ball bearing slides.
- Trash receptacle – 1 adjustable shelf. Shelf cut to accept depth of trash receptacle. Hinged door front can be left or right handed depending on specified location. Includes 3.5 gallon, black rubber trash can. Unit connects to back side of credenza door with steel sheet metal mounting bracket.
- Recycling center – Door extends with four-unit pull out recycling center. Recycling unit contained in black melamine panels. Units are mounted on progressive steel ball bearing slides. Removable recycling bins are polymer white, 25 quart capacity, dimensions: 9" d x 18 3/4" w x 19" h.
- Refrigeration pedestal – Hinged door front can be left or right handed depending on specified location. Unit includes a large cutout in back panel and circular holes in bottom panel for proper ventilation. Internal dimensions – 23 5/8" d x 22 1/2" w x 23 3/16" h. Refrigeration unit NOT included.
- AV rack pedestal – Hinged door front can be left or right handed depending on specified location. Unit includes a large cutout in back panel for proper ventilation. Internal dimensions – 23 5/8" d x 22 1/2" w x 23 3/16" h. AV rack supplied. Rack is Middle Atlantic; model SRS2-12, used for 19" wide rack mounted A/V equipment. Black finish, weight capacity 100 lbs, 12 useable rack spaces or 21" of useable height, extends 19" for equipment servicing. For complete AV rack technical specifications please refer to the Middle Atlantic website at <http://www.middleatlantic.com/>
- Projection Cabinet – Includes two hinged doors, only available on a 96" wide, 35" high buffet cabinet. Projection section of the cabinet is 48" wide. The upper portion of the cabinet is designed to hold a short throw projector. The back panel in the projection area includes two active ventilation fans. Interior dimensions are 23 5/8" d x 46 1/2" w x 8 3/4" h. Short throw projector NOT included. The lower section of the cabinet includes a vertical divider and two adjustable shelves. Worksurface includes a cutout 14 1/4" d x 18" w with clear tempered glass for the projection beam.
- TV Lift Cabinet – Includes four hinged doors, only available on a 96" wide, 35" high buffet cabinet. The center of the cabinet is divided into two sections. The front half of the cabinet includes a vertical divider and two adjustable shelves. The rear section of the cabinet includes a false back panel and opening to house the included TV lift mechanism. The storage pedestals on the ends are full depth. The top of the cabinet includes a cutout 35 1/2" w x 10 1/2" d to allow the TV to pass through the opening. The TV lift cabinet includes a Nexus 21 model L-27 full width TV lift system. TV lift will accommodate screen sizes up to 33 3/4" wide and 24" tall, and 4" deep, with a lift capacity of 110 lbs. For complete TV lift specifications please refer to the Nexus website at <http://www.tvlift.com/compact-tv-lift.html>

CUTLERY TRAY

This is an accessory drop in tray with 5 compartments. Drawer constructed of 1/2" thick beech plywood, dowel construction. This tray will fit in the optional 4 drawer conference credenza storage pedestal.

WALL MOUNT

Wall mount presentation cabinet is constructed of balanced 3 ply, 3/4" thick particleboard panels. Internal frame is constructed of balanced 3/4", black melamine panels. External door and side panels are constructed of balanced 3/4" particleboard, faced and backed with veneer or wood framed back painted glass. Cabinet is held together with glued fluted dowels, wood cleats and mechanical fasteners. Back panel consists of a writable laminate material back with a phenolic backer. Doors slide open horizontally on progressive steel ball bearing slides. Includes pull down projection screen, an integrated plastic pencil lip to retain marker and a marker/eraser kit. Cabinet is wall mounted. Ensure walls are properly blocked for the weight of the cabinet. French cleat mounting bracket made of 3/4" MDF included; installers are responsible for selecting and providing the correct fasteners for wall conditions.

MOBILE BUFFET CART

Buffet carts are constructed of balanced 3 ply, $\frac{3}{4}$ " thick particleboard panels. Tops are standard with 1 $\frac{1}{2}$ " thickness wood or solid surface waterfall edge profile and a 3" overhang on sides. Cart panels are held together with glued fluted dowels and mechanical fasteners. The mobile cabinet is supported by (4) 2 $\frac{1}{2}$ " dual wheel locking casters. Hinged door includes fully adjustable, 100° swing, self closing hinges. Unit includes (1) adjustable shelf and extendable cutlery tray mounted on progressive steel ball bearing slides. Optional locks are available.

MOBILE MEDIA CART

Media carts are constructed of balanced 3 ply, $\frac{3}{4}$ " thick particleboard panels. Tops are standard with 1 $\frac{1}{2}$ " thickness wood or solid surface waterfall edge profile. Cart panels are held together with glued fluted dowels and mechanical fasteners. The mobile cabinet is supported by (4) 2 $\frac{1}{2}$ " dual wheel locking casters. The media cart is available with or without a door. Hinged door version includes fully adjustable, 100° swing, self closing hinges. Unit includes (1) adjustable shelf and (1) fixed shelf. Optional locks are available.

LECTERN

Lecterns are constructed of balanced 3 ply, $\frac{3}{4}$ " thick particleboard panels. Top are standard with 1 $\frac{1}{2}$ " thickness wood or solid surface waterfall edge profile. Lectern panels held together with glued fluted dowels and mechanical fasteners. The mobile cabinet is supported by (4) 2 $\frac{1}{2}$ " dual-wheel locking casters. Hinged door includes fully adjustable, 100° swing, self closing hinges. Unit includes (1) adjustable shelf, (1) fixed shelf and an angle adjustable lectern top. Lectern top also includes a powder coated steel pencil lip. Lecterns include optional locks and a technology package (microphone, gooseneck light, power/data unit).

Microphone manufacturer is audio-technica. The 18.94" version of the U857Q, the U857QL cardioid condenser quick-mount gooseneck microphone is designed to plug directly into a panel or desk-mounted XLR-type connector. The microphone offers unsurpassed immunity from radio frequency. It features an ultra-flexible small-diameter gooseneck and accepts interchangeable elements, available in cardioid, hypercardioid, omnidirectional and UniLine® line cardioid polar patterns. Equipped with self-contained electronics, the phantom-powered microphone also offers an 80 Hz low-cut UniSteep® filter that reduces pickup of low-frequency ambient noise. For complete specifications on the microphone reference, http://www.audio-technica.com/cms/wired_mics/a4b81557c190ae16/index.html

Gooseneck light is a Littlite (IS #2-LED) L-18-LED with bottom mount cord for a clean, cord free installation. Littlite LED lampset includes three-way rotary switch which enables the user to toggle between white light and red light output. Littlite lampsets have a twelve-inch cord set terminating in a 2.1mm socket. GXF-10 power supply (included) has a six-foot cable terminating in a 2.1mm plug. For complete specifications on the gooseneck light reference, <http://www.littlite.com/products/product/164>

Power/data unit is 4 7/16"D x 8 5/16"W, silver clear anodized aluminum finish. Unit includes a 6'-ft, 15 amp standard plug-in power cord, (2) electrical outlets and (2) voice/data openings. Voice/data communication adapter kit included. Cover is touch latch and remains open during use. Unit is field installed. UL Listed. Note: voice/data jacks NOT included.

MEDIACONNECT

Recessed in table top, unit is 6 1/2"d x 8 1/2"w, silver finish. Cover flips up to access power and data ports. Veneer, laminate and solid surface table tops are available with a silver anodized aluminum door, aluminum door with veneer insert or aluminum door with solid surface insert. Glass table tops can only be specified with an aluminum powder coated door unit specifically designed for the glass tops.

Each powder coated sheet metal enclosure is rated for 15 amp, 125 volt with circuit breaker. Units can be specified with 10' grounded standard plug or 6' hardwire conduit option. Units include (4) electrical outlets and (2) double space Extron AAP plates or (4) single space Extron AAP plates. Numerous jack options available, see ordering page for available options. Unit is field installed. UL Listed. For complete specifications on the Extron AAP plates reference the Extron website, Architectural Connectivity – <http://www.extron.com/product/index.aspx>

ROUND POWER/DATA

Recessed in table top, unit is 3.88" diameter with a brushed aluminum finish. Each machined aluminum enclosure contains a simplex power receptacle, HDMI connector, VGA connector, 3.5mm audio connector and an RJ45 cat 5E connector. Unit only available with a 10' grounded standard plug. Unit is field installed. UL Listed – 12 amp, 125 VAC and 60Hz. Units can be specified for veneer, laminate, solid surface or glass table tops.

DATAPATH TROUGH

DataPath port units can only be specified in veneer or laminate tops. Recessed in table top, unit is available in (2) sizes 10"d x 36"w 3 door unit or a 10"d x 60"w (5) door unit, standard silver anodized finish. The 3 door, 36" unit includes (2) power data modules and (1) storage module. The (5) door, 60" unit includes (3) power data modules and (2) storage modules. Doors are hinged and pivot across the width of the table. Interior dimensions of storage module – 10"d x 12"w x 4"h. Storage module includes a cutout for (1) double space Extron AAP plates or (2) single space Extron AAP plates.

Each power module enclosure contains (4) electrical outlets and (2) double space Extron AAP plates or (4) single space Extron AAP plates. Each power module is rated for 15 amp, 125 volt with circuit breaker. Units can be specified with 10' grounded standard plug or 6' hardwire conduit option. Numerous jack options available, see ordering page for available options. Cover flips up to access power and data ports. Unit is field installed. UL Listed.

Module doors are constructed of 3/16" brown acrylic, available with an applied brushed aluminum sheet metal or veneer covering.

NOTE – DataPath trough units can only be specified in veneer or laminate tops.

POWER CABLE KIT

Convenient way to connect all power cords to a single power source. Unit includes 10' power in feed conduit. The power cable kit is rated for 20 amps per circuit allowing the use of 2 circuits with 2 line conductors, 1 neutral and 1 ground. The line conductors, neutral and ground are all 12 AWG. The kit can be wired in both single and 3-phase configurations, 240/ 120V, 208/ 120V, respectively. UL Listed, to be installed by certified electrician.

DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature vertically matched veneer within each pedestal set. The drawer side material is 9-ply construction, finished with a roll-coated 7-level UV cured polyester/acrylic finish that provides a high level of chemical and scratch resistance. The drawers are fastened together at each corner with dowel joinery for maximum drawer strength. The bottom material is a 3-ply substrate consisting of high density fiberboard core with a melamine face and backer.

SUSPENSIONS

All HBF conference products utilize silver steel roll formed zinc plated high-grade drawer suspensions. All suspensions are warranted for the lifetime of the product. Suspensions feature positive dampened start/stop fully progressive actions. Box drawers are full extension, featuring precision steel ball bearings for a smoother quieter range of motion and are load rated for 100 lbs.

LOCKS

Silver or black face locks are optional on most units. Lock plugs are either factory or field installed.

KEYING

Keying is available either factory or field installed. Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS-150TAS for silver lock core and 100TA-150TA for black lock cores. All keys are solid brass. When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit. A lock master key and lock cylinder package must

be specified separately to install the lock cylinders in the field. The master key provides the ability for lock cylinders to be easily installed and removed in the field.

TRASH CAN ACCESSORY

Includes a 3.5 gallon, black rubber trash can. Unit connects to back side of credenza door with sheet metal mounting bracket.

WOOD FINISH

All HBF tops feature a 20 sheen, open pore, water based, UV cured low-emitting finish. The open pore finish accentuates the natural texture of the wood. All non-writing surfaces (wood chassis) receive an application of 30 sheen, low-emitting, conversion varnish finish. Both processes enhance the beauty of the natural wood and ensure the depth, clarity, color consistency and durability throughout the life of the product.

CLEANING WOOD

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax or silicone, which can produce an oily film or haze.

CLEANING LAMINATE

To clean the surface, use a damp cloth or sponge and a mild soap or detergent. For complete Care and Maintenance instructions go to www.wilsonartcontract.com or www.pionite.com.

LAMINATE

Cross Reference


DESCRIPTION	OPTION CODE	MANUFACTURER	PART #
Bourbon Cherry	PL701	Wilsonart	11034-07
Shaker Cherry	PL7935	Wilsonart	7935-7
Williamsburg Cherry	PL215	Wilsonart	7936K-07
Empire Mahogany	PL511	Wilsonart	7122K-07
Natural Maple	PL800	Wilsonart	11021-38
Walnut Heights	PL7965	Wilsonart	7965K-78
Columbian Walnut	PL7943	Wilsonart	7943-7
Skyline Walnut	PL7964	Wilsonart	7964K-78
Cocoa Brown	PL15037	Wilsonart	15037
Cafelle	PL7933	Wilsonart	7933K-78
Beigewood	PLBW	Wilsonart	7850-60
Leave Likatre	PLWP120	Pionite	WP120
Looks Likatre	PLWP110	Pionite	WP110
Appears Likatre	PLWP115	Pionite	WP115
Designer White	PLWH	Wilsonart	D354-60
Carnation White	PLSW806	Pionite	SW806
Eggshell White	PLSW803	Pionite	SW803
Whitestone	PLML	Wilsonart	10809-60
Greystone	PLLF	Wilsonart	10811-60
Loft - Grey Cloud	PL15034	Wilsonart	15034

HOW TO ORDER
LINEA TABLES

HBF's Linea Conference tables are available in a wide variety of shapes and sizes designed to fulfill a multitude of conferencing requirements from informal meeting areas to the executive boardroom.

STEP 1
SELECT SHAPE

Select the table shapes that meets your requirements.




STEP 2
SELECT SIZE

Select the table size that fits the footprint of the conference area.

Round	Rectangular						Video
36	42x72	48x72	54x120	60x120	66x216	72x216	42x60x108
42	42x84	48x84	54x144	60x144	66x240	72x240	48x72x144
48	42x96	48x96	54x168	60x168	66x264	72x264	
54	42x108	48x108	54x192	60x192	66x288	72x288	
60	42x120	48x120	54x216	60x216			
66		48x144	54x240	60x240			
72		48x168		60x264			
		48x192		60x288			

STEP 3
SELECT
TOP MATERIAL
AND EDGE DETAIL



STEP 4
SELECT TOP FINISH

Linea Conference tables are available in a variety of finishes and materials. Please see page 5 for specific option codes for veneer, laminate, solid surface, and glass tops.

STEP 5**SELECT TECHNOLOGY****CUTOUTS**

HBF's Linea Conference tables offer a choice in technology integration. When specifying a table top, use the top's corresponding cut-out matrix to see the available cut-outs for that size. Linea tables are available with some or all of the options below depending on the top size:

GN – No Grommet on the table

GCR – 1 Centered Round Grommet (for Round Table Tops only)

1CM – 1 Centered MediaConnect Unit in the center of the table

2EM – 2 Equally Spaced MediaConnect Units on the table

3EM – 3 Equally Spaced MediaConnect Units on the table

4EM – 4 Equally Spaced MediaConnect Units on the table

DP – DataPath Tech Units on the table

STEP 6**SELECT TECHNOLOGY****INTEGRATION**

After choosing the cut-outs desired for the table top, use the matrix to determine how many technology units need to be ordered to be integrated into the table. MediaConnect Tech Units are available with an aluminum door or wood door for use on wood, laminate, and solid surface tops. They are also available with a satin pewter powder coat door for use on glass tops. Use the diagrams on the corresponding MediaConnect Tech Unit pages to determine what Extron plates can be fit into the unit. Extron plates are available in single or double space AAP models.

For more information on the Extron plates, please use the given Extron part number to locate the plate on Extron's website at: www.extron.com

STEP 7**SELECT BASE**


HBF's Linea round tables are available with a drum base. Drum bases are available in paint or wood. Base models are made for use with specific top sizes, so please be aware of those sizes noted on the pages.

Conference table bases are available in paint or wood. As with the round table tops, these bases are to be used with certain size tops, and should be ordered based on the "For use w/ top size" column noted on each page.









For example: HD1BSRA2472-SP is a painted solid 6" rectangular base for use with rectangular and arched boat table tops. This is noted as "For use w/ top size 42/48 x 72." This means that this base model can be specified with either a 42 x 72 table top or a 48 x 72 table top.

Additionally, the number of bases are called out on the panel base pages. When ordering, please refer to page 27 if you need floor monument dimensions based on top sizes. Panel bases come standard with a thin profile base cover. Refer to Linea product reference pages for dimensions and more information.

HEIGHT REFERENCE




BREADTH OF LINE

288" W						
264" W						
240" W						
216" W						
192" W						
168" W						
144" W						
120" W						
108" W						
96" W						
84" W						
72" W						
	42" D	48" D	54" D	60" D	66" D	72" D


Note: Lines above represent number of sections per table top.

BREADTH OF LINE

Primary Use:
Conference room table tops for board rooms, staff conference rooms, and meeting rooms.




Rectangular




Arched Boat

Grain Direction:
All Linea tops run short grain.




Example:
Grain Running Depth of Top

d x w	seating capacity	# of top sections
42 x 72	4-6	1
42 x 84	6-8	1
42 x 96	6-8	1
42 x 108	6-8	1
42 x 120	8-10	1
48 x 72	4-6	1
48 x 84	6-8	1
48 x 96	6-8	1
48 x 108	8-10	1
48 x 120	8-10	1
48 x 144	10-12	2
48 x 168	12-14	2
48 x 192	14-16	2
54 x 120	8-10	3
54 x 144	10-12	3
54 x 168	12-14	4
54 x 192	14-16	4
54 x 216	16-18	5
54 x 240	16-18	5
60 x 120	8-10	3
60 x 144	10-12	3
60 x 168	12-14	4
60 x 192	14-16	4
60 x 216	16-18	5
60 x 240	18-20	5
60 x 264	20-22	6
60 x 288	22-24	6
66 x 216	16-18	5
66 x 240	18-20	5
66 x 264	20-22	6
66 x 288	22-24	6
72 x 216	16-18	5
72 x 240	18-20	5
72 x 264	20-22	6
72 x 288	22-24	6

BREADTH OF LINEVIDEO
CONFERENCE

ROUND




Note: Lines above represent number of sections per table top.

BREADTH OF LINE


Primary Use:
Conference room table
tops for video conference,
meeting rooms, and small
staff conference rooms.

Grain Direction:
All Linea
tops run short grain.



VIDEO CONFERENCE	d1 x d2 x w	seating capacity	# of top sections
	42 x 60 x 108	8-10	2
	48 x 72 x 144	10-12	3





Primary Use:
Conference room table
tops for video conference,
meeting rooms, and small
staff conference rooms.



ROUND	diameter	seating capacity	# of top sections
	36	3-4	1
	42	3-5	1
	48	3-5	1
	54	5-6	2
	60	5-7	2
	66	5-7	2
	72	6-8	2





This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

OPEN 6" RECTANGULAR BASE




 = Wire Management Opening

SOLID 6" RECTANGULAR BASE




■ = Wire Management Opening


DRUM BASE DIMENSIONS FOR USE WITH ROUND TABLE TOPS




Standard




Wire Access Door




36/42/48" Base



54/60" Base



66/72" Base




 = Wire Management Opening

RECTANGULAR BASES

Primary Use:

Conference room table tops for video conference, meeting rooms, and small staff conference rooms.




	d x w	center of base A	center of base B	center of base C	center of base D	center of base E
RECTANGULAR AND ARCHED BOAT TOPS	42 x 72	21	-	-	-	51
	42 x 84	21	-	-	-	63
	42 x 96	21	-	-	-	75
	42 x 108	21	-	-	-	87
	42 x 120	21	-	-	-	99
	48 x 72	21	-	-	-	51
	48 x 84	21	-	-	-	63
	48 x 96	21	-	-	-	75
	48 x 108	21	-	-	-	87
	48 x 120	21	-	-	-	99
	48 x 144	21	-	-	-	123
	48 x 168	21	-	84	-	147
	48 x 192	21	-	96	-	171
	54 x 120	21	-	-	-	99
	54 x 144	21	-	-	-	123
	54 x 168	21	-	84	-	147
	54 x 192	21	-	96	-	171
	54 x 216	21	-	108	-	195
	54 x 240	21	-	120	-	219
	60 x 120	21	-	-	-	99
	60 x 144	21	-	-	-	123
	60 x 168	21	-	84	-	147
	60 x 192	21	-	96	-	171
	60 x 216	21	-	108	-	195
	60 x 240	21	-	120	-	219
VIDEO CONFERENCE TOPS	60 x 264	21	95	-	169	243
	60 x 288	21	103	-	185	267
	66 x 216	21	-	108	-	195
	66 x 240	21	-	120	-	219
	66 x 264	21	95	-	169	243
	66 x 288	21	103	-	185	267
	72 x 216	21	-	108	-	195
	72 x 240	21	-	120	-	219
	72 x 264	21	95	-	169	243
	72 x 288	21	103	-	185	267
	d1 x d2 x w					
	42 x 60 x 108	21	-	-	-	87
	48 x 72 x 144	21	-	-	-	123


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.




Meeting Rooms.....	30
Staff Rooms.....	32
Video Conference Room.....	34
Board Room.....	35




Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	40	HD1TRD48-FEW	48" Round Table Top, Flat Edge	2,223	2,389	1	2,223	2,389
B	88	HK1BSD18-W	18" Wide Drum Base	1,374	1,477	1	1,374	1,477
C	100	HD1CCB2648-WFW	48" Buffet Height Cabinet, Wood Waterfall Top	4,291	4,612	1	4,291	4,612
Total							7,888	8,478




Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	54	HD1TAB4272-CEL	42"x72" Laminate Arched Boat Top, Closed Edge	3,844	N/A	1	3,844	N/A
B	89	HD1BSRA2472-XP	Open 6" Rectangular Painted Base	2,062	N/A	1	2,062	N/A
C	100	HD1CCS2648-WFW	48" Std Height Cabinet, Wood Waterfall Top	3,733	4,013	1	3,733	4,013
Total							9,639	4,013





Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	46	HD1TRT54144-FEG	54" x 144" Glass Rect Table with 2 Cutouts, Flat Edge	13,577	N/A	1	13,577	N/A
B	71	HK1MC-GHW	MediaConnect Hardwire Unit for Glass Tops	1,260	N/A	2	2,520	N/A
C	92	HD1BSRA32144-SW	Solid 6" Rectangular Wood Base	4,815	5,176	1	4,815	5,176
D	103	HD1CCS2672-WFS	72" Std Height Cabinet, Solid Surface Waterfall Top	7,532	8,097	1	7,532	8,097
Total							28,444	13,273



Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	48	HD1TRT60192-WFW	60"x192" Rect Table with 1 Cutout, Waterfall Edge	13,419	14,426	1	13,419	14,426
B	71	HK1MC-AHW	MediaConnect Hardwire Unit for Wood Tops	1,260	1,260	1	1,260	1,260
C	90	HD1BSRA32192-XW	Open 6" Rectangular Wood Base	6,916	7,435	1	6,916	7,435
D	114	HD1LCT-WFW	Lectern with Wood Top, Waterfall Edge	4,866	5,230	1	4,866	5,230
Total							26,461	28,351



Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	66	HD1TVC4872144-FEW	48"/72" x 144" Video Table	8,364	8,992	1	8,364	8,992
B	94	HD1BSRA2442144-SW	Solid 6" Rectangular Wood Base for Video Tops	5,200	5,592	1	5,200	5,592
C	110	HD1CPC48-W	48" Presentation Cabinet, Wd Sliding Doors	6,574	7,067	1	6,574	7,067
D	104	HD1CCS2696-WFW	96" Std Height Cabinet, Waterfall Edge	7,267	7,813	1	7,267	7,813
Total							27,405	29,464



Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	52	HD1TRT72288-FEW	72" x 288" Rect Table with 4 Cutouts, Flat Edge	20,838	22,403	1	20,838	22,403
B	71	HK1MC-ASP	MediaConnect Aluminum Door, Softwire Plug	1,294	1,294	4	5,176	5,176
C	90	HD1BSRA42288-XW	Open 6" Rectangular Wood Base	14,283	15,354	1	14,283	15,354
D	110	HD1CPC48-	48" Presentation Cabinet, Glass Sliding Doors	7,561	8,128	1	7,561	8,128
E	114	HD1LCT-WFS	Lectern, Solid Surface Waterfall Top	6,471	6,958	1	6,471	6,958
F	113	HD1CBC-WFS	Mobile Buffet Cart, Solid Surface Top	5,444	5,851	1	5,444	5,851
Total							59,773	63,870

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



TABLE TOPS	39-67
Round	40
Rectangular	42
Arched Boat	54
Video Conference	66


Round Table Tops



LINEA CONFERENCE TABLES

HBF



FLAT EDGE



	Model		Dimensions DIA	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
FLAT EDGE 	HD1TRD36-FE		36		1,616	1,738	N/A	3,523	4,051	3,523
	HD1TRD42-FE		42		1,785	1,919	N/A	3,772	4,338	3,772
	HD1TRD48-FE		48		2,223	2,389	N/A	4,692	5,395	4,692
	HD1TRD54-FE		54		2,597	2,791	N/A	5,527	6,356	5,527
	HD1TRD60-FE		60		2,972	3,195	N/A	7,312	8,409	7,312
	HD1TRD66-FE		66		3,766	4,048	N/A	8,299	9,543	8,299
	HD1TRD72-FE		72		4,889	5,256	N/A	10,322	11,871	10,322
CLOSED EDGE 	HD1TRD36-CE		36		2,149	2,310	2,149	4,256	4,894	4,256
	HD1TRD42-CE		42		2,374	2,552	2,374	4,558	5,241	4,558
	HD1TRD48-CE		48		2,956	3,178	2,956	5,669	6,519	5,669
	HD1TRD54-CE		54		3,455	3,713	3,455	6,676	7,678	6,676
	HD1TRD60-CE		60		3,953	4,249	3,953	8,836	10,162	8,836
	HD1TRD66-CE		66		5,008	5,383	5,008	10,028	11,532	10,028
	HD1TRD72-CE		72		6,502	6,991	6,502	12,473	14,344	12,473

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
L = laminate
S = solid surface
G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)

LAMINATE SOLID SURFACE/ GLASS

See pg. 5
(This option applies to non-wood models only)

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

 • • •

Example Order String: HD1TRD36-FEW.NC701.GN


			ROUND TABLE TOPS								
technology cut-out option	cut-out option code	description	36 DIAMETER	42 DIAMETER	48 DIAMETER	54 DIAMETER	60 DIAMETER	66 DIAMETER	72 DIAMETER	technology model # required	quantity
	GN	No Grommet	•	•	•	•	•	•	•	N/A	N/A
	GCR	Round Grommet	•	•	•	•	•	•	•	HK1PG-___	1
	1CM	1 Centered MediaConnect unit	•	•	•	•	•	•	•	HK1MC-___	1

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 70-73.

42" Rectangular Table Tops

LINEA CONFERENCE TABLES

HBF



FLAT EDGE



CLOSED EDGE



WATERFALL EDGE



Model		Dimensions OD OW	List Price Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
HD1TRT4272-FE		42 72	2,776	2,984	N/A	5,584	6,421	5,584
HD1TRT4284-FE		42 84	3,110	3,342	N/A	6,253	7,190	6,253
HD1TRT4296-FE		42 96	3,482	3,743	N/A	7,004	8,054	7,004
HD1TRT42108-FE		42 108	3,769	4,051	N/A	7,844	9,021	7,844
HD1TRT42120-FE		42 120	4,180	4,494	N/A	8,976	10,323	8,976
HD1TRT4272-CE		42 72	3,692	3,968	3,692	6,747	7,759	6,747
HD1TRT4284-CE		42 84	4,134	4,445	4,134	7,556	8,690	7,556
HD1TRT4296-CE		42 96	4,631	4,978	4,631	8,462	9,973	8,462
HD1TRT42108-CE		42 108	5,012	5,388	5,012	9,478	10,900	9,478
HD1TRT42120-CE		42 120	5,560	5,977	5,560	10,848	12,474	10,848
HD1TRT4272-WF		42 72	3,692	3,968	N/A	6,747	7,759	N/A
HD1TRT4284-WF		42 84	4,134	4,445	N/A	7,556	8,690	N/A
HD1TRT4296-WF		42 96	4,631	4,978	N/A	8,462	9,732	N/A
HD1TRT42108-WF		42 108	5,012	5,388	N/A	9,478	10,900	N/A
HD1TRT42120-WF		42 120	5,560	5,977	N/A	10,848	12,475	N/A

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
L = laminate
S = solid surface
G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)

LAMINATE SOLID SURFACE/ GLASS

See pg. 5
(This option applies to non-wood models only)

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

• • • •

Example Order String: HD1TRT4272-FEW.NC701.GN


technology cut-out option	cut-out option code	description	42" DEPTH TOPS					technology model # required	quantity
			42 x 72	42 x 84	42 x 96	42 x 108	42 x 120		
	GN	No Grommet	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Units			•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Units					•	HK1MC-____	3
	DP*	1 Centered 36" DataPath Unit*			•	•		HK1DP36-____	1
	DP*	1 Centered 60" DataPath Unit*					•	HD1DP60-____	1

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.
 *DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.

48" Rectangular Table Tops

LINEA CONFERENCE TABLES

HBF



FLAT EDGE



Model		Dimensions OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
HD1TRT4872-FE		48	72	3,271	3,517	N/A	6,396	7,355	6,396	
HD1TRT4884-FE		48	84	3,663	3,938	N/A	7,165	8,240	7,165	
HD1TRT4896-FE		48	96	4,105	4,413	N/A	8,024	9,228	8,024	
HD1TRT48108-FE		48	108	4,595	4,940	N/A	8,988	10,336	8,988	
HD1TRT48120-FE		48	120	4,903	5,271	N/A	10,257	11,796	10,257	
HD1TRT48144-FE		48	144	6,312	6,786	N/A	12,677	14,579	12,677	
HD1TRT48168-FE		48	168	7,584	8,152	N/A	16,086	18,498	16,086	
HD1TRT48192-FE		48	192	9,576	10,293	N/A	20,031	23,036	20,031	

CLOSED EDGE



HD1TRT4872-CE		48	72	4,352	4,677	4,352	7,729	8,889	7,729
HD1TRT4884-CE		48	84	4,872	5,238	4,872	8,657	9,956	8,657
HD1TRT4896-CE		48	96	5,458	5,868	5,458	9,695	11,151	9,695
HD1TRT48108-CE		48	108	6,113	6,572	6,113	10,859	12,488	10,859
HD1TRT48120-CE		48	120	6,520	7,009	6,520	12,394	14,253	12,394
HD1TRT48144-CE		48	144	8,396	9,025	8,396	15,318	17,616	15,318
HD1TRT48168-CE		48	168	10,086	10,843	10,086	19,437	22,352	19,437
HD1TRT48192-CE		48	192	12,736	13,691	12,736	24,205	27,836	24,205

WATERFALL EDGE



HD1TRT4872-WF		48	72	4,352	4,677	N/A	7,729	8,889	N/A
HD1TRT4884-WF		48	84	4,872	5,238	N/A	8,657	9,956	N/A
HD1TRT4896-WF		48	96	5,458	5,868	N/A	9,695	11,151	N/A
HD1TRT48108-WF		48	108	6,113	6,572	N/A	10,859	12,488	N/A
HD1TRT48120-WF		48	120	6,520	7,009	N/A	12,394	14,253	N/A
HD1TRT48144-WF		48	144	8,396	9,025	N/A	15,318	17,616	N/A
HD1TRT48168-WF		48	168	10,086	10,843	N/A	19,437	22,352	N/A
HD1TRT48192-WF		48	192	12,736	13,691	N/A	24,205	27,836	N/A

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
L = laminate
S = solid surface
G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)

LAMINATE SOLID SURFACE/ GLASS




See pg. 5
(This option applies to non-wood models only)

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

• • • •

Example Order String: HD1TRT4872-FEW.NC701.GN

			48" DEPTH TOPS								technology model # required	quantity
technology cut-out option	cut-out option code	description	48 x 72	48 x 84	48 x 96	48 x 108	48 x 120	48 x 144	48 x 168	48 x 192		
	GN	No Grommet	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Units			•	•	•	•	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Units					•	•	•	•	HK1MC-___	3
	4EM	4 Equally Spaced MediaConnect Units							•	•	HK1MC-___	4
	DP*	1 Centered 36" DataPath Unit*			•	•					HK1DP36-___	1
	DP*	1 Centered 60" DataPath Unit*					•	•			HK1DP60-___	1
	DP*	2 Equally Spaced 36" DataPath Units*							•	•	HK1DP36-___	2

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.
 *DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.

54" Rectangular Table Tops

LINEA CONFERENCE TABLES

HBF

	Model		Dimensions	OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
FLAT EDGE 	HD1TRT54120-FE			54	120	4,925	5,294	N/A		10,632	12,226	10,632
	HD1TRT54144-FE			54	144	6,516	7,004	N/A		13,577	15,614	13,577
	HD1TRT54168-FE			54	168	7,835	8,422	N/A		17,266	19,856	17,266
	HD1TRT54192-FE			54	192	8,846	9,509	N/A		19,235	22,121	19,235
	HD1TRT54216-FE			54	216	9,875	10,614	N/A		21,506	24,732	21,506
	HD1TRT54240-FE			54	240	11,608	12,478	N/A		24,552	28,234	24,552
CLOSED EDGE 	HD1TRT54120-CE			54	120	6,551	7,042	6,551		11,516	13,244	11,516
	HD1TRT54144-CE			54	144	8,666	9,316	8,666		14,708	16,915	14,708
	HD1TRT54168-CE			54	168	10,422	11,202	10,422		18,705	21,509	18,705
	HD1TRT54192-CE			54	192	11,765	12,648	11,765		20,838	23,964	20,838
	HD1TRT54216-CE			54	216	13,134	14,119	13,134		23,299	26,793	23,299
	HD1TRT54240-CE			54	240	15,439	16,595	15,439		26,600	30,589	26,600
WATERFALL EDGE 	HD1TRT54120-WF			54	120	6,551	7,042	N/A		11,516	13,244	N/A
	HD1TRT54144-WF			54	144	8,666	9,316	N/A		14,708	16,915	N/A
	HD1TRT54168-WF			54	168	10,422	11,202	N/A		18,705	21,509	N/A
	HD1TRT54192-WF			54	192	11,765	12,648	N/A		20,838	23,964	N/A
	HD1TRT54216-WF			54	216	13,134	14,119	N/A		23,299	26,793	N/A
	HD1TRT54240-WF			54	240	15,439	16,595	N/A		26,600	30,589	N/A

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

- W = wood
- L = laminate
- S = solid surface
- G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)




LAMINATE SOLID SURFACE/ GLASS

See pg. 5
(This option applies to non-wood models only)

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

Example Order String: HD1TRT54120-FEW.NC701.GN


technology cut-out option	cut-out option code	description	54" DEPTH TOPS						technology model # required	quantity
			54" x 120"	54" x 144"	54" x 168"	54" x 192"	54" x 216"	54" x 240"		
	GN	No Grommet	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Units	•	•	•	•	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Units	•	•	•	•	•	•	HK1MC-___	3
	4EM	4 Equally Spaced MediaConnect Units			•	•	•	•	HK1MC-___	4
	DP*	1 Centered 60" DataPath Unit*	•	•					HK1DP60-___	1
	DP*	2 Equally Spaced 36" DataPath Units*			•	•			HK1DP36-___	2
	DP*	2 Equally Spaced 60" DataPath Units*					•	•	HK1DP60-___	2

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-74.
 *DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.

60" Rectangular Table Tops

LINEA CONFERENCE TABLES

HBF



FLAT EDGE



Model		Dimensions OD OW	List Price Veneer 1 Veneer 2 Laminate Solid Surface Solid Surface Premium Glass
HD1TRT60120-FE		60 120	6,229 6,696 N/A 12,179 14,006 12,179
HD1TRT60144-FE		60 144	7,416 7,971 N/A 15,513 17,840 15,513
HD1TRT60168-FE		60 168	8,891 9,558 N/A 19,688 22,642 19,685
HD1TRT60192-FE		60 192	10,091 10,848 N/A 21,945 25,237 21,945
HD1TRT60216-FE		60 216	11,350 12,200 N/A 24,542 28,223 24,542
HD1TRT60240-FE		60 240	13,281 14,278 N/A 28,042 32,248 28,042
HD1TRT60264-FE		60 264	16,145 17,357 N/A 31,571 36,306 31,571
HD1TRT60288-FE		60 288	18,567 19,960 N/A 36,304 41,750 36,304

CLOSED EDGE



HD1TRT60120-CE		60 120	8,284 8,905 8,284 13,194 15,174 13,194
HD1TRT60144-CE		60 144	9,862 10,602 9,862 16,805 19,327 16,805
HD1TRT60168-CE		60 168	11,825 12,711 11,825 21,326 24,525 21,326
HD1TRT60192-CE		60 192	13,419 14,426 13,419 23,773 27,339 23,773
HD1TRT60216-CE		60 216	15,094 16,224 15,094 26,585 30,575 26,585
HD1TRT60240-CE		60 240	17,663 18,988 17,663 30,380 34,937 30,380
HD1TRT60264-CE		60 264	21,474 23,084 21,474 34,200 39,330 34,200
HD1TRT60288-CE		60 288	24,695 26,547 24,695 39,331 45,230 39,331

WATERFALL EDGE



HD1TRT60120-WF		60 120	8,284 8,905 N/A 13,194 15,174 N/A
HD1TRT60144-WF		60 144	9,862 10,602 N/A 16,805 19,327 N/A
HD1TRT60168-WF		60 168	11,825 12,711 N/A 21,326 24,525 N/A
HD1TRT60192-WF		60 192	13,419 14,426 N/A 23,773 27,339 N/A
HD1TRT60216-WF		60 216	15,094 16,225 N/A 26,585 30,575 N/A
HD1TRT60240-WF		60 240	17,663 18,988 N/A 30,380 34,937 N/A
HD1TRT60264-WF		60 264	21,474 23,084 N/A 34,200 39,330 N/A
HD1TRT60288-WF		60 288	24,695 26,547 N/A 39,331 45,230 N/A

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
L = laminate
S = solid surface
G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)


LAMINATE
SOLID SURFACE/
GLASS

See pg. 5
(This option applies to non-wood models only)

TECHNOLOGY CUTOUT



(Insert option from shaded area on next page)

Example Order String: HD1TRT60120-FEW.NC701.GN

technology cut-out option	cut-out option code	description	60" DEPTH TOPS								technology model # required	quantity
			60 x 120	60 x 144	60 x 168	60 x 192	60 x 216	60 x 240	60 x 264	60 x 288		
	GN	No Grommet	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Units	•	•	•	•	•	•	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Units	•	•	•	•	•	•	•	•	HK1MC-___	3
	4EM	4 Equally Spaced MediaConnect Units			•	•	•	•	•	•	HK1MC-___	4
	DP*	1 Centered 60" DataPath Unit*	•	•							HK1DP60-___	1
	DP*	2 Equally Spaced 36" DataPath Units*			•	•					HK1DP36-___	2
	DP*	2 Equally Spaced 60" DataPath Units*					•	•			HK1DP60-___	2
	DP*	3 Equally Spaced 36" DataPath Units*							•	•	HK1DP36-___	3

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.
 *DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.

66" Rectangular Table Tops


	Model	Dimensions	OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
FLAT EDGE 	HD1TRT66216-FE 		66	216	11,661	12,536	N/A	26,800	30,820	26,800	
	HD1TRT66240-FE 		66	240	13,654	14,678	N/A	29,575	34,012	29,575	
	HD1TRT66264-FE 		66	264	16,822	18,084	N/A	33,749	38,811	33,749	
	HD1TRT66288-FE 		66	288	17,681	19,088	N/A	38,811	44,634	38,811	
CLOSED EDGE 	HD1TRT66216-CE 		66	216	15,509	16,672	15,509	29,237	33,621	29,237	
	HD1TRT66240-CE 		66	240	18,160	19,522	18,160	32,265	37,104	32,265	
	HD1TRT66264-CE 		66	264	22,374	24,052	22,374	36,816	42,338	36,816	
	HD1TRT66288-CE 		66	288	23,515	25,279	23,515	42,339	48,690	42,339	
WATERFALL EDGE 	HD1TRT66216-WF 		66	216	15,509	16,672	N/A	29,237	33,621	N/A	
	HD1TRT66240-WF 		66	240	18,160	19,522	N/A	32,265	37,104	N/A	
	HD1TRT66264-WF 		66	264	22,374	24,052	N/A	36,816	42,339	N/A	
	HD1TRT66288-WF 		66	288	23,515	25,279	N/A	42,339	48,690	N/A	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE	WOOD FINISH	LAMINATE SOLID SURFACE/ GLASS	TECHNOLOGY CUTOUT
Indicate type as part of model #	See page 5		
W = wood	(Includes edgeband for laminate, solid surface, and glass models)	See pg. 5 (This option applies to non-wood models only)	(Insert option from shaded area on next page)
L = laminate			
S = solid surface			
G = glass			

Example Order String: HD1TRT66216-FEW.NC701.GN

66" DEPTH TOPS

technology cut-out option	cut-out option code	description	66" x 216"	66" x 240"	66" x 264"	66" x 288"	technology model # required	quantity
	GN	No Grommet	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-___	3
	4EM	4 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-___	4
	DP*	2 Equally Spaced 60" DataPath Units*	•	•			HK1DP60-___	2
	DP*	3 Equally Spaced 36" DataPath Units*			•	•	HK1DP36-___	3

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.
 *DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.

72" Rectangular Table Tops

LINEA CONFERENCE TABLES

HBF



	Model		Dimensions	OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
FLAT EDGE	HD1TRT72216-FE			72	216	13,234	14,226	N/A		30,425	34,989	30,425
	HD1TRT72240-FE			72	240	15,437	16,593	N/A		33,636	38,681	33,636
	HD1TRT72264-FE			72	264	18,120	19,479	N/A		38,418	44,182	38,418
	HD1TRT72288-FE			72	288	20,838	22,403	N/A		44,182	50,809	44,182



CLOSED EDGE	HD1TRT72216-CE		72	216	17,602	18,922	17,602	33,190	38,170	33,190
	HD1TRT72240-CE		72	240	20,531	22,071	20,531	36,694	42,198	36,694
	HD1TRT72264-CE		72	264	24,100	25,908	24,100	41,911	48,197	41,911
	HD1TRT72288-CE		72	288	27,715	29,794	27,715	48,197	55,427	48,197



WATERFALL EDGE	HD1TRT72216-WF		72	216	17,602	18,922	N/A	33,190	38,170	N/A
	HD1TRT72240-WF		72	240	20,531	22,071	N/A	36,694	42,198	N/A
	HD1TRT72264-WF		72	264	24,100	25,908	N/A	41,911	48,197	N/A
	HD1TRT72288-WF		72	288	27,715	29,794	N/A	48,197	55,427	N/A

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
L = laminate
S = solid surface
G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)

LAMINATE SOLID SURFACE/ GLASS

See pg. 5
(This option applies to non-wood models only)

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

• • •

Example Order String: HD1TRT72216-FEW.NC701.GN

72" DEPTH TOPS


technology cut-out option	cut-out option code	description	72" x 216"	72" x 240"	72" x 264"	72" x 288"	technology model # required	quantity
	GN	No Grommet	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-____	3
	4EM	4 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-____	4
	DP*	2 Equally Spaced 60" DataPath Units*	•	•			HK1DP60-____	2
	DP*	3 Equally Spaced 36" DataPath Units*			•	•	HK1DP36-____	3

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.


*DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.




FLAT EDGE



CLOSED EDGE



WATERFALL EDGE



Model		Dimensions		List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
		OD	OW							
HD1TAB4272-FE		42	72	2,998	3,223	N/A	6,309	7,254	6,309	
HD1TAB4284-FE		42	84	3,357	3,609	N/A	7,067	8,127	7,067	
HD1TAB4296-FE		42	96	3,761	4,043	N/A	7,913	9,101	7,913	
HD1TAB42108-FE		42	108	4,071	4,375	N/A	8,864	10,193	8,864	
HD1TAB42120-FE		42	120	4,514	4,852	N/A	10,144	11,666	10,144	
HD1TAB4272-CE		42	72	4,172	4,484	4,172	7,623	8,766	7,623	
HD1TAB4284-CE		42	84	4,672	5,023	4,672	8,540	9,820	8,540	
HD1TAB4296-CE		42	96	5,232	5,625	5,232	9,563	10,996	9,563	
HD1TAB42108-CE		42	108	5,664	6,090	5,664	10,711	12,319	10,711	
HD1TAB42120-CE		42	120	6,281	6,753	6,281	12,257	14,096	12,257	
HD1TAB4272-WF		42	72	4,172	4,484	N/A	7,623	8,766	N/A	
HD1TAB4284-WF		42	84	4,672	5,023	N/A	8,540	9,820	N/A	
HD1TAB4296-WF		42	96	5,232	5,625	N/A	9,563	10,996	N/A	
HD1TAB42108-WF		42	108	5,664	6,090	N/A	10,711	12,319	N/A	
HD1TAB42120-WF		42	120	6,281	6,753	N/A	12,257	14,096	N/A	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
 L = laminate
 S = solid surface
 G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)

LAMINATE
SOLID SURFACE/
GLASS

See pg. 5
 (This option applies to non-wood models only)


TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)


Example Order String: HD1TAB4272-FEW.NC701.GN

technology cut-out option	cut-out option code	description	42" DEPTH TOPS					technology model # required	quantity
			42 x 72	42 x 84	42 x 96	42 x 108	42 x 120		
	GN	No Grommet	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Units			•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Units					•	HK1MC-____	3
	DP*	1 Centered 36" DataPath Unit*			•	•		HK1DP36-____	1
	DP*	1 Centered 60" DataPath Unit*					•	HD1DP60-____	1


NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.
 *DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.



FLAT EDGE



CLOSED EDGE



WATERFALL EDGE



Model		Dimensions OD OW	List Price Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
HD1TAB4872-FE		48 72	3,534	3,800	N/A	7,228	8,311	7,228
HD1TAB4884-FE		48 84	3,957	4,254	N/A	8,096	9,310	8,096
HD1TAB4896-FE		48 96	4,433	4,765	N/A	9,066	10,426	9,066
HD1TAB48108-FE		48 108	4,965	5,336	N/A	10,156	11,679	10,156
HD1TAB48120-FE		48 120	5,295	5,692	N/A	11,590	13,327	11,590
HD1TAB48144-FE		48 144	6,817	7,329	N/A	14,324	16,474	14,324
HD1TAB48168-FE		48 168	8,570	9,212	N/A	18,176	20,903	18,176
HD1TAB48192-FE		48 192	10,820	11,633	N/A	22,636	26,032	22,636
HD1TAB4872-CE		48 72	4,917	5,286	4,917	8,734	10,044	8,734
HD1TAB4884-CE		48 84	5,507	5,920	5,507	9,782	11,250	9,782
HD1TAB4896-CE		48 96	6,168	6,631	6,168	10,957	12,600	10,957
HD1TAB48108-CE		48 108	6,907	7,425	6,907	12,270	14,111	12,270
HD1TAB48120-CE		48 120	7,369	7,921	7,369	14,004	16,105	14,004
HD1TAB48144-CE		48 144	9,486	10,199	9,486	17,310	19,906	17,310
HD1TAB48168-CE		48 168	11,397	12,252	11,397	21,963	25,258	21,963
HD1TAB48192-CE		48 192	14,391	15,471	14,391	27,353	31,455	27,353
HD1TAB4872-WF		48 72	4,917	5,286	N/A	8,734	10,044	N/A
HD1TAB4884-WF		48 84	5,507	5,920	N/A	9,782	11,250	N/A
HD1TAB4896-WF		48 96	6,168	6,631	N/A	10,957	12,601	N/A
HD1TAB48108-WF		48 108	6,907	7,425	N/A	12,270	14,111	N/A
HD1TAB48120-WF		48 120	7,369	7,921	N/A	14,004	16,105	N/A
HD1TAB48144-WF		48 144	9,486	10,199	N/A	17,310	19,907	N/A
HD1TAB48168-WF		48 168	11,397	12,252	N/A	21,963	25,258	N/A
HD1TAB48192-WF		48 192	14,391	15,471	N/A	27,353	31,455	N/A

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

= wood
 = laminate
 = solid surface
 = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)

LAMINATE
SOLID SURFACE/
GLASS

See pg. 5
 (This option applies to non-wood models only)

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

Example Order String: HD1TAB4872-FEW.NC701.GN

			48" DEPTH TOPS								technology model # required	quantity
technology cut-out option	cut-out option code	description	48 x 72	48 x 84	48 x 96	48 x 108	48 x 120	48 x 144	48 x 168	48 x 192		
	GN	No Grommet	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Units			•	•	•	•	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Units					•	•	•	•	HK1MC-___	3
	4EM	4 Equally Spaced MediaConnect Units							•	•	HK1MC-___	4
	DP*	1 Centered 36" DataPath Unit*			•	•					HK1DP36-___	1
	DP*	1 Centered 60" DataPath Unit*					•	•			HK1DP60-___	1
	DP*	2 Equally Spaced 36" DataPath Units*							•	•	HK1DP36-___	2

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.
 *DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.



FLAT EDGE



CLOSED EDGE



WATERFALL EDGE

Model		Dimensions	OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
HD1TAB54120-FE			54	120	5,565	5,983	N/A	12,012	13,814	12,012	
HD1TAB54144-FE			54	144	7,363	7,917	N/A	15,342	17,644	15,342	
HD1TAB54168-FE			54	168	8,854	9,517	N/A	19,511	22,438	19,511	
HD1TAB54192-FE			54	192	9,995	10,746	N/A	21,736	24,997	21,736	
HD1TAB54216-FE			54	216	11,159	11,996	N/A	24,302	27,947	24,302	
HD1TAB54240-FE			54	240	13,116	14,101	N/A	27,745	31,906	27,745	
HD1TAB54120-CE			54	120	7,402	7,958	7,402	13,014	14,966	13,014	
HD1TAB54144-CE			54	144	9,793	10,528	9,793	16,620	19,114	16,620	
HD1TAB54168-CE			54	168	11,776	12,659	11,776	21,137	24,308	21,137	
HD1TAB54192-CE			54	192	13,294	14,290	13,294	23,547	27,079	23,547	
HD1TAB54216-CE			54	216	14,841	15,955	14,841	26,324	30,273	26,327	
HD1TAB54240-CE			54	240	17,445	18,753	17,445	30,057	34,566	30,057	
HD1TAB54120-WF			54	120	7,402	7,958	N/A	13,014	14,966	N/A	
HD1TAB54144-WF			54	144	9,793	10,528	N/A	16,620	19,114	N/A	
HD1TAB54168-WF			54	168	11,776	12,659	N/A	21,137	24,308	N/A	
HD1TAB54192-WF			54	192	13,294	14,290	N/A	23,547	27,079	N/A	
HD1TAB54216-WF			54	216	14,841	15,955	N/A	26,327	30,277	N/A	
HD1TAB54240-WF			54	240	17,445	18,753	N/A	30,057	34,566	N/A	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
 L = laminate
 S = solid surface
 G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)


LAMINATE
SOLID SURFACE/
GLASS

See pg. 5
(This option applies to non-wood models only)

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

Example Order String: HD1TAB54120-FEW.NC701.GN

technology cut-out option	cut-out option code	description	54" DEPTH TOPS						technology model # required	quantity
			54" x 120"	54" x 144"	54" x 168"	54" x 192"	54" x 216"	54" x 240"		
	GN	No Grommet	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Units	•	•	•	•	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Units	•	•	•	•	•	•	HK1MC-___	3
	4EM	4 Equally Spaced MediaConnect Units			•	•	•	•	HK1MC-___	4
	DP*	1 Centered 60" DataPath Unit*	•	•					HK1DP60-___	1
	DP*	2 Equally Spaced 36" DataPath Units*			•	•			HK1DP36-___	2
	DP*	2 Equally Spaced 60" DataPath Units*					•	•	HK1DP60-___	2

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.

*DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.



FLAT EDGE



CLOSED EDGE



WATERFALL EDGE



Model		Dimensions OD	OW	List Price Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
HD1TAB60120-FE		60	120	7,038	7,566	N/A	13,762	15,827	13,762
HD1TAB60144-FE		60	144	8,379	9,007	N/A	17,529	20,158	17,529
HD1TAB60168-FE		60	168	10,046	10,800	N/A	22,245	25,582	22,245
HD1TAB60192-FE		60	192	11,401	12,257	N/A	24,797	28,517	24,797
HD1TAB60216-FE		60	216	12,824	13,784	N/A	27,731	31,890	27,731
HD1TAB60240-FE		60	240	15,008	16,134	N/A	31,689	36,442	31,689
HD1TAB60264-FE		60	264	18,245	19,614	N/A	34,674	41,026	35,674
HD1TAB60288-FE		60	288	20,981	22,555	N/A	41,025	47,178	41,025
HD1TAB60120-CE		60	120	9,362	10,063	9,362	14,908	17,145	14,908
HD1TAB60144-CE		60	144	11,144	11,980	11,144	18,990	21,839	18,990
HD1TAB60168-CE		60	168	13,362	14,364	13,362	24,099	27,713	24,099
HD1TAB60192-CE		60	192	15,164	16,302	15,164	26,864	30,894	26,864
HD1TAB60216-CE		60	216	17,057	18,335	17,057	30,042	34,548	30,042
HD1TAB60240-CE		60	240	19,960	21,457	19,960	34,329	39,478	34,329
HD1TAB60264-CE		60	264	24,266	26,086	24,266	38,647	44,443	38,647
HD1TAB60288-CE		60	288	27,905	29,999	27,905	44,445	51,111	44,445
HD1TAB60120-WF		60	120	9,362	10,063	N/A	14,908	17,145	N/A
HD1TAB60144-WF		60	144	11,144	11,980	N/A	18,990	21,839	N/A
HD1TAB60168-WF		60	168	13,362	14,364	N/A	24,099	27,713	N/A
HD1TAB60192-WF		60	192	15,164	16,302	N/A	26,864	30,894	N/A
HD1TAB60216-WF		60	216	17,057	18,335	N/A	30,042	34,548	N/A
HD1TAB60240-WF		60	240	19,960	21,457	N/A	34,329	39,478	N/A
HD1TAB60264-WF		60	264	24,266	26,086	N/A	38,647	44,443	N/A
HD1TAB60288-WF		60	288	27,905	29,999	N/A	44,445	51,111	N/A

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
L = laminate
S = solid surface
G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)

LAMINATE
SOLID SURFACE/
GLASS

See pg. 5
(This option applies to non-wood models only)

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

Example Order String: HD1TAB60120-FEW.NC701.GN

technology cut-out option	cut-out option code	description	60" DEPTH TOPS								technology model # required	quantity
			60 x 120	60 x 144	60 x 168	60 x 192	60 x 216	60 x 240	60 x 264	60 x 288		
	GN	No Grommet	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Units	•	•	•	•	•	•	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Units	•	•	•	•	•	•	•	•	HK1MC-___	3
	4EM	4 Equally Spaced MediaConnect Units			•	•	•	•	•	•	HK1MC-___	4
	DP*	1 Centered 60" DataPath Unit*	•	•							HK1DP60-___	1
	DP*	2 Equally Spaced 36" DataPath Units*			•	•					HK1DP36-___	2
	DP*	2 Equally Spaced 60" DataPath Units*					•	•			HK1DP60-___	2
	DP*	3 Equally Spaced 36" DataPath Units*							•	•	HK1DP36-___	3

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.
 *DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.

	Model		Dimensions	OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
FLAT EDGE	HD1TAB66216-FE			66	216	13,176	14,165	N/A	30,283	34,825	30,283	
	HD1TAB66240-FE			66	240	15,428	16,586	N/A	33,421	38,434	33,421	
	HD1TAB66264-FE			66	264	19,009	20,435	N/A	38,136	48,856	38,136	
	HD1TAB66288-FE			66	288	19,980	21,478	N/A	43,857	50,436	43,857	
	HD1TAB66216-CE			66	216	17,523	18,839	17,523	33,036	37,992	33,036	
	HD1TAB66240-CE			66	240	20,521	22,058	20,521	36,460	41,928	36,460	
	HD1TAB66264-CE			66	264	25,282	27,180	25,282	41,604	47,845	41,604	
	HD1TAB66288-CE			66	288	26,573	28,566	26,573	47,844	55,021	47,844	
WATERFALL EDGE	HD1TAB66216-WF			66	216	17,523	18,839	N/A	33,036	37,992	N/A	
	HD1TAB66240-WF			66	240	20,521	22,058	N/A	36,460	41,927	N/A	
	HD1TAB66264-WF			66	264	25,282	27,180	N/A	41,604	47,845	N/A	
	HD1TAB66288-WF			66	288	26,573	28,566	N/A	47,844	55,021	N/A	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
L = laminate
S = solid surface
G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)

LAMINATE
SOLID SURFACE/
GLASS

See pg. 5
(This option applies to non-wood models only)

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

 •
  •
  •
 

Example Order String: HD1TAB66216-FEW.NC701.GN

66" DEPTH TOPS

technology cut-out option	cut-out option code	description	60" x 216"	60" x 240"	60" x 264"	60" x 288"	technology model # required	quantity
	GN	No Grommet	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-____	3
	4EM	4 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-____	4
	DP*	2 Equally Spaced 60" DataPath Units*	•	•			HK1DP60-____	2
	DP*	3 Equally Spaced 36" DataPath Units*			•	•	HK1DP36-____	3

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.
 *DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.



	Model		Dimensions	OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
FLAT EDGE 	HD1TAB72216-FE			72	216	14,954	16,075	N/A	34,379	39,537	34,379	
	HD1TAB72240-FE			72	240	17,443	18,752	N/A	38,009	43,711	38,009	
	HD1TAB72264-FE			72	264	20,476	22,012	N/A	43,412	49,924	43,412	
	HD1TAB72288-FE			72	288	23,547	25,312	N/A	49,924	57,412	49,924	
CLOSED EDGE 	HD1TAB72216-CE			72	216	19,889	21,380	19,889	37,505	43,131	37,505	
	HD1TAB72240-CE			72	240	23,201	24,940	23,201	41,465	47,685	41,465	
	HD1TAB72264-CE			72	264	27,232	29,275	27,232	47,359	54,463	47,359	
	HD1TAB72288-CE			72	288	31,318	33,666	31,318	54,463	62,633	54,463	
WATERFALL EDGE 	HD1TAB72216-WF			72	216	19,889	21,380	N/A	37,505	43,131	N/A	
	HD1TAB72240-WF			72	240	23,201	29,940	N/A	41,465	47,685	N/A	
	HD1TAB72264-WF			72	264	27,232	29,275	N/A	47,359	54,463	N/A	
	HD1TAB72288-WF			72	288	31,318	33,666	N/A	54,463	62,633	N/A	

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood
 L = laminate
 S = solid surface
 G = glass

WOOD FINISH

See page 5

(Includes edgeband for laminate, solid surface, and glass models)

LAMINATE
SOLID SURFACE/
GLASS

See pg. 5
 (This option applies to non-wood models only)


TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

• • •



Example Order String: HD1TAB72216-FEW.NC701.GN

72" DEPTH TOPS

technology cut-out option	cut-out option code	description	72 x 216	72 x 240	72 x 264	72 x 288	technology model # required	quantity
	GN	No Grommet	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	HK1MC-____	1
	2EM	2 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-____	2
	3EM	3 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-____	3
	4EM	4 Equally Spaced MediaConnect Units	•	•	•	•	HK1MC-____	4
	DP*	2 Equally Spaced 60" DataPath Units*	•	•			HK1DP60-____	2
	DP*	3 Equally Spaced 36" DataPath Units*			•	•	HK1DP36-____	3

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.

*DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.


	Model	Dimensions	OD	OW	List Price	Veneer 1	Veneer 2	Laminate	Solid Surface	Solid Surface Premium	Glass
											
FLAT EDGE	HD1TVC4260108-FE		42/60	108		5,113	5,496	N/A	9,204	10,584	9,204
	HD1TVC4872144-FE		48/72	144		8,364	8,992	N/A	15,056	17,313	15,056
											
CLOSED EDGE	HD1TVC4260108-CE		42/60	108		6,800	7,310	6,800	10,201	11,731	10,201
	HD1TVC4872144-CE		48/72	144		11,124	11,958	11,124	16,686	19,189	16,686
											
WATERFALL EDGE	HD1TVC4260108-WF		42/60	108		6,800	7,310	N/A	10,201	11,731	N/A
	HD1TVC4872144-WF		48/72	144		11,124	11,958	N/A	16,686	19,189	N/A
											

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER + TYPE	WOOD FINISH	LAMINATE SOLID SURFACE/ GLASS	TECHNOLOGY CUTOUT
Indicate type as part of model #	See page 5	See pg. 5 (This option applies to non-wood models only)	(Insert option from shaded area on next page)
W = wood L = laminate S = solid surface G = glass	(Includes edgeband for laminate, solid surface, and glass models)		

Example Order String: HD1TVC4260108-FEW.NC701.GN

VIDEO TABLE TOPS

technology cut-out option	cut-out option code	description			technology model # required	quantity
			42" x 60" x 108"	48" x 72" x 144"		
	GN	No Grommet	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Units	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Units		•	HK1MC-___	3
	DP*	1 Centered 36" DataPath Unit*	•		HK1DP36-___	1
	DP*	1 Centered 60" DataPath Unit*		•	HK1DP60-___	1

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 71-77.




*DataPath Unit Cutout (option code: DP) is only available for Wood/Laminate Tops.



Powered Grommets & MediaConnect Tech Unit	70
MediaConnect Wiring Schematics	74-75
Data Path Tech Units - Wiring Schematic	76
DataPath Unit	77
Single Space AAP	78
Double Space AAP	81
Miscellaneous Accessories	83

	Model	Description	Dimensions		List Price
			OD	OW	
SOFTWARE	HK1PG-SP	Brushed Aluminum	4 1/4	6 1/4	1,294

- For use on wood, laminate, solid surface, and glass round tops



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HK1PG-SP

	Model	Description	Dimensions		List Price
			OD	OW	Metal
HARDWIRE	HK1MC-AHW	Aluminum Door	11 1/4	10 1/4	1,294

- For use on wood, laminate, and solid surface tops only

SOFTWARE	HK1MC-ASP	Aluminum Door	11 1/4	10 1/4	1,294
----------	-----------	---------------	--------	--------	--------------




- For use on wood, laminate, and solid surface tops only

HARDWIRE	HK1MC-GHW	Satin Pewter Powder Coat Door	11 1/4	10 1/4	1,260
----------	-----------	-------------------------------	--------	--------	--------------

- For use on glass tops only

SOFTWARE	HK1MC-GSP	Satin Pewter Powder Coat Door	11 1/4	10 1/4	1,260
----------	-----------	-------------------------------	--------	--------	--------------

- For use on glass tops only



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

Example Order String: HK1MC-AHW


	Model	Description	Dimensions		List Price	Veneer 1	Veneer 2
			OD	OW			
HARDWIRE	HK1MC-WHW	Wood Door	11 1/4	10 1/4	1,547		1,662

- For use on wood, laminate, and solid surface tops only

SOFTWARE	HK1MC-WSP	Wood Door	11 1/4	10 1/4	1,547		1,662
----------	-----------	-----------	--------	--------	-------	--	-------

- For use on wood, laminate, and solid surface tops only

REMOVE THIS PAGE AND RECONFIGURE.



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER	FINISH
	See page 5


Example Order String: HK1MC-WHW.NC701

	Model	Description	Dimensions		List Price	Solid Surface	Solid Surface Premium
			OD	OW			
HARDWIRE	HK1MC-SHW	Solid Surface Door	11 1/4	10 1/4	1,434	1,649	

- For use on wood, laminate, and solid surface tops only

SOFTWARE	HK1MC-SSP	Solid Surface Door	11 1/4	10 1/4	1,434	1,649	
----------	-----------	--------------------	--------	--------	--------------	--------------	--

- For use on wood, laminate, and solid surface tops only



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____


MODEL NUMBER



SOLID SURFACE
COLOR


See page 5

_____ • _____

Example Order String: HK1MC-SHW.SAW








	Model	Description	Dimensions OD	OW	List Price Metal	Veneer 1	Veneer 2
HARDWIRE	HK1DP36-AHW	36" - 3 Aluminum Doors	15 2/5	39 3/8	3,098		
	HK1DP60-AHW	60" - 5 Aluminum Doors	15 2/5	63 3/8	4,471		


- For use on wood and laminate tops only

SOFTWARE	HK1DP36-ASP	36" - 3 Aluminum Doors	15 2/5	39 3/8	3,098		
	HK1DP60-ASP	60" - 5 Aluminum Doors	15 2/5	63 3/8	4,471		

- For use on wood and laminate tops only



36" DataPath – 3 Doors



60" DataPath – 5 Doors

NOTE:

- Interior dimensions of storage area: 11 29/32" D x 9 3/4" W x 3 31/32" H
 - Storage areas fit (2) single space AAPs or (1) Double Space AAP
- See page 4 for DataPath layouts and page 12 for technical specifications

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

FINISH

See page 5

NOTES:

Finish option only required
when choosing wood door
models.





Example Order String: HK1DP36-AHW

	Model	List Price
	HK17009011 • Blank • Extron Part Number: 70-090-11	43
	HK17010113 • (1) Audio • (1) VGA F-F • Extron Part Number: 70-101-13	144
	HK17010173 • Labeled (1) Audio • (1) VGA F-F • Extron Part Number: 70-101-73	171
	HK17010111 • (1) Audio F-F • Extron Part Number: 70-101-11	144
	HK17041111 • (1) RJ11 Phone F-F • Extron Part Number: 70-411-11	100

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

Example Order String: HK17009011


	Model	List Price
	HK17049111	144
	• (2) RJ45 Data F-F • Extron Part Number: 70-491-11	
	HK17049112	199
	• (2) RJ45 Data F-Punchdown for CAT6 AMP • Extron Part Number: 70-491-12	
	HK17049113	199
	• (2) RJ45 Data F-Punchdown for CAT6 SIEMON • Extron Part Number: 70-491-13	
	HK17049114	199
	• (2) RJ45 Data F-Punchdown for CAT6 Otronics • Extron Part Number: 70-491-14	
	HK17049115	199
	• (2) RJ45 Data F-Punchdown for CAT6 Leviton • Extron Part Number: 70-491-15	

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HK17049111



	Model	List Price
	HK17049116 • (2) RJ45 Data F-Punchdown for CAT6 Panduit • Extron Part Number: 70-491-16	199
	HK17016111 • (1) Audio • (1) VGA • Extron Part Number: 70-161-11	286
	HK17061602 • HDMI Plate F/F • Extron Part Number: 70-616-02	150
	HK17055111 • One 15 pin HD female to five BNC on 8-12" S • Extron Part Number: 70-551-11	204
	HK17067712 • One DisplayPort Female to One DisplayPort Female on 10" Pigtail • Extron Part Number: 70-677-12	150
	HK17045412 • Two USB A Female to Two USB A Female on 10" Pigtails • Extron Part Number: 70-454-12	150

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER






Example Order String: HK17049116

	Model	List Price
	HK17010314 • Two XLR 3-pin Female to Solder cups • Extron Part Number: 70-103-14	132
	HK17046411 • Two Fiber SC Female to Female Barrels • Extron Part Number: 70-464-11	169
	HK170107602 • (1) HDMI, (1) VGA, (1) Audio, (1) USB • Female to Female on 10" Pigtails • Extron Part Number: 70-1076-02	393

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

Example Order String: *HK17010314*

	Model	List Price
	HK17009012 • Blank • Extron Part Number: 70-090-12	52
	HK17010011 • (2) RJ45 Data F-F • Extron Part Number: 70-100-11	133
	HK17014712 • Extender AAP (1) Audio • (1) VGA • Extron Part Number: 70-147-12	1,048
	HK17026701 • Cable Pass Through Set • This is a set of Extron Part Numbers: - Left Black: 70-270-01 - Right Black: 70-267-01	237



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HK17009012



	Model	Dimensions OD	OW	List Price
POWER CABLE KIT	HK1PWRKT6		172	411
	• Power Cable Kit with 6 outlets			
				
POWER CABLE KIT	HK1PWRKT12		244	726
	• Power Cable Kit with 12 outlets			
				
TRASH CAN	HK1TRASH	8 1/2	11 1/2	141
	• Credenza Trash Can Accessory			

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

Example Order String: HK1PWRKT6



Area with horizontal lines for notes.

TABLE BASES _____ **86-97**


Drum Base _____ **87**


Open 6” Rectangular Base _____ **89**

Solid 6” Rectangular Base _____ **91**

Video Conference Rectangular Bases _____ **93**



	Model	For use w/ top size	Dimensions OD	OW	List Price Painted
STANDARD 	HK1BSD18-P	36, 42, 48	18	20	1,235
	HK1BSD24-P	54, 60	24	26	1,642
	HK1BSD36-P	66, 72	36	38	2,137

WIRE ACCESS DOOR 	HK1BSDA18-P	36, 42, 48	18	20	2,190
	HK1BSDA24-P	54, 60	24	26	2,684
	HK1BSDA36-P	66, 72	36	38	3,180

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

PAINT COLOR


See page 5

 •


Example Order String: HK1BSD18-P.WPML

Drum Base – Wood
for use with Round Table Tops

	Model	For use w/ top size	Dimensions OD	OW	List Price Veneer 1	Veneer 2
STANDARD	HK1BSD18-W	36, 42, 48	18	20	1,374	1,477
	HK1BSD24-W	54, 60	24	26	1,824	1,962
	HK1BSD36-W	66, 72	36	38	2,375	2,553



WIRE ACCESS DOOR	HK1BSDA18-W	36, 42, 48	18	20	2,434	2,615
	HK1BSDA24-W	54, 60	24	28	2,983	3,206
	HK1BSDA36-W	66, 72	36	38	3,534	3,800



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____




MODEL NUMBER

WOOD FINISH

See page 5

Example Order String: HK1BSD18-W.NC701

Open 6" Rectangular Painted Base
for use with Rectangular and Arched Boat Table Tops

	Model	For use w/ top size	Dimensions OD	OW	List Price Painted
	FOR 42" AND 48" TOPS	HD1BSRA2472-XP	42/48 X 72	30 1/16 36	2,062
		HD1BSRA2484-XP	42/48 X 84	30 1/16 48	2,310
		HD1BSRA2496-XP	42/48 X 96	30 1/16 60	2,588
		HD1BSRA24108-XP	42/48 X 108	30 1/16 72	2,898
		HD1BSRA24120-XP	42/48 X 120	30 1/16 84	3,092
		HD1BSRA24144-XP	42/48 X 144	30 1/16 108	3,981
		HD1BSRA24168-XP	42/48 X 168	30 1/16 132	4,782
		HD1BSRA24192-XP	42/48 X 192	30 1/16 156	6,038
	FOR 54" AND 60" TOPS	HD1BSRA32120-XP	54/60 X 120	38 1/16 84	3,928
		HD1BSRA32144-XP	54/60 X 144	38 1/16 108	4,675
		HD1BSRA32168-XP	54/60 X 168	38 1/16 132	5,606
		HD1BSRA32192-XP	54/60 X 192	38 1/16 156	6,362
		HD1BSRA32216-XP	54/60 X 216	38 1/16 180	7,157
		HD1BSRA32240-XP	54/60 X 240	38 1/16 204	8,375
		HD1BSRA32264-XP	54/60 X 264	38 1/16 228	10,182
		HD1BSRA32288-XP	54/60 X 288	38 1/16 252	11,708
	FOR 66" AND 72" TOPS	HD1BSRA42216-XP	66/72 X 216	48 1/16 180	8,345
		HD1BSRA42240-XP	66/72 X 240	48 1/16 204	9,735
		HD1BSRA42264-XP	66/72 X 264	48 1/16 228	11,426
		HD1BSRA42288-XP	66/72 X 288	48 1/16 252	13,141

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

PAINT COLOR




See page 5

Example Order String: HD1BSRA2472-XP.WPML

Open 6" Rectangular Wood Base
for use with Rectangular and Arched Boat Table Tops

LINEA CONFERENCE TABLES

HBF


	Model	For use w/ top size	Dimensions OD	OW	List Price Veneer 1	Veneer 2
FOR 42" AND 48" TOPS 	HD1BSRA2472-XW	42/48 X 72	30 1/16	36	2,243	2,412
	HD1BSRA2484-XW	42/48 X 84	30 1/16	48	2,511	2,700
	HD1BSRA2496-XW	42/48 X 96	30 1/16	60	2,813	3,025
	HD1BSRA24108-XW	42/48 X 108	30 1/16	72	3,151	3,387
	HD1BSRA24120-XW	42/48 X 120	30 1/16	84	3,361	3,612
	HD1BSRA24144-XW	42/48 X 144	30 1/16	108	4,326	4,649
	HD1BSRA24168-XW	42/48 X 168	30 1/16	132	5,197	5,588
	HD1BSRA24192-XW	42/48 X 192	30 1/16	156	6,562	7,056
FOR 54" AND 60" TOPS 	HD1BSRA32120-XW	54/60 X 120	38 1/16	84	4,269	4,590
	HD1BSRA32144-XW	54/60 X 144	38 1/16	108	5,083	5,464
	HD1BSRA32168-XW	54/60 X 168	38 1/16	132	6,095	6,551
	HD1BSRA32192-XW	54/60 X 192	38 1/16	156	6,916	7,435
	HD1BSRA32216-XW	54/60 X 216	38 1/16	180	7,780	8,363
	HD1BSRA32240-XW	54/60 X 240	38 1/16	204	9,103	9,785
	HD1BSRA32264-XW	54/60 X 264	38 1/16	228	11,067	11,897
	HD1BSRA32288-XW	54/60 X 288	38 1/16	252	12,727	13,683
FOR 66" AND 72" TOPS 	HD1BSRA42216-XW	66/72 X 216	48 1/16	180	9,071	9,752
	HD1BSRA42240-XW	66/72 X 240	48 1/16	204	10,580	11,375
	HD1BSRA42264-XW	66/72 X 264	48 1/16	228	12,420	13,351
	HD1BSRA42288-XW	66/72 X 288	48 1/16	252	14,283	15,354

PLEASE SPECIFY THE FOLLOWING TO ORDER:


MODEL NUMBER

WOOD FINISH

See page 5






•



Example Order String: HD1BSRA2472-XW.NC701



	Model	For use w/ top size	Dimensions OD	OW	List Price Painted
	FOR 42" AND 48" TOPS	HD1BSRA2472-SP	42/48 X 72	30 1/16 36	1,955
		HD1BSRA2484-SP	42/48 X 84	30 1/16 48	2,189
		HD1BSRA2496-SP	42/48 X 96	30 1/16 60	2,451
		HD1BSRA24108-SP	42/48 X 108	30 1/16 72	2,746
		HD1BSRA24120-SP	42/48 X 120	30 1/16 84	2,928
		HD1BSRA24144-SP	42/48 X 144	30 1/16 108	3,770
		HD1BSRA24168-SP	42/48 X 168	30 1/16 132	4,530
		HD1BSRA24192-SP	42/48 X 192	30 1/16 156	5,720
	FOR 54" AND 60" TOPS	HD1BSRA32120-SP	54/60 X 120	38 1/16 84	3,720
		HD1BSRA32144-SP	54/60 X 144	38 1/16 108	4,431
		HD1BSRA32168-SP	54/60 X 168	38 1/16 132	5,312
		HD1BSRA32192-SP	54/60 X 192	38 1/16 156	6,028
		HD1BSRA32216-SP	54/60 X 216	38 1/16 180	6,779
		HD1BSRA32240-SP	54/60 X 240	38 1/16 204	7,934
		HD1BSRA32264-SP	54/60 X 264	38 1/16 228	9,645
		HD1BSRA32288-SP	54/60 X 288	38 1/16 252	11,092
	FOR 66" AND 72" TOPS	HD1BSRA42216-SP	66/72 X 216	48 1/16 180	7,906
		HD1BSRA42240-SP	66/72 X 240	48 1/16 204	9,222
		HD1BSRA42264-SP	66/72 X 264	48 1/16 228	10,824
		HD1BSRA42288-SP	66/72 X 288	48 1/16 252	12,450

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

PAINT COLOR


See page 5


Example Order String: HD1BSRA2472-SP.WPML


Solid 6" Rectangular Wood Base
for use with Rectangular and Arched Boat Table Tops

LINEA CONFERENCE TABLES

HBF

	Model	For use w/ top size	Dimensions OD	OW	List Price Veneer 1	Veneer 2
	HD1BSRA2472-SW	42/48 X 72	30 1/16	36	2,125	2,285
	HD1BSRA2484-SW	42/48 X 84	30 1/16	48	2,379	2,557
	HD1BSRA2496-SW	42/48 X 96	30 1/16	60	2,665	2,864
	HD1BSRA24108-SW	42/48 X 108	30 1/16	72	2,984	3,207
	HD1BSRA24120-SW	42/48 X 120	30 1/16	84	3,183	3,422
	HD1BSRA24144-SW	42/48 X 144	30 1/16	108	4,099	4,406
	HD1BSRA24168-SW	42/48 X 168	30 1/16	132	4,924	5,293
	HD1BSRA24192-SW	42/48 X 192	30 1/16	156	6,217	6,685

	HD1BSRA32120-SW	54/60 X 120	38 1/16	84	4,045	4,349
	HD1BSRA32144-SW	54/60 X 144	38 1/16	108	4,815	5,176
	HD1BSRA32168-SW	54/60 X 168	38 1/16	132	5,773	6,207
	HD1BSRA32192-SW	54/60 X 192	38 1/16	156	6,552	7,043
	HD1BSRA32216-SW	54/60 X 216	38 1/16	180	7,370	7,922
	HD1BSRA32240-SW	54/60 X 240	38 1/16	204	8,624	9,271
	HD1BSRA32264-SW	54/60 X 264	38 1/16	228	10,484	11,270
	HD1BSRA32288-SW	54/60 X 288	38 1/16	252	12,056	12,960

	HD1BSRA42216-SW	66/72 X 216	48 1/16	180	8,593	9,238
	HD1BSRA42240-SW	66/72 X 240	48 1/16	204	10,023	10,775
	HD1BSRA42264-SW	66/72 X 264	48 1/16	228	11,766	12,649
	HD1BSRA42288-SW	66/72 X 288	48 1/16	252	13,531	14,545

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

WOOD FINISH

See page 5




•




Example Order String: HD1BSRA2472-SW.NC701

Open and Solid 6" Rectangular Painted Bases
for use with Video Conference Table Tops

	Model	For use w/ top size	Dimensions OD	OW	List Price Painted
OPEN 6" RECTANGULAR	HD1BSRA2432108-XP	42/60 X 108	38 1/16	72	3,130
	HD1BSRA2442144-XP	48/66 X 144	48 1/16	108	5,051



SOLID 6" RECTANGULAR	HD1BSRA2432108-SP	42/60 X 108	38 1/16	72	2,964
	HD1BSRA2442144-SP	48/66 X 144	48 1/16	108	4,784



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

PAINT COLOR


See page 5




Example Order String: HD1BSRA2432108-XP.WPML

Open and Solid 6" Rectangular Wood Bases
for use with Video Conference Table Tops

	Model	For use w/ top size	Dimensions OD	OW	List Price Veneer 1	Veneer 2
OPEN 6" RECTANGULAR	HD1BSRA2432108-XW	42/60 X 108	38 1/16	72	3,402	3,658
	HD1BSRA2442144-XW	48/66 X 144	48 1/16	108	5,489	5,901



SOLID 6" RECTANGULAR	HD1BSRA2432108-SW	42/60 X 108	38 1/16	72	3,224	3,465
	HD1BSRA2442144-SW	48/66 X 144	48 1/16	108	5,200	5,592



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

WOOD FINISH

See page 5

Example Order String: HD1BSRA2432108-XW.NC701

[illegible]

CREDENZAS AND ANCILLARY	98-114
Conference Cabinets.....	100
Projection Cabinet.....	108
TV Lift Cabinet	108
Presentation Cabinet.....	110
Carts.....	111
Lecterns.....	114


CREDENZAS	Linea credenzas are available in multiple sizes and pedestal configurations by using the HBF “build a credenza” specifications. Credenzas are based on 24” modules and the available pedestals and components may be placed in multiple configurations in order to maximize the functionality of each conference area. Credenza heights include the standard 29” height and a buffet height of 35”. HBF’s standard five-year warranty applies only to the credenza components that we manufacture.
STORAGE PEDESTAL	Linea storage pedestals are available in two options: as a shelf only unit with one adjustable shelf (option SP1) or as a storage pedestal with 4 drawers (option SP4). Any of the drawers may be supplemented with a natural finished beech cutlery tray. Both storage pedestals are available in 29” and 35” high credenzas and must be specified as left or right hinge.
TRASH RECEPTACLE PEDESTAL	The trash receptacle pedestal (option TRS) includes a standard black Rubbermaid® 13 quart trash receptacle mounted on the inside of the door. The pedestal contains an adjustable shelf that is notched to accommodate the trash receptacle when the door is closed.
RECYCLING CENTER PEDESTAL	The recycling center pedestal (option RCY) includes a pull out unit containing four removable receptacles enabling the user to presort disposables to containers for paper, plastic, glass, and aluminum.
REFRIGERATION PEDESTAL	The refrigeration pedestal (option RFG) does not include a refrigerator. The RFG image shows what it will look like with a refrigerator inside of the vented back pedestal. The interior dimensions for the pedestal are: 23 5/8”D x 22 1/2”W x 23 1/4”H. A recommended refrigerator is the Danby Energy Star compliant compact refrigerator with automatic defrost system and mechanical thermostat. Interior of the refrigeration unit contains wire shelves, tall bottle storage, and the Danby second-generation Canstor® beverage dispenser for maximum storage versatility. The Danby DAR195BL provides 1.8 cu. ft. of refrigeration.
AV PEDESTAL	The A/V pedestal (option AVR) includes a Middle Atlantic Products EIA compliant SRSR Series Rotating Sliding Rail System. The ball-bearing slides allow the unit to be pulled out and rotated 90° in either direction for easy access to wiring and components. A front mounted tab will rotate the rack and locks in place at 0°, 60°, and 90° positions. A front mounted lever locks the rack in the extended position. The black, brushed and anodized finished rack includes an integral cable management system.

Conference Cabinets – Waterfall Edge
2 Pedestals – Wood



LINEA CONFERENCE TABLES

HBF

	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
STANDARD 29" HEIGHT	HD1CCS2648-WFW	26	48	29	3,733		4,013




BUFFET 35" HEIGHT	HD1CCB2648-WFW	26	48	35	4,291		4,612
-------------------	----------------	----	----	----	-------	--	-------




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door




AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:



MODEL NUMBER	PEDESTAL LOCATION A	PEDESTAL LOCATION B	VENEER & FINISH	LOCKS	KEYING
			See page 5	See page 9	See page 9

Example Order String: HD1CCS2648-WFW.SP1.SP4.NC701.LY.RMS

	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
STANDARD 29" HEIGHT	HD1CCS2648-WFS	26	48	29	4,962		5,335




BUFFET 35" HEIGHT	HD1CCB2648-WFS	26	48	35	5,707		6,136
-------------------	----------------	----	----	----	-------	--	-------




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door



AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	PEDESTAL LOCATION A	PEDESTAL LOCATION B	veneer & FINISH	SOLID SURFACE COLOR	LOCKS	KEYING
			See page 5	See page 5	See page 9	See page 9


Example Order String: HD1CCS2648-WFS.SP1.SP4.NC701.SAW.LY.RMS

Conference Cabinets – Waterfall Edge
3 Pedestals – Wood



LINEA CONFERENCE TABLES

HBF


	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
STANDARD 29" HEIGHT	HD1CCS2672-WFW	26	72	29	5,664		6,090




BUFFET 35" HEIGHT	HD1CCB2672-WFW	26	72	35	6,514		7,002
-------------------	----------------	----	----	----	-------	--	-------




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door




AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:



MODEL NUMBER	PEDESTAL LOCATION A	PEDESTAL LOCATION B	PEDESTAL LOCATION C	veneer & FINISH See page 5	LOCKS See page 9	KEYING See page 9

Example Order String: HD1CCS2672-WFW.SP1.SP4.TRS.NC701.LY.RMS

	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
STANDARD 29" HEIGHT	HD1CCS2672-WFS	26	72	29	7,532		8,097




BUFFET 35" HEIGHT	HD1CCB2672-WFS	26	72	35	8,663		9,313
-------------------	----------------	----	----	----	-------	--	-------




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door



AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	PEDESTAL LOCATION A	PEDESTAL LOCATION B	PEDESTAL LOCATION C	VENEER & FINISH	SOLID SURFACE COLOR	LOCKS	KEYING
				See page 5	See page 5	See page 9	See page 9


Example Order String: HD1CCS2672-WFS.SP1.SP4.TRS.NC701.SAW.LY.RMS

Conference Cabinets – Waterfall Edge
4 Pedestals – Wood



LINEA CONFERENCE TABLES

HBF


	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
STANDARD 29" HEIGHT	HD1CCS2696-WFW	26	96	29	7,267		7,813




BUFFET 35" HEIGHT	HD1CCB2696-WFW	26	96	35	8,356		8,983
-------------------	----------------	----	----	----	-------	--	-------




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door




AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:



MODEL NUMBER	PEDESTAL LOCATION A	PEDESTAL LOCATION B	PEDESTAL LOCATION C	PEDESTAL LOCATION D	veneer & FINISH See page 5	LOCKS See page 9	KEYING See page 9

Example Order String: HD1CCS2696-WFW.SP1.SP4.TRS.RCY.NC701.LY.RMS

	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
STANDARD 29" HEIGHT	HD1CCS2696-WFS	26	96	29	9,666		10,389




BUFFET 35" HEIGHT	HD1CCB2696-WFS	26	96	35	11,115		11,948
-------------------	----------------	----	----	----	--------	--	--------




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door



AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	PEDESTAL LOCATION A	PEDESTAL LOCATION B	PEDESTAL LOCATION C	PEDESTAL LOCATION D	VENEER & FINISH See page 5	SOLID SURFACE COLOR See page 5	LOCKS See page 9	KEYING See page 9


Example Order String: HD1CCS2696-WFS.SP1.SP4.TRS.RCY.NC701.SAW.LY.RMS

Conference Cabinets – Waterfall Edge
5 Pedestals – Wood



LINEA CONFERENCE TABLES

HBF


	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
STANDARD 29" HEIGHT	HD1CCS26120-WFW	26	120	29	8,358		8,986




BUFFET 35" HEIGHT	HD1CCB26120-WFW	26	120	35	9,613		10,335
-------------------	-----------------	----	-----	----	-------	--	--------




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door




AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:



MODEL NUMBER	PEDESTAL LOCATION A	PEDESTAL LOCATION B	PEDESTAL LOCATION C	PEDESTAL LOCATION D	PEDESTAL LOCATION E	veneer & FINISH	LOCKS	KEYING
						See page 5	See page 9	See page 9

Example Order String: HD1CCS26120-WFW.SP1.SP4.TRS.RCY.RFG.NC701.LY.RMS

	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
STANDARD 29" HEIGHT	HD1CCS26120-WFS	26	120	29	11,115		11,952




BUFFET 35" HEIGHT	HD1CCB26120-WFS	26	120	35	12,786		13,746
-------------------	-----------------	----	-----	----	--------	--	--------




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door




AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	PEDESTAL LOCATION A	PEDESTAL LOCATION B	PEDESTAL LOCATION C	PEDESTAL LOCATION D	PEDESTAL LOCATION E	veneer & FINISH	SOLID SURFACE COLOR	LOCKS	KEYING
						See page 5	See page 5	See page 9	See page 9


Example Order String: HD1CCS26120-WFS.SP1.SP4.TRS.RCY.RFG.NC701.SAW.LY.RMS

	Model	Dimensions OD	OW	OH	List Price Veneer 1	Veneer 2
PROJECTION CABINET	HD1CCBP2696-WFW	26	96	35	9,515	10,230




- Buffet Height 35"
- Waterfall Edges
- When specifying pedestals in order string, pedestal location A is the far left pedestal and pedestal location B is the far right pedestal.
- The inner 2 pedestals are used for the placement of the projector.
- **Projector NOT included with Projection Cabinet.**
- Interior Dimensions for projector are: 23 5/8" D x 46 9/16" W x 8 3/4" H


TV LIFT CABINET	HD1CCBV2696-WFW	26	96	35	14,660	15,760
-----------------	-----------------	----	----	----	--------	--------




- Buffet Height 35"
- Waterfall Edges
- When specifying pedestals in order string, pedestal location A is the far left pedestal and pedestal location B is the far right pedestal.
- The inner 2 pedestals are used for the placement of the TV lift.
- **TV NOT included with TV Lift Cabinet**
- Interior Dimensions for TV are: 9" D x 46 9/16" W x 19 1/4" H




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door



AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

PEDESTAL
LOCATION A

PEDESTAL
LOCATION B

VENEER &
FINISH

LOCKS

KEYING

See page 5


See page 9

See page 9

• • • • •


Example Order String: HD1CCBP2696-WFW.SP1.SP4.NC701.LY.RMS

	Model	Dimensions OD	OW	OH	List Price Veneer 1	Veneer 2
PROJECTION CABINET	HD1CCBP2696-WFS	26	96	35	12,656	13,605




- Buffet Height 35"
- Waterfall Edges
- When specifying pedestals in order string, pedestal location A is the far left pedestal and pedestal location B is the far right pedestal.
- The inner 2 pedestals are used for the placement of the projector.
- **Projector NOT included with Projection Cabinet.**
- Interior Dimensions for projector are: 23 5/8" D x 46 9/16" W x 8 3/4" H

TV LIFT CABINET	HD1CCBV2696-WFS	26	96	35	19,497	20,959
-----------------	-----------------	----	----	----	--------	--------




- Buffet Height 35"
- Waterfall Edges
- When specifying pedestals in order string, pedestal location A is the far left pedestal and pedestal location B is the far right pedestal.
- The inner 2 pedestals are used for the placement of the projector.
- **TV NOT included with TV Lift Cabinet**
- Interior Dimensions for TV are: 9" D x 46 9/16" W x 19 1/4" H




SP1
Storage Pedestal -
1 Adjustable Shelf
(no upcharge)
Shown without door




SP4
Storage Pedestal -
4 Drawers
(\$425 upcharge)
Shown without door




TRS
Trash Receptacle
with Shelf
(\$155 upcharge)



RCY
Recycling with
4 Receptacles
(\$310 upcharge)
Shown without door



RFG
Refrigeration Pedestal
with Vented Back
(no upcharge)
**Refrigerator not
included;** shown
without door




AVR
AV Rack -
Swivel & Pull Out
(\$625 upcharge)
Shown without door

PLEASE SPECIFY THE FOLLOWING TO ORDER:


MODEL NUMBER	PEDESTAL LOCATION A	PEDESTAL LOCATION B	WOOD FINISH	SOLID SURFACE COLOR	LOCKS	KEYING
			See page 5 (Includes edgeband for solid surface)	See page 5	See page 9	See page 9

Example Order String: HD1CCBP2696-WFS.SP1.SP4.NC701.SAW.LY.RMS

	Model	Dimensions OD	OW	OH	List Price Veneer 1	Veneer 2
WOOD SLIDING DOORS	HD1CPC48-W	5 4/5	48 1/8	52 5/7	6,574	7,067



GLASS SLIDING DOORS	HD1CPC48-G	5 4/5	48 1/8	52 5/7	7,561	8,128
---------------------	------------	-------	--------	--------	-------	-------



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER	WOOD FINISH	GLASS COLOR	NOTES:
	See page 5	See page 5	Glass color option only required when choosing glass sliding door model.

Example Order String: HD1CPC48-W.NC701

	Model	Dimensions OD	OW	OH	List Price Veneer 1	Veneer 2
WOOD TOP	HD1CMCB-WFW	21	23	35 1/4	3,072	3,303



- Waterfall Edges

SOLID SURFACE TOP	HD1CMCB-WFS	21	23	35 1/4	4,086	4,392
-------------------	-------------	----	----	--------	--------------	--------------



- Waterfall Edges

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

WOOD FINISH

See page 5

SOLID SURFACE
COLOR

See page 5

AV RACK

AVY AV Rack Yes
(+\$225)

AVN AV Rack No

NOTES:


Solid Surface Color
option only required
when choosing Mobile
Media Cart with
solid surface top.

_____ • _____ • _____ • _____

Example Order String: HD1CMCB-WFW.NC701


Mobile Media Carts Hinged Door

	Model	Dimensions OD	OW	OH	List Price Veneer 1	Veneer 2
WOOD TOP	HD1CMCD-WFW	21	23	35 1/4	3,719	3,998



- Waterfall Edges

SOLID SURFACE TOP	HD1CMCD-WFS	21	23	35 1/4	4,948	5,319
-------------------	-------------	----	----	--------	-------	-------




- Waterfall Edges

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	SOLID SURFACE COLOR	LOCKS	KEYING	AV RACK	NOTES:
	See page 5	See page 5	See page 9	See page 9	AVY AV Rack Yes (+\$225) AVN AV Rack No	Solid Surface Color option only required when choosing Mobile Media Cart with solid surface top.


Example Order String: HD1CMCD-WFW.NC701.LY.RMS.AVY

	Model	Dimensions OD	OW	OH	List Price Veneer 1	Veneer 2
WOOD TOP	HD1CBC-WFW	21	30	34 5/6	4,092	4,398



- Waterfall Edges

SOLID SURFACE TOP	HD1CBC-WFS	21	30	34 5/6	5,444	5,851
-------------------	------------	----	----	--------	--------------	--------------



- Waterfall Edges


PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	SOLID SURFACE COLOR	LOCKS	KEYING
	See page 5	See page 5	See page 9	See page 9

NOTES:
Solid Surface Color
option only required
when choosing Mobile
Buffet Cart with
solid surface top.


Example Order String: HD1CBC-WFW.NC701.LY.RMS

	Model	Dimensions OD	OW	OH	List Price Veneer 1	Veneer 2
WOOD TOP	HD1LCT-WFW	21	23	35 1/4	4,866	5,230



- Waterfall Edges

SOLID SURFACE TOP	HD1LCT-WFS	21	23	35 1/4	6,471	6,958
-------------------	------------	----	----	--------	-------	-------



- Waterfall Edges

NOTES:
Solid Surface Color option only required
when choosing Mobile Lectern Cart with
solid surface top.


PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	SOLID SURFACE COLOR	LOCKS	KEYING	AV RACK	TECHNOLOGY OPTION
	See page 5	See page 5	See page 9	See page 9	AVY AV Rack Yes (+\$225) AVN AV Rack No	LTY Technology Yes – Microphone, Gooseneck Light, Power/Data Unit (+\$1,450) LTN Technology No

Example Order String: HD1LCT-WFW.NC701.LY.RMS.AVY.LTY



	Model	Dimensions OD	OW	OH	List Price
CUTLERY TRAY	HD1TRAY	14 1/2	19 11/32	3 1/4	167



- No options required when ordering cutlery tray
- Cutlery tray can be used in conjunction with Storage Pedestal – 1 adjustable shelf (SP1) and Storage Pedestal – 4 drawers (SP4)

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HD1TRAY

MODEL NUMBER	WEIGHT	CUBES	PAGE	MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1BSRA24108-SP	131 LBS.	13.7	91	HD1BSRA32192-SW	248 LBS.	28.1	92
HD1BSRA24108-SW	131 LBS.	13.7	92	HD1BSRA32192-XP	221 LBS.	28.1	89
HD1BSRA24108-XP	112 LBS.	13.7	89	HD1BSRA32192-XW	221 LBS.	28.1	90
HD1BSRA24108-XW	112 LBS.	13.7	90	HD1BSRA32216-SP	261 LBS.	29.3	91
HD1BSRA24120-SP	136 LBS.	14.4	91	HD1BSRA32216-SW	261 LBS.	29.3	92
HD1BSRA24120-SW	136 LBS.	14.4	92	HD1BSRA32216-XP	233 LBS.	29.3	89
HD1BSRA24120-XP	118 LBS.	14.4	89	HD1BSRA32216-XW	233 LBS.	29.3	90
HD1BSRA24120-XW	118 LBS.	14.4	90	HD1BSRA32240-SP	273 LBS.	30.4	91
HD1BSRA24144-SP	147 LBS.	15.8	91	HD1BSRA32240-SW	273 LBS.	30.4	92
HD1BSRA24144-SW	147 LBS.	15.8	92	HD1BSRA32240-XP	245 LBS.	30.4	89
HD1BSRA24144-XP	128 LBS.	15.8	89	HD1BSRA32240-XW	245 LBS.	30.4	90
HD1BSRA24144-XW	128 LBS.	15.8	90	HD1BSRA32264-SP	337 LBS.	35.0	91
HD1BSRA24168-SP	200 LBS.	18.5	91	HD1BSRA32264-SW	337 LBS.	35.0	92
HD1BSRA24168-SW	200 LBS.	18.5	92	HD1BSRA32264-XP	300 LBS.	35.0	89
HD1BSRA24168-XP	173 LBS.	18.5	89	HD1BSRA32264-XW	300 LBS.	35.0	90
HD1BSRA24168-XW	173 LBS.	18.5	90	HD1BSRA32288-SP	350 LBS.	35.8	91
HD1BSRA24192-SP	211 LBS.	19.1	91	HD1BSRA32288-SW	350 LBS.	35.8	92
HD1BSRA24192-SW	211 LBS.	19.1	92	HD1BSRA32288-XP	313 LBS.	35.8	89
HD1BSRA24192-XP	183 LBS.	19.1	89	HD1BSRA32288-XW	313 LBS.	35.8	90
HD1BSRA24192-XW	183 LBS.	19.1	90	HD1BSRA42216-SP	315 LBS.	36.7	91
HD1BSRA2432108-SP	141 LBS.	15.5	93	HD1BSRA42216-SW	315 LBS.	36.7	92
HD1BSRA2432108-SW	141 LBS.	15.5	94	HD1BSRA42216-XP	287 LBS.	36.7	89
HD1BSRA2432108-XP	123 LBS.	15.5	93	HD1BSRA42216-XW	287 LBS.	36.7	90
HD1BSRA2432108-XW	123 LBS.	15.5	94	HD1BSRA42240-SP	329 LBS.	38.3	91
HD1BSRA2442144-SP	171 LBS.	19.2	93	HD1BSRA42240-SW	329 LBS.	38.3	92
HD1BSRA2442144-SW	171 LBS.	19.2	94	HD1BSRA42240-XP	301 LBS.	38.3	89
HD1BSRA2442144-XP	152 LBS.	19.2	93	HD1BSRA42240-XW	301 LBS.	38.3	90
HD1BSRA2442144-XW	152 LBS.	19.2	94	HD1BSRA42264-SP	408 LBS.	42.5	91
HD1BSRA2472-SP	114 LBS.	11.6	91	HD1BSRA42264-SW	408 LBS.	42.5	92
HD1BSRA2472-SW	114 LBS.	11.6	92	HD1BSRA42264-XP	371 LBS.	42.5	89
HD1BSRA2472-XP	95 LBS.	11.6	89	HD1BSRA42264-XW	371 LBS.	42.5	90
HD1BSRA2472-XW	95 LBS.	11.6	90	HD1BSRA42288-SP	423 LBS.	43.6	91
HD1BSRA2484-SP	119 LBS.	12.3	91	HD1BSRA42288-SW	423 LBS.	43.6	92
HD1BSRA2484-SW	119 LBS.	12.3	92	HD1BSRA42288-XP	386 LBS.	43.6	89
HD1BSRA2484-XP	101 LBS.	12.3	89	HD1BSRA42288-XW	386 LBS.	43.6	90
HD1BSRA2484-XW	101 LBS.	12.3	90	HD1CBC-WFS	170 LBS.	17.3	113
HD1BSRA2496-SP	125 LBS.	13.0	91	HD1CBC-WFW	155 LBS.	17.3	113
HD1BSRA2496-SW	125 LBS.	13.0	92	HD1CCB26120-WFS	770 LBS.	78.3	107
HD1BSRA2496-XP	107 LBS.	13.0	89	HD1CCB26120-WFW	723 LBS.	78.3	106
HD1BSRA2496-XW	107 LBS.	13.0	90	HD1CCB2648-WFS	315 LBS.	32.5	101
HD1BSRA32120-SP	161 LBS.	21.8	91	HD1CCB2648-WFW	296 LBS.	32.5	100
HD1BSRA32120-SW	161 LBS.	21.8	92	HD1CCB2672-WFS	456 LBS.	47.7	103
HD1BSRA32120-XP	142 LBS.	21.8	89	HD1CCB2672-WFW	428 LBS.	47.7	102
HD1BSRA32120-XW	142 LBS.	21.8	90	HD1CCB2696-WFS	618 LBS.	63.0	105
HD1BSRA32144-SP	172 LBS.	24.2	91	HD1CCB2696-WFW	581 LBS.	63.0	104
HD1BSRA32144-SW	172 LBS.	24.2	92	HD1CCBP2696-WFS	568 LBS.	63.0	109
HD1BSRA32144-XP	154 LBS.	24.2	89	HD1CCBP2696-WFW	530 LBS.	63.0	108
HD1BSRA32144-XW	154 LBS.	24.2	90	HD1CCBV2696-WFS	620 LBS.	63.0	109
HD1BSRA32168-SP	237 LBS.	26.9	91	HD1CCBV2696-WFW	582 LBS.	63.0	108
HD1BSRA32168-SW	237 LBS.	26.9	92	HD1CCS26120-WFS	703 LBS.	65.9	107
HD1BSRA32168-XP	209 LBS.	26.9	89	HD1CCS26120-WFW	656 LBS.	66.1	106
HD1BSRA32168-XW	209 LBS.	26.9	90	HD1CCS2648-WFS	288 LBS.	27.3	101
HD1BSRA32192-SP	248 LBS.	28.1	91	HD1CCS2648-WFW	269 LBS.	27.3	100

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1CCS2672-WFS	426 LBS.	40.2	103
HD1CCS2672-WFW	398 LBS.	40.3	102
HD1CCS2696-WFS	565 LBS.	53.1	105
HD1CCS2696-WFW	527 LBS.	53.2	104
HD1CMCB-WFS	132 LBS.	13.8	111
HD1CMCB-WFW	122 LBS.	13.8	111
HD1CMCD-WFS	149 LBS.	13.8	112
HD1CMCD-WFW	139 LBS.	13.8	112
HD1CPC48-G	215 LBS.	14.5	110
HD1CPC48-W	181 LBS.	14.5	110
HD1LCT-WFS	146 LBS.	13.8	114
HD1LCT-WFW	136 LBS.	13.8	114
HD1TAB42108-CEG	341 LBS.	13.0	54
HD1TAB42108-CEL	171 LBS.	13.0	54
HD1TAB42108-CES	286 LBS.	13.0	54
HD1TAB42108-CEW	171 LBS.	13.0	54
HD1TAB42108-FEG	341 LBS.	13.0	54
HD1TAB42108-FES	286 LBS.	13.0	54
HD1TAB42108-FEW	171 LBS.	13.0	54
HD1TAB42108-WFS	286 LBS.	13.0	54
HD1TAB42108-WFW	171 LBS.	13.0	54
HD1TAB42120-CEG	373 LBS.	14.4	54
HD1TAB42120-CEL	189 LBS.	14.4	54
HD1TAB42120-CES	313 LBS.	14.4	54
HD1TAB42120-CEW	189 LBS.	14.4	54
HD1TAB42120-FEG	373 LBS.	14.4	54
HD1TAB42120-FES	313 LBS.	14.4	54
HD1TAB42120-FEW	189 LBS.	14.4	54
HD1TAB42120-WFS	313 LBS.	14.4	54
HD1TAB42120-WFW	189 LBS.	14.4	54
HD1TAB4272-CEG	244 LBS.	8.8	54
HD1TAB4272-CEL	117 LBS.	8.8	54
HD1TAB4272-CES	208 LBS.	8.8	54
HD1TAB4272-CEW	117 LBS.	8.8	54
HD1TAB4272-FEG	244 LBS.	8.8	54
HD1TAB4272-FES	208 LBS.	8.8	54
HD1TAB4272-FEW	117 LBS.	8.8	54
HD1TAB4272-WFS	208 LBS.	8.8	54
HD1TAB4272-WFW	117 LBS.	8.8	54
HD1TAB4284-CEG	276 LBS.	10.2	54
HD1TAB4284-CEL	135 LBS.	10.2	54
HD1TAB4284-CES	234 LBS.	10.2	54
HD1TAB4284-CEW	135 LBS.	10.2	54
HD1TAB4284-FEG	276 LBS.	10.2	54
HD1TAB4284-FES	234 LBS.	10.2	54
HD1TAB4284-FEW	135 LBS.	10.2	54
HD1TAB4284-WFS	234 LBS.	10.2	54
HD1TAB4284-WFW	135 LBS.	10.2	54
HD1TAB4296-CEG	309 LBS.	11.6	54
HD1TAB4296-CEL	153 LBS.	11.6	54
HD1TAB4296-CES	260 LBS.	11.6	54
HD1TAB4296-CEW	153 LBS.	11.6	54
HD1TAB4296-FEG	309 LBS.	11.6	54

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TAB4296-FES	260 LBS.	11.6	54
HD1TAB4296-FEW	153 LBS.	11.6	54
HD1TAB4296-WFS	260 LBS.	11.6	54
HD1TAB4296-WFW	153 LBS.	11.6	54
HD1TAB48108-CEG	383 LBS.	14.7	56
HD1TAB48108-CEL	194 LBS.	14.7	56
HD1TAB48108-CES	320 LBS.	14.7	56
HD1TAB48108-CEW	194 LBS.	14.7	56
HD1TAB48108-FEG	383 LBS.	14.7	56
HD1TAB48108-FES	320 LBS.	14.7	56
HD1TAB48108-FEW	194 LBS.	14.7	56
HD1TAB48108-WFS	320 LBS.	14.7	56
HD1TAB48108-WFW	194 LBS.	14.7	56
HD1TAB48120-CEG	420 LBS.	16.3	56
HD1TAB48120-CEL	215 LBS.	16.3	56
HD1TAB48120-CES	350 LBS.	16.3	56
HD1TAB48120-CEW	215 LBS.	16.3	56
HD1TAB48120-FEG	420 LBS.	16.3	56
HD1TAB48120-FES	350 LBS.	16.3	56
HD1TAB48120-FEW	215 LBS.	16.3	56
HD1TAB48120-WFS	350 LBS.	16.3	56
HD1TAB48120-WFW	215 LBS.	16.3	56
HD1TAB48144-CEG	494 LBS.	19.5	56
HD1TAB48144-CEL	255 LBS.	19.5	56
HD1TAB48144-CES	410 LBS.	19.5	56
HD1TAB48144-CEW	255 LBS.	19.5	56
HD1TAB48144-FEG	494 LBS.	19.5	56
HD1TAB48144-FES	410 LBS.	19.5	56
HD1TAB48144-FEW	255 LBS.	19.5	56
HD1TAB48144-WFS	410 LBS.	19.5	56
HD1TAB48144-WFW	255 LBS.	19.5	56
HD1TAB48168-CEG	567 LBS.	22.7	56
HD1TAB48168-CEL	296 LBS.	22.7	56
HD1TAB48168-CES	470 LBS.	22.7	56
HD1TAB48168-CEW	296 LBS.	22.7	56
HD1TAB48168-FEG	567 LBS.	22.7	56
HD1TAB48168-FES	470 LBS.	22.7	56
HD1TAB48168-FEW	296 LBS.	22.7	56
HD1TAB48168-WFS	470 LBS.	22.7	56
HD1TAB48168-WFW	296 LBS.	22.7	56
HD1TAB48192-CEG	641 LBS.	25.9	56
HD1TAB48192-CEL	337 LBS.	25.9	56
HD1TAB48192-CES	530 LBS.	25.9	56
HD1TAB48192-CEW	337 LBS.	25.9	56
HD1TAB48192-FEG	641 LBS.	25.9	56
HD1TAB48192-FES	530 LBS.	25.9	56
HD1TAB48192-FEW	337 LBS.	25.9	56
HD1TAB48192-WFS	530 LBS.	25.9	56
HD1TAB48192-WFW	337 LBS.	25.9	56
HD1TAB4872-CEG	272 LBS.	10.0	56
HD1TAB4872-CEL	133 LBS.	10.0	56
HD1TAB4872-CES	230 LBS.	10.0	56
HD1TAB4872-CEW	133 LBS.	10.0	56

MODEL NUMBER	WEIGHT	CUBES	PAGE	MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TAB4872-FEG	272 LBS.	10.0	56	HD1TAB54192-CEW	378 LBS.	28.9	58
HD1TAB4872-FES	230 LBS.	10.0	56	HD1TAB54192-FEG	715 LBS.	28.9	58
HD1TAB4872-FEW	133 LBS.	10.0	56	HD1TAB54192-FES	590 LBS.	28.9	58
HD1TAB4872-WFS	230 LBS.	10.0	56	HD1TAB54192-FEW	378 LBS.	28.9	58
HD1TAB4872-WFW	133 LBS.	10.0	56	HD1TAB54192-WFS	590 LBS.	28.9	58
HD1TAB4884-CEG	309 LBS.	11.6	56	HD1TAB54192-WFW	378 LBS.	28.9	58
HD1TAB4884-CEL	153 LBS.	11.6	56	HD1TAB54216-CEG	798 LBS.	32.5	58
HD1TAB4884-CES	260 LBS.	11.6	56	HD1TAB54216-CEL	424 LBS.	32.5	58
HD1TAB4884-CEW	153 LBS.	11.6	56	HD1TAB54216-CES	658 LBS.	32.5	58
HD1TAB4884-FEG	309 LBS.	11.6	56	HD1TAB54216-CEW	424 LBS.	32.5	58
HD1TAB4884-FES	260 LBS.	11.6	56	HD1TAB54216-FEG	798 LBS.	32.5	58
HD1TAB4884-FEW	153 LBS.	11.6	56	HD1TAB54216-FES	658 LBS.	32.5	58
HD1TAB4884-WFS	260 LBS.	11.6	56	HD1TAB54216-FEW	424 LBS.	32.5	58
HD1TAB4884-WFW	153 LBS.	11.6	56	HD1TAB54216-WFS	658 LBS.	32.5	58
HD1TAB4896-CEG	346 LBS.	13.1	56	HD1TAB54216-WFW	424 LBS.	32.5	58
HD1TAB4896-CEL	174 LBS.	13.1	56	HD1TAB54240-CEG	882 LBS.	36.1	58
HD1TAB4896-CES	290 LBS.	13.1	56	HD1TAB54240-CEL	470 LBS.	36.1	58
HD1TAB4896-CEW	174 LBS.	13.1	56	HD1TAB54240-CES	725 LBS.	36.1	58
HD1TAB4896-FEG	346 LBS.	13.1	56	HD1TAB54240-CEW	470 LBS.	36.1	58
HD1TAB4896-FES	290 LBS.	13.1	56	HD1TAB54240-FEG	882 LBS.	36.1	58
HD1TAB4896-FEW	174 LBS.	13.1	56	HD1TAB54240-FES	725 LBS.	36.1	58
HD1TAB4896-WFS	290 LBS.	13.1	56	HD1TAB54240-FEW	470 LBS.	36.1	58
HD1TAB4896-WFW	174 LBS.	13.1	56	HD1TAB54240-WFS	725 LBS.	36.1	58
HD1TAB54120-CEG	466 LBS.	18.3	58	HD1TAB54240-WFW	470 LBS.	36.1	58
HD1TAB54120-CEL	240 LBS.	18.3	58	HD1TAB60120-CEG	512 LBS.	20.2	60
HD1TAB54120-CES	388 LBS.	18.3	58	HD1TAB60120-CEL	266 LBS.	20.2	60
HD1TAB54120-CEW	240 LBS.	18.3	58	HD1TAB60120-CES	425 LBS.	20.2	60
HD1TAB54120-FEG	466 LBS.	18.3	58	HD1TAB60120-CEW	266 LBS.	20.2	60
HD1TAB54120-FES	388 LBS.	18.3	58	HD1TAB60120-FEG	512 LBS.	20.2	60
HD1TAB54120-FEW	240 LBS.	18.3	58	HD1TAB60120-FES	425 LBS.	20.2	60
HD1TAB54120-WFS	388 LBS.	18.3	58	HD1TAB60120-FEW	266 LBS.	20.2	60
HD1TAB54120-WFW	240 LBS.	18.3	58	HD1TAB60120-WFS	425 LBS.	20.2	60
HD1TAB54144-CEG	549 LBS.	21.8	58	HD1TAB60120-WFW	266 LBS.	20.2	60
HD1TAB54144-CEL	286 LBS.	21.8	58	HD1TAB60144-CEG	604 LBS.	24.1	60
HD1TAB54144-CES	455 LBS.	21.8	58	HD1TAB60144-CEL	317 LBS.	24.1	60
HD1TAB54144-CEW	286 LBS.	21.8	58	HD1TAB60144-CES	500 LBS.	24.1	60
HD1TAB54144-FEG	549 LBS.	21.8	58	HD1TAB60144-CEW	317 LBS.	24.1	60
HD1TAB54144-FES	455 LBS.	21.8	58	HD1TAB60144-FEG	604 LBS.	24.1	60
HD1TAB54144-FEW	286 LBS.	21.8	58	HD1TAB60144-FES	500 LBS.	24.1	60
HD1TAB54144-WFS	455 LBS.	21.8	58	HD1TAB60144-FEW	317 LBS.	24.1	60
HD1TAB54144-WFW	286 LBS.	21.8	58	HD1TAB60144-WFS	500 LBS.	24.1	60
HD1TAB54168-CEG	632 LBS.	25.4	58	HD1TAB60144-WFW	317 LBS.	24.1	60
HD1TAB54168-CEL	332 LBS.	25.4	58	HD1TAB60168-CEG	697 LBS.	28.1	60
HD1TAB54168-CES	523 LBS.	25.4	58	HD1TAB60168-CEL	368 LBS.	28.1	60
HD1TAB54168-CEW	332 LBS.	25.4	58	HD1TAB60168-CES	575 LBS.	28.1	60
HD1TAB54168-FEG	632 LBS.	25.4	58	HD1TAB60168-CEW	368 LBS.	28.1	60
HD1TAB54168-FES	523 LBS.	25.4	58	HD1TAB60168-FEG	697 LBS.	28.1	60
HD1TAB54168-FEW	332 LBS.	25.4	58	HD1TAB60168-FES	575 LBS.	28.1	60
HD1TAB54168-WFS	523 LBS.	25.4	58	HD1TAB60168-FEW	368 LBS.	28.1	60
HD1TAB54168-WFW	332 LBS.	25.4	58	HD1TAB60168-WFS	575 LBS.	28.1	60
HD1TAB54192-CEG	715 LBS.	28.9	58	HD1TAB60168-WFW	368 LBS.	28.1	60
HD1TAB54192-CEL	378 LBS.	28.9	58	HD1TAB60192-CEG	789 LBS.	32.0	60
HD1TAB54192-CES	590 LBS.	28.9	58	HD1TAB60192-CEL	419 LBS.	32.0	60

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TAB60192-CES	650 LBS.	32.0	60
HD1TAB60192-CEW	419 LBS.	32.0	60
HD1TAB60192-FEG	789 LBS.	32.0	60
HD1TAB60192-FES	650 LBS.	32.0	60
HD1TAB60192-FEW	419 LBS.	32.0	60
HD1TAB60192-WFS	650 LBS.	32.0	60
HD1TAB60192-WFW	419 LBS.	32.0	60
HD1TAB60216-CEG	882 LBS.	35.9	60
HD1TAB60216-CEL	470 LBS.	35.9	60
HD1TAB60216-CES	725 LBS.	35.9	60
HD1TAB60216-CEW	470 LBS.	35.9	60
HD1TAB60216-FEG	882 LBS.	35.9	60
HD1TAB60216-FES	725 LBS.	35.9	60
HD1TAB60216-FEW	470 LBS.	35.9	60
HD1TAB60216-WFS	725 LBS.	35.9	60
HD1TAB60216-WFW	470 LBS.	35.9	60
HD1TAB60240-CEG	974 LBS.	39.9	60
HD1TAB60240-CEL	521 LBS.	39.9	60
HD1TAB60240-CES	800 LBS.	39.9	60
HD1TAB60240-CEW	521 LBS.	39.9	60
HD1TAB60240-FEG	974 LBS.	39.9	60
HD1TAB60240-FES	800 LBS.	39.9	60
HD1TAB60240-FEW	521 LBS.	39.9	60
HD1TAB60240-WFS	800 LBS.	39.9	60
HD1TAB60240-WFW	521 LBS.	39.9	60
HD1TAB60264-CEG	1066 LBS.	43.8	60
HD1TAB60264-CEL	572 LBS.	43.8	60
HD1TAB60264-CES	875 LBS.	43.8	60
HD1TAB60264-CEW	572 LBS.	43.8	60
HD1TAB60264-FEG	1066 LBS.	43.8	60
HD1TAB60264-FES	875 LBS.	43.8	60
HD1TAB60264-FEW	572 LBS.	43.8	60
HD1TAB60264-WFS	875 LBS.	43.8	60
HD1TAB60264-WFW	572 LBS.	43.8	60
HD1TAB60288-CEG	1159 LBS.	47.7	60
HD1TAB60288-CEL	624 LBS.	47.7	60
HD1TAB60288-CES	950 LBS.	47.7	60
HD1TAB60288-CEW	624 LBS.	47.7	60
HD1TAB60288-FEG	1159 LBS.	47.7	60
HD1TAB60288-FES	950 LBS.	47.7	60
HD1TAB60288-FEW	624 LBS.	47.7	60
HD1TAB60288-WFS	950 LBS.	47.7	60
HD1TAB60288-WFW	624 LBS.	47.7	60
HD1TAB66216-CEG	965 LBS.	39.4	62
HD1TAB66216-CEL	516 LBS.	39.4	62
HD1TAB66216-CES	793 LBS.	39.4	62
HD1TAB66216-CEW	516 LBS.	39.4	62
HD1TAB66216-FEG	965 LBS.	39.4	62
HD1TAB66216-FES	793 LBS.	39.4	62
HD1TAB66216-FEW	516 LBS.	39.4	62
HD1TAB66216-WFS	793 LBS.	39.4	62
HD1TAB66216-WFW	516 LBS.	39.4	62
HD1TAB66240-CEG	1066 LBS.	43.7	62

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TAB66240-CEL	572 LBS.	43.7	62
HD1TAB66240-CES	875 LBS.	43.7	62
HD1TAB66240-CEW	572 LBS.	43.7	62
HD1TAB66240-FEG	1066 LBS.	43.7	62
HD1TAB66240-FES	875 LBS.	43.7	62
HD1TAB66240-FEW	572 LBS.	43.7	62
HD1TAB66240-WFS	875 LBS.	43.7	62
HD1TAB66240-WFW	572 LBS.	43.7	62
HD1TAB66264-CEG	1168 LBS.	48.0	62
HD1TAB66264-CEL	629 LBS.	48.0	62
HD1TAB66264-CES	958 LBS.	48.0	62
HD1TAB66264-CEW	629 LBS.	48.0	62
HD1TAB66264-FEG	1168 LBS.	48.0	62
HD1TAB66264-FES	958 LBS.	48.0	62
HD1TAB66264-FEW	629 LBS.	48.0	62
HD1TAB66264-WFS	958 LBS.	48.0	62
HD1TAB66264-WFW	629 LBS.	48.0	62
HD1TAB66288-CEG	1270 LBS.	52.3	62
HD1TAB66288-CEL	685 LBS.	52.3	62
HD1TAB66288-CES	1041 LBS.	52.3	62
HD1TAB66288-CEW	685 LBS.	52.3	62
HD1TAB66288-FEG	1270 LBS.	52.3	62
HD1TAB66288-FES	1041 LBS.	52.3	62
HD1TAB66288-FEW	685 LBS.	52.3	62
HD1TAB66288-WFS	1041 LBS.	52.3	62
HD1TAB66288-WFW	685 LBS.	52.3	62
HD1TAB72216-CEG	1048 LBS.	42.8	64
HD1TAB72216-CEL	562 LBS.	42.8	64
HD1TAB72216-CES	860 LBS.	42.8	64
HD1TAB72216-CEW	562 LBS.	42.8	64
HD1TAB72216-FEG	1048 LBS.	42.8	64
HD1TAB72216-FES	860 LBS.	42.8	64
HD1TAB72216-FEW	562 LBS.	42.8	64
HD1TAB72216-WFS	860 LBS.	42.8	64
HD1TAB72216-WFW	562 LBS.	42.8	64
HD1TAB72240-CEG	1159 LBS.	47.5	64
HD1TAB72240-CEL	624 LBS.	47.5	64
HD1TAB72240-CES	950 LBS.	47.5	64
HD1TAB72240-CEW	624 LBS.	47.5	64
HD1TAB72240-FEG	1159 LBS.	47.5	64
HD1TAB72240-FES	950 LBS.	47.5	64
HD1TAB72240-FEW	624 LBS.	47.5	64
HD1TAB72240-WFS	950 LBS.	47.5	64
HD1TAB72240-WFW	624 LBS.	47.5	64
HD1TAB72264-CEG	1270 LBS.	52.1	64
HD1TAB72264-CEL	685 LBS.	52.1	64
HD1TAB72264-CES	1041 LBS.	52.1	64
HD1TAB72264-CEW	685 LBS.	52.1	64
HD1TAB72264-FEG	1270 LBS.	52.1	64
HD1TAB72264-FES	1041 LBS.	52.1	64
HD1TAB72264-FEW	685 LBS.	52.1	64
HD1TAB72264-WFS	1041 LBS.	52.1	64
HD1TAB72264-WFW	685 LBS.	52.1	64

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TAB72288-CEG	1381 LBS.	56.8	64
HD1TAB72288-CEL	746 LBS.	56.8	64
HD1TAB72288-CES	1131 LBS.	56.8	64
HD1TAB72288-CEW	746 LBS.	56.8	64
HD1TAB72288-FEG	1381 LBS.	56.8	64
HD1TAB72288-FES	1131 LBS.	56.8	64
HD1TAB72288-FEW	746 LBS.	56.8	64
HD1TAB72288-WFS	1131 LBS.	56.8	64
HD1TAB72288-WFW	746 LBS.	56.8	64
HD1TRAY	17 LBS.	1.4	115
HD1TRD36-CEG	134 LBS.	4.0	40
HD1TRD36-CEL	50 LBS.	4.0	40
HD1TRD36-CES	120 LBS.	4.0	40
HD1TRD36-CEW	50 LBS.	4.0	40
HD1TRD36-FEG	134 LBS.	4.0	40
HD1TRD36-FES	120 LBS.	4.0	40
HD1TRD36-FEW	50 LBS.	4.0	40
HD1TRD42-CEG	161 LBS.	5.3	40
HD1TRD42-CEL	65 LBS.	5.3	40
HD1TRD42-CES	142 LBS.	5.3	40
HD1TRD42-CEW	65 LBS.	5.3	40
HD1TRD42-FEG	161 LBS.	5.3	40
HD1TRD42-FES	142 LBS.	5.3	40
HD1TRD42-FEW	65 LBS.	5.3	40
HD1TRD48-CEG	191 LBS.	6.8	40
HD1TRD48-CEL	81 LBS.	6.8	40
HD1TRD48-CES	167 LBS.	6.8	40
HD1TRD48-CEW	81 LBS.	6.8	40
HD1TRD48-FEG	191 LBS.	6.8	40
HD1TRD48-FES	167 LBS.	6.8	40
HD1TRD48-FEW	81 LBS.	6.8	40
HD1TRD54-CEG	226 LBS.	8.5	40
HD1TRD54-CEL	100 LBS.	8.5	40
HD1TRD54-CES	196 LBS.	8.5	40
HD1TRD54-CEW	100 LBS.	8.5	40
HD1TRD54-FEG	226 LBS.	8.5	40
HD1TRD54-FES	196 LBS.	8.5	40
HD1TRD54-FEW	100 LBS.	8.5	40
HD1TRD60-CEG	265 LBS.	10.3	40
HD1TRD60-CEL	121 LBS.	10.3	40
HD1TRD60-CES	227 LBS.	10.3	40
HD1TRD60-CEW	121 LBS.	10.3	40
HD1TRD60-FEG	265 LBS.	10.3	40
HD1TRD60-FES	227 LBS.	10.3	40
HD1TRD60-FEW	121 LBS.	10.3	40
HD1TRD66-CEG	308 LBS.	12.4	40
HD1TRD66-CEL	145 LBS.	12.4	40
HD1TRD66-CES	262 LBS.	12.4	40
HD1TRD66-CEW	145 LBS.	12.4	40
HD1TRD66-FEG	308 LBS.	12.4	40
HD1TRD66-FES	262 LBS.	12.4	40
HD1TRD66-FEW	145 LBS.	12.4	40
HD1TRD72-CEG	356 LBS.	14.6	40

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TRD72-CEL	171 LBS.	14.6	40
HD1TRD72-CES	301 LBS.	14.6	40
HD1TRD72-CEW	171 LBS.	14.6	40
HD1TRD72-FEG	356 LBS.	14.6	40
HD1TRD72-FES	301 LBS.	14.6	40
HD1TRD72-FEW	171 LBS.	14.6	40
HD1TRT42108-CEG	379 LBS.	13.0	42
HD1TRT42108-CEL	194 LBS.	13.0	42
HD1TRT42108-CES	313 LBS.	13.0	42
HD1TRT42108-CEW	194 LBS.	13.0	42
HD1TRT42108-FEG	379 LBS.	13.0	42
HD1TRT42108-FES	313 LBS.	13.0	42
HD1TRT42108-FEW	194 LBS.	13.0	42
HD1TRT42108-WFS	313 LBS.	13.0	42
HD1TRT42108-WFW	194 LBS.	13.0	42
HD1TRT42120-CEG	416 LBS.	14.4	42
HD1TRT42120-CEL	214 LBS.	14.4	42
HD1TRT42120-CES	342 LBS.	14.4	42
HD1TRT42120-CEW	214 LBS.	14.4	42
HD1TRT42120-FEG	416 LBS.	14.4	42
HD1TRT42120-FES	342 LBS.	14.4	42
HD1TRT42120-FEW	214 LBS.	14.4	42
HD1TRT42120-WFS	342 LBS.	14.4	42
HD1TRT42120-WFW	214 LBS.	14.4	42
HD1TRT4272-CEG	270 LBS.	8.8	42
HD1TRT4272-CEL	132 LBS.	8.8	42
HD1TRT4272-CES	225 LBS.	8.8	42
HD1TRT4272-CEW	132 LBS.	8.8	42
HD1TRT4272-FEG	270 LBS.	8.8	42
HD1TRT4272-FES	225 LBS.	8.8	42
HD1TRT4272-FEW	132 LBS.	8.8	42
HD1TRT4272-WFS	225 LBS.	8.8	42
HD1TRT4272-WFW	132 LBS.	8.8	42
HD1TRT4284-CEG	306 LBS.	10.2	42
HD1TRT4284-CEL	153 LBS.	10.2	42
HD1TRT4284-CES	254 LBS.	10.2	42
HD1TRT4284-CEW	153 LBS.	10.2	42
HD1TRT4284-FEG	306 LBS.	10.2	42
HD1TRT4284-FES	254 LBS.	10.2	42
HD1TRT4284-FEW	153 LBS.	10.2	42
HD1TRT4284-WFS	254 LBS.	10.2	42
HD1TRT4284-WFW	153 LBS.	10.2	42
HD1TRT4296-CEG	343 LBS.	11.6	42
HD1TRT4296-CEL	173 LBS.	11.6	42
HD1TRT4296-CES	283 LBS.	11.6	42
HD1TRT4296-CEW	173 LBS.	11.6	42
HD1TRT4296-FEG	343 LBS.	11.6	42
HD1TRT4296-FES	283 LBS.	11.6	42
HD1TRT4296-FEW	173 LBS.	11.6	42
HD1TRT4296-WFS	283 LBS.	11.6	42
HD1TRT4296-WFW	173 LBS.	11.6	42
HD1TRT48108-CEG	426 LBS.	14.7	44
HD1TRT48108-CEL	220 LBS.	14.7	44

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TRT48108-CES	350 LBS.	14.7	44
HD1TRT48108-CEW	220 LBS.	14.7	44
HD1TRT48108-FEG	426 LBS.	14.7	44
HD1TRT48108-FES	350 LBS.	14.7	44
HD1TRT48108-FEW	220 LBS.	14.7	44
HD1TRT48108-WFS	350 LBS.	14.7	44
HD1TRT48108-WFW	220 LBS.	14.7	44
HD1TRT48120-CEG	468 LBS.	16.3	44
HD1TRT48120-CEL	243 LBS.	16.3	44
HD1TRT48120-CES	384 LBS.	16.3	44
HD1TRT48120-CEW	243 LBS.	16.3	44
HD1TRT48120-FEG	468 LBS.	16.3	44
HD1TRT48120-FES	384 LBS.	16.3	44
HD1TRT48120-FEW	243 LBS.	16.3	44
HD1TRT48120-WFS	384 LBS.	16.3	44
HD1TRT48120-WFW	243 LBS.	16.3	44
HD1TRT48144-CEG	552 LBS.	19.5	44
HD1TRT48144-CEL	290 LBS.	19.5	44
HD1TRT48144-CES	450 LBS.	19.5	44
HD1TRT48144-CEW	290 LBS.	19.5	44
HD1TRT48144-FEG	552 LBS.	19.5	44
HD1TRT48144-FES	450 LBS.	19.5	44
HD1TRT48144-FEW	290 LBS.	19.5	44
HD1TRT48144-WFS	450 LBS.	19.5	44
HD1TRT48144-WFW	290 LBS.	19.5	44
HD1TRT48168-CEG	636 LBS.	22.7	44
HD1TRT48168-CEL	337 LBS.	22.7	44
HD1TRT48168-CES	517 LBS.	22.7	44
HD1TRT48168-CEW	337 LBS.	22.7	44
HD1TRT48168-FEG	636 LBS.	22.7	44
HD1TRT48168-FES	517 LBS.	22.7	44
HD1TRT48168-FEW	337 LBS.	22.7	44
HD1TRT48168-WFS	517 LBS.	22.7	44
HD1TRT48168-WFW	337 LBS.	22.7	44
HD1TRT48192-CEG	719 LBS.	25.9	44
HD1TRT48192-CEL	383 LBS.	25.9	44
HD1TRT48192-CES	584 LBS.	25.9	44
HD1TRT48192-CEW	383 LBS.	25.9	44
HD1TRT48192-FEG	719 LBS.	25.9	44
HD1TRT48192-FES	584 LBS.	25.9	44
HD1TRT48192-FEW	383 LBS.	25.9	44
HD1TRT48192-WFS	584 LBS.	25.9	44
HD1TRT48192-WFW	383 LBS.	25.9	44
HD1TRT4872-CEG	301 LBS.	10.0	44
HD1TRT4872-CEL	150 LBS.	10.0	44
HD1TRT4872-CES	250 LBS.	10.0	44
HD1TRT4872-CEW	150 LBS.	10.0	44
HD1TRT4872-FEG	301 LBS.	10.0	44
HD1TRT4872-FES	250 LBS.	10.0	44
HD1TRT4872-FEW	150 LBS.	10.0	44
HD1TRT4872-WFS	250 LBS.	10.0	44
HD1TRT4872-WFW	150 LBS.	10.0	44
HD1TRT4884-CEG	343 LBS.	11.6	44

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TRT4884-CEL	173 LBS.	11.6	44
HD1TRT4884-CES	283 LBS.	11.6	44
HD1TRT4884-CEW	173 LBS.	11.6	44
HD1TRT4884-FEG	343 LBS.	11.6	44
HD1TRT4884-FES	283 LBS.	11.6	44
HD1TRT4884-FEW	173 LBS.	11.6	44
HD1TRT4884-WFS	283 LBS.	11.6	44
HD1TRT4884-WFW	173 LBS.	11.6	44
HD1TRT4896-CEG	385 LBS.	13.1	44
HD1TRT4896-CEL	197 LBS.	13.1	44
HD1TRT4896-CES	317 LBS.	13.1	44
HD1TRT4896-CEW	197 LBS.	13.1	44
HD1TRT4896-FEG	385 LBS.	13.1	44
HD1TRT4896-FES	317 LBS.	13.1	44
HD1TRT4896-FEW	197 LBS.	13.1	44
HD1TRT4896-WFS	317 LBS.	13.1	44
HD1TRT4896-WFW	197 LBS.	13.1	44
HD1TRT54120-CEG	521 LBS.	18.3	46
HD1TRT54120-CEL	272 LBS.	18.3	46
HD1TRT54120-CES	425 LBS.	18.3	46
HD1TRT54120-CEW	272 LBS.	18.3	46
HD1TRT54120-FEG	521 LBS.	18.3	46
HD1TRT54120-FES	425 LBS.	18.3	46
HD1TRT54120-FEW	272 LBS.	18.3	46
HD1TRT54120-WFS	425 LBS.	18.3	46
HD1TRT54120-WFW	272 LBS.	18.3	46
HD1TRT54144-CEG	615 LBS.	21.8	46
HD1TRT54144-CEL	325 LBS.	21.8	46
HD1TRT54144-CES	500 LBS.	21.8	46
HD1TRT54144-CEW	325 LBS.	21.8	46
HD1TRT54144-FEG	615 LBS.	21.8	46
HD1TRT54144-FES	500 LBS.	21.8	46
HD1TRT54144-FEW	325 LBS.	21.8	46
HD1TRT54144-WFS	500 LBS.	21.8	46
HD1TRT54144-WFW	325 LBS.	21.8	46
HD1TRT54168-CEG	709 LBS.	25.4	46
HD1TRT54168-CEL	377 LBS.	25.4	46
HD1TRT54168-CES	575 LBS.	25.4	46
HD1TRT54168-CEW	377 LBS.	25.4	46
HD1TRT54168-FEG	709 LBS.	25.4	46
HD1TRT54168-FES	575 LBS.	25.4	46
HD1TRT54168-FEW	377 LBS.	25.4	46
HD1TRT54168-WFS	575 LBS.	25.4	46
HD1TRT54168-WFW	377 LBS.	25.4	46
HD1TRT54192-CEG	803 LBS.	28.9	46
HD1TRT54192-CEL	430 LBS.	28.9	46
HD1TRT54192-CES	650 LBS.	28.9	46
HD1TRT54192-CEW	430 LBS.	28.9	46
HD1TRT54192-FEG	803 LBS.	28.9	46
HD1TRT54192-FES	650 LBS.	28.9	46
HD1TRT54192-FEW	430 LBS.	28.9	46
HD1TRT54192-WFS	650 LBS.	28.9	46
HD1TRT54192-WFW	430 LBS.	28.9	46

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TRT54216-CEG	897 LBS.	32.5	46
HD1TRT54216-CEL	482 LBS.	32.5	46
HD1TRT54216-CES	725 LBS.	32.5	46
HD1TRT54216-CEW	482 LBS.	32.5	46
HD1TRT54216-FEG	897 LBS.	32.5	46
HD1TRT54216-FES	725 LBS.	32.5	46
HD1TRT54216-FEW	482 LBS.	32.5	46
HD1TRT54216-WFS	725 LBS.	32.5	46
HD1TRT54216-WFW	482 LBS.	32.5	46
HD1TRT54240-CEG	991 LBS.	36.1	46
HD1TRT54240-CEL	535 LBS.	36.1	46
HD1TRT54240-CES	800 LBS.	36.1	46
HD1TRT54240-CEW	535 LBS.	36.1	46
HD1TRT54240-FEG	991 LBS.	36.1	46
HD1TRT54240-FES	800 LBS.	36.1	46
HD1TRT54240-FEW	535 LBS.	36.1	46
HD1TRT54240-WFS	800 LBS.	36.1	46
HD1TRT54240-WFW	535 LBS.	36.1	46
HD1TRT60120-CEG	573 LBS.	20.2	48
HD1TRT60120-CEL	302 LBS.	20.2	48
HD1TRT60120-CES	467 LBS.	20.2	48
HD1TRT60120-CEW	302 LBS.	20.2	48
HD1TRT60120-FEG	573 LBS.	20.2	48
HD1TRT60120-FES	467 LBS.	20.2	48
HD1TRT60120-FEW	302 LBS.	20.2	48
HD1TRT60120-WFS	467 LBS.	20.2	48
HD1TRT60120-WFW	302 LBS.	20.2	48
HD1TRT60144-CEG	677 LBS.	24.1	48
HD1TRT60144-CEL	360 LBS.	24.1	48
HD1TRT60144-CES	550 LBS.	24.1	48
HD1TRT60144-CEW	360 LBS.	24.1	48
HD1TRT60144-FEG	677 LBS.	24.1	48
HD1TRT60144-FES	550 LBS.	24.1	48
HD1TRT60144-FEW	360 LBS.	24.1	48
HD1TRT60144-WFS	550 LBS.	24.1	48
HD1TRT60144-WFW	360 LBS.	24.1	48
HD1TRT60168-CEG	782 LBS.	28.1	48
HD1TRT60168-CEL	418 LBS.	28.1	48
HD1TRT60168-CES	634 LBS.	28.1	48
HD1TRT60168-CEW	418 LBS.	28.1	48
HD1TRT60168-FEG	782 LBS.	28.1	48
HD1TRT60168-FES	634 LBS.	28.1	48
HD1TRT60168-FEW	418 LBS.	28.1	48
HD1TRT60168-WFS	634 LBS.	28.1	48
HD1TRT60168-WFW	418 LBS.	28.1	48
HD1TRT60192-CEG	887 LBS.	32.0	48
HD1TRT60192-CEL	477 LBS.	32.0	48
HD1TRT60192-CES	717 LBS.	32.0	48
HD1TRT60192-CEW	477 LBS.	32.0	48
HD1TRT60192-FEG	887 LBS.	32.0	48
HD1TRT60192-FES	717 LBS.	32.0	48
HD1TRT60192-FEW	477 LBS.	32.0	48
HD1TRT60192-WFS	717 LBS.	32.0	48

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TRT60192-WFW	477 LBS.	32.0	48
HD1TRT60216-CEG	991 LBS.	35.9	48
HD1TRT60216-CEL	535 LBS.	35.9	48
HD1TRT60216-CES	800 LBS.	35.9	48
HD1TRT60216-CEW	535 LBS.	35.9	48
HD1TRT60216-FEG	991 LBS.	35.9	48
HD1TRT60216-FES	800 LBS.	35.9	48
HD1TRT60216-FEW	535 LBS.	35.9	48
HD1TRT60216-WFS	800 LBS.	35.9	48
HD1TRT60216-WFW	535 LBS.	35.9	48
HD1TRT60240-CEG	1096 LBS.	39.9	48
HD1TRT60240-CEL	593 LBS.	39.9	48
HD1TRT60240-CES	884 LBS.	39.9	48
HD1TRT60240-CEW	593 LBS.	39.9	48
HD1TRT60240-FEG	1096 LBS.	39.9	48
HD1TRT60240-FES	884 LBS.	39.9	48
HD1TRT60240-FEW	593 LBS.	39.9	48
HD1TRT60240-WFS	884 LBS.	39.9	48
HD1TRT60240-WFW	593 LBS.	39.9	48
HD1TRT60264-CEG	1200 LBS.	43.8	48
HD1TRT60264-CEL	652 LBS.	43.8	48
HD1TRT60264-CES	967 LBS.	43.8	48
HD1TRT60264-CEW	652 LBS.	43.8	48
HD1TRT60264-FEG	1200 LBS.	43.8	48
HD1TRT60264-FES	967 LBS.	43.8	48
HD1TRT60264-FEW	652 LBS.	43.8	48
HD1TRT60264-WFS	967 LBS.	43.8	48
HD1TRT60264-WFW	652 LBS.	43.8	48
HD1TRT60288-CEG	1305 LBS.	47.7	48
HD1TRT60288-CEL	710 LBS.	47.7	48
HD1TRT60288-CES	1051 LBS.	47.7	48
HD1TRT60288-CEW	710 LBS.	47.7	48
HD1TRT60288-FEG	1305 LBS.	47.7	48
HD1TRT60288-FES	1051 LBS.	47.7	48
HD1TRT60288-FEW	710 LBS.	47.7	48
HD1TRT60288-WFS	1051 LBS.	47.7	48
HD1TRT60288-WFW	710 LBS.	47.7	48
HD1TRT66216-CEG	1085 LBS.	39.4	50
HD1TRT66216-CEL	587 LBS.	39.4	50
HD1TRT66216-CES	875 LBS.	39.4	50
HD1TRT66216-CEW	587 LBS.	39.4	50
HD1TRT66216-FEG	1085 LBS.	39.4	50
HD1TRT66216-FES	875 LBS.	39.4	50
HD1TRT66216-FEW	587 LBS.	39.4	50
HD1TRT66216-WFS	875 LBS.	39.4	50
HD1TRT66216-WFW	587 LBS.	39.4	50
HD1TRT66240-CEG	1200 LBS.	43.7	50
HD1TRT66240-CEL	652 LBS.	43.7	50
HD1TRT66240-CES	967 LBS.	43.7	50
HD1TRT66240-CEW	652 LBS.	43.7	50
HD1TRT66240-FEG	1200 LBS.	43.7	50
HD1TRT66240-FES	967 LBS.	43.7	50
HD1TRT66240-FEW	652 LBS.	43.7	50

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TRT66240-WFS	967 LBS.	43.7	50
HD1TRT66240-WFW	652 LBS.	43.7	50
HD1TRT66264-CEG	1315 LBS.	48.0	50
HD1TRT66264-CEL	716 LBS.	48.0	50
HD1TRT66264-CES	1059 LBS.	48.0	50
HD1TRT66264-CEW	716 LBS.	48.0	50
HD1TRT66264-FEG	1315 LBS.	48.0	50
HD1TRT66264-FES	1059 LBS.	48.0	50
HD1TRT66264-FEW	716 LBS.	48.0	50
HD1TRT66264-WFS	1059 LBS.	48.0	50
HD1TRT66264-WFW	716 LBS.	48.0	50
HD1TRT66288-CEG	1430 LBS.	52.3	50
HD1TRT66288-CEL	780 LBS.	52.3	50
HD1TRT66288-CES	1151 LBS.	52.3	50
HD1TRT66288-CEW	780 LBS.	52.3	50
HD1TRT66288-FEG	1430 LBS.	52.3	50
HD1TRT66288-FES	1151 LBS.	52.3	50
HD1TRT66288-FEW	780 LBS.	52.3	50
HD1TRT66288-WFS	1151 LBS.	52.3	50
HD1TRT66288-WFW	780 LBS.	52.3	50
HD1TRT72216-CEG	1179 LBS.	42.8	52
HD1TRT72216-CEL	640 LBS.	42.8	52
HD1TRT72216-CES	950 LBS.	42.8	52
HD1TRT72216-CEW	640 LBS.	42.8	52
HD1TRT72216-FEG	1179 LBS.	42.8	52
HD1TRT72216-FES	950 LBS.	42.8	52
HD1TRT72216-FEW	640 LBS.	42.8	52
HD1TRT72216-WFS	950 LBS.	42.8	52
HD1TRT72216-WFW	640 LBS.	42.8	52
HD1TRT72240-CEG	1305 LBS.	47.5	52
HD1TRT72240-CEL	710 LBS.	47.5	52
HD1TRT72240-CES	1051 LBS.	47.5	52
HD1TRT72240-CEW	710 LBS.	47.5	52
HD1TRT72240-FEG	1305 LBS.	47.5	52
HD1TRT72240-FES	1051 LBS.	47.5	52
HD1TRT72240-FEW	710 LBS.	47.5	52
HD1TRT72240-WFS	1051 LBS.	47.5	52
HD1TRT72240-WFW	710 LBS.	47.5	52
HD1TRT72264-CEG	1430 LBS.	52.1	52
HD1TRT72264-CEL	780 LBS.	52.1	52
HD1TRT72264-CES	1151 LBS.	52.1	52
HD1TRT72264-CEW	780 LBS.	52.1	52
HD1TRT72264-FEG	1430 LBS.	52.1	52
HD1TRT72264-FES	1151 LBS.	52.1	52
HD1TRT72264-FEW	780 LBS.	52.1	52
HD1TRT72264-WFS	1151 LBS.	52.1	52
HD1TRT72264-WFW	780 LBS.	52.1	52
HD1TRT72288-CEG	1556 LBS.	56.8	52
HD1TRT72288-CEL	850 LBS.	56.8	52
HD1TRT72288-CES	1251 LBS.	56.8	52
HD1TRT72288-CEW	850 LBS.	56.8	52
HD1TRT72288-FEG	1556 LBS.	56.8	52
HD1TRT72288-FES	1251 LBS.	56.8	52

MODEL NUMBER	WEIGHT	CUBES	PAGE
HD1TRT72288-FEW	850 LBS.	56.8	52
HD1TRT72288-WFS	1251 LBS.	56.8	52
HD1TRT72288-WFW	850 LBS.	56.8	52
HD1TVC4260108-CEG	450 LBS.	18.2	66
HD1TVC4260108-CEL	231 LBS.	18.2	66
HD1TVC4260108-CES	375 LBS.	18.2	66
HD1TVC4260108-CEW	231 LBS.	18.2	66
HD1TVC4260108-FEG	450 LBS.	18.2	66
HD1TVC4260108-FES	375 LBS.	18.2	66
HD1TVC4260108-FEW	231 LBS.	18.2	66
HD1TVC4260108-WFS	375 LBS.	18.2	66
HD1TVC4260108-WFW	231 LBS.	18.2	66
HD1TVC4872144-CEG	690 LBS.	28.7	66
HD1TVC4872144-CEL	364 LBS.	28.7	66
HD1TVC4872144-CES	569 LBS.	28.7	66
HD1TVC4872144-CEW	364 LBS.	28.7	66
HD1TVC4872144-FEG	690 LBS.	28.7	66
HD1TVC4872144-FES	569 LBS.	28.7	66
HD1TVC4872144-FEW	364 LBS.	28.7	66
HD1TVC4872144-WFS	569 LBS.	28.7	66
HD1TVC4872144-WFW	364 LBS.	28.7	66
HK17009011	1 LBS.	0.1	78
HK17009012	1 LBS.	0.1	82
HK17010011	1 LBS.	0.1	82
HK17010111	1 LBS.	0.1	78
HK17010113	1 LBS.	0.1	78
HK17010173	1 LBS.	0.1	78
HK17010314	1 LBS.	0.1	81
HK170107602	1 LBS.	0.1	81
HK17014712	1 LBS.	0.1	82
HK17016111	1 LBS.	0.1	80
HK17026701	1 LBS.	0.1	82
HK17041111	1 LBS.	0.1	78
HK17045412	1 LBS.	0.1	80
HK17046411	1 LBS.	0.1	81
HK17049111	1 LBS.	0.1	79
HK17049112	1 LBS.	0.1	79
HK17049113	1 LBS.	0.1	79
HK17049114	1 LBS.	0.1	79
HK17049115	1 LBS.	0.1	79
HK17049116	1 LBS.	0.1	80
HK17055111	1 LBS.	0.1	80
HK17061602	1 LBS.	0.1	80
HK17067712	1 LBS.	0.1	80
HK1BSD18-P	220 LBS.	8.7	87
HK1BSD18-W	220 LBS.	8.7	88
HK1BSD24-P	230 LBS.	14.2	87
HK1BSD24-W	230 LBS.	14.2	88
HK1BSD36-P	265 LBS.	28.9	87
HK1BSD36-W	265 LBS.	28.9	88
HK1BSDA18-P	220 LBS.	8.7	87
HK1BSDA18-W	220 LBS.	8.7	88
HK1BSDA24-P	230 LBS.	14.2	87

MODEL NUMBER	WEIGHT	CUBES	PAGE
HK1BSDA24-W	230 LBS.	14.2	88
HK1BSDA36-P	265 LBS.	28.9	87
HK1BSDA36-W	265 LBS.	28.9	88
HK1DP36-AHW	36 LBS.	3.0	77
HK1DP36-ASP	36 LBS.	3.0	77
HK1DP36-WHW	36 LBS.	3.0	77
HK1DP36-WSP	36 LBS.	3.0	77
HK1DP60-AHW	49 LBS.	4.8	77
HK1DP60-ASP	49 LBS.	4.8	77
HK1DP60-WHW	49 LBS.	4.8	77
HK1DP60-WSP	49 LBS.	4.8	77
HK1MC-AHW	12 LBS.	1.1	71
HK1MC-ASP	12 LBS.	1.1	71
HK1MC-GHW	12 LBS.	1.1	71
HK1MC-GSP	12 LBS.	1.1	71
HK1MC-SHW	12 LBS.	1.1	73
HK1MC-SSP	12 LBS.	1.1	73
HK1MC-WHW	12 LBS.	1.1	72
HK1MC-WSP	12 LBS.	1.1	72
HK1PG-SP	7 LBS.	0.3	70
HK1PWRKT12	8 LBS.	5.0	83
HK1PWRKT6	5 LBS.	5.0	83
HK1TRASH	5 LBS.	1.4	83